Quarantine Facilities





Desirable Practices

Tanks should be neatly laid out in rows with easy access to each tank.

Shelter





Desirable Practices

Quarantine facility must be covered overhead to provide shelter for species that are in quarantine.

Floor





Desirable PracticesFloor should be even and have good drainage.

Condition of tanks






Desirable Practices
Keep all tanks clean at all times.

Water system





Desirable Practices

Individual tanks should have individual water sources rather than circulating water through different quarantine tanks to minimise the risk of disease transmission across tanks.

Footbath



Desirable Practices

Footbaths must be filled with sufficient disinfectants and placed at the entrances of quarantine areas. They must also be suitably large enough to ensure they cannot be bypassed by workers.

Footwear



Desirable Practices

Suitable footwear must be worn in the quarantine area.

Nets



Desirable Practices

Individual nets for individual tanks are ideal to minimise the risk of disease transmission across tanks. These nets should be disinfected before the next batch of fish is introduced.



If common nets are used, they should be soaked in disinfection tanks with suitable disinfectants and dried before use in the next tank.

Pets



Desirable Practices

Pets are not allowed in the quarantine facility.

Fish feed



Desirable PracticesFish feed should be properly stored.

Inventory Charts





Desirable Practices

All tanks properly labelled, charts filled up and regularly updated.

Disease treatment charts



Desirable Practices

Disease treatment charts are displayed and updated accordingly.

Waste water



Desirable Practices

Waste water disinfected before discharge or run directly into the sewage or a sump.

Restricted access





Desirable Practices

Access to the quarantine area should only be restricted to authorised personnel.

Packing Facilities



Desirable Practices

Packing facility must be kept neat and tidy. Packing/Unpacking is done in a cool and shady environment to prevent unnecessary stress to the fish.

Storage Area





Desirable Practices

Packing materials should be placed on a raised platform to prevent them from being soaked if the floor is wet.

Proper Disposal of Dead Fish



Desirable Practices

Dead fish should be double bagged and properly disposed. They should not be directly thrown into drains.

Disinfection of tank after export



Desirable Practices

Tanks should be thoroughly disinfected after all fish have been exported.