

Life cycle of a butterfly





Am I an insect?



Help the mummy butterfly explain to the caterpillar by filling in the blanks with the helping words from the box below:

prolegs real	insect	different many
--------------	--------	----------------

My dear caterpillar, you are an <u>insect</u> like me! You look <u>different</u> because it seems that you have <u>many</u> legs. But if you look carefully, you will see that you have two different types of legs. Just behind your head (on your thorax), you have 3 pairs of legs which are your real legs. These are called the thoracic legs, and they have joints and small claws at their ends. The other legs which you see at your rear (on your abdomen) are not <u>real</u> legs. These are called the <u>prolegs</u>, and are quite fleshy and have no visible joints.



<u>Adaptations of the Caterpillar –</u> <u>defence mechanism</u>

(A) Egg Stage

	Mechanism	Type of adaptation (structural/ behavioural)	How does this adaptation help the species in its survival?
1	The egg takes the same colour as the substrate (or the leaves) that it is laid on, or resembles the plant parts in the vicinity.	Structural	This helps the egg to blend into the background/provides <u>camouflage</u> to prevent it from being seen by any predators.
2	The mother butterfly lays the egg in a tight space between leaves or flower buds in a gelatinous matrix or in a mess of hair that is glued to the egg.	Behavioural	This helps the egg to be physically concealed /hidden from the sight of predators so that it will not be eaten.
3	The mother butterfly lays eggs in clusters.	Behavioural	This helps to <u>ensure</u> <u>the survival</u> of <u>some of</u> <u>the eggs</u> at the sacrifice of the rest to parasitoids (parasites that kill the host).
4	The mother butterfly stands guard over its cluster of eggs for days until they hatch.	Behavioural	This helps to <u>deter</u> <u>smaller predators</u> (insects like ants or parasitoid wasps) from removing/eating the eggs.



(B) Caterpillar Stage

	Mechanism	Type of adaptation (Structural/ Behavioural)?	How does this adaptation help the species in its survival?
1	The caterpillar feeds on plants with toxic chemicals and stores these toxins in its body. The caterpillar is unaffected by the toxins, but a predator will be poisoned if it eats the caterpillar.	Behavioural	Predators will avoid eating these toxic caterpillars.
2	The caterpillar has patterns or prominent spines which warn predators of its toxicity.	Structural	Predators will avoid eating prey which displays warning colouration or structures.
3	The caterpillar constructs a leaf shelter in which to rest in-between feeds.	Behavioural	The caterpillar retreats/hides in the shelter to avoid being seen when a predator appears.
4	The caterpillar forcefully catapults its frass pellets (waste) away from its resting or feeding site.	Behavioural	TThe chemical signature of the caterpillar is in the frass; by throwing the waste away, predators are distracted from attacking the caterpillar.
5	The caterpillar produces brightly-coloured structures on its body (by turning out specialised glands), and emits	Behavioural and structural	This adaptation scares/confuses predators and deters them from eating the



	a strong scent when a predator appears.		caterpillar.
6	The caterpillar possesses nectary glands that attract the attendance of ants.	Behavioural and structural	The presence of ants serves to deter predators and parasitoids from coming to the site.
7	The caterpillar's body colour and markings match the plant part it is feeding or resting on (such as thorns). It can even mimic objects in the environment such as bird droppings.	Structural	This helps the caterpillar blend into the background/provides camouflage to avoid detection by predators.



The Caterpillar and its impact on the ecosystem

(a) Explain how the population of birds will be <u>positively</u> affected by the increase in the number of Caterpillar Species X.

Ans: The Caterpillar Species X is the food source of the birds, so when the population increases, the bird population will be better sustained."

- (b) Explain how the population of birds will be <u>negatively</u> affected by the increase in the number of Caterpillar Species X. <u>Ans: With the increase in the number of the Caterpillar Species X, trees</u> will be heavily defoliated. Heavy defoliation of trees and shrubs removes the protective cover of tree leaves; nests that normally are hidden by <u>leaves are then exposed and more visible to predators.</u>
- (c) How do you think the temperature and humidity of the forest may be affected when the trees are heavily defoliated? Will this cause an impact to the animals in the forest?

Ans: Defoliation removes the leaves of the tree. With fewer leaves, the humidity of the forest is decreased during the day (because there is less evapotranspiration), and the temperature is increased (because of reduced shading). These changes to the microclimate will likely cause impacts to the animals in the forest; for example, possibly reducing the survival of young birds.

Source: <u>http://www.dnr.state.mn.us/treecare/forest_health/ftc/impacts.html</u>



Caterpillar identification

Lime Butterfly	
Common Birdwing	A CONTRACTOR
Painted Jezebel	
Blue Spotted Crow	
Chocolate Pansy	
Plain Nawab	Service and the service of the servi
Plain Tiger	CERTAIN AND AND AND AND AND AND AND AND AND AN

