Comparison of Similar Looking Plants

Brassica rapa Caisin Group [cai xin], Brassica oleracea Alboglabra Group [kailan] and Brassica rapa Pak Choi Group [xiao bai cai]







Scientific name: Brassica rapa Caisin Group [cai

xin]

Common name: Cai Xin Family name: Brassicaceae

Origin: Middle China

Scientific name: Brassica oleracea Alboglabra

Group [kailan]

Common name: Kailan
Family name: Brassicaceae

Origin: Southern and Central China

Scientific name: Brassica rapa Pak Choi Group

[xiao bai cai]

Common name: Xiao Bai Cai Family name: Brassicaceae

Origin: China



Brassica rapa Caisin Group Brassica oleracea Alboglabra Group Brassica rapa Pak Choi Group [kailan] [cai xin] [xiao bai cai] Erect Form Usually erect, but sometimes prostrate Erect 20 - 60 cm tall • Up to 40 cm tall in vegetative stage • Up to 30 cm tall in vegetative stage Herbaceous • Up to 1 (-2) m tall at the end of flowering • Up to 70 cm tall in generative stage Herbaceous stage Herbaceous

Brassica rapa Caisin Group Brassica oleracea Alboglabra Group Brassica rapa Pak Choi Group [xiao bai cai] [cai xin] [kailan] **Foliage** Few leaves arranged in a rosette form Alternately arranged along the stem Spirally arranged along the stem in a compact Usually 1-2 leaf layers with 2-3 leaves in a Waxy, blue-green to dark green pattern Leaf blade thick and firm Non-glossy, green leaves layer • Glossy bright green leaves Young leaves irregularly toothed Leaf blade oval and slightly wavy · Young leaves are finely toothed · Leaf blade ovate to orbicular Margin finely toothed to smooth • Mature leaves ovate to orbicular Margin irregularly dentate, often undulate Wide and thick light green leaf stalk (petiole) • Long, narrow and flat leaf stalk (petiole) but • Narrow leaf stalk (petiole) clasping at the Clasping at the base of the leaf stalk (petiole) base of the leaf stalk not clasping

Brassica oleracea Alboglabra Group Brassica rapa Pak Choi Group Brassica rapa Caisin Group [cai xin] [kailan] [xiao bai cai] • Thick Thick Stem • Thin Usually profusely branched Narrow-branching or forking in upper part Short, almost not visible due to the compact leaf stalk arrangement • Less than 1 cm in diameter Light green and waxy • Green • Light green Flower Flower inflorescence located at the terminal Flower inflorescence located at the terminal Flower inflorescence located at the terminal Yellow White Light yellow

	Brassica rapa Caisin Group	Brassica oleracea Alboglabra Group	<i>Brassica rapa</i> Pak Choi Group
	[cai xin]	[kailan]	[xiao bai cai]
Ethnobota nical Uses	 Young flowering shoots are sometimes harvested together with leaves Young flowers are edible Taste: leaves are sweet 	 Unopened flower buds are sometimes harvested together with leaves, however rarely seen Young flowers are edible Taste: leaves are slightly bitter 	 Unopened flower buds are sometimes harvested together with leaves, however rarely seen Young flowers are edible Taste: leaves are sweet

References

- PROSEA Plant Resources of South-East Asia 8:Vegetables
- Pl@ntUse

https://uses.plantnet-project.org/en/Brassica rapa Caisin (PROSEA)

