

CONTENTS

Volume 37

PART 1 — 1st June 1984

	PAGES
KENG, HSUAN: Florae Malesianaee Precursores LVIII, Part Two. The Genus <i>Gordonia</i> (Theaceae) in Malesia	1-47
MABBERLEY, D. J.: A Monograph of <i>Melia</i> in Asia and the Pacific: The history of White Cedar and Persian Lilac	49-64
LEE, S. K., AND A. N. RAO: Axillary Buds of Some Tropical Trees	65-79
FOONG, THAI WU, AND NORMAN WELLS: Physical Effects of Soil Compaction and Initial Growth of <i>Acacia pycnantha</i> (Leguminosae) in a Clay-loam Soil	81-91
LIM, AH LAN: The Embryology of <i>Garcinia mangostana</i> L. (Clusiaceae)	93-103
PUTZ, FRANCIS E., AND N. MICHELE HOLBROOK: Multiple Branching at Nodes of <i>Sympingtonia populnea</i> (Hamamelidaceae)	105-109
VIANE, R. L. L.: <i>Trichomanes proliferum</i> Bl.: A new record for the fern flora of Singapore	111-114

PART 2 — 1st December 1984

WILDE, W. J. J. O. DE: A New Account of the Genus <i>Horsfieldia</i> (Myristicaceae), Pt 1	115-179
LIM, AH LAN: The Reproductive Biology of Rambutan (<i>Nephelium lappaceum</i> Linn., Sapindaceae)	181-192
WONG, KHOON MENG: A Revision of <i>Rennellia</i> (Rubiaceae) in the Malay Peninsula	193-198
GHANI, FARAH D.: Keys to the Cultivars of Keladi (<i>Colocasia esculenta</i> — Araceae) in Peninsular Malaysia	199-208
KIEW, R.: Notes on the Systematy of Malayan Species of <i>Chionanthus</i> (Oleaceae)	209-212
KORTHOF, H.M. & J. F. VELDKAMP: A Revision of <i>Aniselytron</i> with Some New Combinations in <i>Deyeuxia</i> in SE. Asia (Gramineae)	213-223
KIEW, R.: Preliminary Pollen Study of the Oleaceae in Malesia	225-230
INDEX vol. 37	231-238

INDEX

Volume 37

Basionyms and synonyms appear in italics. Page numbers in italics indicate the presence of illustrations.

- ACACIA PYCNANTHA and soil compaction study:
influences of level of artificial soil
compaction 82
on
amended clay loam 87, 89
dry bulk density 84, 86
root penetration 86, 90
shoot dry matter 84
development of shoots in treated clay loam 88
total porosity 86
rate of oxygen diffusion 83
moisture content in improved clay loam 84,
87, 87
moisture content in straight clay loam 86,
87
methods of artificial compaction 83, 84
soil strength as a limiting physical attribute 84
methods to reduce soil strength 83
compacting methods of straight clay 82
- Aglaia iloilo 62
Agrostideae 213
Agrostis 213, 214
(*Agrostis*) 12, 218
debilis 220
neodebilis 220
pleiophylla 218
rigidula 215
tenuis 219
zenkeri 219
Amorphophallus 199, 200
Anisachne 214
gracilis 218, 219
Aniselytron 213, 214, 215, 222
(and Deyeuxia) index of collectors 222
agrostoides 214, 215, 216, 221
tabulated measurements of *Santos* 7854,
220
clemensae 217, 218
epileuca 222
japonicum 216, 218
milioides 217, 218
petelotii 218
pseudopoa 217, 218
treutleri 215, 216, 217
diagnoses of collections 217, 218
Japanese form 223
var. *japonica* 217
var. *milioides* 217
var. *treutleri* 217
Antelaea Gaertn. 54
azadirachta 62
canescens 62
javonica 57
Antheleischima 1, 3
excelsa, 12
Anthelia ('*Anthelea*') canescens 62
Anthurium 199
Artagrostis 213
Arum colocasia 200
esculentum 200
- Aulacolepis* 213, 214, 215
agrostoides 216
var. *formosana* 216
clemensae 214, 217
epileuca 214, 222
japonica 216, 218
milioides 214, 217
petelotii 214, 218
pseudopoa 214, 217
treutleri 215, 216, 217, 218
var. *japonica* 216
var. *milioides* 217
- AXILLARY BUDS
Acacia auriculiformis 68
Anacardium occidentale 74
Annona muricata 68, 74
reticulata 68, 74
squamosa 68, 74
Artocarpus 69
- Bauhinia 69
Barringtonia asiatica 76
Bauhinia acuminata 75
blakeana 75
purpurera 75
Bixa orellana 70, 74
Brexia madagascariensis 77
Brownia capitella 75
grandiceps 65, 75
- Callistemon citrinus 76
Calophyllum inophyllum 75
Cassia 68
bakeriana 75
fistula 75
multijuga 75
sp. (hort. variety) 75
spectabilis 75
Cinnamomum iners 75
Citrus grandis 77
Coccoloba uvifera 73
Cochlospermum religiosum 74
Coffea sp. 69
Crataeva religiosa 74
Cratoxylon formosum 74
pruniflorum 74
- Dalbergia oliveri 75
Delonix regia 68, 75
Dimocarpus longan Lour. var. malesianus 77
Diospyros discolor 75
Dryobalanops aromatica 75
Elaeodendron quadrangulatum 74
Elateriospermum tapos 75
Erythrina fusca 75
variegata 75
Erythrophleum suaveolens 68, 70, 75
Ervatamia dichotoma 74
Eucalyptus ficiifolia 73
Eugenia 69
grandis 70, 76
javonica 76

- Eugenia Cont.*
longiflora 76
malaccensis 76
michelii 76
Ficus 69
benjamina 77
elastica 77
retusa 77
Filicium decipiens 77
Fragraea fragrans 70, 76
Glrificidia sepium 68, 75
Gnetum gnemon 75
Hibiscus tiliaceus 68, 76
Hopea mengarawan 75
Jacaranda obtusifolia HBK sp. *rhombifolia* 68, 74
Khaya grandiflora 76
Lagerstroemia speciosa 76
Lithocarpus urceolaris 68, 75
Mangifera indica 74
Melaleuca cajuputi 76
Michelia champaca 76
alba 70
Millettia atropurpurea 68, 75
Mimusops elengi 68, 77
Muntingia calabura 73, 77
Nephelium lappaceum 68, 77
 number 68-70, 74-77
Palaquium obovatum 77
Peltophorum pterocarpum 68, 70, 75
Plumeria sp. 65
acuminata 74
Podocarpus 68
koordersii 76
neriifolius 76
polystachyus 76
Polyalthia longifolia 74
Pongamia pinnata 76
Psidium guajava 76
Pterocarpus indicus 76
Rhodamnia cineria 76
Rhus succedanea 74
Salix sp. 77
Samanea saman 68, 76
Sandoricum koetjape 76
 shape 66-67, 69, 74-77
Shorea 68
curtisii 75
leprosula 75
sumatrana 75
 size 70, 74-77
Spathodea campanulata 68, 74
Tabebuia pallida 68, 70, 74
rosea 784
spectabilis 74
Terminalia catappa 74
Triplaris americana 76
Vatica pallida 75
Avenaeae 213
Azadirachta excelsa 62
indica A. Juss. 50, 56; 62, 63, 64
Azedara Raff. 55
speciosa 55
Azedaraca Raff. 55 and A. amena 55
Azedarach Dod 63
Azedarach Mill. 54
commelinii 60
deleteria 55
edulis, 'edule', 62
elegans 62
excelsa 62
florens Tourn. 64
fraxinifolia 62
nigra 'nigrum' 62
odorata 60
ramiflora, 'ramiflorum' 62
recisa, 'recisum' 62
sambucina 60
sempervirens 59
 var. *australisica* 58
 var. *dubia* 57
 var. *glabrior* 55
tomentosa 62
vulgaris 55
Banisteria sericea 57
Brochoneura 121, 170
Caju lapia 6
Caladium 199
Calamagrostis
arundinacea var. *brachytricha* 220
brachytricha 220
brevipila 220
debilis 220
stenophylla Hand.-Maz. 222
 varia var. *longiaristata* 220
Camellia 3
axillaris 1
Caria 4
Castanopsis-Quercus forest 9
Chionanthus
Malesian spp. 209, 210, 211
 (Species)
callophyllus 210
curvicarpus sp. nov.
cuspidatus 211
elaeocarpus 209
 var. *elaeocarpus* 209
 var. *globosus* 209
insignis 209, 210
gigas 210
grandifolius comb. nov. 210
laxiflorus 211
macrocarpus 209, 210
macrocarpus sensu Kiew 210
oliganthus 211
platycarpus 210
porcatus 211
sessiliflorus 211
Chisocheton baccifera 62
patens 62
penduliflorus 62
tomentosus 58, 62
Cipadessa baccifera 50, 62
Closaschima 1, 3, 33
marginata & var. *dasyophthalma* 24, 26
lanceolata 26
obovata 26
ovalis 31, 33
 vars. *longifolia* and *minor* 33
Crema glomerata 167
Compsoneura 121
Colocasia 199, 200
 subf. *Lasioideae* 199
 Colocasioideae 199
antiquorum 200

- Colocasioideae Cont.*
- esculenta 200 et seq.
 - var. antiquorum 200
 - esculenta 200
 - Penins. Malaysian cultivars 199, **200**
 - grouping of, 200
 - keys 201, 204, 205
- VERNACULAR NAMES: (see under *Colocasia* esculenta); K. air 204, 205; K. banjar, 203, 204; K. bantan 205, 206; K. batang hijau 204; K. batang hitam 204; K. belang hijau 205; K. cina 204, 202; K. cincang wangi 200; K. dara 205; K. hutan 205; K. huma 205; K. kelapa 205; K. kubis 205; K. liar 205; K. lilin 205; K. minjak 203, 204; K. nibong merah 204; K. peladang 205; K. pinang 204, 206; K. putih 204; K. serakit hitam 204; K. serakit putih 204; K. tongsan 205; K. udang 202, 204; K. songket hijau 205, K. songket ungu 205
- Cyrtosperma* 199
- Deyeuxia* 213, 214, 219
- abnormis 213, **218**, 219
 - axilis 213
 - brachytricha* comb. nov. **220**
 - debilis* comb. nov. **220**
 - epileuca* 214, 222
 - gunniana* 213
 - mazettii* nom. nov. **222**
 - pseudopoa* 217
 - pusilla* 213
 - sylvatica* var. *brachytricha* 220
 - treutleri* 216
 - zenkeri* comb. nov. **219**, 222
- Dialyanthera* 121
- Dieffenbachia* 199
- Dipterospermum* 4
- Dysoxylon excelsum* 62
- nutans* 62
 - parasiticum* 62
- EMBRYOLOGY of *Garcinia mangostana*:
- anther development 94
 - embryo development 98, 99, 101
 - embryo-sac type 96
 - endosperm formation & type 96, 98, 102
 - floral & fruit morphology 94, 95
 - fruit morphology 94
 - fruit season in Malaysia 93
 - megagametophyte 96, 99
 - megasporangium 96, 99
 - megasporogenesis 96, 99
 - microsporangium 94, 97
 - microgametophyte 94, 97
 - microsporogenesis 94, 97
 - ovule characters 191
 - phenology 183
 - pollination and fertilization 96
 - seed coat development 98, 101
 - seed formation 96, 102
 - seed germination 100
 - seedling morphology 95
- Endocomia* 116, 118, 119, 120, 124, 130,
- macrocoma* 119
- Eucalyptus* savanna 56
- Eucalyptus-Gironniera* forest 9
- Fraxinus ornus* 63
- Garcinia mangostana* see EMBRYOLOGY
- Gleichenia* scrub 42
- Gordonia* 1, 2, 3, 9
- in Malesia
- index to scientific names 47
- key to Malesian species 4-6
- VERNACULAR NAMES: adekelp 9, alimp 9, bado 9, baif 9, benelemonde 9, bwabwa 9, damak 24, dapiri 9, dimi 9, djirok bantjoh 31, entuyut, 36, iniaili 9, kawal-gugn 9, kayu patjat 31, kayu kelat asam 41, kayu kelat putih 41, kelak merah 28, kerkebo 9, kilimdan 9, kimkaroo 9, koka kaber 9, kuku 9, la, naningning 9, obah 11, oyntung 9, palembang putih 31, penagit 25, rawali batu 11, eik 9, samak pulut 28, samak samak 28, sawak pulot, 41, sjioe 9, tawan 9, timor 9, titup 24, titup tiup 24, tiup 24, toani 9, tokoi 9, totona rombo 9, tugera 9, ubar lilim 31.
- (SPECIES)
- acuminata* 12
 - amboinensis* **6**, 7, 9, 46, 47
 - benguetica* syn. nov. 21, 23
 - borneensis* sp. nov. 2, 3, 8, **11**
 - brassii* syn. nov. 6
 - brevifolia* 45
 - concentricicatrix* syn. nov. 26, 28
 - densiflora* syn. nov. 42, 43
 - excelsa* 1, 2, 10, **10**, 12
 - var. *macrocarpa* 12
 - var. *sincapuriana* 39
 - excelsa* auct. non Blume 33
 - fragrans* 21
 - grandiflora* **12**, **13**
 - grandifolia* 11
 - grandis* King 39
 - havilandii* **14**, **15**
 - hirtella* **16**, **16**
 - imbricata* 2, **17**, **18**, 39
 - integerrima* comb. nov. **19**, 20
 - lasianthus* 1, 3
 - lanceifolia* **45**, **45**
 - lobpii* 46
 - luzonica* **21**, **22**, **23**, **45**
 - variants of, 23
 - maingayi* 2, **23**, **25**, 39
 - marginata* **24**, **26**
 - multinervis* 2, **26**, **27**, 36
 - oblongifolia* 2, 11, 15, **28**, **29**
 - ovalis* 1, 2, 3, **30**, **31**, 33
 - forms of, 33
 - papuana* syn. nov. (& incl.
 - vars. *acuminata* & *montana*) 6
 - penangensis* 32, 33
 - polisana* 2, **23**, **34**, 35
 - rumphii* 6
 - sarawakensis* sp. nov. 2, 3, **36**, 37
 - scortechinii* 3, **38**, **38**
 - singaporeana* 2, **39**, 40
 - sp.* of Kobuski 6
 - sp.* of Burkill 21, 23
 - subclavata* sensu Burkill 21, 23
 - taipingensis* **41**, **43**
 - vulcanica* comb. nov. 2, 19, **42**, **44**
 - var. *vulcanica* 42
 - var. *buxifolia* stat. nov. **43**
 - welbornei* 21

Gymnacranthera 119, 120

Haemocharis 3, 4

amboinensis 6

aromatica syn. nov.

(& excl. vars. minor & longifolia) 31, 33

buxifolia 43

integerrima 19

aromatica syn. nov. (& excl. syn. *Lapl. semi-serrata*

Miq.) 31, 33

marginata 24

ovalis 31

serrata syn. nov. 19

'*serrata*' 21

subintegerrima syn. nov. 31

vulcanica 42

Heath & peat swamps forests 134

Heteropterys laurifolia 57

Heynea trijuga 62

Horsfieldia Willd. 115, 116, 118, 119, 120, 121, 122, 123, 124, 170

distribution, 136, 137

VERNACULAR NAMES:

Amol 171, Bolong 171, Bolouchi 171, Con na ham 175,

Lan ham 175, Malaboda 168; Me Tiong 175, Luat nok 179,

Irie gaga 168; Pandekachoaphang 171, Ruk 168; Rukghedhi 168; Lan Ham 175, Siltui 171, Tjampaka se'long 168

Sect *Bivalves* Sncl. 127

Sect: *Horsfieldia* 126, 127, 136,

Sect. *Irya* 120, 121, 124, 126, 127, 128, 136, 137
subsect. *Euirya* Warb. p.p. (incl. *H. irya*) 127, 130

subsect *Trivalves* pp. (excl. *H. irya*) 130, 132, 134

Sec. *Iryaghedhi* 121

Sect. *Pyrrhosa* 120, 121, 124, 126, 127, 128, 130, 132, 134, 136, 137

subsect. *Bivalves* Warb. incl. ser. *Smithii* & ser. *Globularia* 127, 128

subsect. *Eupyrrhosa* 130

Sect. *Orthanthera* Warb. 126, 132

Sect. *Trivalves*

subsect. *Orthanthera* (Warb.) Sincl. 126
subsect. *Trivalves* 132

(GROUPING OF SPECIES):

affinis-gp, spp. 61-67, 133

amygdalina-gp, spp. 2-5, 132, 125

carnosa-gp, sp. 69, 133

crassifolia-gp, sp. 68, 133

fulva-gp, spp. 52-54, 132

glabra-gp, spp. 97-100, 132, 133, 135

grandis-motleyi-gp, spp. 56-60, 133

clavata-gp, spp. 21-23, 130, 133

helwiggii-gp., spp. 42-45, 130

iry-a-gp, sp. 6: 128

laevigata-gp, spp. 24-41, 130

pallidicaula-group, spp. 47-50, 132, 133, 134

parviflora-gp, spp. 7-16, 128

polyspherula-gp, spp. 71-82, 132, 134, 135

sabulosa-gp, sp. 46, 132

sterilis-gp, spp. 70, 134

triandra-gp, sp. 51, 133

Grouping of Species Cont.

sessilifolia-gp, sp. 55, 132

spp. 83-93-gp, 134

xanthina-gp, spp. 94-96, 134

(SPECIES)

affinis 125, 133, 135

ampla 119, 130

ampliformis 119, 122, 130, 131, 131

amplomontana 124, 135

amygdalina 119, 128, 136, 172, 176, 177

var. *amygdalina* 177, 178, 179

var. *lanata* de Wilde var. nov. 129, 177, 179

androphora 124, 134, 135

angularis 120, 127, 130, 131, 136

ardisiifolia 121, 129

aruana 124, 130, 131

atjehensis 125, 131, 133

australiana 129

basifissa 120, 130, 131

basifissa 125, 132, 133, 134, 135

brachiata 118, 134, 135

bracteosa 177

carnosa 125

clavata 120, 127, 129

coriacea 125, 137

corrugata 125, 130, 131

costulata 125, 137

crassifolia 120, 13, 135, 136

crux-melitensis 117, 120, 121, 129

decalvata 121, 130, 131

disticha 118

endertii 125, 133, 134, 135

flocculosa 125, 133, 135

fragillima 125, 134, 135

fulva 125, 131, 133

glabra auct. non (Bl.) Wall. 177

glabra (Bl.) Warb. 119, 121, 127, 130, 134,

136, 175, 177, 178, 179

var *glabra* 137

var. *javanica* 137

grandis 125, 133, 135

gracilis 125

hainanensis 170, 171, 172

hellwigii 125

var. *hellwigii* 131

hirtiflora 125, 134, 135

inflexa 124, 127, 129

iriana 124, 130, 131

iry-a 116, 118, 120, 121, 122, 126, 127, 128, 129,

130, 133, 136, 169, 170

distribution map 137

distribution 137

iryaghedhi 117, 119, 122, 123, 127, 129, 132, 136, 167

kingii 122, 129, 170, 171, 172, 173

laevigata 116, 119, 122, 130, 131, 136

lancifolia 121, 125, 130, 131

laticostata 125, 135

leptantha 125, 131

longiflora de Wilde sp. nov. 128, 129, 132, 136

macilenta 125, 135

macrocoma 116, 118, 124, 130

macrocoma s.l. 120, 124, 172

macrocoma-complex 116

macrothyrsa 125, 137

majuscula 125, 135, 137

moluccana 127

var. *moluccana* 129

montana 125, 133, 135

motleyi 125, 133, 135

- Species Cont.*
- nervosa* 125, 135
 - obscura* 120, 134, 137
 - obscurinervia* 124, 129
 - obtusa* 125, 135
 - odorata* 124, 167
 - olens* 124, 127, 129, 136
 - oligocarpa* 118, 135
 - palauiensis* 124, 128, 129
 - pallidicaula* 118, 122, 133
var. *pallidicaula* 131
 - pachycarpa* 125, 130, 131
 - pachyrachis* 125, 135
 - parviflora* 116, 119, 120, 121, 127, 129
 - paucinervis* 125, 135
 - parviflora* 116, 119, 120, 121, 127, 129
 - paucinervis* 125, 135
 - penangiana* 125, 137
 - pilifera* 125, 131
 - polyantha* 116
 - polyspherula* 121, 122
var. *polyspherula* 135
 - prunoides* 177
 - psilantha* 125, 130, 131
 - pulcherrima* 125, 133, 135
 - pulverulenta* 120, 130, 131, 132
 - punctata* 125, 134, 135, 137
 - punctatifolia* 119, 122, 137
 - ralunensis* Warb. 125, 131, 132
 - reticulata* 125, 133, 135
 - ridleyana* 125, 134, 135
 - rostrata* 120
 - rufo-lanata* 125, 135
 - sabulosa* 118, 119, 123, 132
 - samarensis* 124, 129
 - schlechteri* 124, 130, 131
 - sepikensis* 122, 127, 129, 136
 - sessilifolia* 119
 - sinclairii* 122, 130, 131
 - smithii* 118, 128, 129
 - sparsa* 125, 131
 - spicata* 118, 119, 129
 - splendida* 122, 135
 - squamulosa* 120, 122, 129
 - sterilis* 120, 130, 132, 133, 134, 135
 - subalpina* 125, 178
subsp. *subalpina* 137
subsp. *kinabaluensis* 160
 - subtilis* 124, 130
var. *rostrata* 120
var. *subtilis* 122, 131
 - sucosa* (King) Warb. 118, 133
subsp. *bifissa* 133
subsp. *sucosa* 131
 - superba* 125, 130, 131, 133
 - sylvestris* 117, 119, 127, 130, 129, 132, 170
 - taulaudensis* 129
 - tenuifolia* 125, 135
 - tetrapala* 170, 171, 172
 - thorelii* 118, 120, 122, 128, 129
 - tomentosa* 125, 134
 - triandra* 120, 130, 131, 133
 - tristis* 125, 131
 - tuberculata* 121, 130, 131
 - valida* 125, 134, 135
 - wallichii* 122, 132, 133, 135, 170
 - whitmorei* 119, 133
 - xanthina* 118
subsp. *xanthina* 137
 - Hypericum lasianthus 1
 - Jacaranda fraxinifolia* 61
 - Knema* 117, 119, 120, 122, 123
 - plumulosa* 172
 - Koelreuteria elegans* 62
 - Laplacea* 1, 3, 4
amboinensis 6
aromatica syn. nov. 31, 33
incl. vars *minor* & *longifolia* 31, 33
buxifolia 43
integerrima 19
marginata 24
ovalis 31
sarasini 46
semiserrata 33
serrata syn. nov. 19
sepeciosa 1
subintegerrima syn. nov. 31, 33
vulcanica 33, 42
 - Lasianthus* Adans. 1, 3
 - Leptospermum* scrub 19
 - Lignum mucosum* 6
 - Lindleya* 3
 - Linociera*
beccarii 209, 211
callophylla 210
cuspidata sensu Merril (non Kiew) 211
elaeocarpa 209
insignis pp. 209, 210
grandifolia 210
macrocarpa 209
palludosa 210
 - Malpighia dubia* 57
 - Melia* 49 et seq., 53, 54, 55
 - COMMON/VERNACULAR NAMES:
abor pareiso & arbor sancta 50; Azadiracht 63;
Azadraxt (also azadiraxt) 50; Azedaràch 50;
Azedaraeth 50; bead-tree 50, 59, 63;
Chinaberry 59; kirikohomba (form of Persian)
Lilac 63; k'u-lian 52; Mana Ash (= Fraxinus
ornus) 63; mindi kechil 50, 59, 63; neem or
neem tree 50, 56, 63, see also Azadirachta
indica; panukohumba 63; Persian lilac 50, 51,
53, 54, 58, 59, 60, 63, 64, see also under *Melia*;
azedarach var. glabrior, forms of, 58; Texas
Umbrella Tree, 51, 54, 61, see also under *Melia*
azedarach cv. Umbraculifera; To sedan 51,
52, 59; White Cedar 53, 57-58, tropical
Australian forms of, 49, 53; (is) zanzaliqu 50
(SPECIES)
 - angustifolia* 52, 60
 - argentea* 57
 - arguta* 60
 - australasica* 58
 - australis* 57
 - azadarach* 49
azadirachta L. 50, 62, 63
azedarach L. 50, 52, 53, 54; 56, 63
lectotype proposed 65
 - azedarach* sensu Blanco 58
 - azedarach* sensu Lour. 60
 - azedarach* sensu stricto 59
 - azedarach*
cultivars 61
cultivars of wild trees 57-60
Chinese, names of, 54, 59
Indian, names of, 54, 59, 60

Common Vernacular Names Cont.

cv. Floribunda 61
 cv. Umbraculifera 61
 ecology of wild trees 56;
 systematic arrangement 55;
 past & present uses 56 *see also* under *Melia japonica*
 toxic fruits of, 52, 60
 var. acuminatissima 50; 60
 var. australasica 49, 53; 58
 var. cochinchinensis 53; 58
 var. floribunda 61
 var. 'gigantea' 58
 var. *glabrior* 53, 55
 var. *glandulosa* 53; 58
 var. *incisa* 50, 60
 var. *japonica* 59
 var. *javanica* 53, 58
 var. *sambucina* 60
 var. *semperflorens* 59
 var. *sempervirens* 51, 52; 59
 var. *squamulosa* 53; 58
 var. *subtripinnata* 51; 60
 var. *toosendan* 59
 subvar. *toosendan* 59
 var. *umbraculifera* Knox 61
 var. *umbraculiformis* Hort. 61
 f. *albiflora* 59
 f. *umbraculifera* Knox 61
baccata 62
baccifera 62
birmanica 49, 58
bogoriensis 49, 58
bombolo 53
bukayun 60
bukheim 60
candollei 49, 57
chinessis 59
cochinchinensis 60
commelinii 60
composita 49, 57
 comp var. *biglandulosa* 58
 comp var. *cochinchinensis* 49, 58, 60
dubia 49, 53, 57
elegans 62
baccifera 62
excelsa 62
flaccida 58
floribunda 51, 61
 var. *sempervirens* L. 51
florida 55
fraxinifolia 62
guineensis 52, 60
hasskarlii 59
indica (A. Juss.) Brandis 62
iloilo 62
integerrima 62
japonica G. Don 59
 var. *albicans* 59
 var. *albiflora* Mak. 59
 var. *semperflorens* Mak. 59
 var. *toosendan* 59
japonica Hassk. 52, 59
cited in Japanese poetry 52
past economic uses in China 52
javanica 59
koetjape 62
latifolia 62
lobata 60
montana 62
neilgherrica 62

orientalis 60
parasitica 62
parviflora 62
pendula 62
penduliflora 62
pinnata 62
pubescens 62
pumila 62
robusta 49, 57
sambucina 50, 60
sempervirens (L.) Sw. 59
sempervirens sensu Roxb. 60
'i' *sempervirens* 52
superba 49, 57
tomentosa Roxb. 62
tomentosa sensu Miq. 58
toosendan 52, 59
 var. *semperflorens* 52
f. *albiflora* 52
(hybrid) subvarieties *japonica* & *toosendan*
subvar. *intermedia* 52
volkensii 53

Melica latifolia 62

Milium 214
treutleri 216

MULTIPLE AXILLARY BRANCHING at
nodes of *Symingtonia populnea*:

Attim's Model compared 105
development of higher order axillary lateral
meristems 107
factors influencing 105
frequency based on vertical orientation 106
frequency and pattern of branching between
leader shoots and lower limbs 109
compared with *Acer saccharum* 109
on apex of main axis 107
on main axis 106
vascular tissue in transv. sections 108
leader shoots branching pattern 107
twice-folded stipules 106
Munronia neilgherrica 62
pinnata 62
pumila 62
Myristica 119, 120, 122
Sect. *Caloneura* 130
Sect. *Eumyristica* 124, 126, 130,
subsect. *Horsfieldia* 126
Sect. *Horsfieldia* 126, 127
Sect. *Irya* Hook.f. & Th. 120, 121, 124, 127
Sect. *Irya* auct. p.p. 126, 130
Sect. *Odorata* Willd. 126
Sect. *Pyrrhosa* Bl. 124, 126, 130

(SPECIES)

amygdalina 177
floribunda 177
glabra auct. non Bl. 177
glabra Bl. 130
glomerata Miq. 167
glomerata Thunb. 167
horsfieldii ("horsfieldia") Bl. 126, 127, 167
iryae 127
iryaghedhi 167
javanica 127

- Species *Cont.*
- kingii* 170
 - kurzii* 177
 - notha* auct. non Wallich 167
 - superba* 130
 - Nabiasodendron* 2, 4
 - Nephelium lappaceum* see REPRODUCTIVE BIOLOGY
 - Nothofagus forest 9
 - Olea platycarpa* 210
 - OLEACEAE POLLEN OF MALESIAN SPECIES: 225 *et seq.*
 - material examined 230
 - tables 226, 228, 229
 - (TAXA)
 - Caprifoliaceae 225
 - Celastraceae 225
 - Chionanthes 225, 226, 229
 - enerve 226, 228
 - pluriflorus 226, 227, 228
 - ramiflorus 225, 227
 - "wild spp." 229
 - retusus 226, 228, 229
 - virginicus 226
 - Forsythia 226, 229
 - Fraxinus 225, 228
 - Jasminum 225, 226, 229
 - callophyllum 228
 - grandiflorum 229
 - sambac 229
 - Ligustrum 225, 228
 - confusum 225, 227
 - Myxopyrum 225, 226, 229
 - coriaceum 226, 227
 - ovatum 225, 226, 227, 228
 - Neoaulacolepis* 214, 215
 - clemensae* 217
 - japonica* 216
 - petelotii* 218
 - Nyctanthes 225, 226, 229
 - arbor-tristis 225, 229
 - Olea 225, 226, 229
 - brachiata 226, 227, 228
 - decussata 225, 228
 - paniculata 226, 228
 - Osmanthus 228
 - scortechinii 226
 - Schrebera 229
 - Syringa 226
 - Verbenum 225
 - Orthanthera 170
 - Parkia biglobosa 52
 - Phelima noronha* 167
 - Philodendron 199
 - Pistice 199
 - Ploiarium oblongifolium* 28, 31
 - Poa 213, 214
 - miliooides* 217
 - papuana 222
 - wisellii 222
 - Polyspora* 1, 3
 - Pycnanthus* 170
 - Pyrrhosa* 124
 - horsfieldii* 67
 - odorata* 167
 - Raphidophora 199
 - Rennellia in the Malay Peninsula 193, 194, 198
 - key to species and varieties 195
 - key to distinguish from Morinda 193
 - (SPECIES NAMES)
 - elongata* 193, 194, 195, 198
 - '*longiflora*' 198
 - morindiformis* 197, 198
 - paniculata* K. & G. 193, 195, 196
 - var. *condensa* var. nov. 195, 196
 - var. *paniculata* 195, 196
 - speciosa* 193, 195, 196
 - speciosa* sensu Corner p.p. 195, 196, 197
 - speciosa* var. *elongata* 193, 195
 - species 193, 195
 - REPRODUCTIVE BIOLOGY of *Nephelium lappaceum*:
 - anther development 184
 - embryo development 186, 189
 - endosperm development 187
 - floral morphology, 182, 183
 - fruit:
 - formation of flesh 186, 189, 191
 - production 190
 - heterostyly 190
 - megagametophyte 184
 - megasporogenesis 184
 - microsporangium 182
 - microgametophyte 182
 - microsporogenesis 182
 - micropyle formation 185
 - ovule characters 191
 - ovule development 185, 186
 - phenology 183
 - pollen germination 185
 - pollen grains, degeneration 191
 - pollination (self) not possible 190
 - pollination and fertilization 187
 - seed coat and seed flesh development 186, 189, 191
 - seed germination 190
 - sexuality of 190
 - viable pollen 190
 - Sandoricum koetjape* 62, 64
 - Schima brevifolia* 45
 - excelsa* 2, 12
 - superba* 46
 - wallichii* ssp. *noronhae*
 - var. *noronhae* 47
 - Scindapsus* 199
 - Simplicia* 213
 - laxa* 213, 214

- Spathiphyllum 199
Syningtonia populnea see MULTIPLE AXILLARY
BRANCHING
Syngonium 199
Tamarindus woodland 56
Thysanolaena latifolia 62
maxima 62
Toona sereni 62
Trichilia connaroides 62
Trichomanes:
minutum 111, 113
minutum-group 112
- Trichomanes *Cont.*
motleyi 111
proliferum 111, 112, 113
first record for Singapore 111
morphological notes 112
Turraea pubescens 49
virens 49
Typhonium 199
Vitis vinifera 54
Xanthosperma 199
Zantedeschia 199
Zederachia 54