

The Names Used for Singapore Plants Since 1900

I.M. TURNER

Department of Botany,
National University of Singapore,
Lower Kent Ridge Road,
Singapore 0511

Abstract

The native and naturalized vascular plant species of the Republic of Singapore are enumerated with important synonyms used in twentieth century botanical works. Particular emphasis is placed on Ridley's Flora of Singapore published in 1900. Appendices provide indexes to this flora and to the unpublished Flora of Syonan, a list compiled by staff of the Singapore Botanic Gardens at the time of the Japanese occupation of Singapore. One new combination in the Commelinaceae is introduced.

INTRODUCTION

Despite the reluctance with which non-taxonomists generally accept name changes, plant nomenclature (particularly in the tropics) remains relatively fluid and any one generation of botanists, agriculturalists, horticulturalists and foresters appears to possess a markedly different vocabulary of names from its predecessor's. Synonymy, though inevitably arid to the non-specialist, is vital as a key to understanding the literature of the past. This paper reviews the nomenclatural history of the vascular plant flora of Singapore for the twentieth century. The reasons for presenting this are as follows:

1. To provide a checklist of the native and naturalized vascular plants of the Republic of Singapore using the correct names. A preliminary list was presented by Turner, Chua and Tan (1990); here a few errors are corrected and some more recent revisions included.
2. To allow students of the Singapore flora better access to the early literature, in particular Ridley's (1900) flora of Singapore and the unpublished *Flora of Syonan*.
3. To assist those using well-known works, such as Ridley's *Flora of the Malay Peninsula* and Henderson's *Malayan Wild Flowers*, to be able to use the correct name for the species described in those floras.

There follows a list of the flora of Singapore with the main synonyms given for each species. The list is presented in phylogenetic order, starting with the pteridophytes, which are not broken down by family, but presented alphabetically by genus, because the suprageneric taxonomy of the ferns and fern-allies seems unsettled (Kramer & Green 1990, *viz.* Flora Malesiana Series II). The spermatophytes are presented alphabetically by family, in accordance with family circumscriptions of Flora Malesiana Series I, where these have been published. The synonymy is far from complete. No sources earlier than 1900 have been included and by no means a comprehensive list of twentieth century publications. The most important works on the Singapore and Malayan flora, including Flora Malesiana, were consulted, as were recent monographs and revisions. I have tended to take the more conservative line over more contentious name changes, quoting the debatable designation in the list of synonyms. Fern taxonomy appears particularly beset with controversial generic delimitation. Here, I have generally followed the late Professor Holttum's treatments as these are the most readily available to the general reader.

A series of appendices is given to update the names used by two earlier lists of Singapore plants. Ridley's turn-of-the-Century flora of Singapore (Ridley 1900) was the first comprehensive list of Singapore plants published, and is a valuable source of information on localities and for times of introduction of naturalized species. The staff of the Singapore Botanic Garden's Herbarium compiled the Flora of Syonan, a list (species names without authorities) of commonly cultivated, as well as wild, plants, during the Japanese Occupation, but this was never published and is only extant in typescript (Keng 1990). The native and naturalized species included in the Flora of Syonan are given in Appendix F referenced to the main list. H. Keng has produced annotated lists covering the gymnosperms, dicotyledons and some of the monocotyledonous families (Keng, 1973, 1974a, 1974b, 1976, 1978, 1980, 1982, 1983, 1985, 1986, 1987) which have been consolidated into a flora of the gymnosperms and the dicotyledons (Keng 1990). My list refers to Keng's (1990) flora and to the one paper covering monocots (Keng 1987).

Singapore Species List

Marginal notes represent the following: A = naturalized alien species, ? = doubtfully native species.

PTERIDOPHYTA

- 1 ***Acrostichum aureum*** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 55; HOLTTUM, Rev. Fl. Malaya 2 (1955) 409; JOHNSON, Ferns of Singapore Island (1977) 71; PIGGOTT, Ferns of Malaysia in Colour (1988) 232.
- 2 ***Acrostichum speciosum*** WILLD.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 410; JOHNSON, Ferns of Singapore Island (1977) 71; PIGGOTT, Ferns of Malaysia in Colour (1988) 233.
- A 3 ***Adiantum capillus-veneris*** L.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 22; HOLTTUM, Rev. Fl. Malaya 2 (1955) 600; JOHNSON, Ferns of Singapore Island (1977) 91; PIGGOTT, Ferns of Malaysia in Colour (1988) 417.
Probably only naturalized in the rockery of the Botanic Gardens.
- 4 ***Adiantum flabellulatum*** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 22; HOLTTUM, Rev. Fl. Malaya 2 (1955) 603; JOHNSON, Ferns of Singapore Island (1977) 93; PIGGOTT, Ferns of Malaysia in Colour (1988) 419.
- A 5 ***Adiantum fructuosum*** SPRENG.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 127.
- 6 ***Adiantum hispidulum*** Sw.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 603; JOHNSON, Ferns of Singapore Island (1977) 93.
- A 7 ***Adiantum latifolium*** LAMK.; PIGGOTT, Ferns of Malaysia in Colour (1988) 420; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 127.
- 8 ***Adiantum stenochlamys*** BAK.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 22; HOLTTUM, Rev. Fl. Malaya 2 (1955) 602; JOHNSON, Ferns of Singapore Island (1977) 93; PIGGOTT, Ferns of Malaysia in Colour (1988) 418.

- 9 **Aglaomorpha speciosa** (BL.) Roos, Blumea 31 (1985) 153; — *Photinopteris rigida* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 55; — *Photinopteris speciosa* (BL.) PRESL; HOLTTUM, Rev. Fl. Malaya 2 (1955) 187; JOHNSON, Ferns of Singapore Island (1977) 50; PIGGOTT, Ferns of Malaysia in Colour (1988) 142.
- A 10 **Amphineuron opulentum** (KAULF.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 548; PIGGOTT, Ferns of Malaysia in Colour (1988) 215; — *Nephrodium extensem* (BL.) MOORE; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 36; — *Cyclosorus extensus* (BL.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 264;
- 11 **Amphineuron terminans** (HOOK.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 545; — *Nephrodium pteroides sensu* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 36; — *Cyclosorus interruptus sensu* HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 262; JOHNSON, Ferns of Singapore Island (1977) 55.
- 12 **Angiopteris evecta** (FORST.) HOFFM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 58; HOLTTUM, Rev. Fl. Malaya 2 (1955) 44; JOHNSON, Ferns of Singapore Island (1977) 24; PIGGOTT, Ferns of Malaysia in Colour (1988) 31.
- 13 **Antrophyum parvulum** BL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 605; JOHNSON, Ferns of Singapore Island (1977) 114; PIGGOTT, Ferns of Malaysia in Colour (1988) 434; — *A. reticulatum sensu* RIDLEY, J. Str. Br. R. As. Soc. 33 (1900).
- 14 **Asplenium batuense** v.A.v.R.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 423; JOHNSON, Ferns of Singapore Island (1977) 74; PIGGOTT, Ferns of Malaysia in Colour (1988) 271.
- 15 **Asplenium longissimum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 27; HOLTTUM, Rev. Fl. Malaya 2 (1955) 427; JOHNSON, Ferns of Singapore Island (1977) 76; PIGGOTT, Ferns of Malaysia in Colour (1988) 274.
- 16 **Asplenium macrophyllum** Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 28; HOLTTUM, Rev. Fl. Malaya 2 (1955) 431; JOHNSON, Ferns of Singapore Island (1977) 76; PIGGOTT, Ferns of Malaysia in Colour (1988) 278.
- 17 **Asplenium nidus** L.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 419; JOHNSON, Ferns of Singapore Island (1977) 74; PIGGOTT, Ferns of Malaysia in Colour (1988) 267; — *Thamnopteris nidus* (L.) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 26 (*incl. var. musifolia* (J. SM.) BEDD.).
- 18 **Asplenium nitidum** Sw.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 29; TAGAWA & IWATSUKI, Fl. Thail. 3 (1985) 286; — *A. glaucophyllum* v.A.v.R.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 440; JOHNSON, Ferns of Singapore Island (1977) 76; PIGGOTT, Ferns of Malaysia in Colour (1988) 287.
- 19 **Asplenium phyllitidis** DON *subsp. malesicum* HOLTT., Gard. Bull. Sing. 27 (1974) 153; PIGGOTT, Ferns of Malaysia in Colour (1988) 268; — *A. phyllitidis*; HOLTTUM, Rev. Fl. Malaya 2 (1955) 420; JOHNSON, Ferns of Singapore Island (1977) 74; — *Thamnopteris nidus var. phyllitidis* (DON) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 27.

- 20 **Asplenium tenerum** FORST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 28; HOLTTUM, Rev. Fl. Malaya 2 (1955) 432; JOHNSON, Ferns of Singapore Island (1977) 76; PIGGOTT, Ferns of Malaysia in Colour (1988) 280.
- A 21 **Azolla pinnata** R. Br. *subsp. asiatica* R.M.K. SAUNDERS & K. FOWLER, Bot. J. Linn. Soc. 109 (1992) 349; — *A. pinnata* R. Br. var. *imbricata* (ROXB.) BONAP.; PIGGOTT, Ferns of Malaysia in Colour (1988) 445; — *A. pinnata*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 196; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 161; HOLTTUM, Rev. Fl. Malaya 2 (1955) 622; — *A. caroliniana* WILLD.; JOHNSON, Ferns of Singapore Island (1977) 97; CORLETT, J. Biogeog. (1988) 661.
- 22 **Blechnum finlaysonianum** WALL. ex HOOK. & GREV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 26; HOLTTUM, Rev. Fl. Malaya 2 (1955) 445; JOHNSON, Ferns of Singapore Island (1977) 77; PIGGOTT, Ferns of Malaysia in Colour (1988) 399.
- 23 **Blechnum indicum** BURM. f.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 446; JOHNSON, Ferns of Singapore Island (1977) 76; PIGGOTT, Ferns of Malaysia in Colour (1988) 402; — *B. serrulatum* sensu BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 26.
- 24 **Blechnum orientale** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 26; HOLTTUM, Rev. Fl. Malaya 2 (1955) 446; JOHNSON, Ferns of Singapore Island (1977) 78; PIGGOTT, Ferns of Malaysia in Colour (1988) 400.
- 25 **Bolbitis appendiculata** (WILLD.) IWATSUKI; HENNIPMAN, Leiden Bot. Ser. 2 (1977) 185; HENNIPMAN, Fl. Males. II 1⁴ (1978) 322; PIGGOTT, Ferns of Malaysia in Colour (1988) 354; — *Polybotrya appendiculata* (WILLD.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 54; — *Egenolfia appendiculata* (WILLD.) J. SM.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 459; JOHNSON, Ferns of Singapore Island (1977) 80.
- 26 **Bolbitis heteroclita** (PRESL) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 462; JOHNSON, Ferns of Singapore Island (1977) 81; HENNIPMAN, Leiden Bot. Ser. 2 (1977) 221; HENNIPMAN, Fl. Males. II 1⁴ (1978) 325; PIGGOTT, Ferns of Malaysia in Colour (1988) 355; — *Gymnopteris flagellifera* (WALL. ex HOOK. & GREV.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 54; — *B. simplicifolia* (HOLTT.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 464.
- 27 **Bolbitis sinuata** (PRESL) HENNIPMAN; HENNIPMAN, Leiden Bot. Ser. 2 (1977) 232; HENNIPMAN, Fl. Males. II 1⁴ (1978) 326; PIGGOTT, Ferns of Malaysia in Colour (1988) 357; — *Gymnopteris subrepanda* J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 54; — *B. diversifolia* (BL.) SCHOTT; HOLTTUM, Rev. Fl. Malaya 2 (1955) 465; JOHNSON, Ferns of Singapore Island (1977) 81; — *B. malaccensis* (C. CHR.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 470.
- 28 **Bolbitis X singaporense** HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 467; JOHNSON, Ferns of Singapore Island (1977) 81; HENNIPMAN, Leiden Bot. Ser. 2 (1977) 296; HENNIPMAN, Fl. Males. II 1⁴ (1978) 329.

- 29 **Ceratopteris thalictroides** (L.) BRONGN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 25; HOLTTUM, Rev. Fl. Malaya 2 (1955) 578; JOHNSON, Ferns of Singapore Island (1977) 86; PIGGOTT, Ferns of Malaysia in Colour (1988) 440.
- 30 **Cheilanthes tenuifolia** (BURM. f.) Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 22; HOLTTUM, Rev. Fl. Malaya 2 (1955) 590; JOHNSON, Ferns of Singapore Island (1977) 94; PIGGOTT, Ferns of Malaysia in Colour (1988) 412.
- 31 **Christella arida** (D. DON) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 555; PIGGOTT, Ferns of Malaysia in Colour (1988) 216; — *Nephrodium aridum* (D. DON) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 37; — *Cyclosorus aridus* (D. DON) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 259; JOHNSON, Ferns of Singapore Island (1977) 54.
- 32 **Christella dentata** (FORSK.) BROWNSEY & JERMY; HOLTTUM, Fl. Males. II 1⁵ (1981) 557; PIGGOTT, Ferns of Malaysia in Colour (1988) 219; — *Cyclosorus subpubescens* sensu HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 273; — *Cyclosorus dentatus* (FORSSK.) CHING; JOHNSON, Ferns of Singapore Island (1977) 56.
- 33 **Christella parasitica** (L.) LÉV.; HOLTTUM, Fl. Males. II 1⁵ (1981) 559; PIGGOTT, Ferns of Malaysia in Colour (1988) 221; — *Nephrodium molle* var. *didymosorum* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; — *Nephrodium tectum* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 38; — *Polypodium parasiticum* L.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 41; — *Cyclosorus parasticus* (L.) FARW.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 281; JOHNSON, Ferns of Singapore Island (1977) 111.
- 34 **Christella subpubescens** (BL.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 558; PIGGOTT, Ferns of Malaysia in Colour (1988) 220; — *Nephrodium molle* var. *amboinense* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; — *Cyclosorus sumatrana* (V.A.V.R.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 275; JOHNSON, Ferns of Singapore Island (1977) 56; — *Cyclosorus latipinna* (BENTH.) TARD.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 276.
- 35 **Ctenopteris blechnoides** (GREV.) WAGNER & GRETER; PARRIS, Kew Bull. 41 (1986) 494; — *Polypodium decorum* BRACK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 42; — *C. moultonii* (COPEL.) C. CHR. & TARD.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 229.
- 36 **Cyathea glabra** (BL.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 127; SINCLAIR, Gard. Bull. Sing. 15 (1956) 30; JOHNSON, Ferns of Singapore Island (1977) 40; PIGGOTT, Ferns of Malaysia in Colour (1988) 102; — *Alsophila dubia* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 9.
- 37 **Cyathea latebrosa** (WALL. ex HOOK.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 120; JOHNSON, Ferns of Singapore Island (1977) 38; PIGGOTT, Ferns of Malaysia in Colour (1988) 95; — *Alsophila latebrosa* WALL. apud. HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 8.

- 38 **Cyathea squamulata** (BL.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 122; JOHNSON, Ferns of Singapore Island (1977) 40; — *Alsophila comosa* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 8; — *Alsophila ridleyi* BAKER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 8.
- 39 **Cyclosorus interruptus** (WILLD.) H. ITO; SINCLAIR, Gard. Bull. Sing. 14 (1953) 37; HOLTTUM, Fl. Males. II 1⁵ (1981) 386; PIGGOTT, Ferns of Malaysia in Colour (1988) 191; — *Nephrodium unitum* sensu BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 36; — *C. gongylodes* (SCHKUHR) LINK; HOLTTUM, Rev. Fl. Malaya 2 (1955) 261; JOHNSON, Ferns of Singapore Island (1977) 55.
- 40 **Davallia denticulata** (BURM. f.) METT. ex KUHN; HOLTTUM, Rev. Fl. Malaya 2 (1955) 359; JOHNSON, Ferns of Singapore Island (1977) 64; PIGGOTT, Ferns of Malaysia in Colour (1988) 392; — *D. elegans* Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 17.
- 41 **Davallia solida** (FORST.) Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 17; HOLTTUM, Rev. Fl. Malaya 2 (1955) 360; JOHNSON, Ferns of Singapore Island (1977) 64; PIGGOTT, Ferns of Malaysia in Colour (1988) 395.
- 42 **Davallia triphylla** HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 17; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 17; HOLTTUM, Rev. Fl. Malaya 2 (1955) 357; JOHNSON, Ferns of Singapore Island (1977) 114; PIGGOTT, Ferns of Malaysia in Colour (1988) 391.
- 43 **Dicranopteris curranii** COPEL.; HOLTTUM, Fl. Males. II 1¹ (1959) 31; PIGGOTT, Ferns of Malaysia in Colour (1988) 59; — *Gleichenia linearis* var. *malayana* v.A.v.R.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 70.
- 44 **Dicranopteris linearis** (BURM. f.) UNDERW.; HOLTTUM, Fl. Males. II 1¹ (1959) 33; JOHNSON, Ferns of Singapore Island (1977) 32; PIGGOTT, Ferns of Malaysia in Colour (1988) 53-58; — *Gleichenia linearis* (BURM. f.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 7; HOLTTUM, Rev. Fl. Malaya 2 (1955) 68.
- 45 **Diplazium cordifolium** BL.; JOHNSON, Ferns of Singapore Island (1977) 84; PIGGOTT, Ferns of Malaysia in Colour (1988) 293; — *Anisogonium cordifolium* (BL.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 31; — *Athyrium cordifolium* (BL.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 548
- 46 **Diplazium crenatoserratum** (BL.) MOORE; JOHNSON, Ferns of Singapore Island (1977) 85; PIGGOTT, Ferns of Malaysia in Colour (1988) 308; — *Athyrium crenatoserratum* (BL.) MILDE; HOLTTUM, Rev. Fl. Malaya 2 (1955) 561.
- 47 **Diplazium esculentum** (RETZ.) Sw.; JOHNSON, Ferns of Singapore Island (1977) 84; PIGGOTT, Ferns of Malaysia in Colour (1988) 309; — *Athyrium esculentum* (RETZ.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 562.
- 48 **Diplazium malaccense** PRESL; JOHNSON, Ferns of Singapore Island (1977) 85; PIGGOTT, Ferns of Malaysia in Colour (1988) 297; — *Athyrium malaccense* (PRESL) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 552.

- 49 **Diplazium polypodioides** BL.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1985) 465; — *D. asperum* BL.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 31; JOHNSON, Ferns of Singapore Island (1977) 86; PIGGOTT, Ferns of Malaysia in Colour (1988) 313; — *Athyrium asperum* (BL.) MILDE; HOLTTUM, Rev. Fl. Malaya 2 (1955) 571.
- 50 **Diplazium prescottianum** (WALL. ex HOOK.) MOORE; TAGAWA & IWATSUKI, Fl. Thail. 3 (1985) 457; — *D. bantamense* sensu RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; — *D. bantamense* var. *prescottianum* sensu RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 30; — *Athyrium prescottianum* (WALL.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 557.
- 51 **Diplazium riparium** HOLTT.; JOHNSON, Ferns of Singapore Island (1977) 86; PIGGOTT, Ferns of Malaysia in Colour (1988) 300; — *Athyrium riparium* (HOLTT.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 554.
- 52 **Diplazium sylvaticum** (BORY) SW.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 30; PIGGOTT, Ferns of Malaysia in Colour (1988) 307; — *Athyrium pinnatum* (BLANCO) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 560.
- 53 **Diplazium sorzogonense** (PRESL) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 31; JOHNSON, Ferns of Singapore Island (1977) 85; PIGGOTT, Ferns of Malaysia in Colour (1988) 296; — *Athyrium sorzogonense* (PRESL) MILDE; HOLTTUM, Rev. Fl. Malaya 2 (1955) 552.
- 54 **Diplazium tomentosum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 30; JOHNSON, Ferns of Singapore Island (1977) 85; PIGGOTT, Ferns of Malaysia in Colour (1988) 295; — *Athyrium tomentosum* (BL.) MILDE; HOLTTUM, Rev. Fl. Malaya 2 (1955) 551.
- 55 **Dipteris conjugata** REINW.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 135; JOHNSON, Ferns of Singapore Island (1977) 41; PIGGOTT, Ferns of Malaysia in Colour (1988) 103; — *D. horsfieldii* (R. BR.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 44.
- 56 **Drynaria quercifolia** (L.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 44; HOLTTUM, Rev. Fl. Malaya 2 (1955) 182; JOHNSON, Ferns of Singapore Island (1977) 43; PIGGOTT, Ferns of Malaysia in Colour (1988) 134.
- 57 **Drynaria sparsisora** (DESV.) MOORE.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 183; JOHNSON, Ferns of Singapore Island (1977) 44; PIGGOTT, Ferns of Malaysia in Colour (1988) 136; — *D. linnei* (BORY) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 45.
- 58 **Elaphoglossum amblyphyllum** BELL; HOLTTUM, Fl. Males. II 1⁴ (1978) 303; — *E. decurrens* (non DESV.) v.A.v.R.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 458; JOHNSON, Ferns of Singapore Island (1977) 80.
- 59 **Gleichenia truncata** (WILLD.) SPR.; HOLTTUM, Fl. Males. II 1¹ (1959) 20; JOHNSON, Ferns of Singapore Island (1977) 30; PIGGOTT, Ferns of Malaysia in Colour (1988) 51; — *G. flagellaris* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 7; — *G. laevigata* (WILLD.) HOOK.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 71.

- 60 **Goniophlebium percussum** (CAV.) WAGNER & GRETER; RÖDL-LINDER, Blumea 34 (1990) 381; — *Polypodium verrucosum* (WALL. ex HOOK. & BAUER) METT.; — *G. verrucosum* (WALL. ex HOOK. & BAUER) J. SM.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 206; JOHNSON, Ferns of Singapore Island (1977) 50; PIGGOTT, Ferns of Malaysia in Colour (1988) 154.
- 61 **Goniophlebium subauriculatum** (BL.) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 43; PIGGOTT, Ferns of Malaysia in Colour (1988) 156; RÖDL-LINDER, Blumea 34 (1990) 400; — *Polypodium subauriculatum* BL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 207.
- 62 **Heterogonium sagenoides** (METT.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 520; HOLTTUM, Kalikasan 4 (1975) 211; — *H. gurupahense* sensu HOLTTUM, Reinwardtia 3 (1955) 272; JOHNSON, Ferns of Singapore Island (1977) 82.
- 63 **Histiopteris incisa** (THUNB.) J. SM.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 391; JOHNSON, Ferns of Singapore Island (1977) 68; PIGGOTT, Ferns of Malaysia in Colour (1988) 246; — *Litobrochia incisa* (THUNB.) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 25.
- 64 **Humata angustata** (HOOK. & GREV.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 15; HOLTTUM, Rev. Fl. Malaya 2 (1955) 367; JOHNSON, Ferns of Singapore Island (1977) 66; PIGGOTT, Ferns of Malaysia in Colour (1988) 388; — *Pachypleuria angustata* (HOOK. & GREV.) PRESL; TAGAWA & IWATSUKI, Fl. Thail. 3 (1989) 617.
- 65 **Humata heterophylla** (SM.) DESV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 15; HOLTTUM, Rev. Fl. Malaya 2 (1955) 366; JOHNSON, Ferns of Singapore Island (1977) 66; PIGGOTT, Ferns of Malaysia in Colour (1988) 387; — *Davallia heterophylla* SM.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1989) 616.
- 66 **Humata parvula** (WALL. ex HOOK. & GREV.) METT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 369; JOHNSON, Ferns of Singapore Island (1977) 66; — *Leucostegia parvula* (WALL. ex HOOK. & GREV.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 16; — *Pachypleuria parvula* (WALL. ex HOOK. & GREV.) KATO, J. Fac. Sci. Univ. Tokyo III 13 (1985) 572.
- 67 **Humata pectinata** (SM.) DESV.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 369; JOHNSON, Ferns of Singapore Island (1977) 67; — *H. parallela* (WALL.) BRACK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 15; — *Pachypleuria pectinata* (SM.) PRESL; TAGAWA & IWATSUKI, Fl. Thail. 3 (1989) 616.
- 68 **Humata repens** (L.f.) DIELS; HOLTTUM, Rev. Fl. Malaya 2 (1955) 371; JOHNSON, Ferns of Singapore Island (1977) 67; PIGGOTT, Ferns of Malaysia in Colour (1988) 390; — *H. pedata* (SM.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 16; — *H. pinnatifida* (BAK.) BEED.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 16; — *Pachypleuria repens* (L.f.) KATO, J. Fac. Sci. Univ. Tokyo III 13 (1985) 573.
- 69 **Huperzia carinata** (POIRET) TREVISON; ØLLGAARD, Op. Bot. 92 (1987) 165; — *Lycopodium carinatum* DESV. ex POIRET.

- 70 **Huperzia nummulariifolia** (BL.) JERMY; ØLLGAARD, Op. Bot. 92 (1987) 167; — *Lycopodium nummulariifolium* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 143.
- 71 **Huperzia phlegmaria** (L.) ROTHM.; ØLLGAARD, Op. Bot. 92 (1987) 166; — *Lycopodium phlegmaria* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 143; JOHNSON, Ferns of Singapore Island (1977) 103.
- 72 **Huperzia squarrosa** (G. FORST.) TREVISON; ØLLGAARD, Op. Bot. 92 (1987) 167; — *Lycopodium squarrosum* G. FORST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 142.
- 73 **Hymenophyllum acanthoides** (BOSCH) ROSENST.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 80; JOHNSON, Ferns of Singapore Island (1977) 34; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 512; PIGGOTT, Ferns of Malaysia in Colour (1988) 66; — *Meringium acanthoides* (BOSCH) COPEL.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 78.
- 74 **Hymenophyllum denticulatum** Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 11; HOLTTUM, Rev. Fl. Malaya 2 (1955) 79; JOHNSON, Ferns of Singapore Island (1977) 33; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 511; PIGGOTT, Ferns of Malaysia in Colour (1988) 65; — *H. neesii* (BL.) HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 11; — *Meringium denticulatum* (Sw.) COPEL.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 77.
- 75 **Hymenophyllum holochilum** (V.D.B.) C. CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 77; JOHNSON, Ferns of Singapore Island (1977) 33; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 511; — *Meringium holochilum* (BOSCH) COPEL.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 77.
- 76 **Hymenophyllum polyanthos** Sw.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 10; HOLTTUM, Rev. Fl. Malaya 2 (1955) 81; JOHNSON, Ferns of Singapore Island (1977) 34; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 516; PIGGOTT, Ferns of Malaysia in Colour (1988) 67.
- 77 **Hymenophyllum serrulatum** (PRESL) C. CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 78; JOHNSON, Ferns of Singapore Island (1977) 33; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 511; PIGGOTT, Ferns of Malaysia in Colour (1988) 64; — *Meringium meyenianum* PRESL; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 76.
- 78 **Lecanopteris crustacea** COPEL.; Univ. Cal. Publ. Bot. 12 (1931) 406; — *Phymatodes crustacea* (COPEL.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 190; JOHNSON, Ferns of Singapore Island (1977) 51; — *Myrmecophila crustacea* (COPEL.) TAGAWA; TAGAWA & IWATSUKI, Fl. Thail. 3 (1989) 535.
- 79 **Lepisorus longifolius** (BL.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955); JOHNSON, Ferns of Singapore Island (1977); PIGGOTT, Ferns of Malaysia in Colour (1988) 116; — *Pleopeltis longifolia* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 46.

- 80 **Lindsaea borneensis** HOOK. ex BAKER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 20; HOLTTUM, Rev. Fl. Malaya 2 (1955) 331; KRAMER, Fl. Males. II 1³ (1971) 225; JOHNSON, Ferns of Singapore Island (1977) 61.
- 81 **Lindsaea cultrata** (WILLD.) SW.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 19; KRAMER, Fl. Males. II 1³ (1971) 222; — *L. decomposita* WILLD.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 333; JOHNSON, Ferns of Singapore Island (1977) 61; PIGGOTT, Ferns of Malaysia in Colour (1988) 260.
- 82 **Lindsaea divergens** HOOK. & GREV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 20; KRAMER, Fl. Males. II 1³ (1971) 233; — *Isoloma divergens* (HOOK. & GREV.) J. SM.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 337; JOHNSON, Ferns of Singapore Island (1977) 62.
- 83 **Lindsaea doryophora** KRAMER; KRAMER, Fl. Males. II 1³ (1971) 227; PIGGOTT, Ferns of Malaysia in Colour (1988) 254; — *L. trapeziformis* quoad auctt. plur.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; — *L. lancea* quoad auctt. plur.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 20; — *L. scandens* HOOK.; JOHNSON, Ferns of Singapore Island (1977) 60, p.p.; — *L. scandens* var. *terrestris* HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 327.
- 84 **Lindsaea ensifolia** SW. ssp. *coriacea* (V.A.V.R.) KRAMER; KRAMER, Fl. Males. II 1³ (1971) 212; — *Schizoloma ensifolium* (SW.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 21; HOLTTUM, Rev. Fl. Malaya 2 (1955) 346; JOHNSON, Ferns of Singapore Island (1977) 63; — *L. ensifolia*; PIGGOTT, Ferns of Malaysia in Colour (1988) 265.
- 85 **Lindsaea heterophylla** DRYAND.; KRAMER, Fl. Males. II 1³ (1971) 210; PIGGOTT, Ferns of Malaysia in Colour (1988) 264; — *Schizoloma heterophyllum* (DRYAND.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 21; HOLTTUM, Rev. Fl. Malaya 2 (1955) 345; JOHNSON, Ferns of Singapore Island (1977) 64.
- 86 **Lindsaea lucida** BL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 328; KRAMER, Fl. Males. II 1³ (1971) 233; PIGGOTT, Ferns of Malaysia in Colour (1988) 255.
- 87a **Lindsaea orbiculata** (LAMK.) METT. ex KUHN var. *orbiculata*; KRAMER, Fl. Males. II 1³ (1971) 206; — *L. orbiculata*; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 20; PIGGOTT, Ferns of Malaysia in Colour (1988) 263; — *Schizoloma orbiculatum* (LAMK.) KUHN; HOLTTUM, Rev. Fl. Malaya 2 (1955) 344; JOHNSON, Ferns of Singapore Island (1977) 63.
- 87b **Lindsaea orbiculata** var. *commixta* (TAGAWA) KRAMER; KRAMER, Fl. Males. II 1³ (1971) 207.
- 88 **Lindsaea ovata** J. SM.; KRAMER, Fl. Males. II 1³ (1971) 231; — *Isoloma ovatum* (J. SM.) PRESL; HOLTTUM, Rev. Fl. Malaya 2 (1955) 338; JOHNSON, Ferns of Singapore Island (1977) 63.
- 89 **Lindsaea parallelogramma** v.A.v.R.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 335; KRAMER, Fl. Males. II 1³ (1971) 220; JOHNSON, Ferns of Singapore Island (1977) 61; PIGGOTT, Ferns of Malaysia in Colour (1988) 261.

- 90 **Lindsaea parasitica** (ROXB. ex GRIFF.) KRAMER, Fl. Males. II 1³ (1971) 244; — *L. scandens* HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 19; HOLTTUM, Rev. Fl. Malaya 2 (1955) 325; JOHNSON, Ferns of Singapore Island (1977) 60; PIGGOTT, Ferns of Malaysia in Colour (1988) 253.
- 91 **Lindsaea repens** (BORY) THW. var. **pectinata** (BL.) METT. ex KUHN; KRAMER, Fl. Males. II 1³ (1971) 239; — *L. repens*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 19; — *L. macraeana* (HOOK. & ARN.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 324; JOHNSON, Ferns of Singapore Island (1977) 59.
- 92 **Lindsaea walkerae** HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 20; KRAMER, Fl. Males. II 1³ (1971) 229; — *Schizoloma walkerae* (HOOK.) KUHN; HOLTTUM, Rev. Fl. Malaya 2 (1955) 344; JOHNSON, Ferns of Singapore Island (1977) 63.
- 93 **Lomariopsis lineata** (PRESL) HOLTT.; HOLTTUM, Fl. Males. II 1⁴ (1978) 262; PIGGOTT, Ferns of Malaysia in Colour (1988) 361; — *Stenochlaena sorbifolia* [non (L.) J. SM.] BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 53; — *L. cochinchinensis* FÉÉ; HOLTTUM, Rev. Fl. Malaya 2 (1955) 476; JOHNSON, Ferns of Singapore Island (1977) 80.
- 94 **Lycopodiella cernua** (L.) PICH.-SERM.; ØLLGAARD, Op. Bot. 92 (1987) 175; — *Lycopodium cernuum* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 144; JOHNSON, Ferns of Singapore Island (1977) 103.
- 95 **Lygodium circinnatum** (BURM. f.) SW.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 57; HOLTTUM, Rev. Fl. Malaya 2 (1955) 55; HOLTTUM, Fl. Males. II 1¹ (1959) 59; JOHNSON, Ferns of Singapore Island (1977) 24; PIGGOTT, Ferns of Malaysia in Colour (1988) 38;.
- 96 **Lygodium flexuosum** (L.) SW.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 58; HOLTTUM, Rev. Fl. Malaya 2 (1955) 57, p.p.; HOLTTUM, Fl. Males. II 1¹ (1959) 53; JOHNSON, Ferns of Singapore Island (1977) 26; PIGGOTT, Ferns of Malaysia in Colour (1988) 41.
- A 97 **Lygodium japonicum** (THUNB.) SW.; HOLTTUM, Fl. Males. II 1¹ (1959) 51; WEE & CHUA, Fern Gaz. 13 (1988) 246.
- 98 **Lygodium longifolium** (WILLD.) SW.; HOLTTUM, Fl. Males. II 1¹ (1959) 59; JOHNSON, Ferns of Singapore Island (1977) 25; PIGGOTT, Ferns of Malaysia in Colour (1988) 39; — *L. digitatum* PRESL; HOLTTUM, Rev. Fl. Malaya 2 (1955) 55.
- 99 **Lygodium microphyllum** (CAV.) R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 58; HOLTTUM, Fl. Males. II 1¹ (1959) 47; JOHNSON, Ferns of Singapore Island (1977) 28; PIGGOTT, Ferns of Malaysia in Colour (1988) 42; — *L. scandens* SW.; BURKILL, Dict. (1935) 1378; HOLTTUM, Rev. Fl. Malaya 2 (1955) 58.
- 100 **Lygodium salicifolium** PRESL; HOLTTUM, Fl. Males. II 1¹ (1959) 51; JOHNSON, Ferns of Singapore Island (1977) 110; PIGGOTT, Ferns of Malaysia in Colour (1988) 40; — *L. flexuosum* sensu HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 57, p.p.

- A 101 ***Macrothelypteris torresiana*** (GAUD.) CHING; HOLTTUM, Fl. Males. II 1⁵ (1981); 348; PIGGOTT, Ferns of Malaysia in Colour (1988) 179; — *Lastrea tenericaulis* (HOOK.) MOORE; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 36; — *Thelypteris uliginosa* (KUNZE) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 241; — *Thelypteris torresiana* (GAUD.) ALSTON; JOHNSON, Ferns of Singapore Island (1977) 53.
- Ridley (1908, *loc. cit.*) reports this fern as established in Tanglin, Johnson (*loc. cit.*) says it is only cultivated in Singapore.
- 102 ***Mesophlebion chlamydophorum*** (ROSENST. ex C. CHR.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981); 384; PIGGOTT, Ferns of Malaysia in Colour (1988) 189; — *Thelypteris chlamydophora* (C.CHR.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 246; JOHNSON, Ferns of Singapore Island (1977) 53.
- 103 ***Mesophlebion motleyanum*** (HOOK.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981); 381; PIGGOTT, Ferns of Malaysia in Colour (1988) 187; — *Nephrodium brachyodus* *sensu* BAK.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908), p.p.; — *Thelypteris motleyana* (HOOK.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 247; JOHNSON, Ferns of Singapore Island (1977) 53.
- 104 ***Metathelypteris dayi*** (BEDD.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 352; PIGGOTT, Ferns of Malaysia in Colour (1988) 181; — *Lastrea dayi* (BEDD.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 35; — *Thelypteris singalensis* *sensu* HOLTTUM; HOLTTUM, Rev. Fl. Malaya 2 (1955) 243, p.p.; JOHNSON, Ferns of Singapore Island (1977) 111.
- 105a ***Microlepia speluncae*** (L.) MOORE var. ***hancei*** (PRANTL) C. CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 315; JOHNSON, Ferns of Singapore Island (1977) 59; PIGGOTT, Ferns of Malaysia in Colour (1988) 237; — *M. speluncae*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 18.
- 105b ***Microlepia speluncae*** var. ***vilosissima*** C. CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 315; JOHNSON, Ferns of Singapore Island (1977) 59; PIGGOTT, Ferns of Malaysia in Colour (1988) 238.
- 106 ***Microsorum punctatum*** (L.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 179; JOHNSON, Ferns of Singapore Island (1977) 111; PIGGOTT, Ferns of Malaysia in Colour (1988) 133; BOSMAN, A Monograph of the Fern Genus *Microsorum* (Polypodiaceae) (1991) 97; — *Pleopeltis punctata* (L.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 46.
- 107 ***Monogramma dareicarpa*** HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 48; HOLTTUM, Rev. Fl. Malaya 2 (1955) 615; JOHNSON, Ferns of Singapore Island (1977) 87.
- 108 ***Monogramma trichoidea*** J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 48; HOLTTUM, Rev. Fl. Malaya 2 (1955) 618; JOHNSON, Ferns of Singapore Island (1977) 87; PIGGOTT, Ferns of Malaysia in Colour (1988) 432.

- 109 **Myrmecopteris sinuosa** (WALL. ex HOOK.) PIC. SER., Webbia 31 (1977) 240; — *Pleopeltis sinuosa* (WALL. ex HOOK.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 46; — *Phymatodes sinuosa* (WALL. ex HOOK.) J. SM.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 190; JOHNSON, Ferns of Singapore Island (1977) 50; — *Myrmecophila sinuosa* (WALL. ex HOOK.) NAKAI ex H. ITO; TAGAWA & IWATSUKI, Fl. Thail. 3 (1989) 535.
- 110 **Nephrolepis acutifolia** (DESV.) CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 375; JOHNSON, Ferns of Singapore Island (1977) 67; PIGGOTT, Ferns of Malaysia in Colour (1988) 372; — *Lindsaea lanuginosa* (SM.) HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 189; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 21.
- 111 **Nephrolepis biserrata** (Sw.) SCHOTT; HOLTTUM, Rev. Fl. Malaya 2 (1955) 380; JOHNSON, Ferns of Singapore Island (1977) 68; PIGGOTT, Ferns of Malaysia in Colour (1988) 377; — *N. acuta* (SCHKUHR) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 39.
- 112 **Nephrolepis falcata** (Cav.) C. CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 381; JOHNSON, Ferns of Singapore Island (1977) 67; PIGGOTT, Ferns of Malaysia in Colour (1988) 380.
- 113 **Nephrolepis multiflora** (ROXB.) JARRETT; PIGGOTT, Ferns of Malaysia in Colour (1988) 381; — *N. hirsutula* (FORST.) PRESL; HOLTTUM, Rev. Fl. Malaya 2 (1955) 382; JOHNSON, Ferns of Singapore Island (1977) 68.
- 114 **Nephrolepis radicans** (BURM. f.) KUHN; HOLTTUM, Rev. Fl. Malaya 2 (1955) 381; JOHNSON, Ferns of Singapore Island (1977) 68; PIGGOTT, Ferns of Malaysia in Colour (1988) 379; — *N. volubilis* J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 39.
- 115 **Ophioglossum nudicaule** L. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 59; PIGGOTT, Ferns of Malaysia in Colour (1988) 28; — *O. pedunculosum* DESV.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 39, p.p.
- 116 **Ophioglossum pendulum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 59; HOLTTUM, Rev. Fl. Malaya 2 (1955) 40; JOHNSON, Ferns of Singapore Island (1977) 22; PIGGOTT, Ferns of Malaysia in Colour (1988) 29.
- 117 **Ophioglossum reticulatum** L.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 59; JOHNSON, Ferns of Singapore Island (1977) 110; PIGGOTT, Ferns of Malaysia in Colour (1988) 28; — *O. pedunculosum* DESV.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 39, p.p.
- 118 **Phymatosorus longissimus** (BL.) PIC. SER., Webbia 28 (1973) 459; PIGGOTT, Ferns of Malaysia in Colour (1988) 144; — *Pleopeltis longissima* (BL.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 47; — *Phymatodes longissima* (BL.) J. SM.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 38; HOLTTUM, Rev. Fl. Malaya 2 (1955) 191; JOHNSON, Ferns of Singapore Island (1977) 51; — *Microsorum rubidum* [non (KUNZE) COPEL.] TAGAWA & IWATSUKI, Fl. Thail. 3 (1989) 532.

- 119 **Phymatosorus nigrescens** (BL.) PIC. SER., Webbia 28 (1973) 459; PIGGOTT, Ferns of Malaysia in Colour (1988) 145; — *Pleopeltis nigrescens* (BL.) CARR; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 47; — *Phymatodes nigrescens* (BL.) J. SM.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 193; JOHNSON, Ferns of Singapore Island (1977) 51; — *Microsorum nigrescens* (BL.) COPEL.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1989) 532.
- 120 **Phymatosorus scolopendria** (BURM. f.) PIC. SER., Webbia 28 (1973) 460; PIGGOTT, Ferns of Malaysia in Colour (1988) 143; — *Pleopeltis phymatodes* (L.) MOORE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 47; — *Phymatodes scolopendria* (BURM. f.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 191; JOHNSON, Ferns of Singapore Island (1977) 51; — *Microsorum scolopendria* (BURM. f.) COPEL.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1989) 533.
- A 121 **Pityrogramma calomelanos** (L.) LINK; HOLTTUM, Rev. Fl. Malaya 2 (1955) 593; JOHNSON, Ferns of Singapore Island (1977) 93; CORLETT, J. Biogeog. (1988) 661; PIGGOTT, Ferns of Malaysia in Colour (1988) 424.
- 122 **Platycerium coronarium** (KOENIG) DESV.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 138; JOHNSON, Ferns of Singapore Island (1977) 44; HENNIPMAN & ROOS, Verh. Kon. Ned. Akad. Wetensch. Afd. Natuur., Tweede Reeks 80 (1982) 92; PIGGOTT, Ferns of Malaysia in Colour (1988) 105; — *P. bifforme* (Sw.) BL., nom. illeg.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 56.
- 123 **Platycerium ridleyi** CHRIST; HOLTTUM, Rev. Fl. Malaya 2 (1955) 140; JOHNSON, Ferns of Singapore Island (1977) 44; HENNIPMAN & ROOS, Verh. Kon. Ned. Akad. Wetensch. Afd. Natuur., Tweede Reeks 80 (1982) 107; — *P. bifforme* var. *erecta* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 56.
- 124 **Pleocnemia irregularis** (C. PRESL) HOLTT.; HOLTTUM, Kew Bull. 29 (1974) 347; PIGGOTT, Ferns of Malaysia in Colour (1988) 333; HOLTTUM, Fl. Males. II 2¹ (1991) 12; — *Dictyopteris difformis* (BL.) MOORE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 40; — *Arcypteris irregularis* (PRESL) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 538; JOHNSON, Ferns of Singapore Island (1977) 114.
- 125 **Pleocnemia olivacea** (COPEL.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 535; JOHNSON, Ferns of Singapore Island (1977) 82; PIGGOTT, Ferns of Malaysia in Colour (1988) 331; HOLTTUM, Fl. Males. II 2¹ (1991) 19.
- 126 **Pneumatopteris truncata** (POIR.) HOLTT.; HOLTTUM, Fl. Males. II 1(5) 429; PIGGOTT, Ferns of Malaysia in Colour (1988) 198; — *Nephrodium truncatum* auct. non (GAUD.) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 38; — *Cyclosorus truncatus* (POIR.) FARW.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 266; JOHNSON, Ferns of Singapore Island (1977) 56.
- 127 **Pronephrium menisciicarpon** (BL.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 526; — *Meniscium cuspidatum* (non BL.) RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 50; — *Abacopteris menisciicarpa* (BL.) HOLTT., Rev. Fl. Malaya 2 (1955) 290.

- 128 **Pronephrium repandum** (FÉE) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 533; PIGGOTT, Ferns of Malaysia in Colour (1988) 209; — *Nephrodium urophylloides* (METT.) KEYS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 37 (*p.p.*, *incl. var. pinwillii* BEDD.); — *Abacopteris urophylloides* (METT.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 296; — *Cyclosorus urophylloides* (METT.) TARD.; JOHNSON, Ferns of Singapore Island (1977) 111.
- 129 **Pronephrium triphyllum** (Sw.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 534; — *Meniscium triphyllum* Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 50; — *Abacopteris triphylla* (Sw.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 287.
- 130 **Psilotum complanatum** Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 196; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 146; — *P. flaccidum* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 196; JOHNSON, Ferns of Singapore Island (1977) 106.
- 131 **Psilotum nudum** (L.) P. BEAUV.; JOHNSON, Ferns of Singapore Island (1977) 106; — *P. triquetrum* Sw.; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 145; SINCLAIR, Gard. Bull. Sing. 14 (1953) 37.
- 132 **Pteridium aquilinum** (L.) KUHN; HOLTTUM, Rev. Fl. Malaya 2 (1955) 389; JOHNSON, Ferns of Singapore Island (1977) 70; PIGGOTT, Ferns of Malaysia in Colour (1988) 243; — *Pteris aquilina* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 24.
- 133 **Pteridium caudatum** (L.) MAXON ssp. *yarrabense* (DOMIN) PARRIS; PIGGOTT, Ferns of Malaysia in Colour (1988) 245; — *P. esculentum* (FORST.) NAKAI; HOLTTUM, Rev. Fl. Malaya 2 (1955) 390; — *P. caudatum*; JOHNSON, Ferns of Singapore Island (1977) 70.
- 134 **Pteris ensiformis** BURM. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 23; HOLTTUM, Rev. Fl. Malaya 2 (1955) 399; JOHNSON, Ferns of Singapore Island (1977) 114; PIGGOTT, Ferns of Malaysia in Colour (1988) 224.
- 135 **Pteris mertensioides** WILLD.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 404; JOHNSON, Ferns of Singapore Island (1977) 71; PIGGOTT, Ferns of Malaysia in Colour (1988) 227; — *P. patens* (*non* KUNTZE) HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 24.
- 136 **Pteris tripartita** Sw.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 408; JOHNSON, Ferns of Singapore Island (1977) 71; PIGGOTT, Ferns of Malaysia in Colour (1988) 231; — *Litobrochia marginata* (BORY) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 25.
- 137 **Pteris vittata** L.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 396; JOHNSON, Ferns of Singapore Island (1977) 70; PIGGOTT, Ferns of Malaysia in Colour (1988) 223; — *P. longifolia* *sensu* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 190; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 23.

- 138 **Pyrrosia angustata** (Sw.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 143; JOHNSON, Ferns of Singapore Island (1977) 46; HOVENKAMP, Leiden Bot. Ser. 9 (1986) 156; PIGGOTT, Ferns of Malaysia in Colour (1988) 108; — *Pleopeltis angustata* (Sw.) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 46.
- 139 **Pyrrosia lanceolata** (L.) FARWELL; HOVENKAMP, Leiden Bot. Ser. 9 (1986) 191; PIGGOTT, Ferns of Malaysia in Colour (1988) 109; — *Niphobolus adnascens* (Sw.) KAULF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 43; — *P. adnascens* Sw.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 144; JOHNSON, Ferns of Singapore Island (1977) 47; — *P. varia* (KAULF.) FARW.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 146; JOHNSON, Ferns of Singapore Island (1977) 47; PIGGOTT, Ferns of Malaysia in Colour (1988) 110.
- 140 **Pyrrosia longifolia** (BURM.) MORTON; HOLTTUM, Rev. Fl. Malaya 2 (1955) 148; JOHNSON, Ferns of Singapore Island (1977) 47; HOVENKAMP, Leiden Bot. Ser. 9 (1986) 209; PIGGOTT, Ferns of Malaysia in Colour (1988) 113; — *Niphobolus acrostichoides* [non PRESL] (FORST.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 43.
- 141 **Pyrrosia piloselloides** (L.) PRICE; RAVENSBURG & HENNIPMAN, Leiden Bot. Ser. 9 (1986) 302; — *Drymoglossum piloselloides* (L.) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 52; HOLTTUM, Rev. Fl. Malaya 2 (1955) 149; JOHNSON, Ferns of Singapore Island (1977) 48; PIGGOTT, Ferns of Malaysia in Colour (1988) 115.
- A 142 **Salvinia molesta** D.S. MITCHELL; JOHNSON, Ferns of Singapore Island (1977) 96; CORLETT, J. Biogeog. (1988) 661; PIGGOTT, Ferns of Malaysia in Colour (1988) 443; — *S. cucullata* ROXB. ex BORY; HOLTTUM, Rev. Fl. Malaya 2 (1955) 621.
- 143 **Schizaea dichotoma** (L.) SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 57; HOLTTUM, Rev. Fl. Malaya 2 (1955) 50; HOLTTUM, Fl. Males. II 1¹ (1959) 41; JOHNSON, Ferns of Singapore Island (1977) 28.
- 144 **Schizaea digitata** (L.) Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 57; HOLTTUM, Rev. Fl. Malaya 2 (1955) 51; HOLTTUM, Fl. Males. II 1¹ (1959) 41; JOHNSON, Ferns of Singapore Island (1977) 29; PIGGOTT, Ferns of Malaysia in Colour (1988) 36.
- 145 **Schizaea wagneri** SELLING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 52; HOLTTUM, Fl. Males. II 1¹ (1959) 44; JOHNSON, Ferns of Singapore Island (1977) 30.
- 146 **Selaginella ciliaris** (RETZ.) SPRING; JOHNSON, Ferns of Singapore Island (1977) 99; WONG, Gard. Bull. Sing. 35 (1983) 130.
- 147 **Selaginella intermedia** (BL.) SPRING; WONG, Gard. Bull. Sing. 35 (1983) 124; — *S. atroviridis* (WALL.) SPRING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; ALSTON, Gard. Bull. Sing. 8 (1934) 53; JOHNSON, Ferns of Singapore Island (1977) 103; — *S. ascendens* v.A.v.R.; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 153; ALSTON, Gard. Bull. Sing. 8 (1934) 52; — *S. plumea* SPRING; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 151.

- 148 **Selaginella mayeri** HIERON.; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 149; ALSTON, Gard. Bull. Sing. 8 (1934) 42; WONG, Gard. Bull. Sing. 35 (1983) 126.
- 149 **Selaginella roxburghii** (HOOK. & GREV.) SPRING; ALSTON, Gard. Bull. Sing. 8 (1934) 51; JOHNSON, Ferns of Singapore Island (1977) 102; WONG, Gard. Bull. Sing. 35 (1983) 130; — *S. trichobasis* BAK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 152.
- 150 **Selaginella wallichii** (HOOK. & GREV.) SPRING; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 153; ALSTON, Gard. Bull. Sing. 8 (1934) 48; JOHNSON, Ferns of Singapore Island (1977) 102; WONG, Gard. Bull. Sing. 35 (1983) 133.
- 151 **Selaginella willdenowii** (DESV.) BAKER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 195; ALSTON, Gard. Bull. Sing. 8 (1934) 45; JOHNSON, Ferns of Singapore Island (1977) 99; WONG, Gard. Bull. Sing. 35 (1983) 133; — *S. laevigatum*; RIDLEY, J. Str. Br. R. As. Soc. 80 (1919) 155.
- 152 **Selliguea heterocarpa** BL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 157; JOHNSON, Ferns of Singapore Island (1977) 49; — *S. féei* (non BORY) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 49.
- 153 **Sphaerostephanos heterocarpus** (BL.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 457; PIGGOTT, Ferns of Malaysia in Colour (1988) 201; — ?*Nephrodium heterocarpum* (BL.) MOORE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 38; — *Cyclosorus heterocarpus* (BL.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 269; JOHNSON, Ferns of Singapore Island (1977) 58.
- 154 **Sphaerostephanos polycarpus** (BL.) COPEL.; HOLTTUM, Fl. Males. II. 1(5) 448; PIGGOTT, Ferns of Malaysia in Colour (1988) 199; — *Nephrodium polycarpum* (BL.) KEYS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; — *Mesochlaena polycarpa* (BL.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 32; — *Nephrodium perakense* (BEDD.) BAK.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 39; — *Cyclosorus polycarpus* (BL.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 283; JOHNSON, Ferns of Singapore Island (1977) 56.
- 155 **Sphaerostephanos unitus** (L.) HOLTT.; HOLTTUM, Fl. Males. II 1⁵ (1981) 477; — *Nephrodium cucullatum* (BL.) BAK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 36; — *Nephrodium haenkeanum* PRESL; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 39; — *Cyclosorus unitus* (L.) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 260; JOHNSON, Ferns of Singapore Island (1977) 54.
- 156 **Stenochlaena palustris** (BURM.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 53; HOLTTUM, Rev. Fl. Malaya 2 (1955) 412; JOHNSON, Ferns of Singapore Island (1977) 73; PIGGOTT, Ferns of Malaysia in Colour (1988) 410.
- 157 **Syngamma alismifolia** (PRESL) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 49; HOLTTUM, Rev. Fl. Malaya 2 (1955) 581; JOHNSON, Ferns of Singapore Island (1977) 90; — *S. wallichii* (HOOK.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 193; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 49; PIGGOTT, Ferns of Malaysia in Colour (1988) 422.

- 158 **Taenitis blechnoides** (WILLD.) SW.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 52; HOLTTUM, Rev. Fl. Malaya 2 (1955) 586; JOHNSON, Ferns of Singapore Island (1977) 90; PIGGOTT, Ferns of Malaysia in Colour (1988) 437.
- 159 **Taenitis interrupta** HOOK. & GREV.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 587; JOHNSON, Ferns of Singapore Island (1977) 91; PIGGOTT, Ferns of Malaysia in Colour (1988) 438.
- 160 **Tapeinidium pinnatum** (Cav.) C. CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 339; KRAMER, Fl. Males. II 1³ (1971) 193; JOHNSON, Ferns of Singapore Island (1977) 62; PIGGOTT, Ferns of Malaysia in Colour (1988) 249; — *Microlepia pinnata* (Cav.) J. SM.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 18.
- 161 **Tectaria angulata** (WILLD.) C. CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 511; JOHNSON, Ferns of Singapore Island (1977) 83; HOLTTUM, Gard. Bull. Sing. 34 (1981) 145; PIGGOTT, Ferns of Malaysia in Colour (1988) 343; HOLTTUM, Fl. Males. II 2¹ (1991) 85; — *Aspidium angulatum* (WILLD.) J. SM. ex METT.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 33.
- 162 **Tectaria barberi** (HOOK.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 508; JOHNSON, Ferns of Singapore Island (1977) 84; HOLTTUM, Gard. Bull. Sing. 34 (1981) 138; PIGGOTT, Ferns of Malaysia in Colour (1988) 340; HOLTTUM, Fl. Males. II 2¹ (1991) 52; — *Dictyopteris barberi* (HOOK.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 192; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 40; — *Aspidium kunstleri* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 33.
- 163 **Tectaria grandidentata** (CESATI) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 514; JOHNSON, Ferns of Singapore Island (1977) 83; HOLTTUM, Gard. Bull. Sing. 34 (1981) 139; PIGGOTT, Ferns of Malaysia in Colour (1988) 348; HOLTTUM, Fl. Males. II 2¹ (1991) 92.
- 164 **Tectaria griffithii** (BAK.) C. CHR. var. **singaporeana** HOLTTUM, Blumea 35 (1991) 551; HOLTTUM, Fl. Males. II 2¹ (1991) 55; — *T. griffithii*; HOLTTUM, Gard. Bull. Sing. 34 (1981) 137; PIGGOTT, Ferns of Malaysia in Colour (1988) 339; — *Aspidium multicaudatum* (CLARKE) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 34; — *T. multicaudata* (CLARKE) CHING; HOLTTUM, Rev. Fl. Malaya 2 (1955) 507; JOHNSON, Ferns of Singapore Island (1977) 83.
- 165 **Tectaria semipinnata** (ROXB.) MORTON; HOLTTUM, Rev. Fl. Malaya 2 (1955) 515; HOLTTUM, Gard. Bull. Sing. 34 (1981) 138; PIGGOTT, Ferns of Malaysia in Colour (1988) 347; HOLTTUM, Fl. Males. II 2¹ (1991) 78; — *Selliguea maingayi* (BAK.) BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 49; — *T. maingayi* (BAK.) C. CHR.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 513; JOHNSON, Ferns of Singapore Island (1977) 83.
- 166 **Tectaria singaporeana** (HOOK. & GREV.) COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 512; JOHNSON, Ferns of Singapore Island (1977) 82; HOLTTUM, Gard. Bull. Sing. 34 (1981) 138; PIGGOTT, Ferns of Malaysia in Colour (1988) 345; HOLTTUM, Fl. Males. II 2¹ (1991) 100; — *Aspidium singaporeanum* HOOK. & GREV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 191; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 32.

- 167 **Teratophyllum aculeatum** (BL.) METT. ex KUHN; HOLTTUM, Rev. Fl. Malaya 2 (1955) 473; JOHNSON, Ferns of Singapore Island (1977) 78; HOLTTUM, Fl. Males. II I(4) 269.
- 168 **Teratophyllum ludens** (FÉE) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 474; JOHNSON, Ferns of Singapore Island (1977) 80; HOLTTUM, Fl. Males. II I(4) 275.
- 169 **Teratophyllum rotundifoliatum** (R. BONAP.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 474; JOHNSON, Ferns of Singapore Island (1977) 78; HOLTTUM, Fl. Males. II I(4) 270.
- 170 **Trichomanes christii** COPEL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 100; JOHNSON, Ferns of Singapore Island (1977) 38; PIGGOTT, Ferns of Malaysia in Colour (1988) 80; — *Crepidomanes christii* (COPEL.) COPEL.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 88; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 540.
- 171 **Trichomanes humile** FORST. f.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 12; HOLTTUM, Rev. Fl. Malaya 2 (1955) 98; JOHNSON, Ferns of Singapore Island (1977) 38; PIGGOTT, Ferns of Malaysia in Colour (1988) 78; — *Reedia humilis* (FORST.) PICHI-SER.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 87; — *Crepidomanes humile* (FORST.) BOSCH; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 540.
- 172 **Trichomanes javanicum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 13; HOLTTUM, Rev. Fl. Malaya 2 (1955) 102; JOHNSON, Ferns of Singapore Island (1977) 35; PIGGOTT, Ferns of Malaysia in Colour (1988) 81; — *Cephalomanes javanicum* (BL.) BOSCH; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 96; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 548.
- 173 **Trichomanes mindorense** CHRIST; COPEL; Phil. J. Sci. 51 (1933) 209; — *T. muscoides sensu* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 12; — *T. bimarginatum* auct. plur, [non (BOSCH) BOSCH]; HOLTTUM, Rev. Fl. Malaya 2 (1955) 92, p.p.; JOHNSON, Ferns of Singapore Island (1977) 35; — *Microgonium mindorense* (CHRIST) COPEL.; CROXALL, Kew Bull. 41 (1986) 522.
- 174 **Trichomanes minutum** BL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 96; JOHNSON, Ferns of Singapore Island (1977) 110; — *Gonocormus saxifragoides* (PRESL) BOSCH; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 80; — *Crepidomanes minutum* (BL.) IWATSUKI; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 524; — *T. saxifragoides* PRESL; PIGGOTT, Ferns of Malaysia in Colour (1988) 75.
- 175 **Trichomanes motleyi** (BOSCH) BOSCH; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 12; HOLTTUM, Rev. Fl. Malaya 2 (1955) 92; JOHNSON, Ferns of Singapore Island (1977) 34; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 54; — *Microgonium motleyi* BOSCH; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 44; CROXALL, Kew Bull. 41 (1986) 526.

- 176 **Trichomanes obscurum** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 15; HOLTTUM, Rev. Fl. Malaya 2 (1955) 108; JOHNSON, Ferns of Singapore Island (1977) 37; PIGGOTT, Ferns of Malaysia in Colour (1988) 87; — *T. rigidum* sensu RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 188; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 13; — *Selenodesmium obscurum* (Bl.) COPEL.; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 99; — *Cephalomanes obscurum* (Bl.) IWATSUKI; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 547.
- 177 **Trichomanes pallidum** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 12; HOLTTUM, Rev. Fl. Malaya 2 (1955) 97; JOHNSON, Ferns of Singapore Island (1977) 37; PIGGOTT, Ferns of Malaysia in Colour (1988) 77; — *Pleuromanes pallidum* (Bl.) PRESL; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 86; — *Crepidomanes pallidum* (Bl.) IWATSUKI; IWATSUKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 523.
- 178 **Trichomanes singaporeanum** (BOSCH) v.A.v.R.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 103; JOHNSON, Ferns of Singapore Island (1977) 36; PIGGOTT, Ferns of Malaysia in Colour (1988) 82.
- 179 **Trichomanes sublimbatum** K. MUELL.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 92; JOHNSON, Ferns of Singapore Island (1977) 35; PIGGOTT, Ferns of Malaysia in Colour (1988) 72; — *Microgonium sublimbatum* (K. MUELL.) BOSCH; TAGAWA & IWATSUKI, Fl. Thail. 3 (1979) 94; CROXALL, Kew Bull. 41 (1986) 527.
- 180 **Trichomanes superbum** BACKH.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 108; JOHNSON, Ferns of Singapore Island (1977) 37; — *T. hispidulum* METT.; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 14.
- 181 **Vittaria elongata** Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 51; HOLTTUM, Rev. Fl. Malaya 2 (1955) 614; JOHNSON, Ferns of Singapore Island (1977) 87; PIGGOTT, Ferns of Malaysia in Colour (1988) 431; — *V. scolopendrina* [non (BORY) THW.] RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 194; RIDLEY, J. Str. Br. R. As. Soc. 50 (1908) 51.
- 182 **Vittaria ensiformis** Sw.; HOLTTUM, Rev. Fl. Malaya 2 (1955) 613; JOHNSON, Ferns of Singapore Island (1977) 87; PIGGOTT, Ferns of Malaysia in Colour (1988) 430;

GYMNOSPERMAE

CYCADACEAE

- 183 **Cycas rumphii** Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 151; RIDLEY, Fl. Mal. Pen. 5 (1925) 284; KENG, Conc. Fl. Sing. (1990) 1.

GNETACEAE

- 184 **Gnetum gnemon** L.; RIDLEY, Fl. Mal. Pen. 5 (1925) 273; BURKILL, Dict. (1935) 1091; CORNER, Ways. Trees 1st ed. (1940) 276; MARKGRAF, Fl. Males. I⁴³ (1951) 340; WHITMORE, Tree Fl. Malaya 1 (1972) 54; CORNER, Ways. Trees, 3rd ed. (1988) 774; KENG, Conc. Fl. Sing. (1990) 6; — *G. brunonianum* GRIFF.; RIDLEY, Fl. Mal. Pen. 5 (1925) 274.

- 185 **Gnetum gnemonoides** BRONGN.; MARKGRAF, Fl. Males. I 4³ (1951) 344; KENG, Conc. Fl. Sing. (1990) 6; — *G. edule* (*non* Bl.) HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 151; — *G. wrayi* GAMBLE; RIDLEY, Fl. Mal. Pen. 5 (1925) 276.
- 186 **Gnetum latifolium** Bl. var. **funiculare** MARKGRAF; MARKGRAF, Fl. Males. I 4³ (1951) 343; KENG, Conc. Fl. Sing. (1990) 7; — *G. funiculare* Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 151; — *G. kingianum* GAMBLE; RIDLEY, Fl. Mal. Pen. 5 (1925) 276.
- 187 **Gnetum macrostachyum** HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 151; RIDLEY, Fl. Mal. Pen. 5 (1925) 274; MARKGRAF, Fl. Males. I 4³ (1951) 346; KENG, Conc. Fl. Sing. (1990) 7.
- 188 **Gnetum microcarpum** Bl.; MARKGRAF, Fl. Males. I 4³ (1951) 343; KENG, Conc. Fl. Sing. (1990) 7; — *G. neglectum* (*non* Bl.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 151; — *G. campestre* GAMBLE; RIDLEY, Fl. Mal. Pen. 5 (1925) 275; — *G. sylvestre* GAMBLE; RIDLEY, Fl. Mal. Pen. 5 (1925) 275.

PODOCARPACEAE

- 189 **Nageia wallichiana** (PRESL) O.KUNTZE; DE LAUBENFELS, Fl. Males. I 10³ (1988) 391; — *Podocarpus blumei* ENDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 281; CORNER, Ways. Trees 1st ed. (1940) 717; — *Decussocarpus wallichianus* (PRESL) DE LAUBENFELS; DE LAUBENFELS, J. Arn. Arb. 50 (1969) 349; — *Podocarpus wallichianus* PRESL; KENG, Tree Fl. Malaya 1 (1972) 53; KENG, Conc. Fl. Sing. (1990) 3.
- 190 **Podocarpus polystachyus** R. BR. ex ENDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 282; KENG, Tree Fl. Malaya 1 (1972) 53; CORNER, Ways. Trees, 3rd ed. (1988) 772; DE LAUBENFELS, Fl. Males. I 10³ (1988) 417; KENG, Conc. Fl. Sing. (1990) 3; — *P. nerifolius* non D. DON; RIDLEY; J. Str. Br. R. As. Soc. 33 (1900) 151.

ANGIOSPERMAE

ACANTHACEAE

- 191 **Acanthus ebracteatus** VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121; RIDLEY, Fl. Mal. Pen. 2 (1923) 577; HENDERSON, Mal. Wild Fl. Dic. (1959) 367; KENG, Conc. Fl. Sing. (1990) 187.
- 192 **Acanthus ilicifolius** L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 577.
- 193 **Acanthus volubilis** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121; RIDLEY, Fl. Mal. Pen. 2 (1923) 577; KENG, Conc. Fl. Sing. (1990) 187.
- A 194 **Andrographis paniculata** (BURM. f.) WALL. ex NEES; RIDLEY, Fl. Mal. Pen. 2 (1923) 582; SINCLAIR, Gard. Bull. Sing. 15 (1956) 25; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 187.
- A 195 **Asystasia gangetica** (L.) T. ANDERS.; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 187; — *A. coromandeliana* NEES; RIDLEY, Fl. Mal. Pen. 2 (1923) 586; HENDERSON, Mal. Wild Fl. Dic. (1959) 373.

- 196 **Asystasia nemorum** NEES; KENG, Conc. Fl. Sing. (1990) 187; — *A. intrusa* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121; RIDLEY, Fl. Mal. Pen. 2 (1923) 585; HENDERSON, Mal. Wild Fl. Dic. (1959) 373.
- 197 **Calophanoides quadrifaria** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 593; KENG, Conc. Fl. Sing. (1990) 188.
- A 198 **Hemigraphis confinis** T. ANDERS.; RIDLEY, Fl. Mal. Pen. 2 (1923) 569; SINCLAIR, Gard. Bull. Sing. 14 (1953) 34.
- A 199 **Hemigraphis primulifolia** (NEES) F.-VILL.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 128.
- 200 **Hygrophila erecta** (BURM. f.) HOCHR.; KENG, Conc. Fl. Sing. (1990) 189; — *H. quadrivalvis* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121; RIDLEY, Fl. Mal. Pen. 2 (1923) 566.
- 201 **Hygrophila meianthos** CLARKE; RIDLEY, Fl. Mal. Pen. 2 (1923) 566; KENG, Conc. Fl. Sing. (1990) 189.
- 202 **Hygrophila phlomoides** NEES; RIDLEY, Fl. Mal. Pen. 2 (1923) 567; HENDERSON, Mal. Wild Fl. Dic. (1959) 370; KENG, Conc. Fl. Sing. (1990) 189; — *H. salicifolia* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121.
- A 203 **Hygrophila spinosa** T. ANDERS.; RIDLEY, Fl. Mal. Pen. 2 (1923) 567; KENG, Conc. Fl. Sing. (1990) 189.
- A 204 **Jacobinia coccinea** (AUBL.) HIERN; KENG, Conc. Fl. Sing. (1990) 189.
- 205 **Justicia vasculosa** WALL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 598; KENG, Conc. Fl. Sing. (1990) 189; — *J. andrographoides* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121.
- 206 **Peristrophe acuminata** NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 122; RIDLEY, Fl. Mal. Pen. 2 (1923) 609; HENDERSON, Mal. Wild Fl. Dic. (1959) 369; KENG, CONC. FL. SING. (1990) 189.
- 207 **Peristrophe roxburghiana** (SCHULT.) BREMEK.; KENG, Conc. Fl. Sing. (1990) 189; — *P. montana* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 122; — *P. tinctoria* NEES; RIDLEY, Fl. Mal. Pen. 2 (1923) 609.
- 208 **Pseuderanthemum kingii** (CLARKE) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 591; KENG, Conc. Fl. Sing. (1990) 190.
- 209 **Ruellia repens** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121; RIDLEY, Fl. Mal. Pen. 2 (1923) 564; HENDERSON, Mal. Wild Fl. Dic. (1959) 371; KENG, Conc. Fl. Sing. (1990) 190.
- 210 **Staurogyne griffithiana** (NEES) O. KUNTZE; RIDLEY, Fl. Mal. Pen. 4 (1924) 561; BREMEKAMP, Reinwardtia 3 (1955) 181; KENG, Conc. Fl. Sing. (1990) 190; — *Ebermaiera griffithiana* (NEES) T. ANDERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121.
- 211 **Staurogyne kingiana** CLARKE; RIDLEY, Fl. Mal. Pen. 4 (1924) 560; HENDERSON, Mal. Wild Fl. Dic. (1959) 369; SINCLAIR, Gard. Bull. Sing. 14 (1953) 34; BREMEKAMP, Reinwardtia 3 (1955) 193.

- 212 **Staurogyne setigera** (NEES) O. KUNTZE; RIDLEY, Fl. Mal. Pen. 4 (1924) 559; HENDERSON, Mal. Wild Fl. Dic. (1959) 369; BREMEKAMP, Reinwardtia 3 (1955) 187; KENG, Conc. Fl. Sing. (1990) 190; — *Ebermaiera setigera* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121.
- 213 **Strobilanthes palawanensis** ELM.; TERAO, Acta Phytotax. Geobot. 34 (1983) 120; — *Endopogon ridleyi* CLARKE; RIDLEY, Fl. Mal. Pen. 2 (1923) 570; KENG, Conc. Fl. Singapore (1990) 188.
- A 214 **Thunbergia alata** Boj. ex SIMS; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121; RIDLEY, Fl. Mal. Pen. 2 (1923) 557; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 190.
- 215 **Thunbergia dasychlamys** BREMEKAMP, Verhand. Konin. Ned. Akad. Weten., Afd. Natuur. 4 (1955) 53.
- 216 **Thunbergia fragrans** ROXB., RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 121; RIDLEY, Fl. Mal. Pen. 2 (1923) 557; HENDERSON, MAL. WILD FL. DIC. (1959) 366; CORLETT, J. BIogeog. (1988) 661; KENG, CONC. F. SING. (1990) 191.
- A 217 **Thunbergia grandiflora** (ROXB. ex ROTT.) ROXB.; RIDLEY, Fl. Mal. Pen. 2 (1923) 557; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 191.

ACTINIDIACEAE

- 218 **Saurauia pentapetala** (JACK) HOOGL.; HOOGLAND, Tree Fl. Malaya 4 (1989) 5; KENG, Conc. Fl. Sing. (1990) 46; — *S. tristyla* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48 ("Saurauja"), RIDLEY, Fl. Mal. Pen. 1 (1922) 207, p.p..

AGAVACEAE

- 219 **Dracaena aurantiaca** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 99; RIDLEY, Fl. Mal. Pen. 4 (1924) 336; KENG, Gard. Bull. Sing. 40 (1987) 117.
- 220 **Dracaena brachystachys** HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 96; RIDLEY, Fl. Mal. Pen. 4 (1924) 336 ("trachystachys"); KENG, Gard. Bull. Sing. 40 (1987) 117.
- 221 **Dracaena elliptica** THUNB.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 100; RIDLEY, Fl. Mal. Pen. 4 (1924) 337; KENG, Gard. Bull. Sing. 40 (1987) 117; — *D. gracilis* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 1696.
- 222 **Dracaena granulata** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 95; RIDLEY, Fl. Mal. Pen. 4 (1924) 332; KENG, Gard. Bull. Sing. 40 (1987) 118.
- 223 **Dracaena maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 98; RIDLEY, Fl. Mal. Pen. 4 (1924) 335; MAXWELL, Gard. Bull. Sing. 35 (1983) 191; KENG, Gard. Bull. Sing. 40 (1987) 118.

- 224 **Dracaena porteri** BAK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 97; RIDLEY, Fl. Mal. Pen. 4 (1924) 333; KENG, Gard. Bull. Sing. 40 (1987) 118.
- 225 **Dracaena singapurensis** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 97; RIDLEY, Fl. Mal. Pen. 4 (1924) 334; KENG, Gard. Bull. Sing. 40 (1987) 118.
- 226 **Dracaena umbratica** RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 334; HENDERSON, Mal. Wild Fl. Monoc. (1954) 182; KENG, Gard. Bull. Sing. 40 (1987) 118; — *D. terniflora* (non Roxb.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 97.

AIZOACEAE

- 227 **Mollugo pentaphylla** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 867; BURKILL, Dict. (1935) 1484; HENDERSON, Mal. Wild Fl. Dic. (1959) 172; BACKER, Fl. Males. I 4³ (1951) 268; KENG, Conc. Fl. Sing. (1990) 58; — *M. stricta* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 88.
- 228 **Sesuvium portulacastrum** (L.) L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 866; BURKILL, Dict. (1935) 1998; HENDERSON, Mal. Wild Fl. Dic. (1959) 171; BACKER, Fl. Males. I 4³ (1951) 272; KENG, Conc. Fl. Sing. (1990) 58.

ALANGIACEAE

- 229a **Alangium ebenaceum** (CLARKE) HARMS var. **ebenaceum**; RIDLEY, Fl. Mal. Pen. 1 (1922) 893; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 57; — *Marlea ebenacea* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89.
- 229b **Alangium ebenaceum** var. **tutela** (RIDL.) KOCHUMMEN; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 57; KENG, Conc. Fl. Sing. (1990) 130; — *A. tutela* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 894; — *Marlea sp. "Kayu Tas"*, RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 90.
- 230 **Alangium griffithii** (CLARKE) HARMS; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 58; — *A. uniloculare* (GRIFF.) KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 894 — *Marlea griffithii* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 90.
- 231 **Alangium nobile** (CLARKE) HARMS; RIDLEY, Fl. Mal. Pen. 1 (1922) 892; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 58; KENG, Conc. Fl. Sing. (1990) 130; — *Marlea nobilis* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89.
- 232 **Alangium ridleyi** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 893; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 59; KENG, Conc. Fl. Sing. (1990) 130.
- 233 **Alangium salviifolium** (L.f.) WANG.; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 57; — *A. lamarckii* Thw.; RIDLEY, Fl. Mal. Pen. 1 (1922) 892.

AMARANTHACEAE

- 234 **Achyranthes aspera** L.; RIDLEY, Fl. Mal. Pen. 3 (1924) 8; BACKER, Fl. Males. I 4² (1949) 88; HENDERSON, Mal. Wild Fl. Dic. (1959) 413; KENG, Conc. Fl. Sing. (1990) 57.
- 235 **Allmania nodiflora** R. Br. ex WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; RIDLEY, Fl. Mal. Pen. 3 (1924) 5; BACKER, Fl. Males. I 4² (1949) 74; HENDERSON, Mal. Wild Fl. Dic. (1959) 409; KENG, Conc. Fl. Sing. (1990) 57.
- A 236 **Alternanthera bettzichiana** (REGEL) VOSS; MEARS, Proc. Acad. Nat. Sci. Philadelphia 129 (1977) 16; — *A. ficoidea* (L.) R. Br. ex R. & S.; BACKER, Fl. Males. I 4² (1949) 93; SINCLAIR, Gard. Bull. Sing. 14 (1952) 35; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 57.
- A 237 **Alternanthera philoxeroides** (MART.) GRISEB.; BACKER, Fl. Males. I 4² (1949) 93; SINCLAIR, Gard. Bull. Sing. 14 (1952) 35; CORLETT, J. Biogeog. (1988) 661.
- 238 **Alternanthera sessilis** (L.) R. Br. ex DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 126; RIDLEY, Fl. Mal. Pen. 3 (1924) 10; BACKER, Fl. Males. I 4² (1949) 92; KENG, Conc. Fl. Sing. (1990) 57; — *A. triandra* LAMK.; BURKILL, Dict. (1935) 116; HENDERSON, Mal. Wild Fl. Dic. (1959) 412.
- 239 **Amaranthus blitum** L.; HENDERSON, Mal. Wild Fl. Dic. (1959) 411; FILLIAS, GAULLIEZ & GUÉDÉS, Taxon 29 (1980) 149; — *A. lividus* L.; BACKER, Fl. Males. I 4² (1949) 77; KENG, Conc. Fl. Sing. (1990) 57.
- A 240 **Amaranthus spinosus** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; RIDLEY, Fl. Mal. Pen. 3 (1924) 6; BACKER, Fl. Males. I 4² (1949) 78; HENDERSON, Mal. Wild Fl. Dic. (1959) 410; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 57.
- A 241 **Celosia argentea** L.; RIDLEY, Fl. Mal. Pen. 3 (1924) 5; BACKER, Fl. Males. I 4² (1949) 73; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 57.
- 242 **Cyathula prostrata** (L.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; RIDLEY, Fl. Mal. Pen. 3 (1924) 7; BACKER, Fl. Males. I 4² (1949) 82; HENDERSON, Mal. Wild Fl. Dic. (1959) 413; KENG, Conc. Fl. Sing. (1990) 57.

AMARYLLIDACEAE

- 243 **Crinum asiaticum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 167; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 68; RIDLEY, Fl. Mal. Pen. 4 (1924) 301; HENDERSON, Mal. Wild Fl. Monoc. (1954) 164; KENG, Gard. Bull. Sing. 40 (1987) 120.

ANACARDIACEAE

- A 244 **Anacardium occidentale** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; RIDLEY, Fl. Mal. Pen. 1 (1922) 526; BURKILL, Dict. (1935) 143; CORNER, Ways. Trees 1st ed. (1940) 100; DING HOU, Fl. Males. I 8² (1977) 421; CORNER, Ways. Trees, 3rd ed. (1988) 109; KENG, Conc. Fl. Sing. (1990) 123.

- 245 **Bouea macrophylla** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. I (1922) 520; BURKILL, Dict. (1935) 355; CORNER, Ways. Trees 1st ed. (1940) 101; DING HOU, Fl. Males. I 8² (1977) 468; CORNER, Ways. Trees, 3rd ed. (1988) 110; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 14; KENG, Conc. Fl. Sing. (1990) 123.
- 246 **Bouea oppositifolia** (ROXB.) MEISN.; DING HOU, Fl. Males. I 8² (1977) 466; CORNER, Ways. Trees, 3rd ed. (1988) 110; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 14; KENG, Conc. Fl. Sing. (1990) 123; — *B. burmanica* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; — *B. microphylla* GRIFF.; RIDLEY, Fl. Mal. Pen. I (1922) 519; BURKILL, Dict. (1935) 355; CORNER, Ways. Trees 1st ed. (1940) 101.
- 247 **Buchanania arborescens** (BL.) BL.; DING HOU, Fl. Males. I 8² (1977) 415; CORNER, Ways. Trees, 3rd ed. (1988) 111; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 16; KENG, Conc. Fl. Sing. (1990) 123; — *B. florida* SCHAU.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67 (*incl. var. lucida & var. petiolaris*); — *B. lucida* BL.; RIDLEY, Fl. Mal. Pen. I (1922) 518; BURKILL, Dict. (1935) 378, CORNER, Ways. Trees 1st ed. (1940) 102.
- 248 **Buchanania sessifolia** BL.; ("sessilifolia") RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. I (1922) 519; BURKILL, Dict. (1935) 378; DING HOU, Fl. Males. I 8² (1977) 418; CORNER, Ways. Trees, 3rd ed. (1988) 111; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 16; KENG, Conc. Fl. Sing. (1990) 123.
- 249 **Campnosperma auriculatum** (BL.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; RIDLEY, Fl. Mal. Pen. I (1922) 534 (*incl. var wallichii* (KING) RIDL.); BURKILL, Dict. (1935) 421; CORNER, Ways. Trees 1st ed. (1940) 104; DING HOU, Fl. Males. I 8² (1977) 529; CORNER, Ways. Trees, 3rd ed. (1988) 112; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 18; KENG, Conc. Fl. Sing. (1990) 123; — *C. wallichii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; — *C. griffithii* (non MARCH.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68.
- ? 250 **Campnosperma coriaceum** (JACK) HALL. f. ex STEENIS; DING HOU, Fl. Males. I 8² (1977) 530; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 20; — *C. griffithii* MARCH.; RIDLEY, Fl. Mal. Pen. I (1922) 534.
One specimen, Cantley's collector *s.n.*, *s.loc.*, 188?, Flora of Singapore, det. Ding Hou
- 251 **Campnosperma squatum** RIDL.; DING HOU, Fl. Males. I 8² (1977) 532; CORNER, Ways. Trees, 3rd ed. (1988) 113; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 20; KENG, Conc. Fl. Sing. (1990) 123; — *C. minor* CORNER; CORNER, Ways. Trees 1st ed. (1940) 104.
- 252 **Gluta wallichii** (HOOK. f.) DING HOU; DING HOU, Fl. Males. I 8² (1977) 456; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 30; KENG, Conc. Fl. Sing. (1990) 123; — *Melanorrhoea maingayi* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; — *Melanorrhoea wallichii* HOOK. f.; RIDLEY, Fl. Mal. Pen. I (1922) 529; BURKILL, Dict. (1935) 1438; CORNER, Ways. Trees 1st ed. (1940) 120; CORNER, Ways. Trees, 3rd ed. (1988) 130; — *Melanorrhoea woodsiana* SCOTT. ex KING; RIDLEY, Fl. Mal. Pen. I (1922) 530; CORNER, Ways. Trees 1st ed. (1940) 120; CORNER, Ways. Trees, 3rd ed. (1988) 130.

- 253 **Mangifera caesia** JACK; RIDLEY, Fl. Mal. Pen. I (1922) 525; BURKILL, Dict. (1935) 1401; CORNER, Ways. Trees 1st ed. (1940) 108; DING HOU, Fl. Males. I 8² (1977) 438; CORNER, Ways. Trees, 3rd ed. (1988) 117; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 33; KENG, Conc. Fl. Sing. (1990) 124; — *M. kemanga* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; RIDLEY, Fl. Mal. Pen. I (1922) 525.
- 254 **Mangifera foetida** LOUR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. I (1922) 524; BURKILL, Dict. (1935) 1402; CORNER, Ways. Trees 1st ed. (1940) 109; DING HOU, Fl. Males. I 8² (1977) 435; CORNER, Ways. Trees, 3rd ed. (1988) 118; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 35; KENG, Conc. Fl. Sing. (1990) 124.
- 255 **Mangifera griffithii** HOOK. f.; RIDLEY, Fl. Mal. Pen. I (1922) 521; DING HOU, Fl. Males. I 8² (1977) 430; CORNER, Ways. Trees, 3rd ed. (1988) 118; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 35; KENG, Conc. Fl. Sing. (1990) 124; — *M. sclerophylla* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. I (1922) 521; — *M. microphylla* GRIFF. ex HOOK. f.; RIDLEY, Fl. Mal. Pen. I (1922) 521; BURKILL, Dict. (1935) 1407; CORNER, Ways. Trees 1st ed. (1940) 111.
- 256 **Mangifera lagenifera** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. I (1922) 525; BURKILL, Dict. (1935) 1406; CORNER, Ways. Trees 1st ed. (1940) 110; DING HOU, Fl. Males. I 8² (1977) 433; CORNER, Ways. Trees, 3rd ed. (1988) 120; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 36; KENG, Conc. Fl. Sing. (1990) 124.
- 257 **Mangifera macrocarpa** BL.; RIDLEY, Fl. Mal. Pen. I (1922) 524; MAXWELL, Gard. Bull. Sing. 35 (1983) 191; DING HOU, Fl. Males. I 8² (1977) 439; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 37; KENG, Conc. Fl. Sing. (1990) 124.
- 258 **Mangifera odorata** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. I (1922) 524; BURKILL, Dict. (1935) 1407; CORNER, Ways. Trees 1st ed. (1940) 111; DING HOU, Fl. Males. I 8² (1977) 437; CORNER, Ways. Trees, 3rd ed. (1988) 120; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 37; KENG, Conc. Fl. Sing. (1990) 124.
- 259 **Melanochyla auriculata** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; RIDLEY, Fl. Mal. Pen. I (1922) 540; BURKILL, Dict. (1935) 1434; CORNER, Ways. Trees 1st ed. (1940) 119; DING HOU, Fl. Males. I 8² (1977) 495; CORNER, Ways. Trees, 3rd ed. (1988) 128; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 41; KENG, Conc. Fl. Sing. (1990) 124.
- 260 **Melanochyla bracteata** KING; RIDLEY, Fl. Mal. Pen. I (1922) 540; DING HOU, Fl. Males. I 8² (1977) 496; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 42.
- 261 **Melanochyla caesia** (BL.) DING HOU; DING HOU, Fl. Males. I 8² (1977) 498; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 42; — *M. maingayi* HOOK. f.; RIDLEY, Fl. Mal. Pen. I (1922) 540; BURKILL, Dict. (1935) 1434; — *M. kunstleri* HOOK. f.; RIDLEY, Fl. Mal. Pen. I (1922) 539; DING HOU, Fl. Males. I 8² (1977) 499; KENG, Conc. Fl. Sing. (1990) 124; — *M. tomentosa* var. *glabrescens* K. & V.; RIDLEY, Fl. Mal. Pen. I (1922) 539.

- 262 **Parishia insignis** HOOK. f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 536; BURKILL, Dict. (1935) 1668; CORNER, Ways. Trees 1st ed. (1940) 112; DING HOU, Fl. Males. I 8² (1977) 545; CORNER, Ways. Trees, 3rd ed. (1988) 121; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 45; KENG, Conc. Fl. Sing. (1990) 124; — *P. pubescens* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; RIDLEY, Fl. Mal. Pen. 1 (1922) 535; CORNER, Ways. Trees 1st ed. (1940) 113; CORNER, Ways. Trees, 3rd ed. (1988) 122.
- 263 **Parishia maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; RIDLEY, Fl. Mal. Pen. 1 (1922) 535; CORNER, Ways. Trees 1st ed. (1940) 112; DING HOU, Fl. Males. I 8² (1977) 543; CORNER, Ways. Trees, 3rd ed. (1988) 122; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 45.
- 264 **Parishia paucijuga** ENGL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; RIDLEY, Fl. Mal. Pen. 1 (1922) 536; CORNER, Ways. Trees 1st ed. (1940) 113; DING HOU, Fl. Males. I 8² (1977) 544; CORNER, Ways. Trees, 3rd ed. (1988) 122; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 46; KENG, Conc. Fl. Sing. (1990) 124.
- 265 **Swintonia schwenkii** (T. & B.) T. & B.; RIDLEY, Fl. Mal. Pen. 1 (1922) 532; DING HOU, Fl. Males. I 8² (1977) 443; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 57; KENG, Conc. Fl. Sing. (1990) 124.

ANCISTROCLADACEAE

- 266 **Ancistrocladus tectorius** (LOUR.) MERR.; VAN STEENIS, Fl. Males. I 4¹ (1948) 9; KENG, Conc. Fl. Sing. (1990) 53; — *A. pinangianus* (WALL.) PLANCH.; RIDLEY, Fl. Mal. Pen. 1 (1922) 251; — *A. extensus* (WALL.) PLANCH.; BURKILL, Dict. (1935) 155.

ANNONACEAE

- 267 **Alphonsea maingayi** HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 98; SINCLAIR, Gard. Bull. Sing. 14 (1955) 384; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 67; KENG, Conc. Fl. Sing. (1990) 11.
- 268a **Anaxagorea javanica** BL. var. *javanica*; CORNER, Ways. Trees 1st ed. (1940) 129; SINCLAIR, Gard. Bull. Sing. 14 (1955) 347; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 68; MAAS & WESTRA, Bot. Jahrb. Syst. 105 (1985) 182; CORNER, Ways. Trees, 3rd ed. (1988) 138; KENG, Conc. Fl. Sing. (1990) 11.
- 268b **Anaxagorea javanica** var. *dipetala* CORNER; MAAS & WESTRA, Bot. Jahrb. Syst. 105 (1985) 184.
- 269 **Artobotrys costatus** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 43; SINCLAIR, Gard. Bull. Sing. 14 (1955) 255; KENG, Conc. Fl. Sing. (1990) 11.
- 270 **Artobotrys crassifolius** HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 40; SINCLAIR, Gard. Bull. Sing. 14 (1955) 249; KENG, Conc. Fl. Sing. (1990) 11.
- 271 **Artobotrys maingayi** HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 42; SINCLAIR, Gard. Bull. Sing. 14 (1955) 259; KENG, Conc. Fl. Sing. (1990) 11.

- 272 **Artabotrys suaveolens** (BL.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 42; SINCLAIR, Gard. Bull. Sing. 14 (1955) 256; KENG, Conc. Fl. Sing. (1990) 11.
- 273 **Artabotrys wrayi** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 40; SINCLAIR, Gard. Bull. Sing. 14 (1955) 248; KENG, Conc. Fl. Sing. (1990) 12.
- 274 **Cyathocalyx ramuliflorus** (MAINGAY ex HOOK. f. & THOMS.) SCHEFF.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 243; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 71; CORNER, Ways. Trees, 3rd ed. (1988) 143; KENG, Conc. Fl. Sing. (1990) 13; — *Drepananthus ramuliflorus* MAINGAY ex HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 38; — *Drepananthus pruniferus* [non MAINGAY ex HOOK. f. & THOMS.] RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39.
- 275 **Cyathocalyx ridleyi** (KING) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 14 (1955) 237; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 71; KENG, Conc. Fl. Sing. (1990) 13; — *Xylopia ridleyi* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 95.
- 276 **Cyathocalyx sumatranaus** SCHEFF.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 236; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 71; KENG, Conc. Fl. Sing. (1990) 13; — *Xylopia curtisii* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 90.
- ? 277 **Cyathostemma excelsum** (HOOK. f. & THOMS.) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 14 (1955) 226; — *Uvaria excelsa* WALL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 34.
- One Singapore sheet with no other information.
- 278 **Cyathostemma hookeri** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 38; RIDLEY, Fl. Mal. Pen. 1 (1922) 28; SINCLAIR, Gard. Bull. Sing. 14 (1955) 223; KENG, Conc. Fl. Sing. (1990) 12.
- 279 **Cyathostemma viridiflorum** GRIFF.; RIDLEY, Fl. Mal. Pen. 1 (1922) 27; SINCLAIR, Gard. Bull. Sing. 14 (1955) 221; KENG, Conc. Fl. Sing. (1990) 12; — *C. scortechinii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 38.
- ? 280 **Desmos chinensis** LOUR.; RIDLEY, Fl. Mal. Pen. 1 (1922) 46; SINCLAIR, Gard. Bull. Sing. 14 (1955) 266; KENG, Conc. Fl. Sing. (1990) 12; — *Unona discolor* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39.
- . Doubtfully wild in Singapore.
- 281 **Desmos dasymaschala** (BL.) SAFFORD; RIDLEY, Fl. Mal. Pen. 1 (1922) 46; SINCLAIR, Gard. Bull. Sing. 14 (1955) 269; KENG, Conc. Fl. Sing. (1990) 12; — *Unona dasymaschala* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39.
- 282 **Desmos dumosus** (ROXB.) SAFFORD; RIDLEY, Fl. Mal. Pen. 1 (1922) 46; SINCLAIR, Gard. Bull. Sing. 14 (1955) 268; KENG, Conc. Fl. Sing. (1990) 12; — *Unona dumosa* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39.
- 283 **Ellipeia cuneifolia** HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 35; SINCLAIR, Gard. Bull. Sing. 14 (1955) 230; KENG, Conc. Fl. Sing. (1990) 12.

- 284 **Fissistigma fulgens** (HOOK. f. & THOMS.) MERR.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 353; KENG, Conc. Fl. Sing. (1990) 12; — *Melodorum fulgens* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 83.
- 285 **Fissistigma lanuginosum** (HOOK. f. & THOMS.) MERR.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 357; KENG, Conc. Fl. Sing. (1990) 12; — *Melodorum lanuginosum* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 86.
- 286 **Fissistigma latifolium** (DUNAL) MERR. var. *ovoideum* (KING) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 14 (1955) 359; KENG, Conc. Fl. Sing. (1990) 12; — *Melodorum latifolium* (DUNAL) HOOK. f. & THOMS. var. *ovoideum* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 85.
- 287 **Fissistigma manubriatum** (HOOK. f. & THOMS.) MERR.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 355; — *Melodorum manubriatum* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 84.
- 288 **Friesodielsia biglandulosa** (BL.) STEENIS, Blumea 12 (1964) 358; KENG, Conc. Fl. Sing. (1990) 12; — *Oxymitra biglandulosa* (BL.) SCHEFF.; RIDLEY, Fl. Mal. Pen. 1 (1922) 81; SINCLAIR, Gard. Bull. Sing. 14 (1955) 459.
- 289 **Friesodielsia borneensis** (MIQ.) STEENIS, Blumea 12 (1964) 358; — *Oxymitra borneensis* MIQ. var. *sumatrana* MIQ.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 458.
- ? 290 **Friesodielsia calycina** (KING) STEENIS, Blumea 12 (1964) 358; — *Oxymitra calycina* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. 1 (1922) 81; SINCLAIR, Gard. Bull. Sing. 14 (1955) 451.
- One doubtful specimen.
- 291 **Friesodielsia excisa** (MIQ.) STEENIS, Blumea 12 (1964) 359; — *Oxymitra calycina* MIQ.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 452.
- 292 **Friesodielsia glauca** (HOOK. f. & THOMS.) STEENIS, Blumea 12 (1964) 359; KENG, Conc. Fl. Sing. (1990) 12; — *Oxymitra glauca* HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 82; SINCLAIR, Gard. Bull. Sing. 14 (1955) 460.
- 293 **Friesodielsia latifolia** (HOOK. f. & THOMS.) STEENIS, Blumea 12 (1964) 360; KENG, Conc. Fl. Sing. (1990) 12; — *Oxymitra latifolia* HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 81; SINCLAIR, Gard. Bull. Sing. 14 (1955) 456.
- 294 **Goniothalamus macrophyllus** (BL.) HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 66; SINCLAIR, Gard. Bull. Sing. 14 (1955) 446; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 76; MAXWELL, Gard. Bull. Sing. 36 (1983) 229; KENG, Conc. Fl. Sing. (1990) 13.
- 295 **Goniothalamus malayanus** HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. 1 (1922) 66; SINCLAIR, Gard. Bull. Sing. 14 (1955) 432; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 75; KENG, Conc. Fl. Sing. (1990) 13.

- 296 **Goniothalamus ridleyi** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. I (1922) 68; SINCLAIR, Gard. Bull. Sing. 14 (1955) 437; KOCHUMMEN, Tree Fl. Malaya I (1972) 76; KENG, Conc. Fl. Sing. (1990) 13.
- 297 **Goniothalamus tapis** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. I (1922) 67; SINCLAIR, Gard. Bull. Sing. 14 (1955) 444; KOCHUMMEN, Tree Fl. Malaya I (1972) 76; CORNER, Ways. Trees, 3rd ed. (1988) 144; KENG, Conc. Fl. Sing. (1990) 13.
- ? 298 **Melodorum aberrans** (MAING. ex HOOK. f. & THOMS.) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 14 (1955) 369.
One poorly localised specimen.
- 299 **Meiogyne virgata** (BL.) MIQ.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 277; KOCHUMMEN, Tree Fl. Malaya I (1972) 77; KENG, Conc. Fl. Sing. (1990) 13; — *Cyathocalyx virgatus* (BL.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. I (1922) 36.
- 300 **Mezzettia parviflora** BECC.; VAN DER HEIJDEN & KESSLER, Blumea 35 (1990) 222; — *M. leptopoda* (HOOK. f. & THOMS.) OLIV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 42; RIDLEY, Fl. Mal. Pen. I (1922) 100; SINCLAIR, Gard. Bull. Sing. 14 (1955) 327; KOCHUMMEN, Tree Fl. Malaya I (1972) 78; KENG, Conc. Fl. Sing. (1990) 13; — *M. curtisii* KING; RIDLEY, Fl. Mal. Pen. I (1922) 101; SINCLAIR, Gard. Bull. Sing. 14 (1955) 328; KOCHUMMEN, Tree Fl. Malaya I (1972) 78.
- 301 **Miliusa longipes** KING; RIDLEY, Fl. Mal. Pen. I (1922) 96; SINCLAIR, Gard. Bull. Sing. 14 (1955) 379; KOCHUMMEN, Tree Fl. Malaya I (1972) 79; KENG, Conc. Fl. Sing. (1990) 13.
- 302 **Mitrella kentii** (BL.) MIQ.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 365; KENG, Conc. Fl. Sing. (1990) 13; — *Melodorum pisocarpum* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. I (1922) 88; — *Melodorum elegans* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. I (1922) 88.
- ? 303 **Monocarpia marginalis** (SCHEFF.) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 14 (1955) 273; KOCHUMMEN, Tree Fl. Malaya I (1972) 80; KENG, Conc. Fl. Sing. (1990) 13; — *Cyathocalyx maingayi* HOOK. f. THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. I (1922) 37.
Sinclair (*loc. cit.*) says not recorded from Singapore.
- 304 **Orophea hastata** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. I (1922) 71; SINCLAIR, Gard. Bull. Sing. 14 (1955) 397; KOCHUMMEN, Tree Fl. Malaya I (1972) 83.
- 305 **Phaeanthus ophthalmicus** (ROXB. ex G. DON) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 14 (1955) 374; KOCHUMMEN, Tree Fl. Malaya I (1972) 84; KENG, Conc. Fl. Sing. (1990) 13; — *P. nutans* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. I (1922) 95.

- 306 **Polyalthia angustissima** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 53; SINCLAIR, Gard. Bull. Sing. 14 (1955) 286; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 86; KENG, Conc. Fl. Sing. (1990) 13.
- ? 307 **Polyalthia bullata** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. 1 (1922) 55; SINCLAIR, Gard. Bull. Sing. 14 (1955) 300; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 86.
- One doubtful specimen.
- 308 **Polyalthia cauliflora** HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 53; SINCLAIR, Gard. Bull. Sing. 14 (1955) 292; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 86; KENG, Conc. Fl. Sing. (1990) 13; — *Unona desmantha* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; — *P. beccarii* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 50; — *P. desmantha* (HOOK. f. & THOMS.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 49; — *P. pycnantha* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 51.
- According to Sinclair (*loc. cit.* p. 295) all specimens from Singapore are *var. cauliflora* except one intermediate to *var. beccarii*
- 309 **Polyalthia clavigera** KING; SINCLAIR, Gard. Bull. Sing. 14 (1955) 318; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 87; KENG, Conc. Fl. Sing. (1990) 14; — *P. glomerata* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 59.
- 310 **Polyalthia glauca** (HASSK.) MUELL.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 321; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 88; ROGSTAD, J. Arn. Arb. 70 (1989) 209; KENG, Conc. Fl. Sing. (1990) 13.
- 311 **Polyalthia hookeriana** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 58; SINCLAIR, Gard. Bull. Sing. 14 (1955) 312; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 87; KENG, Conc. Fl. Sing. (1990) 13.
- 312 **Polyalthia hypoleuca** HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 53; SINCLAIR, Gard. Bull. Sing. 14 (1955) 320; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 88; ROGSTAD, J. Arn. Arb. 70 (1989) 227; KENG, Conc. Fl. Sing. (1990) 13.
- 313 **Polyalthia jenkinsii** (H. & T.) Hook. f. & Thoms.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 305; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 88; KENG, Conc. Fl. Sing. (1990) 13.
- 314 **Polyalthia lateriflora** (BL.) KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 59; SINCLAIR, Gard. Bull. Sing. 14 (1955) 310; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 88; KENG, Conc. Fl. Sing. (1990) 13.
- 315 **Polyalthia macropoda** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. 1 (1922) 60; SINCLAIR, Gard. Bull. Sing. 14 (1955) 316; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 87; KENG, Conc. Fl. Sing. (1990) 14.
- 316 **Polyalthia rumphii** MERR.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 306; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 89; KENG, Conc. Fl. Sing. (1990) 14; — *P. scortechinii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. 1 (1922) 56.

- 317 **Polyalthia sclerophylla** HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 58; SINCLAIR, Gard. Bull. Sing. 14 (1955) 311; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 87; KENG, Conc. Fl. Sing. (1990) 14.
- 318 **Polyalthia sumatrana** (MIQ.) KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. 1 (1922) 52; SINCLAIR, Gard. Bull. Sing. 14 (1955) 319; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 91; ROGSTAD, J. Arn. Arb. 70 (1989) 220; KENG, Conc. Fl. Sing. (1990) 14.
- 319 **Popowia fusca** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 76; SINCLAIR, Gard. Bull. Sing. 14 (1955) 471; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 92; KENG, Conc. Fl. Sing. (1990) 14.
- 320 **Popowia pisocarpa** (BL.) ENDL.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 468; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 91; KENG, Conc. Fl. Sing. (1990) 14; — *P. ramosissima* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. 1 (1922) 75.
- 321 **Popowia tomentosa** MAING. ex HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 40; RIDLEY, Fl. Mal. Pen. 1 (1922) 77; SINCLAIR, Gard. Bull. Sing. 14 (1955) 474; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 92; KENG, Conc. Fl. Sing. (1990) 14.
- 322 **Pyramidanthe prismatica** (HOOK. f. & THOMS.) MERR.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 362; KENG, Conc. Fl. Sing. (1990) 14; VAN SETTEN & MAAS, Taxon 39 (1990) 686; — *Melodorum prismaticum* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 87; — *Melodorum cylindricum* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 84.
- 323 **Trivalvaria macrophylla** (BL.) MIQ.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 196; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 94; — *Popowia nervifolia* MAING. ex HOOK. f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 77.
- 324 **Uvaria cordata** (DUNAL) ALSTON; SINCLAIR, Gard. Bull. Sing. 14 (1955) 207; KENG, Conc. Fl. Sing. (1990) 14; — *U. macrophylla* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 30.
- 325 **Uvaria curtisii** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 32; SINCLAIR, Gard. Bull. Sing. 14 (1955) 206; KENG, Conc. Fl. Sing. (1990) 14.
- 326 **Uvaria grandiflora** ROXB.; SINCLAIR, Gard. Bull. Sing. 14 (1955) 202; KENG, Conc. Fl. Sing. (1990) 14; — *U. purpurea* BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 31.
- 327 **Uvaria hirsuta** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 31; SINCLAIR, Gard. Bull. Sing. 14 (1955) 203; KENG, Conc. Fl. Sing. (1990) 14.
- 328 **Uvaria leptopoda** (KING) R.E. FRIES; SINCLAIR, Gard. Bull. Sing. 14 (1955) 212; KENG, Conc. Fl. Sing. (1990) 14; — *U. ridleyi* (non KING) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 32.

- 329 **Uvaria lobbiana** HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 30; SINCLAIR, Gard. Bull. Sing. 14 (1955) 208; KENG, Conc. Fl. Sing. (1990) 14; — *U. subrepanda* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 39; RIDLEY, Fl. Mal. Pen. 1 (1922) 34.
- 330 **Uvaria pauci-ovulata** HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 32; SINCLAIR, Gard. Bull. Sing. 14 (1955) 217; KENG, Conc. Fl. Sing. (1990) 14.
- 331 **Xylopia caudata** HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 93; SINCLAIR, Gard. Bull. Sing. 14 (1955) 339; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 95; KENG, Conc. Fl. Sing. (1990) 14.
- 332a **Xylopia ferruginea** (HOOK. f. & THOMS.) HOOK. f. & THOMS. var. **ferruginea**; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 93; CORNER, Ways. Trees 1st ed. (1940) 136; SINCLAIR, Gard. Bull. Sing. 14 (1955) 343; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 95; CORNER, Ways. Trees, 3rd ed. (1988) 146; KENG, Conc. Fl. Sing. (1990) 14.
- 332b **Xylopia ferruginea** var. **oxyantha** (HOOK. f. & THOMS.) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 14 (1955) 345; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 96; — *X. oxyantha* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 90.
- 333 **Xylopia fusca** MAING. ex HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 92; SINCLAIR, Gard. Bull. Sing. 14 (1955) 337; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 96.
- 334 **Xylopia magna** MAING. ex HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 93; SINCLAIR, Gard. Bull. Sing. 14 (1955) 338; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 97; KENG, Conc. Fl. Sing. (1990) 14.
- 335 **Xylopia malayana** HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, Fl. Mal. Pen. 1 (1922) 91; SINCLAIR, Gard. Bull. Sing. 14 (1955) 340; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 98; KENG, Conc. Fl. Sing. (1990) 14; — *X. dicarpa* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 41; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 91, p.p..

APOCYNACEAE

- 336 **Alstonia angustifolia** WALL. ex A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110; RIDLEY, Fl. Mal. Pen. 2 (1923) 348; CORNER, Ways. Trees 1st ed. (1940) 141; WHITMORE, Tree Fl. Malaya 2 (1973) 8; CORNER, Ways. Trees, 3rd ed. (1988) 151; KENG, Conc. Fl. Sing. (1990) 143.
- 337 **Alstonia angustiloba** MIQ.; RIDLEY, Fl. Mal. Pen. 2 (1923) 347; WHITMORE, Tree Fl. Malaya 2 (1973) 9; CORNER, Ways. Trees, 3rd ed. (1988) 151; KENG, Conc. Fl. Sing. (1990) 143; — *A. scholaris* [non (L.) R.Br.] RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110.

- 338 **Alstonia spatulata** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110 ("spathulata"); RIDLEY, Fl. Mal. Pen. 2 (1923) 346; BURKILL, Dict. (1935) 116; CORNER, Ways. Trees 1st ed. (1940) 142; SINCLAIR, Gard. Bull. Sing. 15 (1956) 29; WHITMORE, Tree Fl. Malaya 2 (1973) 12; CORNER, Ways. Trees, 3rd ed. (1988) 152; KENG, Conc. Fl. Sing. (1990) 143.
- 339 **Alyxia pilosa** Miq.; RIDLEY, Fl. Mal. Pen. 2 (1923) 332; MARKGRAF, Blumea 23 (1977) 382.
- 340a **Alyxia reinwardtii** Bl. var. *lucida* (WALL.) MARKGRAF; MARKGRAF, Blumea 23 (1977) 389; KENG, Conc. Fl. Sing. (1990) 143; — *A. lucida* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; RIDLEY, Fl. Mal. Pen. 2 (1923) 332; HENDERSON, Mal. Wild Fl. Dic. (1959) 279.
- 340b **Alyxia reinwardtii** var. *meiantha* (STAPF) MARKGRAF; MARKGRAF, Blumea 23 (1977) 389; — *A. forbesii* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 334.
- 341 **Anodendron candolleanum** WIGHT; RIDLEY, Fl. Mal. Pen. 2 (1923) 362; KENG, Conc. Fl. Sing. (1990) 143.
- A 342 **Catharanthus roseus** (L.) G. DON; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 144; — *Vinca rosea* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110; — *Lochnera rosea* L. RCHB. ex STEUD.; HENDERSON, Mal. Wild Fl. Dic. (1959) 281.
- 343 **Cerbera manghas** L.; WHITMORE, Tree Fl. Malaya 2 (1973) 12; CORNER, Ways. Trees, 3rd ed. (1988) 153; KENG, Conc. Fl. Sing. (1990) 144; — *C. lactaria* HAM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; RIDLEY, Fl. Mal. Pen. 2 (1923) 339.
- 344 **Cerbera odollam** GAERTN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; RIDLEY, Fl. Mal. Pen. 2 (1923) 339; CORNER, Ways. Trees 1st ed. (1940) 144; WHITMORE, Tree Fl. Malaya 2 (1973) 12; CORNER, Ways. Trees, 3rd ed. (1988) 153; KENG, Conc. Fl. Sing. (1990) 144.
- 345 **Chilocarpus vernicosus** Bl.; MARKGRAF, Blumea 19 (1971) 161.
- 346 **Dyera costulata** (Miq.) HOOK. f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 345; BURKILL, Dict. (1935) 513; CORNER, Ways. Trees 1st ed. (1940) 143; WHITMORE, Tree Fl. Malaya 2 (1973) 13; CORNER, Ways. Trees, 3rd ed. (1988) 154; KENG, Conc. Fl. Sing. (1990) 144; — *D. laxiflora* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110; RIDLEY, Fl. Mal. Pen. 2 (1923) 345.
- 347 **Epigynum forbesii** KING & GAMBLE; MAXWELL, Gard. Bull. Sing. 35 (1983) 192.
- 348 **Kopsia singapurensis** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 336; WHITMORE, Tree Fl. Malaya 2 (1973) 19; MARKGRAF, Blumea 20 (1972) 409; KENG, Conc. Fl. Sing. (1990) 144; — *K. macrophylla* (non HOOK. f.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110.

Type of *Kopsia macrophylla* HOOK. f. is a Lobb collection reportedly from Singapore but probably actually from Penang.

- 349 **Leuconotis griffithii** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; RIDLEY, Fl. Mal. Pen. 2 (1923) 329; KENG, Conc. Fl. Sing. (1990) 144.
- 350 **Leuconotis maingayi** DYER ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; RIDLEY, Fl. Mal. Pen. 2 (1923) 329; KENG, Conc. Fl. Sing. (1990) 144.
- 351 **Melodinus micranthus** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; RIDLEY, Fl. Mal. Pen. 2 (1923) 331; KENG, Conc. Fl. Sing. (1990) 144.
- 352 **Neisosperma oppositifolium** (LAMK.) FOSB. & SACH.; MARKGRAF, Blumea 25 (1979) 243; — *Ochrosia borbonica* auct. non GMEL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 340; — *Ochrosia oppositifolia* (LAMK.) K. SCHUM.; BURKILL, Dict. (1935) 1597; CORNER, Ways. Trees 1st ed. (1940) 147; WHITMORE, Tree Fl. Malaya 2 (1973) 20; LEEUWENBERG, Agric. Univ. Wageningen Papers 87-5 (1987) 51; CORNER, Ways. Trees, 3rd ed. (1988) 157; KENG, Conc. Fl. Sing. (1990) 145.
- 353 **Parameria glandulifera** BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 358; KENG, Conc. Fl. Sing. (1990) 145.
- 354 **Parameria polyneura** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 359; KENG, Conc. Fl. Sing. (1990) 145.
- 355 **Parsonia helicandra** HOOK. & ARN.; HENDERSON, Mal. Wild Fl. Dic. (1959) 280; KENG, Conc. Fl. Sing. (1990) 145; — *P. spiralis* WALL. ex KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110; RIDLEY, Fl. Mal. Pen. 2 (1923) 350.
- 356 **Strophanthus caudatus** (L.) KURZ; BEENTJE, Meded. Landbouwhogeschool Wageningen 82-4 (1982) 54; — *S. dichotomus* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 356; KENG, Conc. Fl. Sing. (1990) 145.
- 357 **Strophanthus singaporianus** (WALL. ex G. DON) GILG; BEENTJE, Meded. Landbouwhogeschool Wageningen 82-4 (1982) 139; — *S. brevicaudatus* WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 354; KENG, Conc. Fl. Sing. (1990) 145.
- 358 **Tabernaemontana corymbosa** ROXB. ex WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110; WHITMORE, Tree Fl. Malaya 2 (1973) 23; LEEUWENBERG, Agric. Univ. Wageningen Papers 87-5 (1987) 5; CORNER, Ways. Trees, 3rd ed. (1988) 161; KENG, Conc. Fl. Sing. (1990) 145; — *T. hirta* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110; — *Ervatamia corymbosa* (ROXB. ex WALL.) K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 341; — *Ervatamia jasminiflora* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 342.
- 359 **Tabernaemontana pauciflora** BL.; LEEUWENBERG, Agric. Univ. Wageningen Papers 87-5 (1987) 20; — *T. malaccensis* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 110; HENDERSON, Mal. Wild Fl. Dic. (1959) 282; WHITMORE, Tree Fl. Malaya 2 (1973) 23; CORNER, Ways. Trees, 3rd ed. (1988) 161; KENG, Conc. Fl. Sing. (1990) 145; — *Ervatamia malaccensis* (HOOK. f.) K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 343.
- 360 **Urceola brachysepala** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 357; KENG, Conc. Fl. Sing. (1990) 146.

- 361 **Urceola lucida** (DC.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 358; KENG, Conc. Fl. Sing. (1990) 146.
- 362 **Urceola maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 357; KENG, Conc. Fl. Sing. (1990) 146.
- 363 **Urceola malaccensis** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 357; KENG, Conc. Fl. Sing. (1990) 146.
- 364 **Urceola torulosa** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 358; KENG, Conc. Fl. Sing. (1990) 146.
- 365 **Urnularia flavescens** (HOOK. f.) STAPF; MARKGRAF, Blumea 20 (1972) 409; — *Willughbeia flavescens* DYER ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109, p.p.; RIDLEY, Fl. Mal. Pen. 2 (1923) 325 (*excl. var. rufescens*); — *W. apiculata* Miq.; KENG, Conc. Fl. Sing. (1990) 146, p.p.
- 366 **Urnularia rufescens** (HOOK. f.) STAPF ex S. MOORE; MARKGRAF, Blumea 20 (1972) 409; — *Willughbeia flavescens* DYER ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109, p.p.; — *Willughbeia flavescens* DYER ex HOOK. f. var. *rufescens* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 325; — *W. apiculata* Miq.; KENG, Conc. Fl. Sing. (1990) 146, p.p.
- 367 **Willughbeia angustifolia** (Miq.) MARKGRAF; MARKGRAF, Blumea 20 (1972) 414; — *W. sp.*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; — *W. apiculata* Miq.; KENG, Conc. Fl. Sing. (1990) 146, p.p.
- 368 **Willughbeia coriacea** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108; RIDLEY, Fl. Mal. Pen. 2 (1923) 323; MARKGRAF, Blumea 20 (1972) 412; KENG, Conc. Fl. Sing. (1990) 146; — *W. firma* Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108; RIDLEY, Fl. Mal. Pen. 2 (1923) 323.
- 369 **Willughbeia dulcis** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 325; BURKILL, Dict. (1935) 2301; MARKGRAF, Blumea 20 (1972) 414.
- 370 **Willughbeia grandiflora** DYER ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; RIDLEY, Fl. Mal. Pen. 2 (1923) 322; MARKGRAF, Blumea 20 (1972) 411.
- 371 **Willughbeia tenuiflora** DYER ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 109; RIDLEY, Fl. Mal. Pen. 2 (1923) 325; MARKGRAF, Blumea 20 (1972) 413; KENG, Conc. Fl. Sing. (1990) 146.
- 372 **Wrightia laevis** HOOK. f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 353; NGAN, Ann. Miss. Bot. Gard. 52 (1965) 136; WHITMORE, Tree Fl. Malaya 2 (1973) 24.

AQUIFOLIACEAE

- 373 **Ilex cymosa** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; RIDLEY, Fl. Mal. Pen. 1 (1922) 442; CORNER, Ways. Trees 1st ed. (1940) 328; KIEW, Tree Fl. Malaya 3 (1978) 3; CORNER, Ways. Trees, 3rd ed. (1988) 163; KENG, Conc. Fl. Sing. (1990) 114.

- 374 **Ilex macrophylla** HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; RIDLEY, Fl. Mal. Pen. 1 (1922) 442; CORNER, Ways. Trees 1st ed. (1940) 329; KIEW, Tree Fl. Malaya 3 (1978) 8; CORNER, Ways. Trees, 3rd ed. (1988) 164; KENG, Conc. Fl. Sing. (1990) 114; — *I. venulosa* HOOK.f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 442.
- 375 **Ilex maingayi** HOOK.f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 440; CORNER, Ways. Trees 1st ed. (1940) 329; KIEW, Tree Fl. Malaya 3 (1978) 8; CORNER, Ways. Trees, 3rd ed. (1988) 164; KENG, Conc. Fl. Sing. (1990) 114.

ARACEAE

- 376 **Aglaodorum griffithii** (SCHOTT) SCHOTT; NICOLSON, Smithsonian Contrb. Bot. 1 (1969) 61; — *Aglaonema griffithii* SCHOTT; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 19; RIDLEY, Fl. Mal. Pen. 5 (1925) 100; HENDERSON, Mal. Wild Fl. Monoc. (1954) 227.
- 377 **Aglaonema nebulosum** N.E. BROWN; NICOLSON, Smithsonian Contrb. Bot. 1 (1969) 31; — *A. minus* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 1; — *A. pictum* [non (ROXB.) KUNTH] RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 102, HENDERSON, Mal. Wild Fl. Monoc. (1954) 228.
- 378 **Aglaonema nitidum** (JACK) KUNTH; NICOLSON, Smithsonian Contrb. Bot. 1 (1969) 34; — *A. oblongifolium* SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 20; RIDLEY, Fl. Mal. Pen. 5 (1925) 100; HENDERSON, Mal. Wild Fl. Monoc. (1954) 228.
- 379 **Aglaonema simplex** BL.; NICOLSON, Smithsonian Contrb. Bot. 1 (1969) 39; — *A. nitidum* N.E. BROWN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; — *A. schottianum* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 20; RIDLEY, Fl. Mal. Pen. 5 (1925) 101; — *A. angustifolium* N.E. BROWN; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 20; RIDLEY, Fl. Mal. Pen. 5 (1925) 101; HENDERSON, Mal. Wild Fl. Monoc. (1954) 228.
- 380 **Alocasia denudata** ENGL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 17; RIDLEY, Fl. Mal. Pen. 5 (1925) 97; HENDERSON, Mal. Wild Fl. Monoc. (1954) 226.
- A 381 **Alocasia macrorrhizos** (L.) G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 18; RIDLEY, Fl. Mal. Pen. 5 (1925) 99; HENDERSON, Mal. Wild Fl. Monoc. (1954) 226; HAY & WISE, Blumea 35 (1991) 532; — *A. indica* (LOUR.) KOCH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177.
- 382 **Amorphophallus prainii** HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 13; RIDLEY, Fl. Mal. Pen. 5 (1925) 94.

- 383 **Amydrium medium** (Z. & M.) NICOLSON; NICOLSON, Blumea 16 (1968) 124; — *Anadendrum medium* (Z. & M.) SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; — *Raphidophora huegelii* SCHOTT; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 45 ("huegeliana"); — *Epipremnopsis media* (Z. & M.) ENGL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 120; HENDERSON, Mal. Wild Fl. Monoc. (1954) 236.
- 384 **Anadendrum montanum** (BL.) SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 36; RIDLEY, Fl. Mal. Pen. 5 (1925) 115; HENDERSON, Mal. Wild Fl. Monoc. (1954) 234.
- 385 **Colocasia esculenta** (L.) SCHOTT; HENDERSON, Mal. Wild Fl. Monoc. (1954) 223; — *C. antiquorum* SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 13; RIDLEY, Fl. Mal. Pen. 5 (1925) 94.
- 386 **Cryptocoryne ciliata** (ROXB.) FISCHER ex WYDLER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 4; RIDLEY, Fl. Mal. Pen. 5 (1925) 86; HENDERSON, Mal. Wild Fl. Monoc. (1954) 218.
- 387 **Cryptocoryne griffithii** SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 5; RIDLEY, Fl. Mal. Pen. 5 (1925) 87.
- 388 **Cyrtosperma merkusii** (HASSK.) SCHOTT; HAY, Blumea 33 (1988) 430; — *C. lasioides* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 47; RIDLEY, Fl. Mal. Pen. 5 (1925) 127; HENDERSON, Mal. Wild Fl. Monoc. (1954) 242.
- 389 **Epipremnum giganteum** (ROXB.) SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179; RIDLEY, Fl. Mal. Pen. 5 (1925) 119; HENDERSON, Mal. Wild Fl. Monoc. (1954) 235; — *Raphidophora gigantea* (ROXB.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 44.
- 390 **Epipremnum pinnatum** (L.) ENGL.; NICOLSON, Rev. Handb. Fl. Ceyl. 6 (1988) 32; — *Raphidophora caudata* SCHOTT; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 46; — *E. mirabile* SCHOTT; RIDLEY, Fl. Mal. Pen. 5 (1925) 119.
- 391 **Homalomena griffithii** (SCHOTT) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 26; RIDLEY, Fl. Mal. Pen. 5 (1925) 106; HENDERSON, Mal. Wild Fl. Monoc. (1954) 230; — *H. ovata* (SCHOTT) ENGL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; — *H. kingii* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178.
- 392 **Homalomena humilis** (JACK) HOOK. f. var. **pumila** (HOOK. f.) FURTADO; HOTTA, Diversity and Dynamics of Plant Life in Sumatra (1986) 88 (in Appendix); — *H. pumila* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 26; RIDLEY, Fl. Mal. Pen. 5 (1925) 104.
- 393 **Homalomena pendula** (BL.) BAKH. f.; HOTTA, Diversity and Dynamics of Plant Life in Sumatra (1986) 96 (in Appendix); — *H. coerulescens* JUNGH. ex MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 24; RIDLEY, Fl. Mal. Pen. 5 (1925) 104.

- 394 **Homalomena rostrata** GRIFF.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 24; RIDLEY, Fl. Mal. Pen. 5 (1925) 103; HOTTÀ, Diversity and Dynamics of Plant Life in Sumatra (1986) 100 (in Appendix); — *H. paludosa* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178.
- 395 **Homalomena sagittifolia** JUNGH. ex SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 23; RIDLEY, Fl. Mal. Pen. 5 (1925) 103.
- 396 **Lasia spinosa** (L.) THW.; HAY, Blumea 33 (1988) 459; — *L. heterophylla* (ROXB.) SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179; — *L. aculeata* LOUR.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 46; RIDLEY, Fl. Mal. Pen. 5 (1925) 125; HENDERSON, Mal. Wild Fl. Monoc. (1954) 241.
- A 397 **Pistia stratiotes** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 3; RIDLEY, Fl. Mal. Pen. 5 (1925) 85; HENDERSON, Mal. Wild Fl. Monoc. (1954) 216.
- 398 **Pothos latifolius** HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 49; RIDLEY, Fl. Mal. Pen. 5 (1925) 129; HENDERSON, Mal. Wild Fl. Monoc. (1954) 241; — *P. curtisii* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179.
- 399 **Rhaphidophora korthalsii** SCHOTT; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 45; RIDLEY, Fl. Mal. Pen. 5 (1925) 124; HENDERSON, Mal. Wild Fl. Monoc. (1954) 238.
- 400 **Rhaphidophora lobbii** SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 41; RIDLEY, Fl. Mal. Pen. 5 (1925) 122; HENDERSON, Mal. Wild Fl. Monoc. (1954) 238.
- 401 **Rhaphidophora maingayi** HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 43; RIDLEY, Fl. Mal. Pen. 5 (1925) 123.
- 402 **Rhaphidophora minor** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 41; RIDLEY, Fl. Mal. Pen. 5 (1925) 121.
- 403 **Rhaphidophora sylvestris** (BL.) ENGL. var. **montana** (BL.) NICOLSON
- 404 **Schismatoglottis calyptata** (ROXB.) Z. & M.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 31; RIDLEY, Fl. Mal. Pen. 5 (1925) 111; HENDERSON, Mal. Wild Fl. Monoc. (1954) 231; — *S. longipes* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178.
- 405 **Schismatoglottis wallichii** (ROXB.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 33; RIDLEY, Fl. Mal. Pen. 5 (1925) 112; HENDERSON, Mal. Wild Fl. Monoc. (1954) 232.
- 406 **Scindapsus hederaceus** (Z. & M.) MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 38; RIDLEY, Fl. Mal. Pen. 5 (1925) 117; HENDERSON, Mal. Wild Fl. Monoc. (1954) 235.
- 407 **Scindapsus pictus** HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 178; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 37; RIDLEY, Fl. Mal. Pen. 5 (1925) 117.

- 408 **Typhonium flagelliforme** (LODD.) BL.; NICOLSON & SIVADASAN, Blumea 27 (1981) 489; — *T. cuspidatum* (BL.) BL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 11; RIDLEY, Fl. Mal. Pen. 5 (1925) 91.
- 409 **Typhonium roxburghii** SCHOTT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 177; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 10; RIDLEY, Fl. Mal. Pen. 5 (1925) 90; NICOLSON & SIVADASAN, Blumea 27 (1981) 492.
- 410 **Typhonium trilobatum** (L.) SCHOTT; RIDLEY, Fl. Mal. Pen. 5 (1925) 90; HENDERSON, Mal. Wild Fl. Monoc. (1954) 220; NICOLSON & SIVADASAN, Blumea 27 (1981) 488.

ARALIACEAE

- 411 **Arthrophyllum diversifolium** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89; STONE, Tree Fl. Malaya 3 (1978) 17; PHILIPSON, Fl. Males. I9¹ (1979) 60; CORNER, Ways. Trees, 3rd ed. (1988) 166; KENG, Conc. Fl. Sing. (1990) 131; — *A. ovatifolium* JUNGH. & DE VRIESE; (*A. ovalifolium* MIQ.) RIDLEY, Fl. Mal. Pen. 1 (1922) 885.
- 412 **Schefflera cephalotes** (CLARKE) HARMS; RIDLEY, Fl. Mal. Pen. 1 (1922) 875; FRODIN, Tree Fl. Malaya 3 (1978) 31; KENG, Conc. Fl. Sing. (1990) 131; — *Heptapleurum cephalotes* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89; — *S. capellata* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 876.
- 413 **Schefflera elliptica** (BL.) HARMS; FRODIN, Tree Fl. Malaya 3 (1978) 29; KENG, Conc. Fl. Sing. (1990) 131; — *S. micrantha* [non (CLARKE) GAMBLE] (MIQ.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 881; — *S. venulosa* [non (W. & A.) HARMS] RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 880 (incl. var. *curtisii* RIDL.); HENDERSON, Mal. Wild Fl. Dic. (1959) 179.
- 414 **Schefflera hullettii** (KING) VIGUIER; RIDLEY, Fl. Mal. Pen. 1 (1922) 877; FRODIN, Tree Fl. Malaya 3 (1978) 32; KENG, Conc. Fl. Sing. (1990) 131; — *Heptapleurum hullettii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89; — *S. elegans* (RIDL.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 878; — *S. scorchedinii* (KING) VIGUIER; RIDLEY, Fl. Mal. Pen. 1 (1922) 876.
- 415 **Schefflera lanceolata** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 875; FRODIN, Tree Fl. Malaya 3 (1978) 28; KENG, Conc. Fl. Sing. (1990) 131; — *Heptapleurum avene* (non SEEMANN) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89.
- 416 **Schefflera oxyphylla** (MIQ.) VIGUIER; FRODIN, Tree Fl. Malaya 3 (1978) 35; KENG, Conc. Fl. Sing. (1990) 132; — *Heptapleurum subulatum* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89; — *S. subulata* (MIQ.) VIGUIER; RIDLEY, Fl. Mal. Pen. 1 (1922) 878; HENDERSON, Mal. Wild Fl. Dic. (1959) 178; FRODIN, Tree Fl. Malaya 3 (1978) 30; — *S. subracemosa* (KING) VIGUIER; RIDLEY, Fl. Mal. Pen. 1 (1922) 878; — *S. klossii* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 876.
- 417 **Schefflera ridleyi** (KING) VIGUIER; RIDLEY, Fl. Mal. Pen. 1 (1922) 879; HENDERSON, Mal. Wild Fl. Dic. (1959) 179; FRODIN, Tree Fl. Malaya 3 (1978) 29; KENG, Conc. Fl. Sing. (1990) 132; — *Heptapleurum ridleyi* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89.

- 418 **Trevesia burckii** BOERL.; STONE, Tree Fl. Malaya 3 (1978) 33; PHILIPSON, Fl. Males. I 9¹ (1979) 97; KENG, Conc. Fl. Sing. (1990) 132; — *T. cheirantha* (CLARKE) O.K.; RIDLEY, Fl. Mal. Pen. 1 (1922) 882; CORNER, Ways. Trees, 3rd ed. (1988) 170.

ARISTOLOCHIACEAE

- 419 **Aristolochia jackii** STEUD.; DING HOU, Fl. Males. I 10¹ (1984) 88; KENG, Conc. Fl. Sing. (1990) 55; — *A. unguifolia* MAST.; 126; RIDLEY, Fl. Mal. Pen. 3 (1924) 18; HENDERSON, Mal. Wild Fl. Dic. (1959) 422.
- 420 **Thottea dependens** (PLANCH.) KLOTSCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 16; BURKILL, Dict. (1935) 2156; HENDERSON, Mal. Wild Fl. Dic. (1959) 424; DING HOU, Fl. Males. I 10¹ (1984) 71; KENG, Conc. Fl. Sing. (1990) 55.
- 421 **Thottea grandiflora** ROTTB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 16; BURKILL, Dict. (1935) 2156; DING HOU, Fl. Males. I 10¹ (1984) 75; KENG, Conc. Fl. Sing. (1990) 55.

ASCLEPIADACEAE

- A 422 **Asclepias curassavica** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 379; HENDERSON, Mal. Wild Fl. Dic. (1959) 288; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 147.
- 423 **Cynanchum ovalifolium** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 381; HENDERSON, Mal. Wild Fl. Dic. (1959) 293; KENG, Conc. Fl. Sing. (1990) 147.
- 424 **Dischidia albida** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 407; RINTZ, Blumea 26 (1980) 100.
- 425 **Dischidia albiflora** GRIFF.; RINTZ, Blumea 26 (1980) 94; KENG, Conc. Fl. Sing. (1990) 148; — *D. collyris* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 404.
- 426 **Dischidia bengalensis** COLEBR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 405; HENDERSON, Mal. Wild Fl. Dic. (1959) 300; RINTZ, Blumea 26 (1980) 97; KENG, Conc. Fl. Sing. (1990) 148.
- 427 **Dischidia cochleata** BL.; RINTZ, Blumea 26 (1980) 90; KENG, Conc. Fl. Sing. (1990) 148; — *D. coccinea* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 404; HENDERSON, Mal. Wild Fl. Dic. (1959) 301.
- 428 **Dischidia hirsuta** (BL.) DECNE.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 406; HENDERSON, Mal. Wild Fl. Dic. (1959) 302; RINTZ, Blumea 26 (1980) 94; KENG, Conc. Fl. Sing. (1990) 148.
- 429 **Dischidia major** (VAHL) MERR.; RINTZ, Blumea 26 (1980) 92; KENG, Conc. Fl. Sing. (1990) 148; — *D. rafflesiana* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 405; HENDERSON, Mal. Wild Fl. Dic. (1959) 300.

- 430 **Dischidia nummularia** R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RINTZ, Blumea 26 (1980) 98; KENG, Conc. Fl. Sing. (1990) 148; — *D. gaudichaudii* DECNE.; RIDLEY, Fl. Mal. Pen. 2 (1923) 406; HENDERSON, Mal. Wild Fl. Dic. (1959) 301.
- 431 **Dischidia singaporenensis** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 407; RINTZ, Blumea 26 (1980) 92; KENG, Conc. Fl. Sing. (1990) 148.
- 432 **Finlaysonia obovata** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 89; RIDLEY, Fl. Mal. Pen. 2 (1923) 373; KENG, Conc. Fl. Sing. (1990) 148; — *F. maritima* (non BACKER ex HEYNE) HEYNE; HENDERSON, Mal. Wild Fl. Dic. (1959) 289.
- 433 **Genianthus maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 378; KENG, Conc. Fl. Sing. (1990) 148.
- 434 **Hoya campanulata** BL.; RINTZ, Malay. Nat. J. 30 (1978) 495; — *Physostelma wallichii* WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 411; HENDERSON, Mal. Wild Fl. Dic. (1959) 295; KENG, Conc. Fl. Sing. (1990) 149.
- 435 **Hoya coriacea** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 397; RINTZ, Malay. Nat. J. 30 (1978) 495; KENG, Conc. Fl. Sing. (1990) 148.
- 436 **Hoya coronaria** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 400; HENDERSON, Mal. Wild Fl. Dic. (1959) 298; RINTZ, Malay. Nat. J. 30 (1978) 505; KENG, Conc. Fl. Sing. (1990) 148.
- 437 **Hoya diversifolia** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 396; HENDERSON, Mal. Wild Fl. Dic. (1959) 298; RINTZ, Malay. Nat. J. 30 (1978) 517; KENG, Conc. Fl. Sing. (1990) 148.
- 438 **Hoya finlaysonii** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 397; RINTZ, Malay. Nat. J. 30 (1978) 511; KENG, Conc. Fl. Sing. (1990) 148.
- 439 **Hoya lacunosa** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 395; RINTZ, Malay. Nat. J. 30 (1978) 490; KENG, Conc. Fl. Sing. (1990) 148.
- 440 **Hoya latifolia** G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 395; HENDERSON, Mal. Wild Fl. Dic. (1959) 297; RINTZ, Malay. Nat. J. 30 (1978) 508; KENG, Conc. Fl. Sing. (1990) 148.
- 441 **Hoya obtusifolia** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 399; RINTZ, Malay. Nat. J. 30 (1978) 520; KENG, Conc. Fl. Sing. (1990) 149.
- 442 **Hoya parasitica** (ROXB.) WALL. ex WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 396; RINTZ, Malay. Nat. J. 30 (1978) 514; KENG, Conc. Fl. Sing. (1990) 149; — *H. ridleyi* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 401; HENDERSON, Mal. Wild Fl. Dic. (1959) 299.

- 443 **Hoya revoluta** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 113; RIDLEY, Fl. Mal. Pen. 2 (1923) 401.
- 444 **Sarcolobus globosus** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 382; HENDERSON, Mal. Wild Fl. Dic. (1959) 290; RINTZ, Blumea 26 (1980) 72; KENG, Conc. Fl. Sing. (1990) 149.
- 445 **Secamone elliptica** R. BR., FORSTER, Austrobaileya 3 (1989) 70; KLACKENBERG, Kew Bull. 47 (1992) 606; — *S. micrantha* (DECNE.) DECNE.; RIDLEY, Fl. Mal. Pen. 2 (1923) 375; HENDERSON, Mal. Wild Fl. Dic. (1959) 294.
- 446 **Stephanotis maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 389; KENG, Conc. Fl. Sing. (1990) 149.
- 447 **Toxocarpus griffithii** DECNE.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 111; RIDLEY, Fl. Mal. Pen. 2 (1923) 376; HENDERSON, Mal. Wild Fl. Dic. (1959) 292; KENG, Conc. Fl. Sing. (1990) 149.
- 448 **Tylophora indica** (BURM. f.) MERR.; HUBER, Rev. Handb. Fl. Ceyl. 4 (1983) 91; — *T. asthmatica* (ROXB.) W. & A.; RIDLEY, Fl. Mal. Pen. 2 (1923) 392; KENG, Conc. Fl. Sing. (1990) 149.
- 449 **Tylophora squarrosa** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 392; KENG, Conc. Fl. Sing. (1990) 149; — *T. wallichii* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 391.
- 450 **Tylophora tenuissima** (ROXB.) WIGHT & ARN. ex WIGHT; HUBER, Rev. Handb. Fl. Ceyl. 4 (1983) 96; — *T. tenuis* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 112; RIDLEY, Fl. Mal. Pen. 2 (1923) 391; HENDERSON, Mal. Wild Fl. Dic. (1959) 294; KENG, Conc. Fl. Sing. (1990) 149.

AVICENNIACEAE

- 451 **Avicennia alba** Bl.; RIDLEY, Fl. Mal. Pen. 2 (1923) 641; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 299; KENG, Conc. Fl. Sing. (1990) 192; DUKE, Aust. Syst. Bot. 4 (1991) 307.
- 452 **Avicennia marina** (FORSK.) VIERH.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 300; KENG, Conc. Fl. Sing. (1990) 192; DUKE, Aust. Syst. Bot. 4 (1991) 311; — *A. intermedia* GRIFF.; RIDLEY, Fl. Mal. Pen. 2 (1923) 641; — *A. sphaerocarpa* STAPF ex RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 642.
- 453 **Avicennia officinalis** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 124; RIDLEY, Fl. Mal. Pen. 2 (1923) 640; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 300; KENG, Conc. Fl. Sing. (1990) 192; DUKE, Aust. Syst. Bot. 4 (1991) 319.
- 454 **Avicennia rumphiana** HALL. f.; DUKE, Aust. Syst. Bot. 4 (1991) 321; — *A. lanata* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 641; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 300; KENG, Conc. Fl. Sing. (1990) 192.

BALSAMINACEAE

- A 455 **Hydrocera triflora** (L.) WIGHT & ARN.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 128.

BIGNONIACEAE

- 456 **Deplanchea bancana** (SCHEFF.) STEEN.; VAN STEENIS, Fl. Males. I 8² (1977) 137; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 37; CORNER, Ways. Trees, 3rd ed. (1988) 175; KENG, Conc. Fl. Sing. (1990) 183; — *Diplanthera bancana* SCHEFF.; RIDLEY, Fl. Mal. Pen. 2 (1923) 552.
- 457 **Dolichandrone spathacea** (L.f.) K. SCHUM.; VAN STEENIS, Fl. Males. I 8² (1977) 142; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 39; CORNER, Ways. Trees, 3rd ed. (1988) 176; KENG, Conc. Fl. Sing. (1990) 183; — *D. rheedii* SEEM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120; RIDLEY, Fl. Mal. Pen. 2 (1923) 549.
- 458 **Pajanelia longifolia** (WILLD.) K. SCHUM.; VAN STEENIS, Fl. Males. I 8² (1977) 163; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 40; CORNER, Ways. Trees, 3rd ed. (1988) 179; KENG, Conc. Fl. Sing. (1990) 183; — *P. multijuga* DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 549.
- 459 **Radermachera pinnata** (BLANCO) SEEM. ssp. **acuminata** (STEEEN.) STEEN.; VAN STEENIS, Fl. Males. I 8² (1977) 154; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 42; CORNER, Ways. Trees, 3rd ed. (1988) 181; — *Stereospermum hypostictum* (non MIQ.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120; — *R. amoena* [non (WALL.) SEEM.] GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 551; — *R. lobbii* (T. & B.) MIQ.; CORNER, Ways. Trees 1st ed. (1940) 168; — *R. gigantea* [non (BL.) MIQ.] BURK.; KENG, Conc. Fl. Sing. (1990) 184.
- A 460 **Spathodea campanulata** P. BEAUV.; VAN STEENIS, Fl. Males. I 8² (1977) 185; CORNER, Ways. Trees, 3rd ed. (1988) 182; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 184.
- 461 **Stereospermum personatum** (HASSK.) CHATTERJEE; VAN STEENIS, Fl. Males. I 8² (1977) 148; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 44; CORNER, Ways. Trees, 3rd ed. (1988) 184; KENG 184; — *S. chelonooides* [non (L.f.) DC.] DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120; RIDLEY, Fl. Mal. Pen. 2 (1923) 550; CORNER, Ways. Trees 1st ed. (1940) 172; — *S. colais* (BUCH.-HAM. ex DILLWYN) MABBERLEY, Taxon 27 (1979) 553.

BOMBACACEAE

- 462 **Coelostegia griffithii** BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 52; RIDLEY, Fl. Mal. Pen. 1 (1922) 266; CORNER, Ways. Trees 1st ed. (1940) 436; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 106; CORNER, Ways. Trees, 3rd ed. (1988) 191; KENG, Conc. Fl. Sing. (1990) 91.
- 463 **Durio griffithii** (MAST.) BAKH.; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 110; CORNER, Ways. Trees, 3rd ed. (1988) 194; KENG, Conc. Fl. Sing. (1990) 91; — *Boschia griffithii* MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 52; RIDLEY, Fl. Mal. Pen. 1 (1922) 265.
- 464 **Durio singaporensis** RIDL.; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 113; CORNER, Ways. Trees, 3rd ed. (1988) 195; KENG, Conc. Fl. Sing. (1990) 91; — *D. oblongus* (non MAST.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; CORNER, Ways. Trees 1st ed. (1940) 438.

- 465 **Neesia altissima** (BL.) BL.; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 118; KENG, Conc. Fl. Sing. (1990) 91.
- 466 **Neesia malayana** BAKH.; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 118; KENG, Conc. Fl. Sing. (1990) 91.
- 467 **Neesia synandra** MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; RIDLEY, Fl. Mal. Pen. 1 (1922) 265; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 119; KENG, Conc. Fl. Sing. (1990) 91.

BONNETIACEAE

- 468 **Ploiarium alternifolium** (VAHL) MELCHIOR; KENG, Tree Fl. Malaya 3 (1978) 288; CORNER, Ways. Trees, 3rd ed. (1988) 724; KENG, Conc. Fl. Sing. (1990) 50; — *Archytaea vahlii* CHOISY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 49; RIDLEY, Fl. Mal. Pen. 1 (1922) 208; CORNER, Ways. Trees, 2nd ed. (1952) 627.

BORAGINACEAE

- A 469 **Carmona retusa** (VAHL) MASAM.; NG, Tree Fl. Malaya 4 (1989) 59; KENG, Conc. Fl. Sing. (1990) 175; — *Ehretia buxifolia* ROXB.; RIDLEY, Fl. Mal. Pen. 2 (1923) 442.
- A 470 **Cordia cylindristachya** R. & S.; CORNER, Ways. Trees 1st ed. (1940) 176; HENDERSON, Mal. Wild Fl. Dic. (1959) 311; CORNER, Ways. Trees, 3rd ed. (1988) 198; CORLETT, J. Biogeog. (1988) 661; NG, Tree Fl. Malaya 4 (1989) 60; KENG, Conc. Fl. Sing. (1990) 175.
- 471 **Cordia dichotoma** FORSTER f.; CORNER, Ways. Trees, 3rd ed. (1988) 198; NG, Tree Fl. Malaya 4 (1989) 60; KENG, Conc. Fl. Sing. (1990) 175; — *C. myxa* (non L.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; — *C. obliqua* WILLD.; RIDLEY, Fl. Mal. Pen. 2 (1923) 439; — *C. griffithii* CLARKE; RIDLEY, Fl. Mal. Pen. 2 (1923) 439; CORNER, Ways. Trees, 3rd ed. (1988) 198; — *C. premnifolia* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 439.
- 472 **Cordia subcordata** LAMK.; RIDLEY, Fl. Mal. Pen. 2 (1923) 439; CORNER, Ways. Trees 1st ed. (1940) 175; SINCLAIR, Gard. Bull. Sing. 14 (1953) 33; CORNER, Ways. Trees, 3rd ed. (1988) 199; NG, Tree Fl. Malaya 4 (1989) 62; KENG, Conc. Fl. Sing. (1990) 175.
- 473 **Heliotropium indicum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; RIDLEY, Fl. Mal. Pen. 2 (1923) 441; HENDERSON, Mal. Wild Fl. Dic. (1959) 310; NG, Tree Fl. Malaya 4 (1989) 58; KENG, Conc. Fl. Sing. (1990) 175.
- 474 **Pteleocarpa lamponga** (MIQ.) BAKH. ex HEYNE; NG, Tree Fl. Malaya 4 (1989) 64; KENG, Conc. Fl. Sing. (1990) 175; — *P. malaccensis* OLIV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; RIDLEY, Fl. Mal. Pen. 2 (1923) 464.
- 475 **Tournefortia tetranda** BL.; NG, Tree Fl. Malaya 4 (1989) 58; KENG, Conc. Fl. Sing. (1990) 175; — *T. wallichii* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; RIDLEY, Fl. Mal. Pen. 2 (1923) 441; HENDERSON, Mal. Wild Fl. Dic. (1959) 309.

BURMANNIACEAE

- 476 **Burmannia championii** THW.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 72; RIDLEY, Fl. Mal. Pen. 4 (1924) 306; JONKER, Fl. Males. I 4¹ (1948) 17; HENDERSON, Mal. Wild Fl. Monoc. (1954) 172; KENG, Gard. Bull. Sing. 40 (1987) 123; — *B. tuberosa* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 152; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 72; RIDLEY, Fl. Mal. Pen. 4 (1924) 306.
- 477 **Burmannia coelestis** D. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 152; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 71; RIDLEY, Fl. Mal. Pen. 4 (1924) 304; JONKER, Fl. Males. I 4¹ (1948) 17; HENDERSON, Mal. Wild Fl. Monoc. (1954) 171; KENG, Gard. Bull. Sing. 40 (1987) 123.
- 478 **Gymnosiphon aphyllus** BL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 73; RIDLEY, Fl. Mal. Pen. 4 (1924) 306; JONKER, Fl. Males. I 4¹ (1948) 20; KENG, Gard. Bull. Sing. 40 (1987) 123; — *G. borneense* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153.
- 479 **Thismia aseroe** BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 74; RIDLEY, Fl. Mal. Pen. 4 (1924) 308; JONKER, Fl. Males. I 4¹ (1948) 23; KENG, Gard. Bull. Sing. 40 (1987) 123.
- 480 **Thismia fumida** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 74; RIDLEY, Fl. Mal. Pen. 4 (1924) 307; JONKER, Fl. Males. I 4¹ (1948) 23; KENG, Gard. Bull. Sing. 40 (1987) 123.

BURSERACEAE

- 481 **Canarium grandifolium** (RIDL.) LAM; LEENHOUTS, Fl. Males. I 5² (1955) 275; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 129; KENG, Conc. Fl. Sing. (1990) 99; — *Trigonocheilum grandifolia* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 381.
- 482 **Canarium littorale** BL.; LEENHOUTS, Fl. Males. I 5² (1955) 256; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 130; KENG, Conc. Fl. Sing. (1990) 99; — *C. purpurascens* BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 370; — *C. rufum* BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 372; — *C. secundum* BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 375.
- 483 **Canarium patentinervium** MIQ.; LEENHOUTS, Fl. Males. I 5² (1955) 258; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 134; KENG, Conc. Fl. Sing. (1990) 100; — *C. nitidum* BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 373.
- 484 **Canarium pilosum** BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 372; LEENHOUTS, Fl. Males. I 5² (1955) 281; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 134; KENG, Conc. Fl. Sing. (1990) 100; — *C. grandiflorum* BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 370.
- 485 **Dacryodes costata** (BENN.) LAM; LEENHOUTS, Fl. Males. I 5² (1955) 222; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 140; — *Santiria costata* BENN.; RIDLEY, Fl. Mal. Pen. 1 (1922) 380.

- 486 **Dacryodes laxa** (BENN.) LAM; LEENHOUTS, Fl. Males. I 5² (1955) 224; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 141; KENG, Conc. Fl. Sing. (1990) 100; — *Santiria laxa* (BENN.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 380.
- 487 **Dacryodes rostrata** (BL.) LAM; LEENHOUTS, Fl. Males. I 5² (1955) 225; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 143; KENG, Conc. Fl. Sing. (1990) 100; — *Canarium kadondon* BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 373.
- 488 **Santiria apiculata** BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 378; LEENHOUTS, Fl. Males. I 5² (1955) 234; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 146; KENG, Conc. Fl. Sing. (1990) 100; — *S. minutiflora* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 377.
- 489 **Santiria conferta** BENN.; RIDLEY, Fl. Mal. Pen. 1 (1922) 379; LEENHOUTS, Fl. Males. I 5² (1955) 233; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 146; — *Santiria wrayi* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 379.
- 490 **Santiria griffithii** (HOOK. f.) ENGL.; LEENHOUTS, Fl. Males. I 5² (1955) 236; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 147; KENG, Conc. Fl. Sing. (1990) 100; — *Trigonocheilamys griffithii* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 381.
- 491 **Santiria laevigata** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 378; LEENHOUTS, Fl. Males. I 5² (1955) 232; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 147; KENG, Conc. Fl. Sing. (1990) 100.
- 492 **Santiria rubiginosa** BL.; LEENHOUTS, Fl. Males. I 5² (1955) 236; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 151; — *Canarium planchonii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; — *Icicaster planchonii* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 381.
- 493 **Santiria tomentosa** BL.; LEENHOUTS, Fl. Males. I 5² (1955) 231; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 151; — *Santiria multiflora* BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 380.
- 494 **Triomma malaccensis** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 369; LEENHOUTS, Fl. Males. I 5² (1955) 218; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 154; KENG, Conc. Fl. Sing. (1990) 100.

BUTOMACEAE

- A 495 **Limnocharis flava** (L.) BUCH.; VAN STEENIS, Fl. Males. I 5¹ (1954) 120; KENG, Gard. Bull. Sing. 40 (1987) 113; CORLETT, J. Biogeog. (1988) 663.

CAMPANULACEAE

- A 496 **Hippobroma longiflora** (L.) G. DON; SKOG, Smith. Contrib. Bot. 77 (1991) 129; — *Isotoma longiflora* (L.) PRESL; RIDLEY, Fl. Mal. Pen. 2 (1923) 201; HENDERSON, Mal. Wild Fl. Dic. (1959) 254; — *Laurentia longiflora* (L.) PETERM.; MOELIONO & TUYN, Fl. Males. I 6¹ (1960) 140; KENG, Conc. Fl. Sing. (1990) 164.
- A 497 **Lobelia chinensis** LOUR.; MOELIONO & TUYN, Fl. Males. I 6¹ (1960) 130.

- 498 **Lobelia zeylanica** L.; MOELIONO & TUYN, Fl. Males. I 6¹ (1960) 128; KENG, Conc. Fl. Sing. (1990) 164; — *Pratia begonifolia* (non LINDEL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 102; — *L. affinis* WALL. ex G. DON; RIDLEY, Fl. Mal. Pen. 2 (1923) 200; HENDERSON, Mal. Wild Fl. Dic. (1959) 255.

CANNACEAE

- A 499 **Canna indica** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 128.

CAPPARACEAE

- 500 **Capparis micracantha** DC. ssp. **korthalsiana** (MIQ.) JACOBS; JACOBS, Fl. Males. I 6¹ (1960) 86; KENG, Conc. Fl. Sing. (1990) 23; — *C. finlaysoniana* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 43; RIDLEY, Fl. Mal. Pen. 1 (1922) 124.

- A 501 **Cleome aculeata** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 43; RIDLEY, Fl. Mal. Pen. 1 (1922) 120; JACOBS, Fl. Males. I 6¹ (1960) 104; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 23.

- A 502 **Cleome gynandra** L.; JACOBS, Fl. Males. I 6¹ (1960) 101; KENG, Conc. Fl. Sing. (1990) 23; — *Gynandropsis pentaphylla* (L.) DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 120; — *Gynandropsis gynandra* (L.) BRIQ.; BURKILL, Dict. (1935) 1119; HENDERSON, Mal. Wild Fl. Dic. (1959) 25.

- A 503 **Cleome rutidosperma** DC.; JACOBS, Fl. Males. I 6¹ (1960) 104; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990).

- A 504 **Cleome speciosa** RAFIN.; JACOBS, Fl. Males. I 6¹ (1960) 101; KENG, Conc. Fl. Sing. (1990) 23; — *Gynandropsis speciosa* DC.; BURKILL, Dict. (1935) 1119.

- A 505 **Cleome viscosa** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 43; RIDLEY, Fl. Mal. Pen. 1 (1922) 119; JACOBS, Fl. Males. I 6¹ (1960) 103; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 23; — *C. icosandra* L.; BURKILL, Dict. (1935) 581; HENDERSON, Mal. Wild Fl. Dic. (1959) 24.

CAPRIFOLIACEAE

- 506 **Viburnum sambucinum** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 90; RIDLEY, Fl. Mal. Pen. 2 (1923) 1; CORNER, Ways. Trees 1st ed. (1940) 183; KERN & VAN STEENIS, Fl. Males. I 4³ (1951) 186; CORNER, Ways. Trees, 3rd ed. (1988) 205; WONG & SAW, Tree Fl. Malaya 4 (1989) 67; KENG, Conc. Fl. Sing. (1990) 164.

CARYOPHYLLACEAE

- A 507 **Drymaria cordata** (L.) WILLD. ex SCHULTES; SINCLAIR, Gard. Bull. Sing. 14 (1953) 31; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 56.

CASUARINACEAE

- 508 **Casuarina equisetifolia** J. R. & G. FORST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; RIDLEY, Fl. Mal. Pen. 3 (1924) 372; NG, Tree Fl. Malaya 3 (1978) 46; CORNER, Ways. Trees, 3rd ed. (1988) 210; KENG, Conc. Fl. Sing. (1990) 63.

CECROPIACEAE

- A 509 **Cecropia peltata** L.; KENG, Conc. Fl. Sing. (1990) 67.

CELASTRACEAE

- 510 **Bhesa paniculata** ARN.; DING HOU, Fl. Males. I 6² (1962) 282; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 160; CORNER, Ways. Trees, 3rd ed. (1988) 213; KENG, Conc. Fl. Sing. (1990) 115; — *Kurrimia paniculata* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; RIDLEY, Fl. Mal. Pen. 1 (1922) 452; CORNER, Ways. Trees 1st ed. (1940) 189.
- 511 **Bhesa robusta** (ROXB.) DING HOU; DING HOU, Fl. Males. I 6² (1962) 283; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 161; CORNER, Ways. Trees, 3rd ed. (1988) 214; KENG, Conc. Fl. Sing. (1990) 115; — *Kurrimia pulcherrima* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; RIDLEY, Fl. Mal. Pen. 1 (1922) 452; — *Kurrimia robusta* KURZ; CORNER, Ways. Trees 1st ed. (1940) 190.
- 512 **Cassine viburnifolia** (JUSS.) DING HOU; DING HOU, Fl. Males. I 6² (1962) 286; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 161; KENG, Conc. Fl. Sing. (1990) 115; — *Elaeodendron subrotundum* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 453.
- 513 **Euonymus javanicus** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; RIDLEY, Fl. Mal. Pen. 1 (1922) 445; DING HOU, Fl. Males. I 6² (1962) 248; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 162; KENG, Conc. Fl. Sing. (1990) 115.
- 514 **Glyptopetalum quadrangulare** PRAIN ex KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 445; DING HOU, Fl. Males. I 6² (1962) 257; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 162.
- 515 **Kokoona littoralis** LAWS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; DING HOU, Fl. Males. I 6² (1962) 261; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 164; KENG, Conc. Fl. Sing. (1990) 115; — *Lophopetalum littoralis* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 450.
- 516 **Kokoona reflexa** (LAWS.) DING HOU; DING HOU, Fl. Males. I 6² (1962) 262; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 164; KENG, Conc. Fl. Sing. (1990) 115; — *Lophopetalum reflexum* LAWS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 449.
- 517 **Loeseneriella macrantha** (KORTH.) A.C. SMITH; DING HOU, Fl. Males. I 6² (1962) 398; — *Hippocratea cumingii* (non LAWS.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; — *Hippocratea macrantha* KORTH.; RIDLEY, Fl. Mal. Pen. 1 (1922) 455.
- 518 **Lophopetalum multinervium** RIDL.; DING HOU, Fl. Males. I 6² (1962) 270; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 168.

- 519 **Lophopetalum wightianum** ARN.; DING HOU, Fl. Males. I 6² (1962) 267; KOCHUMMEN & WHITMORE, Tree Fl. Malaya 1 (1972) 169; KENG, Conc. Fl. Sing. (1990) 115; — *L. fimbriatum* WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; RIDLEY, Fl. Mal. Pen. 1 (1922) 448.
- 520 **Maytenus emarginata** (WILLD.) DING HOU; DING HOU, Fl. Males. I 6² (1962) 241; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 128.
- 521 **Reissantia indica** (WILLD.) HALLÉ; DING HOU, Fl. Males. I 6² (1962) 401; KENG, Conc. Fl. Sing. (1990) 115; — *Hippocratea indica* WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 62; RIDLEY, Fl. Mal. Pen. 1 (1922) 455.
- 522 **Salacia chinensis** L.; DING HOU, Fl. Males. I 6² (1962) 419; KENG, Conc. Fl. Sing. (1990) 116; — *S. prinoides* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63; RIDLEY, Fl. Mal. Pen. 1 (1922) 459; — *S. latifolia* WALL. ex LAWS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63; RIDLEY, Fl. Mal. Pen. 1 (1922) 459.
- 523 **Salacia exculpata** KORTH.; DING HOU, Fl. Males. I 6² (1962) 417; KENG, Conc. Fl. Sing. (1990) 116; — *S. rubra* LAWS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 460.
- 524 **Salacia grandiflora** KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63 (*incl. var. longifolia*) RIDLEY, Fl. Mal. Pen. 1 (1922) 458; DING HOU, Fl. Males. I 6² (1962) 413; KENG, Conc. Fl. Sing. (1990) 116.
- 525 **Salacia korthalsiana** MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 447; DING HOU, Fl. Males. I 6² (1962) 406; KENG, Conc. Fl. Sing. (1990) 116.
- 526 **Salacia macrophylla** BL.; DING HOU, Fl. Males. I 6² (1962) 412; KENG, Conc. Fl. Sing. (1990) 116; — *S. flavescentia* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63; RIDLEY, Fl. Mal. Pen. 1 (1922) 459; — *S. sp.*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63.
- 527 **Salacia viminea** WALL. ex LAWS.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 456; DING HOU, Fl. Males. I 6² (1962) 418; KENG, Conc. Fl. Sing. (1990) 116.

CHLORANTHACEAE

- 528 **Chloranthus erectus** (BUCH.-HAM.) VERDCOURT; VERDCOURT, Fl. Males. I 10(1) 131; KENG, Conc. Fl. Sing. (1990) 63; — *C. officinalis* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 128; RIDLEY, Fl. Mal. Pen. 3 (1924) 52; BURKILL, Dict. (1935) 535; HENDERSON, Mal. Wild Fl. Dic. (1959) 443.

CHRYSOBALANACEAE

- 529 **Atuna racemosa** RAFIN.; PRANCE, Fl. Males. I 10⁴ (1989) 669; — *Parinari asperulum* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 670; — *A. excelsa* (JACK) KOSTERM.; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 324; — *Parinari excelsa* (JACK) KOSTERM.; KENG, Conc. Fl. Sing. (1990) 27.

- A 530 **Chrysobalanus icaco** L.; PRANCE, Fl. Males. I 10⁴ (1989) 643; KENG, Conc. Fl. Sing. (1990) 27.

- 531 **Licania splendens** (KORTH.) PRANCE; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 329; PRANCE, Fl. Males. I 10⁴ (1989) 646; CORNER, Ways. Trees, 3rd ed. (1988) 616; KENG, Conc. Fl. Sing. (1990) 27; — *Parinarium nitidum* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; — *Cocomelia nitida* (HOOK. f.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 671; — *Angelesia splendens* KORTH.; CORNER, Ways. Trees 1st ed. (1940) 526.
- 532 **Maranthes corymbosa** BL.; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 330; PRANCE, Fl. Males. I 10⁴ (1989) 673; KENG, Conc. Fl. Sing. (1990) 27; — *Parinarium griffithianum* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 670; — *Parinarium corymbosum* (BL.) MIQ.; BURKILL, Dict. (1935) 1695; CORNER, Ways. Trees 1st ed. (1940) 527; CORNER, Ways. Trees, 3rd ed. (1988) 618.
- 533 **Parastemon urophyllus** (WALL. ex A. DC.) A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 672; BURKILL, Dict. (1935) 1693; CORNER, Ways. Trees 1st ed. (1940) 526; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 331; PRANCE, Fl. Males. I 10⁴ (1989) 649; CORNER, Ways. Trees, 3rd ed. (1988) 617; KENG, Conc. Fl. Sing. (1990) 27.
- 534 **Parinari costata** (KORTH.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 666; BURKILL, Dict. (1935) 1667; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 333; PRANCE, Fl. Males. I 10⁴ (1989) 663; — *P. sumatrana* (JACK) BENTH.; KENG, Conc. Fl. Sing. (1990) 27.
- 535 **Parinari oblongifolia** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 668; CORNER, Ways. Trees 1st ed. (1940) 527; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 335; PRANCE, Fl. Males. I 10⁴ (1989) 659; CORNER, Ways. Trees, 3rd ed. (1988) 618; KENG, Conc. Fl. Sing. (1990) 27.

COMBRETACEAE

- 536 **Combretum sundaicum** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 80; RIDLEY, Fl. Mal. Pen. 1 (1922) 708; BURKILL, Dict. (1935) 644; EXELL, Fl. Males. I 4⁴ (1953) 542; KENG, Conc. Fl. Sing. (1990) 75.
- 537 **Lumnitzera littorea** (JACK) VOIGT; CORNER, Ways. Trees 1st ed. (1940) 191; EXELL, Fl. Males. I 4⁴ (1953) 586; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 174; CORNER, Ways. Trees, 3rd ed. (1988) 214; KENG, Conc. Fl. Sing. (1990) 75; — *L. coccinea* W. & A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 707; BURKILL, Dict. (1935) 1372.
- 538 **Lumnitzera racemosa** WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 707; BURKILL, Dict. (1935) 1373; CORNER, Ways. Trees 1st ed. (1940) 191; EXELL, Fl. Males. I 4⁴ (1953) 588 (*var. racemosa*); KOCHUMMEN, Tree Fl. Malaya 1 (1972) 173; CORNER, Ways. Trees, 3rd ed. (1988) 214; KENG, Conc. Fl. Sing. (1990) 75.
- A 539 **Quisqualis indica** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 711; BURKILL, Dict. (1935) 1860; EXELL, Fl. Males. I 4⁴ (1953) 547; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 75.

- 540 **Terminalia catappa** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 705; BURKILL, Dict. (1935) 2137; CORNER, Ways. Trees 1st ed. (1940) 193; EXELL, Fl. Males. I 4⁴ (1953) 566; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 176; CORNER, Ways. Trees, 3rd ed. (1988) 217; KENG, Conc. Fl. Sing. (1990) 75.
- 541 **Terminalia phellocarpa** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 705; BURKILL, Dict. (1935) 2141; CORNER, Ways. Trees 1st ed. (1940) 194; EXELL, Fl. Males. I 4⁴ (1953) 579; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 178; CORNER, Ways. Trees, 3rd ed. (1988) 218; KENG, Conc. Fl. Sing. (1990) 75.
- 542 **Terminalia subspathulata** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 705; BURKILL, Dict. (1935) 2141; CORNER, Ways. Trees 1st ed. (1940) 195; EXELL, Fl. Males. I 4⁴ (1953) 558; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 178; CORNER, Ways. Trees, 3rd ed. (1988) 218; KENG, Conc. Fl. Sing. (1990) 75.

COMMELINACEAE

- 543 **Amischotolype gracilis** (RIDL.) I.M. TURNER comb. nov.; — *Forrestia gracilis* RIDLEY, J. Str. Br. R. As. Soc. 41 (1903) 37; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 123; RIDLEY, Fl. Mal. Pen. 4 (1924) 359; KENG, Gard. Bull. Sing. 40 (1987) 124; — *F. mollis* HASSK. *sensu* RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170.
- 544 **Amischotolype marginata** HASSK.; Flora 46 (1863) 391; — *Forrestia marginata* (HASSK.) HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170, RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 124; KENG, Gard. Bull. Sing. 40 (1987) 124.
- 545 **Commelina attenuata** KOEN.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 116; RIDLEY, Fl. Mal. Pen. 4 (1924) 352; KENG, Gard. Bull. Sing. 40 (1987) 124.
- 546 **Commelina benghalensis** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 116; RIDLEY, Fl. Mal. Pen. 4 (1924) 353; HENDERSON, Mal. Wild Fl. Monoc. (1954) 198; KENG, Gard. Bull. Sing. 40 (1987) 124.
- 547 **Commelina diffusa** BURM. f.; KENG, Gard. Bull. Sing. 40 (1987) 124; — *C. nudiflora* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 115; RIDLEY, Fl. Mal. Pen. 4 (1924) 352; HENDERSON, Mal. Wild Fl. Monoc. (1954) 198.
- 548 **Cyanotis cristata** (L.) D. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 121; RIDLEY, Fl. Mal. Pen. 4 (1924) 358; HENDERSON, Mal. Wild Fl. Monoc. (1954) 197; KENG, Gard. Bull. Sing. 40 (1987) 124; — *C. barbata* D. DON; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 120; RIDLEY, Fl. Mal. Pen. 4 (1924) 358.
- 549 **Floscopa scandens** LOUR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 122; RIDLEY, Fl. Mal. Pen. 4 (1924) 359; HENDERSON, Mal. Wild Fl. Monoc. (1954) 200; KENG, Gard. Bull. Sing. 40 (1987) 124.

- 550 **Murdannia nudiflora** (L.) BRENNAN; KENG, Gard. Bull. Sing. 40 (1987) 125; — *Aneilema nudiflorum* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 118; RIDLEY, Fl. Mal. Pen. 4 (1924) 355; HENDERSON, Mal. Wild Fl. Monoc. (1954) 201.
- 551 **Murdannia vaginata** (L.) BRUECKN.; KENG, Gard. Bull. Sing. 40 (1987) 125; — *Aneilema vaginatum* (L.) R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 119; RIDLEY, Fl. Mal. Pen. 4 (1924) 356.
- 552 **Pollia sorzogonensis** ENDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 114; RIDLEY, Fl. Mal. Pen. 4 (1924) 351; HENDERSON, Mal. Wild Fl. Monoc. (1954) 200; KENG, Gard. Bull. Sing. 40 (1987) 125; — *Aclisia secundiflora* (BL.) BAKH. f., Fl. Java 3 (1968) 658.

COMPOSITAE

- A 553 **Acanthospermum australe** (LOEFL.) O. KUNTZE; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 166; — *A. brasiliium* SCHRANK; RIDLEY, Fl. Mal. Pen. 2 (1923) 181.
- 554 **Acmella uliginosa** (Sw.) CASS.; SMITH, Fl. Vit. Nov. 5 (1991) 287; — *Spilanthes acmella* (L.) MURR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 102; RIDLEY, Fl. Mal. Pen. 2 (1923) 184; HENDERSON, Mal. Wild Fl. Dic. (1959) 240; — *Spilanthes iabadicensis* A. H. MOORE; KENG, Conc. Fl. Sing. (1990) 170.
- 555 **Adenostemma viscosum** J.R. & G. FORST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 182; SMITH, Fl. Vit. Nov. 5 (1991) 272; — *Adenostemma lavenia* auct., non (L.) O. KUNTZE; HENDERSON, Mal. Wild Fl. Dic. (1959) 242; KENG, Conc. Fl. Sing. (1990) 166.
- A 556 **Ageratum conyzoides** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 182; HENDERSON, Mal. Wild Fl. Dic. (1959) 241; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 166.
- A 557 **Bidens pilosa** L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 183; HENDERSON, Mal. Wild Fl. Dic. (1959) 239; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 167.
- 558 **Blumea balsamifera** (L.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 192; HENDERSON, Mal. Wild Fl. Dic. (1959) 247; KENG, Conc. Fl. Sing. (1990) 167.
- 559 **Blumea junghuhniana** (MIQ.) BOERL.; RANDERIA, Blumea 10 (1960) 235.
- 560 **Blumea lacera** (BURM. f.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 193; KENG, Conc. Fl. Sing. (1990) 167.
- 561 **Blumea membranacea** DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 193; RANDERIA, Blumea 10 (1960) 269.
- 562 **Blumea riparia** (BL.) DC.; RANDERIA, Blumea 10 (1960) 213; — ?*Vernonia scandens*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 100; — *B. chinensis* DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 192 (*incl. var. riparia*).

- A 563 **Centipeda minima** (L.) A. BR. & ASCH.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 39; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 167; — *C. orbicularis* LOUR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 195.
- 564 **Chromolaena odorata** (L.) R.M. KING & ROBINSON; CORLETT, J. Biogeog. (1988) 661; — *Eupatorium odoratum* L.; KENG, Conc. Fl. Sing. (1990) 168..
- 565 **Conyza bonariensis** (L.) CRONQUIST; SMITH, Fl. Vit. Nov. 5 (1991) 307; — *Erigeron linifolius* WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; — *Erigeron sumatrensis* RETZ.; RIDLEY, Fl. Mal. Pen. 2 (1923) 196; HENDERSON, Mal. Wild Fl. Dic. (1959) 251; KENG, Conc. Fl. Sing. (1990) 168; — *C. floribunda* HBK.; GRIERSON; Rev. Handb. Fl. Ceyl. 1 (1980) 157.
- A 566 **Crassocephalum crepidioides** (BENTH.) S. MOORE; CORLETT, J. Biogeog. (1988) 661.
- 567 **Eclipta prostrata** (L.) L.; KENG, Conc. Fl. Sing. (1990) 168; — *E. alba* (L.) HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 185; HENDERSON, Mal. Wild Fl. Dic. (1959) 240.
- 568 **Elephantopus scaber** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 180; HENDERSON, Mal. Wild Fl. Dic. (1959) 235; KENG, Conc. Fl. Sing. (1990) 168.
- A 569 **Eleutheranthera ruderalis** (Sw.) SCH.-BIP.; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 168.
- 570 **Emilia sonchifolia** (L.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 102; RIDLEY, Fl. Mal. Pen. 2 (1923) 191; HENDERSON, Mal. Wild Fl. Dic. (1959) 250; KENG, Conc. Fl. Sing. (1990) 168.
- 571 **Enydra fluctuans** LOUR.; RIDLEY, Fl. Mal. Pen. 2 (1923) 183; HENDERSON, Mal. Wild Fl. Dic. (1959) 237; KENG, Conc. Fl. Sing. (1990) 168.
- A 572 **Erechtites hieracifolia** (L.) RAFIN. ex DC.; HENDERSON, Mal. Wild Fl. Dic. (1959) 249; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 168.
- A 573 **Erechtites valerianifolia** (SPRENG.) DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 191; HENDERSON, Mal. Wild Fl. Dic. (1959) 249; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 168; — *Gynura pseudochina* [non (L.) DC.] RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 102.
- 574 **Gynura procumbens** (LOUR.) MERR.; HENDERSON, Mal. Wild Fl. Dic. (1959) 246; KENG, Conc. Fl. Sing. (1990) 169; — *G. sarmentosa* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 102; RIDLEY, Fl. Mal. Pen. 2 (1923) 189.
- 575 **Mikania cordata** (BURM. f.) B.L. ROBINSON; HENDERSON, Mal. Wild Fl. Dic. (1959) 233; KENG, Conc. Fl. Sing. (1990) 169; — *M. scandens* auct. non (L.) WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 181.
- A 576 **Mikania micrantha** H.B.K.; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 169.

- 577 **Pluchea indica** (L.) LESS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 194; HENDERSON, Mal. Wild Fl. Dic. (1959) 245; KENG, Conc. Fl. Sing. (1990) 169.
- A 578 **Porophyllum ruderale** (JACQ.) CASS.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 129.
- 579 **Sigesbeckia orientalis** L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 184; KENG, Conc. Fl. Sing. (1990) 170.
- A 580 **Sparganophorus sparganophora** (L.) C. JEFFREY, Kew Bull. 43 (1988) 272;—
S. vaillantii CRANTZ, nom. illegit. superfl.; RIDLEY, Fl. Mal. Pen. 2 (1923) 179; HENDERSON, Mal. Wild Fl. Dic. (1959) 243; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 170;—*Struchium sparganophora* (L.) O. KTZE.; GRIERSON, Rev. Handb. Fl. Ceyl. 1 (1980) 120.
- 581 **Sphaeranthus africanus** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 180; HENDERSON, Mal. Wild Fl. Dic. (1959) 243; KENG, Conc. Fl. Sing. (1990) 170.
- A 582 **Synedrella nodiflora** (L.) GAERTN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 102; RIDLEY, Fl. Mal. Pen. 2 (1923) 184; HENDERSON, Mal. Wild Fl. Dic. (1959) 237; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 170.
- A 583 **Tridax procumbens** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 102; RIDLEY, Fl. Mal. Pen. 2 (1923) 186; HENDERSON, Mal. Wild Fl. Dic. (1959) 238; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 170.
- 584 **Vernonia arborea** BUCH.-HAM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 100; CORNER, Ways. Trees 1st ed. (1940) 196; CORNER, Ways. Trees, 3rd ed. (1988) 220; KENG, Tree Fl. Malaya 4 (1989) 70; KENG, Conc. Fl. Sing. (1990) 170;—
V. javanica DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 187;—*V. wallichii* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 186.
- 585 **Vernonia cinerea** (L.) LESS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 100; RIDLEY, Fl. Mal. Pen. 2 (1923) 188; HENDERSON, Mal. Wild Fl. Dic. (1959) 252; KENG, Conc. Fl. Sing. (1990) 171.
- 586 **Vernonia patula** (DRYAND.) MERR.; HENDERSON, Mal. Wild Fl. Dic. (1959) 252; KENG, Conc. Fl. Sing. (1990) 171;—*V. chinensis* LESS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 100; RIDLEY, Fl. Mal. Pen. 2 (1923) 188.
- 587 **Wedelia biflora** (L.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 101; RIDLEY, Fl. Mal. Pen. 2 (1923) 185; HENDERSON, Mal. Wild Fl. Dic. (1959) 234; KENG, Conc. Fl. Sing. (1990) 171;—*Melanthera biflora* (L.) WILD, Kirkia 5 (1965) 4;—*Wollastonia biflora* (L.) DC.; SMITH, Fl. Vit. Nov. 5 (1991) 271.
- A 585 **Wedelia trilobata** (L.) HITCH.; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 171;—*Complaya trilobata* (L.) STROTHER, Syst. Bot. Monog. 33 (1991) 14.
- A 589 **Xanthium inequilaterum** DC.; KENG, Conc. Fl. Sing. (1990) 171;—*X. strumarium* auct. non L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 181.

- 590 **Youngia japonica** (L.) DC.; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 171; — *Crepis japonica* (L.) BENTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 197; HENDERSON, Mal. Wild Fl. Dic. (1959) 236.

CONNARACEAE

- 591 **Agelaea borneensis** (HOOK. f.) MERR.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 504; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 48; KENG, Conc. Fl. Sing. (1990) 28; — *A. vestita* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 553.
- 592 **Agelaea macrophylla** (ZOLL.) LEENH.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 502; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 48; JONGKIND, Agric. Univ. Wageningen Papers 89-6 (1989) 167; KENG, Conc. Fl. Sing. (1990) 28; — *A. hullettii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 553; — *A. trinervis* (LLANOS) MERR.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 502; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 48; KENG, Conc. Fl. Sing. (1990) 28; — *A. wallichii* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 553.
- 593 **Cnestis palala** (LOUR.) MERR.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 499; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 48; LEMMENS, Agric. Univ. Wageningen Papers 89-6 (1989) 215; — *C. ramiflora* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 554; — *C. platantha* GRIFF.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 499; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 48; KENG, Conc. Fl. Sing. (1990) 28;
- 594 **Connarus ferrugineus** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 68; RIDLEY, Fl. Mal. Pen. 1 (1922) 545; LEENHOUTS, Fl. Males. I 5⁴ (1958) 530; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 49; KENG, Conc. Fl. Sing. (1990) 28.
- 595 **Connarus grandis** JACK; LEENHOUTS, Fl. Males. I 5⁴ (1958) 529; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 49; KENG, Conc. Fl. Sing. (1990) 29; — *C. ellipticus* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 547.
- 596 **Connarus monocarpus** L. ssp. **malayensis** LEENH.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 538; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 50; KENG, Conc. Fl. Sing. (1990) 29; — *C. oligophyllus* WALL. ex PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 546.
- 597 **Connarus planchonianus** SCHELLENB.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 528; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 49; — *C. grandis* (non JACK) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 547.
- 598 **Connarus semidecandrus** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 546; LEENHOUTS, Fl. Males. I 5⁴ (1958) 534; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 49; KENG, Conc. Fl. Sing. (1990) 29.
- 599 **Ellipanthus tomentosus** KURZ; LEENHOUTS, Fl. Males. I 5⁴ (1958) 521; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 50; KENG, Conc. Fl. Sing. (1990) 29; — *E. griffithii* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 548; — *E. curtisii* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 548; — *E. gibbosus* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 549.

- 600 **Rourea fulgens** PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 551; LEENHOUTS, Fl. Males. I 5⁴ (1958) 519; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 51; KENG, Conc. Fl. Sing. (1990) 29.
- 601 **Rourea mimosoides** (VAHL) PLANCH.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 517; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 51; KENG, Conc. Fl. Sing. (1990) 29; — *R. concolor* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 551; — *R. parallela* PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; — *R. similis* BL.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 551.
- 602 **Rourea minor** (GAERTN.) LEENH.; LEENHOUTS, Fl. Males. I 5⁴ (1958) 514; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 51; KENG, Conc. Fl. Sing. (1990) 29; — *R. acuminata* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 550; — *R. pulchella* PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 550.
- 603 **Rourea rugosa** PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 69; RIDLEY, Fl. Mal. Pen. 1 (1922) 550; LEENHOUTS, Fl. Males. I 5⁴ (1958) 514; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 51; KENG, Conc. Fl. Sing. (1990) 29.

CONVOLVULACEAE

- A 604 **Aniseia martinicensis** (JACQ.) CHOISY; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 435; NG, Tree Fl. Malaya 4 (1989) 73; KENG, Conc. Fl. Sing. (1990) 172.
- 605 **Argyreia ridleyi** PRAIN. ex OOSTSTROOM; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 503; KENG, Conc. Fl. Sing. (1990) 172; — ?*Letsomia tomentosa*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; — *Letsomia ridleyi* PRAIN; RIDLEY, Fl. Mal. Pen. 2 (1923) 451 (*incl. var. velutina* PRAIN).
- 606 **Bonamia semidigyna** (ROXB.) HALL. f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 454; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 398; NG, Tree Fl. Malaya 4 (1989) 73; KENG, Conc. Fl. Sing. (1990) 172.
- 607 **Cuscuta australis** R. BR.; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 392; KENG, Conc. Fl. Sing. (1990) 172; — *C. hygrophilae* PEARSON; RIDLEY, Fl. Mal. Pen. 2 (1923) 444.
- 608 **Erycibe citriniflora** GRIFF.; RIDLEY, Fl. Mal. Pen. 2 (1923) 445; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 425; NG, Tree Fl. Malaya 4 (1989) 75.
- 609 **Erycibe festiva** PRAIN; RIDLEY, Fl. Mal. Pen. 2 (1923) 447; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 417; NG, Tree Fl. Malaya 4 (1989) 76; KENG, Conc. Fl. Sing. (1990) 172.
- 610 **Erycibe griffithii** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116, *p.p.*; RIDLEY, Fl. Mal. Pen. 2 (1923) 447, *p.p.*; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 411; NG, Tree Fl. Malaya 4 (1989) 75; KENG, Conc. Fl. Sing. (1990) 173.
- 611 **Erycibe leucoxyloides** KING ex PRAIN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; RIDLEY, Fl. Mal. Pen. 2 (1923) 446; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 415; NG, Tree Fl. Malaya 4 (1989) 74; KENG, Conc. Fl. Sing. (1990) 173.

- 612 **Erycibe maingayi** CLARKE; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 417; NG, Tree Fl. Malaya 4 (1989) 76; KENG, Conc. Fl. Sing. (1990) 173; — *E. griffithii* (non CLARKE) PRAIN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116, p.p.; RIDLEY, Fl. Mal. Pen. 2 (1923) 447, p.p.; syon, p.p..
- 613 **Erycibe malaccensis** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; RIDLEY, Fl. Mal. Pen. 2 (1923) 446; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 428; NG, Tree Fl. Malaya 4 (1989) 76; KENG, Conc. Fl. Sing. (1990) 173.
- 614a **Erycibe tomentosa** BL. var. *tomentosa*; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 426; NG, Tree Fl. Malaya 4 (1989) 76; — *E. princei* WALL. ex CHOISY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; RIDLEY, Fl. Mal. Pen. 2 (1923) 446; BURKILL, Dict. (1935) 944; HENDERSON, Mal. Wild Fl. Dic. (1959) 313 ("princei").
- 614b **Erycibe tomentosa** var. *hirsuta* (HALLIER f.) HOOGL.; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 428; NG, Tree Fl. Malaya 4 (1989) 75.
- 615 **Evolvulus alsinoides** (L.) L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 117; RIDLEY, Fl. Mal. Pen. 2 (1923) 454; HENDERSON, Mal. Wild Fl. Dic. (1959) 314; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 395; KENG, Conc. Fl. Sing. (1990) 173.
- 616 **Ipomoea aquatica** FORSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 117; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 473; KENG, Conc. Fl. Sing. (1990) 173; — *I. reptans* POIR.; RIDLEY, Fl. Mal. Pen. 2 (1923) 462.
- A 617 **Ipomoea cairica** (L.) SWEET; HENDERSON, Mal. Wild Fl. Dic. (1959) 320; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 478; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 173; — *I. palmata* FORSSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; — *I. pulchella* (non ROTH) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 460.
- 618 **Ipomoea campanulata** L.; AUSTIN, Rev. Handb. Fl. Ceyl. 1 (1980) 327; — *I. illustris* (CLARKE) PRAIN; RIDLEY, Fl. Mal. Pen. 2 (1923) 460; SINCLAIR, Gard. Bull. Sing. 14 (1953) 34; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 467; KENG, Conc. Fl. Sing. (1990) 173.
- 619 **Ipomoea littoralis** BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 461; VAN OOSTSTROOM, Fl. Males. I 6⁶ (1972) 941; — *I. denticulata* CHOISY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; — *I. gracilis* auctt. plur., non R. BR.; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 470; KENG, Conc. Fl. Sing. (1990) 173.
- 620 **Ipomoea mauritiana** JACQ.; SMITH, Fl. Vit. Nov. 5 (1991) 63; — *I. digitata* auct., non L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; RIDLEY, Fl. Mal. Pen. 2 (1923) 460; HENDERSON, Mal. Wild Fl. Dic. (1959) 320; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 483; KENG, Conc. Fl. Sing. (1990) 173.
- 621 **Ipomoea obscura** (L.) KER-GAWL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 461; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 471; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 129.
- 622 **Ipomoea pes-caprae** (L.) R. BR.; RIDLEY, Fl. Mal. Pen. 2 (1923) 460; HENDERSON, Mal. Wild Fl. Dic. (1959) 319; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 475 (ssp. *brasiliensis* (L.) OOSTSTR.); KENG, Conc. Fl. Sing. (1990) 173; — *I. biloba* FORSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116.

- A 623 **Ipomoea pes-tigridis** L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 460; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 467; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 129.
- 624 **Ipomoea sepiaria** KOEN. ex ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 117; VAN OOSTSTROOM, Fl. Males. 6(6) 941; — *I. sagittaeifolia* BURM. f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 461; — *I. maxima* auct. plur., non (L.f.) DON ex SWEET; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 472;.
- A 625 **Ipomoea triloba** L.; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 468; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 174.
- 626 **Ipomoea violacea** L.; MANITZ, Feddes. Rep. 88 (1977) 265; — *I. tuba* (SCHLECH.) G. DON; SINCLAIR, Gard. Bull. Sing. 14 (1953) 33; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 487; KENG, Conc. Fl. Sing. (1990) 174; — *I. macrantha* R. & S.; VAN STEENIS, Fl. Males. I 9³ (1982) 558.
- 627 **Merremia hederacea** (BURM. f.) HALLIER f.; HENDERSON, Mal. Wild Fl. Dic. (1959) 317; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 441; KENG, Conc. Fl. Sing. (1990) 174; — *Ipomoea chrysoides* KER-GAWL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; — *M. convolvulacea* DENNST.; RIDLEY, Fl. Mal. Pen. 2 (1923) 458.
- 628 **Merremia hirta** (L.) MERR.; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 442; KENG, Conc. Fl. Sing. (1990) 174; — *Ipomoea linifolia* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; — *M. caespitosa* HALLIER f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 458.
- 629 **Merremia tridentata** (L.) HALLIER f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 458; HENDERSON, Mal. Wild Fl. Dic. (1959) 316; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 445; KENG, Conc. Fl. Sing. (1990) 174; — *Ipomoea tridentata* (L.) ROTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116; — *Ipomoea angustifolia* JACQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 116.
- 630 **Merremia umbellata** (L.) HALLIER f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 459; HENDERSON, Mal. Wild Fl. Dic. (1959) 317; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 449 (*ssp. orientalis* (HALLIER f.) OOSTSTR.); KENG, Conc. Fl. Sing. (1990) 174.
- 631 **Neuropeltis racemosa** WALL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 453; VAN OOSTSTROOM, Fl. Males. I 4⁴ (1953) 400; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 129.

CORNACEAE

- 632 **Aralidium pinnatifidum** (JUNGH. & DE VRIESE) Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89; RIDLEY, Fl. Mal. Pen. 1 (1922) 895; STONE, Tree Fl. Malaya 3 (1978) 34; PHILIPSON, Fl. Males. I 9¹ (1979) 16; CORNER, Ways. Trees, 3rd ed. (1988) 221; KENG, Conc. Fl. Sing. (1990) 130.
- 633 **Mastixia trichotoma** Bl. var. **maingayi** (CLARKE) DANSER; MATTHEW; Fl. Males. I 8² (1977) 93; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 54; KENG, Conc. Fl. Sing. (1990) 130; — *M. maingayi* CLARKE, RIDLEY, Fl. Mal. Pen. 1 (1922) 890; — *M. junghuhniana* (non Miq.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 90.

CRASSULACEAE

- A 634 **Kalanchoe pinnata** (LAMK.) PERS.; BACKER, Fl. Males. I 4³ (1951) 199; KENG, Conc. Fl. Sing. (1990) 25; — *Bryophyllum calycinum* SALISB.; RIDLEY, Fl. Mal. Pen. 1 (1922) 689; — *Bryophyllum pinnatum* (LAMK.) OKEN; BURKILL, Dict. (1935) 376.

CRUCIFERAE

- 635 **Cardamine hirsuta** L.; JONSELL, Fl. Males. I 10³ (1988) 554.
- 636 **Rorippa heterophylla** (BL.) WILLIAMS; JONSELL, Fl. Males. I 10³ (1988) 559; — *Nasturtium indicum* auct. non (L.) DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 119; BURKILL, Dict. (1935) 1534; HENDERSON, Mal. Wild Fl. Dic. (1959) 24; — *R. indica* (L.) HIERN; KENG, Conc. Fl. Sing. (1990) 24.

CRYPTERONIACEAE

- 637 **Crypteronia griffithii** CLARKE; RIDLEY, Fl. Mal. Pen. 1 (1922) 822; CORNER, Ways. Trees 1st ed. (1940) 198; VAN BEUSEKOM-OSINGA; Fl. Males. I 8² (1977) 196; CORNER, Ways. Trees, 3rd ed. (1988) 222; NG, Tree Fl. Malaya 4 (1989) 80; — *C. cumingii* (PLANCH.) PLANCH. ex ENDL. var. *griffithii* (CLARKE) OSINGA; KENG, Conc. Fl. Sing. (1990) 83.

CTENOLOPHONACEAE

- 638 **Ctenolophon parvifolius** OLIVER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 425; BURKILL, Dict. (1935) 695; COCKBURN, Tree Fl. Malaya 1 (1972) 306; VAN HOOREN & NOOTEBOOM, Fl. Males. I 10³ (1988) 631; — *C. grandifolius* OLIVER; RIDLEY, Fl. Mal. Pen. 1 (1922) 423.

CUCURBITACEAE

- 639 **Gymnopetalum cochininchinense** KURZ; RIDLEY, Fl. Mal. Pen. 1 (1922) 846; KENG, Conc. Fl. Sing. (1990) 44; — *G. quinquelobum* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 847.
- 640 **Trichosanthes celebica** COGN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 845; KENG, Conc. Fl. Sing. (1990) 44.
- 641 **Trichosanthes wallichiana** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 845; HENDERSON, Mal. Wild Fl. Dic. (1959) 155; KENG, Conc. Fl. Sing. (1990) 44.
- 642 **Trichosanthes wawraei** COGN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 845; KENG, Conc. Fl. Sing. (1990) 44.

CYPERACEAE

- 643 **Bulbostylis barbata** (ROTTB.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 77; RIDLEY, Fl. Mal. Pen. 5 (1925) 160; HENDERSON, Mal. Wild Fl. Monoc. (1954) 265; KERN, Fl. Males. I 7³ (1974) 539.

- 644 **Bulbostylis puberula** (POIR.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 78; RIDLEY, Fl. Mal. Pen. 5 (1925) 160; HENDERSON, Mal. Wild Fl. Monoc. (1954) 265; KERN, Fl. Males. I 7³ (1974) 540.
- 645 **Carex cryptostachys** BRONGN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184 ("cyrtostachys"); RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 116; RIDLEY, Fl. Mal. Pen. 5 (1925) 181; HENDERSON, Mal. Wild Fl. Monoc. (1954) 291; KERN & NOOTEBOOM, Fl. Males. I 9¹ (1979) 148.
- A 646 **Cyperus aromaticus** (RIDL.) MATTF. & KÜK.; KERN, Fl. Males. I 7³ (1974) 656; CORLETT, J. Biogeog. (1988) 663.
- 647 **Cyperus brevifolius** (ROTTB.) HASSK.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 269; KERN, Fl. Males. I 7³ (1974) 656; — *Kyllinga brevifolia* ROTTB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 58; RIDLEY, Fl. Mal. Pen. 5 (1925) 138.
- 648 **Cyperus compactus** RETZ.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 271; KERN, Fl. Males. I 7³ (1974) 638; — *Mariscus microcephalus* PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 74; RIDLEY, Fl. Mal. Pen. 5 (1925) 149.
- 649 **Cyperus compressus** L.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 67; RIDLEY, Fl. Mal. Pen. 5 (1925) 144; HENDERSON, Mal. Wild Fl. Monoc. (1954) 274; KERN, Fl. Males. I 7³ (1974) 617.
- 650 **Cyperus cuspidatus** KUNTH; KERN, Fl. Males. I 7³ (1974) 629; — *C. uncinatus* (non POIR.) CLARKE; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 64; RIDLEY, Fl. Mal. Pen. 5 (1925) 141.
- 651 **Cyperus cyperinus** (RETZ.) VALCK. SUR.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 271; KERN, Fl. Males. I 7³ (1974) 641; — *Mariscus cyperinus* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 73; RIDLEY, Fl. Mal. Pen. 5 (1925) 149.
- 652 **Cyperus cyperoides** (L.) O. KUNTZE; HENDERSON, Mal. Wild Fl. Monoc. (1954) 271; KERN, Fl. Males. I 7³ (1974) 642; — *Mariscus sieberianus* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 72; RIDLEY, Fl. Mal. Pen. 5 (1925) 148.
- 653 **Cyperus diffusus** VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 65; RIDLEY, Fl. Mal. Pen. 5 (1925) 142; HENDERSON, Mal. Wild Fl. Monoc. (1954) 276; KERN, Fl. Males. I 7³ (1974) 619.
- 654 **Cyperus digitatus** ROXB.; KERN, Fl. Males. I 7³ (1974) 601; — *Mariscus sieberianus* NEES ex CLARKE var. *evolutior* (non CLARKE) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 73; RIDLEY, Fl. Mal. Pen. 5 (1925) 149.
- 655 **Cyperus distans** L.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 69; RIDLEY, Fl. Mal. Pen. 5 (1925) 145; HENDERSON, Mal. Wild Fl. Monoc. (1954) 277; KERN, Fl. Males. I 7³ (1974) 610.

- 656 **Cyperus dubius** ROTTB.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 271; KERN, Fl. Males. I 7³ (1974) 643; — *Mariscus dregianus* KUNTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 72; RIDLEY, Fl. Mal. Pen. 5 (1925) 148.
- 657 **Cyperus elatus** L.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 71; Ridley, Fl. Mal. Pen. 5 (1925) 148; KERN, Fl. Males. I 7³ (1974) 601; — *C. digitatus* (non ROXB.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 71; Ridley, Fl. Mal. Pen. 5 (1925) 147.
- 658 **Cyperus exaltatus** RETZ.; KERN, Fl. Males. I 7³ (1974) 602.
- 659 **Cyperus halpan** L. ("haspan"); RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 64; RIDLEY, Fl. Mal. Pen. 5 (1925) 142; HENDERSON, Mal. Wild Fl. Monoc. (1954) 276; KERN, Fl. Males. I 7³ (1974) 624.
- 660 **Cyperus imbricatus** RETZ.; KERN, Fl. Males. I 7³ (1974) 603; — *C. radiatus* VAHL; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 70; Ridley, Fl. Mal. Pen. 5 (1925) 147.
- 661 **Cyperus iria** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 66; RIDLEY, Fl. Mal. Pen. 5 (1925) 143; HENDERSON, Mal. Wild Fl. Monoc. (1954) 278; KERN, Fl. Males. I 7³ (1974) 616.
- 662 **Cyperus javanicus** HOUTT.; KERN, Fl. Males. I 7³ (1974) 635; — *Mariscus albescens* GAUDICH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 74; RIDLEY, Fl. Mal. Pen. 5 (1925) 149; — *C. pennatus* LAMK.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 271.
- 663 **Cyperus kyllingia** ENDL.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 269; KERN, Fl. Males. I 7³ (1974) 659; — *Kyllinga monocephala* ROTTB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 58; RIDLEY, Fl. Mal. Pen. 5 (1925) 138.
- 664 **Cyperus malaccensis** LAMK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 70; RIDLEY, Fl. Mal. Pen. 5 (1925) 147; HENDERSON, Mal. Wild Fl. Monoc. (1954) 278; KERN, Fl. Males. I 7³ (1974) 613.
- 665 **Cyperus melanospermus** (NEES) VALCK. SUR.; KERN, Fl. Males. I 7³ (1974) 655; — *Kyllinga melanosperma* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 58; RIDLEY, Fl. Mal. Pen. 5 (1925) 138.
- 666 **Cyperus pedunculatus** (R. BR.) KERN; KERN, Fl. Males. I 7³ (1974) 644; — *Remirea maritima* AUBL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 99; RIDLEY, Fl. Mal. Pen. 5 (1925) 169; HENDERSON, Mal. Wild Fl. Monoc. (1954) 286.
- 667 **Cyperus pilosus** VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 67; RIDLEY, Fl. Mal. Pen. 5 (1925) 144; HENDERSON, Mal. Wild Fl. Monoc. (1954) 278; KERN, Fl. Males. I 7³ (1974) 611.

- 668 **Cyperus polystachyos** ROTTB.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 273; KERN, Fl. Males. I 7³ (1974) 649; — *Pycreus polystachyos* (ROTTB.) BEAUV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 60; RIDLEY, Fl. Mal. Pen. 5 (1925) 139.
- 669 **Cyperus pumilus** L.; KERN, Fl. Males. I 7³ (1974) 650; — *Pycreus nitens* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 61; RIDLEY, Fl. Mal. Pen. 5 (1925) 140.
- 670 **Cyperus radians** NEES & MEYEN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 66; RIDLEY, Fl. Mal. Pen. 5 (1925) 143; HENDERSON, Mal. Wild Fl. Monoc. (1954) 274; KERN, Fl. Males. I 7³ (1974) 623.
- 671 **Cyperus rotundus** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 68; RIDLEY, Fl. Mal. Pen. 5 (1925) 145; HENDERSON, Mal. Wild Fl. Monoc. (1954) 278; KERN, Fl. Males. I 7³ (1974) 604.
- 672 **Cyperus sanguinolentus** VAHL ssp. *cyrtostachys* (MIQ.) KERN; SINCLAIR, Gard. Bull. Sing. 15 (1956) 28; KERN, Fl. Males. I 7³ (1974) 647; — *Pycreus sanguinolentus* (VAHL) NEES; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 60; RIDLEY, Fl. Mal. Pen. 5 (1925) 139.
- A 673 **Cyperus sphacelatus** ROTTB.; KERN, Fl. Males. I 7³ (1974) 609; CORLETT, J. Biogeog. (1988) 663.
- 674 **Cyperus stoloniferus** RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 69; RIDLEY, Fl. Mal. Pen. 5 (1925) 145; HENDERSON, Mal. Wild Fl. Monoc. (1954) 274; KERN, Fl. Males. I 7³ (1974) 606.
- 675 **Cyperus tenuiculmis** BOECK.; KERN, Fl. Males. I 7³ (1974) 608; — *C. zollingeri* (non STEUD.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 68; RIDLEY, Fl. Mal. Pen. 5 (1925) 144; HENDERSON, Mal. Wild Fl. Monoc. (1954) 275.
- 676 **Cyperus trialatus** (BOECK.) KERN; KERN, Fl. Males. I 7³ (1974) 621; — *C. bancanus* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 65; RIDLEY, Fl. Mal. Pen. 5 (1925) 143.
- A 677 **Cyperus triceps** ENDL.; KERN, Fl. Males. I 7³ (1974) 659; — *Kyllinga cylindrica* (non NEES) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 59; RIDLEY, Fl. Mal. Pen. 5 (1925) 137.
- 678 **Eleocharis acutangula** (ROXB.) SCHULT.; KERN, Fl. Males. I 7³ (1974) 525; — *E. fistulosa* SCHULT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 76; RIDLEY, Fl. Mal. Pen. 5 (1925) 151.
- 679 **Eleocharis dulcis** (BURM. f.) HENSCHEL; KERN, Fl. Males. I 7³ (1974) 529; — *E. plantaginea* R. & S.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 75; RIDLEY, Fl. Mal. Pen. 5 (1925) 150.
- 680 **Eleocharis geniculata** (L.) R. & S.; KERN, Fl. Males. I 7³ (1974) 536; — *E. capitata* R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 77; RIDLEY, Fl. Mal. Pen. 5 (1925) 151.

- 681 **Eleocharis ochrostachys** STEUD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 76; RIDLEY, Fl. Mal. Pen. 5 (1925) 151; KERN, Fl. Males. I 7³ (1974) 528; — *E. variegata* (POIR.) PRESL var. *laxiflora* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 76; RIDLEY, Fl. Mal. Pen. 5 (1925) 151.
- 682 **Eleocharis retroflexa** (POIR.) URB.; KERN, Fl. Males. I 7³ (1974) 534; — *E. chaetaria* R. & S.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 77; RIDLEY, Fl. Mal. Pen. 5 (1925) 151; HENDERSON, Mal. Wild Fl. Monoc. (1954) 259.
- 683 **Eleocharis spiralis** (ROTTB.) R. & S.; KERN, Fl. Males. I 7³ (1974) 527.
- 684 **Fimbristylis acuminata** VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 89; RIDLEY, Fl. Mal. Pen. 5 (1925) 153; HENDERSON, Mal. Wild Fl. Monoc. (1954) 261; KERN, Fl. Males. I 7³ (1974) 588; — *F. setacea* (non BENTH.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 89; RIDLEY, Fl. Mal. Pen. 5 (1925) 153.
- 685 **Fimbristylis complanata** (RETZ.) LINK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 96; RIDLEY, Fl. Mal. Pen. 5 (1925) 158; KERN, Fl. Males. I 7³ (1974) 548.
- 686 **Fimbristylis cymosa** R.Br.; KERN, Fl. Males. I 7³ (1974) 557; — *F. spathacea* ROTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 93; RIDLEY, Fl. Mal. Pen. 5 (1925) 156; HENDERSON, Mal. Wild Fl. Monoc. (1954) 263.
- 687 **Fimbristylis dichotoma** (L.) VAHL; KERN, Fl. Males. I 7³ (1974) 575; — *F. diphylla* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 91; RIDLEY, Fl. Mal. Pen. 5 (1925) 155; HENDERSON, Mal. Wild Fl. Monoc. (1954) 264.
- 688 **Fimbristylis dura** (ZOLL. & MOR.) MERR.; KERN, Fl. Males. I 7³ (1974) 554; — *F. asperrima* BOECK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 96; RIDLEY, Fl. Mal. Pen. 5 (1925) 158.
- 689 **Fimbristylis ferruginea** (L.) VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 92; RIDLEY, Fl. Mal. Pen. 5 (1925) 156; HENDERSON, Mal. Wild Fl. Monoc. (1954) 263; KERN, Fl. Males. I 7³ (1974) 572.
- 690 **Fimbristylis fusca** (NEES) CLARKE; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 97; RIDLEY, Fl. Mal. Pen. 5 (1925) 160; KERN, Fl. Males. I 7³ (1974) 567.
- 691 **Fimbristylis globulosa** (RETZ.) KUNTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 95; RIDLEY, Fl. Mal. Pen. 5 (1925) 158; HENDERSON, Mal. Wild Fl. Monoc. (1954) 263; KERN, Fl. Males. I 7³ (1974) 551.
- 692 **Fimbristylis griffithii** BOECK.; KERN, Fl. Males. I 7³ (1974) 584; — *F. aestivalis* (non VAHL) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 92; RIDLEY, Fl. Mal. Pen. 5 (1925) 155.

- 693 **Fimbristylis leptoclada** BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 96; RIDLEY, Fl. Mal. Pen. 5 (1925) 159; KERN, Fl. Males. I 7³ (1974) 560.
- 694 **Fimbristylis littoralis** GAUDICH.; KERN, Fl. Males. I 7³ (1974) 551; — *F. miliacea* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 95; RIDLEY, Fl. Mal. Pen. 5 (1925) 158; HENDERSON, Mal. Wild Fl. Monoc. (1954) 263.
- 695 **Fimbristylis nutans** (RETZ.) VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 89; RIDLEY, Fl. Mal. Pen. 5 (1925) 154; KERN, Fl. Males. I 7³ (1974) 589.
- 696 **Fimbristylis obtusata** (CLARKE) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 157; KERN, Fl. Males. I 7³ (1974) 559; — *F. tenera* R. & S. var. *obtusata* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 94.
- 697 **Fimbristylis ovata** (BURM. f.) KERN; KERN, Fl. Males. I 7³ (1974) 565.
- 698 **Fimbristylis pauciflora** R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 90; RIDLEY, Fl. Mal. Pen. 5 (1925) 154; HENDERSON, Mal. Wild Fl. Monoc. (1954) 261; KERN, Fl. Males. I 7³ (1974) 564.
- 699 **Fimbristylis polytrichoides** (RETZ.) R. BR.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 90; RIDLEY, Fl. Mal. Pen. 5 (1925) 154; KERN, Fl. Males. I 7³ (1974) 586.
- 700 **Fimbristylis schoenoides** (RETZ.) VAHL; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 90; RIDLEY, Fl. Mal. Pen. 5 (1925) 154; HENDERSON, Mal. Wild Fl. Monoc. (1954) 263; KERN, Fl. Males. I 7³ (1974) 573.
- 701 **Fimbristylis tetragona** R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 181; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 88; RIDLEY, Fl. Mal. Pen. 5 (1925) 153; KERN, Fl. Males. I 7³ (1974) 590.
- 702 **Fimbristylis tristachya** R. BR.; KERN, Fl. Males. I 7³ (1974) 573.
- 703 **Fuirena umbellata** ROTTB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 80; RIDLEY, Fl. Mal. Pen. 5 (1925) 162; HENDERSON, Mal. Wild Fl. Monoc. (1954) 257; KERN, Fl. Males. I 7³ (1974) 518.
- 704 **Gahnia tristis** NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 98; RIDLEY, Fl. Mal. Pen. 5 (1925) 168; HENDERSON, Mal. Wild Fl. Monoc. (1954) 285; KERN, Fl. Males. I 7³ (1974) 710.
- 705a **Hypolytrum nemorum** (VAHL) SPRENG. var. **nemorum**; KERN, Fl. Males. I 7³ (1974) 491; — *H. latifolium* L.C. RICH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 100; RIDLEY, Fl. Mal. Pen. 5 (1925) 170, HENDERSON, Mal. Wild Fl. Monoc. (1954) 253.
- 705b **Hypolytrum nemorum** var. **proliferum** (BOECK.) KERN; KERN, Fl. Males. I 7³ (1974) 492; — *H. proliferum* BOECK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 101; RIDLEY, Fl. Mal. Pen. 5 (1925) 170, HENDERSON, Mal. Wild Fl. Monoc. (1954) 254.

- 706 **Lepironia articulata** (RETZ.) DOMIN; HENDERSON, Mal. Wild Fl. Monoc. (1954) 249; KERN, Fl. Males. I 7³ (1974) 462; — *L. mucronata* L.C. RICH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 107; RIDLEY, Fl. Mal. Pen. 5 (1925) 175.
- 707 **Lipocarpha chinensis** (OSB.) KERN; KERN, Fl. Males. I 7³ (1974) 521; — *L. argentea* R.BR. ex NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 81; RIDLEY, Fl. Mal. Pen. 5 (1925) 163, HENDERSON, Mal. Wild Fl. Monoc. (1954) 256.
- 708 **Lipocarpha microcephala** (R. BR.) KUNTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 82; RIDLEY, Fl. Mal. Pen. 5 (1925) 163; HENDERSON, Mal. Wild Fl. Monoc. (1954) 257; KERN, Fl. Males. I 7³ (1974) 522.
- 709 **Machaerina rubiginosa** (SPRENG.) KOYAMA; KERN, Fl. Males. I 7³ (1974) 700; — *Cladium glomeratum* R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 85; RIDLEY, Fl. Mal. Pen. 5 (1925) 166.
- 710 **Mapania cuspidata** (MIQ.) UTTIEN; KERN, Fl. Males. I 7³ (1974) 473; — *M. humilis* F.-VILL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 105; RIDLEY, Fl. Mal. Pen. 5 (1925) 174 (*incl. var. petiolaris*), — *M. triquetra* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 06; RIDLEY, Fl. Mal. Pen. 5 (1925) 174.
- 711 **Mapania enodis** (MIQ.) CLARKE; KERN, Fl. Males. I 7³ (1974) 480; — *M. longa* (RIDL.) ex CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 105; RIDLEY, Fl. Mal. Pen. 5 (1925) 173.
- 712 **Mapania kurzii** CLARKE; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 104; RIDLEY, Fl. Mal. Pen. 5 (1925) 172; KERN, Fl. Males. I 7³ (1974) 478; — *M. multispicata* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; — *M. valida* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 104; RIDLEY, Fl. Mal. Pen. 5 (1925) 172.
- 713 **Mapania longiflora** CLARKE; KERN, Fl. Males. I 7³ (1974) 475.
- 714 **Mapania lorea** UTTIEN; KERN, Fl. Males. I 7³ (1974) 480; — *M. tenuiscapa* (*non* CLARKE) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 105; RIDLEY, Fl. Mal. Pen. 5 (1925) 173.
- 715 **Mapania palustris** (HASSK. ex STEUD.) F.-VILL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 103; RIDLEY, Fl. Mal. Pen. 5 (1925) 172; HENDERSON, Mal. Wild Fl. Monoc. (1954) 250; KERN, Fl. Males. I 7³ (1974) 477.
- 716 **Mapania squamata** (KURZ) CLARKE; KERN, Fl. Males. I 7³ (1974) 479.
- 717 **Mapania wallichii** CLARKE; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 105; RIDLEY, Fl. Mal. Pen. 5 (1925) 173; KERN, Fl. Males. I 7³ (1974) 479.

- 718 **Rhynchospora corymbosa** (L.) BRITT.; KERN, Fl. Males. I 7³ (1974) 713; — *R. aurea* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 83; RIDLEY, Fl. Mal. Pen. 5 (1925) 164; HENDERSON, Mal. Wild Fl. Monoc. (1954) 282.
- 719 **Rhynchospora malasica** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 83; RIDLEY, Fl. Mal. Pen. 5 (1925) 164; HENDERSON, Mal. Wild Fl. Monoc. (1954) 281; KERN, Fl. Males. I 7³ (1974) 715.
- 720 **Rhynchospora rubra** (LOUR.) MAKINO; KERN, Fl. Males. I 7³ (1974) 715; — *R. wallichiana* KUNTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 82; RIDLEY, Fl. Mal. Pen. 5 (1925) 164; HENDERSON, Mal. Wild Fl. Monoc. (1954) 281.
- 721 **Rhynchospora rugosa** (VAHL) GALE; KERN, Fl. Males. I 7³ (1974) 720; — *R. glauca* VAHL nom. illegit. var. *chinensis* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 84; RIDLEY, Fl. Mal. Pen. 5 (1925) 165; — *R. glauca*; HENDERSON, Mal. Wild Fl. Monoc. (1954) 283.
- 722 **Schoenus calostachyus** (R. Br.) POIR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 85; RIDLEY, Fl. Mal. Pen. 5 (1925) 166; KERN, Fl. Males. I 7³ (1974) 675.
- 723 **Scirpodendron ghaeri** (GAERTN.) MERR.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 248; KERN, Fl. Males. I 7³ (1974) 456; — *S. costatum* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 106; RIDLEY, Fl. Mal. Pen. 5 (1925) 175.
- 724 **Scirpus grossus** L. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Fl. Mal. Pen. 5 (1925) 162; HENDERSON, Mal. Wild Fl. Monoc. (1954) 254; KERN, Fl. Males. I 7³ (1974) 498.
- 725 **Scirpus mucronatus** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 182; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 79; RIDLEY, Fl. Mal. Pen. 5 (1925) 161; HENDERSON, Mal. Wild Fl. Monoc. (1954) 255; KERN, Fl. Males. I 7³ (1974) 510.
- 726 **Scirpus squarrosus** L.; KERN, Fl. Males. I 7³ (1974) 516.
- 727 **Scleria biflora** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 114; RIDLEY, Fl. Mal. Pen. 5 (1925) 180; KERN, Fl. Males. I 7³ (1974) 743.
- 728 **Scleria caricina** (R. Br.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 111; RIDLEY, Fl. Mal. Pen. 5 (1925) 178; KERN, Fl. Males. I 7³ (1974) 749.
- 729 **Scleria ciliaris** NEES; KERN, Fl. Males. I 7³ (1974) 734; — *S. bancana* Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 112; RIDLEY, Fl. Mal. Pen. 5 (1925) 178; HENDERSON, Mal. Wild Fl. Monoc. (1954) 289.

- 730 **Scleria corymbosa** ROXB.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 109; RIDLEY, Fl. Mal. Pen. 5 (1925) 176; KERN, Fl. Males. I 7³ (1974) 740; — *S. ridleyi* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 109; RIDLEY, Fl. Mal. Pen. 5 (1925) 177.
- 731 **Scleria levis** RETZ.; KERN, Fl. Males. I 7³ (1974) 732; — *S. hebecarpa* NEES; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 113; RIDLEY, Fl. Mal. Pen. 5 (1925) 179.
- 732 **Scleria oblata** S.T. BLAKE; KERN, Fl. Males. I 7³ (1974) 733; — *S. levis* (non RETZ.) WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 111; RIDLEY, Fl. Mal. Pen. 5 (1925) 177; HENDERSON, Mal. Wild Fl. Monoc. (1954) 289 ("laevis").
- 733 **Scleria poaeformis** RETZ.; KERN, Fl. Males. I 7³ (1974) 736; — *S. oryzoides* PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 110; RIDLEY, Fl. Mal. Pen. 5 (1925) 177.
- 734 **Scleria purpurascens** STEUD.; KERN, Fl. Males. I 7³ (1974) 739; — *S. multifoliata* BOECK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 112; RIDLEY, Fl. Mal. Pen. 5 (1925) 178.
- 735 **Scleria rugosa** R. BR.; KERN, Fl. Males. I 7³ (1974) 749; — *S. zeylanica* (non POIR.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 110; RIDLEY, Fl. Mal. Pen. 5 (1925) 177; — *S. lateriflora* BOECK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184.
- 736 **Scleria sumatrensis** RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 13; RIDLEY, Fl. Mal. Pen. 5 (1925) 179; HENDERSON, Mal. Wild Fl. Monoc. (1954) 289; KERN, Fl. Males. I 7³ (1974) 736.
- 737 **Scleria terrestris** (L.) FASS.; KERN, Fl. Males. I 7³ (1974) 733; — *S. radula* HANCE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 111; RIDLEY, Fl. Mal. Pen. 5 (1925) 178.
- 738 **Thoracostachyum bancanum** (Miq.) KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 183; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 02; RIDLEY, Fl. Mal. Pen. 5 (1925) 171; HENDERSON, Mal. Wild Fl. Monoc. (1954) 251; KERN, Fl. Males. I 7³ (1974) 465.

DAPHNIPHYLACEAE

- 739 **Daphniphyllum laurinum** (BENTH.) BAILL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 234; WHITMORE, Tree Fl. Malaya 1 (1972) 181; KENG, Conc. Fl. Sing. (1990) 114.

DICHAPETALACEAE

- 740 **Dichapetalum sordidum** (RIDL.) LEENH.; LEENHOUTS, Fl. Males. I 5³ (1957) 309; KENG, Conc. Fl. Sing. (1990) 26; — *Chailletia deflexifolia* TURCZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; — *Chailletia sordida* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 418.

DILLENIACEAE

- 741 **Dillenia excelsa** (JACK) GILG; HOOGLAND, Fl. Males. I 4³ (1951) 169; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 186; CORNER, Ways. Trees, 3rd ed. (1988) 228; KENG, Conc. Fl. Sing. (1990) 45; — *Wormia tomentella* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37; RIDLEY, Fl. Mal. Pen. 1 (1922) 10; — *Wormia excelsa* JACK; CORNER, Ways. Trees 1st ed. (1940) 206.
- 742 **Dillenia grandifolia** WALL. ex HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 11; CORNER, Ways. Trees 1st ed. (1940) 203; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 188; CORNER, Ways. Trees, 3rd ed. (1988) 229; KENG, Conc. Fl. Sing. (1990) 45; — *Wormia scortechinii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37; — *D. scortechinii* (KING) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 12.
- 743 **Dillenia indica** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 38; RIDLEY, Fl. Mal. Pen. 1 (1922) 10; BURKILL, Dict. (1935) 809; CORNER, Ways. Trees 1st ed. (1940) 208; HOOGLAND, Fl. Males. I 4³ (1951) 171; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 188; CORNER, Ways. Trees, 3rd ed. (1988) 229; KENG, Conc. Fl. Sing. (1990) 46.
- 744 **Dillenia pulchella** (JACK) GILG; HOOGLAND, Fl. Males. I 4³ (1951) 171; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 191; CORNER, Ways. Trees, 3rd ed. (1988) 231; KENG, Conc. Fl. Sing. (1990) 46; — *Wormia pulchella* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37; RIDLEY, Fl. Mal. Pen. 1 (1922) 9; BURKILL, Dict. (1935) 2265; CORNER, Ways. Trees 1st ed. (1940) 206.
- 745 **Dillenia reticulata** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 11; BURKILL, Dict. (1935) 810; HOOGLAND, Fl. Males. I 4³ (1951) 168; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 191; CORNER, Ways. Trees, 3rd ed. (1988) 231; KENG, Conc. Fl. Sing. (1990) 46.
- 746 **Dillenia suffruticosa** (GRIFF.) MART.; HOOGLAND, Fl. Males. I 4³ (1951) 162; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 192; CORNER, Ways. Trees, 3rd ed. (1988) 232; KENG, Conc. Fl. Sing. (1990) 46; — *Wormia suffruticosa* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37; RIDLEY, Fl. Mal. Pen. 1 (1922) 8; BURKILL, Dict. (1935) 2265; CORNER, Ways. Trees 1st ed. (1940) 207; — *Wormia subsessilis* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 7.
- 747 **Tetracera akara** (BURM. f.) MERR.; HOOGLAND, Fl. Males. I 4³ (1951) 146; KENG, Conc. Fl. Sing. (1990) 46; — *T. sylvestris* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 5; — *T. assa* var., RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37.
- 748 **Tetracera arborescens** JACK; HOOGLAND, Fl. Males. I 4³ (1951) 148; KENG, Conc. Fl. Sing. (1990) 46; — *T. euryandra* (non VAHL) HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37; — *T. lucida* WALL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 5.
- 749 **Tetracera fagifolia** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37; RIDLEY, Fl. Mal. Pen. 1 (1922) 6; HOOGLAND, Fl. Males. I 4³ (1951) 148; KENG, Conc. Fl. Sing. (1990) 46; — *T. sumatrana* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 6.

- 750 **Tetracera indica** (CHRSTM. & PANZ.) MERR.; HENDERSON, Mal. Wild Fl. Dic. (1959) 20; HOOGLAND, Fl. Males. I 4³ (1951) 146; KENG, Conc. Fl. Sing. (1990) 46; — *T. assa* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37; RIDLEY, Fl. Mal. Pen. 1 (1922) 5.
- 751 **Tetracera macrophylla** WALL. ex HOOK.f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 37; RIDLEY, Fl. Mal. Pen. 1 (1922) 4; HOOGLAND, Fl. Males. I 4³ (1951) 147; KENG, Conc. Fl. Sing. (1990) 46.

DIOSCOREACEAE

- 752 **Dioscorea bulbifera** L.; RIDLEY, Fl. Mal. Pen. 4 (1924) 315; BURKILL, Fl. Males. I 4³ (1951) 311; KENG, Gard. Bull. Sing. 40 (1987) 121; — *D. sativa* (*non* L.) THUNB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 84.
- 753 **Dioscorea glabra** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 83; RIDLEY, Fl. Mal. Pen. 4 (1924) 319; BURKILL, Fl. Males. I 4³ (1951) 331; KENG, Gard. Bull. Sing. 40 (1987) 121.
- 754 **Dioscorea hispida** DENNSTEDT; BURKILL, Fl. Males. I 4³ (1951) 318; KENG, Gard. Bull. Sing. 40 (1987) 121; — *D. daemona* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 167; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 80; — *D. triphylla* (*non* L.) L.; RIDLEY, Fl. Mal. Pen. 4 (1924) 314.
- 755 **Dioscorea laurifolia** WALL. ex HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 167; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 83; RIDLEY, Fl. Mal. Pen. 4 (1924) 319; BURKILL, Fl. Males. I 4³ (1951) 323; KENG, Gard. Bull. Sing. 40 (1987) 122.
- 756 **Dioscorea polyclades** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 81; RIDLEY, Fl. Mal. Pen. 4 (1924) 315; BURKILL, Fl. Males. I 4³ (1951) 334; KENG, Gard. Bull. Sing. 40 (1987) 122.
- 757 **Dioscorea prainiana** R. KNUTH; BURKILL, Fl. Males. I 4³ (1951) 324; KENG, Gard. Bull. Sing. 40 (1987) 122; — *D. deflexa* (*non* GRIS.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 83; — *D. zollingeriana* (*non* KUNTH) MIQ.; RIDLEY, Fl. Mal. Pen. 4 (1924) 317, p.p.
- 758 **Dioscorea pyrifolia** KUNTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 167; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 82; RIDLEY, Fl. Mal. Pen. 4 (1924) 316; BURKILL, Fl. Males. I 4³ (1951) 332; HENDERSON, Mal. Wild Fl. Monoc. (1954) 175; KENG, Gard. Bull. Sing. 40 (1987) 122; — *D. cornifolia* (*non* KUNTH) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 81.
- A 759 **Dioscorea sansibarensis** PAX; CORLETT, J. Biogeog. (1988) 663.
- 760 **Dioscorea stenomeriflora** PRAIN & BURK.; RIDLEY, Fl. Mal. Pen. 4 (1924) 319; BURKILL, Fl. Males. I 4³ (1951) 306; KENG, Gard. Bull. Sing. 40 (1987) 122; — *Peripetasma polyanthum* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 103.

- 761 **Dioscorea tenuifolia** RIDL.; BURKILL, Fl. Males. I 4³ (1951) 326; — *D. oppositifolia* (*non* L.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 167; — *D. zollingeriana* (*non* KUNTH) MIQ.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 82; RIDLEY, Fl. Mal. Pen. 4 (1924) 317, *p.p.*

DIPTEROCARPACEAE

- 762 **Anisoptera costata** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 49 *p.p.*; RIDLEY, Fl. Mal. Pen. 1 (1922) 218, *p.p.*; SYMINGTON, Malay. Forest Rec. 16 (1943) 204; ASHTON, Fl. Males. I 9² (1982) 330; KENG, Conc. Fl. Sing. (1990) 51.
- 763 **Anisoptera laevis** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 219; SYMINGTON, Malay. Forest Rec. 16 (1943) 205; ASHTON, Fl. Males. I 9² (1982) 335; — *A. glabra* (*non* KURZ) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 49.
- 764 **Anisoptera megistocarpa** SLOOT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 49 *p.p.*; RIDLEY, Fl. Mal. Pen. 1 (1922) 218, *p.p.*; BURKILL, Dict. (1935) 164; SYMINGTON, Malay. Forest Rec. 16 (1943) 207; ASHTON, Fl. Males. I 9² (1982) 332; KENG, Conc. Fl. Sing. (1990) 51.
- 765 **Cotylelobium lanceolatum** CRAIB; ASHTON, Fl. Males. I 9² (1982) 343; — *C. flavum* (*non* PIERRE) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 239; — *C. malayanum* SLOOT.; BURKILL, Dict. (1935) 673; SYMINGTON, Malay. Forest Rec. 16 (1943) 349.
- 766 **Dipterocarpus caudatus** FOXW. *ssp. penangianus* (FOXW.) ASHTON; ASHTON, Fl. Males. I 9² (1982) 305; KENG, Conc. Fl. Sing. (1990) 51; — *D. penangianus* FOXW.; SYMINGTON, Malay. Forest Rec. 16 (1943) 185.
- 767 **Dipterocarpus cornutus** DYER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 49; RIDLEY, Fl. Mal. Pen. 1 (1922) 215; BURKILL, Dict. (1935) 842; SYMINGTON, Malay. Forest Rec. 16 (1943) 172; ASHTON, Fl. Males. I 9² (1982) 312; KENG, Conc. Fl. Sing. (1990) 51.
- 768 **Dipterocarpus grandiflorus** BLANCO; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 49; RIDLEY, Fl. Mal. Pen. 1 (1922) 216; BURKILL, Dict. (1935) 843; SYMINGTON, Malay. Forest Rec. 16 (1943) 178; ASHTON, Fl. Males. I 9² (1982) 317; KENG, Conc. Fl. Sing. (1990) 51.
- 769 **Dipterocarpus sublamellatus** FOXW.; SYMINGTON, Malay. Forest Rec. 16 (1943) 92; ASHTON, Fl. Males. I 9² (1982) 322; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 129.
- 770 **Hopea griffithii** KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; SYMINGTON, Malay. Forest Rec. 16 (1943) 127; ASHTON, Fl. Males. I 9² (1982) 406; KENG, Conc. Fl. Sing. (1990) 51; — *H. pierrei* (*non* HANCE) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 238, *p.p.*
- 771 **Hopea mengarawan** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 238; BURKILL, Dict. (1935) 1190; SYMINGTON, Malay. Forest Rec. 16 (1943) 132; ASHTON, Fl. Males. I 9² (1982) 400; KENG, Conc. Fl. Sing. (1990) 51.

- 772 **Hopea sangal** KORTH.; SYMINGTON, Malay. Forest Rec. 16 (1943) 141; ASHTON, Fl. Males. I 9² (1982) 420; — *H. curtisii* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 212; — *H. globosa* BRANDIS; RIDLEY, Fl. Mal. Pen. 1 (1922) 236; — *H. lowii* DYER ex BRANDIS; RIDLEY, Fl. Mal. Pen. 1 (1922) 237.
- 773 **Neobalanocarpus heimii** (KING) ASHTON; ASHTON, Fl. Males. I 9² (1982) 388; — *Balanocarpus heimii* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 247; BURKILL, Dict. (1935) 204; CORNER, Ways. Trees 1st ed. (1940) 210; SYMINGTON, Malay. Forest Rec. 16 (1943) 147; CORNER, Ways. Trees, 3rd ed. (1988) 236.
- 774 **Shorea bracteolata** DYER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 229; BURKILL, Dict. (1935) 2007; SYMINGTON, Malay. Forest Rec. 16 (1943) 34; ASHTON, Fl. Males. I 9² (1982) 496; KENG, Conc. Fl. Sing. (1990) 51.
- ? 775 **Shorea collina** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 231; SYMINGTON, Malay. Forest Rec. 16 (1943) 12; SINCLAIR, Gard. Bull. Sing. 15 (1956) 22; ASHTON, Fl. Males. I 9² (1982) 447.
- Known from one sterile collection.
- 776 **Shorea curtisii** DYER ex KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 223; BURKILL, Dict. (1935) 2009; CORNER, Ways. Trees 1st ed. (1940) 213; SYMINGTON, Malay. Forest Rec. 16 (1943) 38; ASHTON, Fl. Males. I 9² (1982) 541; CORNER, Ways. Trees, 3rd ed. (1988) 239; KENG, Conc. Fl. Sing. (1990) 51.
- 777 **Shorea gibbosa** BRANDIS; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 229; SYMINGTON, Malay. Forest Rec. 16 (1943) 51; ASHTON, Fl. Males. I 9² (1982) 482; KENG, Conc. Fl. Sing. (1990) 51.
- 778 **Shorea gratissima** DYER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 226; BURKILL, Dict. (1935) 2011; SYMINGTON, Malay. Forest Rec. 16 (1943) 36; ASHTON, Fl. Males. I 9² (1982) 487; KENG, Conc. Fl. Sing. (1990) 51.
- 779 **Shorea leprosula** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 222; SYMINGTON, Malay. Forest Rec. 16 (1943) 75; ASHTON, Fl. Males. I 9² (1982) 540; KENG, Conc. Fl. Sing. (1990) 51.
- 780 **Shorea macroptera** DYER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 225; BURKILL, Dict. (1935) 2016; SYMINGTON, Malay. Forest Rec. 16 (1943) 78; ASHTON, Fl. Males. I 9² (1982) 532; KENG, Conc. Fl. Sing. (1990) 51.
- 781 **Shorea ovalis** BL.; SYMINGTON, Malay. Forest Rec. 16 (1943) 80; ASHTON, Fl. Males. I 9² (1982) 548; KENG, Conc. Fl. Sing. (1990) 51; — *S. sericea* DYER; RIDLEY, Fl. Mal. Pen. 1 (1922) 223; BURKILL, Dict. (1935) 2022; — *S. rigida* BRANDIS; RIDLEY, Fl. Mal. Pen. 1 (1922) 223; — *S. furfuracea* (non MIQ.) BRANDIS; RIDLEY, Fl. Mal. Pen. 1 (1922) 232, p.p.
- 782 **Shorea parvifolia** DYER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 224; SYMINGTON, Malay. Forest Rec. 16 (1943) 137; ASHTON, Fl. Males. I 9² (1982) 546; KENG, Conc. Fl. Sing. (1990) 51; — *S. scutulata* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 222; BURKILL, Dict. (1935) 2022.

- 783 **Shorea pauciflora** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 228; BURKILL, Dict. (1935) 2020; SYMINGTON, Malay. Forest Rec. 16 (1943) 87; ASHTON, Fl. Males. I 9² (1982) 511; KENG, Conc. Fl. Sing. (1990) 51.
- 784 **Shorea platycarpa** HEIM; SYMINGTON, Malay. Forest Rec. 16 (1943) 88; ASHTON, Fl. Males. I 9² (1982) 541; KENG, Conc. Fl. Sing. (1990) 51; — *S. palustris* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 224; BURKILL, Dict. (1935) 2019.
- 785 **Vatica maingayi** DYER; BURKILL, Dict. (1935) 2224; SYMINGTON, Malay. Forest Rec. 16 (1943) 223; ASHTON, Fl. Males. I 9² (1982) 369; KENG, Conc. Fl. Sing. (1990) 52; — *Synaptea maingayi* (DYER) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 240, p.p.; — *Synaptea lowii* (KING) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 241, p.p.
- 786 **Vatica pauciflora** BL.; ASHTON, Fl. Males. I 9² (1982) 351; KENG, Conc. Fl. Sing. (1990) 52; — *Pachynocarpus wallichii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50, p.p.; RIDLEY, Fl. Mal. Pen. 1 (1922) 250, p.p.; — *V. ridleyana* (non BRANDIS) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50, p.p.; — *Pachynocarpus ridleyanus* (non ANDERS.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 250, p.p.; — *Pachynocarpus umbonatus* (non HOOK. f.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 249, p.p.; — *V. wallichii* DYER; BURK. 2225; SYMINGTON, Malay. Forest Rec. 16 (1943) 230.
- 787 **Vatica ridleyana** BRANDIS; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50, p.p.; BURKILL, Dict. (1935) 224; SYMINGTON, Malay. Forest Rec. 16 (1943) 227; ASHTON, Fl. Males. I 9² (1982) 352; KENG, Conc. Fl. Sing. (1990) 52; — *Pachynocarpus ridleyanus* (BRAND.) ANDERSON; RIDLEY, Fl. Mal. Pen. 1 (1922) 250, p.p.

EBENACEAE

- 788 **Diospyros apiculata** HIERN; RIDLEY, Fl. Mal. Pen. 2 (1923) 285; NG, Tree Fl. Malaya 3 (1978) 61.
- 789 **Diospyros argentea** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 289; NG, Tree Fl. Malaya 3 (1978) 63; CORNER, Ways. Trees, 3rd ed. (1988) 241; KENG, Conc. Fl. Sing. (1990) 136.
- 790 **Diospyros buxifolia** (BL.) HIERN; NG, Tree Fl. Malaya 3 (1978) 64; KENG, Conc. Fl. Sing. (1990) 136; — *D. microphylla* BEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106; RIDLEY, Fl. Mal. Pen. 2 (1923) 283.
- 791 **Diospyros clavigera** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 288; NG, Tree Fl. Malaya 3 (1978) 65; KENG, Conc. Fl. Sing. (1990) 136.
- 792 **Diospyros confusa** BAKH.; NG, Tree Fl. Malaya 3 (1978) 67.
- 793 **Diospyros coriacea** HIERN; NG, Tree Fl. Malaya 3 (1978) 67.
- 794 **Diospyros diepenhorstii** MIQ.; NG, Tree Fl. Malaya 3 (1978) 68; KENG, Conc. Fl. Sing. (1990) 136; — *D. pyrifera* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 294; — *D. sp.*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107.

- 795 **Diospyros ferrea** (WILLD.) BAKH.; NG, Tree Fl. Malaya 3 (1978) 71; CORNER, Ways. Trees, 3rd ed. (1988) 242; KENG, Conc. Fl. Sing. (1990) 136; — *Maba buxifolia* PERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106; RIDLEY, Fl. Mal. Pen. 2 (1923) 281.
- 796 **Diospyros lanceifolia** ROXB.; NG, Tree Fl. Malaya 3 (1978) 76; CORNER, Ways. Trees, 3rd ed. (1988) 242; KENG, Conc. Fl. Sing. (1990) 136; — *D. lucida* WALL. ex A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 286; — *D. clavigera* var. *pachyphylla* (Cl.) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 288.
- 797 **Diospyros latisepala** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 294; NG, Tree Fl. Malaya 3 (1978) 76.
- 798 **Diospyros maingayi** (HIERN) BAKH.; NG, Tree Fl. Malaya 3 (1978) 77; KENG, Conc. Fl. Sing. (1990) 136; — *D. bilocularis* OLIV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 288.
- 799 **Diospyros pilosanthera** BLANCO var. *oblonga* (WALL. ex G. DON) NG; NG, Tree Fl. Malaya 3 (1978) 81; KENG, Conc. Fl. Sing. (1990) 136; — *D. oblonga* WALL. ex G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 291; CORNER, Ways. Trees, 3rd ed. (1988) 243.
- 800 **Diospyros siamang** BAKH.; NG, Tree Fl. Malaya 3 (1978) 86.
- 801 **Diospyros styraciformis** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 288; NG, Tree Fl. Malaya 3 (1978) 87; KENG, Conc. Fl. Sing. (1990) 136.
- 802 **Diospyros sumatrana** MIQ.; NG, Tree Fl. Malaya 3 (1978) 87; — *D. flavigans* (WALL.) HIERN; RIDLEY, Fl. Mal. Pen. 2 (1923) 285; — *D. graciliflora* (non HIERN) K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 284; — *D. dumosa* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 285; — *D. tubicalyx* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 285; — *D. hendersoni* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 320.
- 803 **Diospyros venosa** WALL. ex A. DC.; NG, Tree Fl. Malaya 3 (1978) 93; KENG, Conc. Fl. Sing. (1990) 136; — *Maba venosa* (WALL. ex G. DON) K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 279; — *Maba merguensis* HIERN; RIDLEY, Fl. Mal. Pen. 2 (1923) 280.

ELAEOCARPACEAE

- 804 **Elaeocarpus acmosepalus** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 314; MAXWELL, Gard. Bull. Sing. 36 (1983) 229; NG, Tree Fl. Malaya 4 (1989) 86; KENG, Conc. Fl. Sing. (1990) 87.
- 805 **Elaeocarpus ferrugineus** (JACK) STEUD.; CORNER, Ways. Trees, 3rd ed. (1988) 247; NG, Tree Fl. Malaya 4 (1989) 87; KENG, Conc. Fl. Sing. (1990) 87; — *E. jackianus* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 318.
- 806 **Elaeocarpus floribundus** BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 313; CORNER, Ways. Trees, 3rd ed. (1988) 248; NG, Tree Fl. Malaya 4 (1989) 88; KENG, Conc. Fl. Sing. (1990) 87.

- 807 **Elaeocarpus griffithii** (WIGHT) A. GRAY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 316; CORNER, Ways. Trees, 3rd ed. (1988) 248; NG, Tree Fl. Malaya 4 (1989) 89; KENG, Conc. Fl. Sing. (1990) 87; — *E. paniculatus* WALL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 315; CORNER, Ways. Trees, 3rd ed. (1988) 249.
- 808 **Elaeocarpus macrocerus** (TURCZ.) MERR.; CORNER, Ways. Trees, 3rd ed. (1988) 248; NG, Tree Fl. Malaya 4 (1989) 90; KENG, Conc. Fl. Sing. (1990) 87; — *E. obtusus* (*non* BL.) KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 317.
- 809 **Elaeocarpus mastersii** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 319; CORNER, Ways. Trees, 3rd ed. (1988) 248; NG, Tree Fl. Malaya 4 (1989) 90; KENG, Conc. Fl. Sing. (1990) 87.
- 810a **Elaeocarpus nitidus** JACK var. *nitidus*; NG, Tree Fl. Malaya 4 (1989) 91; — *E. parvifolius* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 310; — *E. nitidus*; RIDLEY, Fl. Mal. Pen. 1 (1922) 314; CORNER, Ways. Trees, 3rd ed. (1988) 249; KENG, Conc. Fl. Sing. (1990) 87.
- 810b **Elaeocarpus nitidus** var. *salicifolius* (KING) NG; NG, Tree Fl. Malaya 4 (1989) 91; — *E. salicifolius* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 313; CORNER, Ways. Trees, 3rd ed. (1988) 250; KENG, Conc. Fl. Sing. (1990) 88.
- 811 **Elaeocarpus palembanicus** (MIQ.) CORNER; CORNER, Ways. Trees, 3rd ed. (1988) 249; NG, Tree Fl. Malaya 4 (1989) 91; — *E. hullettii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 316; KENG, Conc. Fl. Sing. (1990) 87; — *E. leptomischus* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 320.
- 812 **Elaeocarpus pedunculatus** WALL. ex MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 316; CORNER, Ways. Trees, 3rd ed. (1988) 249; NG, Tree Fl. Malaya 4 (1989) 92; KENG, Conc. Fl. Sing. (1990) 88.
- 813 **Elaeocarpus petiolatus** (JACK) WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 315; CORNER, Ways. Trees, 3rd ed. (1988) 249; NG, Tree Fl. Malaya 4 (1989) 92; KENG, Conc. Fl. Sing. (1990) 88.
- 814 **Elaeocarpus polystachyus** WALL. ex C. MUELL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 319; CORNER, Ways. Trees, 3rd ed. (1988) 250; NG, Tree Fl. Malaya 4 (1989) 92; KENG, Conc. Fl. Sing. (1990) 88.
- 815 **Elaeocarpus rugosus** ROXB.; RIDLEY, Fl. Mal. Pen. 1 (1922) 318 (*incl. var. singaporense* RIDL.); NG, Tree Fl. Malaya 4 (1989) 94; KENG, Conc. Fl. Sing. (1990) 88; — *E. kunstleri* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 317.
- 816 **Elaeocarpus stipularis** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 311; CORNER, Ways. Trees, 3rd ed. (1988) 251; NG, Tree Fl. Malaya 4 (1989) 95; KENG, Conc. Fl. Sing. (1990) 88.
- A 817 **Muntingia calabura** L.; CORNER, Ways. Trees, 3rd ed. (1988) 251; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 88.

- 818 **Sloanea javanica** (Miq.) Szysz. ex K. Schum.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 308; NG, Tree Fl. Malaya 4 (1989) 97; KENG, Conc. Fl. Sing. (1990) 88; — *Echinocarpus* sp.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54.

EPACRIDACEAE

- 819 **Styphelia malayana** (JACK) SPR.; SLEUMER, Fl. Males. I 6³ (1964) 426; WHITMORE, Tree Fl. Malaya 2 (1973) 32; CORNER, Ways. Trees, 3rd ed. (1988) 252; KENG, Conc. Fl. Sing. (1990) 133; — *Leucopogon malayanus* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103; RIDLEY, Fl. Mal. Pen. 2 (1923) 223; BURKILL, Dict. (1935) 1340; CORNER, Ways. Trees 1st ed. (1940) 218; HENDERSON, Mal. Wild Fl. Dic. (1959) 265.

ERICACEAE

- 820 **Rhododendron longiflorum** LINDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 219; HENDERSON, Mal. Wild Fl. Dic. (1959) 262; SLEUMER, Fl. Males. I 6⁴ (1966) 640; NG, Tree Fl. Malaya 3 (1978) 104; KENG, Conc. Fl. Sing. (1990) 133; — *R. lampongum* (non Miq.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103; — *R. javanicum* (Bl.) BENN. var. *tubiflorum* HOOK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103.
- 821 **Vaccinium acuminatissimum** Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103; RIDLEY, Fl. Mal. Pen. 2 (1923) 210; SLEUMER, Fl. Males. I 6⁴ (1966) 761; NG, Tree Fl. Malaya 3 (1978) 105.
- 822 **Vaccinium bracteatum** THUNB.; SLEUMER, Fl. Males. I 6⁴ (1966) 801; NG, Tree Fl. Malaya 3 (1978) 105; CORNER, Ways. Trees, 3rd ed. (1988) 254; — *V. malaccense* WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103; RIDLEY, Fl. Mal. Pen. 2 (1923) 211; BURKILL, Dict. (1935) 2217; CORNER, Ways. Trees 1st ed. (1940) 219; HENDERSON, Mal. Wild Fl. Dic. (1959) 259.
- 823 **Vaccinium littoreum** Miq.; SLEUMER, Fl. Males. I 6⁴ (1966) 854; NG, Tree Fl. Malaya 3 (1978) 107; — *V. bancanum* (non Miq.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103; — *V. hasseltii* Miq.; RIDLEY, Fl. Mal. Pen. 2 (1923) 209; BURKILL, Dict. (1935) 2217.

ERIOCAULACEAE

- 824 **Eriocaulon longifolium** NEES; KENG, Gard. Bull. Sing. 40 (1987) 126; — *E. sexangulare* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 54; RIDLEY, Fl. Mal. Pen. 5 (1925) 133; HENDERSON, Mal. Wild Fl. Monoc. (1954) 212.
- 825 **Eriocaulon truncatum** BUCH.-HAM. ex MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 54; RIDLEY, Fl. Mal. Pen. 5 (1925) 135; HENDERSON, Mal. Wild Fl. Monoc. (1954) 212; KENG, Gard. Bull. Sing. 40 (1987) 126.

ERYTHROXYLACEAE

- 826 **Erythroxylum cuneatum** (MIQ.) KURZ; BURKILL, Dict. (1935) 950; CORNER, Ways. Trees 1st ed. (1940) 220; PAYENS, Fl. Males. I 5⁴ (1958) 548; COCKBURN, Tree Fl. Malaya 1 (1972) 194; CORNER, Ways. Trees, 3rd ed. (1988) 255; KENG, Conc. Fl. Sing. (1990) 94; — *E. burmanicum* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 324.

EUPHORBIACEAE

- 827 **Acalypha boehmerioides** MIQ.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 35.
- 828 **Acalypha indica** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140; RIDLEY, Fl. Mal. Pen. 3 (1924) 274; WHITMORE, Tree Fl. Malaya 2 (1973) 51; KENG, Conc. Fl. Sing. (1990) 105.
- 829 **Actephila excelsa** (DALZ.) M.A. var. **javanica** (MIQ.) P. & H.; WHITMORE, Tree Fl. Malaya 2 (1973) 52; KENG, Conc. Fl. Sing. (1990) 106; — *A. excelsa*; RIDLEY, Fl. Mal. Pen. 3 (1924) 196; — *A. javanica* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; RIDLEY, Fl. Mal. Pen. 3 (1924) 196.
- 830 **Agrostistachys gaudichaudii** M.A.; RIDLEY, Fl. Mal. Pen. 3 (1924) 268; WHITMORE, Tree Fl. Malaya 2 (1973) 57; — *A. filipendula* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140.
- 831 **Agrostistachys longifolia** (WIGHT) BENTH. ex HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140 (var. *malayana* HOOK. f.); WHITMORE, Tree Fl. Malaya 2 (1973) 53; CORNER, Ways. Trees, 3rd ed. (1988) 264; KENG, Conc. Fl. Sing. (1990) 106; — *A. borneensis* BECC.; RIDLEY, Fl. Mal. Pen. 3 (1924) 268; — *A. sessilifolia* (KURZ) P. & H.; RIDLEY, Fl. Mal. Pen. 3 (1924) 267; CORNER, Ways. Trees 1st ed. (1940) 229; CORNER, Ways. Trees, 3rd ed. (1988) 264.
- 832 **Alchornea rugosa** (LOUR.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 141; WHITMORE, Tree Fl. Malaya 2 (1973) 53; KENG, Conc. Fl. Sing. (1990) 106; — *A. javensis* (ENDL. ex HASSK.) M.A.; RIDLEY, Fl. Mal. Pen. 3 (1924) 278.
- 833 **Alchornea villosa** (BENTH.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 141; RIDLEY, Fl. Mal. Pen. 3 (1924) 277; WHITMORE, Tree Fl. Malaya 2 (1973) 54; CORNER, Ways. Trees, 3rd ed. (1988) 265; KENG, Conc. Fl. Sing. (1990) 106.
- 834 **Antidesma coriaceum** TUL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 233; WHITMORE, Tree Fl. Malaya 2 (1973) 57; KENG, Conc. Fl. Sing. (1990) 106; — *A. fallax* M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 138; — *Embelia lucida* WALL. ex A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104.
- 835 **Antidesma cuspidatum** M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 138; RIDLEY, Fl. Mal. Pen. 3 (1924) 232; WHITMORE, Tree Fl. Malaya 2 (1973) 58; KENG, Conc. Fl. Sing. (1990) 106.
- 836 **Antidesma neurocarpum** MIQ.; WHITMORE, Tree Fl. Malaya 2 (1973) 57; CORNER, Ways. Trees, 3rd ed. (1988) 269; KENG, Conc. Fl. Sing. (1990) 106; — *A. alatum* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 138; RIDLEY, Fl. Mal. Pen. 3 (1924) 227; CORNER, Ways. Trees 1st ed. (1940) 232.

- 837 **Antidesma velutinosum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 231; WHITMORE, Tree Fl. Malaya 2 (1973) 55; CORNER, Ways. Trees, 3rd ed. (1988) 270; KENG, Conc. Fl. Sing. (1990) 106.
- 838 **Aporusa benthamiana** HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 236; WHITMORE, Tree Fl. Malaya 2 (1973) 59; CORNER, Ways. Trees, 3rd ed. (1988) 271; KENG, Conc. Fl. Sing. (1990) 106.
- 839 **Aporusa bracteosa** P. & H.; RIDLEY, Fl. Mal. Pen. 3 (1924) 237; WHITMORE, Tree Fl. Malaya 2 (1973) 60; KENG, Conc. Fl. Sing. (1990) 106.
- 840 **Aporusa confusa** GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 238; WHITMORE, Tree Fl. Malaya 2 (1973) 59; KENG, Conc. Fl. Sing. (1990) 106.
- 841 **Aporusa falcifera** HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 236; WHITMORE, Tree Fl. Malaya 2 (1973) 60; KENG, Conc. Fl. Sing. (1990) 106.
- 842 **Aporusa frutescens** BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 241; WHITMORE, Tree Fl. Malaya 2 (1973) 59; CORNER, Ways. Trees, 3rd ed. (1988) 272; KENG, Conc. Fl. Sing. (1990) 106; — *A. fruticosa* (BL.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137.
- 843 **Aporusa lunata** (MIQ.) KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 237; WHITMORE, Tree Fl. Malaya 2 (1973) 59; KENG, Conc. Fl. Sing. (1990) 106.
- 844 **Aporusa microstachya** (TUL.) M.A.; WHITMORE, Tree Fl. Malaya 2 (1973) 61; CORNER, Ways. Trees, 3rd ed. (1988) 273; KENG, Conc. Fl. Sing. (1990) 107; — *A. maingayi* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 241; CORNER, Ways. Trees 1st ed. (1940) 237.
- 845 **Aporusa nervosa** HOOK.f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 238; WHITMORE, Tree Fl. Malaya 2 (1973) 61; KENG, Conc. Fl. Sing. (1990) 107.
- 846 **Aporusa nigricans** HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 239; WHITMORE, Tree Fl. Malaya 2 (1973) 61; KENG, Conc. Fl. Sing. (1990) 107.
- 847 **Aporusa prainiana** KING ex GAGE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 240; WHITMORE, Tree Fl. Malaya 2 (1973) 60; KENG, Conc. Fl. Sing. (1990) 107.
- 848 **Aporusa symplocoides** (HOOK.f.) GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 240; WHITMORE, Tree Fl. Malaya 2 (1973) 60; KENG, Conc. Fl. Sing. (1990) 107; — *Baccaurea symplocoides* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139.
- 849 **Austrobuxus nitidus** MIQ.; WHITMORE, Tree Fl. Malaya 2 (1973) 63; CORNER, Ways. Trees, 3rd ed. (1988) 273; KENG, Conc. Fl. Sing. (1990) 107; — *Choriophyllum malayanum* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; — *Longetia malayana* (BENTH.) P. & H.; RIDLEY, Fl. Mal. Pen. 3 (1924) 224; CORNER, Ways. Trees 1st ed. (1940) 260.

- 850 **Baccaurea bracteata** M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 138; RIDLEY, Fl. Mal. Pen. 3 (1924) 246; WHITMORE, Tree Fl. Malaya 2 (1973) 67; CORNER, Ways. Trees, 3rd ed. (1988) 275; KENG, Conc. Fl. Sing. (1990) 107.
- 851 **Baccaurea griffithii** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 248; WHITMORE, Tree Fl. Malaya 2 (1973) 66; KENG, Conc. Fl. Sing. (1990) 107.
- 852 **Baccaurea hookeri** GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 247; WHITMORE, Tree Fl. Malaya 2 (1973) 67; KENG, Conc. Fl. Sing. (1990) 107; — *Baccaurea sp. B*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 138.
- 853 **Baccaurea kunstleri** KING ex GAGE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 248; WHITMORE, Tree Fl. Malaya 2 (1973) 65; KENG, Conc. Fl. Sing. (1990) 107.
- 854 **Baccaurea lanceolata** (Miq.) M.A.; RIDLEY, Fl. Mal. Pen. 3 (1924) 248; WHITMORE, Tree Fl. Malaya 2 (1973) 65; CORNER, Ways. Trees, 3rd ed. (1988) 276; KENG, Conc. Fl. Sing. (1990) 107.
- 855 **Baccaurea latifolia** KING ex HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 249; WHITMORE, Tree Fl. Malaya 2 (1973) 67.
- 856 **Baccaurea macrophylla** (M.A.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 138; RIDLEY, Fl. Mal. Pen. 3 (1924) 247; WHITMORE, Tree Fl. Malaya 2 (1973) 66; KENG, Conc. Fl. Sing. (1990) 107.
- 857 **Baccaurea maingayi** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 246; WHITMORE, Tree Fl. Malaya 2 (1973) 65; KENG, Conc. Fl. Sing. (1990) 107.
- 858 **Baccaurea minor** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 245; WHITMORE, Tree Fl. Malaya 2 (1973) 66; KENG, Conc. Fl. Sing. (1990) 107.
- 859 **Baccaurea motleyana** (M.A.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 138; RIDLEY, Fl. Mal. Pen. 3 (1924) 250; WHITMORE, Tree Fl. Malaya 2 (1973) 66; CORNER, Ways. Trees, 3rd ed. (1988) 277; KENG, Conc. Fl. Sing. (1990) 107.
- 860 **Baccaurea parviflora** (M.A.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 138; RIDLEY, Fl. Mal. Pen. 3 (1924) 243; WHITMORE, Tree Fl. Malaya 2 (1973) 64; CORNER, Ways. Trees, 3rd ed. (1988) 277; KENG, Conc. Fl. Sing. (1990) 107; — *B. scorchedinii* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 244; CORNER, Ways. Trees 1st ed. (1940) 242; CORNER, Ways. Trees, 3rd ed. (1988) 278.
- 861 **Baccaurea pyriformis** GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 249; WHITMORE, Tree Fl. Malaya 2 (1973) 67; CORNER, Ways. Trees, 3rd ed. (1988) 277; KENG, Conc. Fl. Sing. (1990) 107.
- 862 **Baccaurea racemosa** (REINW.) M.A.; WHITMORE, Tree Fl. Malaya 2 (1973) 64; KENG, Conc. Fl. Sing. (1990) 107; — *B. wallichii* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 245.
- 863 **Baccaurea reticulata** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 246; WHITMORE, Tree Fl. Malaya 2 (1973) 67; CORNER, Ways. Trees, 3rd ed. (1988) 278; KENG, Conc. Fl. Sing. (1990) 107.

- 864 **Baccaurea sumatrana** (MIQ.) M.A.; WHITMORE, Tree Fl. Malaya 2 (1973) 65; KENG, Conc. Fl. Sing. (1990) 107; — *B. kingii* GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 245.
- 865 **Blumeodendron tokbrai** (BL.) KURZ; WHITMORE, Tree Fl. Malaya 2 (1973) 71; AIRY SHAW, Euphorbs of Borneo (1975) 60; KENG, Conc. Fl. Sing. (1990) 107; — *Mallotus vernicosus* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 141; — *B. vernicosum* (HOOK. f.) GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 282.
- 866 **Breynia coronata** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 218; WHITMORE, Tree Fl. Malaya 2 (1973) 73; CORNER, Ways. Trees, 3rd ed. (1988) 318; KENG, Conc. Fl. Sing. (1990) 108.
- 867 **Breynia discigera** M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 217; WHITMORE, Tree Fl. Malaya 2 (1973) 73; CORNER, Ways. Trees, 3rd ed. (1988) 318; KENG, Conc. Fl. Sing. (1990) 108.
- 868 **Breynia reclinata** (ROXB.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 219; WHITMORE, Tree Fl. Malaya 2 (1973) 73; CORNER, Ways. Trees, 3rd ed. (1988) 318; KENG, Conc. Fl. Sing. (1990) 108.
- 869 **Breynia vitis-idaea** (BURM. f.) C.E.C. FISCH.; WHITMORE, Tree Fl. Malaya 2 (1973) 73; KENG, Conc. Fl. Sing. (1990) 108; — *B. rhamnoides* (RETZ.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 218; — *B. keithii* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 219.
- 870 **Bridelia cinnamomea** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 185; WHITMORE, Tree Fl. Malaya 2 (1973) 74.
- 871 **Bridelia griffithii** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 185; WHITMORE, Tree Fl. Malaya 2 (1973) 75.
- 872 **Bridelia pustulata** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 90; RIDLEY, Fl. Mal. Pen. 3 (1924) 185; WHITMORE, Tree Fl. Malaya 2 (1973) 74; KENG, Conc. Fl. Sing. (1990) 108.
- 873 **Bridelia stipularis** (L.) BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 183; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 90; WHITMORE, Tree Fl. Malaya 2 (1973) 74; CORNER, Ways. Trees, 3rd ed. (1988) 279; KENG, Conc. Fl. Sing. (1990) 108.
- 874 **Bridelia tomentosa** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; RIDLEY, Fl. Mal. Pen. 3 (1924) 184; WHITMORE, Tree Fl. Malaya 2 (1973) 74; CORNER, Ways. Trees, 3rd ed. (1988) 280; KENG, Conc. Fl. Sing. (1990) 108.
- 875 **Cheilosa malayana** (HOOK. f.) CORNER ex AIRY SHAW; WHITMORE, Tree Fl. Malaya 2 (1973) 77; — *Baccaurea malayana* KING ex HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 247.
- 876 **Claoxylon indicum** (REINW. ex BL.) ENDL. ex HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140; RIDLEY, Fl. Mal. Pen. 3 (1924) 271; WHITMORE, Tree Fl. Malaya 2 (1973) 78; CORNER, Ways. Trees, 3rd ed. (1988) 282; KENG, Conc. Fl. Sing. (1990) 108.

- 877 ***Claoxylon longifolium*** ENDL. ex HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140 (*var. brachystachys* HOOK. f.); RIDLEY, Fl. Mal. Pen. 3 (1924) 272 (*incl. var. brachystachys* HOOK. f.); WHITMORE, Tree Fl. Malaya 2 (1973) 79; CORNER, Ways. Trees, 3rd ed. (1988) 282; KENG, Conc. Fl. Sing. (1990) 108.
- 878 ***Cleistanthus hirsutulus*** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; RIDLEY, Fl. Mal. Pen. 3 (1924) 192; WHITMORE, Tree Fl. Malaya 2 (1973) 81; KENG, Conc. Fl. Sing. (1990) 108.
- 879 ***Cleistanthus macrophyllus*** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; RIDLEY, Fl. Mal. Pen. 3 (1924) 192; WHITMORE, Tree Fl. Malaya 2 (1973) 81; KENG, Conc. Fl. Sing. (1990) 108.
- 880 ***Cleistanthus malaccensis*** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 189; WHITMORE, Tree Fl. Malaya 2 (1973) 82; KENG, Conc. Fl. Sing. (1990) 108.
- 881 ***Cleistanthus myrianthus*** (HASSK.) KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; RIDLEY, Fl. Mal. Pen. 3 (1924) 194; WHITMORE, Tree Fl. Malaya 2 (1973) 82; KENG, Conc. Fl. Sing. (1990) 108.
- 882 ***Cleistanthus sumatranaus*** (MIQ.) M.A.; RIDLEY, Fl. Mal. Pen. 3 (1924) 192; WHITMORE, Tree Fl. Malaya 2 (1973) 82; KENG, Conc. Fl. Sing. (1990) 108; — *C. laevis* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; — *C. heterophyllus* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 190.
- 883 ***Croton argyrratus*** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 260; WHITMORE, Tree Fl. Malaya 2 (1973) 85; CORNER, Ways. Trees, 3rd ed. (1988) 283; KENG, Conc. Fl. Sing. (1990) 108.
- A 884 ***Croton bonplandianus*** BAILL.; WHITMORE, Tree Fl. Malaya 2 (1973) 84; KENG, Conc. Fl. Sing. (1990) 109; — *C. sparsiflorus* MORONG; CORLETT, J. Biogeog. (1988) 661.
- 885 ***Croton caudatus*** GEISEL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140; RIDLEY, Fl. Mal. Pen. 3 (1924) 259 (*var. malaccanus*); WHITMORE, Tree Fl. Malaya 2 (1973) 85; KENG, Conc. Fl. Sing. (1990) 108.
- 886 ***Croton heterocarpus*** M.A.; WHITMORE, Tree Fl. Malaya 2 (1973) 85; CORNER, Ways. Trees, 3rd ed. (1988) 284; KENG, Conc. Fl. Sing. (1990) 108; — *C. heteropetalum* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 262.
- A 887 ***Croton hirtus*** L'HÉRIT.; WHITMORE, Tree Fl. Malaya 2 (1973) 84; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 109.
- 888 ***Croton laevifolius*** BL.; WHITMORE, Tree Fl. Malaya 2 (1973) 85; CORNER, Ways. Trees, 3rd ed. (1988) 284; KENG, Conc. Fl. Sing. (1990) 108; — *C. griffithii* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140; RIDLEY, Fl. Mal. Pen. 3 (1924) 261; — *C. confusus* GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 261.
- 889 ***Drypetes pendula*** RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 222; WHITMORE, Tree Fl. Malaya 2 (1973) 89; CORNER, Ways. Trees, 3rd ed. (1988) 285; KENG, Conc. Fl. Sing. (1990) 109; — *Cyclostemon longifolius* (*non* BL.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137.

- 890 **Endospermum diadenum** (MIQ.) AIRY SHAW; CORNER, Ways. Trees, 3rd ed. (1988) 288; KENG, Conc. Fl. Sing. (1990) 109; — *E. malaccense* BENTH. ex M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 305; WHITMORE, Tree Fl. Malaya 2 (1973) 93; — *E. ovalifolium* P. & H.; RIDLEY, Fl. Mal. Pen. 3 (1924) 305.
- 891 **Euphorbia atoto** FORST. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 181; HENDERSON, Mal. Wild Fl. Dic. (1959) 462; KENG, Conc. Fl. Sing. (1990) 109.
- A 892 **Euphorbia heterophylla** L.; RIDLEY, Fl. Mal. Pen. 3 (1924) 181; HENDERSON, Mal. Wild Fl. Dic. (1959) 462; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 109; HUFT, Man. Fl. Pl. Hawai'i 1 (1990) 619.
- A 893 **Euphorbia hirta** L.; RIDLEY, Fl. Mal. Pen. 3 (1924) 181; HENDERSON, Mal. Wild Fl. Dic. (1959) 462; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 109; — *E. pilulifera* auct. plur., non L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; — *Chamaesyce hirta* (L.) MILLSP.; HUFT, Man. Fl. Pl. Hawai'i 1 (1990) 609
- 894 **Euphorbia thymifolia** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 182; HENDERSON, Mal. Wild Fl. Dic. (1959) 461; KENG, Conc. Fl. Sing. (1990) 109; — *Chamaesyce thymifolia* (L.) MILLSP.; HUFT, Man. Fl. Pl. Hawai'i 1 (1990) 615.
- 895 **Excoecaria agallocha** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 314; WHITMORE, Tree Fl. Malaya 2 (1973) 96; KENG, Conc. Fl. Sing. (1990) 109.
- 896 **Fahrenheitia pendula** (HASSK.) AIRY SHAW; WHITMORE, Tree Fl. Malaya 2 (1973) 97; KENG, Conc. Fl. Sing. (1990) 110; — *Ostodes macrophylla* (M.A.) BENTH. ex P. & H.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140; RIDLEY, Fl. Mal. Pen. 3 (1924) 269.
- 897 **Galearia fulva** (TUL.) MIQ.; RIDLEY, Fl. Mal. Pen. 3 (1924) 257; WHITMORE, Tree Fl. Malaya 2 (1973) 98; KENG, Conc. Fl. Sing. (1990) 110; — *G. affinis* (R. BR) MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 255; — *G. phlebocarpa* (R. BR) MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 255; — *G. subulata* (M.A.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 258; — *G. wallichii* (R. BR.) KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 256; — *G. finlaysonii* (R. BR) MIQ.; RIDLEY, Fl. Mal. Pen. 3 (1924) 257; — *G. fusca* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 257; — *G. lindleyana* (TUL.) HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 255; — *G. minor* GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 256; — *G. pedicellata* (R. BR) MIQ.; RIDLEY, Fl. Mal. Pen. 3 (1924) 257; — *G. ridleyi* GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 256.
- 898 **Glochidion arborescens** BL.; WHITMORE, Tree Fl. Malaya 2 (1973) 100.

- 899 **Glochidion brunneum** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 207; WHITMORE, Tree Fl. Malaya 2 (1973) 100; CORNER, Ways. Trees, 3rd ed. (1988) 323; KENG, Conc. Fl. Sing. (1990) 110; — *G. goniocarpum* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 211; — *G. maingayi* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 210; — *G. pedunculatum* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 207.
- 900 **Glochidion fuscum** (M.A.) BOERL.; WHITMORE, Tree Fl. Malaya 2 (1973) 100.
- 901 **Glochidion glomerulatum** (MIQ.) BOERL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 209; WHITMORE, Tree Fl. Malaya 2 (1973) 100; CORNER, Ways. Trees, 3rd ed. (1988) 323; KENG, Conc. Fl. Sing. (1990) 110; — *G. nanogynum* (M.A.) HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 214.
- 902 **Glochidion hypoleucum** (MIQ.) BOERL.; WHITMORE, Tree Fl. Malaya 2 (1973) 101; KENG, Conc. Fl. Sing. (1990) 110; — *G. laevigatum* (M.A.) HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 215; — *G. lutescens*; CORNER, Ways. Trees, 3rd ed. (1988) 324.
- 903 **Glochidion kunstlerianum** GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 210; WHITMORE, Tree Fl. Malaya 2 (1973) 102.
- 904 **Glochidion littorale** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 207; WHITMORE, Tree Fl. Malaya 2 (1973) 101; CORNER, Ways. Trees, 3rd ed. (1988) 323; KENG, Conc. Fl. Sing. (1990) 110.
- 905 **Glochidion microbotrys** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 209; WHITMORE, Tree Fl. Malaya 2 (1973) 99; KENG, Conc. Fl. Sing. (1990) 110; — *G. trilobum* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 210, p.p..
- 906 **Glochidion perakense** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 213; WHITMORE, Tree Fl. Malaya 2 (1973) 101; CORNER, Ways. Trees, 3rd ed. (1988) 325; — *G. glaberrimum* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 208; — *G. zeylanicum* (GAERTN.) A. JUSS.; KENG, Conc. Fl. Sing. (1990) 110.
- 907 **Glochidion rubrum** BL.; WHITMORE, Tree Fl. Malaya 2 (1973) 101; CORNER, Ways. Trees, 3rd ed. (1988) 325; — *G. leiostylum* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 212; CORNER, Ways. Trees, 3rd ed. (1988) 323; — *G. laevigatum* var. *cuspidatum* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 215.
- 908 **Glochidion sericeum** (BL.) ZOLL. & MOR.; RIDLEY, Fl. Mal. Pen. 3 (1924) 215; WHITMORE, Tree Fl. Malaya 2 (1973) 101; AIRY SHAW, Euphorbs of Borneo (1975) 132; CORNER, Ways. Trees, 3rd ed. (1988) 326; KENG, Conc. Fl. Sing. (1990) 110.
- 909 **Glochidion singaporense** GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 209; WHITMORE, Tree Fl. Malaya 2 (1973) 101; CORNER, Ways. Trees, 3rd ed. (1988) 326; KENG, Conc. Fl. Sing. (1990) 110.
- 910 **Glochidion superbum** BAILL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 208; WHITMORE, Tree Fl. Malaya 2 (1973) 99; CORNER, Ways. Trees, 3rd ed. (1988) 326; KENG, Conc. Fl. Sing. (1990) 110.

- 911 **Glochidion wallichianum** M.A.; RIDLEY, Fl. Mal. Pen. 3 (1924) 213; WHITMORE, Tree Fl. Malaya 2 (1973) 99; CORNER, Ways. Trees, 3rd ed. (1988) 326; KENG, Conc. Fl. Sing. (1990) 110; — *G. desmocarpum* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 136; RIDLEY, Fl. Mal. Pen. 3 (1924) 214; — *G. trilobum* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 210, p.p..
- A 912 **Hevea brasiliensis** (WILLD. ex A. JUSS.) M.A.; CORNER, Ways. Trees, 3rd ed. (1988) 292; KENG, Conc. Fl. Sing. (1990) 110.
- 913 **Koilodepas longifolium** HOOK. f.; WHITMORE, Tree Fl. Malaya 2 (1973) 104; KENG, Conc. Fl. Sing. (1990) 111; — *Coelodepas glanduligerum* P. & H.; RIDLEY, Fl. Mal. Pen. 3 (1924) 275.
- 914 **Macaranga caladiifolia** BECC.; WHITMORE, Euphorbs of Borneo (1975) 150; — *M. puncticulata* GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 302; WHITMORE, Tree Fl. Malaya 2 (1973) 111; CORNER, Ways. Trees, 3rd ed. (1988) 303; KENG, Conc. Fl. Sing. (1990) 111.
- 915 **Macaranga conifera** (ZOLL.) M.A.; WHITMORE, Tree Fl. Malaya 2 (1973) 112; CORNER, Ways. Trees, 3rd ed. (1988) 300; KENG, Conc. Fl. Sing. (1990) 111; — *M. populifolia* (MIQ.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 304.
- 916 **Macaranga gigantea** (RCHB. f. & ZOLL.) M.A.; WHITMORE, Tree Fl. Malaya 2 (1973) 107; CORNER, Ways. Trees, 3rd ed. (1988) 301; KENG, Conc. Fl. Sing. (1990) 111; — *M. megalophylla* (M.A.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 141; RIDLEY, Fl. Mal. Pen. 3 (1924) 298.
- 917 **Macaranga griffithiana** M.A.; RIDLEY, Fl. Mal. Pen. 3 (1924) 299; WHITMORE, Tree Fl. Malaya 2 (1973) 107; CORNER, Ways. Trees, 3rd ed. (1988) 301; KENG, Conc. Fl. Sing. (1990) 111.
- 918 **Macaranga heynei** I.M. JOHNSTON; WHITMORE, Tree Fl. Malaya 2 (1973) 112; KENG, Conc. Fl. Sing. (1990) 111; — *M. rubiginosa* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 303; — *M. javanica* [non (BL.) M.A.] HOOK. f.; CORNER, Ways. Trees, 3rd ed. (1988) 302.
- 919 **Macaranga hosei** KING ex HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 298; WHITMORE, Tree Fl. Malaya 2 (1973) 111; CORNER, Ways. Trees, 3rd ed. (1988) 301; KENG, Conc. Fl. Sing. (1990) 111.
- 920 **Macaranga hullettii** KING ex HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 301; WHITMORE, Tree Fl. Malaya 2 (1973) 107; KENG, Conc. Fl. Sing. (1990) 111; — *M. cornuta* sensu CORNER; CORNER, Ways. Trees, 3rd ed. (1988) 300.
- 921 **Macaranga hypoleuca** (RCHB. f. & ZOLL.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 141; RIDLEY, Fl. Mal. Pen. 3 (1924) 300; WHITMORE, Tree Fl. Malaya 2 (1973) 106; CORNER, Ways. Trees, 3rd ed. (1988) 302; KENG, Conc. Fl. Sing. (1990) 111.
- 922 **Macaranga lowii** KING ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 304; WHITMORE, Tree Fl. Malaya 2 (1973) 112; KENG, Conc. Fl. Sing. (1990) 111.

- 923 **Macaranga pruinosa** (MIQ.) M.A.; WHITMORE, Tree Fl. Malaya 2 (1973) 106; CORNER, Ways. Trees, 3rd ed. (1988) 303; KENG, Conc. Fl. Sing. (1990) 111; — *M. maingayi* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 298.
- 924 **Macaranga recurvata** GAGE; RIDLEY, Fl. Mal. Pen. 3 (1924) 301; WHITMORE, Tree Fl. Malaya 2 (1973) 111; CORNER, Ways. Trees, 3rd ed. (1988) 303; KENG, Conc. Fl. Sing. (1990) 111.
- 925 **Macaranga trichocarpa** (RCHB. f. & ZOLL.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 303; WHITMORE, Tree Fl. Malaya 2 (1973) 112; CORNER, Ways. Trees, 3rd ed. (1988) 304; KENG, Conc. Fl. Sing. (1990) 111.
- 926 **Macaranga triloba** (BL.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 298; WHITMORE, Tree Fl. Malaya 2 (1973) 107; CORNER, Ways. Trees, 3rd ed. (1988) 304; KENG, Conc. Fl. Sing. (1990) 112.
- 927 **Mallotus macrostachyus** (MIQ.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 141; RIDLEY, Fl. Mal. Pen. 3 (1924) 288; WHITMORE, Tree Fl. Malaya 2 (1973) 114; CORNER, Ways. Trees, 3rd ed. (1988) 306; KENG, Conc. Fl. Sing. (1990) 112.
- 928 **Mallotus paniculatus** (LAMK.) M.A.; WHITMORE, Tree Fl. Malaya 2 (1973) 114; CORNER, Ways. Trees, 3rd ed. (1988) 307; KENG, Conc. Fl. Sing. (1990) 112; — *M. cochinchinensis* LOUR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 141; RIDLEY, Fl. Mal. Pen. 3 (1924) 289.
- 929 **Mallotus penangensis** M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 141; RIDLEY, Fl. Mal. Pen. 3 (1924) 293; WHITMORE, Tree Fl. Malaya 2 (1973) 116; KENG, Conc. Fl. Sing. (1990) 112.
- A 930 **Manihot esculenta** CRANTZ; KENG, Conc. Fl. Sing. (1990) 112.
- A 931 **Manihot glaziovii** M.A.; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 112.
- 932 **Megistostigma malaccense** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; WHITMORE, Tree Fl. Malaya 2 (1973) 83; KENG, Conc. Fl. Sing. (1990) 112; — *Sphaerostylis malaccensis* (HOOK. f.) P. & H.; RIDLEY, Fl. Mal. Pen. 3 (1924) 308.
- 933 **Micrococca mercurialis** (L.) BENTH.; RIDLEY, Fl. Mal. Pen. 3 (1924) 273; WHITMORE, Tree Fl. Malaya 2 (1973) 118; KENG, Conc. Fl. Sing. (1990) 112.
- 934 **Microdesmis caseariifolia** PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 139; RIDLEY, Fl. Mal. Pen. 3 (1924) 258; WHITMORE, Tree Fl. Malaya 2 (1973) 119; KENG, Conc. Fl. Sing. (1990) 112.
- 935 **Neoscortechinia kingii** (HOOK. f.) P. & H.; WHITMORE, Tree Fl. Malaya 2 (1973) 120; MAXWELL, Gard. Bull. Sing. 35 (1983) 192; KENG, Conc. Fl. Sing. (1990) 112; — *Scortechinia kingii* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 251.
- A 936 **Phyllanthus amarus** SCHUM. & THONN.; WHITMORE, Tree Fl. Malaya 2 (1973) 122; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 112; — *P. niruri* auct., non L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; RIDLEY, Fl. Mal. Pen. 3 (1924) 199; HENDERSON, Mal. Wild Fl. Dic. (1959) 463.

- A 937 **Phyllanthus debilis** KLEIN ex WILLD.
- 938 **Phyllanthus emblica** L.; WHITMORE, Tree Fl. Malaya 2 (1973) 123; KENG, Conc. Fl. Sing. (1990) 112; — *P. pectinatus* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; — *Emblica pectinata* (HOOK. f.) RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 217; — *Emblica officinalis* GAERTN.; BURKILL, Dict. (1935) 920; CORNER, Ways. Trees 1st ed. (1940) 282; CORNER, Ways. Trees, 3rd ed. (1988) 319.
- A 939 **Phyllanthus urinaria** L.; RIDLEY, Fl. Mal. Pen. 3 (1924) 200; HENDERSON, Mal. Wild Fl. Dic. (1959) 464; WHITMORE, Tree Fl. Malaya 2 (1973) 122; KENG, Conc. Fl. Sing. (1990) 113.
- 940 **Pimeleodendron griffithianum** (M.A.) BENTH.; RIDLEY, Fl. Mal. Pen. 3 (1924) 313; WHITMORE, Tree Fl. Malaya 2 (1973) 125; KENG, Conc. Fl. Sing. (1990) 113.
- 941 **Pterococcus corniculatus** (Sm.) P. & H.; WHITMORE, Tree Fl. Malaya 2 (1973) 84; KENG, Conc. Fl. Sing. (1990) 113; — *P. glaberrimus* HASSK.; RIDLEY, Fl. Mal. Pen. 3 (1924) 309.
- 942 **Ptychopyxis caput-medusae** (Hook. f.) RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 295; WHITMORE, Tree Fl. Malaya 2 (1973) 127; KENG, Conc. Fl. Sing. (1990) 113.
- 943 **Ptychopyxis costata** Miq. var. **ob lanceolata** AIRY SHAW; WHITMORE, Tree Fl. Malaya 2 (1973) 127; KENG, Conc. Fl. Sing. (1990) 113; — *P. costata*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 295.
- 944 **Ricinus communis** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 309; CORNER, Ways. Trees, 3rd ed. (1988) 309; KENG, Conc. Fl. Sing. (1990) 113.
- 945 **Sapium discolor** (CHAMP. ex BENTH.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 316; WHITMORE, Tree Fl. Malaya 2 (1973) 129; CORNER, Ways. Trees, 3rd ed. (1988) 311; KENG, Conc. Fl. Sing. (1990) 113.
- 946 **Sapium indicum** WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 317; WHITMORE, Tree Fl. Malaya 2 (1973) 129; CORNER, Ways. Trees, 3rd ed. (1988) 312; KENG, Conc. Fl. Sing. (1990) 113.
- 947 **Sauvagesia androgynus** (L.) MERR.; WHITMORE, Tree Fl. Malaya 2 (1973) 131; KENG, Conc. Fl. Sing. (1990) 113; — *S. albicans* Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 137; RIDLEY, Fl. Mal. Pen. 3 (1924) 220; — *S. sumatranus* Miq.; RIDLEY, Fl. Mal. Pen. 3 (1924) 220.
- 948 **Sebastiania chamaelea** (L.) M.A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 317; HENDERSON, Mal. Wild Fl. Dic. (1959) 464; WHITMORE, Tree Fl. Malaya 2 (1973) 131; KENG, Conc. Fl. Sing. (1990) 113.
- A 949 **Securinega virosa** (ROXB. ex WILLD.) BAILL.; WHITMORE, Tree Fl. Malaya 2 (1973) 131; CORNER, Ways. Trees, 3rd ed. (1988) 313; KENG, Conc. Fl. Sing. (1990) 113; — *Flueggia microcarpa* Bl.; RIDLEY, Fl. Mal. Pen. 3 (1924) 216; — *Flueggia virosa* (ROXB. ex WILLD.) BAILL.; CORNER, Ways. Trees 1st ed. (1940) 255.

- 950 **Suregada multiflora** (JUSS.) BAILL.; WHITMORE, Tree Fl. Malaya 2 (1973) 133; KENG, Conc. Fl. Sing. (1990) 113; — *Gelonium bifarium* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 311; — *Gelonium multiflorum* JUSS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 142; RIDLEY, Fl. Mal. Pen. 3 (1924) 311; — *Gelonium glomerulatum* (BL.) HASSK.; RIDLEY, Fl. Mal. Pen. 3 (1924) 311.
- 951 **Synostemon bacciformis** (L.) G.L. WEBSTER; WHITMORE, Tree Fl. Malaya 2 (1973) 133; KENG, Conc. Fl. Sing. (1990) 114; — *Agyneia bacciformis* (L.) JUSS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 135; RIDLEY, Fl. Mal. Pen. 3 (1924) 198.
- 952 **Trigonostemon longifolius** BAILL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 140; RIDLEY, Fl. Mal. Pen. 3 (1924) 264; WHITMORE, Tree Fl. Malaya 2 (1973) 136; KENG, Conc. Fl. Sing. (1990) 114.

FAGACAEAE

- 953 **Castanopsis inermis** (LINDL. ex WALL.) BENTH. & HOOK. f.; CORNER, Ways. Trees 1st ed. (1940) 292; SOEPADMO, Fl. Males. I 7² (1972) 315; COCKBURN, Tree Fl. Malaya 1 (1972) 204; CORNER, Ways. Trees, 3rd ed. (1988) 330; KENG, Conc. Fl. Sing. (1990) 64; — *C. sumatrana* (Miq.) A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; RIDLEY, Fl. Mal. Pen. 3 (1924) 390.
- 954 **Castanopsis javanica** (BL.) A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; SOEPADMO, Fl. Males. I 7² (1972) 306; COCKBURN, Tree Fl. Malaya 1 (1972) 205; CORNER, Ways. Trees, 3rd ed. (1988) 330; — *Pasania discocarpa* (HANCE) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 386; — *Quercus discocarpa* HANCE; BURKILL, Dict. (1935) 1855; CORNER, Ways. Trees 1st ed. (1940) 302.
- 955 **Castanopsis lucida** (NEES) SOEPADMO; SOEPADMO, Fl. Males. I 7² (1972) 318; COCKBURN, Tree Fl. Malaya 1 (1972) 205; KENG, Conc. Fl. Sing. (1990) 64; — *C. hullettii* KING ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; RIDLEY, Fl. Mal. Pen. 3 (1924) 389; BURKILL, Dict. (1935) 487; — *Alseodaphne lucida* NEES; RIDLEY, Fl. Mal. Pen. 3 (1924) 100.
- 956 **Castanopsis malaccensis** GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 388; CORNER, Ways. Trees 1st ed. (1940) 293; SOEPADMO, Fl. Males. I 7² (1972) 303; COCKBURN, Tree Fl. Malaya 1 (1972) 206; CORNER, Ways. Trees, 3rd ed. (1988) 330; KENG, Conc. Fl. Sing. (1990) 64.
- 957 **Castanopsis megacarpa** GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 390; CORNER, Ways. Trees 1st ed. (1940) 293; SOEPADMO, Fl. Males. I 7² (1972) 305; COCKBURN, Tree Fl. Malaya 1 (1972) 206; CORNER, Ways. Trees, 3rd ed. (1988) 330; KENG, Conc. Fl. Sing. (1990) 64.
- 958 **Castanopsis nepheloides** KING ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; RIDLEY, Fl. Mal. Pen. 3 (1924) 391; SOEPADMO, Fl. Males. I 7² (1972) 298; COCKBURN, Tree Fl. Malaya 1 (1972) 207; KENG, Conc. Fl. Sing. (1990) 64.
- 959 **Castanopsis schefferiana** HANCE; SOEPADMO, Fl. Males. I 7² (1972) 310; COCKBURN, Tree Fl. Malaya 1 (1972) 207; KENG, Conc. Fl. Sing. (1990) 65; — *C. andersonii* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 389.

- 960 **Castanopsis wallichii** KING ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; RIDLEY, Fl. Mal. Pen. 3 (1924) 391; CORNER, Ways. Trees 1st ed. (1940) 293; SOEPADMO, Fl. Males. I 7² (1972) 300; COCKBURN, Tree Fl. Malaya 1 (1972) 208; CORNER, Ways. Trees, 3rd ed. (1988) 331; KENG, Conc. Fl. Sing. (1990) 65.
- 961 **Lithocarpus bennettii** (MIQ.) REHD.; SOEPADMO, Fl. Males. I 7² (1972) 356; COCKBURN, Tree Fl. Malaya 1 (1972) 215; CORNER, Ways. Trees, 3rd ed. (1988) 339; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus bennettii* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; BURKILL, Dict. (1935) 1854; CORNER, Ways. Trees 1st ed. (1940) 301; — *Pasania bennettii* (MIQ.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 381.
- 962 **Lithocarpus cantleyanus** (KING ex HOOK. f.) REHD.; SOEPADMO, Fl. Males. I 7² (1972) 352; COCKBURN, Tree Fl. Malaya 1 (1972) 216; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus cantleyana* KING ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; BURKILL, Dict. (1935) 1854; — *Pasania cantleyana* (KING ex HOOK. f.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 381.
- 963 **Lithocarpus conocarpus** (OUDEM.) REHD.; SOEPADMO, Fl. Males. I 7² (1972) 349; COCKBURN, Tree Fl. Malaya 1 (1972) 217; CORNER, Ways. Trees, 3rd ed. (1988) 340; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus conocarpa* OUDEM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149; BURKILL, Dict. (1935) 1854; CORNER, Ways. Trees 1st ed. (1940) 302; — *Pasania conocarpa* (OUDEM.) SCHOTTKY; RIDLEY, Fl. Mal. Pen. 3 (1924) 380.
- 964 **Lithocarpus cyclophorus** (ENDL.) A. CAMUS; SOEPADMO, Fl. Males. I 7² (1972) 345; COCKBURN, Tree Fl. Malaya 1 (1972) 218; CORNER, Ways. Trees, 3rd ed. (1988) 340; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus cyclophora* ENDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; BURKILL, Dict. (1935) 1855; CORNER, Ways. Trees 1st ed. (1940) 302; — *Pasania cyclophora* (ENDL.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 384.
- 965 **Lithocarpus elegans** (BL.) HATUS. ex SOEPADMO; SOEPADMO, Fl. Males. I 7² (1972) 366; COCKBURN, Tree Fl. Malaya 1 (1972) 219; CORNER, Ways. Trees, 3rd ed. (1988) 340; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus spicata* SM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149 (var. *gracilipes* (MIQ.) MIQ.); CORNER, Ways. Trees 1st ed. (1940) 304; — *Pasania spicata* OERST.; RIDLEY, Fl. Mal. Pen. 3 (1924) 376 (incl. var. *gracilipes*).
- 966 **Lithocarpus encleisacarpus** (KORTH.) A. CAMUS; SOEPADMO, Fl. Males. I 7² (1972) 338; COCKBURN, Tree Fl. Malaya 1 (1972) 219; CORNER, Ways. Trees, 3rd ed. (1988) 340; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus encleisacarpa* KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; BURKILL, Dict. (1935) 1856; CORNER, Ways. Trees 1st ed. (1940) 302; — *Pasania encleisacarpa* (KORTH.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 386.
- 967 **Lithocarpus ewyckii** (KORTH.) REHD.; SOEPADMO, Fl. Males. I 7² (1972) 351; COCKBURN, Tree Fl. Malaya 1 (1972) 220; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus ewyckii* KORTH.; BURKILL, Dict. (1935) 1856; — *Pasania ewyckii* (KORTH.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 380 (incl. var. *latifolia*); — *Pasania lamponga* var. *ewyckiooides* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 378.

- 968 **Lithocarpus hystrix** (KORTH.) REHD.; SOEPADMO, Fl. Males. I 7² (1972) 384; — *Quercus hystrix* KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149; CORNER, Ways. Trees 1st ed. (1940) 303; — *Pasania hystrix* (KORTH.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924).
- Cockburn (*loc. cit.* 226) opines that this species is not present in Malaya.
- 969 **Lithocarpus gracilis** (KORTH.) SOEPADMO; Fl. Males. I 7² (1972) 362; 362; COCKBURN, Tree Fl. Malaya 1 (1972) 220; — *Pasania cyrtorhyncha* (MIQ.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 381.
- 970 **Lithocarpus lucidus** (ROXB.) REHD.; SOEPADMO, Fl. Males. I 7² (1972) 341; COCKBURN, Tree Fl. Malaya 1 (1972) 223; CORNER, Ways. Trees, 3rd ed. (1988) 341; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus lucida* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 150; BURKILL, Dict. (1935) 1857; CORNER, Ways. Trees 1st ed. (1940) 304; — *Pasania lucida* (ROXB.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 383; — *Quercus omalokos* KORTH.; BURKILL, Dict. (1935) 1857; — *Pasania omalokos* (KORTH.) SCHOTTKY; RIDLEY, Fl. Mal. Pen. 3 (1924) 383.
- 971 **Lithocarpus sundaicus** (BL.) REHD.; SOEPADMO, Fl. Males. I 7² (1972) 375; COCKBURN, Tree Fl. Malaya 1 (1972) 226; CORNER, Ways. Trees, 3rd ed. (1988) 342; — *Quercus sundaica* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149; BURKILL, Dict. (1935) 1858; CORNER, Ways. Trees 1st ed. (1940) 305; SINCLAIR, Gard. Bull. Sing. 15 (1956) 25; — *Quercus lamponga* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149; BURKILL, Dict. (1935) 1857; CORNER, Ways. Trees 1st ed. (1940) 303; — *Pasania sundaica* (BL.) OERST.; RIDLEY, Fl. Mal. Pen. 3 (1924) 379; — *Pasania lamponga* (MIQ.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 378 (*excl. var. ewyckiooides*); — *Pasania grandifrons* (KING ex HOOK. f.) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 377; — *Quercus grandifrons* KING ex HOOK. f.; CORNER, Ways. Trees 1st ed. (1940) 303.
- 972 **Lithocarpus wallichianus** (LINDL. ex HANCE) REHD.; SOEPADMO, Fl. Males. I 7² (1972) 368; COCKBURN, Tree Fl. Malaya 1 (1972) 227; MAXWELL, Gard. Bull. Sing. 35 (1983) 192; CORNER, Ways. Trees, 3rd ed. (1988) 342; KENG, Conc. Fl. Sing. (1990) 65; — *Quercus wallichiana* LINDL. ex HANCE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149; BURKILL, Dict. (1935) 1859; CORNER, Ways. Trees 1st ed. (1940) 305; — *Pasania wallichiana* (LINDL. ex HANCE) GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 378.
- 973 **Quercus argentata** KORTH.; RIDLEY, Fl. Mal. Pen. 3 (1924) 373; SOEPADMO, Fl. Males. I 7² (1972) 389; COCKBURN, Tree Fl. Malaya 1 (1972) 228; KENG, Conc. Fl. Sing. (1990) 65

FLACOURTIACEAE

- 974 **Casearia capitellata** BL.; SLEUMER, Fl. Males. I 5¹ (1954) 102; WHITMORE, Tree Fl. Malaya 2 (1973) 141; KENG, Conc. Fl. Sing. (1990) 41; — ?*C. esculenta* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; — *C. latifolia* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 831.
- 975 **Casearia clarkei** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 833; SLEUMER, Fl. Males. I 5¹ (1954) 99; WHITMORE, Tree Fl. Malaya 2 (1973) 141; KENG, Conc. Fl. Sing. (1990) 41.

- 976 **Casearia lobbiana** TURCZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 830; SLEUMER, Fl. Males. I 5¹ (1954) 89; WHITMORE, Tree Fl. Malaya 2 (1973) 140.
- 977 **Casearia tuberculata** BL.; SLEUMER, Fl. Males. I 5¹ (1954) 99; WHITMORE, Tree Fl. Malaya 2 (1973) 141; KENG, Conc. Fl. Sing. (1990) 41; — *C. coriacea* (non VENT.) MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 832; BURKILL, Dict. (1935) 472.
- 978 **Flacourtie rukam** Z. & M.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 44; RIDLEY, Fl. Mal. Pen. 1 (1922) 157; BURKILL, Dict. (1935) 1024; CORNER, Ways. Trees 1st ed. (1940) 207; SLEUMER, Fl. Males. I 5¹ (1954) 73; WHITMORE, Tree Fl. Malaya 2 (1973) 144; CORNER, Ways. Trees, 3rd ed. (1988) 346; KENG, Conc. Fl. Sing. (1990) 41.
- 979 **Homalium grandiflorum** BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 837; BURKILL, Dict. (1935) 1184; SLEUMER, Fl. Males. I 5¹ (1954) 62; WHITMORE, Tree Fl. Malaya 2 (1973) 146; KENG, Conc. Fl. Sing. (1990) 41.
- 980 **Osmelia maingayi** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 834; BURKILL, Dict. (1935) 1610; SLEUMER, Fl. Males. I 5¹ (1954) 78; WHITMORE, Tree Fl. Malaya 2 (1973) 153.
- 981 **Osmelia philippina** (TURCZ.) BENTH.; SLEUMER, Fl. Males. I 5¹ (1954) 79; WHITMORE, Tree Fl. Malaya 2 (1973) 153; KENG, Conc. Fl. Sing. (1990) 41.
- 982 **Ryparosa hullettii** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 44; RIDLEY, Fl. Mal. Pen. 1 (1922) 165; BURKILL, Dict. (1935) 1923; SLEUMER, Fl. Males. I 5¹ (1954) 48; WHITMORE, Tree Fl. Malaya 2 (1973) 159; KENG, Conc. Fl. Sing. (1990) 41.
- 983 **Ryparosa scortechinii** KING; SLEUMER, Fl. Males. I 5¹ (1954) 42; WHITMORE, Tree Fl. Malaya 2 (1973) 159; — *R. wallichii* RIDL. (*Singapore specimen* Ridley 14163 only); RIDLEY, Fl. Mal. Pen. 1 (1922) 165; KENG, Conc. Fl. Sing. (1990) 41.
- 984 **Scolopia macrophylla** (W. & A.) CLOS; SLEUMER, Fl. Males. I 5¹ (1954) 8; WHITMORE, Tree Fl. Malaya 2 (1973) 161; CORNER, Ways. Trees, 3rd ed. (1988) 348; KENG, Conc. Fl. Sing. (1990) 41; — *S. rhinanthera* CLOS; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 44; RIDLEY, Fl. Mal. Pen. 1 (1922) 155; BURKILL, Dict. (1935) 1983; CORNER, Ways. Trees 1st ed. (1940) 309.

FLAGELLARIACEAE

- 985 **Flagellaria indica** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 130; RIDLEY, Fl. Mal. Pen. 4 (1924) 368; BURKILL, Dict. (1935) 1024; BACKER, Fl. Males. I 4³ (1951) 246; HENDERSON, Mal. Wild Fl. Monoc. (1954) 206; KENG, Gard. Bull. Sing. 40 (1987) 125.

GENTIANACEAE

- 986 **Nymphoides indica** (L.) O. KUNTZE; KENG, Conc. Fl. Sing. (1990) 141; — *Limnanthemum indicum* GRISEB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; RIDLEY, Fl. Mal. Pen. 2 (1923) 436; HENDERSON, Mal. Wild Fl. Dic. (1959) 307.

GESNERIACEAE

- 987 **Aeschynanthus parvifolia** R. BR.; RIDLEY, Fl. Mal. Pen. 2 (1923) 500; HENDERSON, Mal. Wild Fl. Dic. (1959) 342; KENG, Conc. Fl. Sing. (1990) 182; — *A. lobbiana* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119.
- 988 **Aeschynanthus purpurascens** HASSK.; RIDLEY, Fl. Mal. Pen. 2 (1923) 497; HENDERSON, Mal. Wild Fl. Dic. (1959) 340; KENG, Conc. Fl. Sing. (1990) 182; — *A. motleyi* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119.
- 989 **Aeschynanthus radicans** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120; RIDLEY, Fl. Mal. Pen. 2 (1923) 500; KENG, Conc. Fl. Sing. (1990) 182.
- 990 **Aeschynanthus wallichii** R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120; RIDLEY, Fl. Mal. Pen. 2 (1923) 500; MAXWELL, Gard. Bull. Sing. 35 (1983) 195; KENG, Conc. Fl. Sing. (1990) 182.
- 991 **Cyrtandra pendula** BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 544; HENDERSON, Mal. Wild Fl. Dic. (1959) 362; KENG, Conc. Fl. Sing. (1990) 182; — *C. bicolor* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120.
- 992 **Didymocarpus platypus** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120; RIDLEY, Fl. Mal. Pen. 2 (1923) 517; HENDERSON, Mal. Wild Fl. Dic. (1959) 348; KENG, Conc. Fl. Sing. (1990) 182
- 993 **Didymocarpus puncticulatus** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 522; KIEW, Malay. Nat. J. 41 (1987) 220; — *D. sp.*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120; — *D. perdita* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 522; KENG, Conc. Fl. Sing. (1990) 182.

GONYSTYLACEAE

- 994 **Gonostylus confusus** AIRY SHAW; AIRY SHAW, Fl. Males. I 4⁴ (1953) 357; WHITMORE, Tree Fl. Malaya 2 (1973) 391.
- 995 **Gonostylus maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 85; RIDLEY, Fl. Mal. Pen. 1 (1922) 322; AIRY SHAW, Fl. Males. I 4⁴ (1953) 359; WHITMORE, Tree Fl. Malaya 2 (1973) 391; KENG, Conc. Fl. Sing. (1990) 86.

GOODENIACEAE

- 996 **Scaevola sericea** VAHL; LEENHOUTS, Fl. Males. I 5³ (1957) 339; KENG, Conc. Fl. Sing. (1990) 165; — *S. koenigii* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 102; RIDLEY, Fl. Mal. Pen. 2 (1923) 199; — *S. frutescens* KRAUSE; CORNER, Ways. Trees 1st ed. (1940) 310; HENDERSON, Mal. Wild Fl. Dic. (1959) 253; — *S. taccada* (GAERTN.) ROXB.; CORNER, Ways. Trees, 3rd ed. (1988) 348.

GRAMINEAE

- 997 **Acroceras munroanum** (BALANSA) HENR.; GILLILAND, Rev. Fl. Malaya 3 (1971) 165; — ?*Panicum latifolium* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; — *Panicum oryzoides* (non Sw.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 138, p.p.; — *A. ridleyi* (HACK. ex RIDL.) STAPF ex RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 229; — *A. crassiacapitatum* (MERR.) ALSTON; BURKILL, Dict. (1935) 39.

- 998 **Acroceras tonkinense** (BALANSA) C.E. HUBB. ex BOR; GILLILAND, Rev. Fl. Malaya 3 (1971) 165; — *Panicum oryzoides* (non Sw.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 138, p.p.; — *A. sparsum* STAPF ex RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 229; BURKILL, Dict. (1935) 39.
- 999 **Alloteropsis cimicina** (L.) STAPF; RIDLEY, Fl. Mal. Pen. 5 (1925) 223; BURKILL, Dict. (1935) 104; GILLILAND, Rev. Fl. Malaya 3 (1971) 198; — *Axonopus cimicinus* (L.) P. BEAUV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 144.
- A 1000 **Axonopus affinis** CHASE; GILLILAND, Rev. Fl. Malaya 3 (1971) 189; CORLETT, J. Biogeog. (1988) 663.
- A 1001 **Axonopus compressus** (SWARTZ) BEAUV.; RIDLEY, Fl. Mal. Pen. 5 (1925) 216; BURKILL, Dict. (1935) 276; HENDERSON, Mal. Wild Fl. Monoc. (1954) 337; GILLILAND, Rev. Fl. Malaya 3 (1971) 187; CORLETT, J. Biogeog. (1988) 663; — *Paspalum platycaulon* Poir.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 125.
- 1002 **Bambusa heterostachya** (MUNRO) HOLTT.; GILLILAND, Rev. Fl. Malaya 3 (1971) 18; — *Gigantochloa heterostachya* MUNRO; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 188; RIDLEY, Fl. Mal. Pen. 5 (1925) 262; — *Gigantochloa latispiculata* GAMBLE; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 189; RIDLEY, Fl. Mal. Pen. 5 (1925) 263.
- 1003 **Bambusa ridleyi** GAMBLE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 184; RIDLEY, Fl. Mal. Pen. 5 (1925) 257; GILLILAND, Rev. Fl. Malaya 3 (1971) 21.
- 1004 **Bambusa vulgaris** SCHRAD.; RIDLEY, Fl. Mal. Pen. 5 (1925) 256; BURKILL, Dict. (1935) 300; GILLILAND, Rev. Fl. Malaya 3 (1971) 19.
- 1005 **Bothriochloa bladhii** (RETZ.) S.T. BLAKE; LAZARIDES, Trop. Grass. SE Asia (1980) 24; — *Andropogon intermedius* R. BR.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 166; HENDERSON, Mal. Wild Fl. Monoc. (1954) 346; — *Amphilophis glabra* (ROXB.) STAPF; RIDLEY, Fl. Mal. Pen. 5 (1925) 209; BURKILL, Dict. (1935) 141; — *B. intermedia* (R. BR.) CAMUS; GILLILAND, Rev. Fl. Malaya 3 (1971) 281.
- 1006 **Brachiaria distachya** (L.) STAPF; RIDLEY, Fl. Mal. Pen. 5 (1925) 219; BURKILL, Dict. (1935) 356; HENDERSON, Mal. Wild Fl. Monoc. (1954) 342; GILLILAND, Rev. Fl. Malaya 3 (1971) 176; — *Panicum distachyon* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 133.
- A 1007 **Brachiaria mutica** (FORSK.) STAPF; RIDLEY, Fl. Mal. Pen. 5 (1925) 219; BURKILL, Dict. (1935) 356; GILLILAND, Rev. Fl. Malaya 3 (1971) 178; CORLETT, J. Biogeog. (1988) 663; — *Panicum muticum* FORSK.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 133.
- 1008 **Brachiaria paspaloides** (PRESL) C.E. HUBBARD; HENDERSON, Mal. Wild Fl. Monoc. (1954) 342; GILLILAND, Rev. Fl. Malaya 3 (1971) 179.
- A 1009 **Cenchrus echinatus** L.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 36; CORLETT, J. Biogeog. (1988) 663.

- 1010 **Centotheca latifolia** (OSB.) TRIN.; MONOD DE FROIDEVILLE, Blumea 19 (1971) 59; — *C. lappacea* DESV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 181; RIDLEY, Fl. Mal. Pen. 5 (1925) 253; BURKILL, Dict. (1935) 508; HENDERSON, Mal. Wild Fl. Monoc. (1954) 309; GILLILAND, Rev. Fl. Malaya 3 (1971) 53.
- 1011 **Centotheca longilamina** OHWI; GILLILAND, Rev. Fl. Malaya 3 (1971) 53.
- A 1012 **Chloris barbata** SWARTZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 173; RIDLEY, Fl. Mal. Pen. 5 (1925) 250; HENDERSON, Mal. Wild Fl. Monoc. (1954) 315; GILLILAND, Rev. Fl. Malaya 3 (1971) 86; CORLETT, J. Biogeog. (1988) 663.
- 1013 **Chrysopogon aciculatus** (RETZ.) TRIN.; RIDLEY, Fl. Mal. Pen. 5 (1925) 207; BURKILL, Dict. (1935) 535; HENDERSON, Mal. Wild Fl. Monoc. (1954) 344; GILLILAND, Rev. Fl. Malaya 3 (1971) 236; — *Andropogon aciculatus* RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 166.
- A 1014 **Coix lacryma-jobi** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 151; RIDLEY, Fl. Mal. Pen. 5 (1925) 191; BURKILL, Dict. (1935) 629; HENDERSON, Mal. Wild Fl. Monoc. (1954) 354; GILLILAND, Rev. Fl. Malaya 3 (1971) 304.
- 1015 **Cymbopogon flexuosus** (NEES ex STEUD.) W. WATS.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 36; GILLILAND, Rev. Fl. Malaya 3 (1971) 297.
- 1016 **Cynodon dactylon** (L.) PERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 173; RIDLEY, Fl. Mal. Pen. 5 (1925) 249; BURKILL, Dict. (1935) 729; HENDERSON, Mal. Wild Fl. Monoc. (1954) 314; GILLILAND, Rev. Fl. Malaya 3 (1971) 90.
- 1017 **Cyrtococcum accrescens** (TRIN.) STAPF; RIDLEY, Fl. Mal. Pen. 5 (1925) 234; BURKILL, Dict. (1935) 744; GILLILAND, Rev. Fl. Malaya 3 (1971) 149; — *Panicum patens* (non L.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 142.
- 1018 **Cyrtococcum oxyphyllum** (STEUD) STAPF; RIDLEY, Fl. Mal. Pen. 5 (1925) 233; BURKILL, Dict. (1935) 744; GILLILAND, Rev. Fl. Malaya 3 (1971) 148; — *Panicum pilipes* NEES & ARN. ex BEUSE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 141; HENDERSON, Mal. Wild Fl. Monoc. (1954) 331.
- 1019 **Dactyloctenium aegyptium** (L.) WILLD.; RIDLEY, Fl. Mal. Pen. 5 (1925) 251; BURKILL, Dict. (1935) 747; HENDERSON, Mal. Wild Fl. Monoc. (1954) 316; GILLILAND, Rev. Fl. Malaya 3 (1971) 81; LAZARIDES, Trop. Grass. SE Asia (1980) 168; — *Eleusine aegyptia* (L.) DESF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 174.
- A 1020 **Dichanthium annulatum** (FORSSK.) STAPF; GILLILAND, Rev. Fl. Malaya 3 (1971) 284; CORLETT, J. Biogeog. 19 (1992) 428; — *Ischaemum beccarii* (non HACK.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 160; RIDLEY, Fl. Mal. Pen. 5 (1925) 204.

- 1021 **Dichanthium caricosum** (L.) A. CAMUS; RIDLEY, Fl. Mal. Pen. 5 (1925) 210; BURKILL, Dict. (1935) 802; GILLILAND, Rev. Fl. Malaya 3 (1971) 284.
- 1022 **Digitaria bicornis** (LAMK.) R. & S.; VELDKAMP, Blumea 21 (1973) 30.
- 1023 **Digitaria ciliaris** (RETZ.) KOEL.; GILLILAND, Rev. Fl. Malaya 3 (1971) 196; VELDKAMP, Blumea 21 (1973) 32; — *Paspalum sanguinale* (non LAMK.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 125; — *D. marginata* LINK; RIDLEY, Fl. Mal. Pen. 5 (1925) 213; BURKILL, Dict. (1935) 808; HENDERSON, Mal. Wild Fl. Monoc. (1954) 340.
- 1024 **Digitaria didactyla** WILLD.; BURKILL, Dict. (1935) 807; GILLILAND, Rev. Fl. Malaya 3 (1971) 195; VELDKAMP, Blumea 21 (1973) 44.
- 1025 **Digitaria fuscescens** (PRESL) HENRARD; GILLILAND, Rev. Fl. Malaya 3 (1971) 193; VELDKAMP, Blumea 21 (1973) 61.
- 1026 **Digitaria longiflora** (RETZ.) PERS.; RIDLEY, Fl. Mal. Pen. 5 (1925) 214; BURKILL, Dict. (1935) 808; HENDERSON, Mal. Wild Fl. Monoc. (1954) 342; GILLILAND, Rev. Fl. Malaya 3 (1971) 192; VELDKAMP, Blumea 21 (1973) 66; — *Paspalum longiflorum* RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 126, p.p.; — *D. caespitosa* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 215.
- 1027 **Digitaria mollicoma** (KUNTH) HENR.; VELDKAMP, Blumea 21 (1973) 69.
- 1028 **Digitaria nuda** SCHUMACH.; VELDKAMP, Blumea 21 (1973) 41.
- 1029 **Digitaria radicosa** (PRESL) MIQ.; VELDKAMP, Blumea 21 (1973) 35; — *Paspalum sanguinale* LAMK. var. *debile* (non HOOK. f.) HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 125; — *D. marginata* LINK var. *debilis* (non HOOK. f. ex RIDL.) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 214; — *D. timorensis* (KUNTH) BALANSA; GILLILAND, Rev. Fl. Malaya 3 (1971) 198.
- 1030a **Digitaria setigera** R. & S. var. *setigera*; VELDKAMP, Blumea 21 (1973) 39; — *Paspalum sanguinale* LAMK. var. *pruriens* HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 125; — *D. marginata* LINK var. *debilis* HOOK. f. ex RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 214; — *D. microbachne* (PRESL) HENR.; GILLILAND, Rev. Fl. Malaya 3 (1971) 198.
- 1030b **Digitaria setigera** var. *calliblepharata* (HENR.) VELDK.; VELDKAMP, Blumea 21 (1973) 40; — *Paspalum sanguinale* LAMK. var. *ciliare* (non HOOK. f.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 125; — *D. marginata* LINK var. *ciliaris* (non RIDL.) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 214; — *D. microbachne* (PRESL) HENR. ssp. *calliblepharata* HENR.; GILLILAND, Rev. Fl. Malaya 3 (1971) 198.
- 1031 **Digitaria violascens** LINK; GILLILAND, Rev. Fl. Malaya 3 (1971) 191; VELDKAMP, Blumea 21 (1973) 40; — *Paspalum longiflorum* RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 126, p.p.; — *D. chinensis* (non HORNEM.) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 215; — *D. pertenuis* BUSE; RIDLEY, Fl. Mal. Pen. 5 (1925) 214; GILLILAND, Rev. Fl. Malaya 3 (1971) 192; — *D. longiflora* (non RETZ.) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 214, p.p.

- 1032a **Dimeria ornithopoda** TRIN. var. **ornithopoda**; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 151; RIDLEY, Fl. Mal. Pen. 5 (1925) 192; BURKILL, Dict. (1935) 810; HENDERSON, Mal. Wild Fl. Monoc. (1954) 346; GILLILAND, Rev. Fl. Malaya 3 (1971) 214.
- 1032b **Dimeria ornithopoda** var. **glabra** (RIDL.) JANSEN; GILLILAND, Rev. Fl. Malaya 3 (1971) 216; — *D. glabra* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 192.
- 1033 **Echinochloa colona** (L.) LINK; RIDLEY, Fl. Mal. Pen. 5 (1925) 222; BURKILL, Dict. (1935) 888; HENDERSON, Mal. Wild Fl. Monoc. (1954) 336; GILLILAND, Rev. Fl. Malaya 3 (1971) 167; — *Panicum colonum* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 132.
- 1034 **Echinochloa crus-galli** (L.) P. BEAUV.; RIDLEY, Fl. Mal. Pen. 5 (1925) 222; BURKILL, Dict. (1935) 889; GILLILAND, Rev. Fl. Malaya 3 (1971) 168; — *Panicum crus-galli* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 132.
- 1035 **Echinochloa stagnina** (RETZ.) P. BEAUV.; GILLILAND, Rev. Fl. Malaya 3 (1971) 166.
- One collection from 1883.
- 1036 **Eleusine coracana** (L.) GAERTN.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 174; BURKILL, Dict. (1935) 916; GILLILAND, Rev. Fl. Malaya 3 (1971) 80; — *E. indica* (L.) GAERTN. var. **coracana** GAERTN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Fl. Mal. Pen. 5 (1925) 250.
- 1037 **Eleusine indica** (L.) GAERTN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 174; RIDLEY, Fl. Mal. Pen. 5 (1925) 250; BURKILL, Dict. (1935) 917; HENDERSON, Mal. Wild Fl. Monoc. (1954) 313; GILLILAND, Rev. Fl. Malaya 3 (1971) 78.
- 1038 **Eragrostis atrovirens** (DESF.) NEES ex STEUD.; GILLILAND, Rev. Fl. Malaya 3 (1971) 68; LAZARIDES, Trop. Grass. SE Asia (1980) 173; — *E. elegantula* STEUD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 179; RIDLEY, Fl. Mal. Pen. 5 (1925) 248; HENDERSON, Mal. Wild Fl. Monoc. (1954) 312.
- 1039 **Eragrostis cambessediana** STEUD.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 36.
- 1040 **Eragrostis elongata** (WILLD.) JACQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 179; RIDLEY, Fl. Mal. Pen. 5 (1925) 248; HENDERSON, Mal. Wild Fl. Monoc. (1954) 313.
- 1041 **Eragrostis gangetica** (ROXB.) STEUD.; GILLILAND, Rev. Fl. Malaya 3 (1971) 68.
- 1042 **Eragrostis malayana** STAPF; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 178; RIDLEY, Fl. Mal. Pen. 5 (1925) 247; GILLILAND, Rev. Fl. Malaya 3 (1971) 65.
- 1043 **Eragrostis pilosa** (L.) P. BEAUV.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 179; RIDLEY, Fl. Mal. Pen. 5 (1925) 247; GILLILAND, Rev. Fl. Malaya 3 (1971) 69.

- 1044 **Eragrostis tenella** (L.) P. BEAUV. ex ROEM. & SCHULT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 177; RIDLEY, Fl. Mal. Pen. 5 (1925) 245; GILLILAND, Rev. Fl. Malaya 3 (1971) 71; — *E. amabilis* (L.) HOOK. & ARN.; BURKILL, Dict. (1935) 933; HENDERSON, Mal. Wild Fl. Monoc. (1954) 312.
- 1045 **Eragrostis unioloides** (RETZ.) NEES ex STEUD.; BURKILL, Dict. (1935) 934; HENDERSON, Mal. Wild Fl. Monoc. (1954) 313; GILLILAND, Rev. Fl. Malaya 3 (1971) 66; — *E. amabilis* (non WIGHT & ARN.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 175; RIDLEY, Fl. Mal. Pen. 5 (1925) 246.
- 1046 **Eragrostis viscosa** (RETZ.) TRIN.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 177; RIDLEY, Fl. Mal. Pen. 5 (1925) 246; GILLILAND, Rev. Fl. Malaya 3 (1971) 71.
- 1047 **Eriachne pallescens** R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 172; RIDLEY, Fl. Mal. Pen. 5 (1925) 240; BURKILL, Dict. (1935) 936; HENDERSON, Mal. Wild Fl. Monoc. (1954) 316; GILLILAND, Rev. Fl. Malaya 3 (1971) 94; VAN ECK-BORSBOOM, Blumea 26 (1980) 133.
- 1048 **Eriachne trisetoides** NEES ex STEUD.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 172; RIDLEY, Fl. Mal. Pen. 5 (1925) 240; MAXWELL, Gard. Bull. Sing. 36 (1983) 231; VAN ECK-BORSBOOM, Blumea 26 (1980) 136; — *Massia trisetoides* (NEES ex STEUD.) BALANSA; GILLILAND, Rev. Fl. Malaya 3 (1971) 94.
- 1049 **Eriochloa procera** (RETZ.) C.E. HUBB.; GILLILAND, Rev. Fl. Malaya 3 (1971) 202; — *E. polystachya* (non H.B.K.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 127; — *E. annulata* (FLUEGGE) KUNTH; RIDLEY, Fl. Mal. Pen. 5 (1925) 223; HENDERSON, Mal. Wild Fl. Monoc. (1954) 325; — *E. ramosa* O. KTZE.; BURKILL, Dict. (1935) 938.
- 1050 **Eustachys tener** (PRESL) C.E. HUBB.; GILLILAND, Rev. Fl. Malaya 3 (1971) 88 ("tenera"); LAZARIDES, Trop. Grass. SE Asia (1980) 161.
- 1051 **Heteropogon contortus** (L.) P. BEAUV. ex R. & S.; RIDLEY, Fl. Mal. Pen. 5 (1925) 213; BURKILL, Dict. (1935) 1143; GILLILAND, Rev. Fl. Malaya 3 (1971) 292; LAZARIDES, Trop. Grass. SE Asia (1980) 47; — *Andropogon contortus* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 167.
- 1052 **Hymenachne acutigluma** (STEUD.) GILLILAND; GILLILAND, Rev. Fl. Malaya 3 (1971) 155; — *Panicum myuros* (non H.B.K.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 135; — *H. myuros* (non BEAUV.) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 230; BURKILL, Dict. (1935) 1214.
- 1053 **Imperata conferta** (PRESL) OHWI; GILLILAND, Rev. Fl. Malaya 3 (1971) 222; — *I. exaltata* (non BRONGN.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 152; RIDLEY, Fl. Mal. Pen. 5 (1925) 193; — *I. contracta* HITCH.; BURKILL, Dict. (1935) 1228.

- 1054 **Imperata cylindrica** (L.) P. BEAUV. var. **major** (NEES) C.E. HUBBARD ex HUBB. & VAUGHAN; GILLILAND, Rev. Fl. Malaya 3 (1971) 220; — *I. arundinacea* CYR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 152; RIDLEY, Fl. Mal. Pen. 5 (1925) 193; — *I. cylindrica* (L.) P. BEAUV.; BURKILL, Dict. (1935) 1228; HENDERSON, Mal. Wild Fl. Monoc. (1954) 343.
- 1055 **Isachne globosa** (THUNB.) O. KTZE.; BURKILL, Dict. (1935) 1252; HENDERSON, Mal. Wild Fl. Monoc. (1954) 327; GILLILAND, Rev. Fl. Malaya 3 (1971) 120; — *I. australis* R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 129; RIDLEY, Fl. Mal. Pen. 5 (1925) 239.
- 1056 **Isachne kunthiana** (WIGHT & ARN. ex STEUD.) MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 128; GILLILAND, Rev. Fl. Malaya 3 (1971) 122; — *I. semitalis* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 237.
- 1057 **Isachne pulchella** ROTH ex ROEM. & SCHULT.; GILLILAND, Rev. Fl. Malaya 3 (1971) 120; — *I. miliacea* ROTH ex R. & S.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 129; RIDLEY, Fl. Mal. Pen. 5 (1925) 239; BURKILL, Dict. (1935) 1253.
- 1058 **Ischaemum barbatum** RETZ.; GILLILAND, Rev. Fl. Malaya 3 (1971) 260; — *I. imbricatum* (MUNRO) STAPF ex RIDLEY, Fl. MAL. PEN. 5 (1925) 200.
- 1059 **Ischaemum ciliare** RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. fl. Mal. Pen. (Monoc.) 3 (1907) 160; VELDKAMP, Blumea 36 (1991) 180; — *I. aristatum* (non L.) RIDL.; RIDLEY, Fl. MAL. PEN. 5 (1925) 203; BURKILL, Dict. (1935) 1253; HENDERSON, Mal. Wild Fl. Monoc. (1954) 351; — *I. indicum* auct., non (HOUTT.) MERR.; GILLILAND, Rev. Fl. Malaya 3 (1971) 263.
- 1060 **Ischaemum magnum** RENDLE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 158; RIDLEY, Fl. Mal. Pen. 5 (1925) 200; GILLILAND, Rev. Fl. Malaya 3 (1971) 261; — *I. laeve* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 158; RIDLEY, Fl. Mal. Pen. 5 (1925) 201.
- 1061 **Ischaemum muticum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 159; RIDLEY, Fl. Mal. Pen. 5 (1925) 201; BURKILL, Dict. (1935) 1253; HENDERSON, Mal. Wild Fl. Monoc. (1954) 350; GILLILAND, Rev. Fl. Malaya 3 (1971) 255.
- 1062 **Ischaemum rugosum** SALISB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 157; RIDLEY, Fl. Mal. Pen. 5 (1925) 200; BURKILL, Dict. (1935) 1253; HENDERSON, Mal. Wild Fl. Monoc. (1954) 350; GILLILAND, Rev. Fl. Malaya 3 (1971) 259.
- 1063 **Ischaemum timorense** KUNTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 160; RIDLEY, Fl. Mal. Pen. 5 (1925) 203; HENDERSON, Mal. Wild Fl. Monoc. (1954) 351; GILLILAND, Rev. Fl. Malaya 3 (1971) 264; — *I. macrurum* STAPF ex RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 203.

- 1064 **Leersia hexandra** Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 148; RIDLEY, Fl. Mal. Pen. 5 (1925) 253; BURKILL, Dict. (1935) 1327; HENDERSON, Mal. Wild Fl. Monoc. (1954) 320; GILLILAND, Rev. Fl. Malaya 3 (1971) 97.
- 1065 **Leptaspis urceolata** (ROXB.) R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 150; RIDLEY, Fl. Mal. Pen. 5 (1925) 255; BURKILL, Dict. (1935) 1333; HENDERSON, Mal. Wild Fl. Monoc. (1954) 307; GILLILAND, Rev. Fl. Malaya 3 (1971) 47.
- 1066 **Leptochloa chinensis** (L.) NEES; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 175; RIDLEY, Fl. Mal. Pen. 5 (1925) 249; BURKILL, Dict. (1935) 1333; GILLILAND, Rev. Fl. Malaya 3 (1971) 73.
- 1067 **Lepturus repens** (FORST. f.) R. BR.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 182; RIDLEY, Fl. Mal. Pen. 5 (1925) 254; GILLILAND, Rev. Fl. Malaya 3 (1971) 83.
- 1068 **Lophatherum gracile** BRONGN.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 181; RIDLEY, Fl. Mal. Pen. 5 (1925) 253; HENDERSON, Mal. Wild Fl. Monoc. (1954) 308; GILLILAND, Rev. Fl. Malaya 3 (1971) 55; — *L. lemanni* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185.
- 1069 **Melinis repens** (WILLD.) ZIZKA; ZIZKA, Fl. Zambesiaca 10(3) (1989) 116; — *Tricholaena rosea* NEES; HENDERSON, Mal. Wild Fl. Monoc. (1954) 325; — *Rhynchelytrum repens* (WILLD.) C.E. HUBB.; GILLILAND, Rev. Fl. Malaya 3 (1971) 150; Corlett, J. Biogeog. (1988) 663.
- 1070 **Mnesithea glandulosa** (TRIN.) KONING & SOSEF; VELDKAMP, DE KONING & SOSEF, Blumea 31 (1986) 290; — *Rottboellia glandulosa* TRIN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 161; — *Coelorachis glandulosa* (TRIN.) STAPF ex RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 204; BURKILL, Dict. (1935) 618; HENDERSON, Mal. Wild Fl. Monoc. (1954) 347; GILLILAND, Rev. Fl. Malaya 3 (1971) 270.
- 1071 **Mnesithea granularis** (L.) KONING & SOSEF; VELDKAMP, DE KONING & SOSEF, Blumea 31 (1986) 295; — *Manisuris granularis* L.f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 163; RIDLEY, Fl. Mal. Pen. 5 (1925) 205; BURKILL, Dict. (1935) 1422; — *Hackelochloa granularis* (L.) O. KTZE.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 37; GILLILAND, Rev. Fl. Malaya 3 (1971) 277.
- 1072 **Oryza rufipogon** GRIFF.; GILLILAND, Rev. Fl. Malaya 3 (1971) 100; DUISTERMAAT, Blumea 32 (1987) 170; — *O. fatua* KOENIG ex TRIN. var. *longe-aristata* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 252.
- 1073 **Ottochloa nodosa** (KUNTH) DANDY; GILLILAND, Rev. Fl. Malaya 3 (1971) 143; — *Panicum nodosum* KUNTH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 137; — *Hemigymnia multinodis* STAPF; RIDLEY, Fl. Mal. Pen. 5 (1925) 228; BURKILL, Dict. (1935) 1138; — *Hemigymnia fusca* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 228; BURKILL, Dict. (1935) 1138.

- 1074 **Panicum auritum** PRESL ex NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 135; RIDLEY, Fl. Mal. Pen. 5 (1925) 226; BURKILL, Dict. (1935) 1655; HENDERSON, Mal. Wild Fl. Monoc. (1954) 332; GILLILAND, Rev. Fl. Malaya 3 (1971) 137; ZUBOAGA, ELLIS & MORRONE, Ann. Miss. Bot. Gards. 79 (1992) 791.
- 1075 **Panicum brevifolium** L.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 329; GILLILAND, Rev. Fl. Malaya 3 (1971) 139; — *P. ovalifolium* Poir.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 141; RIDLEY, Fl. Mal. Pen. 5 (1925) 227; — *P. hirtifolium* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 141; RIDLEY, Fl. Mal. Pen. 5 (1925) 228.
- 1076 **Panicum cambogiense** BALANSA; GILLILAND, Rev. Fl. Malaya 3 (1971) 141; — *P. luzonense* PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 136; — *P. caesium* NEES; RIDLEY, Fl. Mal. Pen. 5 (1925) 225; — *P. tuberculatum* PRESL; BURKILL, Dict. (1935) 1658.
- A 1077 **Panicum maximum** JACQ.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 140; RIDLEY, Fl. Mal. Pen. 5 (1925) 226; BURKILL, Dict. (1935) 1656; GILLILAND, Rev. Fl. Malaya 3 (1971) 132; CORLETT, J. Biogeog. (1988) 663.
- 1078 **Panicum repens** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 139; RIDLEY, Fl. Mal. Pen. 5 (1925) 225; BURKILL, Dict. (1935) 1657; HENDERSON, Mal. Wild Fl. Monoc. (1954) 330; GILLILAND, Rev. Fl. Malaya 3 (1971) 135.
- 1079 **Panicum sarmentosum** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 140; RIDLEY, Fl. Mal. Pen. 5 (1925) 227; BURKILL, Dict. (1935) 1657; HENDERSON, Mal. Wild Fl. Monoc. (1954) 332; GILLILAND, Rev. Fl. Malaya 3 (1971) 139.
- A 1080 **Paspalum conjugatum** BERG.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 124; RIDLEY, Fl. Mal. Pen. 5 (1925) 218; BURKILL, Dict. (1935) 1673; HENDERSON, Mal. Wild Fl. Monoc. (1954) 339; GILLILAND, Rev. Fl. Malaya 3 (1971) 180; DE KONING & SOSEF, Blumea 30 (1985) 290; CORLETT, J. Biogeog. (1988) 663.
- A 1081 **Paspalum dilatatum** POIR.; BURKILL, Dict. (1935) 1674; GILLILAND, Rev. Fl. Malaya 3 (1971) 183; DE KONING & SOSEF, Blumea 30 (1985) 293.
- 1082 **Paspalum longifolium** ROXB.; RIDLEY, Fl. Mal. Pen. 5 (1925) 217; GILLILAND, Rev. Fl. Malaya 3 (1971) 182; DE KONING & SOSEF, Blumea 30 (1985) 297; — *P. platycoleum* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 217.
- 1083 **Paspalum orbiculare** FORST. f.; RIDLEY, Fl. Mal. Pen. 5 (1925) 217; BURKILL, Dict. (1935) 1674; GILLILAND, Rev. Fl. Malaya 3 (1971) 184; DE KONING & SOSEF, Blumea 30 (1985) 299.
- 1084 **Paspalum scrobiculatum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 184; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 123; BURKILL, Dict. (1935) 1674; HENDERSON, Mal. Wild Fl. Monoc. (1954) 340; GILLILAND, Rev. Fl. Malaya 3 (1971) 185; DE KONING & SOSEF, Blumea 30 (1985) 302; — *P. commersonii* (non LAMK.) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 218.

- 1085 **Paspalum vaginatum** SWARTZ; BURKILL, Dict. (1935) 1675; GILLILAND, Rev. Fl. Malaya 3 (1971) 182; DE KONING & SOSEF, Blumea 30 (1985) 309; — *P. distichum* (*non* L.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 124; RIDLEY, Fl. Mal. Pen. 5 (1925) 218.
- A 1086 **Pennisetum polystachyon** (L.) SCHULT.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 130.
- A 1087 **Pennisetum purpureum** SCHUMACH.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 325; GILLILAND, Rev. Fl. Malaya 3 (1971) 162; CORLETT, J. Biogeog. (1988) 663.
- 1088 **Perotis indica** (L.) O. KTZE.; BURKILL, Dict. (1935) 1696; HENDERSON, Mal. Wild Fl. Monoc. (1954) 319; GILLILAND, Rev. Fl. Malaya 3 (1971) 113; — *P. latifolia* AIT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 149; RIDLEY, Fl. Mal. Pen. 5 (1925) 243.
- 1089 **Phragmites vallatoria** (PLUK. ex L.) VELDKAMP, Blumea 37 (1992) 233; — *P. karka* (RETZ.) TRIN. ex STEUD.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 175; — *P. communis* (*non* TRIN.) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 240; BURKILL, Dict. (1935) 1715; HENDERSON, Mal. Wild Fl. Monoc. (1954) 309.
- 1090 **Pogonatherum paniceum** (LAMK.) HACK.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 37; GILLILAND, Rev. Fl. Malaya 3 (1971) 251; — *P. saccharoideum* P. BEAUV.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 154; Ridley, Fl. Mal. Pen. 5 (1925) 195; HENDERSON, Mal. Wild Fl. Monoc. (1954) 348; — *P. crinitum apud* BURKILL; BURKILL, Dict. (1935) 1780.
- 1091 **Polytrias indica** (HOOT.) VELDK., BLUMEA 36 (1991) 180; — *P. praemorsa* (NEES) HACK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 164; — *Eulalia praemorsa* (NEES) STAPF ex RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 197; BURKILL, Dict. (1935) 975; — *P. amaura* (BEUSE) O. KTZE.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 348; GILLILAND, Rev. Fl. Malaya 3 (1971) 244.
- 1092 **Saccharum arundinaceum** RETZ.; Ridl. Fl. Mal. Pen. 3 153; RIDLEY, Fl. Mal. Pen. 5 (1925) 193; BURKILL, Dict. (1935) 1924; HENDERSON, Mal. Wild Fl. Monoc. (1954) 344; GILLILAND, Rev. Fl. Malaya 3 (1971) 226.
- A 1093 **Saccharum spontaneum** L.; GILLILAND, Rev. Fl. Malaya 3 (1971) 224; CORLETT, J. Biogeog. (1988) 663.
- 1094 **Sacciolepis indica** (L.) CHASE; HENDERSON, Mal. Wild Fl. Monoc. (1954) 334; GILLILAND, Rev. Fl. Malaya 3 (1971) 152; — *Panicum indicum* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 134; — *S. angusta* (*non* STAPF) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 232; BURKILL, Dict. (1935) 1940; — *S. turgida* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 231; BURKILL, Dict. (1935) 1941.
- 1095 **Sacciolepis myosuroides** (R. BR.) A. CAMUS; RIDLEY, Fl. Mal. Pen. 5 (1925) 232; BURKILL, Dict. (1935) 1941; HENDERSON, Mal. Wild Fl. Monoc. (1954) 335; GILLILAND, Rev. Fl. Malaya 3 (1971) 152; — *Panicum myosuroides* R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 134.

- 1096 **Schizachyrium sanguineum** (RETZ.) ALSTON; GILLILAND, Rev. Fl. Malaya 3 (1971) 289; — *Andropogon pseudograyia* STEUD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; — *Andropogon hirtiflorus* (*non* KUNTH) RIDL.; Ridl. Met. Fl. Mal. Pen. 3 166; — *S. semiberbe* NEES; RIDLEY, Fl. Mal. Pen. 5 (1925) 210; BURKILL, Dict. (1935) 1975.
- 1097 **Schizostachyum gracile** (MUNRO) HOLTT.; GILLILAND, Rev. Fl. Malaya 3 (1971) 39; — *S. tenue* GAMBLE; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 194; RIDLEY, Fl. Mal. Pen. 5 (1925) 268; BURKILL, Dict. (1935) 1977; — *S. chilanthum* KURZ; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 194; RIDLEY, Fl. Mal. Pen. 5 (1925) 269; BURKILL, Dict. (1935) 1977.
- 1098 **Schizostachyum latifolium** GAMBLE; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 196; RIDLEY, Fl. Mal. Pen. 5 (1925) 270; BURKILL, Dict. (1935) 1977; DRANSFIELD, Kew Bull. 38 (1983) 331; — *Ochlandra ridleyi* GAMBLE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 187; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 197; RIDLEY, Fl. Mal. Pen. 5 (1925) 272; BURKILL, Dict. (1935) 1567; — *S. longispiculatum* auct., *non* (KURZ *ex* MUNRO) KURZ; RIDLEY, Fl. Mal. Pen. 5 (1925) 270; BURKILL, Dict. (1953) 1977; GILLILAND, Rev. Fl. Malaya 3 (1971) 40.
- 1099 **Schizostachyum zolleringi** STEUD.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 195; RIDLEY, Fl. Mal. Pen. 5 (1925) 269; BURKILL, Dict. (1935) 1978; GILLILAND, Rev. Fl. Malaya 3 (1971) 41.
- 1100 **Setaria barbata** (LAMK.) KUNTH; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 130.
- 1101 **Setaria palmifolia** (KOEN.) STAPF; BURKILL, Dict. (1935) 1999; HENDERSON, Mal. Wild Fl. Monoc. (1954) 324; GILLILAND, Rev. Fl. Malaya 3 (1971) 157; — *Panicum plicata* (*non* LAMK.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 136; — *S. plicata* (*non* COOKE) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 236.
- 1102 **Setaria pumila** (POIR.) ROEM. & SCHULT.; CLAYTON, Fl. Zambesiaca 10(3) (1989) 100; — *S. glauca* (*non* BEAUV.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 144; — *S. rubiginosa* (STEUD.) MIQ.; RIDLEY, Fl. Mal. Pen. 5 (1925) 234; — *S. geniculata* (*non* BEAUV.) BURKILL; BURKILL, Dict. (1935) 1999, HENDERSON, Mal. Wild Fl. Monoc. (1954) 323; — *S. pallide-fusca* (SCHUM.) STAPF & HUBB.; GILLILAND, Rev. Fl. Malayas 3 (1971) 159.
- A 1103 **Sorghum propinquum** (KUNTH) HITCH.; SINCLAIR, Gard. Bull. Sing. 15 (1956) 28; GILLILAND, Rev. Fl. Malaya 3 (1971) 229; CORLETT, J. Biogeog. (1988) 663; — *S. affine* *sensu* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 195.
- 1104 **Sphaerocaryum malaccense** (TRIN.) PILGER; HENDERSON, Mal. Wild Fl. Monoc. (1954) 317; GILLILAND, Rev. Fl. Malaya 3 (1971) 126; — *S. elegans* NEES *ex* STEUD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 170; RIDLEY, Fl. Mal. Pen. 5 (1925) 241.

- 1105a **Sporobolus indicus** (L.) R.BR. var. **flaccidus** (R. & S.) VELDKAMP; BAAIJENS & VELDKAMP, Blumea 35 (1991) 433; — *S. indicus* R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 171; RIDLEY, Fl. Mal. Pen. 5 (1925) 244; HENDERSON, Mal. Wild Fl. Monoc. (1954) 318 — *S. diandrus* (RETZ.) P. BEAUV.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 170; RIDLEY, Fl. Mal. Pen. 5 (1925) 244; BURKILL, Dict. (1935) 2069; HENDERSON, Mal. Wild Fl. Monoc. (1954) 318; GILLILAND, Rev. Fl. Malaya 3 (1971) 106 ("diander").
- 1105b **Sporobolus indicus** var. **major** (BUSE) BAAIJENS; BAAIJENS & VELDKAMP, Blumea 35 (1991) 437; — *S. berteroanus* (non HITCH. & CHASE) BACKER & SLOOT.; BURKILL, Dict. (1935) 2069; — *S. fertilis* (STEUD.) W.D. CLAYTON; GILLILAND, Rev. Fl. Malaya 3 (1971) 106.
- 1106 **Sporobolus virginicus** (L.) KUNTH; GILLILAND, Rev. Fl. Malaya 3 (1971) 108; BAAIJENS & VELDKAMP, Blumea 35 (1991) 445.
- A 1107 **Stenotaphrum dimidiatum** (L.) BRONGN.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 37; GILLILAND, Rev. Fl. Malaya 3 (1971) 205; CORLETT, J. Biogeog. (1988) 663.
- 1108 **Themeda arguens** (L.) HACK.; RIDLEY, Fl. Mal. Pen. 5 (1925) 212; BURKILL, Dict. (1935) 2146; HENDERSON, Mal. Wild Fl. Monoc. (1954) 351; GILLILAND, Rev. Fl. Malaya 3 (1971) 300; — *Anthistiria arguens* WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 168.
- 1109 **Themeda villosa** (POIR.) A. CAMUS; RIDLEY, Fl. Mal. Pen. 5 (1925) 212; BURKILL, Dict. (1935) 2147; HENDERSON, Mal. Wild Fl. Monoc. (1954) 352; GILLILAND, Rev. Fl. Malaya 3 (1971) 301; — *Anthistiria gigantea* HACK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 186 (var. *villosa* HACK.); RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 169.
- 1110 **Thuarea involuta** (FORST.) R. BR. ex ROEM. & SCHULT.; GILLILAND, Rev. Fl. Malaya 3 (1971) 207; — *T. sarmentosa* PERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 146; RIDLEY, Fl. Mal. Pen. 5 (1925) 236; BURKILL, Dict. (1935) 2157; HENDERSON, Mal. Wild Fl. Monoc. (1954) 335.
- A 1111 **Thysanolaena latifolia** (ROXB. ex HORREM.) HONDA; BAAIJENS & VELDKAMP, Blumea 35 (1991) 451; TAN et al., Gard. Bull. Sing. 44 (1992) 130; — *T. agrostis* NEES; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 143; RIDLEY, Fl. Mal. Pen. 5 (1925) 241; — *T. maxima* (ROXB.) O. KTZE.; BURKILL, Dict. (1935) 2160; HENDERSON, Mal. Wild Fl. Monoc. (1954) 321; GILLILAND, Rev. Fl. Malaya 3 (1971) 45;.
- A 1112 **Tripsacum dactyloides** (L.) L.; GILLILAND, Rev. Fl. Malaya 3 (1971) 309.
- A 1113 **Vetiveria zizanioides** (L.) NASH; BURKILL, Dict. (1935) 2228; GILLILAND, Rev. Fl. Malaya 3 (1971) 232; — *V. odorata* VIREY; RIDLEY, Fl. Mal. Pen. 5 (1925) 208.
- 1114 **Zoysia matrella** (L.) MERR.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 318; GILLILAND, Rev. Fl. Malaya 3 (1971) 109; GOUDSWAARD, Blumea 26 (1980) 171; — *Z. pungens* WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 185; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 149; RIDLEY, Fl. Mal. Pen. 5 (1925) 243.

GUTTIFERAE

- 1115 **Calophyllum biflorum** HEND. & WYATT-SMITH; WHITMORE, Tree Fl. Malaya 2 (1973) 176; STEVENS, J. Arn. Arb. 61 (1980) 472; KENG, Conc. Fl. Sing. (1990) 48.
- 1116 **Calophyllum calaba** L. var. **bracteatum** (WIGHT) P.F. STEVENS; STEVENS, J. Arn. Arb. 61 (1980) 261; KENG, Conc. Fl. Sing. (1990) 48.
- 1117 **Calophyllum costulatum** HEND. & WYATT-SMITH; WHITMORE, Tree Fl. Malaya 2 (1973) 173; STEVENS, J. Arn. Arb. 61 (1980) 470; KENG, Conc. Fl. Sing. (1990) 48.
- 1118 **Calophyllum dispar** P.F. STEVENS; STEVENS, J. Arn. Arb. 61 (1980) 524; KENG, Conc. Fl. Sing. (1990) 48.
- 1119 **Calophyllum ferrugineum** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 184; WHITMORE, Tree Fl. Malaya 2 (1973) 180; STEVENS, J. Arn. Arb. 61 (1980) 459; KENG, Conc. Fl. Sing. (1990) 48; — *C. retusum* WALL. ex CHOISY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 184.
- 1120 **Calophyllum inophyllum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48; RIDLEY, Fl. Mal. Pen. 1 (1922) 186; WHITMORE, Tree Fl. Malaya 2 (1973) 186; STEVENS, J. Arn. Arb. 61 (1980) 324; CORNER, Ways. Trees, 3rd ed. (1988) 350; KENG, Conc. Fl. Sing. (1990) 48.
- 1121 **Calophyllum lanigerum** MIQ. var. **austrocoriaceum** (T.C. WHITMORE) P.F. STEVENS; STEVENS, J. Arn. Arb. 61 (1980) 358; KENG, Conc. Fl. Sing. (1990) 48; — *C. austrocoriaceum* WHITMORE; WHITMORE, Tree Fl. Malaya 2 (1973) 174.
- 1122 **Calophyllum macrocarpum** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48; RIDLEY, Fl. Mal. Pen. 1 (1922) 187; WHITMORE, Tree Fl. Malaya 2 (1973) 187; STEVENS, J. Arn. Arb. 61 (1980) 452; KENG, Conc. Fl. Sing. (1990) 48.
- 1123 **Calophyllum pulcherrimum** WALL. ex CHOISY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 182; WHITMORE, Tree Fl. Malaya 2 (1973) 181; STEVENS, J. Arn. Arb. 61 (1980) 395; KENG, Conc. Fl. Sing. (1990) 48.
- 1124 **Calophyllum rigidum** MIQ.; STEVENS, J. Arn. Arb. 61 (1980) 294; KENG, Conc. Fl. Sing. (1990) 48; — *C. kunstleri* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 182, p.p.; WHITMORE, Tree Fl. Malaya 2 (1973) 187.
- 1125 **Calophyllum rubiginosum** HEND. & WYATT-SMITH; WHITMORE, Tree Fl. Malaya 2 (1973) 189; STEVENS, J. Arn. Arb. 61 (1980) 638; KENG, Conc. Fl. Sing. (1990) 48; — *C. wallichianum* auct. non PLANCH. & TRIANA; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48; RIDLEY, Fl. Mal. Pen. 1 (1922) 187, p.p..
- 1126 **Calophyllum rufigemmatum** HEND. & WYATT-SMITH; STEVENS, J. Arn. Arb. 61 (1980) 350; KENG, Conc. Fl. Sing. (1990) 48; — *C. wallichianum* auct. non PLANCH. & TRIANA; WHITMORE, Tree Fl. Malaya 2 (1973) 193, p.p..

- 1127 **Calophyllum soulatatri** BURM. f.; WHITMORE, Tree Fl. Malaya 2 (1973) 192; STEVENS, J. Arn. Arb. 61 (1980) 277; KENG, Conc. Fl. Sing. (1990) 48; — *C. spectabile* auct. non WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 185, p.p..
- 1128 **Calophyllum sp. 151;** STEVENS, J. Arn. Arb. 61 (1980) 626.
- 1129 **Calophyllum sundaicum** P.F. STEVENS; STEVENS, J. Arn. Arb. 61 (1980) 467; KENG, Conc. Fl. Sing. (1990) 48; — *C. retusum* auct. non WALL. ex CHOISY; WHITMORE, Tree Fl. Malaya 2 (1973) 188.
- 1130 **Calophyllum tetapterum** Miq.; STEVENS, J. Arn. Arb. 61 (1980) 506; KENG, Conc. Fl. Sing. (1990) 48; — *C. floribundum* HOOK. f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 184, p.p.; WHITMORE, Tree Fl. Malaya 2 (1973) 180, p.p.; — *C. foetidum* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 186, p.p.; — *C. lanceola* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 182; — *C. praineanum* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 183; — *C. venustum* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 186.
- 1131 **Calophyllum teysmannii** Miq.; STEVENS, J. Arn. Arb. 61 (1980) 432; KENG, Conc. Fl. Sing. (1990) 48; — *C. inophylloide* (non KING) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 186, p.p.; — *C. inophylloide* KING var. *singapurensis* HENDERSON & WYATT-SMITH; WHITMORE, Tree Fl. Malaya 2 (1973) 186.
- 1132 **Calophyllum wallichianum** PLANCH. & TR. var. *incrassatum* (HENDERSON & WYATT-SMITH) P.F. STEVENS; STEVENS, J. Arn. Arb. 61 (1980) 294; KENG, Conc. Fl. Sing. (1990) 48; — *C. griffithii* (non KING) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48; RIDLEY, Fl. Mal. Pen. 1 (1922) 187; — *C. incrassatum* HENDERSON & WYATT-SMITH; WHITMORE, Tree Fl. Malaya 2 (1973) 183.
- 1133 **Garcinia atroviridis** GRIFF. & T. ANDERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 173; BURKILL, Dict. (1935) 1047; CORNER, Ways. Trees 1st ed. (1940) 314; WHITMORE, Tree Fl. Malaya 2 (1973) 206; CORNER, Ways. Trees, 3rd ed. (1988) 353; KENG, Conc. Fl. Sing. (1990) 48.
- 1134 **Garcinia bancana** (Miq.) Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 174; CORNER, Ways. Trees 1st ed. (1940) 314; WHITMORE, Tree Fl. Malaya 2 (1973) 206; CORNER, Ways. Trees, 3rd ed. (1988) 353; KENG, Conc. Fl. Sing. (1990) 48.
- 1135 **Garcinia eugeniaeefolia** WALL. ex T. ANDERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 46; RIDLEY, Fl. Mal. Pen. 1 (1922) 169; WHITMORE, Tree Fl. Malaya 2 (1973) 210; KENG, Conc. Fl. Sing. (1990) 48.
- 1136 **Garcinia forbesii** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 175; CORNER, Ways. Trees 1st ed. (1940) 316; WHITMORE, Tree Fl. Malaya 2 (1973) 211; CORNER, Ways. Trees, 3rd ed. (1988) 355; KENG, Conc. Fl. Sing. (1990) 48.

- 1137 **Garcinia griffithii** T. ANDERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 174; CORNER, Ways. Trees 1st ed. (1940) 317; WHITMORE, Tree Fl. Malaya 2 (1973) 211; CORNER, Ways. Trees, 3rd ed. (1988) 356; KENG, Conc. Fl. Sing. (1990) 49.
- 1138 **Garcinia hombroniana** PIERRE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 46; RIDLEY, Fl. Mal. Pen. 1 (1922) 171; CORNER, Ways. Trees 1st ed. (1940) 318; WHITMORE, Tree Fl. Malaya 2 (1973) 212; CORNER, Ways. Trees, 3rd ed. (1988) 357; KENG, Conc. Fl. Sing. (1990) 49.
- 1139 **Garcinia nervosa** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 179; CORNER, Ways. Trees 1st ed. (1940) 318; WHITMORE, Tree Fl. Malaya 2 (1973) 217; CORNER, Ways. Trees, 3rd ed. (1988) 357; KENG, Conc. Fl. Sing. (1990) 49.
- 1140 **Garcinia nigrolineata** PLANCH. ex T. ANDERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 176; CORNER, Ways. Trees 1st ed. (1940) 319; WHITMORE, Tree Fl. Malaya 2 (1973) 218; CORNER, Ways. Trees, 3rd ed. (1988) 358; KENG, Conc. Fl. Sing. (1990) 49; — *G. kunstleri* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 177.
- 1141 **Garcinia parvifolia** (MIQ.) MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 47; RIDLEY, Fl. Mal. Pen. 1 (1922) 177; CORNER, Ways. Trees 1st ed. (1940) 319; WHITMORE, Tree Fl. Malaya 2 (1973) 219; CORNER, Ways. Trees, 3rd ed. (1988) 358; KENG, Conc. Fl. Sing. (1990) 49; — *G. globulosa* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 176.
- 1142 **Garcinia pyrifera** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 180; WHITMORE, Tree Fl. Malaya 2 (1973) 220.
- 1143 **Garcinia rostrata** (HASSK.) MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 46; RIDLEY, Fl. Mal. Pen. 1 (1922) 169; WHITMORE, Tree Fl. Malaya 2 (1973) 220; KENG, Conc. Fl. Sing. (1990) 49.
- 1144 **Garcinia scortechinii** KING; WHITMORE, Tree Fl. Malaya 2 (1973) 221; KENG, Conc. Fl. Sing. (1990) 49; — *G. gaudichaudii* PLANCH. & TRIANA; RIDLEY, Fl. Mal. Pen. 1 (1922) 177; BURKILL, Dict. (1935) 1049; CORNER, Ways. Trees 1st ed. (1940) 317; CORNER, Ways. Trees, 3rd ed. (1988) 356.
- 1145 **Mesua elegans** (KING) KOSTERM.; WHITMORE, Tree Fl. Malaya 2 (1973) 229; — *Kayea elegans* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 191; — *Kayea caudata* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 191.

HALORAGACEAE

- 1146 **Haloragis chinensis** (LOUR.) MERR.; KENG, Mal. Nat. J. 23 (1970) 123; VAN DER MEIJDEN & CASPERS, Fl. Males. I 7¹ (1971) 243; KENG, Conc. Fl. Sing. (1990) 85.

HANGUANACEAE

- 1147 **Hanguana malayana** (JACK) MERR.; BACKER, Fl. Males. I 4³ (1951) 249; KENG, Gard. Bull. Sing. 40 (1987) 125 — *Susum anthelminticum* BL. ex R. & S.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 131; RIDLEY, Fl. Mal. Pen. 4 (1924) 369; BURKILL, Dict. (1935) 2109; — *Susum malayanum* PLANCH. ex HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 132; RIDLEY, Fl. Mal. Pen. 4 (1924) 369; BURKILL, Dict. (1935) 2109; HENDERSON, Mal. Wild Fl. Monoc. (1954) 207.

HERNANDIACEAE

- 1148 **Hernandia nymphaeifolia** (PRESL) KUBITZKI; Ng, Tree Fl. Malaya 2 (1973) 245; CORNER, Ways. Trees, 3rd ed. (1988) 363; KENG, Conc. Fl. Sing. (1990) 20; — *H. peltata* MEISSN.; RIDLEY, Fl. Mal. Pen. 3 (1924) 138; BURKILL, Dict. (1935) 1141; — *H. ovigera* L.; CORNER, Ways. Trees 1st ed. (1940) 323.
- 1149 **Illigera trifoliata** (GRIFF.) DUNN.; Ng, Tree Fl. Malaya 2 (1973) 247; KENG, Conc. Fl. Sing. (1990) 20; — *I. appendiculata* (non BL.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 80; RIDLEY, Fl. Mal. Pen. 3 (1924) 139; HENDERSON, Mal. Wild Fl. Dic. (1959) 445.

HYDROCHARITACEAE

- 1150 **Blyxa alternifolia** (MIQ.) HARTOG; DEN HARTOG, Fl. Males. I 5⁴ (1958) 392; KENG, Gard. Bull. Sing. 40 (1987) 114; — *Enhydrias angustipetala* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 4; RIDLEY, Fl. Mal. Pen. 4 (1924) 4.
- 1151 **Blyxa auberti** RICH.; DEN HARTOG, Fl. Males. I 5⁴ (1958) 390; KENG, Gard. Bull. Sing. 40 (1987) 114; — *B. malayana* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 4; RIDLEY, Fl. Mal. Pen. 4 (1924) 3; HENDERSON, Mal. Wild Fl. Monoc. (1954) 7.
- 1152 **Enhalus acoroides** (L.f.) ROYLE; HENDERSON, Mal. Wild Fl. Monoc. (1954) 10; DEN HARTOG, Fl. Males. I 5⁴ (1958) 402; DEN HARTOG, The Sea-grasses of the World (1970) 215; KENG, Gard. Bull. Sing. 40 (1987) 114; — *E. koenigii* RICH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 152; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 6; RIDLEY, Fl. Mal. Pen. 4 (1924) 4.
- 1153 **Halophila beccarrii** ASCHERS.; DEN HARTOG, Fl. Males. I 5⁴ (1958) 411; DEN HARTOG, The Sea-grasses of the World (1970) 261.
- 1154 **Halophila minor** (ZOLL.) HARTOG; SACHET & FOSBERG, Taxon 22 (1973) 439; DEN HARTOG, Fl. Males. I 5⁴ (1958) 410; KENG, Gard. Bull. Sing. 40 (1987) 114; — *H. ovata* GAUD.; DEN HARTOG, The Sea-grasses of the World (1970) 251; —

- 1155 **Halophila ovalis** (R. Br.) HOOK. f.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 11; DEN HARTOG, Fl. Males. I 5⁴ (1958) 408; DEN HARTOG, The Sea-grasses of the World (1970) 240; KENG, Gard. Bull. Sing. 40 (1987) 114; — *H. ovata* (non GAUD.) ASCHERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 152; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 6; RIDLEY, Fl. Mal. Pen. 4 (1924) 4.
- 1156 **Halophila spinulosa** (R. Br.) ASCHERS.; SINCLAIR, Gard. Bull. Sing. 15 (1956) 30; DEN HARTOG, Fl. Males. I 5⁴ (1958) 412; DEN HARTOG, The Sea-grasses of the World (1970) 263; KENG, Gard. Bull. Sing. 40 (1987) 114.
- 1157 **Hydrilla verticillata** (L.f.) ROYLE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 152; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 3; RIDLEY, Fl. Mal. Pen. 4 (1924) 1; DEN HARTOG, Fl. Males. I 5⁴ (1958) 385; COOK & LÜÖND, Aquatic Botany 13 (1982) 485; KENG, Gard. Bull. Sing. 40 (1987) 114.
- 1158 **Thalassia hemprichii** (EHRENB.) ASCHERS.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 35; DEN HARTOG, Fl. Males. I 5⁴ (1958) 406; DEN HARTOG, The Sea-grasses of the World (1970) 232; KENG, Gard. Bull. Sing. 40 (1987) 114.

HYDROPHYLACEAE

- 1159 **Hydrolea zeylanica** (L.) VAHL; RIDLEY, Fl. Mal. Pen. 2 (1923) 438; BURKILL, Dict. (1935) 1213; HENDERSON, Mal. Wild Fl. Dic. (1959) 308; BACKER, Fl. Males. I 4³ (1951) 207; KENG, Conc. Fl. Sing. (1990) 174.

HYPERICACEAE

- 1160 **Cratoxylum arborescens** (VAHL) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 46; RIDLEY, Fl. Mal. Pen. 1 (1922) 153; GOGELEIN, Blumea 15 (1967) 471; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 248; CORNER, Ways. Trees, 3rd ed. (1988) 365; KENG, Conc. Fl. Sing. (1990) 47.
- 1161 **Cratoxylum cochinchinense** (LOUR.) BL.; GOGELEIN, Blumea 15 (1967) 463; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 251; CORNER, Ways. Trees, 3rd ed. (1988) 365; KENG, Conc. Fl. Sing. (1990) 47; — *C. polyanthum* KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 46; RIDLEY, Fl. Mal. Pen. 1 (1922) 152; — *C. ligustrinum* (SPACH) BL.; CORNER, Ways. Trees 1st ed. (1940) 327.
- 1162 **Cratoxylum formosum** (JACK) DYER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 46; RIDLEY, Fl. Mal. Pen. 1 (1922) 153; GOGELEIN, Blumea 15 (1967) 467; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 251; CORNER, Ways. Trees, 3rd ed. (1988) 365; KENG, Conc. Fl. Sing. (1990) 47.
- 1163 **Cratoxylum maingayi** DYER; GOGELEIN, Blumea 15 (1967) 470.
- 1164 **Hypericum japonicum** THUNB. ex MURRAY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 46; RIDLEY, Fl. Mal. Pen. 1 (1922) 152; HENDERSON, Mal. Wild Fl. Dic. (1959) 35; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 248; KENG, Conc. Fl. Sing. (1990) 47.

HYPOXIDACEAE

- 1165 ***Curculigo capitulata*** (LOUR.) KUNTZE; GEERINCK, fl. Males. I 11² (1993) 367; — *C. recurvata* DRYAND.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (MONOC.) 2 (12907) 65; RIDLEY, fl. Mal. Pen. 4 (1924) 299; KENG, Gard. Bull. Sing. 40 (1987) 121.
- 1166 ***Curculigo latifolia*** DRYAND.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 66; RIDLEY, fl. Mal. Pen. 4 (1924) 300; HENDERSON, Mal. Wild Fl. Monoc. (1954) 167; GEERINCK, fl. Males. I 11² (1993) 369; — *C. villosa* WALL. ex KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 66; RIDLEY, fl. Mal. Pen. 4 (1924) 300; KENG, Gard. Bull. Sing. 40 (1987) 121.

ICACINACEAE

- 1167 ***Cantleya corniculata*** (BECC.) HOWARD; SLEUMER, fl. Males. I 7¹ (1971) 51; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 110; — *C. johorica* RIDL.; RIDLEY, fl. Mal. Pen. 1 (1922) 436; — *Stemonurus corniculatus* (BECC.) RIDL.; RIDLEY, fl. Mal. Pen. 5 (1925) 297.
- 1168a ***Gomphandra quadrifida*** (BL.) SLEUM. var. ***angustifolia*** (KING) SLEUM.; SLEUMER, fl. Males. I 7¹ (1971) 34; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 111; — *G. lanceolata* (MAST.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; — *G. lanceolata* (MAST.) KING var. *angustifolia* KING; RIDLEY, fl. Mal. Pen. 1 (1922) 428.
- 1168b ***Gomphandra quadrifida*** var. ***ovalifolia*** (RIDL.) SLEUM.; SLEUMER, fl. Males. I 7¹ (1971) 34; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 111; — *G. penangiana* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; — *G. affinis* (MIERS) MAST.; RIDLEY, fl. Mal. Pen. 1 (1922) 427.
- 1169 ***Gonocaryum gracile*** MIQ.; SLEUMER, fl. Males. I 7¹ (1971) 17; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 113; KENG, Conc. Fl. Sing. (1990) 126; *G. longeracemosum* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; RIDLEY, — Fl. Mal. Pen. 1 (1922) 431; BURKILL, Dict. (1935) 1099.
- 1170 ***Iodes ovalis*** BL.; SLEUMER, fl. Males. I 7¹ (1971) 68; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 109; KENG, Conc. Fl. Sing. (1990) 126; — *I. oblonga* PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; RIDLEY, fl. Mal. Pen. 1 (1922) 435.
- 1171 ***Iodes velutina*** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; RIDLEY, fl. Mal. Pen. 1 (1922) 434; SLEUMER, fl. Males. I 7¹ (1971) 72; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 109; KENG, Conc. Fl. Sing. (1990) 126.
- 1172 ***Phytocrene bracteata*** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; RIDLEY, fl. Mal. Pen. 1 (1922) 432; SLEUMER, fl. Males. I 7¹ (1971) 85; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 109; KENG, Conc. Fl. Sing. (1990) 126.
- 1173 ***Platea latifolia*** BL.; RIDLEY, fl. Mal. Pen. 1 (1922) 426; BURKILL, Dict. (1935) 1768; SLEUMER, fl. Males. I 7¹ (1971) 11; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 114; KENG, Conc. Fl. Sing. (1990) 126.

- 1174 **Stemonurus malaccensis** (MAST.) SLEUMER.; SLEUMER, Fl. Males. I 7¹ (1971) 60; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 117; KENG, Conc. Fl. Sing. (1990) 126; — *S. capitatus* BECC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 431; BURKILL, Dict. (1935) 2074.
- 1175 **Stemonurus scorpioides** BECC.; RIDLEY, Fl. Mal. Pen. 5 (1925) 296; BURKILL, Dict. (1935) 2074; SLEUMER, Fl. Males. I 7¹ (1971) 58; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 117; KENG, Conc. Fl. Sing. (1990) 126; — *Lasianthera secundiflora* [non (BL.) MIQ.] KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; — *S. secundiflorus* (non BL.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 430.

IRIDACEAE

- A 1176 **Trimezia martinicensis** (JACQ.) HERBERT; HENDERSON, Mal. Wild Fl. Monoc. (1954) 168; KENG, Gard. Bull. Sing. 40 (1987) 123; CORLETT, J. Biogeog. (1988) 663.

IXONANTHACEAE

- 1177 **Ixonanthes icosandra** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 325; CORNER, Ways. Trees 1st ed. (1940) 221; COCKBURN, Tree Fl. Malaya 1 (1972) 307; KOOL, Fl. Males. I 10³ (1988) 625; CORNER, Ways. Trees, 3rd ed. (1988) 256; KENG, Conc. Fl. Sing. (1990) 94.
- 1178 **Ixonanthes reticulata** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 326; CORNER, Ways. Trees 1st ed. (1940) 221; COCKBURN, Tree Fl. Malaya 1 (1972) 307; KOOL, Fl. Males. I 10³ (1988) 626; CORNER, Ways. Trees, 3rd ed. (1988) 256; KENG, Conc. Fl. Sing. (1990) 94.

JUGLANDACEAE

- 1179 **Engelhardtia serrata** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149; JACOBS, Fl. Males. I 6¹ (1960) 150; NG, Tree Fl. Malaya 1 (1972) 236; CORNER, Ways. Trees, 3rd ed. (1988) 370; KENG, Conc. Fl. Sing. (1990) 66; — *E. wallichiana* [non (LINDL. ex WALL.) DC.] RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149; — *E. nudiflora* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 369; CORNER, Ways. Trees 1st ed. (1940) 333.

LABIATAE

- 1180 **Anisomeles indica** (L.) O. KTZE.; KENG, Fl. Males. I 8² (1977) 328; KENG, Conc. Fl. Sing. (1990) 196; — *A. ovata* R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; RIDLEY, Fl. Mal. Pen. 2 (1923) 649.

- A 1181 **Hyptis brevipes** Poit.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; RIDLEY, Fl. Mal. Pen. 2 (1923) 645; HENDERSON, Mal. Wild Fl. Dic. (1959) 390; KENG, Fl. Males. I 8² (1977) 369; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 196.
- A 1182 **Hyptis capitata** JACQ.; HENDERSON, Mal. Wild Fl. Dic. (1959) 391; KENG, Fl. Males. I 8² (1977) 369; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 196.

- A 1183 **Hyptis suaveolens** (L.) Poit.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 124; RIDLEY, Fl. Mal. Pen. 2 (1923) 645; HENDERSON, Mal. Wild Fl. Dic. (1959) 391; KENG, Fl. Males. I 8² (1977) 371; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 197.
- A 1184 **Leonotis nepetifolia** (L.) AIT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; SINCLAIR, Gard. Bull. Sing. 14 (1953) 34; KENG, Fl. Males. I 8² (1977) 335; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 197 "nepetaefolia".
- A 1185 **Leonurus sibiricus** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; RIDLEY, Fl. Mal. Pen. 2 (1923) 651; HENDERSON, Mal. Wild Fl. Dic. (1959) 389; KENG, Fl. Males. I 8² (1977) 336; KENG, Conc. Fl. Sing. (1990) 197.
- 1186 **Leucas linifolia** SPRENG.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; KENG, Conc. Fl. Sing. (1990) 197; — *L. lavendulifolia* J. E. SM.; RIDLEY, Fl. Mal. Pen. 2 (1923) 651; BURKILL, Dict. (1935) 1338; HENDERSON, Mal. Wild Fl. Dic. (1959) 393; KENG, Fl. Males. I 8² (1977) 338.
- 1187 **Leucas zeylanica** (L.) R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; RIDLEY, Fl. Mal. Pen. 2 (1923) 650; BURKILL, Dict. (1935) 1338; HENDERSON, Mal. Wild Fl. Dic. (1959) 392; KENG, Fl. Males. I 8² (1977) 336; KENG, Conc. Fl. Sing. (1990) 197.
- 1188 **Ocimum americanum** L.; KENG, Fl. Males. I 8² (1977) 376; KENG, Conc. Fl. Sing. (1990) 197; — *O. canum* SIMS; RIDLEY, Fl. Mal. Pen. 2 (1923) 644; BURKILL, Dict. (1935) 1574.
- 1189 **Ocimum basilicum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; RIDLEY, Fl. Mal. Pen. 2 (1923) 643; HENDERSON, Mal. Wild Fl. Dic. (1959) 395; KENG, Fl. Males. I 8² (1977) 377; KENG, Conc. Fl. Sing. (1990) 197.
- 1190 **Ocimum tenuiflorum** L.; KENG, Fl. Males. I 8² (1977) 378; PRESS & SIVARAJAN, Bull. Brit. Mus. Nat. Hist. (Bot.) 19 (1989) 116; KENG, Conc. Fl. Sing. (1990) 197; — *O. sanctum* L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 643; BURKILL, Dict. (1935) 1575.
- 1191 **Plectranthus scutellarioides** (L.) R. BR.; KENG, Fl. Males. I 8² (1977) 389; KENG, Conc. Fl. Sing. (1990) 197; — *Coleus atropurpureus* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 124; RIDLEY, Fl. Mal. Pen. 2 (1923) 646; BURKILL, Dict. (1935) 635; HENDERSON, Mal. Wild Fl. Dic. (1959) 396; — *Coleus blumei* BENTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 646; BURKILL, Dict. (1935) 635; HENDERSON, Mal. Wild Fl. Dic. (1959) 396; — *Solenostemon scutellarioides* (L.) CODD; SMITH, Fl. Vit. Nov. 5 (1991) 222.
- 1192 **Pogostemon auricularius** (L.) HASSK.; KENG, Fl. Males. I 8² (1977) 356; KENG, Conc. Fl. Sing. (1990) 198; *Dysophylla auricularia* (L.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 1—25; RIDLEY, Fl. Mal. Pen. 1 (1922) 648; HENDERSON, Mal. Wild Fl. Dic. (1959) 393.

LAURACEAE

- 1193 **Actinodaphne glomerata** (BL.) NEES; RIDLEY, Fl. Mal. Pen. 3 (1924) 108; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 104; KENG, Conc. Fl. Sing. (1990) 18.
- 1194 **Actinodaphne macrophylla** (BL.) NEES; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 105; KENG, Conc. Fl. Sing. (1990) 18; — *A. maingayi* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; RIDLEY, Fl. Mal. Pen. 3 (1924) 108; CORNER, Ways. Trees 1st ed. (1940) 345; CORNER, Ways. Trees, 3rd ed. (1988) 382.
- 1195 **Actinodaphne malaccensis** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 108; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 105; KENG, Conc. Fl. Sing. (1990) 18; — *A. hullettii* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 110; KENG, Conc. Fl. Sing. (1990) 18.
- 1196 **Actinodaphne pruinosa** NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; RIDLEY, Fl. Mal. Pen. 3 (1924) 110 (*incl. var. kunstleri* GAMBLE); KOCHUMMEN, Tree Fl. Malaya 4 (1989) 106; KENG, Conc. Fl. Sing. (1990) 18.
- 1197 **Alseodaphne bancana** MIQ.; RIDLEY, Fl. Mal. Pen. 3 (1924) 98; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 111; KENG, Conc. Fl. Sing. (1990) 18; — *A. decipiens* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131.
- 1198 **Alseodaphne intermedia** KOSTERMANS, Candollea 28 (1973) 113; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 113.
- 1199 **Alseodaphne nigrescens** (GAMBLE) KOSTERMANS; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 114; — *Dehaasia nigrescens* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 88; KENG, Conc. Fl. Sing. (1990) 19.
- 1200 **Beilschmiedia kunstleri** GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 83; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 120; KENG, Conc. Fl. Sing. (1990) 18.
- 1201 **Beilschmiedia madang** BL.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 120; KENG, Conc. Fl. Sing. (1990) 18; — *B. malaccensis* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130; RIDLEY, Fl. Mal. Pen. 3 (1924) 83; — *B. curtisii* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 84; — *B. scortechinii* Gamble; RIDLEY, Fl. Mal. Pen. 3 (1924) 84.
- 1202 **Cassytha filiformis** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132; RIDLEY, Fl. Mal. Pen. 3 (1924) 137; HENDERSON, Mal. Wild Fl. Dic. (1959) 444; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 102; KENG, Conc. Fl. Sing. (1990) 18.
- 1203 **Cinnamomum iners** REINW. ex BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; RIDLEY, Fl. Mal. Pen. 3 (1924) 92 (*incl. var. angustifolium* RIDL.); CORNER, Ways. Trees, 3rd ed. (1988) 377; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 126; KENG, Conc. Fl. Sing. (1990) 18; — *C. nitidum* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; — *C. paraneuron* MIQ.; RIDLEY, Fl. Mal. Pen. 3 (1924) 92.
- 1204 **Cinnamomum javanicum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130; RIDLEY, Fl. Mal. Pen. 3 (1924) 94; CORNER, Ways. Trees, 3rd ed. (1988) 378; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 126; KENG, Conc. Fl. Sing. (1990) 18.

- 1205 **Cinnamomum subavenium** Miq.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 131; KENG, Conc. Fl. Sing. (1990) 18; — *C. ridleyi* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 93.
- 1206 **Cryptocarya caesia** Bl.; RIDLEY, Fl. Mal. Pen. 3 (1924) 81; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 133; KENG, Conc. Fl. Sing. (1990) 18.
- 1207 **Cryptocarya ferrea** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130; RIDLEY, Fl. Mal. Pen. 3 (1924) 79; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 134; KENG, Conc. Fl. Sing. (1990) 18.
- 1208 **Cryptocarya griffithiana** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130; RIDLEY, Fl. Mal. Pen. 3 (1924) 77; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 134; KENG, Conc. Fl. Sing. (1990) 18.
- 1209 **Cryptocarya impressa** Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130; RIDLEY, Fl. Mal. Pen. 3 (1924) 78; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 135; KENG, Conc. Fl. Sing. (1990) 19.
- 1210 **Cryptocarya kurzii** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 80; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 135; KENG, Conc. Fl. Sing. (1990) 19; — *C. argentea* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 81.
- 1211 **Cryptocarya rugulosa** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 78; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 136.
- 1212 **Dehaasia incrassata** (JACK) KOSTERM.; CORNER, Ways. Trees, 3rd ed. (1988) 380; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 139; KENG, Conc. Fl. Sing. (1990) 19; — *D. microcarpa* Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130; RIDLEY, Fl. Mal. Pen. 3 (1924) 87.
- 1213 **Lindera lucida** (Bl.) BOERL.; CORNER, Ways. Trees, 3rd ed. (1988) 383; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 146; KENG, Conc. Fl. Sing. (1990) 19; — *L. malaccensis* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132; RIDLEY, Fl. Mal. Pen. 3 (1924) 133; — *L. selangorensis* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 134.
- 1214 **Litsea accedens** (Bl.) BOERL.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 151; KENG, Conc. Fl. Sing. (1990) 19; — *L. singapurensis* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 122.
- 1215 **Litsea castanea** HOOK. f.; KOSTERMANS, Reinwardtia 8 (1970) 89; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 152; — *L. quercina* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 131.
- 1216 **Litsea cordata** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 118; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 154; KENG, Conc. Fl. Sing. (1990) 19.
- 1217 **Litsea costalis** (Bl.) KOSTERM.; CORNER, Ways. Trees, 3rd ed. (1988) 384; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 154; KENG, Conc. Fl. Sing. (1990) 19; — *Alseodaphne costalis* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; — *L. megacarpa* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 127.

- 1218 **Litsea costata** (BL.) BOERL.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 154; KENG, Conc. Fl. Sing. (1990) 19; — *L. perakensis* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 122; — *L. kunstleri* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 125; — *L. patellaris* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 123; — *L. pustulata* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 122.
- 1219 **Litsea elliptica** BL.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 156; KENG, Conc. Fl. Sing. (1990) 19; — *L. petiolata* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132; RIDLEY, Fl. Mal. Pen. 3 (1924) 119.
- 1220 **Litsea erectinervia** KOSTERM.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 156; KENG, Conc. Fl. Sing. (1990) 19.
- 1221 **Litsea ferruginea** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132; RIDLEY, Fl. Mal. Pen. 3 (1924) 129; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 156; KENG, Conc. Fl. Sing. (1990) 19; — *L. griffithii* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 129.
- 1222 **Litsea firma** HOOK.f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 116; CORNER, Ways. Trees, 3rd ed. (1988) 385; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 156; KENG, Conc. Fl. Sing. (1990) 19.
- 1223 **Litsea gracilipes** HOOK.f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 130; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 158.
- 1224 **Litsea grandis** HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; RIDLEY, Fl. Mal. Pen. 3 (1924) 115; CORNER, Ways. Trees, 3rd ed. (1988) 385; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 158; KENG, Conc. Fl. Sing. (1990) 19.
- 1225 **Litsea lanceolata** (BL.) KOSTERM.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 159; KENG, Conc. Fl. Sing. (1990) 19; — *L. sarawacensis* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 130.
- 1226 **Litsea lancifolia** (ROXB.) HOOK.f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 130; MAXWELL, Gard. Bull. Sing. 35 (1983) 195; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 160; KENG, Conc. Fl. Sing. (1990) 19.
- 1227 **Litsea machilifolia** GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 126; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 160; KENG, Conc. Fl. Sing. (1990) 19.
- 1228 **Litsea myristicaefolia** (WALL. ex NEES) HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; RIDLEY, Fl. Mal. Pen. 3 (1924) 125; CORNER, Ways. Trees, 3rd ed. (1988) 385; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 161; KENG, Conc. Fl. Sing. (1990) 19.
- 1229 **Litsea ridleyi** GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 120; MAXWELL, Gard. Bull. Sing. 35 (1983) 195; KENG, Conc. Fl. Sing. (1990) 19.
- 1230 **Litsea robusta** BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 129; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 163; KENG, Conc. Fl. Sing. (1990) 19.

- 1231 **Litsea umbellata** (LOUR.) MERR.; CORNER, Ways. Trees, 3rd ed. (1988) 385; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 166; KENG, Conc. Fl. Sing. (1990) 19; — *L. amara* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; RIDLEY, Fl. Mal. Pen. 3 (1924) 117.
- 1232 **Neolitsea zeylanica** (NEES) MERR.; RIDLEY, Fl. Mal. Pen. 3 (1924) 132; CORNER, Ways. Trees, 3rd ed. (1988) 386; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 169; — *Litsea zeylanica* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132.
- 1233 **Nothaphoebe coriacea** KOSTERM.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 170; KENG, Conc. Fl. Sing. (1990) 19.
- 1234 **Nothaphoebe umbelliflora** (BL.) BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 101; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 172; KENG, Conc. Fl. Sing. (1990) 19; — *Alseodaphne umbelliflora* (BL.) HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131.
- 1235 **Persea declinata** (BL.) KOSTERM.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 173; KENG, Conc. Fl. Sing. (1990) 19; — *Phoebe declinata* NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; RIDLEY, Fl. Mal. Pen. 3 (1924) 104.
- 1236 **Phoebe grandis** MERR.; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 176; KENG, Conc. Fl. Sing. (1990) 19; — *P. opaca* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 131; RIDLEY, Fl. Mal. Pen. 3 (1924) 105 (*incl. var. cuspidata* GAMBLE); — *P. cuneata* BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 106; — *P. kunstleri* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 105.

LECYTHIDACEAE

- 1237 **Barringtonia asiatica** (L.) KURZ; WHITMORE, Tree Fl. Malaya 2 (1973) 258; CORNER, Ways. Trees, 3rd ed. (1988) 391; KENG, Conc. Fl. Sing. (1990) 79; — *B. speciosa* FORST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83; RIDLEY, Fl. Mal. Pen. 1 (1922) 756.
- 1238 **Barringtonia conoidea** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83; RIDLEY, Fl. Mal. Pen. 1 (1922) 757; WHITMORE, Tree Fl. Malaya 2 (1973) 258; CORNER, Ways. Trees, 3rd ed. (1988) 391; KENG, Conc. Fl. Sing. (1990) 79.
- 1239 **Barringtonia macrostachya** (JACK) KURZ; RIDLEY, Fl. Mal. Pen. 1 (1922) 758; WHITMORE, Tree Fl. Malaya 2 (1973) 260; CORNER, Ways. Trees, 3rd ed. (1988) 392; KENG, Conc. Fl. Sing. (1990) 79; — *B. cylindrostachya* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83.
- 1240 **Barringtonia racemosa** (L.) SPRENG.; RIDLEY, Fl. Mal. Pen. 1 (1922) 757; WHITMORE, Tree Fl. Malaya 2 (1973) 259; CORNER, Ways. Trees, 3rd ed. (1988) 392; KENG, Conc. Fl. Sing. (1990) 80; — *B. inclyta* Miers; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83.
- 1241 **Barringtonia reticulata** (BL.) MIQ.; WHITMORE, Tree Fl. Malaya 2 (1973) 260; CORNER, Ways. Trees, 3rd ed. (1988) 392; KENG, Conc. Fl. Sing. (1990) 80; — *B. sumatrana* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 758; CORNER, Ways. Trees 1st ed. (1940) 356.

- 1242 **Planchonia grandis** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 760; WHITMORE, Tree Fl. Malaya 2 (1973) 264; KENG, Conc. Fl. Sing. (1990) 80; — *Careya n. sp.*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83.

LEEACEAE

- 1243 **Leea aequata** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 486; RIDSDALE, Fl. Males. I 7⁴ (1976) 775; LATIFF, CORNER, Ways. Trees, 3rd ed. (1988) 757; Tree Fl. Malaya 4 (1989) 481; — *L. robusta* (*non* ROXB.) RIDL. RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65, RIDLEY, Fl. Mal. Pen. 1 (1922) 486.
- 1244 **Leea angulata** KORTH. ex MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65; RIDLEY, Fl. Mal. Pen. 1 (1922) 485; CORNER, Ways. Trees 1st ed. (1940) 97; RIDSDALE, Fl. Males. I 7⁴ (1976) 772; CORNER, Ways. Trees, 3rd ed. (1988) 757; LATIFF, Tree Fl. Malaya 4 (1989) 481, KENG, Conc. Fl. Sing. (1990) 118.
- 1245 **Leea indica** (BURM.f.) MERR.; CORNER, Ways. Trees 1st ed. (1940) 97; RIDSDALE, Fl. Males. I 7⁴ (1976) 779; CORNER, Ways. Trees, 3rd ed. (1988) 758; LATIFF, Tree Fl. Malaya 4 (1989) 482; KENG, Conc. Fl. Sing. (1990) 118; — *L. sambucina* WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65 (incl. var. *biserrata*); RIDLEY, Fl. Mal. Pen. 1 (1922) 484; — *L. javanica* (*non* BL.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65; RIDLEY, Fl. Mal. Pen. 1 (1922) 486.
- 1246 **Leea rubra** BL. ex SPRENG.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65; RIDLEY, Fl. Mal. Pen. 1 (1922) 485; CORNER, Ways. Trees 1st ed. (1940) 97; RIDSDALE, Fl. Males. I 7⁴ (1976) 776; CORNER, Ways. Trees, 3rd ed. (1988) 758; LATIFF, Tree Fl. Malaya 4 (1989) 482; KENG, Conc. Fl. Sing. (1990) 118.

LEGUMINOSAE

- A 1247 **Abrus precatorius** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 558; HENDERSON, Mal. Wild Fl. Dic. (1959) 85; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 31.
- A 1248 **Acacia auriculiformis** A. CUNN. ex BENTH.; CORLETT, J. Biogeog. (1988) 662; CORNER, Ways. Trees, 3rd ed. (1988) 448; KENG, Conc. Fl. Sing. (1990) 31; NIELSEN, Fl. Males. I 11¹ (1992) 58.
- 1249 **Acacia concinna** (WILLD.) A. DC.; NIELSEN, Fl. Males. I 11¹ (1992) 48.
- 1250 **Acacia kekapur** I. NIELS.; KENG, Conc. Fl. Sing. (1990) 31; NIELSEN, Fl. Males. I 11¹ (1992) 50; — *A. pseudointsia* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 657.
- 1251 **Adenanthera malayana** KOSTERMANS; NIELSEN, Fl. Males. I 11¹ (1992) 170; — *A. bicolor* auctt., *non* MOON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 654; WHITMORE, Tree Fl. Malaya 1 (1972) 276; CORNER, Ways. Trees, 3rd ed. (1988) 450; KENG, Conc. Fl. Sing. (1990) 31.

- A 1252 **Adenanthera pavonina** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 653; WHITMORE, Tree Fl. Malaya 1 (1972) 276; CORNER, Ways. Trees, 3rd ed. (1988) 450; KENG, Conc. Fl. Sing. (1990) 31; NIELSEN, Fl. Males. I 11¹ (1992) 173.
- A 1253 **Aeschynomene americana** L.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 130.
- 1254 **Aeschynomene indica** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73; RIDLEY, Fl. Mal. Pen. 1 (1922) 602; HENDERSON, Mal. Wild Fl. Dic. (1959) 82; KENG, Conc. Fl. Sing. (1990) 31.
- 1255 **Albizia pedicellata** BAKER ex BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 659; WHITMORE, Tree Fl. Malaya 1 (1972) 279; CORNER, Ways. Trees, 3rd ed. (1988) 453; KENG, Conc. Fl. Sing. (1990) 31; NIELSEN, Fl. Males. I 11¹ (1992) 78.
- 1256 **Albizia retusa** BENTH.; WHITMORE, Tree Fl. Malaya 1 (1972) 280; CORNER, Ways. Trees, 3rd ed. (1988) 454; KENG, Conc. Fl. Sing. (1990) 31; NIELSEN, Fl. Males. I 11¹ (1992) 80; — *A. littoralis* T. & B.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 659.
- 1257 **Albizia splendens** Miq.; KENG, Conc. Fl. Sing. (1990) 31; NIELSEN, Fl. Males. I 11¹ (1992) 83; — *Pithecellobium confertum* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 661; — *Pithecellobium splendens* (Miq.) CORNER; WHITMORE, Tree Fl. Malaya 1 (1972) 287; CORNER, Ways. Trees, 3rd ed. (1988) 465.
- 1258 **Alysicarpus vaginalis** (L.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73 (*incl. var. nummularifolius*); RIDLEY, Fl. Mal. Pen. 1 (1922) 604; HENDERSON, Mal. Wild Fl. Dic. (1959) 90; KENG, Conc. Fl. Sing. (1990) 31; — *A. nummularifolius* DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 604.
- 1259 **Archidendron clypearia** (JACK) I. NIELS.; NIELSEN, Fl. Thail. 4 (1985) 208; NIELSEN, Fl. Males. I 11¹ (1992) 97; — *Pithecellobium clypearia* (JACK) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 64; WHITMORE, Tree Fl. Malaya 1 (1972) 284; CORNER, Ways. Trees, 3rd ed. (1988) 462; KENG, Conc. Fl. Sing. (1990) 37; — *Pithecellobium angulatum* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 664; CORNER, Ways. Trees, 3rd ed. (1988) 462.
- 1260 **Archidendron contortum** (MART.) NIELS.; NIELSEN, Fl. Thail. 4 (1985) 211; NIELSEN, Fl. Males. I 11¹ (1992) 100; — *Pithecellobium contortum* MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 664; WHITMORE, Tree Fl. Malaya 1 (1972) 285; CORNER, Ways. Trees, 3rd ed. (1988) 462; KENG, Conc. Fl. Sing. (1990) 37.
- 1261 **Archidendron ellipticum** (BL.) NIELS.; NIELSEN, Fl. Thail. 4 (1984) 215; NIELSEN, Fl. Males. I 11¹ (1992) 100; — *Pithecellobium ellipticum* (BL.) HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 662; WHITMORE, Tree Fl. Malaya 1 (1972) 286; CORNER, Ways. Trees, 3rd ed. (1988) 463; KENG, Conc. Fl. Sing. (1990) 38.

- 1262 **Archidendron globosum** (BL.) NIELS., Adansonia 19 (1979) 18; NIELSEN, Fl. Males. I 11¹ (1992) 104; — *Pithecellobium affine* BAKER ex BENTH.; RIDLEY, Fl. Mal. Pen. 1 (1922) 662; BURKILL, Dict. (1935) 1759; CORNER, Ways. Trees 1st ed. (1940) 418; — *Pithecellobium globosum* (BL.) KOSTERM.; WHITMORE, Tree Fl. Malaya 1 (1972) 286; CORNER, Ways. Trees, 3rd ed. (1988) 464; KENG, Conc. Fl. Sing. (1990) 38.
- 1263 **Archidendron jiringa** (JACK) NIELS.; NIELSEN, Fl. Thail. 4 (1985) 218; NIELSEN, Fl. Males. I 11¹ (1992) 106; — *Pithecellobium lobatum* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 661; — *Pithecellobium jiringa* (JACK) PRAIN; WHITMORE, Tree Fl. Malaya 1 (1972) 286; CORNER, Ways. Trees, 3rd ed. (1988) 464; KENG, Conc. Fl. Sing. (1990) 38.
- 1264 **Archidendron microcarpum** (BENTH.) NIELS., Adansonia 19 (1979) 17; NIELSEN, Fl. Males. I 11¹ (1992) 109; — *Pithecellobium microcarpum* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 77; RIDLEY, Fl. Mal. Pen. 1 (1922) 663; WHITMORE, Tree Fl. Malaya 1 (1972) 287; CORNER, Ways. Trees, 3rd ed. (1988) 464; KENG, Conc. Fl. Sing. (1990) 38.
- 1265 **Bauhinia semibifida** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 627; KENG, Conc. Fl. Sing. (1990) 32.
- 1266 **Caesalpinia bonduc** ROXB. *emend.* DANDY & EXELL; RIDLEY, Fl. Mal. Pen. 1 (1922) 649; HATTINK, Reinwardtia 9 (1974) 17; KENG, Conc. Fl. Sing. (1990) 32.
- 1267 **Caesalpinia crista** L.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 32; HATTINK, Reinwardtia 9 (1974) 20; KENG, Conc. Fl. Sing. (1990) 32; — *C. nuga* AIT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 650.
- 1268 **Caesalpinia sumatrana** ROXB.; HATTINK, Reinwardtia 9 (1974) 56; — *Mezoneuron sumatranum* (ROXB.) W. & A. ex MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 647; KENG, Conc. Fl. Sing. (1990) 36.
- 1269 **Caesalpinia tortuosa** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 651; HATTINK, Reinwardtia 9 (1974) 57; — ?*C. globulorum* non BAKH. f. & VAN ROYEN; KENG, Conc. Fl. Sing. (1990) 32.
- A 1270 **Calopogonium mucunoides** DESV.; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 32.
- 1271 **Canavalia cathartica** THOU.; KENG, Conc. Fl. Sing. (1990) 33; — *C. obtusifolia* (non DC.) PRAIN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 71; — *C. turgida* GRAH. ex A. GRAY; RIDLEY, Fl. Mal. Pen. 1 (1922) 573; — *C. microcarpa* (DC.) PIPER; HENDERSON, Mal. Wild Fl. Dic. (1959) 89.
- 1272 **Canavalia maritima** (AUBL.) THOU.; KENG, Conc. Fl. Sing. (1990) 33; — *C. lineata* (non DC.) PRAIN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 71; — *C. obtusifolia* (LAM.) DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 572; — *C. rosea* (Sw.) DC.; HENDERSON, Mal. Wild Fl. Dic. (1959) 88; RUDD, Rev. Handb. Fl. Ceyl. 7 (1991) 274.

- Debate rages over whether *maritima* or *rosea* is the correct epithet for this taxon.
- A 1273 ***Centrosema plumieri*** (TURP. ex PERS.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 615; KENG, Conc. Fl. Sing. (1990) 33.
- A 1274 ***Centrosema pubescens*** BENTH.; CORLETT, J. Biogeog. (1988) 662.
- A 1275 ***Chamaecrista nictinans*** (L.) MOENCH; LOCK, Legumes of Africa (1989) 32; — *Cassia lechenaultiana* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 619; — *Cassia aeschinomene* DC. ex COLLAD.; RUDD, Rev. Handb. Fl. Ceyl. 7 (1991) 88.
- A 1276 ***Chamaecrista mimosoides*** (L.) GREENE; LOCK, Legumes of Africa (1989) 32; — *Cassia mimosoides* L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 619; HENDERSON, Mal. Wild Fl. Dic. (1959) 97; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 33.
- A 1277 ***Clitoria laurifolia*** POIR.; HENDERSON, Mal. Wild Fl. Dic. (1959) 72; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 33; — *C. cajanaefolia* (PRESL) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 569.
- A 1278 ***Clitoria ternatea*** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 569; HENDERSON, Mal. Wild Fl. Dic. (1959) 73; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 33.
- A 1279 ***Crotalaria bialata*** SCHRANK; KENG, Conc. Fl. Sing. (1990) 33; — *C. alata* BUCH.-HAM. ex G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 560; HENDERSON, Mal. Wild Fl. Dic. (1959) 67.
- A 1280 ***Crotalaria incana*** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 562; SINCLAIR, Gard. Bull. Sing. 14 (1953) 31; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 34.
- 1281 ***Crotalaria juncea*** L.; KENG, Conc. Fl. Sing. (1990) 34.
- A 1282 ***Crotalaria pallida*** AIT.; POLHILL, *Crotalaria in Africa & Madagascar* (1982) 184; — *C. saltiana* (non ANDR.) PRAIN ex KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 562; — *C. mucronata* DESV.; KENG, Conc. Fl. Sing. (1990) 34.
- 1283 ***Crotalaria quinquefolia*** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 563; HENDERSON, Mal. Wild Fl. Dic. (1959) 72; KENG, Conc. Fl. Sing. (1990) 34.
- 1284 ***Crotalaria retusa*** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 561; HENDERSON, Mal. Wild Fl. Dic. (1959) 68; KENG, Conc. Fl. Sing. (1990) 34.
- 1285 ***Cynometra ramiflora*** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 635; BURKILL, Dict. (1935) 731; WHITMORE, Tree Fl. Malaya 1 (1972) 254; CORNER, Ways. Trees, 3rd ed. (1988) 434; KENG, Conc. Fl. Sing. (1990) 34.

- 1286 **Dalbergia candenatensis** (DENNST.) PRAIN; KENG, Conc. Fl. Sing. (1990) 34; — *D. torta* GRAH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73; RIDLEY, Fl. Mal. Pen. 1 (1922) 591.
- 1287 **Dalbergia hullettii** PRAIN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73; RIDLEY, Fl. Mal. Pen. 1 (1922) 590; KENG, Conc. Fl. Sing. (1990) 34.
- 1288 **Dalbergia junghuhnii** BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72 (*incl. var. scortechinii*); KENG, Conc. Fl. Sing. (1990) 34; — *D. scortechinii* BENTH.; RIDLEY, Fl. Mal. Pen. 1 (1922) 589; — *D. stercoracea* MAING.; RIDLEY, Fl. Mal. Pen. 1 (1922) 589.
- 1289 **Dalbergia parviflora** ROXB.; RIDLEY, Fl. Mal. Pen. 1 (1922) 589; KENG, Conc. Fl. Sing. (1990) 34.
- 1290 **Dalbergia rostrata** HASSK.; RIDLEY, Fl. Mal. Pen. 1 (1922) 590; KENG, Conc. Fl. Sing. (1990) 34; — *D. pseudosissoo* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73.
- 1291 **Dalbergia velutina** BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73; RIDLEY, Fl. Mal. Pen. 1 (1922) 592; KENG, Conc. Fl. Sing. (1990) 34.
- 1292 **Derris amoena** BENTH. *var. maingayana* (BAKER) PRAIN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; RIDLEY, Fl. Mal. Pen. 1 (1922) 597; MAXWELL, Gard. Bull. Sing. 36 (1983) 231; KENG, Conc. Fl. Sing. (1990) 34.
- 1293 **Derris heptaphylla** (L.) MERR.; KENG, Conc. Fl. Sing. (1990) 34; — *D. sinuata* BENTH. *ex* THW.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; RIDLEY, Fl. Mal. Pen. 1 (1922) 594; — *Aganope heptaphylla* (L.) POLHILL, Kew Bull. 25 (1971) 268.
- 1294 **Derris scandens** (ROXB.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; RIDLEY, Fl. Mal. Pen. 1 (1922) 595; KENG, Conc. Fl. Sing. (1990) 34.
- 1295 **Derris thrysiflora** (BENTH.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; RIDLEY, Fl. Mal. Pen. 1 (1922) 594; KENG, Conc. Fl. Sing. (1990) 34; — *Aganope thrysiflora* (BENTH.) POLHILL, Kew Bulletin 25 (1971) 268.
- 1296 **Derris trifoliata** LOUR.; KENG, Conc. Fl. Sing. (1990) 34; — *D. uliginosa* (ROXB. *ex* WILLD.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; RIDLEY, Fl. Mal. Pen. 1 (1922) 595.
- A 1297 **Desmanthus virgatus** (L.) WILLD.; NIELSEN, Fl. Males. I 11¹ (1992) 213; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 130.
- A 1298 **Desmodium caudatum** (THUNB.) DC.; KNAAP-VAN MEEUWEN, Reinwardtia 6 (1962) 248; OHASHI, Ginkgoana 1 (1973) 91; — *D. laburnifolium* (POIR.) DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 608; SINCLAIR, Gard. Bull. Sing. 15 (1956) 23; CORLETT, J. Biogeog. (1988) 662.
- 1299 **Desmodium heterocarpon** (L.) DC.; HENDERSON, Mal. Wild Fl. Dic. (1959) 80; KENG, Conc. Fl. Sing. (1990) 35; — *D. polycarpum* (POIR.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73 (*incl. var. ovalifolia*); RIDLEY, Fl. Mal. Pen. 1 (1922) 609; — *D. ovalifolium* WALL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 610; HENDERSON, Mal. Wild Fl. Dic. (1959) 76.

- 2390 **Microcos blattaefolia** (CORNER) RAO; J. Bombay Nat. Hist. Soc. 48 (1949) 300; — *Grewia latifolia* (non MUELL. ex BENTH.) MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 300; — *Grewia blattaefolia* CORNER; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 399; CORNER, Ways. Trees, 3rd ed. (1988) 733; KENG, Conc. Fl. Sing. (1990) 88.
- 2391 **Microcos hirsutus** (KORTH.) BURRET, Notizbl. Bot. Gart. Berlin. 9 (1926) 764; — *G. fibrocarpa* (non MAST.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; — *G. omphacarpa* Miq.; RIDLEY, Fl. Mal. Pen. 1 (1922) 301; — *Grewia hirsuta* [non VAHL] (KORTH.) KOCHUMMEN, Tree Fl. Malaya 2 (1973) 397; KENG, Conc. Fl. Sing. (1990) 88.
- 2392 **Pentace triptera** MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 293; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 407; KENG, Conc. Fl. Sing. (1990) 88.
- 2393 **Triumfetta pseudo-cana** SPR. & CRAIB; RIDLEY, Fl. Mal. Pen. 1 (1922) 304; HENDERSON, Mal. Wild Fl. Dic. (1959) 45; KENG, Conc. Fl. Sing. (1990) 89.
- 2394 **Triumfetta rhomboidea** JACQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 303; KENG, Conc. Fl. Sing. (1990) 88.

TRIGONIACEAE

- 2395 **Trigoniastrum hypoleucum** Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; RIDLEY, Fl. Mal. Pen. 1 (1922) 142; BURKILL, Dict. (1935) 2182; VAN STEENIS, Fl. Males. I 4² (1949) 59; NG, Tree Fl. Malaya 1 (1972) 449; KENG, Conc. Fl. Sing. (1990) 103.

TRIURIDACEAE

- 2396 **Sciaphila maculata** MIERS; VAN DE MEERENDONK, Fl. Males. I 10¹ (1984) 113; KENG, Gard. Bull. Sing. 40 (1987) 115; — *S. affinis* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 126; RIDLEY, Fl. Mal. Pen. 4 (1924) 364; HENDERSON, Mal. Wild Fl. Monoc. (1954) 203;
- 2397 **Sciaphila tenella** BL.; VAN DE MEERENDONK, Fl. Males. I 10¹ (1984) 113.

TURNERACEAE

- A 2398 **Turnera subulata** J.E. SMITH; BACKER, Fl. Males. I 4³ (1951) 236; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 42; — *T. trioniflora* SIMS; RIDLEY, Fl. Mal. Pen. 1 (1922) 838; BURKILL, Dict. (1935) 2193.
- A 2399 **Turnera ulmifolia** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 838; BURKILL, Dict. (1935) 2194; HENDERSON, Mal. Wild Fl. Dic. (1959) 169; BACKER, Fl. Males. I 4³ (1951) 237; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 42.

TYPHACEAE

- A 2400 **Typha angustifolia** L.; BACKER, Fl. Males. I 4³ (1951) 243; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 132. — *T. angustata* BORY & CHAUBARD; HENDERSON, Mal. Wild Fl. Monoc. (1954) 211;

- 1315 **Intsia bijuga** (COLEBR.) O. KTZE.; WHITMORE, Tree Fl. Malaya 1 (1972) 262; CORNER, Ways. Trees, 3rd ed. (1988) 438; KENG, Conc. Fl. Sing. (1990) 36; — *Afzelia retusa* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 639; — *Afzelia bijuga* A. GRAY; RIDLEY, Fl. Mal. Pen. 1 (1922) 639.
- 1316 **Koompassia malaccensis** MAING. ex BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 620; WHITMORE, Tree Fl. Malaya 1 (1972) 265; CORNER, Ways. Trees, 3rd ed. (1988) 439; KENG, Conc. Fl. Sing. (1990) 36.
- 1317 **Kunstleria ridleyi** PRAIN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; RIDLEY, Fl. Mal. Pen. 1 (1922) 600; KENG, Conc. Fl. Sing. (1990) 36.
- A 1318 **Leucaena leucocephala** (LMK.) DE WIT; CORNER, Ways. Trees, 3rd ed. (1988) 456; KENG, Conc. Fl. Sing. (1990) 36; NIELSEN, Fl. Males. I 11¹ (1992) 182; — *L. glauca* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 655.
- A 1319 **Millettia atropurpurea** (WALL.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; WHITMORE, Tree Fl. Malaya 1 (1972) 296; CORNER, Ways. Trees, 3rd ed. (1988) 413; KENG, Conc. Fl. Sing. (1990) 36; — *Adinobotrys atropurpureus* (WALL.) DUNN; RIDLEY, Fl. Mal. Pen. 1 (1922) 587; — *Whitfordiodendron pubescens* (CRAIB) BURKILL; BURKILL, Dict. (1935) 2256.
- 1320 **Millettia eriantha** BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 71; KENG, Conc. Fl. Sing. (1990) 36; — *Adinobotrys erianthus* (BENTH.) DUNN; RIDLEY, Fl. Mal. Pen. 1 (1922) 586.
- 1321 **Millettia maingayi** BAKER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; KENG, Conc. Fl. Sing. (1990) 36; — *Padebruggea maingayi* (BAKER) DUNN; RIDLEY, Fl. Mal. Pen. 1 (1922) 587.
- A 1322 **Mimosa bimucronata** (DC.) O. KUNTZE; NIELSEN, Fl. Males. I 11¹ (1992) 184; — *M. sepiaria* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 656; HENDERSON, Mal. Wild Fl. Dic. (1959) 103; KENG, Conc. Fl. Sing. (1990) 36.
- A 1323 **Mimosa diplocracha** C. WRIGHT ex SAUVALLE; NIELSEN, Fl. Males. I 11¹ (1992) 184; — *M. invisa* auct., non MART. ex COLLA; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 36.
- A 1324 **Mimosa pigra** L.; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 36; NIELSEN, Fl. Males. I 11¹ (1992) 185.
- A 1325 **Mimosa pudica** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 656; HENDERSON, Mal. Wild Fl. Dic. (1959) 102; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 36; NIELSEN, Fl. Males. I 11¹ (1992) 185.
- 1326 **Mucuna gigantea** (WILLD.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 71; RIDLEY, Fl. Mal. Pen. 1 (1922) 577; KENG, Conc. Fl. Sing. (1990) 37.

- A 1327 **Neptunia oleracea** Lour.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 653; HENDERSON, Mal. Wild Fl. Dic. (1959) 101; CORLETT, J. Biogeog. (1988) 662; NIELSEN, Fl. Males. I 11¹ (1992) 189; — *N. natans* (L.) DRUCE; KENG, Conc. Fl. Sing. (1990) 37.; —
- A 1328 **Neptunia plena** (L.) BENTH.; MAXWELL, Gard. Bull. Sing. 36 (1983) 231; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 37; NIELSEN, Fl. Males. I 11¹ (1992) 214.
- 1329 **Ormocarpum cochinchinense** (Lour.) MERR.; RUDD, Rev. Handb. Fl. Ceyl. 7 (1991) 169; — *O. glabrum* TEYSM. & BINN.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 32.
- 1330 **Ormosia bancana** (Miq.) MERR.; WHITMORE, Tree Fl. Malaya 1 (1972) 300; CORNER, Ways. Trees, 3rd ed. (1988) 414; KENG, Conc. Fl. Sing. (1990) 37; — *O. parvifolia* BAKER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 614.
- 1331 **Ormosia macrodisca** BAK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 613; WHITMORE, Tree Fl. Malaya 1 (1972) 301; KENG, Conc. Fl. Sing. (1990) 37.
- 1332 **Ormosia sumatrana** (Miq.) PRAIN; RIDLEY, Fl. Mal. Pen. 1 (1922) 614; WHITMORE, Tree Fl. Malaya 1 (1972) 301; KENG, Conc. Fl. Sing. (1990) 37; — *O. microperma* BAKER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 614.
- A 1333 **Paraserianthes falcataria** (L.) I. NIELSEN; NIELSEN, Fl. Males. I 11¹ (1992) 151; — *A. moluccana* Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 76; RIDLEY, Fl. Mal. Pen. 1 (1922) 659; — *A. falcata* (L.) BACKER; WHITMORE, Tree Fl. Malaya 1 (1972) 277; — *A. falcataria* (L.) FOSBERG; CORLETT, J. Biogeog. (1988) 662; CORNER, Ways. Trees, 3rd ed. (1988) 452; KENG, Conc. Fl. Sing. (1990) 31.
- 1334 **Parkia speciosa** HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 652; WHITMORE, Tree Fl. Malaya 1 (1972) 281; CORNER, Ways. Trees, 3rd ed. (1988) 458; KENG, Conc. Fl. Sing. (1990) 37; FORTUNE-HOPKINS, Fl. Males. I 11¹ (1992) 198.
- 1335 **Peltophorum pterocarpum** (DC.) BACKER ex HEYNE; WHITMORE, Tree Fl. Malaya 1 (1972) 268; CORNER, Ways. Trees, 3rd ed. (1988) 440; KENG, Conc. Fl. Sing. (1990) 37; — *P. ferrugineum* (DECNE.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 646.
- 1336 **Pongamia pinnata** (L.) PIERRE; WHITMORE, Tree Fl. Malaya 1 (1972) 303; CORNER, Ways. Trees, 3rd ed. (1988) 415; KENG, Conc. Fl. Sing. (1990) 38; — *P. glabra* VENT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 72; RIDLEY, Fl. Mal. Pen. 1 (1922) 593.
- A 1337 **Pseudarthria viscida** (L.) W. & A.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 32; CORLETT, J. Biogeog. (1988) 662.
- A 1338 **Pueraria phaseoloides** (ROXB.) BENTH.; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 38.

- A 1339 **Senna alata** (L.) ROXB.; LOCK, Legumes of Africa (1989) 36; — *Cassia alata* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 619; HENDERSON, Mal. Wild Fl. Dic. (1959) 98; CORLETT, J. Biogeog. (1988) 662; CORNER, Ways. Trees, 3rd ed. (1988) 429; KENG, Conc. Fl. Sing. (1990) 33.
- A 1340 **Senna hirsuta** (L.) IRWIN & BARNEBY; LOCK, Legumes of Africa (1989) 37; — *Cassia hirsuta* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 618; HENDERSON, Mal. Wild Fl. Dic. (1959) 96; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 33.
- A 1341 **Senna obtusifolia** (L.) T. & B.; LOCK, Legumes of Africa (1989) 38; — *Cassia obtusifolia* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 618; KENG, Conc. Fl. Sing. (1990) 33.
- A 1342 **Senna occidentalis** (L.) LINK; LOCK, Legumes of Africa (1989) 38; — *Cassia occidentalis* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 74; RIDLEY, Fl. Mal. Pen. 1 (1922) 618; HENDERSON, Mal. Wild Fl. Dic. (1959) 99; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 33.
- A 1343 **Senna tora** (L.) ROXB.; LOCK, Legumes of Africa (1989) 40; — *Cassia tora* L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 618; HENDERSON, Mal. Wild Fl. Dic. (1959) 99; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 33.
- 1344 **Serianthes grandiflora** BENTH.; RIDLEY, Fl. Mal. Pen. 1 (1922) 657; SINCLAIR, Gard. Bull. Sing. 14 (1953) 39; NIELSEN, Fl. Thail. 4 (1985) 220; NIELSEN, Fl. Males. I 11¹ (1992) 160; — *S. dilmyi* FOSBERG; WHITMORE, Tree Fl. Malaya 1 (1972) 289; KENG, Conc. Fl. Sing. (1990) 38.
- A 1345 **Sesbania cannabina** (RETZ.) POIRET; BURBRIDGE, Aust. J. Bot. 13 (1965) 118.
- 1346 **Sindora wallichii** GRAH. ex BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 637; WHITMORE, Tree Fl. Malaya 1 (1972) 273; KENG, Conc. Fl. Sing. (1990) 39; — *S. intermedia* (BAKER) PRAIN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 75; RIDLEY, Fl. Mal. Pen. 1 (1922) 638.
- 1347 **Spatholobus ferrugineus** (ZOLL. & MOR.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 71; RIDLEY, Fl. Mal. Pen. 1 (1922) 574; RIDDER-NUMAN & WIRIADINATA, Reinwardtia 10 (1985) 170; KENG, Conc. Fl. Sing. (1990) 39.
- 1348 **Spatholobus maingayi** PRAIN ex KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 71; RIDLEY, Fl. Mal. Pen. 1 (1922) 575; RIDDER-NUMAN & WIRIADINATA, Reinwardtia 10 (1985) 180; KENG, Conc. Fl. Sing. (1990) 39.
- 1349 **Spatholobus ridleyi** PRAIN ex KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 71; RIDLEY, Fl. Mal. Pen. 1 (1922) 575; RIDDER-NUMAN & WIRIADINATA, Reinwardtia 10 (1985) 194; KENG, Conc. Fl. Sing. (1990) 39.
- A 1350 **Stylosanthes guianensis** (AUBL.) SW.; CORLETT, J. Biogeog. (1988) 662.
- 1351 **Stylosanthes humilis** H.B.K.; RUDD, Rev. Handb. Fl. Ceyl. 7 (1991) 180; — *S. sundaica* TAUB.; KENG, Conc. Fl. Sing. (1990) 39.

- A 1352 **Tephrosia noctiflora** BOJER ex BAKER; BURKILL, Dict. (1935) 2132; BOSMAN & DE HAAS, Blumea 28 (1983) 458; CORLETT, J. Biogeog. (1988) 662; — *T. hookeriana* W. & A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 71; — *T. subamoena* PRAIN; RIDLEY, Fl. Mal. Pen. 1 (1922) 581.
- A 1353 **Uraria crinita** (L.) DESV. ex DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73; RIDLEY, Fl. Mal. Pen. 1 (1922) 602; HENDERSON, Mal. Wild Fl. Dic. (1959) 65; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 39.
- 1354 **Vigna marina** (BURM.) MERR.; HENDERSON, Mal. Wild Fl. Dic. (1959) 87; KENG, Conc. Fl. Sing. (1990) 39; — *V. retusa* (E. MEYER) WALP.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 70; RIDLEY, Fl. Mal. Pen. 1 (1922) 568.
- A 1355 **Vigna unguiculata** (L.) WALP.; CORLETT, J. Biogeog. 19 (1992) 427.
- A 1356 **Zornia diphylla** (L.) PERS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 73; RIDLEY, Fl. Mal. Pen. 1 (1922) 601; HENDERSON, Mal. Wild Fl. Dic. (1959) 91; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 39.

LEMNACEAE

- 1357 **Lemna perpusilla** TORREY; VAN DER PLAS, Fl. Males. I 7¹ (1971) 230; — *L. paucicostata* HEGELM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179, RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 52; RIDLEY, Fl. Mal. Pen. 5 (1925) 132; HENDERSON, Mal. Wild Fl. Monoc. (1954) 210.
- 1358 **Lemna tenera** KURZ; RIDLEY, Fl. Mal. Pen. 5 (1925) 132; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 52; VAN DER PLAS, Fl. Males. I 7¹ (1971) 235; — *L. sp.* near *L. trisulca* RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179,
- 1359 **Spirodela polyrhiza** (L.) SCHLEID.; VAN DER PLAS, Fl. Males. I 7¹ (1971) 224; — *L. polyrhiza* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179, RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 53; RIDLEY, Fl. Mal. Pen. 5 (1925) 132.
- 1360 **Wolffia globosa** (ROXB.) HARTOG & PLAS; VAN DER PLAS, Fl. Males. I 7¹ (1971) 236; — *W. arrhiza* (non WIMMER) MARTENS; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179, RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 53; RIDLEY, Fl. Mal. Pen. 5 (1925) 132; HENDERSON, Mal. Wild Fl. Monoc. (1954) 210.

LENTIBULARIACEAE

- 1361 **Utricularia aurea** LOUR.; TAYLOR, Fl. Males. I 8² (1977) 296; — *U. flexuosa* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; RIDLEY, Fl. Mal. Pen. 2 (1923) 491; HENDERSON, Mal. Wild Fl. Dic. (1959) 336.
- 1362 **Utricularia bifida** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; RIDLEY, Fl. Mal. Pen. 2 (1923) 492; HENDERSON, Mal. Wild Fl. Dic. (1959) 337; TAYLOR, Fl. Males. I 8² (1977) 281; KENG, Conc. Fl. Sing. (1990) 181.

- 1363 **Utricularia caerulea** L.; TAYLOR, Fl. Males. I 8² (1977) 287; KENG, Conc. Fl. Sing. (1990) 181; — *U. racemosa* WALL. ex WALP.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; — *U. albina* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 493; — *U. ophirensis* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 495.
- 1364 **Utricularia gibba** L.; TAYLOR, The Genus *Utricularia* (1989) 572; — *U. exoleta* R. Br.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; RIDLEY, Fl. Mal. Pen. 2 (1923) 491; TAYLOR, Fl. Males. I 8² (1977) 294; KENG, Conc. Fl. Sing. (1990) 181.
- 1365 **Utricularia punctata** WALL. ex A. DC.; TAYLOR, Fl. Males. I 8² (1977) 293; KENG, Conc. Fl. Sing. (1990) 181; — *U. fluitans* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 491.
- 1366 **Utricularia uliginosa** VAHL; TAYLOR, Fl. Males. I 8² (1977) 282; KENG, Conc. Fl. Sing. (1990) 181; — *U. affinis* var. *griffithii* (WIGHT) OLIV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; — *U. griffithii* WIGHT; RIDLEY, Fl. Mal. Pen. 2 (1923) 492.

LILIACEAE

- 1367 **Dianella ensifolia** (L.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 92; RIDLEY, Fl. Mal. Pen. 4 (1924) 329; HENDERSON, Mal. Wild Fl. Monoc. (1954) 186; JESSOP, Fl. Males. I 9¹ (1979) 207; KENG, Gard. Bull. Sing. 40 (1987) 116.
- 1368 **Peliosanthes teta** ANDR. ssp. *humilis* (ANDR.) JESSOP; JESSOP, Fl. Males. I 9¹ (1979) 229; KENG, Gard. Bull. Sing. 40 (1987) 117; — *P. violacea* WALL. ex BAKER, RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; Mat. Fl. Mal. Pen. 2 89; RIDLEY, Fl. Mal. Pen. 4 (1924) 324; HENDERSON, Mal. Wild Fl. Monoc. (1954) 184; — *P. viridis* RIDL., RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; Mat. Fl. Mal. Pen. 2 89; RIDLEY, Fl. Mal. Pen. 4 (1924) 325; HENDERSON, Mal. Wild Fl. Monoc. (1954) 184;

LINACEAE

- 1369 **Indorouchera griffithiana** (PLANCH.) HALLIER f.; COCKBURN, Tree Fl. Malaya 1 (1972) 306; VAN HOOREN & NOOTEBOOM, Fl. Males. I 10³ (1988) 617; KENG, Conc. Fl. Sing. (1990) 93; — *Roucheria griffithiana* PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 323.

LOGANIACEAE

- 1370 **Fagraea acuminatissima** MERR.; LEENHOUTS, Fl. Males. I 6² (1962) 319; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 271; — *F. obovata* (non WALL.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114; RIDLEY, Fl. Mal. Pen. 2 (1923) 418.
- 1371 **Fagraea auriculata** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114; RIDLEY, Fl. Mal. Pen. 2 (1923) 416; BURKILL, Dict. (1935) 993; SINCLAIR, Gard. Bull. Sing. 14 (1953) 39; LEENHOUTS, Fl. Males. I 6² (1962) 326; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 270; KENG, Conc. Fl. Sing. (1990) 140.

- 1372 **Fagraea fragrans** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114; CORNER, Ways. Trees 1st ed. (1940) 424; LEENHOUTS, Fl. Males. I 6² (1962) 304 (*in part*); KOCHUMMEN, Tree Fl. Malaya 2 (1973) 273; CORNER, Ways. Trees, 3rd ed. (1988) 468; KENG, Conc. Fl. Sing. (1990) 140 (*in part*); — *Cyrtophyllum peregrinum* REINW.; RIDLEY, Fl. Mal. Pen. 2 (1923) 421.
- 1373 **Fagraea gigantea** RIDL.; CORNER, Ways. Trees 1st ed. (1940) 425; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 273; CORNER, Ways. Trees, 3rd ed. (1988) 469; — *F. speciosa* (*non* BL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114; — *Cyrtophyllum giganteum* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 421; — *F. fragrans* ROXB.; LEENHOUTS, Fl. Males. I 6² (1962) 304 (*in part*); KENG, Conc. Fl. Sing. (1990) 140 (*in part*).
- 1374 **Fagraea racemosa** JACK ex WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114; RIDLEY, Fl. Mal. Pen. 2 (1923) 418; BURKILL, Dict. (1935) 996; CORNER, Ways. Trees 1st ed. (1940) 425; LEENHOUTS, Fl. Males. I 6² (1962) 311; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 270; CORNER, Ways. Trees, 3rd ed. (1988) 469; KENG, Conc. Fl. Sing. (1990) 140; — *F. ligustrina* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114; RIDLEY, Fl. Mal. Pen. 2 (1923) 420; — *F. morindaefolia* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114.
- 1375 **Fagraea ridleyi** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 417; LEENHOUTS, Fl. Males. I 6² (1962) 320; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 271; KENG, Conc. Fl. Sing. (1990) 140; — *F. carnosa* (*non* JACK) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114.
- 1376 **Norrisia major** SOLERED.; LEENHOUTS, Fl. Males. I 6² (1962) 341; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 274; KENG, Conc. Fl. Sing. (1990) 141; — *N. malaccensis* (*non* GARDN.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 114; BURKILL, Dict. (1935) 1561; — *N. malaccensis* GARDN. var. *major* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 414.
- 1377 **Strychnos axillaris** COLEBR.; LEENHOUTS, Fl. Males. I 6² (1962) 358; KENG, Conc. Fl. Sing. (1990) 141; — *S. malaccensis* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; RIDLEY, Fl. Mal. Pen. 2 (1923) 425; — *S. pubescens* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; RIDLEY, Fl. Mal. Pen. 2 (1923) 424; BURKILL, Dict. (1935) 2098.
- 1378 **Strychnos ignatii** BERG; BURKILL, Dict. (1935) 2095; LEENHOUTS, Fl. Males. I 6² (1962) 347; KENG, Conc. Fl. Sing. (1990) 141; — *S. tieute* LESCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; — *S. ovalifolia* WALL. ex G. DON; RIDLEY, Fl. Mal. Pen. 2 (1923) 425; BURKILL, Dict. (1935) 2097.
- 1379 **Strychnos maingayi** CLARKE; RIDLEY, Fl. Mal. Pen. 2 (1923) 423; LEENHOUTS, Fl. Males. I 6² (1962) 350; KENG, Conc. Fl. Sing. (1990) 141.
- 1380 **Strychnos ridleyi** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 424; LEENHOUTS, Fl. Males. I 6² (1962) 360; KENG, Conc. Fl. Sing. (1990) 141.

LORANTHACEAE

- 1381 **Amylotheca duthieana** (KING) DANSER; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 244; KENG, Conc. Fl. Sing. (1990) 129; — *Loranthus duthieanus* KING; RIDLEY, Fl. Mal. Pen. 3 (1924) 156.
- 1382 **Barathranthus axsanthus** (KORTH.) MIQ.; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 393; — *Loranthus lobpii* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 153; HENDERSON, Mal. Wild Fl. Dic. (1959) 451.
- 1383 **Dendrophthoe falcata** (L. f.) ETTINGSH.; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 403; — *Loranthus longiflora* DESR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134.
- 1384 **Dendrophthoe pentandra** (L.) MIQ.; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 417; KENG, Conc. Fl. Sing. (1990) 129; *Loranthus crassus* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 155; — *Loranthus pentandrus* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 155; HENDERSON, Mal. Wild Fl. Dic. (1959) 454.
- 1385 **Elytranthe albida** (BL.) BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 158; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 305; KENG, Conc. Fl. Sing. (1990) 129; — *Loranthus albidus* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134.
- 1386 **Elytranthe arnottiana** (KORTH.) MIQ.; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 307; KENG, Conc. Fl. Sing. (1990) 129; — *Loranthus maingayi* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; — *Elytranthe maingayi* (HOOK. f.) TIEGH.; RIDLEY, Fl. Mal. Pen. 3 (1924) 158.
- 1387 **Helixanthera coccinea** (JACK) DANSER; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 374; KENG, Conc. Fl. Sing. (1990) 129; — *Loranthus coccineus* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 152; HENDERSON, Mal. Wild Fl. Dic. (1959) 452.
- 1388 **Helixanthera parasitica** LOUR.; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 381; — *Loranthus pentapetalus* ROXB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 152; HENDERSON, Mal. Wild Fl. Dic. (1959) 452.
- 1389 **Macrosolen cochinchinensis** (LOUR.) TIEGH.; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 279; KENG, Conc. Fl. Sing. (1990) 129; — *Loranthus ampullaceus* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; — *Elytranthe globosa* (ROXB.) G. DON; RIDLEY, Fl. Mal. Pen. 3 (1924) 161; — *Loranthus globosus* ROXB.; HENDERSON, Mal. Wild Fl. Dic. (1959) 453.
- 1390 **Macrosolen papillosum** (GAMBLE) DANSER; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 293; — *Elytranthe papillosa* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 160.
- 1391 **Macrosolen retusus** (JACK) MIQ.; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 296; KENG, Conc. Fl. Sing. (1990) 129; — *Loranthus retusus* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; — *Elytranthe retusa* (JACK) G. DON; RIDLEY, Fl. Mal. Pen. 3 (1924) 160.

- 1392 **Scurrula ferruginea** (JACK) DANSER; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 432; KENG, Conc. Fl. Sing. (1990) 129; — *Loranthus ferrugineus* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 153; HENDERSON, Mal. Wild Fl. Dic. (1959) 449.
- 1393 **Scurrula parasitica** L.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 130.
- 1394 **Viscum articulatum** BURM. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 165; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 460; HENDERSON, Mal. Wild Fl. Dic. (1959) 455; KENG, Conc. Fl. Sing. (1990) 130; — *V. flexuosum* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 165.
- 1395 **Viscum ovalifolium** WALL. ex DC.; KENG, Conc. Fl. Sing. (1990) 130; — *V. orientale* (*non* WILLD.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 134; RIDLEY, Fl. Mal. Pen. 3 (1924) 164; DANSER, Bull. Jard. Bot. Buitenzorg Sér. III 11 (1931) 466; HENDERSON, Mal. Wild Fl. Dic. (1959) 455.

LYTHRACEAE

- A 1396 **Ammania baccifera** L.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 131.
- 1397 **Pemphis acidula** J.R. & G. FORST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; RIDLEY, Fl. Mal. Pen. 1 (1922) 821; HENDERSON, Mal. Wild Fl. Dic. (1959) 146; EVERETT & WHITMORE, Tree Fl. Malaya 2 (1973) 276; CORNER, Ways. Trees, 3rd ed. (1988) 475; KENG, Conc. Fl. Sing. (1990) 83.

MAGNOLIACEAE

- 1398 **Magnolia candolii** (BL.) H. KENG var. *singapurensis* (RIDL.) NOOT.; NOOTEBOOM, Fl. Males. I 10³ (1988) 586; — *Talauma lanigera* (*non* HOOK. f. & THOMS.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 38; — *Talauma singapurensis* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 16; KENG, Tree Fl. Malaya 2 (1973) 293; KENG, Conc. Fl. Sing. (1990) 9.
- 1399 **Magnolia elegans** (BL.) H. KENG; NOOTEBOOM, Fl. Males. I 10³ (1988) 573; — *Aromadendron elegans* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 38 (*also called* *Talauma elegans* (BL.) MIQ.); RIDLEY, Fl. Mal. Pen. 1 (1922) 17; BURKILL, Dict. (1935) 241; KENG, Tree Fl. Malaya 2 (1973) 283; KENG, Conc. Fl. Sing. (1990) 8.
- 1400 **Magnolia maingayi** KING; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 13; BURKILL, Dict. (1935) 1393; KENG, Tree Fl. Malaya 2 (1973) 285; NOOTEBOOM, Fl. Males. I 10³ (1988) 573; KENG, Conc. Fl. Sing. (1990) 9.
- 1401 **Magnolia villosa** (MIQ.) H. KENG; NOOTEBOOM, Fl. Males. I 10³ (1988) 588; — *Talauma lanigera* HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. 1 (1922) 15; — *Talauma villosa* MIQ.; KENG, Tree Fl. Malaya 2 (1973) 293; KENG, Conc. Fl. Sing. (1990) 9.

MALPIGHIACEAE

- 1402 **Aspidopteris concava** (WALL.) JUSS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 329; JACOBS, Fl. Males. I 5² (1955) 129; MAXWELL, Gard. Bull. Sing. 35 (1983) 195; KENG, Conc. Fl. Sing. (1990) 95.
- 1403 **Hiptage sericea** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55; RIDLEY, Fl. Mal. Pen. 1 (1922) 328; JACOBS, Fl. Males. I 5² (1955) 131; KENG, Conc. Fl. Sing. (1990) 95.
- 1404 **Tristellateia australasiae** A. RICH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 55 (*australisica*); RIDLEY, Fl. Mal. Pen. 1 (1922) 327; JACOBS, Fl. Males. I 5² (1955) 136; KENG, Conc. Fl. Sing. (1990) 95.

MALVACEAE

- A 1405 **Abelmoschus moschatus** MEDIK.; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 310; KENG, Conc. Fl. Sing. (1990) 89; — *Hibiscus abelmoschus* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; RIDLEY, Fl. Mal. Pen. 1 (1922) 258.
- 1406 **Abutilon indicum** (L.) SWEET; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; RIDLEY, Fl. Mal. Pen. 1 (1922) 256; HENDERSON, Mal. Wild Fl. Dic. (1959) 37; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 310; KENG, Conc. Fl. Sing. (1990) 89.
- 1407 **Hibiscus surattensis** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; RIDLEY, Fl. Mal. Pen. 1 (1922) 258; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 311; KENG, Conc. Fl. Sing. (1990) 90.
- 1408 **Hibiscus tiliaceus** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; RIDLEY, Fl. Mal. Pen. 1 (1922) 259; BURKILL, Dict. (1935) 1163; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 312; CORNER, Ways. Trees, 3rd ed. (1988) 482; KENG, Conc. Fl. Sing. (1990) 90.
- 1409 **Sida acuta** BURM. f.; HENDERSON, Mal. Wild Fl. Dic. (1959) 37; KENG, Conc. Fl. Sing. (1990) 90; — *Sida carpinifolia* L. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 50; RIDLEY, Fl. Mal. Pen. 1 (1922) 255.
- 1410 **Sida cordifolia** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 254; HENDERSON, Mal. Wild Fl. Dic. (1959) 39; KENG, Conc. Fl. Sing. (1990) 90.
- 1411 **Sida rhombifolia** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; RIDLEY, Fl. Mal. Pen. 1 (1922) 254; HENDERSON, Mal. Wild Fl. Dic. (1959) 38; KENG, Conc. Fl. Sing. (1990) 90.
- 1412 **Thespesia populnea** (L.) SOLAND. ex CORREA; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; RIDLEY, Fl. Mal. Pen. 1 (1922) 260; BURKILL, Dict. (1935) 2152; CORNER, Ways. Trees 1st ed. (1940) 444; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 313; CORNER, Ways. Trees, 3rd ed. (1988) 483; KENG, Conc. Fl. Sing. (1990) 90.
- 1413 **Urena lobata** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 51; RIDLEY, Fl. Mal. Pen. 1 (1922) 256; HENDERSON, Mal. Wild Fl. Dic. (1959) 36; KOCHUMMEN, Tree Fl. Malaya 1 (1972) 310; KENG, Conc. Fl. Sing. (1990) 90.

MARANTACEAE

- 1414 **Donax grandis** (MIQ.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 56; RIDLEY, Fl. Mal. Pen. 4 (1924) 286; HOLTTUM, Gard. Bull. Sing. 13 (1951) 268; HENDERSON, Mal. Wild Fl. Monoc. (1954) 129.
- 1415 **Phrynum parvum** (RIDL.) HOLTT., Gard. Bull. Sing. 13 (1951) 283; — *Stachyphrynum minus* (non SCHUM.) RIDL., RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 59; — *Stachyphrynum parvum* RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 288.
- 1416 **Phrynum villosulum** MIQ.; KENNEDY, Kew Bull. 43 (1988) 728; — *P. basiflorum* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 60; RIDLEY, Fl. Mal. Pen. 4 (1924) 289; HOLTTUM, Gard. Bull. Sing. 13 (1951) 292.

Possibly merely planted at Bukit Timah Nature Reserve.

- 1417 **Schumannianthus dichotomus** (ROXB.) GAGNEP.; HOLTTUM, Gard. Bull. Sing. 13 (1951) 272; — *Donax arundastrum* (non LOUR.) SCHUM.; RIDLEY, Fl. Mal. Pen. 4 (1924) 286.
- 1418 **Stachyphrynum griffithii** (BAK.) K. SCHUM.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 57; RIDLEY, Fl. Mal. Pen. 4 (1924) 287; HOLTTUM, Gard. Bull. Sing. 13 (1951) 276; HENDERSON, Mal. Wild Fl. Monoc. (1954) 181; — *Phrynum griffithii* BAK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166.

MELASTOMATACEAE

- A 1419 **Clidemia hirta** (L.) D. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; RIDLEY, Fl. Mal. Pen. 1 (1922) 807; HENDERSON, Mal. Wild Fl. Dic. (1959) 128; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 81.
- 1420 **Diplectria divaricata** (WILLD.) O. KTZE.; VELDKAMP, FRANKEN, ROOS & NAYAR, Blumea 24 (1978) 417; — *Anplectrum glaucum* (JACK) TRIANA; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 799; BURKILL, Dict. (1935) 172; HENDERSON, Mal. Wild Fl. Dic. (1959) 131; — *Anplectrum divaricatum* (WILLD.) TRIANA; RIDLEY, Fl. Mal. Pen. 1 (1922) 800; BURKILL, Dict. (1935) 172; HENDERSON, Mal. Wild Fl. Dic. (1959) 131; — *D. glaucum* (JACK) VELDK.; KENG, Conc. Fl. Sing. (1990) 81.
- 1421 **Diplectria stipularis** (BL.) O. KTZE.; VELDKAMP, FRANKEN, ROOS & NAYAR, Blumea 24 (1978) 424; — *Anplectrum annulatum* (WALL.) TRIANA; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; — *Anplectrum lepido-setosum* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 799.
- 1422 **Diplectria viminalis** (JACK) O. KTZE.; VELDKAMP, FRANKEN, ROOS & NAYAR, Blumea 24 (1978) 427; KENG, Conc. Fl. Sing. (1990) 81; — *Anplectrum pallens* (BL.) TRIANA; RIDLEY, Fl. Mal. Pen. 1 (1922) 800 (*incl var. petiolare* RIDL.); HENDERSON, Mal. Wild Fl. Dic. (1959) 132.
- 1423 **Dissochaeta annulata** HOOK. f. ex TRIANA; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 796; KENG, Conc. Fl. Sing. (1990) 81.

- 1424 **Dissochaeta celebica** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 798; HENDERSON, Mal. Wild Fl. Dic. (1959) 130; KENG, Conc. Fl. Sing. (1990) 81.
- 1425 **Dissochaeta gracilis** (JACK) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 797; HENDERSON, Mal. Wild Fl. Dic. (1959) 130; KENG, Conc. Fl. Sing. (1990) 81.
- 1426 **Dissochaeta intermedia** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 798; KENG, Conc. Fl. Sing. (1990) 81.
- 1427 **Dissochaeta pallida** (JACK) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 797; KENG, Conc. Fl. Sing. (1990) 81.
- 1428 **Dissochaeta punctulata** HOOK. f. ex TRIANA; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 796; KENG, Conc. Fl. Sing. (1990) 81.
- 1429 **Macrolenes echinulata** (NAUD.) BAKH. f.; MAXWELL, Malay. Nat. J. 35 (1982) 161; KENG, Conc. Fl. Sing. (1990) 81 ("echinata"); — *Marumia rhodocarpa* COGN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 795.
- 1430 **Macrolenes nemorosa** (JACK) BAKH. f.; MAXWELL, Malay. Nat. J. 35 (1982) 161; KENG, Conc. Fl. Sing. (1990) 81; — *Marumia nemorosa* (JACK) BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 795; HENDERSON, Mal. Wild Fl. Dic. (1959) 129.
- 1431 **Medinilla crassifolia** (REINW. ex BL.) BL.; MAXWELL, Gard. Bull. Sing. 31 (1978) 157; — *M. hasseltii* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; RIDLEY, Fl. Mal. Pen. 1 (1922) 802; HENDERSON, Mal. Wild Fl. Dic. (1959) 138.
- 1432 **Medinilla radicans** (BL.) BL.; MAXWELL, Gard. Bull. Sing. 31 (1978) 169; KENG, Conc. Fl. Sing. (1990) 81; — *M. macrocarpa* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; — *M. crassinervia* (non BL.) KING; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 804; HENDERSON, Mal. Wild Fl. Dic. (1959) 137.
- 1433 **Melastoma malabathricum** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 764; HENDERSON, Mal. Wild Fl. Dic. (1959) 141; CORNER, Ways. Trees, 3rd ed. (1988) 486; KENG, Conc. Fl. Sing. (1990) 81; — *M. polyanthum* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83; RIDLEY, Fl. Mal. Pen. 1 (1922) 765.
- 1434 **Memecylon acuminatum** SMITH; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 817; MAXWELL, Gard. Bull. Sing. 33 (1980) 57; CORNER, Ways. Trees, 3rd ed. (1988) 488; MAXWELL, Tree Fl. Malaya 4 (1989) 187.
- 1435 **Memecylon amplexicaule** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 815; MAXWELL, Gard. Bull. Sing. 33 (1980) 58; CORNER, Ways. Trees, 3rd ed. (1988) 488; MAXWELL, Tree Fl. Malaya 4 (1989) 187; KENG, Conc. Fl. Sing. (1990) 81; — *M. microstomum* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88.
- 1436 **Memecylon caeruleum** JACK; RIDLEY, Fl. Mal. Pen. 1 (1922) 816; MAXWELL, Gard. Bull. Sing. 33 (1980) 61; CORNER, Ways. Trees, 3rd ed. (1988) 489; MAXWELL, Tree Fl. Malaya 4 (1989) 188; KENG, Conc. Fl. Sing. (1990) 81.

- 1437 **Memecylon campanulatum** CLARKE; RIDLEY, Fl. Mal. Pen. 1 (1922) 818; MAXWELL, Gard. Bull. Sing. 33 (1980) 63; MAXWELL, Tree Fl. Malaya 4 (1989) 188.
- 1438 **Memecylon cantleyi** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 818; MAXWELL, Gard. Bull. Sing. 33 (1980) 64; MAXWELL, Gard. Bull. Sing. 35 (1983) 196; MAXWELL, Tree Fl. Malaya 4 (1989) 188; KENG, Conc. Fl. Sing. (1990) 81.
- 1439 **Memecylon cinereum** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 817; MAXWELL, Gard. Bull. Sing. 33 (1980) 66; MAXWELL, Tree Fl. Malaya 4 (1989) 187.
- 1440a **Memecylon edule** ROXB. var. **edule**; MAXWELL, Gard. Bull. Sing. 33 (1980) 72; MAXWELL, Tree Fl. Malaya 4 (1989) 189; KENG, Conc. Fl. Sing. (1990) 81; — *M. edule*; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 819; CORNER, Ways. Trees, 3rd ed. (1988) 489.
- 1440b **Memecylon edule** var. **ovatum** (SM.) CL.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; MAXWELL, Gard. Bull. Sing. 33 (1980) 74; MAXWELL, Tree Fl. Malaya 4 (1989) 190; KENG, Conc. Fl. Sing. (1990) 81; — *M. laxiflorum* WALL. ex RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 815.
- 1441 **Memecylon excelsum** BL.; MAXWELL, Gard. Bull. Sing. 33 (1980) 76; MAXWELL, Gard. Bull. Sing. 35 (1983) 196; CORNER, Ways. Trees, 3rd ed. (1988) 489; MAXWELL, Tree Fl. Malaya 4 (1989) 190; — *M. heteropleurum* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 813; — *M. maingayi* CL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 813.
- 1442 **Memecylon floridum** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 816; MAXWELL, Gard. Bull. Sing. 33 (1980) 78; MAXWELL, Tree Fl. Malaya 4 (1989) 190.
- 1443 **Memecylon fruticosum** KING; MAXWELL, Gard. Bull. Sing. 33 (1980) 79; MAXWELL, Tree Fl. Malaya 4 (1989) 187; KENG, Conc. Fl. Sing. (1990) 81; — *M. sp. (5753)*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; — *M. campanulatum* (non CLARKE) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; — *M. epiphyticum* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 811; — *M. tenuifolium* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 812.
- 1444 **Memecylon garcinoides** BL.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 818; MAXWELL, Gard. Bull. Sing. 33 (1980) 81; CORNER, Ways. Trees, 3rd ed. (1988) 489; MAXWELL, Tree Fl. Malaya 4 (1989) 191.
- 1445 **Memecylon globosum** BAKH. f.; MAXWELL, Gard. Bull. Sing. 33 (1980) 82; MAXWELL, Tree Fl. Malaya 4 (1989) 186; — *M. sp. (6788)*, RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86
- 1446 **Memecylon intermedium** BL.; MAXWELL, Gard. Bull. Sing. 33 (1980) 84; MAXWELL, Tree Fl. Malaya 4 (1989) 186.
- 1447 **Memecylon lancifolium** RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 311; MAXWELL, Gard. Bull. Sing. 33 (1980) 107; — *M. sp. (3840)*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86.

Only known from type which is in poor condition.

- 1448 **Memecylon lilacinum** Z. & M.; MAXWELL, Gard. Bull. Sing. 33 (1980) 87; MAXWELL, Tree Fl. Malaya 4 (1989) 190; KENG, Conc. Fl. Sing. (1990) 82; — *M. myrsinooides* Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88 (*var. lilacinum* (Z. & M.) KING); RIDLEY, Fl. Mal. Pen. 1 (1922) 817; CORNER, Ways. Trees, 3rd ed. (1988) 490; — *M. laevigatum* Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 817.
- 1449 **Memecylon megacarpum** FURTADO; MAXWELL, Gard. Bull. Sing. 33 (1980) 91; MAXWELL, Tree Fl. Malaya 4 (1989) 193; KENG, Conc. Fl. Sing. (1990) 82.
- 1450 **Memecylon minutiflorum** MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 818; MAXWELL, Gard. Bull. Sing. 33 (1980) 93; MAXWELL, Tree Fl. Malaya 4 (1989) 193.
- 1451 **Memecylon oleifolium** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 814; MAXWELL, Gard. Bull. Sing. 33 (1980) 95; MAXWELL, Tree Fl. Malaya 4 (1989) 193; KENG, Conc. Fl. Sing. (1990) 82; — *M. grande* RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86.
- 1452 **Memecylon oligoneurum** Bl.; RIDLEY, Fl. Mal. Pen. 1 (1922) 811; MAXWELL, Gard. Bull. Sing. 33 (1980) 99.
- 1453 **Memecylon paniculatum** JACK; MAXWELL, Gard. Bull. Sing. 33 (1980) 101; MAXWELL, Tree Fl. Malaya 4 (1989) 194; KENG, Conc. Fl. Sing. (1990) 82.
- 1454 **Memecylon pauciflorum** Bl.; RIDLEY, Fl. Mal. Pen. 1 (1922) 816; MAXWELL, Gard. Bull. Sing. 33 (1980) 102.
- 1455 **Memecylon pubescens** (Cl.) KING; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 814; MAXWELL, Gard. Bull. Sing. 33 (1980) 104; MAXWELL, Tree Fl. Malaya 4 (1989) 195.
- 1456 **Ochthocharis borneensis** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 775; HENDERSON, Mal. Wild Fl. Dic. (1959) 144; KENG, Conc. Fl. Sing. (1990) 82.
- 1457 **Ochthocharis javanica** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 775; HENDERSON, Mal. Wild Fl. Dic. (1959) 145; KENG, Conc. Fl. Sing. (1990) 82.
- 1458 **Ochthocharis paniculata** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 774; KENG, Conc. Fl. Sing. (1990) 82.
- 1459 **Pachycentria constricta** (Bl.) Bl.; MAXWELL, Gard. Bull. Sing. 31 (1978) 202; KENG, Conc. Fl. Sing. (1990) 82; — *P. macrorrhiza* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; — *P. tuberculata* KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 805; HENDERSON, Mal. Wild Fl. Dic. (1959) 140.

- 1460 **Pachycentria maingayi** (CLARKE) MAXW.; MAXWELL, Gard. Bull. Sing. 31 (1978) 203; MAXWELL, Gard. Bull. Sing. 35 (1983) 196; KENG, Conc. Fl. Sing. (1990) 82; — *P. glauca* TRIANA; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; — *Medinilla maingayi* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 803; HENDERSON, Mal. Wild Fl. Dic. (1959) 134.
- 1461 **Plethiandra sessiliflora** (COGN.) MERR.; RIDLEY, Fl. Mal. Pen. 1 (1922) 806; NAYAR, Reinwardtia 9 (1974) 149; KENG, Conc. Fl. Sing. (1990) 82.
- 1462 **Pogonanthera pulverulenta** (JACK) BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 805; HENDERSON, Mal. Wild Fl. Dic. (1959) 139; MAXWELL, Gard. Bull. Sing. 31 (1978) 209; KENG, Conc. Fl. Sing. (1990) 82; — *P. reflexa* (REINW. ex BL.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85.
- 1463 **Pternandra coerulescens** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 808; CORNER, Ways. Trees 2nd ed. (1952) 452; MAXWELL, Gard. Bull. Sing. 34 (1981) 26; CORNER, Ways. Trees, 3rd ed. (1988) 491; MAXWELL, Tree Fl. Malaya 4 (1989) 196; KENG, Conc. Fl. Sing. (1990) 82; — *P. capitellata* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; RIDLEY, Fl. Mal. Pen. 1 (1922) 808; CORNER, Ways. Trees, 3rd ed. (1988) 491; — *P. paniculata* BENTH. ex CL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; — *P. jackiana* (WALP.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 808.
- 1464 **Pternandra echinata** JACK; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 809 (*incl. vars.*); MAXWELL, Gard. Bull. Sing. 34 (1981) 42; CORNER, Ways. Trees, 3rd ed. (1988) 491; MAXWELL, Tree Fl. Malaya 4 (1989) 197; KENG, Conc. Fl. Sing. (1990) 82; — *Kibessia echinata* (JACK) COGN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85; — *Kibessia acuminata* DECNE.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 85.
- 1465 **Pternandra tuberculata** (KORTH.) NAYAR; MAXWELL, Gard. Bull. Sing. 34 (1981) 73; MAXWELL, Tree Fl. Malaya 4 (1989) 198; KENG, Conc. Fl. Sing. (1990) 82; — *P. paniculata* BENTH. ex RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 809.
- 1466 **Sonerila heterostemon** NAUD.; RIDLEY, Fl. Mal. Pen. 1 (1922) 787; HENDERSON, Mal. Wild Fl. Dic. (1959) 116; MAXWELL, Gard. Bull. Sing. 35 (1983) 196; KENG, Conc. Fl. Sing. (1990) 82; — *S. obliqua* (*non* KORTH.) COGN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84.
- 1467 **Sonerila moluccana** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; KENG, Conc. Fl. Sing. (1990) 82; — *S. heterophylla* HERB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 84; — *S. begoniifolia* BL. "*begoniaefolia*"; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 790; HENDERSON, Mal. Wild Fl. Dic. (1959) 123.

MELIACEAE

- 1468 **Aglaia aspera** TEIJSM. & BINN.; PANNELL, Tree Fl. Malaya 4 (1989) 213; — *A. cinerea* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 404.
- 1469 **Aglaia cordata** HIERN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 409; PANNELL, Tree Fl. Malaya 4 (1989) 213; KENG, Conc. Fl. Sing. (1990) 101.

- 1470 *Aglaia cucullata* (ROXB.) PELLEGRIN; PANNELL, Tree Fl. Malaya 4 (1989) 214; KENG, Conc. Fl. Sing. (1990) 101; — *Amoora cucullata* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 399.
- 1471 *Aglaia exstipulata* (GRIFF.) THEOB.; PANNELL, Tree Fl. Malaya 4 (1989) 215; — *A. griffithii* (HIERN) KURZ; RIDLEY, Fl. Mal. Pen. 1 (1922) 409.
- 1472 *Aglaia glabriflora* HIERN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 404; PANNELL, Tree Fl. Malaya 4 (1989) 217; KENG, Conc. Fl. Sing. (1990) 101.
- 1473 *Aglaia meliosmoides* CRAIB; PANNELL, Tree Fl. Malaya 4 (1989) 219; — *Beddomea racemosa* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 414.
- 1474 *Aglaia odoratissima* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 404; CORNER, Ways. Trees, 3rd ed. (1988) 496; PANNELL, Tree Fl. Malaya 4 (1989) 221; KENG, Conc. Fl. Sing. (1990) 101.
- 1475 *Aglaia oligophylla* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 403; PANNELL, Tree Fl. Malaya 4 (1989) 222; KENG, Conc. Fl. Sing. (1990) 101.
- 1476 *Aglaia palembanica* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 409; PANNELL, Tree Fl. Malaya 4 (1989) 223; KENG, Conc. Fl. Sing. (1990) 101.
- 1477 *Aglaia ridleyi* (KING) PANNELL; PANNELL, Tree Fl. Malaya 4 (1989) 223; — *Amoora ridleyi* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 398.
- 1478 *Aglaia rubescens* (HIERN) PANNELL; PANNELL, Tree Fl. Malaya 4 (1989) 223; KENG, Conc. Fl. Sing. (1990) 101; — *Amoora rubescens* HIERN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 399.
- 1479 *Aglaia rubiginosa* (HIERN) PANNELL; PANNELL, Tree Fl. Malaya 4 (1989) 225; KENG, Conc. Fl. Sing. (1990) 101; — *Amoora rubiginosa* HIERN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 398.
- 1480 *Aglaia sp. 3*, PANNELL, Tree Fl. Malaya 4 (1989) 228; — *Amoora lanceolata* HIERN; RIDLEY, Fl. Mal. Pen. 1 (1922) 399.
- 1481 *Aglaia tenuicaulis* HIERN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 408; PANNELL, Tree Fl. Malaya 4 (1989) 226.
- 1482 *Aglaia trichostemon* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 407; PANNELL, Tree Fl. Malaya 4 (1989) 227; KENG, Conc. Fl. Sing. (1990) 101.
- 1483 *Aphanamixis polystachya* (WALL.) PARKER; MABBERLEY, Tree Fl. Malaya 4 (1989) 230; KENG, Conc. Fl. Sing. (1990) 101; — *Amoora aphanamixis* SCHULTES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; — *A. rohituka* (ROXB.) PIERRE; RIDLEY, Fl. Mal. Pen. 1 (1922) 401.
- 1484 *Aphanamixis sumatrana* (MIQ.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 400; MABBERLEY, Tree Fl. Malaya 4 (1989) 231.

- 1485 **Chisocheton erythrocarpus** HIERN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 388; MABBERLEY, Tree Fl. Malaya 4 (1989) 235; KENG, Conc. Fl. Sing. (1990) 101.
- 1486 **Chisocheton macrophyllus** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 389; MABBERLEY, Tree Fl. Malaya 4 (1989) 235; KENG, Conc. Fl. Sing. (1990) 102.
- 1487 **Chisocheton patens** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; MABBERLEY, Tree Fl. Malaya 4 (1989) 235; KENG, Conc. Fl. Sing. (1990) 102; — *C. divergens* BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 390; — *C. glomeratus* HIERN; RIDLEY, Fl. Mal. Pen. 1 (1922) 389.
- 1488 **Chisocheton pauciflorus** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 387; MABBERLEY, Tree Fl. Malaya 4 (1989) 237; KENG, Conc. Fl. Sing. (1990) 102.
- 1489 **Chisocheton pentandrus** (BLANCO) MERR. ssp. **paucijugus** (MIQ.) MABB.; MABBERLEY, Tree Fl. Malaya 4 (1989) 238; KENG, Conc. Fl. Sing. (1990) 102; — *C. spicatus* HIERN; RIDLEY, Fl. Mal. Pen. 1 (1922) 387.
- 1490 **Dysoxylum acutangulum** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 393; MABBERLEY, Tree Fl. Malaya 4 (1989) 240; KENG, Conc. Fl. Sing. (1990) 102.
- 1491 **Dysoxylum alliaceum** (BL.) BL.; MABBERLEY, Tree Fl. Malaya 4 (1989) 240; KENG, Conc. Fl. Sing. (1990) 102; — *D. costulatum* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 394; — *D. pulchrum* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 395; — *D. thyrsoides* GRIFF.; RIDLEY, Fl. Mal. Pen. 1 (1922) 393; BURKILL, Dict. (1935) 886.
- 1492 **Dysoxylum cauliflorum** HIERN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 396; CORNER, Ways. Trees, 3rd ed. (1988) 501; MABBERLEY, Tree Fl. Malaya 4 (1989) 242; KENG, Conc. Fl. Sing. (1990) 102.
- 1493 **Dysoxylum cyrtobotryum** MIQ.; MABBERLEY, Tree Fl. Malaya 4 (1989) 242; — *D. alternatum* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 397; — *D. venulosum* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 393; BURKILL, Dict. (1935) 886.
- 1494 **Dysoxylum densiflorum** (BL.) MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 396; MABBERLEY, Tree Fl. Malaya 4 (1989) 243.
- 1495 **Dysoxylum excelsum** BL.; MABBERLEY, Tree Fl. Malaya 4 (1989) 244; KENG, Conc. Fl. Sing. (1990) 102; — *D. macrothyrsium* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 394; — *D. turbinatum* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 394.
- 1496 **Dysoxylum flavescens** HIERN; RIDLEY, Fl. Mal. Pen. 1 (1922) 396; MABBERLEY, Tree Fl. Malaya 4 (1989) 244; KENG, Conc. Fl. Sing. (1990) 102.
- 1497 **Dysoxylum sp. 1**, MABBERLEY, Tree Fl. Malaya 4 (1989) 246.
- 1498 **Sandoricum beccarianum** BAILL.; MABBERLEY, Tree Fl. Malaya 4 (1989) 249; — *S. emarginatum* HIERN; RIDLEY, Fl. Mal. Pen. 1 (1922) 385; BURKILL, Dict. (1935) 1946.

- 1499 **Sandoricum koetjape** (BURM. f.) MERR.; CORNER, Ways. Trees, 3rd ed. (1988) 504; MABBERLEY, Tree Fl. Malaya 4 (1989) 249; KENG, Conc. Fl. Sing. (1990) 102; — *S. indicum* CAV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; RIDLEY, Fl. Mal. Pen. 1 (1922) 385; — *S. radiatum* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 59; — *S. maingayi* HIERN; RIDLEY, Fl. Mal. Pen. 1 (1922) 385; — *S. nervosum* BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 385; BURKILL, Dict. (1935) 1948.
- 1500 **Turraea breviflora** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 383; MABBERLEY, Tree Fl. Malaya 4 (1989) 252; KENG, Conc. Fl. Sing. (1990) 103.
- 1501 **Walsura chrysogyne** (MIQ.) BAKH. f.; MABBERLEY, Tree Fl. Malaya 4 (1989) 254; — *W. multijuga* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 412.
- 1502 **Xylocarpus granatum** KOEN.; MABBERLEY, Tree Fl. Malaya 4 (1989) 260; KENG, Conc. Fl. Sing. (1990) 103; — *Carapa obovata* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; WATSON, Malay. For. Rec. 6 (1927) 73; — *Carapa moluccensis* (non LAMK.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 414; — *Carapa granatum* (KOEN.) ALSTON; BURKILL, Dict. (1935) 452; CORNER, Ways. Trees 1st ed. (1940) 458; CORNER, Ways. Trees, 3rd ed. (1988) 497.
- 1503 **Xylocarpus moluccensis** ROEM.; MABBERLEY, Tree Fl. Malaya 4 (1989) 260; KENG, Conc. Fl. Sing. (1990) 103; — *Carapa obovata* (non BL.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 414; — *Carapa moluccensis* LAMK.; WATSON, Malay. For. Rec. 6 (1927) 70; CORNER, Ways. Trees 1st ed. (1940) 459, p.p.; CORNER, Ways. Trees, 3rd ed. (1988) 498, p.p.
- 1504 **Xylocarpus rumphii** (KOSTEL.) MABB.; MABBERLEY, Tree Fl. Malaya 4 (1989) 260; KENG, Conc. Fl. Sing. (1990) 103; — *Carapa moluccensis* LAMK. *sensu* CORNER; CORNER, Ways. Trees 1st ed. (1940) 459 p.p.; CORNER, Ways. Trees, 3rd ed. (1988), 498 p.p.

MENISPERMACEAE

- 1505 **Cocculus orbiculatus** (L.) DC.; FORMAN, Fl. Males. I 10¹ (1984) 231; KENG, Conc. Fl. Sing. (1990) 21; — *Limacia kunstleri* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 42; — *C. ovalifolius* (VAHL ex PERS.) DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 110; — *C. elegans* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 111; — *C. sarmentosus* (LOUR.) DIELS; HENDERSON, Mal. Wild Fl. Dic. (1959) 417.
- 1506 **Coscinium fenestratum** (GAERTN.) COLEBR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 42; FORMAN, Fl. Males. I 10¹ (1984) 215; KENG, Conc. Fl. Sing. (1990) 21; — *C. wallichianum* MIERS; RIDLEY, Fl. Mal. Pen. 1 (1922) 106; BURKILL, Dict. (1935) 669; — *C. blumeanum* *sensu* HOOK. f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 106, p.p.
- 1507 **Cyclea laxiflora** MIERS; RIDLEY, Fl. Mal. Pen. 1 (1922) 114; BURKILL, Dict. (1935) 722; HENDERSON, Mal. Wild Fl. Dic. (1959) 415; FORMAN, Fl. Males. I 10¹ (1984) 241; KENG, Conc. Fl. Sing. (1990) 21; — *C. peltata* [non (LAMK.) HOOK. f. & THOMS.] BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 43 ("var. *arnotti* MIERS").

- 1508 **Fibraurea tinctoria** LOUR.; FORMAN, Fl. Males. I 10¹ (1984) 207; KENG, Conc. Fl. Sing. (1990) 21; — *F. chloroleuca* Miers; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 42; RIDLEY, Fl. Mal. Pen. I (1922) 105; BURKILL, Dict. (1935) 1000.
- 1509 **Hypserpa nitida** Miers; FORMAN, Fl. Males. I 10¹ (1984) 219; KENG, Conc. Fl. Sing. (1990) 21; — *H. triflora* [non (DC.) Miers] Miers; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 42; — *Limacia triandra* Miers; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 84; — *H. cuspidata* (HOOK. f. & THOMS.) Miers; RIDLEY, Fl. Mal. Pen. I (1922) 111; BURKILL, Dict. (1935) 1219.
- 1510 **Limacia oblonga** HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. I (1922) 109; BURKILL, Dict. (1935) 1343; FORMAN, Fl. Males. I 10¹ (1984) 223; KENG, Conc. Fl. Sing. (1990) 21.
- 1511 **Limacia scandens** LOUR.; FORMAN, Fl. Males. I 10¹ (1984) 223; KENG, Conc. Fl. Sing. (1990) 21; — *L. velutina* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 42; RIDLEY, Fl. Mal. Pen. I (1922) 109; HENDERSON, Mal. Wild Fl. Dic. (1959) 378.
- 1512 **Stephania capitata** (BL.) SPRENG.; RIDLEY, Fl. Mal. Pen. I (1922) 113; MAXWELL, Gard. Bull. Sing. 35 (1983) 197; FORMAN, Fl. Males. I 10¹ (1984) 252; KENG, Conc. Fl. Sing. (1990) 21.
- 1513 **Tinomiscium petiolare** Miers ex HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 42; RIDLEY, Fl. Mal. Pen. I (1922) 105; BURKILL, Dict. (1935) 2163; FORMAN, Fl. Males. I 10¹ (1984) 205; KENG, Conc. Fl. Sing. (1990) 21; — *T. phytocrenoides* KURZ ex T. & B.; BURKILL, Dict. (1935) 2136; — *T. philippinense* DIELS; BURKILL, Dict. (1935) 2163.
- 1514 **Tinospora crispa** (L.) HOOK. f. & THOMS.; RIDLEY, Fl. Mal. Pen. I (1922) 103; FORMAN, Fl. Males. I 10¹ (1984) 194; KENG, Conc. Fl. Sing. (1990) 21; — *T. tuberculata* (LAMK.) BEUMEÉ ex HEYNE; BURKILL, Dict. (1935) 2164.
- 1515 **Tinospora macrocarpa** DIELS; RIDLEY, Fl. Mal. Pen. I (1922) 103; FORMAN, Fl. Males. I 10¹ (1984) 198.

MONIMIACEAE

- 1516 **Kibara coriacea** (BL.) TULASNE; RIDLEY, Fl. Mal. Pen. 3 (1924) 75; PHILIPSON, Fl. Males. I 10² (1986) 298; NG, Tree Fl. Malaya 4 (1989) 261; — *K. chartacea* BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 74; — *K. serrulata* PERKINS; RIDLEY, Fl. Mal. Pen. 3 (1924) 75.
- 1517 **Matthaea sancta** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130; RIDLEY, Fl. Mal. Pen. 3 (1924) 73; PHILIPSON, Fl. Males. I 10² (1986) 323; NG, Tree Fl. Malaya 4 (1989) 263; KENG, Conc. Fl. Sing. (1990) 17.

MORACEAE

- 1518 **Antiaris toxicaria** LESCH.; RIDLEY, Fl. Mal. Pen. 3 (1924) 351; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 120; CORNER, Ways. Trees, 3rd ed. (1988) 510; KENG, Conc. Fl. Sing. (1990) 68.

- 1519 **Artocarpus anisophyllus** Miq.; CORNER, Ways. Trees 1st ed. (1940) 652; SINCLAIR, Gard. Bull. Sing. 14 (1953) 38; SINCLAIR, Gard. Bull. Sing. 15 (1956) 30; JARRETT, J. Arn. Arb. 40 (1959) 138; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 123; CORNER, Ways. Trees, 3rd ed. (1988) 515; KENG, Conc. Fl. Sing. (1990) 68; — *A. superba* BECC.; RIDLEY, Fl. Mal. Pen. 3 (1924) 356; — *A. sp.* "large tree with pinnate leaves"; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 148.
- 1520 **Artocarpus dadah** Miq.; CORNER, Ways. Trees 1st ed. (1940) 653; JARRETT, J. Arn. Arb. 41 (1960) 91; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 124; CORNER, Ways. Trees, 3rd ed. (1988) 516; KENG, Conc. Fl. Sing. (1990) 69; — *A. lakoocha* (non Roxb.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 355.
- 1521 **Artocarpus elasticus** REINW. ex Bl.; BURKILL, Dict. (1935) 251; CORNER, Ways. Trees 1st ed. (1940) 653; JARRETT, J. Arn. Arb. 40 (1959) 346; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 124; CORNER, Ways. Trees, 3rd ed. (1988) 516; KENG, Conc. Fl. Sing. (1990) 69; — *A. kunstleri* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 353.
- 1522 **Artocarpus fulvicortex** JARRETT, J. Arn. Arb. 41 (1960) 116; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 126; CORNER, Ways. Trees, 3rd ed. (1988) 517; — *A. sp.*; CORNER, Ways. Trees 1st ed. (1940) 658.
- 1523 **Artocarpus gomezianus** WALL. ex TREC.; JARRETT, J. Arn. Arb. 41 (1960) 88; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 126; CORNER, Ways. Trees, 3rd ed. (1988) 517; KENG, Conc. Fl. Sing. (1990) 69.
- 1524 **Artocarpus hispidus** JARRETT, J. Arn. Arb. 40 (1959) 149; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 126.
- 1525 **Artocarpus kemando** Miq.; BURKILL, Dict. (1935) 256; CORNER, Ways. Trees 1st ed. (1940) 656; JARRETT, J. Arn. Arb. 40 (1959) 352; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 129; CORNER, Ways. Trees, 3rd ed. (1988) 519.
- 1526 **Artocarpus lanceifolius** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 354; CORNER, Ways. Trees 1st ed. (1940) 656; JARRETT, J. Arn. Arb. 40 (1959) 140; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 129; CORNER, Ways. Trees, 3rd ed. (1988) 519; KENG, Conc. Fl. Sing. (1990) 69.
- 1527 **Artocarpus lowii** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 353; BURKILL, Dict. (1935) 257; CORNER, Ways. Trees 1st ed. (1940) 656; JARRETT, J. Arn. Arb. 40 (1959) 339; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 131; CORNER, Ways. Trees, 3rd ed. (1988) 519; KENG, Conc. Fl. Sing. (1990) 69.
- 1528 **Artocarpus maingayi** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 354; CORNER, Ways. Trees 1st ed. (1940) 657; JARRETT, J. Arn. Arb. 40 (1959) 357; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 131; CORNER, Ways. Trees, 3rd ed. (1988) 520; KENG, Conc. Fl. Sing. (1990) 69.

- 1529 **Artocarpus nitidus** TRÉC. ssp. *griffithii* (KING) JARRETT, J. Arn. Arb. 41 (1960) 128; — *A. gomezianus* auct. non TRÉC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 355.
- 1530 **Artocarpus rigidus** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 352; CORNER, Ways. Trees 1st ed. (1940) 657; JARRETT, J. Arn. Arb. 40 (1959) 150; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 131; CORNER, Ways. Trees, 3rd ed. (1988) 521; KENG, Conc. Fl. Sing. (1990) 69.
- 1531 **Artocarpus scortechinii** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 355; CORNER, Ways. Trees 1st ed. (1940) 657; JARRETT, J. Arn. Arb. 40 (1959) 344; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 134; CORNER, Ways. Trees, 3rd ed. (1988) 521; KENG, Conc. Fl. Sing. (1990) 69.
- 1532 **Ficus albipila** (MIQ.) KING; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 139; KENG, Conc. Fl. Sing. (1990) 69.
- 1533 **Ficus annulata** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 333; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 140; CORNER, Ways. Trees, 3rd ed. (1988) 538; KENG, Conc. Fl. Sing. (1990) 69.
- 1534 **Ficus apiocarpa** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 338; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 140; KENG, Conc. Fl. Sing. (1990) 69.
- 1535 **Ficus aurantiacea** GRIFF.; RIDLEY, Fl. Mal. Pen. 3 (1924) 338; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 140; KENG, Conc. Fl. Sing. (1990) 69; — *F. callicarpa* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 338.
- 1536 **Ficus aurata** MIQ.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 140; CORNER, Ways. Trees, 3rd ed. (1988) 546; KENG, Conc. Fl. Sing. (1990) 70; — *F. chrysocarpa* REINW. ex BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 348.
- A 1537 **Ficus benjamina** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 336; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 141; CORNER, Ways. Trees, 3rd ed. (1988) 539; KENG, Conc. Fl. Sing. (1990) 70.
- 1538a **Ficus binnendykii** MIQ. var. *binnendykii*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 336; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 141; KENG, Conc. Fl. Sing. (1990) 70.
- 1538b **Ficus binnendykii** var. *coriacea* CORNER; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 141.
- 1539 **Ficus botryocarpa** MIQ.; KENG, Conc. Fl. Sing. (1990) 70; — *F. miquelii* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 341; CORNER, Ways. Trees 1st ed. (1940) 685; — *F. schwarzii* KOORD.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 155; CORNER, Ways. Trees, 3rd ed. (1988) 552.
- 1540 **Ficus bracteata** WALL. ex MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 331; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 142; KENG, Conc. Fl. Sing. (1990) 70.

- 1541 **Ficus caulocarpa** MIQ.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 142; CORNER, Ways. Trees, 3rd ed. (1988) 539; KENG, Conc. Fl. Sing. (1990) 70.
- 1542 **Ficus chartacea** WALL. ex KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 350; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 142; CORNER, Ways. Trees, 3rd ed. (1988) 547; KENG, Conc. Fl. Sing. (1990) 70.
- 1543 **Ficus consociata** BL. var. **murtoni** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 144; KENG, Conc. Fl. Sing. (1990) 70; — *F. consociata*; RIDLEY, Fl. Mal. Pen. 3 (1924) 331; CORNER, Ways. Trees, 3rd ed. (1988) 540.
- 1544 **Ficus crassiramea** MIQ.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 144; CORNER, Ways. Trees, 3rd ed. (1988) 540; KENG, Conc. Fl. Sing. (1990) 70; — *F. procera* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 332; CORNER, Ways. Trees 1st ed. (1940) 678.
- 1545 **Ficus delosyce** CORNER; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 144.
- 1546 **Ficus deltoidea** JACK; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 145; CORNER, Ways. Trees, 3rd ed. (1988) 554; KENG, Conc. Fl. Sing. (1990) 70; — *F. diversifolia* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 346; CORNER, Ways. Trees 1st ed. (1940) 687.
- 1547 **Ficus dubia** WALL. ex KING; RIDLEY, Fl. Mal. Pen. 3 (1924) 333; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 146; CORNER, Ways. Trees, 3rd ed. (1988) 541; KENG, Conc. Fl. Sing. (1990) 70.
- 1548 **Ficus excavata** KING; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 146; KENG, Conc. Fl. Sing. (1990) 70.
- 1549 **Ficus fistulosa** REINW. ex BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 343; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 146; CORNER, Ways. Trees, 3rd ed. (1988) 550; KENG, Conc. Fl. Sing. (1990) 70.
- 1550 **Ficus glandulifera** (WALL. ex MIQ.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 347; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 147; CORNER, Ways. Trees, 3rd ed. (1988) 547; KENG, Conc. Fl. Sing. (1990) 70.
- 1551 **Ficus globosa** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 333; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 147; KENG, Conc. Fl. Sing. (1990) 70.
- 1552 **Ficus grossularioides** BURM. f.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 148; CORNER, Ways. Trees, 3rd ed. (1988) 547; KENG, Conc. Fl. Sing. (1990) 71; — *F. alba* REINW. ex BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 147; RIDLEY, Fl. Mal. Pen. 3 (1924) 347; CORNER, Ways. Trees 1st ed. (1940) 681.
- 1553 **Ficus heteropleura** BL.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 148; KENG, Conc. Fl. Sing. (1990) 71; — *F. urophylla* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 144; RIDLEY, Fl. Mal. Pen. 3 (1924) 330.

- 1554 **Ficus kerkhovenii** VAL.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 149; CORNER, Ways. Trees, 3rd ed. (1988) 541; KENG, Conc. Fl. Sing. (1990) 71.
- 1555 **Ficus laevis** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 344; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 149; KENG, Conc. Fl. Sing. (1990) 71.
- 1556 **Ficus lamponga** MIQ.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 150; KENG, Conc. Fl. Sing. (1990) 71; — *F. lepidosa* WALL. ex KURZ; RIDLEY, Fl. Mal. Pen. 3 (1924) 350.
- 1557 **Ficus microcarpa** L.f.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 151; CORNER, Ways. Trees, 3rd ed. (1988) 542; KENG, Conc. Fl. Sing. (1990) 71; — *F. retusa* auct. non L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145 (var. *nitida*); RIDLEY, Fl. Mal. Pen. 3 (1924) 335; CORNER, Ways. Trees 1st ed. (1940) 679.
- 1558 **Ficus microsyce** RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 335; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 151; KENG, Conc. Fl. Sing. (1990) 70.
- 1559 **Ficus obscura** BL. var. **borneensis** (MIQ.) CORNER; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 152; KENG, Conc. Fl. Sing. (1990) 71; — *F. pisifera* WALL. ex MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 144; RIDLEY, Fl. Mal. Pen. 3 (1924) 329; — *F. obscura*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 339.
- 1560 **Ficus pellucido-punctata** GRIFF.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 153; KENG, Conc. Fl. Sing. (1990) 71; — *F. indica* L. var. *gelderi* (MIQ.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 334.
- 1561 **Ficus pisocarpa** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900); RIDLEY, Fl. Mal. Pen. 3 (1924) 336; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 153; KENG, Conc. Fl. Sing. (1990) 71; — *F. microstoma* WALL. ex KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 334.
- A 1562 **Ficus pumila** L.; KENG, Conc. Fl. Sing. (1990) 71.
- 1563 **Ficus recurva** BL. var. **ribesoides** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 154; — *F. recurva*; RIDLEY, Fl. Mal. Pen. 3 (1924) 345; KENG, Conc. Fl. Sing. (1990) 71.
- A 1564 **Ficus religiosa** L.; RIDLEY, Fl. Mal. Pen. 3 (1924) 337; CORNER, Ways. Trees, 3rd ed. (1988) 548; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 71.
- 1565 **Ficus retusa** L.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 154; KENG, Conc. Fl. Sing. (1990) 71; — *F. truncata* MIQ.; RIDLEY, Fl. Mal. Pen. 3 (1924) 335.
- 1566 **Ficus ruginervia** L.; KENG, Conc. Fl. Sing. (1990) 71.
- 1567 **Ficus sagittata** VAHL; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 155; KENG, Conc. Fl. Sing. (1990) 72; — *F. ramentacea* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 345.

- 1568 **Ficus scortechinii** KING; RIDLEY, Fl. Mal. Pen. 3 (1924) 343; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 156; KENG, Conc. Fl. Sing. (1990) 72; — *F. fasciculata* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 343.
- 1569 **Ficus sinuata** THUNB.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 156; CORNER, Ways. Trees, 3rd ed. (1988) 554; KENG, Conc. Fl. Sing. (1990) 72; — *F. rostrata* LAMK.; RIDLEY, Fl. Mal. Pen. 3 (1924) 340.
- 1570a **Ficus subgelderi** CORNER var. *subgelderi*; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 157; KENG, Conc. Fl. Sing. (1990) 72.
- 1570b **Ficus subgelderi** var. *rigida* CORNER; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 157; KENG, Conc. Fl. Sing. (1990) 72; — *F. rigida* MIQ.; RIDLEY, Fl. Mal. Pen. 3 (1924) 332.
- 1571 **Ficus sundaica** BL.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 158; CORNER, Ways. Trees, 3rd ed. (1988) 543; KENG, Conc. Fl. Sing. (1990) 72; — *F. indica* (non L.) KING; RIDLEY, Fl. Mal. Pen. 3 (1924) 334 (excl. var. *gelderi*); CORNER, Ways. Trees 1st ed. (1940) 678.
- 1572 **Ficus superba** MIQ.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 159; CORNER, Ways. Trees, 3rd ed. (1988) 544; KENG, Conc. Fl. Sing. (1990) 72.
- 1573 **Ficus variegata** BL.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 160; CORNER, Ways. Trees, 3rd ed. (1988) 553; KENG, Conc. Fl. Sing. (1990) 72; — *F. polysyce* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 342.
- 1574 **Ficus vasculosa** WALL. ex MIQ.; RIDLEY, Fl. Mal. Pen. 3 (1924) 337; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 160; CORNER, Ways. Trees, 3rd ed. (1988) 549; KENG, Conc. Fl. Sing. (1990) 72.
- 1575 **Ficus villosa** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 146; RIDLEY, Fl. Mal. Pen. 3 (1924) 345; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 161; KENG, Conc. Fl. Sing. (1990) 72.
- 1576 **Ficus virens** AIT. var. *glabella* (BL.) CORNER; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 161; CORNER, Ways. Trees, 3rd ed. (1988) 544; KENG, Conc. Fl. Sing. (1990) 72; — *F. glabella* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 336; EHC1 677.
- 1577 **Ficus xylophylla** WALL. ex MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 145; RIDLEY, Fl. Mal. Pen. 3 (1924) 332; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 162; CORNER, Ways. Trees, 3rd ed. (1988) 545; KENG, Conc. Fl. Sing. (1990) 72.
- 1578 **Parartocarpus bracteatus** (KING) BECC.; JARRETT, J. Arn. Arb. 41 (1960) 324; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 164; KENG, Conc. Fl. Sing. (1990) 72; — *Artocarpus bracteatus* KING; RIDLEY, Fl. Mal. Pen. 3 (1924) 352.
- 1579 **Parartocarpus venenosus** (ZOLL. & MOR.) BECC. ssp. *forbesii* (KING) JARRETT, J. Arn. Arb. 41 (1960) 137; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 165; KENG, Conc. Fl. Sing. (1990) 72; — *Artocarpus forbesii* KING; RIDLEY, Fl. Mal. Pen. 3 (1924) 352.

- 1580 **Streblus elongatus** (Miq.) CORNER, Gard. Bull. Sing. 19 (1962) 227; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 168; CORNER, Ways. Trees, 3rd ed. (1988) 556; KENG, Conc. Fl. Sing. (1990) 72; — *Sloetia sideroxylon* T. & B. ex KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 324; — *Sloetia elongata* (Miq.) KOORD.; CORNER, Ways. Trees 1st ed. (1940) 690.

MYRICACEAE

- 1581 **Myrica esculenta** BUCH.-HAM.; BACKER, Fl. Males. I 4³ (1951) 278; WHITMORE, Tree Fl. Malaya 2 (1973) 295; CORNER, Ways. Trees, 3rd ed. (1988) 559; KENG, Conc. Fl. Sing. (1990) 65; — *M. nagi* (non THUNB.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 149; — *M. farquhariana* WALL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 370; BURKILL, Dict. (1935) 1521; CORNER, Ways. Trees 1st ed. (1940) 471.

MYRISTICACEAE

- 1582 **Endocomia canarioides** (KING) DE WILDE, Blumea 30 (1984) 190; — *Embelia ridleyi* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 234; KENG, Conc. Fl. Sing. (1990) 139; — *Horsfieldia canarioides* (KING) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 55; — *Horsfieldia racemosa* (KING) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 60, — *Horsfieldia macrocoma* (Miq.) WARB. var. *canarioides* (KING) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 16 (1958) 389; WHITMORE, Tree Fl. Malaya 1 (1972) 327; KENG, Conc. Fl. Sing. (1990) 16.

- 1583 **Gymnacranthera bancana** (Miq.) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 16 (1958) 436; WHITMORE, Tree Fl. Malaya 1 (1972) 319; SCHOUTEN, Blumea 31 (1986) 463; KENG, Conc. Fl. Sing. (1990) 15; — *G. murtonii* HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 61; — *Myristica ferruginea* WALL. ex KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129.

- 1584a **Gymnacranthera farquhariana** (HOOK. f. & THOMS.) WARB. var. *farquhariana*; SCHOUTEN, Blumea 31 (1986) 477; — *Myristica farquhariana* WALL. ex HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; — *G. farquhariana* var. *griffithii* (HOOK. f.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 62; — *G. farquhariana* var. *major* (KING); RIDLEY, Fl. Mal. Pen. 3 (1924) 62; — *G. eugeniiifolia* (A. DC.) SINCLAIR var. *griffithii* (HOOK. f.) SINCLAIR; SINCLAIR, Gard. Bull. Sing. 16 (1958) 447; WHITMORE, Tree Fl. Malaya 1 (1972) 320.

- 1584b **Gymnacranthera farquhariana** var. *eugeniiifolia* (A. DC.) SCHOUTEN; SCHOUTEN, Blumea 31 (1986) 480; KENG, Conc. Fl. Sing. (1990) 15; — *Myristica farquhariana* auct. non HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; — *G. farquhariana* auct. non (HOOK. f. & THOMS.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 62; — *G. eugeniiifolia* (A. DC.) SINCLAIR var. *eugeniiifolia*; SINCLAIR, Gard. Bull. Sing. 16 (1958) 444; WHITMORE, Tree Fl. Malaya 1 (1972) 320.

- 1584c **Gymnacranthera farquhariana** var. *zippeliana* (Miq.) SCHOUTEN; SCHOUTEN, Blumea 31 (1986) 482; KENG, Conc. Fl. Sing. (1990) 15.

- 1585 **Gymnacranthera forbesii** (KING) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 61; SINCLAIR, Gard. Bull. Sing. 16 (1958) 441; WHITMORE, Tree Fl. Malaya 1 (1972) 320; SCHOUTEN, Blumea 31 (1986) 472; KENG, Conc. Fl. Sing. (1990) 15; — *Myristica forbesii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129.
- 1586 **Horsfieldia crassifolia** (HOOK. f. & THOMS.) WARB. RIDLEY, Fl. Mal. Pen. 3 (1924) 59; SINCLAIR, Gard. Bull. Sing. 16 (1958) 386; WHITMORE, Tree Fl. Malaya 1 (1972) 324; DE WILDE, Gard. Bull. Sing. 38 (1985) 219; KENG, Conc. Fl. Sing. (1990) 15; — *Myristica crassifolia* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129.
- 1587 **Horsfieldia grandis** (HOOK. f.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 56; SINCLAIR, Gard. Bull. Sing. 16 (1958) 400; WHITMORE, Tree Fl. Malaya 1 (1972) 323; DE WILDE, Gard. Bull. Sing. 38 (1985) 203.
- 1588 **Horsfieldia irya** (GAERTN.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 58; CORNER, Ways. Trees 1st ed. (1940) 476; SINCLAIR, Gard. Bull. Sing. 16 (1958) 382; WHITMORE, Tree Fl. Malaya 1 (1972) 326; DE WILDE, Gard. Bull. Sing. 37 (1985) 55; CORNER, Ways. Trees, 3rd ed. (1988) 564; KENG, Conc. Fl. Sing. (1990) 15; — *Myristica irya* GAERTN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129.
- A 1589 **Horsfieldia parviflora** (ROXB.) SINCLAIR; DE WILDE, Gard. Bull. Sing. 38 (1985) 69; — *Myristica bivalvis* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; — *H. bivalvis* (HOOK. f.) MERR.; SINCLAIR, Gard. Bull. Sing. 16 (1958) 379; — *H. globularia* (BL.) Warb.; RIDLEY, Fl. Mal. Pen. 3 (1924) 54.
- Introduced species established in the Botanic Gardens' Jungle.
- 1590a **Horsfieldia polyspherula** (HOOK. f. emend. KING) J. SINCLAIR var. **polyspherula**; DE WILDE, Gard. Bull. Sing. 39 (1986) 19; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica polyspherula* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; — *H. polyspherula*; SINCLAIR, Gard. Bull. Sing. 16 (1958) 422; WHITMORE, Tree Fl. Malaya 1 (1972) 325; — *H. lemmiana* auct. non (A. DC.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 59.
- 1590b **Horsfieldia polyspherula** (HOOK. f. emend. KING) J. SINCLAIR var. **sumatrana** (MIQ.) DE WILDE; DE WILDE, Gard. Bull. Sing. 39 (1986) 20; KENG, Conc. Fl. Sing. (1990) 16; — *H. subglobosa* auct. non (MIQ.) WARB. RIDLEY, Fl. Mal. Pen. 3 (1924) 60; — *H. subglobosa* var. *subglobosa* auct.; SINCLAIR, Gard. Bull. Sing. 16 (1958) 425; — *H. brachiata* (KING) MIQ. var. *sumatrana* (MIQ.) SINCLAIR ex WHITMORE nom. inval.; WHITMORE, Tree Fl. Malaya 1 (1972) 325; — *Myristica majuscula* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; — *H. majuscula* (KING) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 57.
- 1591 **Horsfieldia punctatifolia** J. SINCLAIR, Gard. Bull. Sing. 16 (1958) 413; WHITMORE, Tree Fl. Malaya 1 (1972) 327; DE WILDE, Gard. Bull. Sing. 39 (1986) 54.
- 1592 **Horsfieldia sparsa** DE WILDE Gard. Bull. Sing. 38 (1985) 194; — *H. sucosa* auct. non (KING) WARB.; SINCLAIR, Gard. Bull. Sing. 16 (1958) 416.

- 1593 **Horsfieldia sucosa** (KING) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 58; SINCLAIR, Gard. Bull. Sing. 16 (1958) 416; WHITMORE, Tree Fl. Malaya 1 (1972) 328; DE WILDE, Gard. Bull. Sing. 38 (1985) 188; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica sucosa* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; — *H. amygdalina* (WALL.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 57; — *H. bracteosa* HENDERSON; SINCLAIR, Gard. Bull. Sing. 16 (1958) 419, WHITMORE, Tree Fl. Malaya 1 (1972) 326.
- 1594 **Horsfieldia superba** (HOOK. f. & THOMS.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 55; CORNER, Ways. Trees 1st ed. (1940) 476, EJHC2 476; SINCLAIR, Gard. Bull. Sing. 16 (1958) 393; WHITMORE, Tree Fl. Malaya 1 (1972) 328; DE WILDE, Gard. Bull. Sing. 38 (1985) 200; CORNER, Ways. Trees, 3rd ed. (1988) 564; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica superba* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129.
- 1595 **Horsfieldia tomentosa** WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 56; SINCLAIR, Gard. Bull. Sing. 16 (1958) 403; WHITMORE, Tree Fl. Malaya 1 (1972) 324; DE WILDE, Gard. Bull. Sing. 38 (1985) 210; KENG, Conc. Fl. Sing. (1990) 16.
- 1596 **Horsfieldia wallichii** (HOOK. f. & THOMS.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 57; SINCLAIR, Gard. Bull. Sing. 16 (1958) 405; WHITMORE, Tree Fl. Malaya 1 (1972) 330; DE WILDE, Gard. Bull. Sing. 38 (1985) 204; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica wallichii* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129.
- 1597 **Knema communis** SINCLAIR, Gard. Bull. Sing. 16 (1958) 297; WHITMORE, Tree Fl. Malaya 1 (1972) 334; DE WILDE, Gard. Bull. Sing. 38 (1985) 461.
- 1598 **Knema conferta** (KING) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 70, SINCLAIR, Gard. Bull. Sing. 16 (1958) 286; WHITMORE, Tree Fl. Malaya 1 (1972) 335; DE WILDE, Blumea 25 (1979) 472; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica conferta* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130.
- 1599 **Knema curtisii** (KING) WARB. var. **paludosa** J. SINCLAIR; DE WILDE, Blumea 25 (1979) 420; — *Knema curtisii* (KING) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 69, SINCLAIR, Gard. Bull. Sing. 16 (1958) 281; WHITMORE, Tree Fl. Malaya 1 (1972) 334; KENG, Conc. Fl. Sing. (1990) 16.
- 1600 **Knema furfuracea** (HOOK. f. & THOMS.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 70, CORNER, Ways. Trees 1st ed. (1940) 476; SINCLAIR, Gard. Bull. Sing. 16 (1958) 275; WHITMORE, Tree Fl. Malaya 1 (1972) 335; DE WILDE, Blumea 25 (1979) 387; CORNER, Ways. Trees, 3rd ed. (1988) 564; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica longifolia* (non BL.) HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130.
- 1601 **Knema glaucescens** JACK; SINCLAIR, Gard. Bull. Sing. 16 (1958) 302 p.p.; DE WILDE, Blumea 25 (1979) 411; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica glauca* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; — *K. wrayi* (KING) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 70; — *K. cinerea* (POIR.) WARB. var. *sumatrana* (MIQ.) J. SINCLAIR; WHITMORE, Tree Fl. Malaya 1 (1972) 334

- 1602 ***Knema globularia*** (LAMK.) WARB.; SINCLAIR, Gard. Bull. Sing. 16 (1958) 325; WHITMORE, Tree Fl. Malaya 1 (1972) 336; DE WILDE, Blumea 25 (1979) 411; CORNER, Ways. Trees, 3rd ed. (1988) 564; KENG, Conc. Fl. Sing. (1990) 16; — *K. missionis* WALL. ex KING; RIDLEY, Fl. Mal. Pen. 3 (1924) 71, CORNER, Ways. Trees 1st ed. (1940) 477.
- 1603 ***Knema hookeriana*** (WALL. ex HOOK. f. & THOMS.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 67, CORNER, Ways. Trees 1st ed. (1940) 476; SINCLAIR, Gard. Bull. Sing. 16 (1958) 272; WHITMORE, Tree Fl. Malaya 1 (1972) 336; DE WILDE, Blumea 25 (1979) 387; CORNER, Ways. Trees, 3rd ed. (1988) 565; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica hookeriana* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130.
- 1604 ***Knema intermedia*** (BL.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 68, CORNER, Ways. Trees 1st ed. (1940) 477; SINCLAIR, Gard. Bull. Sing. 16 (1958) 315; WHITMORE, Tree Fl. Malaya 1 (1972) 334; DE WILDE, Blumea 25 (1979) 427; CORNER, Ways. Trees, 3rd ed. (1988) 565; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica intermedia* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130.
- 1605 ***Knema latericia*** ELM. ssp. ***ridleyi*** (GANDOGER) DE WILDE; DE WILDE, Blumea 25 (1979) 396; — *Knema latericia* ELM.; SINCLAIR, Gard. Bull. Sing. 16 (1958) 278; KENG, Conc. Fl. Sing. (1990) 16.
- 1606 ***Knema laurina*** (BL.) WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 72, SINCLAIR, Gard. Bull. Sing. 16 (1958) 379; WHITMORE, Tree Fl. Malaya 1 (1972) 338; DE WILDE, Blumea 25 (1979) 379; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica laurina* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; — *Myristica cantleyi* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 130; — *K. cantleyi* (HOOK. f.) WARB. p.p.; RIDLEY, Fl. Mal. Pen. 3 (1924) 68.
- 1607 ***Knema malayana*** WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 69, SINCLAIR, Gard. Bull. Sing. 16 (1958) 293; WHITMORE, Tree Fl. Malaya 1 (1972) 338; DE WILDE, Blumea 25 (1979) 456; KENG, Conc. Fl. Sing. (1990) 16; — *Myristica glaucescens* HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129.
- 1608 ***Knema rubens*** (SINCLAIR) DE WILDE; DE WILDE, Blumea 25 (1979) 379; — *K. glaucescens* JACK var. *glaucescens forma rubens* J. SINCLAIR; Gard. Bull. Sing. 16 (1958) 307; — *K. glaucescens* JACK var. *rubens* (J. SINCLAIR) J. SINCLAIR; WHITMORE, Tree Fl. Malaya 1 (1972) 334.
- 1609 ***Myristica cinnamomea*** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 128; RIDLEY, Fl. Mal. Pen. 3 (1924) 63; CORNER, Ways. Trees 1st ed. (1940) 477; CORNER, Ways. Trees, 2nd ed. (1952) 477; SINCLAIR, Gard. Bull. Sing. 16 (1958) 358; SINCLAIR, Gard. Bull. Sing. 23 (1968) 210; WHITMORE, Tree Fl. Malaya 1 (1972) 342; CORNER, Ways. Trees, 3rd ed. (1988) 565; KENG, Conc. Fl. Sing. (1990) 16.
- 1610 ***Myristica crassa*** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 128; RIDLEY, Fl. Mal. Pen. 3 (1924) 66; SINCLAIR, Gard. Bull. Sing. 16 (1958) 366; SINCLAIR, Gard. Bull. Sing. 23 (1968) 435; WHITMORE, Tree Fl. Malaya 1 (1972) 341; KENG, Conc. Fl. Sing. (1990) 16.

- 1611 **Myristica elliptica** WALL. ex HOOK. f. & THOMS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 128; RIDLEY, Fl. Mal. Pen. 3 (1924) 65; CORNER, Ways. Trees 1st ed. (1940) 477; SINCLAIR, Gard. Bull. Sing. 16 (1958) 353; SINCLAIR, Gard. Bull. Sing. 23 (1968) 188; WHITMORE, Tree Fl. Malaya 1 (1972) 342; CORNER, Ways. Trees, 3rd ed. (1988) 565; KENG, Conc. Fl. Sing. (1990) 16.
- 1612 **Myristica iners** Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 129; RIDLEY, Fl. Mal. Pen. 3 (1924) 64; SINCLAIR, Gard. Bull. Sing. 16 (1958) 363; SINCLAIR, Gard. Bull. Sing. 23 (1968) 177; WHITMORE, Tree Fl. Malaya 1 (1972) 343.
- 1613 **Myristica lowiana** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 128; RIDLEY, Fl. Mal. Pen. 3 (1924) 66; SINCLAIR, Gard. Bull. Sing. 16 (1958) 345; SINCLAIR, Gard. Bull. Sing. 23 (1968) 164; WHITMORE, Tree Fl. Malaya 1 (1972) 344.
- 1614 **Myristica maingayi** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 64; SINCLAIR, Gard. Bull. Sing. 16 (1958) 348; SINCLAIR, Gard. Bull. Sing. 23 (1968) 166; WHITMORE, Tree Fl. Malaya 1 (1972) 344; CORNER, Ways. Trees, 3rd ed. (1988) 566; KENG, Conc. Fl. Sing. (1990) 16.
- 1615 **Myristica maxima** WARB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 63; SINCLAIR, Gard. Bull. Sing. 16 (1958) 339; SINCLAIR, Gard. Bull. Sing. 23 (1968) 131; WHITMORE, Tree Fl. Malaya 1 (1972) 345; KENG, Conc. Fl. Sing. (1990) 16; — *M. bracteata* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 128.

MYRSINACEAE

- 1616 **Aegiceras corniculatum** (L.) BLANCO; CORNER, Ways. Trees 1st ed. (1940) 479; HENDERSON, Mal. Wild Fl. Dic. (1959) 273; CORNER, Ways. Trees, 3rd ed. (1988) 567; STONE, Tree Fl. Malaya 4 (1989) 26; KENG, Conc. Fl. Sing. (1990) 138; — *A. majus* GAERTN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105; RIDLEY, Fl. Mal. Pen. 2 (1923) 238; WATSON, Malay. For. Rec. 6 (1928) 87.
- 1617 **Ardisia colorata** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; RIDLEY, Fl. Mal. Pen. 2 (1923) 246; CORNER, Ways. Trees, 3rd ed. (1988) 568; STONE, Tree Fl. Malaya 4 (1989) 276; KENG, Conc. Fl. Sing. (1990) 138.
- 1618 **Ardisia crassa** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; RIDLEY, Fl. Mal. Pen. 2 (1923) 249; STONE, Tree Fl. Malaya 4 (1989) 274; KENG, Conc. Fl. Sing. (1990) 138.
- 1619 **Ardisia crenata** SIMS; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105; RIDLEY, Fl. Mal. Pen. 2 (1923) 253; STONE, Tree Fl. Malaya 4 (1989) 270; KENG, Conc. Fl. Sing. (1990) 138.
- 1620 **Ardisia elliptica** THUNB.; HENDERSON, Mal. Wild Fl. Dic. (1959) 271; CORNER, Ways. Trees, 3rd ed. (1988) 568; STONE, Tree Fl. Malaya 4 (1989) 275; KENG, Conc. Fl. Sing. (1990) 138; — *A. littoralis* ANDR.; RIDLEY, Fl. Mal. Pen. 2 (1923) 241.
- 1621 **Ardisia lanceolata** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; RIDLEY, Fl. Mal. Pen. 2 (1923) 249; CORNER, Ways. Trees, 3rd ed. (1988) 568; STONE, Tree Fl. Malaya 4 (1989) 276; KENG, Conc. Fl. Sing. (1990) 138.

- 1622 ***Ardisia miqueliana*** SCHEFF.; STONE, Tree Fl. Malaya 4 (1989) 273.
- 1623 ***Ardisia ridleyi*** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 253; STONE, Tree Fl. Malaya 4 (1989) 271; KENG, Conc. Fl. Sing. (1990) 138.
- 1624 ***Ardisia sessilis*** SCHEFF.; STONE, Tree Fl. Malaya 4 (1989) 273.
- 1625 ***Ardisia singaporensis*** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 251; STONE, Tree Fl. Malaya 4 (1989) 270; KENG, Conc. Fl. Sing. (1990) 138; — *A. sp. near villosa*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105.
- 1626 ***Ardisia teysmanniana*** SCHEFF.; RIDLEY, Fl. Mal. Pen. 2 (1923) 240; STONE, Tree Fl. Malaya 4 (1989) 272; KENG, Conc. Fl. Sing. (1990) 138; — *Pimelandra wallichii* DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105.
- 1627 ***Ardisia tuberculata*** WALL. ex A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; RIDLEY, Fl. Mal. Pen. 2 (1923) 245; STONE, Tree Fl. Malaya 4 (1989) 273; KENG, Conc. Fl. Sing. (1990) 138.
- 1628 ***Ardisia villosa*** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105; RIDLEY, Fl. Mal. Pen. 2 (1923) 251; HENDERSON, Mal. Wild Fl. Dic. (1959) 272; SINCLAIR, 15 (1956) 29; STONE, Tree Fl. Malaya 4 (1989) 271; KENG, Conc. Fl. Sing. (1990) 138.
- 1629 ***Embelia amentacea*** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; RIDLEY, Fl. Mal. Pen. 2 (1923) 234; STONE, Tree Fl. Malaya 4 (1989) 278; KENG, Conc. Fl. Sing. (1990) 138.
- 1630 ***Embelia canescens*** JACK; RIDLEY, Fl. Mal. Pen. 2 (1923) 232; STONE, Tree Fl. Malaya 4 (1989) 279; KENG, Conc. Fl. Sing. (1990) 139.
- 1631 ***Embelia coriacea*** WALL. ex A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; RIDLEY, Fl. Mal. Pen. 2 (1923) 233; STONE, Tree Fl. Malaya 4 (1989) 279; KENG, Conc. Fl. Sing. (1990) 139.
- 1632 ***Embelia dasythyrsa*** MIQ.; RIDLEY, Fl. Mal. Pen. 2 (1923) 232; STONE, Tree Fl. Malaya 4 (1989) 279.
- 1633 ***Embelia lampani*** SCHEFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; RIDLEY, Fl. Mal. Pen. 2 (1923) 234; STONE, Tree Fl. Malaya 4 (1989) 279; KENG, Conc. Fl. Sing. (1990) 139.
- 1634 ***Embelia ribes*** BURM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; HENDERSON, Mal. Wild Fl. Dic. (1959) 269; STONE, Tree Fl. Malaya 4 (1989) 279; KENG, Conc. Fl. Sing. (1990) 139; — *E. garciniaeefolia* WALL. ex MIQ.; RIDLEY, Fl. Mal. Pen. 2 (1923) 232.
- 1635 ***Labisia pumila*** (BL.) F.-VILL.; STONE, Tree Fl. Malaya 4 (1989) 281; KENG, Conc. Fl. Sing. (1990) 139; — *L. pothoina* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 104; RIDLEY, Fl. Mal. Pen. 2 (1923) 237; HENDERSON, Mal. Wild Fl. Dic. (1959) 270.

Present as *var. lanceolata* (SCHEFF.) MIQ. as well as *var. pumila*.

- 1636 **Maesa ramentacea** WALL. ex ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103; RIDLEY, Fl. Mal. Pen. 2 (1923) 227; CORNER, Ways. Trees 1st ed. (1940) 481; CORNER, Ways. Trees, 3rd ed. (1988) 569; STONE, Tree Fl. Malaya 4 (1989) 283; KENG, Conc. Fl. Sing. (1990) 139.
- 1637 **Rapanea porteriana** WALL. ex A. DC.; STONE, Tree Fl. Malaya 4 (1989) 284; — *Myrsine avenis* (BL.) DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 230; KENG, Conc. Fl. Sing. (1990) 139; — *Myrsine porteriana* WALL. ex A. DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 230; CORNER, Ways. Trees, 3rd ed. (1988) 570; — *Myrsine umbellulata* (WALL.) DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 231; CORNER, Ways. Trees, 3rd ed. (1988) 570; KENG, Conc. Fl. Sing. (1990) 139.

MYRTACEAE

- 1638 **Aphanomyrtus rostrata** MIQ.; MERRILL, Blumea Suppl. 1 (1937) 109; — *Pseudo-eugenia singaporenensis* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 755; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 250.
- 1639 **Decaspermum fruticosum** J.R. & G. FORST.; CORNER, Ways. Trees 1st ed. (1940) 484; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 171; CORNER, Ways. Trees, 3rd ed. (1988) 573; KENG, Conc. Fl. Sing. (1990) 76; — *D. paniculatum* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 81; RIDLEY, Fl. Mal. Pen. 1 (1922) 717.
- 1640 **Eugenia attenuata** KOORD. & VALET.; HENDERSON, Gard. Bull. Sing. 12 (1949) 238; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 183; CORNER, Ways. Trees, 3rd ed. (1988) 582; KENG, Conc. Fl. Sing. (1990) 77; — *E. penangiana* DUTHIE; RIDLEY, Fl. Mal. Pen. 1 (1922) 740; p.p.; CORNER, Ways. Trees 1st ed. (1940) 501.
- 1641 **Eugenia avenis** (MIQ.) HENDERS.; HENDERSON, Gard. Bull. Sing. 12 (1949) 171; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 184; KENG, Conc. Fl. Sing. (1990) 77; — *E. scoparia* DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 748.
- 1642 **Eugenia caudata** KING; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 185.
One specimen (M.R. Henderson SFN 35931, Bukit Timah) possibly this species.
- 1643a **Eugenia cerina** HENDERS. var. *cerina*; HENDERSON, Gard. Bull. Sing. 12 (1949) 168; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 185; CORNER, Ways. Trees, 3rd ed. (1988) 583; KENG, Conc. Fl. Sing. (1990) 77; — *E. punctulata* (non F.M. BAILEY) KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 747; CORNER, Ways. Trees 1st ed. (1940) 502.
- 1643b **Eugenia cerina** var. *turbinata* HENDERSON, Gard. Bull. Sing. 12 (1949) 170; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 186.
- 1644 **Eugenia chlorantha** DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 734; CORNER, Ways. Trees 1st ed. (1940) 494; HENDERSON, Gard. Bull. Sing. 12 (1949) 107; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 186; CORNER, Ways. Trees, 3rd ed. (1988) 583; — *E. hullettiana* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 735.

- 1645 **Eugenia claviflora** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 742; CORNER, Ways. Trees 1st ed. (1940) 495; HENDERSON, Gard. Bull. Sing. 12 (1949) 252; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 186; CORNER, Ways. Trees, 3rd ed. (1988) 584; KENG, Conc. Fl. Sing. (1990) 77.
- 1646 **Eugenia conglomerata** DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83; RIDLEY, Fl. Mal. Pen. 1 (1922) 742; HENDERSON, Gard. Bull. Sing. 12 (1949) 198; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 188; KENG, Conc. Fl. Sing. (1990) 77.
- 1647 **Eugenia cumingiana** VIDAL; CORNER, Ways. Trees 1st ed. (1940) 496; HENDERSON, Gard. Bull. Sing. 12 (1949) 260; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 188; CORNER, Ways. Trees, 3rd ed. (1988) 585; KENG, Conc. Fl. Sing. (1990) 77; — *E. acuminatissima* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 747.
- 1648 **Eugenia densiflora** (BL.) MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 81; RIDLEY, Fl. Mal. Pen. 1 (1922) 728; CORNER, Ways. Trees 1st ed. (1940) 497; HENDERSON, Gard. Bull. Sing. 12 (1949) 78; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 189; CORNER, Ways. Trees, 3rd ed. (1988) 585; KENG, Conc. Fl. Sing. (1990) 77.
- 1649 **Eugenia duthieana** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 731; HENDERSON, Gard. Bull. Sing. 12 (1949) 118; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 190; KENG, Conc. Fl. Sing. (1990) 77.
- 1650a **Eugenia filiformis** DUTHIE var. **filiformis**; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 81; RIDLEY, Fl. Mal. Pen. 1 (1922) 740; CORNER, Ways. Trees 1st ed. (1940) 497; HENDERSON, Gard. Bull. Sing. 12 (1949) 145; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 191; CORNER, Ways. Trees, 3rd ed. (1988) 586; KENG, Conc. Fl. Sing. (1990) 77.
- 1650b **Eugenia filiformis** var. **clavimyrtus** (KOORD. & VALET.) HENDERSON; HENDERSON, Gard. Bull. Sing. 12 (1949) 147; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 191.
- 1651 **Eugenia flosculifera** HENDERSON; HENDERSON, Gard. Bull. Sing. 12 (1949) 237; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 191.
- 1652 **Eugenia glauca** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 737; HENDERSON, Gard. Bull. Sing. 12 (1949) 112; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 193; KENG, Conc. Fl. Sing. (1990) 77.
- 1653 **Eugenia grandis** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 81; RIDLEY, Fl. Mal. Pen. 1 (1922) 729; CORNER, Ways. Trees 1st ed. (1940) 498; HENDERSON, Gard. Bull. Sing. 12 (1949) 87; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 195; CORNER, Ways. Trees, 3rd ed. (1988) 586; KENG, Conc. Fl. Sing. (1990) 77.
- 1654 **Eugenia griffithii** DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83; RIDLEY, Fl. Mal. Pen. 1 (1922) 731; HENDERSON, Gard. Bull. Sing. 12 (1949) 120; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 195; KENG, Conc. Fl. Sing. (1990) 77; — *E. subrufa* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 733, incl. var. *robusta* KING.
- 1655 **Eugenia inophylla** (DC.) ROXB.; RIDLEY, Fl. Mal. Pen. 1 (1922) 750; HENDERSON, Gard. Bull. Sing. 12 (1949) 141; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 197.

- 1656 **Eugenia kunstleri** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 746; HENDERSON, Gard. Bull. Sing. 12 (1949) 209; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 199.
- 1657 **Eugenia leptostemon** (KORTH.) MIQ.; HENDERSON, Gard. Bull. Sing. 12 (1949) 201; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 199; — *E. urceolata* [non (KORTH.) CORDEM.] KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 742.
- 1658 **Eugenia leucoxylon** (KORTH.) MIQ.; HENDERSON, Gard. Bull. Sing. 12 (1949) 235; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 199; CORNER, Ways. Trees, 3rd ed. (1988) 588; — *E. verecunda* DUTHIE; RIDLEY, Fl. Mal. Pen. 1 (1922) 748 (incl. var. *major* RIDL.); CORNER, Ways. Trees 1st ed. (1940) 504.
- 1659 **Eugenia linocieroidea** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 749; HENDERSON, Gard. Bull. Sing. 12 (1949) 163; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 201; KENG, Conc. Fl. Sing. (1990) 78.
- 1660 **Eugenia longiflora** (PRESL) F.-VILL.; CORNER, Ways. Trees 1st ed. (1940) 499; HENDERSON, Gard. Bull. Sing. 12 (1949) 159; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 201; CORNER, Ways. Trees, 3rd ed. (1988) 588; KENG, Conc. Fl. Sing. (1990) 77; — *E. lineata* (non LAMK.) DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 738.
- 1661a **Eugenia microcalyx** DUTHIE var. *microcalyx*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83; RIDLEY, Fl. Mal. Pen. 1 (1922) 745 (incl. var. *obovata* KING, p.p.); HENDERSON, Gard. Bull. Sing. 12 (1949) 205; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 202; KENG, Conc. Fl. Sing. (1990) 78.
- 1661b **Eugenia microcalyx** var. *irregularis* (CRAIB) HENDERSON; HENDERSON, Gard. Bull. Sing. 12 (1949) 207; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 202; — *E. microcalyx*; CORNER, Ways. Trees 1st ed. (1940) 500; CORNER, Ways. Trees, 3rd ed. (1988) 588.
- 1662 **Eugenia muelleri** MIQ.; HENDERSON, Gard. Bull. Sing. 12 (1949) 186; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 202; CORNER, Ways. Trees, 3rd ed. (1988) 589; KENG, Conc. Fl. Sing. (1990) 78; — *E. venulosa* DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 746; CORNER, Ways. Trees 1st ed. (1940) 504.
- 1663 **Eugenia nemestrina** HENDERSON; HENDERSON, Gard. Bull. Sing. 12 (1949) 192; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 203.
- 1664 **Eugenia ngadimaniana** HENDERS.; HENDERSON, Gard. Bull. Sing. 12 (1949) 108; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 203; KENG, Conc. Fl. Sing. (1990) 78.
- 1665 **Eugenia nigricans** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 751; HENDERSON, Gard. Bull. Sing. 12 (1949) 194; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 203; KENG, Conc. Fl. Sing. (1990) 78.
- 1666 **Eugenia oblata** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 749; HENDERSON, Gard. Bull. Sing. 12 (1949) 136; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 204.

- 1667 **Eugenia oblongifolia** DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 744; HENDERSON, Gard. Bull. Sing. 12 (1949) 184; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 204; KENG, Conc. Fl. Sing. (1990) 78.
- 1668 **Eugenia oleina** WIGHT; HENDERSON, Gard. Bull. Sing. 12 (1949) 150; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 205; KENG, Conc. Fl. Sing. (1990) 78; — *E. myrtifolia* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 750.
- 1669 **Eugenia pachyphylla** KURZ; RIDLEY, Fl. Mal. Pen. 1 (1922) 733; CORNER, Ways. Trees 1st ed. (1940) 500; HENDERSON, Gard. Bull. Sing. 12 (1949) 90; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 206; CORNER, Ways. Trees, 3rd ed. (1988) 589; KENG, Conc. Fl. Sing. (1990) 78.
- 1670 **Eugenia palembanica** (Miq.) MERR.; CORNER, Ways. Trees 1st ed. (1940) 500; HENDERSON, Gard. Bull. Sing. 12 (1949) 85; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 206; CORNER, Ways. Trees, 3rd ed. (1988) 589; KENG, Conc. Fl. Sing. (1990) 78; — *E. lepidocarpa* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 81; RIDLEY, Fl. Mal. Pen. 1 (1922) 730; — *E. selangorensis* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 730; HENDERSON, Gard. Bull. Sing. 12 (1949) 84.
- 1671 **Eugenia papillosa** DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 730; CORNER, Ways. Trees 1st ed. (1940) 501; HENDERSON, Gard. Bull. Sing. 12 (1949) 77; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 207; CORNER, Ways. Trees, 3rd ed. (1988) 589; KENG, Conc. Fl. Sing. (1990) 78.
- 1672 **Eugenia pauper** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 745; HENDERSON, Gard. Bull. Sing. 12 (1949) 178; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 207.
- 1673 **Eugenia pendens** DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 81; RIDLEY, Fl. Mal. Pen. 1 (1922) 726; HENDERSON, Gard. Bull. Sing. 12 (1949) 71; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 209.
- 1674 **Eugenia polyantha** WIGHT; RIDLEY, Fl. Mal. Pen. 1 (1922) 742; CORNER, Ways. Trees 1st ed. (1940) 501; HENDERSON, Gard. Bull. Sing. 12 (1949) 211; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 210; CORNER, Ways. Trees, 3rd ed. (1988) 590; KENG, Conc. Fl. Sing. (1990) 78; — *E. nitida* DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 83; — *E. balsamea* (non WIGHT) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 754.
- 1675 **Eugenia pseudocrenulata** HENDERS.; HENDERSON, Gard. Bull. Sing. 12 (1949) 216; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 211; KENG, Conc. Fl. Sing. (1990) 78; — *E. crenulata* (non WILLD.) DUTHIE; RIDLEY, Fl. Mal. Pen. 1 (1922) 751.
- 1676 **Eugenia pseudoformosa** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 725; HENDERSON, Gard. Bull. Sing. 12 (1949) 69; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 211; KENG, Conc. Fl. Sing. (1990) 78.
- 1677 **Eugenia pseudosubtilis** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 746; CORNER, Ways. Trees 1st ed. (1940) 502; HENDERSON, Gard. Bull. Sing. 12 (1949) 202; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 212; CORNER, Ways. Trees, 3rd ed. (1988) 590; KENG, Conc. Fl. Sing. (1990) 78; — *E. cinerea* (non KURZ) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 744.
- 1678 **Eugenia pustulata** DUTHIE; RIDLEY, Fl. Mal. Pen. 1 (1922) 736; HENDERSON, Gard. Bull. Sing. 12 (1949) 188; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 212; KENG, Conc. Fl. Sing. (1990) 78.

- 1679 **Eugenia ridleyi** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 735; CORNER, Ways. Trees 1st ed. (1940) 503; HENDERSON, Gard. Bull. Sing. 12 (1949) 125; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 214; CORNER, Ways. Trees, 3rd ed. (1988) 591; KENG, Conc. Fl. Sing. (1990) 78.
- 1680 **Eugenia rugosa** (KORTH.) MERR.; HENDERSON, Gard. Bull. Sing. 12 (1949) 244 (*incl. var. saxitana* (RIDL.) HEND.); KOCHUMMEN, Tree Fl. Malaya 3 (1978) 215; KENG, Conc. Fl. Sing. (1990) 78; — *E. goodenovii* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 731, *p.p.*; — *E. johorensis* (*non* RIDL.) RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 308.
- ? 1681 **Eugenia scortechinii** KING; HENDERSON, Gard. Bull. Sing. 12 (1949) 66; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 216.
One doubtful specimen from Singapore.
- 1682 **Eugenia spicata** LAMK.; CORNER, Ways. Trees 1st ed. (1940) 503; HENDERSON, Gard. Bull. Sing. 12 (1949) 231; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 217; CORNER, Ways. Trees, 3rd ed. (1988) 591; KENG, Conc. Fl. Sing. (1990) 78; — *E. zeylanica* (*non* WILLD.) WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 738; — *E. grata* WIGHT; RIDLEY, Fl. Mal. Pen. 1 (1922) 739; CORNER, Ways. Trees 1st ed. (1940) 498; HENDERSON, Gard. Bull. Sing. 12 (1949) 233; CORNER, Ways. Trees, 3rd ed. (1988) 587.
- 1683 **Eugenia sp. 8**; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 225.
- 1684 **Eugenia sp. 39**; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 237.
- 1685 **Eugenia subdecussata** DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 752; CORNER, Ways. Trees 1st ed. (1940) 503; HENDERSON, Gard. Bull. Sing. 12 (1949) 95; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 218; CORNER, Ways. Trees, 3rd ed. (1988) 591; KENG, Conc. Fl. Sing. (1990) 78.
- 1686 **Eugenia syzygioides** HENDERS.; HENDERSON, Gard. Bull. Sing. 12 (1949) 154; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 219; CORNER, Ways. Trees, 3rd ed. (1988) 592; KENG, Conc. Fl. Sing. (1990) 78; — *E. cymosa* WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 81; RIDLEY, Fl. Mal. Pen. 1 (1922) 737, *p.p.*; CORNER, Ways. Trees 1st ed. (1940) 496; — *E. pseudosyzygioides* HEND.; HENDERSON, Gard. Bull. Sing. 12 (1949) 157.
- 1687 **Eugenia tumida** DUTHIE; CORNER, Ways. Trees 1st ed. (1940) 504; HENDERSON, Gard. Bull. Sing. 12 (1949) 161; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 221; CORNER, Ways. Trees, 3rd ed. (1988) 592; KENG, Conc. Fl. Sing. (1990) 78; — *E. pyrifolia* [*non* DESV.] (BL.) DUTHIE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 82; RIDLEY, Fl. Mal. Pen. 1 (1922) 738.
- 1688 **Eugenia virens** (BL.) KOORD. & VALET.; HENDERSON, Gard. Bull. Sing. 12 (1949) 249; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 222; — *E. fusiformis* DUTHIE; RIDLEY, Fl. Mal. Pen. 1 (1922) 727.

- 1689 **Melaleuca cajuputi** POWELL; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 248; KENG, Conc. Fl. Sing. (1990) 78; — *M. leucadendron* L. s.l.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 80; RIDLEY, Fl. Mal. Pen. 1 (1922) 713; BURKILL, Dict. (1935) 1431; CORNER, Ways. Trees 1st ed. (1940) 506; CORNER, Ways. Trees, 3rd ed. (1988) 594.
- 1690 **Rhodamnia cinerea** JACK; RIDLEY, Fl. Mal. Pen. 1 (1922) 716; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 250; CORNER, Ways. Trees, 3rd ed. (1988) 596; KENG, Conc. Fl. Sing. (1990) 79; — *R. trinervia* Bl.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 80; BURKILL, Dict. (1935) 1902; CORNER, Ways. Trees 1st ed. (1940) 507.
- 1691 **Rhodomyrtus tomentosa** (Ait.) HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 80; RIDLEY, Fl. Mal. Pen. 1 (1922) 717; BURKILL, Dict. (1935) 1903; CORNER, Ways. Trees 1st ed. (1940) 508; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 251; CORNER, Ways. Trees, 3rd ed. (1988) 597; KENG, Conc. Fl. Sing. (1990) 79.
- 1692 **Tristaniopsis merguensis** (GRIFF.) WILSON & WATERHOUSE, Aust. J. Bot. 30 (1982) 439; — *Tristania merguensis* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 80; RIDLEY, Fl. Mal. Pen. 1 (1922) 715; CORNER, Ways. Trees 1st ed. (1940) 509; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 252; CORNER, Ways. Trees, 3rd ed. (1988) 598; KENG, Conc. Fl. Sing. (1990) 79; — *Tristania maingayi* DUTHIE; RIDLEY, Fl. Mal. Pen. 1 (1922) 715; — *Tristania subauriculata* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 714.
- 1693 **Tristaniopsis obovata** (R. Br.) WILSON & WATERHOUSE, Aust. J. Bot. 30 (1982) 439; — *Tristania obovata* R. Br.; CORNER, Ways. Trees 1st ed. (1940) 509; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 253; CORNER, Ways. Trees, 3rd ed. (1988) 598; KENG, Conc. Fl. Sing. (1990) 79; — *Tristania spathulata* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 715.
- 1694 **Tristaniopsis whiteana** (GRIFF.) WILSON & WATERHOUSE, Aust. J. Bot. 30 (1982) 440; — *Tristania whiteana* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 80; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 253; KENG, Conc. Fl. Sing. (1990) 79; — *Tristania sumatrana* MIQ.; CORNER, Ways. Trees 1st ed. (1940) 509; CORNER, Ways. Trees, 3rd ed. (1988) 598.

NAJADACEAE

- 1695 **Najas indica** (WILLD.) CHAM.; DE WILDE, Fl. Males. I 6² (1962) 166; — *N. minor* (non ALL.) HOOK. f.; RIDLEY, Fl. Mal. Pen. 4 (1924) 366 — *N. kingii* RENDLE; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 129; RIDLEY, Fl. Mal. Pen. 4 (1924) 366; HENDERSON, Mal. Wild Fl. Monoc. (1954) 205; KENG, Gard. Bull. Sing. 40 (1987) 115.
- 1696 **Najas malesiana** DELILE; DE WILDE, Fl. Males. I 6² (1962) 169; — *N. minor* (non ALL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 180; — *N. graminea* var. *angustifolia* RENDLE; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 90; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 28; RIDLEY, Fl. Mal. Pen. 4 (1924) 366; — *N. graminea* (non DEL.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 128; RIDLEY, Fl. Mal. Pen. 4 (1924) 365; HENDERSON, Mal. Wild Fl. Monoc. (1954) 205; KENG, Gard. Bull. Sing. 40 (1987) 115.

NEPENTHACEAE

- 1697 **Nepenthes ampullaria** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 126; RIDLEY, Fl. Mal. Pen. 3 (1924) 21; HENDERSON, Mal. Wild Fl. Dic. (1959) 428; KENG, Conc. Fl. Sing. (1990) 55.
- 1698 **Nepenthes gracilis** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 126; RIDLEY, Fl. Mal. Pen. 3 (1924) 24; HENDERSON, Mal. Wild Fl. Dic. (1959) 430; KENG, Conc. Fl. Sing. (1990) 55.
- 1699 **Nepenthes hookeriana** LINDL.; KENG, Conc. Fl. Sing. (1990) 56.
- 1700 **Nepenthes rafflesiana** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 126; RIDLEY, Fl. Mal. Pen. 3 (1924) 24; HENDERSON, Mal. Wild Fl. Dic. (1959) 432; KENG, Conc. Fl. Sing. (1990) 55.
- 1701 **Nepenthes trichocarpa** MIQ.; KENG, Conc. Fl. Sing. (1990) 56; — *N. phyllamphora* WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 126; RIDLEY, Fl. Mal. Pen. 3 (1924) 25.

NYCTAGINACEAE

- 1702 **Boerhavia diffusa** L.; RIDLEY, Fl. Mal. Pen. 3 (1924) 1; HENDERSON, Mal. Wild Fl. Dic. (1959) 406; STEMMERIK, Fl. Males. I 6³ (1964) 454; KENG, Conc. Fl. Sing. (1990) 59; — *B. repens* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125.

NYMPHAEACEAE

- 1703 **Hydrostemma motleyi** (HOOK. f.) MABBERL.; KENG, Conc. Fl. Sing. (1990) 22; — *Barclaya motleyi* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 43; RIDLEY, Fl. Mal. Pen. 1 (1922) 116.

OCHNACEAE

- 1704 **Brackenridgea hookeri** (PLANCH.) A. GRAY; KANIS, Fl. Males. I 7¹ (1971) 102; NG, Tree Fl. Malaya 3 (1978) 256; KENG, Conc. Fl. Sing. (1990) 53; — *Gomphia hookeri* PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57; RIDLEY, Fl. Mal. Pen. 1 (1922) 366; — *Ouratea hookeri* (PLANCH.) BURK.; Burkhill, Dict. (1935) 1615.
- 1705 **Brackenridgea palustris** BARTELL.; KANIS, Fl. Males. I 7¹ (1971) 102; NG, Tree Fl. Malaya 3 (1978) 256; KENG, Conc. Fl. Sing. (1990) 53; — *Gomphia hookeri* var. *corymbosa* KING; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 84; — *Gomphia corymbosa* (KING) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 367.
- 1706 **Euthemis leucocarpa** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57; RIDLEY, Fl. Mal. Pen. 1 (1922) 368; KANIS, Fl. Males. I 7¹ (1971) 108; NG, Tree Fl. Malaya 3 (1978) 257; KENG, Conc. Fl. Sing. (1990) 53.
- 1707 **Euthemis minor** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 58; RIDLEY, Fl. Mal. Pen. 1 (1922) 368; KANIS, Fl. Males. I 7¹ (1971) 108; NG, Tree Fl. Malaya 3 (1978) 257; KENG, Conc. Fl. Sing. (1990) 54.

- 1708 **Gomphia serrata** (GAERTN.) KANIS; KANIS, Fl. Males. I 7¹ (1971) 105; Ng, Tree Fl. Malaya 3 (1978) 258; KENG, Conc. Fl. Sing. (1990) 54; — *G. sumatrana* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57; RIDLEY, Fl. Mal. Pen. 1 (1922) 365; — *G. oblongifolia* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 296; — *Ouratea crocea* (GRIFF.) BURK. p. p. excl. type; Burkhill, Dict. 1614

OLACACEAE

- 1709 **Anacalosa frutescens** (BL.) BL.; SLEUMER, Fl. Males. I 10¹ (1984) 25; — *A. heptandra* MAING. ex MAST.; RIDLEY, Fl. Mal. Pen. 1 (1922) 425; WHITMORE, Tree Fl. Malaya 2 (1973) 299.
- 1710 **Erythropalum scandens** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; RIDLEY, Fl. Mal. Pen. 1 (1922) 436; BURKILL, Dict. (1935) 949; WHITMORE, Tree Fl. Malaya 2 (1973) 299; SLEUMER, Fl. Males. I 10¹ (1984) 17; KENG, Conc. Fl. Sing. (1990) 127.
- 1711 **Ochanostachys amentacea** MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 422; WHITMORE, Tree Fl. Malaya 2 (1973) 302; SLEUMER, Fl. Males. I 10¹ (1984) 14; KENG, Conc. Fl. Sing. (1990) 127.
- 1712 **Olax imbricata** ROXB.; RIDLEY, Fl. Mal. Pen. 1 (1922) 421; WHITMORE, Tree Fl. Malaya 2 (1973) 300; SLEUMER, Fl. Males. I 10¹ (1984) 8.
- 1713 **Scorodocarpus borneensis** BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; RIDLEY, Fl. Mal. Pen. 1 (1922) 424; WHITMORE, Tree Fl. Malaya 2 (1973) 303; SLEUMER, Fl. Males. I 10¹ (1984) 15; KENG, Conc. Fl. Sing. (1990) 127.
- 1714 **Strombosia ceylanica** GARDN.; SLEUMER, Fl. Males. I 10¹ (1984) 22; KENG, Conc. Fl. Sing. (1990) 127; — *S. rotundifolia* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 1 (1922) 425; — *S. multiflora* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 425; WHITMORE, Tree Fl. Malaya 2 (1973) 306; — *S. maingayi* (MAST.) WHITMORE; WHITMORE, Tree Fl. Malaya 2 (1973) 306.
- 1715 **Strombosia javanica** BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 425; WHITMORE, Tree Fl. Malaya 2 (1973) 306; SLEUMER, Fl. Males. I 10¹ (1984) 21; KENG, Conc. Fl. Sing. (1990) 127.
- 1716 **Ximenia americana** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 61; RIDLEY, Fl. Mal. Pen. 1 (1922) 424; CORNER, Ways. Trees 1st ed. (1940) 728; WHITMORE, Tree Fl. Malaya 2 (1973) 300; SLEUMER, Fl. Males. I 10¹ (1984) 11; CORNER, Ways. Trees, 3rd ed. (1988) 600; KENG, Conc. Fl. Sing. (1990) 127.

OLEACEAE

- 1717 **Chionanthus macrocarpus** BL.; KIEW, Mal. Forest. 42 (1979) 271; KIEW, Gard. Bull. Sing. 37 (1984) 209; KIEW, Tree Fl. Malaya 4 (1989) 288; — *C. elaeocarpus* (STAPF) KIEW; KIEW, Mal. Forest. 42 (1979) 267.

- 1718 **Chionanthus ramiflorus** ROXB.; CORNER, Ways. Trees, 3rd ed. (1988) 601; KIEW, Tree Fl. Malaya 4 (1989) 289; KENG, Conc. Fl. Sing. (1990) 150; — *Linociera pauciflora* (WALL.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108; RIDLEY, Fl. Mal. Pen. 2 (1923) 317.
- 1719 **Jasminum bifarium** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108; RIDLEY, Fl. Mal. Pen. 2 (1923) 313; HENDERSON, Mal. Wild Fl. Dic. (1959) 276; KENG, Conc. Fl. Sing. (1990) 150.
- 1720 **Jasminum griffithii** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108; RIDLEY, Fl. Mal. Pen. 2 (1923) 311; KENG, Conc. Fl. Sing. (1990) 150.
- 1721 **Jasminum longipetalum** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 314; KENG, Conc. Fl. Sing. (1990) 150.
- 1722 **Olea brachiata** (LOUR.) MERR.; CORNER, Ways. Trees, 3rd ed. (1988) 603; KIEW, Tree Fl. Malaya 4 (1989) 291; KENG, Conc. Fl. Sing. (1990) 150; — *O. maritima* WALL. ex DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108; RIDLEY, Fl. Mal. Pen. 2 (1923) 318; HENDERSON, Mal. Wild Fl. Dic. (1959) 277.

ONAGRACEAE

- 1723 **Ludwigia adscendens** (L.) HARA; RAVEN, Fl. Males. I 8² (1977) 104; KENG, Conc. Fl. Sing. (1990) 84; — *Jussiaea repens* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 827; HENDERSON, Mal. Wild Fl. Dic. (1959) 148.
- 1724 **Ludwigia hyssopifolia** (G. DON) EXELL; RAVEN, Fl. Males. I 8² (1977) 104; KENG, Conc. Fl. Sing. (1990) 84; — *Jussiaea suffruticosa* (non L.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 827; — *Jussiaea linifolia* VAHL; HENDERSON, Mal. Wild Fl. Dic. (1959) 148.
- 1725 **Ludwigia octovalvis** (JACQ.) RAVEN; RAVEN, Fl. Males. I 8² (1977) 101; KENG, Conc. Fl. Sing. (1990) 85; — *Jussiaea angustifolia* LAMK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; — *Jussiaea erecta* (non L.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 827; — *Jussiaea villosa* LAMK.; RIDLEY, Fl. Mal. Pen. 1 (1922) 828; HENDERSON, Mal. Wild Fl. Dic. (1959) 149.
- 1726 **Ludwigia peruviana** (L.) HARA; RAVEN, Fl. Males. I 8² (1977) 100; KENG, Conc. Fl. Sing. (1990) 85; — *Jussiaea speciosa* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 828.
- 1727 **Ludwigia prostrata** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 829; HENDERSON, Mal. Wild Fl. Dic. (1959) 150; RAVEN, Fl. Males. I 8² (1977) 103; KENG, Conc. Fl. Sing. (1990) 85.

I can find no evidence of **Ludwigia erecta** (L.) HARA (KENG, Conc. Fl. Sing. (1990) 84) ever having occurred in Singapore.

OPILIACEAE

- 1728 **Cansjera rheedii** J.F. GMELIN; HIEPKO, Fl. Males. I 10¹ (1984) 50; NG, Tree Fl. Malaya 4 (1989) 294; KENG, Conc. Fl. Sing. (1990) 128; — *C. zizyphifolia* GRIFF.; RIDLEY, Fl. Mal. Pen. 3 (1924) 172; SINCLAIR, Gard. Bull. Sing. 14 (1953) 35.

- 1729 **Champereia manillana** (BL.) MERR.; CORNER, Ways. Trees 1st ed. (1940) 514; HIEPKO, Fl. Males. I 10¹ (1984) 35; CORNER, Ways. Trees, 3rd ed. (1988) 604; NG, Tree Fl. Malaya 4 (1989) 294; KENG, Conc. Fl. Sing. (1990) 128; — *C. griffithiana* PLANCH. ex KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 133; — *C. griffithii* PLANCH. ex KURZ (*nom. illeg.*); RIDLEY, Fl. Mal. Pen. 3 (1924) 172; BURKILL, Dict. (1935) 520.
- 1730 **Lepionurus sylvestris** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 60; RIDLEY, Fl. Mal. Pen. 3 (1924) 172; BURKILL, Dict. (1935) 1353; CORNER, Ways. Trees 1st ed. (1940) 515; HIEPKO, Fl. Males. I 10¹ (1984) 43; CORNER, Ways. Trees, 3rd ed. (1988) 605; NG, Tree Fl. Malaya 4 (1989) 295; KENG, Conc. Fl. Sing. (1990) 128; — *L. oblongifolius* (GRIFF.) MAST.; RIDLEY, Fl. Mal. Pen. 3 (1924) 173.

ORCHIDACEAE

- 1731 **Acriopsis javanica** REINW. ex BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 187; RIDLEY, Fl. Mal. Pen. 4 (1924) 190; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 555; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 563.
- 1732 **Acriopsis ridleyi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 188; RIDLEY, Fl. Mal. Pen. 4 (1924) 190; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 556; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 563.
- 1733 **Adenoncos sumatrana** J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 596; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 583; — *A. virens* (*non* BL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 149; RIDLEY, Fl. Mal. Pen. 4 (1924) 154.
- 1734 **Agrostophyllum bicuspidatum** J.J.S.; RIDLEY, Fl. Mal. Pen. 4 (1924) 108; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 487; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 319; — *Appendicula callosa* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; — *Podochilus callosa* SCHLECHT.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 197.
- 1735 **Agrostophyllum majus** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 107; RIDLEY, Fl. Mal. Pen. 4 (1924) 108; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 489; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 321.
- 1736 **Anoectochilus geniculatus** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 213; RIDLEY, Fl. Mal. Pen. 4 (1924) 213; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 127; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 73.
- 1737 **Aphyllorchis pallida** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 205; RIDLEY, Fl. Mal. Pen. 4 (1924) 205; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 102; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 44.

- 1738 **Apostasia nuda** R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 233; RIDLEY, Fl. Mal. Pen. 4 (1924) 297; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 66; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 37.
- 1739 **Appendicula anceps** BL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 195; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 505; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 329; — *A. lewisii* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; — *Podochilus anceps* (BL.) SCHLECHT.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 193.
- 1740 **Appendicula cornuta** BL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 196; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 509; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 332; — *A. bifaria* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; — *Podochilus cornutus* (BL.) SCHLECHT.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 194.
- 1741 **Appendicula lucida** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Fl. Mal. Pen. 4 (1924) 196; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 509; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 330; — *Podochilus lucidus* (RIDL.) SCHLECHT.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 195.
- 1742 **Appendicula uncata** RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 196; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 508; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 330; — *Podochilus uncatus* (RIDL.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 194.
- 1743 **Arachnis hookeriana** (HOOK. f.) SCHLTR.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 614; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 633; — *Renanthera alba* (RIDL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 155; — *A. alba* (RIDL.) SCHLTR.; RIDLEY, Fl. Mal. Pen. 4 (1924) 159.
- 1744 **Arachnis maingayi** (HOOK. f.) RCHB. f.; RIDLEY, Fl. Mal. Pen. 4 (1924) 159; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 618; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 633; — *Renanthera maingayi* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 155.
- 1745 **Arundina graminifolia** (DON) HOCHR.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 188; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 146; — *A. bambusifolia* LINDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 125; — *A. speciosa* BL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 126; — *A. revoluta* HOOK. f.; RIDLEY, Fl. Mal. Pen. 4 (1924) 126.
- 1746 **Biermannia laciniata** (CARR) GARAY; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 685; — *Chamaeanthus laciniatus* CARR; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 680.
- 1747 **Bromheadia alticola** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 144; RIDLEY, Fl. Mal. Pen. 4 (1924) 151; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 543; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 525.

- 1748 **Bromheadia aporooides** RCHB.*f.*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 145; RIDLEY, Fl. Mal. Pen. 4 (1924) 151; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 545; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 529.
- 1749a **Bromheadia finlaysoniana** (LINDL.) RCHB. *f. var. finlaysoniana*; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 541; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 525; — *B. palustris* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 143; RIDLEY, Fl. Mal. Pen. 4 (1924) 150.
- 1749b **Bromheadia finlaysoniana** var. *sylvestris* (RIDL.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 541; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 525; — *B. sylvestris* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 144; RIDLEY, Fl. Mal. Pen. 4 (1924) 150.
- 1750 **Bulbophyllum acuminatum** (RIDL.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 82; RIDLEY, Fl. Mal. Pen. 4 (1924) 79; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 414; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 447; — *Cirrhopetalum acuminatum* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; — *Cirrhopetalum semibifidum* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; — *B. semibifidum* (RIDL.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 82; RIDLEY, Fl. Mal. Pen. 4 (1924) 79; — *Cirrhopetalum linearifolium* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; — *B. stenophyllum* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 83; RIDLEY, Fl. Mal. Pen. 4 (1924) 80.
- 1751 **Bulbophyllum apodum** HOOK.*f.*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 76; RIDLEY, Fl. Mal. Pen. 4 (1924) 73; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 446; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 463.
- 1752 **Bulbophyllum blumei** (LINDL.) J.J.S.; RIDLEY, Fl. Mal. Pen. 4 (1924) 74; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 406; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 517; — *Cirrhopetalum blumei* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; — *B. ephippium* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 78.
- 1753 **Bulbophyllum botryophorum** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 71; RIDLEY, Fl. Mal. Pen. 4 (1924) 69; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 457; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 494.
- 1754 **Bulbophyllum cleistogamum** RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 72; RIDLEY, Fl. Mal. Pen. 4 (1924) 69; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 401; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 493.
- 1755 **Bulbophyllum concinnum** HOOK.*f.*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 74; RIDLEY, Fl. Mal. Pen. 4 (1924) 70; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 454; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 471.

- ? 1756 **Bulbophyllum flavescens** (BL.) LINDL.; VERMEULEN, Orchids of Borneo 2 (1991) 51; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 459; — *B. adenopetalum* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 75; RIDLEY, Fl. Mal. Pen. 4 (1924) 71; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 449.
 Possibly only cultivated in Singapore.
- 1757 **Bulbophyllum limbatum** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 69; RIDLEY, Fl. Mal. Pen. 4 (1924) 65; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 460; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 435.
- 1758 **Bulbophyllum macranthum** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 63; RIDLEY, Fl. Mal. Pen. 4 (1924) 57; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 417; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 477.
- 1759 **Bulbophyllum macrochilum** ROLFE; VERMEULEN, Orchids of Borneo 2 (1991) 153; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 493; — *B. stella* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 72; RIDLEY, Fl. Mal. Pen. 4 (1924) 69; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 401.
- 1760 **Bulbophyllum makoyanum** (RCHB. f.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 81; RIDLEY, Fl. Mal. Pen. 4 (1924) 79; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 412; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 443; — *Cirrhopetalum makoyanum* RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158.
- 1761 **Bulbophyllum medusae** (LINDL.) RCHB. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 79; RIDLEY, Fl. Mal. Pen. 4 (1924) 75; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 409; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 468; — *Cirrhopetalum medusae* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158.
- 1762 **Bulbophyllum membranaceum** TEIJSM. & BINNEND.; RIDLEY, Fl. Mal. Pen. 4 (1924) 64; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 430; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 501; — *B. avicella* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 67.
- 1763 **Bulbophyllum nigropurpureum** CARR; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 430; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 503.
- 1764 **Bulbophyllum ovalifolium** (BL.) LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 436; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 513; — *B. catenarium* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 67; RIDLEY, Fl. Mal. Pen. 4 (1924) 61.
- 1765 **Bulbophyllum patens** KING ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 62; RIDLEY, Fl. Mal. Pen. 4 (1924) 57; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 417; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 481.

- 1766 **Bulbophyllum pileatum** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 63; RIDLEY, Fl. Mal. Pen. 4 (1924) 57; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 422; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 479.
- 1767 **Bulbophyllum pulchellum** RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 83; RIDLEY, Fl. Mal. Pen. 4 (1924) 80; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 415; W*S 449; — *Cirrhopetalum concinnum* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158.
- 1768 **Bulbophyllum purpurascens** TEIJSM. & BINNEND.; RIDLEY, Fl. Mal. Pen. 4 (1924) 78; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 410; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 449; — *Cirrhopetalum citrinum* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; — *B. citrinum* (RIDL.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 75.
- 1769 **Bulbophyllum restrepia** RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 78; RIDLEY, Fl. Mal. Pen. 4 (1924) 75; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 406; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 517.
- 1770 **Bulbophyllum ruficaudatum** RIDL.; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 445; — *Cirrhopetalum microbulbon* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; — *B. microbulbon* (RIDL.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 82; RIDLEY, Fl. Mal. Pen. 4 (1924) 79; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 414.
- 1771 **Bulbophyllum rugosum** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 65; RIDLEY, Fl. Mal. Pen. 4 (1924) 60; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 421; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 475.
- 1772 **Bulbophyllum sessile** (KOEN.) J.J.SM.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 451; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 503; — *B. clandestinum* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 72; RIDLEY, Fl. Mal. Pen. 4 (1924) 69.
- 1773 **Bulbophyllum singaporeanum** SCHLTR.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 458; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 485; — *B. densiflorum* (non ROLFE) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 71; RIDLEY, Fl. Mal. Pen. 4 (1924) 68.
- 1774 **Bulbophyllum striatellum** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 67; RIDLEY, Fl. Mal. Pen. 4 (1924) 62; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 437; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 519.
- 1775 **Bulbophyllum tenuifolium** (BL.) LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 439; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 518.
- 1776 **Bulbophyllum trifolium** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 71; RIDLEY, Fl. Mal. Pen. 4 (1924) 68; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 457; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 495.

- 1777 **Bulbophyllum vaginatum** (LINDL.) RCHB.f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 80; RIDLEY, Fl. Mal. Pen. 4 (1924) 76; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 409; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 439; — *Cirrhopetalum vaginatum* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158.
- 1778 **Bulbophyllum vermiculare** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 74; RIDLEY, Fl. Mal. Pen. 4 (1924) 71; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 446; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 461.
- 1779 **Bulbophyllum vesiculosum** J.J.SM.; VERMEULEN, Orchids of Borneo 2 (1991) 133; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 507; — *B. corneri* CARR; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 428..
- 1780 **Calanthe pulchra** (BL.) LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 157; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 173; — *C. curculigoides* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163, RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 122, RIDLEY, Fl. Mal. Pen. 4 (1924) 121.
- 1781 **Ceratostylis subulata** BL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 109; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 493; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 310; — *C. gracilis* (non BL.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 109.
- 1782 **Claderia viridiflora** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 136; RIDLEY, Fl. Mal. Pen. 4 (1924) 140; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 184; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 531.
- 1783 **Cleisostoma halophilum** (RIDL.) GARAY, Bot. Mus. Leafl. Harv. Univ. 23 (1972) 171; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 623; — *Saccolabium halophilum* (RIDL.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 162; RIDLEY, Fl. Mal. Pen. 4 (1924) 168; — *Ascochilus teres* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 178; RIDLEY, Fl. Mal. Pen. 4 (1924) 181; — *Sarcanthus halophilus* (RIDL.) J.J. SMITH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 653.
- 1784 **Cleisostoma scortechinii** (HOOK. f.) GARAY, Bot. Mus. Leafl. Harv. Univ. 23 (1972) 174; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 625; — *Saccolabium scortechinii* (HOOK. f.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 167; RIDLEY, Fl. Mal. Pen. 4 (1924) 169; — *Sarcanthus scortechinii* HOOK. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 655.
- 1785 **Coelogyne cumingii** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 131; RIDLEY, Fl. Mal. Pen. 4 (1924) 134; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 249; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 209.

- 1786 **Coelogyné foerstermannii** RCHB. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 130; RIDLEY, Fl. Mal. Pen. 4 (1924) 132; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 251; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 209.
- 1787 **Coelogyné mayeriana** RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 131; RIDLEY, Fl. Mal. Pen. 4 (1924) 133; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 254; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 217.
- 1788 **Coelogyné rochussenii** DE VR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 128; RIDLEY, Fl. Mal. Pen. 4 (1924) 131; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 257; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 213.
- 1789 **Coelogyné testacea** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 127; RIDLEY, Fl. Mal. Pen. 4 (1924) 129; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 259; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 215.
- 1790 **Cordiglottis filiformis** (HOOK. f.) GARAY; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 637; — *Dendrocolla filiformis* (HOOK. f.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 184; RIDLEY, Fl. Mal. Pen. 4 (1924) 187; — *Cheirorchis filiformis* (HOOK. f.) CARR; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 679.
- 1791 **Corymborkis veratrifolia** (REINW.) BL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 144 (*Corymborchis*); SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 53; — *Corymbis longiflora* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 208; RIDLEY, Fl. Mal. Pen. 4 (1924) 208.
- 1792 **Cryptostylis arachnites** (BL.) HASSK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 225; RIDLEY, Fl. Mal. Pen. 4 (1924) 225; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 103; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 49.
- 1793 **Cymbidium bicolor** LINDL. ssp. *pubescens* (LINDL.) DU PAY & CRIBB; The Genus *Cymbidium* (1988) 73; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 551; — *C. aloifolium* (non Sw.) RIDL. var. *pubescens*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; — *C. pubescens* Lindl.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 140; RIDLEY, Fl. Mal. Pen. 4 (1924) 145; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 522.
- 1794 **Cymbidium finlaysonianum** LINDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 139; RIDLEY, Fl. Mal. Pen. 4 (1924) 145; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 520; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 551; — *C. aloifolium* (non Sw.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160.
- 1795a **Cystorchis variegata** BL. var. *variegata*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 212; RIDLEY, Fl. Mal. Pen. 4 (1924) 211; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 139; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 68.

- 1795b **Cystorchis variegata** var. **purpurea** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 212; RIDLEY, Fl. Mal. Pen. 4 (1924) 212; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 139; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 69.
- 1796 **Dendrobium acerosum** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 43; RIDLEY, Fl. Mal. Pen. 4 (1924) 38; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 338; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 423.
- ? 1797 **Dendrobium aciculare** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 57; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 403.
- One collection of Loddiges dubiously from Singapore, though Seidenfaden (Nord. J. Bot. 1(1981) 193) does not entirely discount possibility of Singapore being the true locality.
- 1798 **Dendrobium aloifolium** (BL.) RCHB. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 330; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 411; — *D. serra* (LINDL.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 38; RIDLEY, Fl. Mal. Pen. 4 (1924) 35.
- 1799 **Dendrobium bifarium** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 45; RIDLEY, Fl. Mal. Pen. 4 (1924) 42; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 322; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 399.
- 1800 **Dendrobium concinnum** MIQ.; SEIDENFADEN, Op. Bot. 83 (1985) 229; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 419; — *D. atropurpureum* (*non* MIQ.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 40; RIDLEY, Fl. Mal. Pen. 4 (1924) 37; — *D. carnosum* (BL.) RCHB. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 337.
- 1801 **Dendrobium crocatum** HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 52; RIDLEY, Fl. Mal. Pen. 4 (1924) 47; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 320; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 378; — *D. pyropum* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157.
- 1802 **Dendrobium crumenatum** SW.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 48; RIDLEY, Fl. Mal. Pen. 4 (1924) 42; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 329; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 409.
- 1803 **Dendrobium flexile** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 42; RIDLEY, Fl. Mal. Pen. 4 (1924) 39; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 339; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 423.
- 1804 **Dendrobium grande** HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 40; RIDLEY, Fl. Mal. Pen. 4 (1924) 36; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 332; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 413.

- 1805 **Dendrobium hendersonii** HAWKES & HELLER; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 328; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 407.
- 1806 **Dendrobium indivisum** (BL.) MIQ.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 332; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 413; — *D. eulophotum* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 39; RIDLEY, Fl. Mal. Pen. 4 (1924) 35.
- 1807 **Dendrobium lamellatum** (BL.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 50; RIDLEY, Fl. Mal. Pen. 4 (1924) 46; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 317; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 373.
- 1808 **Dendrobium leonis** (LINDL.) RCHB.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 41; RIDLEY, Fl. Mal. Pen. 4 (1924) 37; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 334; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 417.
- 1809 **Dendrobium lobatum** (BL.) MIQ.; RIDLEY, Fl. Mal. Pen. 4 (1924) 36; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 332; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 413; — *D. rhizophoreti* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 39.
- 1810 **Dendrobium lobbii** TEIJSM. & BINNEND.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 342; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 427; — *D. conostalix* RCHB.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 43; — *D. calcaratum* (*non* A. RICH.) LINDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 39.
- 1811 **Dendrobium microglaphys** RCHB. f.; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 389; — *D. callibotrys* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 49; RIDLEY, Fl. Mal. Pen. 4 (1924) 44; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 287.
- 1812 **Dendrobium pachyphyllum** (KZE.) BAKH. f.; SEIDENFADEN, Op. Bot. 83 (1985) 10; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 363; — *D. pumilum* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154; RIDLEY, Fl. Mal. Pen. 4 (1924) 34; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 275; — *D. quadrangulare* (*non* PARISH & RCHB. f.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 35.
- 1813 **Dendrobium pandaneti** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 47; RIDLEY, Fl. Mal. Pen. 4 (1924) 44; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 324; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 395.
- 1814 **Dendrobium pensile** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 45; RIDLEY, Fl. Mal. Pen. 4 (1924) 40; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 340; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 425.

- 1815 **Dendrobium planibulbe** LINDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 41; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 328; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 407; — *D. tuberiferum* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 48.
- 1816 **Dendrobium prostratum** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 41; RIDLEY, Fl. Mal. Pen. 4 (1924) 38; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 334; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 415.
- ? 1817 **Dendrobium pulchellum** ROXB. ex LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 293; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 383; — *D. dalhousieanum* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 157; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 57; RIDLEY, Fl. Mal. Pen. 4 (1924) 52.
Once recorded on a tree at Chan Chu Kang, otherwise only cultivated.
- 1818 **Dendrobium revolutum** LINDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 46; RIDLEY, Fl. Mal. Pen. 4 (1924) 43; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 323; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 399.
- 1819 **Dendrobium salaccense** (BL.) LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 341; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 427; — *D. gemellum* (*non* LINDL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 44; RIDLEY, Fl. Mal. Pen. 4 (1924) 40.
- 1820 **Dendrobium secundum** (BL.) LINDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 50; RIDLEY, Fl. Mal. Pen. 4 (1924) 46; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 316; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 373.
- 1821 **Dendrobium setifolium** RIDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 326; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 403; — *D. gracile* (*non* BL.) LINDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 47; RIDLEY, Fl. Mal. Pen. 4 (1924) 41.
- 1822 **Dendrobium singaporense** HAWKES & HELLER; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 337; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 420; — *D. teres* (*non* ROXB.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 42; RIDLEY, Fl. Mal. Pen. 4 (1924) 38.
- 1823 **Dendrobium sinuatum** (LINDL.) LINDL. ex RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 40; RIDLEY, Fl. Mal. Pen. 4 (1924) 37; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 335; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 419.
- 1824 **Dendrobium spegidoglossum** RCHB. f.; SEIDENFADEN, Op. Bot. 83 (1985) 93; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 393; — *D. flavidulum* RIDL. ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 55; RIDLEY, Fl. Mal. Pen. 4 (1924) 45; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 311.

- 1825 **Dendrobium spurium** (BL.) J.J.SM.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 277; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 365; — *D. euphlebium* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 49; RIDLEY, Fl. Mal. Pen. 4 (1924) 44.
- 1826 **Dendrobium subulatum** (BL.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 43; RIDLEY, Fl. Mal. Pen. 4 (1924) 39; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 339; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 423.
- 1827 **Dendrobium villosulum** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 156; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 44; RIDLEY, Fl. Mal. Pen. 4 (1924) 40; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 429; — *D. melanochlamys* HOLTT.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 342.
- 1828 **Dendrochilum ellipticum** RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 85; RIDLEY, Fl. Mal. Pen. 4 (1924) 83; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 234; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 191.
- 1829 **Dendrochilum longifolium** RCHB. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 229; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 185; — *Platyclinis longifolia* (RCHB. f.) HEMSL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 26; RIDLEY, Fl. Mal. Pen. 4 (1924) 25.
- 1830 **Didymoplexis pallens** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 206; RIDLEY, Fl. Mal. Pen. 4 (1924) 206; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 109; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 138.
- 1831 **Dilochia wallichii** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 125; RIDLEY, Fl. Mal. Pen. 4 (1924) 126; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 190; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 148.
- 1832 **Diplocaulobium longicolle** (LINDL.) KRAENZL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 27; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 348; — *Dendrobium longicolle* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 34; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 263.
- 1833 **Dipodium scandens** (BL.) J.J. SM.; COMBER, Orchids of Java (1990) 384; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 555; — *D. pictum* (LINDL.) RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 141; RIDLEY, Fl. Mal. Pen. 4 (1924) 147; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 513.
- 1834 **Eria bractescens** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 101; RIDLEY, Fl. Mal. Pen. 4 (1924) 91; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 388; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 295.

- 1835 **Eria floribunda** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 96; RIDLEY, Fl. Mal. Pen. 4 (1924) 89; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 384; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 285.
- 1836 **Eria hyacinthoides** (BL.) LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 390; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 298; — *E. endymion* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 101; RIDLEY, Fl. Mal. Pen. 4 (1924) 91.
- 1837 **Eria javanica** (Sw.) BL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 377; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 271; — *E. stellata* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 98; RIDLEY, Fl. Mal. Pen. 4 (1924) 96; — *E. striolata* RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 99; RIDLEY, Fl. Mal. Pen. 4 (1924) 96.
- 1838 **Eria longe-repens** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 103; RIDLEY, Fl. Mal. Pen. 4 (1924) 95; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 372; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 293.
- 1839 **Eria neglecta** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 103; RIDLEY, Fl. Mal. Pen. 4 (1924) 95; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 368; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 293.
- 1840 **Eria nutans** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 103; RIDLEY, Fl. Mal. Pen. 4 (1924) 94; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 368; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 291.
- 1841 **Eria obliqua** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 158; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 89; RIDLEY, Fl. Mal. Pen. 4 (1924) 86; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 365; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 279.
- 1842 **Eria pannea** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 100; RIDLEY, Fl. Mal. Pen. 4 (1924) 99; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 380; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 273.
- 1843 **Eria pellipes** HOOK. f.; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 273; — *E. teretifolia* (non GRIFF.) GRIFF.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 100; RIDLEY, Fl. Mal. Pen. 4 (1924) 99; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 379.
- 1844 **Eria pudica** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 104; RIDLEY, Fl. Mal. Pen. 4 (1924) 85; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 391; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 303.

- 1845 **Eria pulchella** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 372; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 275; — *Tylostylis rigida* auct., non BL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 105; RIDLEY, Fl. Mal. Pen. 4 (1924) 104.
- 1846 **Eria robusta** (BL.) LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 381; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 286; — *E. aeridostachya* RCHB. f. ex LINDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 97; RIDLEY, Fl. Mal. Pen. 4 (1924) 96; — *E. brunea* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 98; RIDLEY, Fl. Mal. Pen. 4 (1924) 97; — *E. linearifolia* RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 97; — *E. lorifolia* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 98; RIDLEY, Fl. Mal. Pen. 4 (1924) 98.
- 1847 **Eria tenuiflora** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 97; RIDLEY, Fl. Mal. Pen. 4 (1924) 90; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 393; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 306.
- 1848 **Eulophia graminea** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 137; RIDLEY, Fl. Mal. Pen. 4 (1924) 141; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 534; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 539.
- 1849 **Eulophia spectabilis** (DENNST.) SURESH.; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 541; — *E. squalida* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 137; RIDLEY, Fl. Mal. Pen. 4 (1924) 141; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 537.
- 1850 **Flickingeria angustifolia** (BL.) HAWKES; SEIDENFADEN, Dansk Bot. Arkiv 34 (1980) 57; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 359; — *Dendrobium kelsallii* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 36; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 270; — *Dendrobium pallidiflorum* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 37; — *Desmotrichum kelsallii* RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 33; — *Desmotrichum pallidiflorum* KRANZL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 31.
- 1851 **Flickingeria bancana** (J.J.Sm) HAWKES; SEIDENFADEN, Dansk. Bot. Arkiv 34 (1980) 57; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 360; — *Dendrobium lonchophyllum* [non HOOK. f.] RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154, p.p.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 35, p.p.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 270, p.p.; — *Desmotrichum lonchophyllum* [non (HOOK. f.) KRANZL.] RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 29, p.p.
- 1852 **Flickingeria comata** (BL.) HAWKES; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 352; — *Dendrobium criniferum* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 36; — *Desmotrichum criniferum* LINDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 30; — *Dendrobium comatum* (BL.) LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 266.

- 1853 **Flickingeria fimbriata** (BL.) HAWKES; SEIDENFADEN, Dansk Bot. Arkiv 34 (1980) 21; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 355; — *Dendrobium flabellum* RCHB. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 36; HOLTTUM 1st ed.; — *Desmotrichum fimbriatum* BL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 30; — *Dendrobium plicatile* LINDL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 267.
- 1854 **Flickingeria laciniosa** (RIDL.) HAWKES; SEIDENFADEN, Dansk Bot. Arkiv 34 (1980) 31; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 355; — *Dendrobium laciniosum* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 155; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 38; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 267; — *Desmotrichum fimbriatum* KRAZL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 31.
- 1855 **Flickingeria xantholeuca** (RCHB. f.) HAWKES; SEIDENFADEN, Dansk Bot. Arkiv 34 (1980) 56; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 359; — *Dendrobium lonchophyllum* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154, p.p.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 35, p.p.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 270, p.p.; — *Desmotrichum lonchophyllum* KRAZL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 29, p.p.
- 1856 **Galeola nudifolia** LOUR.; SEIDENFADEN, Dansk Bot. Arkiv 32 (1978) 134; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 130; — *G. hydra* RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 202; RIDLEY, Fl. Mal. Pen. 4 (1924) 202; — *G. kuhlii* (RCHB. f.) RCHB. f.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 39; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 99.
- 1857 **Gastrodia javanica** (BL.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; HENDERSON, Mal. Wild Fl. Monoc. (1954) 40; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 110; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 140; — *G. malayana* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 207; RIDLEY, Fl. Mal. Pen. 4 (1924) 207.
- 1858 **Grammatophyllum speciosum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 142; RIDLEY, Fl. Mal. Pen. 4 (1924) 149; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 527; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 557.
- 1859 **Habenaria singapurensis** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 228; RIDLEY, Fl. Mal. Pen. 4 (1924) 229; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 84; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 109.
- 1860 **Hetaeria nitida** RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 222; RIDLEY, Fl. Mal. Pen. 4 (1924) 222; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 116; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 95.
- 1861 **Hetaeria obliqua** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 222; RIDLEY, Fl. Mal. Pen. 4 (1924) 221; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 115; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 93.

- 1862 **Hylophila mollis** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 223; RIDLEY, Fl. Mal. Pen. 4 (1924) 223; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 119; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 57.
- 1863 **Lecanorchis malaccensis** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 206; RIDLEY, Fl. Mal. Pen. 4 (1924) 206; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 101; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 134.
- 1864 **Liparis elegans** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 24; RIDLEY, Fl. Mal. Pen. 4 (1924) 23; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 208; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 236.
- 1865 **Liparis ferruginea** LINDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 22; RIDLEY, Fl. Mal. Pen. 4 (1924) 20; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 203; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 233; — *L. nervosa*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154.
- 1866 **Liparis gibbosa** FINET; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 209; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 240; — *L. disticha* (*non* THOUARS) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 26; RIDLEY, Fl. Mal. Pen. 4 (1924) 24.
- 1867 **Liparis tricallosa** RCHB.f.; RIDLEY, Fl. Mal. Pen. 4 (1924) 20; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 202; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 231; — *L. venosa* *auct., non* (THOU.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 22.
- 1868 **Liparis wrayi** HOOK. f.; RIDLEY, Fl. Mal. Pen. 4 (1924) 21; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 203; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 231.
- 1869 **Macodes petola** (BL.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 215; RIDLEY, Fl. Mal. Pen. 4 (1924) 215; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 117; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 98.
- 1870 **Malaxis latifolia** J.E. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 195; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 219; — *Microstylis congesta* (LINDL.) RCHB.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 154; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 4; RIDLEY, Fl. Mal. Pen. 4 (1924) 12.
- 1871 **Malaxis micrantha** (HOOK. f.) O. KTZE.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 197; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 225; — *Microstylis micrantha* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 4; RIDLEY, Fl. Mal. Pen. 4 (1924) 12.

- 1872 ***Micropora fuscolutea*** (LINDL.) GARAY, Bot. Mus. Leafl. Harv. Univ. 23 (1972) 186; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 615; — *Sarcochilus adnatus* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 177; — *Saccolabium adnatum* (RIDL.) RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 174; — *Camarotis adnata* (RIDL.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 631.
- 1873 ***Microsaccus ampullaceus*** J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 594; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 582.
- 1874 ***Microsaccus griffithii*** (PAR. & RCHB. f.) SEIDENFADEN, Op. Bot. 95 (1988) 25; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 581; — *M. brevifolius* J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 594.
- 1875 ***Microsaccus javensis*** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 172; RIDLEY, Fl. Mal. Pen. 4 (1924) 175; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 595; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 582.
- 1876 ***Nephelaphyllum pulchrum*** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 116; RIDLEY, Fl. Mal. Pen. 4 (1924) 115; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 180; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 150.
- 1877 ***Nervilia punctata*** (BL.) MAKINO; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 106; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 135; — *Pogonia punctata* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 203; — *Apostellis punctata* (BL.) RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 204.
- 1878 ***Neuwiedia griffithii*** RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 231; RIDLEY, Fl. Mal. Pen. 4 (1924) 296; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 64; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 34.
- 1879 ***Neuwiedia veratrifolia*** BL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 64; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 32; — *N. lindleyi* ROLFE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 231; RIDLEY, Fl. Mal. Pen. 4 (1924) 295.
- 1880 ***Neuwiedia zollingeri*** RCHB. f. var. ***singapureana*** (BAK.) DE VOGEL; DE VOGEL, Blumea 17 (1969) 331; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 34; — *N. curtisii* ROLFE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 232; RIDLEY, Fl. Mal. Pen. 4 (1924) 297; — *N. singapureana* ROLFE; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 64.
- 1881 ***Oberonia anceps*** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 18; RIDLEY, Fl. Mal. Pen. 4 (1924) 15; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 219; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 247.

- 1882 **Oberonia bertoldii** KING & PRANTL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 19; RIDLEY, Fl. Mal. Pen. 4 (1924) 17; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 225; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 251.
- 1883 **Oberonia ciliolata** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 19; RIDLEY, Fl. Mal. Pen. 4 (1924) 16; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 220; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 247.
- 1884 **Oberonia dissitiflora** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 218; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 245; — *O. lunata* (BL.) LINDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 16 (*in part*); RIDLEY, Fl. Mal. Pen. 4 (1924) 14 (*in part*).
- 1885 **Oberonia flabellifera** HOLTT.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 222; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 253.
- 1886 **Oberonia lunata** (BL.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 16 (*in part*); RIDLEY, Fl. Mal. Pen. 4 (1924) 14 (*in part*); HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 223; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 256.
- 1887 **Oberonia miniata** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 153; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 18; RIDLEY, Fl. Mal. Pen. 4 (1924) 16; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 220; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 249.
- 1888 **Oberonia stenophylla** RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 17; RIDLEY, Fl. Mal. Pen. 4 (1924) 15; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 222; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 254.
- 1889 **Peristylus candidus** J.J.SM.; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 107; — *Habenaria lacertifera* (LINDL.) BENTH.; RIDLEY, Fl. Mal. Pen. 4 (1924) 230 (*in part*); — *Habenaria sumatrana* (SCHLTR.) SCHLTR.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 88.
- 1890 **Peristylus lacertiferus** (LINDL.) J.J.SM.; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 107; — *Habenaria lacertifera* (LINDL.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 227; RIDLEY, Fl. Mal. Pen. 4 (1924) 230; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 88; — *Habenaria maingayi* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 164.
- 1891 **Phaius tankervilliae** (BANKS ex L'HÉRIT) BL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 172; COMBER, Orchids of Java (1990) 101; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 176; — *P. wallichii* LINDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 123.
- 1892 **Plocoglottis gigantea** (HOOK. f.) J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 160; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 183; — *P. foetida* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 160; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 113; RIDLEY, Fl. Mal. Pen. 4 (1924) 144.

- 1893 **Plocoglottis javanica** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 113; RIDLEY, Fl. Mal. Pen. 4 (1924) 143; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 159; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 181.
- 1894 **Plocoglottis lowii** RCHB. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 160; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 181; — *P. porphyrophylla* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 113; RIDLEY, Fl. Mal. Pen. 4 (1924) 144.
- 1895 **Podochilus microphyllus** LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Fl. Mal. Pen. 4 (1924) 193; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 500; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 333; — *P. sciurooides* RCHB. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 192.
- 1896 **Polystachya concreta** (JACQ.) GARAY & SWEET; SEIDENFADEN, Op. Bot. 95 (1988) 14; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 566; — *P. singapurensis* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 146; RIDLEY, Fl. Mal. Pen. 4 (1924) 152; — *P. penangensis* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 146; RIDLEY, Fl. Mal. Pen. 4 (1924) 152; — *P. siamensis* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 146; RIDLEY, Fl. Mal. Pen. 4 (1924) 152; — *P. flavescens* (BL.) J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 546.
- 1897 **Pomatocalpa latifolium** (LINDL.) J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 628; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 613; — *Saccolabium hortense* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 166; RIDLEY, Fl. Mal. Pen. 4 (1924) 167; — *Saccolabium latifolium* RIDL. var. *parviflorum* RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 166.
- 1898 **Pteroceras pallidum** (RIDL.) HOLTT.; PEDERSEN, Nord. J. Bot. 12 (1992) 388; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 675; — *Sarcochilus caligaris* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 175; RIDLEY, Fl. Mal. Pen. 4 (1924) 178; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 685.
- 1899 **Renanthera elongata** (BL.) LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 156; RIDLEY, Fl. Mal. Pen. 4 (1924) 160; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 634; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 593.
- 1900 **Renanthera histriónica** RCHB. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 634; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 596; — *Renantherella histriónica* (RCHB. f.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 157; RIDLEY, Fl. Mal. Pen. 4 (1924) 161.
- 1901 **Rhynchostylis gigantea** (LINDL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 158; RIDLEY, Fl. Mal. Pen. 4 (1924) 163; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 704; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 661.

- 1902 **Robiquetia spathulata** (BL.) J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 714; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 662; — *Cleisostoma spicatum* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; — *Saccolabium densiflorum* LINDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 167; RIDLEY, Fl. Mal. Pen. 4 (1924) 170.
- 1903 **Sarcostoma javanica** BL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 499; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 317; — *Ceratostylis cryptantha* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 110; RIDLEY, Fl. Mal. Pen. 4 (1924) 110; — *Ceratostylis linearis* RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 110.
- 1904 **Schoenorchis micrantha** RIENW. ex BL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 663; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 597; — *Saccolabium perpusillum* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 164; RIDLEY, Fl. Mal. Pen. 4 (1924) 171.
- 1905 **Schoenorchis secundiflora** (RIDL.) J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 662; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 597; — *Saccolabium secundiflorum* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 170; RIDLEY, Fl. Mal. Pen. 4 (1924) 173.
- 1906 **Spathoglottis plicata** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 117; RIDLEY, Fl. Mal. Pen. 4 (1924) 117; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 166; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 161.
- 1907 **Stereosandra javanica** BL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 224; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 108; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 143.
- 1908 **Taeniophyllum filiforme** J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 593; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 579; — *T. macrorrhizum* RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 176.
- 1909 **Taeniophyllum obtusum** BL.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 592; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 577; — *T. serrula* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 161, RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 173; RIDLEY, Fl. Mal. Pen. 4 (1924) 176.
- 1910 **Thelasis carinata** BL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 200; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 550; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 341; — *Oxyanthera elata* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 200.
- 1911 **Thelasis micrantha** (BRONGN.) J.J. SMITH; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 551; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 341; — *Oxyanthera decurva* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; — *Oxyanthera micrantha* BRONGN.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 200; — *T. decurva* HOOK. f.; RIDLEY, Fl. Mal. Pen. 4 (1924) 200.

- 1912 **Thelasis pygmaea** (GRIFF.) LINDL.; COMBER, Orchids of Java (1990) 211; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 341; — *T. elongata* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 199; RIDLEY, Fl. Mal. Pen. 4 (1924) 199; — *T. triptera* RCHB. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 550.
- 1913 **Thrixspermum acuminatissimum** (BL.) RCHB. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 600; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 639; — *T. notabile* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 183; RIDLEY, Fl. Mal. Pen. 4 (1924) 186.
- 1914 **Thrixspermum amplexicaule** (BL.) RCHB. f.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 602; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 645; — *T. lilacinum* RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 181; RIDLEY, Fl. Mal. Pen. 4 (1924) 184.
- 1915 **Thrixspermum calceolus** (LINDL.) RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 181; RIDLEY, Fl. Mal. Pen. 4 (1924) 184; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 604; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 645.
- 1916 **Thrixspermum centipeda** LOUR.; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 643; — *T. arachnites* (BL.) RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 182; RIDLEY, Fl. Mal. Pen. 4 (1924) 185; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 601.
- 1917 **Thrixspermum ridleyanum** SCHLTR.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 611; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 651; — *Dendrocolla maculata* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 186; RIDLEY, Fl. Mal. Pen. 4 (1924) 188.
- 1918 **Thrixspermum scopa** (HOOK. f.) HOLTT.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 600; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 641.
- 1919 **Thrixspermum trichoglottis** (HOOK. f.) O. KTZE.; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 611; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 655; — *Dendrocolla trichoglottis* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 162; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 185; RIDLEY, Fl. Mal. Pen. 4 (1924) 187.
- 1920 **Trichotosia gracilis** (HOOK. f.) KRAENZL.; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 268; — *Eria oligantha* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 95; — *Eria gracilis* HOOK. f.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 95; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 362; — *T. velutina* KRZL., RIDLEY, Fl. Mal. Pen. 4 (1924) 101; — *T. oligantha* KRZL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 103.

- 1921 **Trichotosia velutina** (LODD. ex LINDL.) KRAENZL., RIDLEY, Fl. Mal. Pen. 4 (1924) 101; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 265; — *Eria velutina* LODD. ex LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 94; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 361.
- 1922 **Trichotosia vestita** (LINDL.) KRAENZL., RIDLEY, Fl. Mal. Pen. 4 (1924) 100; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 262; — *Eria vestita* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 159; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 92; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 359.
- 1923 **Tropidia curculigoides** LINDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 209; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 143; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 53; — *T. squamata* BL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 209.
- 1924 **Vanilla griffithii** RCHB. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 201; RIDLEY, Fl. Mal. Pen. 4 (1924) 201; HENDERSON, Mal. Wild Fl. Monoc. (1954) 38; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 95; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 125.
- 1925 **Vrydagzynea albida** (BL.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 211; RIDLEY, Fl. Mal. Pen. 4 (1924) 211; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 138; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 65.
- 1926 **Vrydagzynea lancifolia** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 210; RIDLEY, Fl. Mal. Pen. 4 (1924) 210; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 137; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 65.
- 1927 **Vrydagzynea tristriata** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 163; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 211; RIDLEY, Fl. Mal. Pen. 4 (1924) 211; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 138; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 65.
- 1928 **Zeuxine clandestina** BL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 1 (1907) 218; RIDLEY, Fl. Mal. Pen. 4 (1924) 217; HOLTTUM, Rev. Fl. Malaya 1, 3rd ed. (1964) 135; SEIDENFADEN & WOOD, Orchids of Pen. Mal. & Sing. (1992) 87.

OXALIDACEAE

- 1929 **Dapania racemosa** KORTH.; VELDKAMP, Fl. Males. I 7¹ (1971) 167; KENG, Conc. Fl. Sing. (1990) 96; — *D. scandens* STAPP; RIDLEY, Fl. Mal. Pen. 1 (1922) 334, SINCLAIR, Gard. Bull. Sing. 15 (1956) 23.
- A 1930 **Oxalis barrelieri** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 330; HENDERSON, Mal. Wild Fl. Dic. (1959) 47; VELDKAMP, Fl. Males. I 7¹ (1971) 155; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 96.

- A 1931 **Oxalis corniculata** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 56; RIDLEY, Fl. Mal. Pen. 1 (1922) 330; HENDERSON, Mal. Wild Fl. Dic. (1959) 47; VELDKAMP, Fl. Males. I 7¹ (1971) 155; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 96.
- A 1932 **Oxalis corymbosa** DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 330; HENDERSON, Mal. Wild Fl. Dic. (1959) 47; VELDKAMP, Fl. Males. I 7¹ (1971) 159; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 96.
- 1933 **Sarcotheca griffithii** (PLANCH. ex HOOK. f.) HALL. f.; VELDKAMP, Fl. Males. I 7¹ (1971) 170; COCKBURN Tree Fl. Malaya 1 (1972) 349; KENG, Conc. Fl. Sing. (1990) 96; — *Connaropsis griffithii* PLANCH. ex HOOK.f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 332.
- 1934 **Sarcotheca laxa** (RIDL.) KNUTH var. *sericea* (RIDL.) VELDKAMP, Fl. Males. I 7¹ (1971) 171; — *Connaropsis macrophylla* auct., non KING, RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 56; — *Connaropsis glabra* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 332.

PALMAE

- 1935 **Calamus densiflorus** BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 196; RIDLEY, Fl. Mal. Pen. 5 (1925) 53; DRANSFIELD, Mal. Forest Rec. 29 (1979) 244; KENG, Gard. Bull. Sing. 40 (1987) 127.
- 1936 **Calamus diepenhorstii** MIQ.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 199; RIDLEY, Fl. Mal. Pen. 5 (1925) 55; DRANSFIELD, Mal. Forest Rec. 29 (1979) 246; KENG, Gard. Bull. Sing. 40 (1987) 127; — *C. singaporense* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 199.
- 1937 **Calamus erinaceous** (BECC.) DRANSF.; DRANSFIELD, Mal. Forest Rec. 29 (1979) 130; KENG, Gard. Bull. Sing. 40 (1987) 127; — *C. aquatilis* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 210; RIDLEY, Fl. Mal. Pen. 5 (1925) 63.
- 1938 **Calamus insignis** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 193; RIDLEY, Fl. Mal. Pen. 5 (1925) 51; DRANSFIELD, Mal. Forest Rec. 29 (1979) 212; KENG, Gard. Bull. Sing. 40 (1987) 127.
- 1939 **Calamus javensis** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Fl. Mal. Pen. 5 (1925) 49; DRANSFIELD, Mal. Forest Rec. 29 (1979) 198; KENG, Gard. Bull. Sing. 40 (1987) 127; — *C. pectillatus* (non ROXB.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 191.
- 1940 **Calamus laevigatus** MART.; DRANSFIELD, Mal. Forest Rec. 29 (1979) 138; KENG, Gard. Bull. Sing. 40 (1987) 127; — *C. pallidulus* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 209; RIDLEY, Fl. Mal. Pen. 5 (1925) 62.

- 1941 **Calamus lobbianus** BECC.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 204; RIDLEY, Fl. Mal. Pen. 5 (1925) 59; DRANSFIELD, Mal. Forest Rec. 29 (1979) 190; KENG, Gard. Bull. Sing. 40 (1987) 127.
- 1942 **Calamus luridus** BECC.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 198; RIDLEY, Fl. Mal. Pen. 5 (1925) 56; DRANSFIELD, Mal. Forest Rec. 29 (1979) 237; KENG, Gard. Bull. Sing. 40 (1987) 128; — *C. laxiflorus* BECC.; RIDLEY, Fl. Mal. Pen. 5 (1925) 56; — *C. distans* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 56.
- 1943 **Calamus ornatus** BECC.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 195; RIDLEY, Fl. Mal. Pen. 5 (1925) 53; DRANSFIELD, Mal. Forest Rec. 29 (1979) 201; KENG, Gard. Bull. Sing. 40 (1987) 128.
- 1944 **Calamus oxleyanus** TEIJSM. & BINNEND.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 208; RIDLEY, Fl. Mal. Pen. 5 (1925) 62; DRANSFIELD, Mal. Forest Rec. 29 (1979) 148; KENG, Gard. Bull. Sing. 40 (1987) 128.
- 1945 **Calamus ridleyanus** BECC.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 197; RIDLEY, Fl. Mal. Pen. 5 (1925) 54; DRANSFIELD, Mal. Forest Rec. 29 (1979) 246; KENG, Gard. Bull. Sing. 40 (1987) 128; — ?*C. "sp. near radulosus"*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175.
- 1946 **Caryota mitis** LOUR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 174; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 157; RIDLEY, Fl. Mal. Pen. 5 (1925) 21; WHITMORE, Palms of Malaya (1977) 44; KENG, Gard. Bull. Sing. 40 (1987) 128.
- A 1947 **Cocos nucifera** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 132; RIDLEY, Fl. Mal. Pen. 5 (1925) 7; WHITMORE, Palms of Malaya (1977) 48.
- 1948 **Cyrtostachys renda** BL.; KENG, Gard. Bull. Sing. 40 (1987) 128; — *C. lakka* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 173; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 149; RIDLEY, Fl. Mal. Pen. 5 (1925) 17; WHITMORE, Palms of Malaya (1977) 53.
- 1949 **Daemonorops angustifolia** (GRIFF.) MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 174; RIDLEY, Fl. Mal. Pen. 5 (1925) 36; DRANSFIELD, Mal. Forest Rec. 29 (1979) 78; KENG, Gard. Bull. Sing. 40 (1987) 128; — *D. hygrophilus* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; — *D. carcharodon* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 178; RIDLEY, Fl. Mal. Pen. 5 (1925) 40.
- 1950 **Daemonorops didymophylla** BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 180; RIDLEY, Fl. Mal. Pen. 5 (1925) 41; DRANSFIELD, Mal. Forest Rec. 29 (1979) 90; KENG, Gard. Bull. Sing. 40 (1987) 128; — *D. cochleatus* T. & B.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176.
- 1951 **Daemonorops geniculata** (GRIFF.) MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 184; RIDLEY, Fl. Mal. Pen. 5 (1925) 44; DRANSFIELD, Mal. Forest Rec. 29 (1979) 107.

- 1952 **Daemonorops grandis** (GRIFF.) MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 177; RIDLEY, Fl. Mal. Pen. 5 (1925) 38; DRANSFIELD, Mal. Forest Rec. 29 (1979) 80; KENG, Gard. Bull. Sing. 40 (1987) 128; — *D. intermedia* (GRIFF.) MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175.
- 1953 **Daemonorops hystrix** (GRIFF.) MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 182; RIDLEY, Fl. Mal. Pen. 5 (1925) 42; DRANSFIELD, Mal. Forest Rec. 29 (1979) 101; KENG, Gard. Bull. Sing. 40 (1987) 129.
- 1954 **Daemonorops kunstleri** BECC.; RIDLEY, Fl. Mal. Pen. 5 (1925) 43; DRANSFIELD, Mal. Forest Rec. 29 (1979) 104.
- 1955 **Daemonorops leptopus** (GRIFF.) MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 182; RIDLEY, Fl. Mal. Pen. 5 (1925) 42; DRANSFIELD, Mal. Forest Rec. 29 (1979) 96; KENG, Gard. Bull. Sing. 40 (1987) 129; — *D. propinquus* (non BECC.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 175.
- 1956 **Daemonorops lewisiana** (GRIFF.) MART.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 176; RIDLEY, Fl. Mal. Pen. 5 (1925) 38; DRANSFIELD, Mal. Forest Rec. 29 (1979) 85; — *D. pseudosepal* BECC.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 180; RIDLEY, Fl. Mal. Pen. 5 (1925) 40.
- 1957 **Daemonorops longipes** (GRIFF.) MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 184; RIDLEY, Fl. Mal. Pen. 5 (1925) 44; DRANSFIELD, Mal. Forest Rec. 29 (1979) 117; KENG, Gard. Bull. Sing. 40 (1987) 129.
- 1958 **Daemonorops micracantha** (GRIFF.) BECC.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 180; RIDLEY, Fl. Mal. Pen. 5 (1925) 41; DRANSFIELD, Mal. Forest Rec. 29 (1979) 96; KENG, Gard. Bull. Sing. 40 (1987) 129.
- 1959 **Daemonorops periacantha** MIQ.; RIDLEY, Fl. Mal. Pen. 5 (1925) 44; DRANSFIELD, Mal. Forest Rec. 29 (1979) 117; KENG, Gard. Bull. Sing. 40 (1987) 129; — *D. dissitophylla* BECC.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 183.
- 1960 **Daemonorops sabut** BECC.; RIDLEY, Fl. Mal. Pen. 5 (1925) 46; DRANSFIELD, Mal. Forest Rec. 29 (1979) 109.
- 1961 **Eleiodoxa conferta** (GRIFF.) BURRET; UHL & DRANSFIELD, Genera Palmarum (1987) 249; — *Salacca conferta* GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 169; RIDLEY, Fl. Mal. Pen. 5 (1925) 32 ("Zalacca"); WHITMORE, Palms of Malaya (1977) 106; KENG, Gard. Bull. Sing. 40 (1987) 132.
- 1962 **Iguanura wallichiana** (WALL. ex MART.) HOOK. f.; KIEW, Gard. Bull. Sing. 28 (1976) 216; — *I. geonomaeformis* GRIFF. ex MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 173; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 151; RIDLEY, Fl. Mal. Pen. 5 (1925) 13; WHITMORE, Palms of Malaya (1977) 63; KENG, Gard. Bull. Sing. 40 (1987) 129; — *I. malaccensis* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 173.

- 1963 **Korthalsia echinometra** BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 215; RIDLEY, Fl. Mal. Pen. 5 (1925) 68; DRANSFIELD, Mal. Forest Rec. 29 (1979) 47; DRANSFIELD, Kew Bull. 36 (1981) 188; KENG, Gard. Bull. Sing. 40 (1987) 129.
- 1964 **Korthalsia laciniosa** (GRIFF.) MART.; DRANSFIELD, Kew Bull. 36 (1981) 179; — *K. grandis* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 217; RIDLEY, Fl. Mal. Pen. 5 (1925) 69; DRANSFIELD, Mal. Forest Rec. 29 (1979) 40; KENG, Gard. Bull. Sing. 40 (1987) 129; — *K. wallichiaeifolia* (GRIFF.) H. WENDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 217; RIDLEY, Fl. Mal. Pen. 5 (1925) 69.
- 1965 **Korthalsia rigida** BL.; DRANSFIELD, Kew Bull. 36 (1981) 172; KENG, Gard. Bull. Sing. 40 (1987) 129; — *K. polystachya* MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 218; RIDLEY, Fl. Mal. Pen. 5 (1925) 69.
- 1966 **Korthalsia rostrata** BL.; DRANSFIELD, Kew Bull. 36 (1981) 184; — *K. scaphigera* GRIFF. ex MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 216; RIDLEY, Fl. Mal. Pen. 5 (1925) 68; DRANSFIELD, Mal. Forest Rec. 29 (1979) 47; KENG, Gard. Bull. Sing. 40 (1987) 129.
- 1967 **Korthalsia scortechinii** BECC.; RIDLEY, Fl. Mal. Pen. 5 (1925) 68; DRANSFIELD, Mal. Forest Rec. 29 (1979) 50; DRANSFIELD, Kew Bull. 36 (1981) 189; — *K. flagellaris* (non MIQ.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176.
- 1968 **Licuala ferruginea** BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 174; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 162; RIDLEY, Fl. Mal. Pen. 5 (1925) 26; KENG, Gard. Bull. Sing. 40 (1987) 130.
- 1969 **Licuala spinosa** WURMB; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 174; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 160; RIDLEY, Fl. Mal. Pen. 5 (1925) 25; WHITMORE, Palms of Malaya (1977) 70; KENG, Gard. Bull. Sing. 40 (1987) 130.
- 1970 **Licuala triphylla** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 174; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 163; RIDLEY, Fl. Mal. Pen. 5 (1925) 28; KENG, Gard. Bull. Sing. 40 (1987) 130.
- 1971 **Myrialepis paradoxa** (KURZ) DRANSFIELD, Kew Bull. 37 (1982) 242; — *M. scortechinii* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176; WHITMORE, Palms of Malaya (1977) 79; DRANSFIELD, Mal. Forest Rec. 29 (1979) 68; KENG, Gard. Bull. Sing. 40 (1987) 130; — *Plectocomiopsis scortechinii* (BECC.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 213; RIDLEY, Fl. Mal. Pen. 5 (1925) 67; — *Plectocomiopsis annulata* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 213; RIDLEY, Fl. Mal. Pen. 5 (1925) 66.
- 1972 **Nenga pumila** (MART.) WENDL. var. **pachystachya** (BL.) E. FERNANDO, Principes 27 (1983) 61; — *N. wendlandiana* SCHEFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 173; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 144; RIDLEY, Fl. Mal. Pen. 5 (1925) 12; — *N. pumila*; WHITMORE, Palms of Malaya (1977) 79; KENG, Gard. Bull. Sing. 40 (1987) 130.

- 1973 **Nypa fruticans** WURMB; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 174; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 158; RIDLEY, Fl. Mal. Pen. 5 (1925) 71 ("Nipa"); WHITMORE, Palms of Malaya (1977) 81; KENG, Gard. Bull. Sing. 40 (1987) 131.
- 1974 **Oncosperma horridum** (GRIFF.) SCHEFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 173; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 147; RIDLEY, Fl. Mal. Pen. 5 (1925) 16; WHITMORE, Palms of Malaya (1977) 82; KENG, Gard. Bull. Sing. 40 (1987) 131.
- 1975 **Oncosperma tigillarium** (JACK) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 173; WHITMORE, Palms of Malaya (1977) 83; KENG, Gard. Bull. Sing. 40 (1987) 131; — *O. filamentosa* BL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 147; RIDLEY, Fl. Mal. Pen. 5 (1925) 16.
- 1976 **Orania sylvicola** (GRIFF.) H.E. MOORE; WHITMORE, Palms of Malaya (1977) 84; — *O. macrocladus* MART.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 174; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 145; RIDLEY, Fl. Mal. Pen. 5 (1925) 17.
- 1977 **Pholidocarpus kingianus** (BECC.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 167; RIDLEY, Fl. Mal. Pen. 5 (1925) 24; DRANSFIELD & UHL, Kew Bull. 38 (1983) 198; — *Livistona kingiana* BECC., J. Str. Br. R. As. Soc. 33 (1900) 174; WHITMORE, Palms of Malaya (1977) 72; KENG, Gard. Bull. Sing. 40 (1987) 130.
- 1978 **Pinanga disticha** BL. ex WENDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 172; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 132; RIDLEY, Fl. Mal. Pen. 5 (1925) 7; WHITMORE, Palms of Malaya (1977) 91; KENG, Gard. Bull. Sing. 40 (1987) 131.
- 1979 **Pinanga limosa** RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 140; RIDLEY, Fl. Mal. Pen. 5 (1925) 8; WHITMORE, Palms of Malaya (1977) 91; KENG, Gard. Bull. Sing. 40 (1987) 131.
- 1980 **Pinanga malaiana** (MART.) SCHEFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 173; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 142; RIDLEY, Fl. Mal. Pen. 5 (1925) 10; WHITMORE, Palms of Malaya (1977) 91; KENG, Gard. Bull. Sing. 40 (1987) 131.
- 1981 **Pinanga pectinata** BECC.; WHITMORE, Principes 14 (1970) 125; — *P. singaporense* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 144; RIDLEY, Fl. Mal. Pen. 5 (1925) 11; KENG, Gard. Bull. Sing. 40 (1987) 131.
- 1982 **Pinanga simplicifrons** (MIQ.) BECC.; WHITMORE, Palms of Malaya (1977) 93; KENG, Gard. Bull. Sing. 40 (1987) 131.
- 1983 **Pinanga subruminata** BECC.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 140; RIDLEY, Fl. Mal. Pen. 5 (1925) 8; WHITMORE, Palms of Malaya (1977) 94; KENG, Gard. Bull. Sing. 40 (1987) 131.
- 1984 **Plectocomia elongata** MART. ex BL.; MADULID, Kalikasan 10 (1981) 45; — *P. griffithii* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 176; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 220; RIDLEY, Fl. Mal. Pen. 5 (1925) 70; WHITMORE, Palms of Malaya (1977) 94; DRANSFIELD, Mal. Forest Rec. 29 (1979) 55; KENG, Gard. Bull. Sing. 40 (1987) 131.

- 1985 **Rhopaloblaste singaporenensis** (BECC.) HOOK. f.; H.E. MOORE, Principes 14 (1970) 88; — *Ptychosperma singaporenensis* (BECC.) BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 173; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 148; RIDLEY, Fl. Mal. Pen. 5 (1925) 18; WHITMORE, Palms of Malaya (1977) 97; KENG, Gard. Bull. Sing. 40 (1987) 132.
- 1986 **Salacca affinis** GRIFF.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 169; RIDLEY, Fl. Mal. Pen. 5 (1925) 32 ("Zalacca"); WHITMORE, Palms of Malaya (1977) 105; KENG, Gard. Bull. Sing. 40 (1987) 132.

PANDANACEAE

- 1987 **Freycinetia angustifolia** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 172; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 232; RIDLEY, Fl. Mal. Pen. 5 (1925) 82; HENDERSON, Mal. Wild Fl. Monoc. (1954) 209; STONE, Gard. Bull. Sing. 25 (1970) 197; — *F. malaccensis* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 233; RIDLEY, Fl. Mal. Pen. 5 (1925) 83.
- 1988 **Freycinetia confusa** RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 233; RIDLEY, Fl. Mal. Pen. 5 (1925) 82; STONE, Gard. Bull. Sing. 25 (1970) 203.
- 1989 **Freycinetia corneri** B.C. STONE; STONE, Gard. Bull. Sing. 25 (1970) 198.
- 1990 **Freycinetia javanica** BL.; HENDERSON, Mal. Wild Fl. Monoc. (1954) 210; STONE, Gard. Bull. Sing. 25 (1970) 195; — *F. lucens* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 233; RIDLEY, Fl. Mal. Pen. 5 (1925) 83; — *F. montana* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 234; RIDLEY, Fl. Mal. Pen. 5 (1925) 83.
- 1991 **Freycinetia sumatrana** HEMSLY; STONE, Gard. Bull. Sing. 25 (1970) 199; — "F. insignis Bl. ?"; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 172; — *F. valida* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 234; RIDLEY, Fl. Mal. Pen. 5 (1925) 83; HENDERSON, Mal. Wild Fl. Monoc. (1954) 209.
- 1992 **Pandanus affinis** KURZ; STONE, Fed. Mus. J. 23 (1978) 13; — *P. aurantiacus* RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 231; RIDLEY, Fl. Mal. Pen. 5 (1925) 81.
- 1993 **Pandanus atrocarpus** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 170; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 230; RIDLEY, Fl. Mal. Pen. 5 (1925) 80; STONE, Malay. Nat. J. 21 (1968) 135; STONE, Fed. Mus. J. 23 (1978) 26.
- 1994 **Pandanus houlletii** CARRIÈRE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 171; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 224; RIDLEY, Fl. Mal. Pen. 5 (1925) 74; STONE, Malay. Nat. J. 21 (1968) 128; STONE, Fed. Mus. J. 28 (1982) 26.
- 1995 **Pandanus monotheca** MART.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 228; RIDLEY, Fl. Mal. Pen. 5 (1925) 79; STONE, Fed. Mus. J. 23 (1978) 26; — *P. ornatus* (GAUD.) KURZ, nom. illeg.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 171; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 229; RIDLEY, Fl. Mal. Pen. 5 (1925) 80.

- 1996 **Pandanus odoratissimus** L. f.; STONE, Gard. Bull. Sing. 22 (1967) 236; — *P. fascicularis* LAM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 171; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 223; RIDLEY, Fl. Mal. Pen. 5 (1925) 73.
- 1997 **Pandanus parvus** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 171; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 227; RIDLEY, Fl. Mal. Pen. 5 (1925) 78; STONE, Malay. Nat. J. 21 (1968) 136; STONE, Fed. Mus. J. 23 (1978) 39.
- 1998 **Pandanus polycephalus** LAMK.; STONE, Fed. Mus. J. 28 (1983) 115.
- 1999 **Pandanus rostratus** MARTELLI; STONE, Sandakania 2 (1993) 49; — *P. corneri* KANEHIRA; Stone, MALAY. NAT J. 21 (1968) 14.
- 2000 **Pandanus tetrodon** RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 75; STONE, Fed. Mus. J. 28 (1982) 83.
- 2001 **Pandanus yvanii** SOLMS.; STONE, Malay. Nat. J. 21 (1968) 132; — *P. militaris* WARB.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 227; RIDLEY, Fl. Mal. Pen. 5 (1925) 78.

PASSIFLORACEAE

- 2002 **Adenia macrophylla** (BL.) KOORD. var. *singaporeana* (WALL. ex G. DON) DE WILDE; DE WILDE, Fl. Males. I 7² (1972) 429; KENG, Conc. Fl. Sing. (1990) 42; — *Modecca singaporeana* (Wall. ex & DON) MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; — *A. singaporeana* (Wall. ex & DON) ENGL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 841; BURKILL, Dict. (1935) 48.
- A 2003 **Passiflora foetida** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 839; HENDERSON, Mal. Wild Fl. Dic. (1959) 151; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 42.
- A 2004 **Passiflora laurifolia** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 840; HENDERSON, Mal. Wild Fl. Dic. (1959) 152; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 42.
- A 2005 **Passiflora suberosa** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 840; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 43; — *P. mimima* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 87.

PEDALIACEAE

- A 2006 **Sesamum orientale** L.; BURKILL, Dict. (1935) 1994; HENDERSON, Mal. Wild Fl. Dic. (1959) 363; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 185; — *S. indicum* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 120; RIDLEY, Fl. Mal. Pen. 2 (1923) 553; BACKER, Fl. Males. I 4³ (1951) 217.
- A 2007 **Sesamum radiatum** SCHUM.; BACKER, Fl. Males. I 4³ (1951) 218; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 131.

PENTAPHRAGMATAEAE

- 2008 **Pentaphragma ellipticum** POULSEN; KIEW, Malay. Nat. J. 43 (1989) 6; — *P. begonifolium* [non (ROXB. ex JACK) WALL. ex G. DON] RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103 ("begoniaefolium"); — *P. scortechinii* auct., non K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 203 (Singapore specimens); — *P. ridleyi* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 202; KENG, Conc. Fl. Sing. (1990) 165; — *P. horsfieldii* sensu KENG, non (MIQ.) AIRY SHAW; KENG, Conc. Fl. Sing. (1990) 165; — *P. x ellipticum* POULSEN; AIRY SHAW, Fl. Males. I 4⁴ (1953) 527.

PHILYDRACEAE

- 2009 **Philydrum lanuginosum** BANKS & SOL. ex GAERTN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 110; RIDLEY, Fl. Mal. Pen. 4 (1924) 347; SKOTTSBERG, Fl. Males. I 4¹ (1948) 5; HENDERSON, Mal. Wild Fl. Monoc. (1954) 192; KENG, Gard. Bull. Sing. 39 (1986) 123.

PHYTOLACCACEAE

- A 2010 **Rivina humilis** L.; BURKILL, Dict. (1935) 1913; BACKER, Fl. Males. I 4³ (1951) 229; KENG, Conc. Fl. Sing. (1990) 59.

PIPERACEAE

- A 2011 **Peperomia pellucida** (L.) H.B.K.; RIDLEY, Fl. Mal. Pen. 3 (1924) 27; HENDERSON, Mal. Wild Fl. Dic. (1959) 436; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 62; — *P. exigua* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 128.
- 2012 **Piper caninum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 38; HENDERSON, Mal. Wild Fl. Dic. (1959) 442; KENG, Conc. Fl. Sing. (1990) 62.
- 2013 **Piper chaba** HUNTER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 40; KENG, Conc. Fl. Sing. (1990) 62.
- 2014 **Piper flavimarginatum** C. DC.; RIDLEY, Fl. Mal. Pen. 3 (1924) 31; KENG, Conc. Fl. Sing. (1990) 62.
- 2015 **Piper lanatum** ROXB.; RIDLEY, Fl. Mal. Pen. 3 (1924) 38; KENG, Conc. Fl. Sing. (1990) 62.
- 2016 **Piper maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 31; KENG, Conc. Fl. Sing. (1990) 62.
- 2017 **Piper malaccense** C. DC.; RIDLEY, Fl. Mal. Pen. 3 (1924) 33; MAXWELL, Gard. Bull. Sing. 35 (1983) 197.
- 2018 **Piper miniatum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 39; HENDERSON, Mal. Wild Fl. Dic. (1959) 440; KENG, Conc. Fl. Sing. (1990) 62.

- 2019 **Piper muricatum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 32; HENDERSON, Mal. Wild Fl. Dic. (1959) 441; KENG, Conc. Fl. Sing. (1990) 62.
- 2020 **Piper pachyphyllum** HOOK. f.; RIDLEY, Fl. Mal. Pen. 3 (1924) 31; KENG, Conc. Fl. Sing. (1990) 62.
- 2021 **Piper pedicellosum** WALL. ex C. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 34; MAXWELL, Gard. Bull. Sing. 35 (1983) 197; KENG, Conc. Fl. Sing. (1990) 62.
- 2022 **Piper porphyrophyllum** N.E. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 128; RIDLEY, Fl. Mal. Pen. 3 (1924) 45; KENG, Conc. Fl. Sing. (1990) 62.
- 2023 **Piper protractum** C. DC.; RIDLEY, Fl. Mal. Pen. 3 (1924) 33; KENG, Conc. Fl. Sing. (1990) 63.
- 2024 **Piper ribesioides** WALL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 34; HENDERSON, Mal. Wild Fl. Dic. (1959) 442; KENG, Conc. Fl. Sing. (1990) 63; — *P. sumatranum* C. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127.
- 2025 **Piper sarmentosum** ROXB. ex HUNTER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 127; RIDLEY, Fl. Mal. Pen. 3 (1924) 40; KENG, Conc. Fl. Sing. (1990) 63.

PITTOSPORACEAE

- 2026 **Pittosporum ferrugineum** AIT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 44; RIDLEY, Fl. Mal. Pen. 1 (1922) 136; BURKILL, Dict. (1935) 1763; EJHC2 517; BAKKER & VAN STEENIS, Fl. Males. I 5³ (1957) 355; WHITMORE, Tree Fl. Malaya 2 (1973) 310; CORNER, Ways. Trees, 3rd ed. (1988) 607; KENG, Conc. Fl. Sing. (1990) 26.

PLANTAGINACEAE

- 2027 **Plantago major** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 125; HENDERSON, Mal. Wild Fl. Dic. (1959) 268; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 140; — *P. asiatica* MICHX.; RIDLEY, Fl. Mal. Pen. 2 (1923) 225.

PLUMBAGINACEAE

- 2028 **Plumbago zeylanica** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 103; RIDLEY, Fl. Mal. Pen. 2 (1923) 225; VAN STEENIS, Fl. Males. I 4² (1949) 109; HENDERSON, Mal. Wild Fl. Dic. (1959) 266; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 139.

POLYGALACEAE

- 2029 **Polygala glaucoidea** L.; VAN DER MEUDEN, Fl. Males. I 10³ (1988) 480; — *P. brachystachya* (non DC.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 44; RIDLEY, Fl. Mal. Pen. 1 (1922) 139; HENDERSON, Mal. Wild Fl. Dic. (1959) 31; KENG, Conc. Fl. Sing. (1990) 103.

- A 2030 **Polygala paniculata** L.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 31; CORLETT, J. Biogeog. (1988) 662; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 475; KENG, Conc. Fl. Sing. (1990) 103.
- 2031 **Salomonia cantoniensis** LOUR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; RIDLEY, Fl. Mal. Pen. I (1922) 139; HENDERSON, Mal. Wild Fl. Dic. (1959) 28; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 487; KENG, Conc. Fl. Sing. (1990) 103.
- 2032 **Xanthophyllum affine** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; RIDLEY, Fl. Mal. Pen. I (1922) 143, p.p.; BURKILL, Dict. (1935) 2268; p.p.; NG, Tree Fl. Malaya 1 (1972) 354, p.p.; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 487; KENG, Conc. Fl. Sing. (1990) 104.
- 2033 **Xanthophyllum discolor** CHODAT; RIDLEY, Fl. Mal. Pen. I (1922) 147; BURKILL, Dict. (1935) 2268; NG, Tree Fl. Malaya 1 (1972) 356; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 520; KENG, Conc. Fl. Sing. (1990) 104.
- 2034 **Xanthophyllum ellipticum** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; NG, Tree Fl. Malaya 1 (1972) 357; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 530; KENG, Conc. Fl. Sing. (1990) 104; — *X. kingii* CHODAT; RIDLEY, Fl. Mal. Pen. I (1922) 143; BURKILL, Dict. (1935) 2268.
- 2035 **Xanthophyllum eurhynchum** MIQ.; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 524 (*ssp. maingayi* (HOOK. f. ex BENN.) MEIJDEN); — *X. palembanicum* (*non* MIQ.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; RIDLEY, Fl. Mal. Pen. I (1922) 149; BURKILL, Dict. (1935) 2269; — *X. verrucosum* CHODAT; RIDLEY, Fl. Mal. Pen. I (1922) 147; — *X. maingayi* HOOK. f. ex BENN.; NG, Tree Fl. Malaya 1 (1972) 360; KENG, Conc. Fl. Sing. (1990) 104.
- 2036 **Xanthophyllum griffithii** HOOK. f. ex BENN. *ssp. erectum* MEIJDEN; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 514; — *X. griffithii* HOOK. f. ex BENN.; RIDLEY, Fl. Mal. Pen. I (1922) 149, p.p.; BURKILL, Dict. (1935) 2269, p.p.; NG, Tree Fl. Malaya 1 (1972) 357, var. *griffithii* only.
- 2037 **Xanthophyllum obscurum** BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; RIDLEY, Fl. Mal. Pen. I (1922) 144; NG, Tree Fl. Malaya 1 (1972) 361; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 536; KENG, Conc. Fl. Sing. (1990) 104; — *X. scorchedinii* KING; RIDLEY, Fl. Mal. Pen. I (1922) 143; BURKILL, Dict. (1935) 2268; NG, Tree Fl. Malaya 1 (1972) 363.
- 2038 **Xanthophyllum stipitatum** BENN.; RIDLEY, Fl. Mal. Pen. I (1922) 145; BURKILL, Dict. (1935) 2268; NG, Tree Fl. Malaya 1 (1972) 363; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 535; KENG, Conc. Fl. Sing. (1990) 104.
- 2039 **Xanthophyllum vitellinum** (BL.) DIETR.; VAN DER MEIJDEN, Fl. Males. I 10³ (1988) 514; — *X. kunstleri* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; BURKILL, Dict. (1935) 2268; NG, Tree Fl. Malaya 1 (1972) 359; — *X. curtisii* KING; RIDLEY, Fl. Mal. Pen. I (1922) 146; — *X. griffithii* var. *curtisii* (KING) NG; NG, Tree Fl. Malaya 1 (1972) 359.

- 2040 **Xanthophyllum wrayi** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 148; BURKILL, Dict. (1935) 2268; NG, Tree Fl. Malaya 1 (1972) 363; VAN DER MEUDEN, Fl. Males. I 10³ (1988) 514.

POLYGONACEAE

- 2041 **Polygonum barbatum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 126; RIDLEY, Fl. Mal. Pen. 3 (1924) 11; HENDERSON, Mal. Wild Fl. Dic. (1959) 419; KENG, Conc. Fl. Sing. (1990) 61.

- A 2042 **Polygonum chinense** L.; RIDLEY, Fl. Mal. Pen. 3 (1924) 12; HENDERSON, Mal. Wild Fl. Dic. (1959) 419; SINCLAIR, Gard. Bull. Sing. 14 (1953) 35; KENG, Conc. Fl. Sing. (1990) 61.

- A 2043 **Polygonum orientale** L.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 131.

PONTEDERIACEAE

- A 2044 **Eichhornia crassipes** (MART.) SOLMS.; BURKILL, Dict. (1935) 891; BACKER, Fl. Males. I 4³ (1951) 259; HENDERSON, Mal. Wild Fl. Monoc. (1954) 190; KENG, Gard. Bull. Sing. 40 (1987) 122; CORLETT, J. Biogeog. (1988) 663.

- 2045 **Monochoria hastata** (L.) SOLMS.; BURKILL, Dict. (1935) 1489; BACKER, Fl. Males. I 4³ (1951) 258; HENDERSON, Mal. Wild Fl. Monoc. (1954) 189; KENG, Gard. Bull. Sing. 40 (1987) 122; — *M. hastaeifolia* PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 109; RIDLEY, Fl. Mal. Pen. 4 (1924) 344.

- 2046 **Monochoria vaginalis** (BURM.f.) PRESL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 109; RIDLEY, Fl. Mal. Pen. 4 (1924) 346; BURKILL, Dict. (1935) 1489; BACKER, Fl. Males. I 4³ (1951) 256; HENDERSON, Mal. Wild Fl. Monoc. (1954) 189; KENG, Gard. Bull. Sing. 40 (1987) 122.

PORTULACACEAE

- A 2047 **Portulaca oleracea** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; RIDLEY, Fl. Mal. Pen. 1 (1922) 151; HENDERSON, Mal. Wild Fl. Dic. (1959) 33; GEESINK, Fl. Males. I 7¹ (1971) 129; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 60.

- A 2048 **Portulaca pilosa** L.; HENDERSON, Mal. Wild Fl. Dic. (1959) 33; SINCLAIR, Gard. Bull. Sing. 14 (1953) 31; GEESINK, Fl. Males. I 7¹ (1971) 131; CORLETT, J. Biogeog. (1988) 662.

- A 2049 **Portulaca quadrifida** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 46; RIDLEY, Fl. Mal. Pen. 1 (1922) 151; HENDERSON, Mal. Wild Fl. Dic. (1959) 34; GEESINK, Fl. Males. I 7¹ (1971) 127; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 60.

- A 2050 **Talinum paniculatum** (JACQ.) GAERTN.; GEESINK, Fl. Males. I 7¹ (1971) 124; KENG, Conc. Fl. Sing. (1990) 60; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 131.

PROTEACEAE

- 2051 **Helicia excelsa** (ROXB.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132; RIDLEY, Fl. Mal. Pen. 3 (1924) 143 (*incl. vars.*); BURKILL, Dict. (1935) 1133; SLEUMER, Fl. Males. 5(2) 174; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 315; KENG, Conc. Fl. Sing. (1990) 61.
- 2052 **Helicia petiolaris** BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132; RIDLEY, Fl. Mal. Pen. 3 (1924) 141; BURKILL, Dict. (1935) 1134; SLEUMER, Fl. Males. 5(2) 188; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 315; KENG, Conc. Fl. Sing. (1990) 62.
- 2053 **Helicia robusta** (ROXB.) R. BR. *ex* WALL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 142; SLEUMER, Fl. Males. 5(2) 184; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 315; KENG, Conc. Fl. Sing. (1990) 62; — *H. javanica* BL.; BURKILL, Dict. (1935) 1133.

RHAMNACEAE

- 2054 **Colubrina asiatica** L. *ex* BRONGN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 465; LATIFF, Tree Fl. Malaya 4 (1989) 298; KENG, Conc. Fl. Sing. (1990) 116.
- 2055 **Smythea lanceata** SUMMERH.; KENG, Conc. Fl. Sing. (1990) 116; — *S. reticulata* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; — *S. pacifica* SEEM.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87; RIDLEY, Fl. Mal. Pen. 1 (1922) 468.
- 2056 **Ventilago malaccensis** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 46; KENG, Conc. Fl. Sing. (1990) 116; — *V. leiocarpa* LAWS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63.
- 2057 **Ziziphus calophylla** WALL. *ex* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63; RIDLEY, Fl. Mal. Pen. 1 (1922) 463; LATIFF, Tree Fl. Malaya 4 (1989) 300; KENG, Conc. Fl. Sing. (1990) 116.
- 2058 **Ziziphus elegans** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63; RIDLEY, Fl. Mal. Pen. 1 (1922) 463; LATIFF, Tree Fl. Malaya 4 (1989) 300.
- 2059 **Ziziphus horsfieldii** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 34 (1900) 63; RIDLEY, Fl. Mal. Pen. 1 (1922) 463; LATIFF, Tree Fl. Malaya 4 (1989) 300.
- 2060 **Ziziphus oenoplia** MILL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 63; RIDLEY, Fl. Mal. Pen. 1 (1922) 462; CORNER, Ways. Trees, 3rd ed. (1988) 610; LATIFF, Tree Fl. Malaya 4 (1989) 300; KENG, Conc. Fl. Sing. (1990) 117.

RHIZOPHORACEAE

- 2061 **Anisophyllea disticha** (JACK) BAILL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 701; CORNER, Ways. Trees 1st ed. (1940) 122; DING HOU; Fl. Males. I 5⁴ (1958) 479; CORNER, Ways. Trees, 3rd ed. (1988) 132; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 307; KENG, Conc. Fl. Sing. (1990) 73.

- 2062 **Anisophyllea griffithii** OLIV.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 702; CORNER, Ways. Trees 1st ed. (1940) 124; DING HOU; Fl. Males. I 5⁴ (1958) 476; CORNER, Ways. Trees, 3rd ed. (1988) 134; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 307; KENG, Conc. Fl. Sing. (1990) 73.
- 2063 **Bruguiera cylindrica** (L.) BL.; DING HOU, Fl. Males. I 5⁴ (1958) 467; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 310; KENG, Conc. Fl. Sing. (1990) 73; — *B. caryophylloides* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 695; WATSON, Mal. For. Rec. 6 (1928) 43.
- 2064 **Bruguiera gymnorhiza** (L.) LAMK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 695; WATSON, Mal. For. Rec. 6 (1928) 42; DING HOU, Fl. Males. I 5⁴ (1958) 461; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 310; KENG, Conc. Fl. Sing. (1990) 74.
- 2065 **Bruguiera parviflora** (ROXB.) W. & A. ex GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 695; WATSON, Mal. For. Rec. 6 (1928) 111; DING HOU, Fl. Males. I 5⁴ (1958) 464; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 310; KENG, Conc. Fl. Sing. (1990) 74.
- 2066 **Bruguiera sexangula** (LOUR.) POIR.; DING HOU, Fl. Males. I 5⁴ (1958) 463; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 312; KENG, Conc. Fl. Sing. (1990) 74; — *B. eriopetala* W. & A. ex ARN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 695; WATSON, Mal. For. Rec. 6 (1928) 109.
- 2067 **Carallia brachiata** (LOUR.) MERR.; DING HOU, Fl. Males. I 5⁴ (1958) 485; KOCHUMMEN, CORNER, Ways. Trees, 3rd ed. (1988) 612; Tree Fl. Malaya 4 (1989) 313; KENG, Conc. Fl. Sing. (1990) 74; — *C. scortechinii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 697; — *C. integrerrima* DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 696; — *C. spinulosa* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 698; — *C. lucida* ROXB.; CORNER, Ways. Trees 1st ed. (1940) 522.
- 2068 **Ceriops tagal** (PERS.) C.B. ROBINS; DING HOU; Fl. Males. I 5⁴ (1958) 469; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 316; KENG, Conc. Fl. Sing. (1990) 74; — *C. candoliana* ARN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 694; WATSON, Mal. For. Rec. 6 (1928) 46.
- 2069 **Gynotroches axillaris** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 698; CORNER, Ways. Trees 1st ed. (1940) 522; DING HOU; Fl. Males. I 5⁴ (1958) 488; CORNER, Ways. Trees, 3rd ed. (1988) 613; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 317; KENG, Conc. Fl. Sing. (1990) 74.
- 2070 **Kandelia candel** (L.) DRUCE; DING HOU; Fl. Males. I 5⁴ (1958) 473; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 319; KENG, Conc. Fl. Sing. (1990) 74; — *K. rheedei* W. & A.; RIDLEY, Fl. Mal. Pen. 1 (1922) 694; WATSON, Mal. For. Rec. 6 (1928) 49.
- 2071 **Pellacalyx axillaris** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 699; CORNER, Ways. Trees 1st ed. (1940) 523; DING HOU; Fl. Males. I 5⁴ (1958) 493; CORNER, Ways. Trees, 3rd ed. (1988) 614; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 320; KENG, Conc. Fl. Sing. (1990) 74.

- 2072 **Pellacalyx saccardianus** SCORT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 79; RIDLEY, Fl. Mal. Pen. 1 (1922) 699; CORNER, Ways. Trees 1st ed. (1940) 524; DING HOU; Fl. Males. I 5⁴ (1958) 491; CORNER, Ways. Trees, 3rd ed. (1988) 615; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 320; KENG, Conc. Fl. Sing. (1990) 74.
- 2073 **Rhizophora apiculata** BL.; DING HOU; Fl. Males. I 5⁴ (1958) 452; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 322; KENG, Conc. Fl. Sing. (1990) 74; — *R. conjugata* (non L.) ARN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 693; WATSON, Mal. For. Rec. 6 (1928) 27.
- 2074 **Rhizophora mucronata** LAM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 693; WATSON, Mal. For. Rec. 6 (1928) 27; DING HOU; Fl. Males. I 5⁴ (1958) 453; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 322; KENG, Conc. Fl. Sing. (1990) 74.
- 2075 **Rhizophora stylosa** GRIFF.; RIDLEY, Fl. Mal. Pen. 1 (1922) 693; DING HOU; Fl. Males. I 5⁴ (1958) 456; KOCHUMMEN, Tree Fl. Malaya 4 (1989) 323; KENG, Conc. Fl. Sing. (1990) 74.

ROSACEAE

- A 2076 **Duchesnea indica** (ANDREWS) FOCKE; KENG, Conc. Fl. Sing. (1990) 27; — *Fragaria indica* ANDR.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 39.
- 2077 **Prunus arborea** (BL.) KALKM.; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 338; CORNER, Ways. Trees, 3rd ed. (1988) 619; KENG, Conc. Fl. Sing. (1990) 27; — *Pygeum persimile* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 675; — *Pygeum ovalifolium* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 677; — *Pygeum patens* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 676; — *Pygeum rubiginosum* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 677; — *Pygeum parviflorum* T. & B.; RIDLEY, Fl. Mal. Pen. 1 (1922) 675; CORNER, Ways. Trees 1st ed. (1940) 529.
- 2078 **Prunus grisea** (C. MUELL.) KALKM.; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 337; KENG, Conc. Fl. Sing. (1990) 27; — *Pygeum lanceolatum* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 674 (*incl. var. maingayi*); SINCLAIR, Gard. Bull. Sing. 15 (1956) 23; — *Pygeum maingayi* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78.
- 2079 **Prunus polystachya** (HOOK.f.) KALKM.; PRANCE & WHITMORE, Tree Fl. Malaya 2 (1973) 339; CORNER, Ways. Trees, 3rd ed. (1988) 619; KENG, Conc. Fl. Sing. (1990) 27; — *Pygeum polystachyum* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 674; CORNER, Ways. Trees 1st ed. (1940) 528.
- 2080a **Rubus moluccanus** L. var. **moluccanus**; KALKMAN, Blumea 29 (1984) 356; — *R. glomeratus* auct., non BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 679; HENDERSON, Mal. Wild Fl. Dic. (1959) 105; KENG, Conc. Fl. Sing. (1990) 28.

- 2080b **Rubus moluccanus var. angulosus** KALCKMAN, Blumea 29 (1984) 364; — *R. moluccanus*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; HENDERSON, Mal. Wild Fl. Dic. (1959) 105; KENG, Conc. Fl. Sing. (1990) 28; — *R. angulosus* (non GREMLI) FOCKE; RIDLEY, Fl. Mal. Pen. 1 (1922) 678.

RUBIACEAE

- 2081 **Aidia corymbosa** (BL.) K.M. WONG, Malay. Nat. J. 38 (1984) 19; — *Randia auriculata* (WALL.) SCHUM.; RIDLEY, Fl. Mal. Pen. 2 (1923) 75; KENG, Conc. Fl. Sing. (1990) 160.
- 2082 **Aidia wallichiana** TIRV.; WONG, Tree Fl. Malaya 4 (1989) 338; — *Randia densiflora* (WALL.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; RIDLEY, Fl. Mal. Pen. 2 (1923) 75; CORNER, Ways. Trees 1st ed. (1940) 555; CORNER, Ways. Trees, 3rd ed. (1988) 647; — *Aidia cochinchinensis sensu* WONG *pro parte non* LOUR., Malay. Nat. J. 38 (1984) 10; — *Randia cochinchinensis* (LOUR.) MERR.; KENG, Conc. Fl. Sing. (1990) 160.
- A 2083 **Borreria alata** (AUBL.) DC.; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 152; — *B. latifolia* K. SCHUM.; RIDLEY, Fl. Mal. Pen. 2 (1923) 175; HENDERSON, Mal. Wild Fl. Dic. (1959) 229.
- 2084 **Borreria articularis** (L.f.) F.N. WILL.; KENG, Conc. Fl. Sing. (1990) 152; — *Spermacoce hispida* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 100; — *B. hispida* K. SCHUM.; RIDLEY, Fl. Mal. Pen. 2 (1923) 175; HENDERSON, Mal. Wild Fl. Dic. (1959) 229.
- 2085 **Borreria laevicaulis** (MIQ.) RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 176; HENDERSON, Mal. Wild Fl. Dic. (1959) 229; KENG, Conc. Fl. Sing. (1990) 152.
- A 2086 **Borreria laevis** (LAMK.) GRISEB.; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 152.
- A 2087 **Borreria ocyoides** (BURM. f.) DC.; KENG, Conc. Fl. Sing. (1990) 152.
- 2088 **Borreria setidens** (MIQ.) BOLD.; RIDLEY, Fl. Mal. Pen. 1 (1922) 177; HENDERSON, Mal. Wild Fl. Dic. (1959) 229; KENG, Conc. Fl. Sing. (1990) 152.
- 2089 **Caelospermum truncatum** (WALL.) BAILL. ex K. SCHUM.; RIDLEY, Fl. Mal. Pen. 2 (1923) 121; JOHANSSON, Blumea 33 (1988) 277; — *C. scandens* BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 121; KENG, Conc. Fl. Sing. (1990) 153.
- 2090 **Canthium confertum** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96; RIDLEY, Fl. Mal. Pen. 2 (1923) 125; CORNER, Ways. Trees, 3rd ed. (1988) 626; WONG, Tree Fl. Malaya 4 (1989) 342; KENG, Conc. Fl. Sing. (1990) 152.
- 2091 **Canthium glabrum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96; RIDLEY, Fl. Mal. Pen. 2 (1923) 124; CORNER, Ways. Trees, 3rd ed. (1988) 627; WONG, Tree Fl. Malaya 4 (1989) 343; KENG, Conc. Fl. Sing. (1990) 152.
- 2092 **Canthium horridum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96; RIDLEY, Fl. Mal. Pen. 2 (1923) 123; WONG, Tree Fl. Malaya 4 (1989) 341; KENG, Conc. Fl. Sing. (1990) 152; — *C. scandens* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96.

- 2093 **Canthium molle** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 123; WONG, Tree Fl. Malaya 4 (1989) 341; KENG, Conc. Fl. Sing. (1990) 152.
- 2094 **Cephaelis singaporensis** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 144; KENG, Conc. Fl. Sing. (1990) 152.
- 2095 **Chasalia chartacea** CRAIB; HENDERSON, Mal. Wild Fl. Dic. (1959) 223; CORNER, Ways. Trees, 3rd ed. (1988) 627; WONG, Tree Fl. Malaya 4 (1989) 344; KENG, Conc. Fl. Sing. (1990) 152.
- 2096 **Chasalia curviflora** (WALL.) THW.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 142; WONG, Tree Fl. Malaya 4 (1989) 344; KENG, Conc. Fl. Sing. (1990) 152.
- 2097 **Chasalia pubescens** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 143; WONG, Tree Fl. Malaya 4 (1989) 344; KENG, Conc. Fl. Sing. (1990) 153.
- 2098 **Coptosapelta griffithii** HOOK.f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 17; HENDERSON, Mal. Wild Fl. Dic. (1959) 196; KENG, Conc. Fl. Sing. (1990) 153.
- 2099 **Coptosapelta parviflora** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 18; KENG, Conc. Fl. Sing. (1990) 153.
- 2100 **Coptosapelta tomentosa** (BL.) VAL. ex K. HEYNE; HENDERSON, Mal. Wild Fl. Dic. (1959) 195; KENG, Conc. Fl. Sing. (1990) 153; — *C. flavescentia* KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 91; RIDLEY, Fl. Mal. Pen. 2 (1923) 17.
- 2101 **Dentella repens** (L.) J.R. & G. FORST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 44; KENG, Conc. Fl. Sing. (1990) 153.
- A 2102 **Diodia ocytropis** (WILLD. ex R. & S.) BREMEK.; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 153.
- A 2103 **Diodia sarmentosa** SWARTZ; RIDLEY, Fl. Mal. Pen. 2 (1923) 174; HENDERSON, Mal. Wild Fl. Dic. (1959) 228; CORLETT, J. Biogeog. (1988) 662; KENG, Conc. Fl. Sing. (1990) 153; — *Spermacoce scaberrima* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 100.
- 2104 **Diplospora malaccensis** HOOK.f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 86; CORNER, Ways. Trees, 3rd ed. (1988) 629; WONG, Tree Fl. Malaya 4 (1989) 346; KENG, Conc. Fl. Sing. (1990) 153.
- 2105 **Gaertnera grisea** HOOK. f. ex CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; RIDLEY, Fl. Mal. Pen. 2 (1923) 431; VAN BEUSEKOM, Blumea 15 (1967) 373; WONG, Tree Fl. Malaya 4 (1989) 347; KENG, Conc. Fl. Sing. (1990) 153.
- 2106 **Gaertnera obesa** HOOK. f. ex CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; RIDLEY, Fl. Mal. Pen. 2 (1923) 431; VAN BEUSEKOM, Blumea 15 (1967) 381; WONG, Tree Fl. Malaya 4 (1989) 347; KENG, Conc. Fl. Sing. (1990) 154.

- 2107 **Gaertnera vaginans** (DC.) MERR. *ssp junghuhnii* (MIQ.) VAN BEUSEKOM, Blumea 15 (1967) 388; WONG, Tree Fl. Malaya 4 (1989) 348; — *G. koenigii* (ARN.) WIGHT *var. oxyphylla* (BENTH.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; — *G. acuminata* BENTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 427 (*incl. var. oxyphylla* RIDL. & *var. montana* RIDL.); — *G. caudata* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 429; — *G. ramosa* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 429; — *G. pedicellata* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 429; — *G. sessiliflora* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 427.
- 2108 **Gaertnera viminea** HOOK. f. ex CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 115; RIDLEY, Fl. Mal. Pen. 2 (1923) 427; VAN BEUSEKOM, Blumea 15 (1967) 377; WONG, Tree Fl. Malaya 4 (1989) 348; KENG, Conc. Fl. Sing. (1990) 154.
- 2109 **Gardenia griffithii** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; RIDLEY, Fl. Mal. Pen. 2 (1923) 83; CORNER, Ways. Trees, 3rd ed. (1988) 631; WONG, Tree Fl. Malaya 4 (1989) 349; KENG, Conc. Fl. Sing. (1990) 154.
- 2110 **Gardenia tubifera** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; RIDLEY, Fl. Mal. Pen. 2 (1923) 82; CORNER, Ways. Trees, 3rd ed. (1988) 631; WONG, Tree Fl. Malaya 4 (1989) 349; KENG, Conc. Fl. Sing. (1990) 154; — *G. speciosa* [*non* SALISB.] (HOOK. f.); RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; RIDLEY, Fl. Mal. Pen. 2 (1923) 83; — *G. resinifera* KORTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 82.
- WONG Gard. Bull. Sing. 35 (1982) 22 & Tree Fl. Malaya 4 (1989) 350) recognises *var. subcarinata* CORNER and *var. tubifera forma tubifera* and *var. tubifera forma elata* (RIDL.) WONG, all of which are recorded from Singapore.
- 2111 **Gardeniopsis longifolia** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; RIDLEY, Fl. Mal. Pen. 2 (1923) 112; WONG, Tree Fl. Malaya 4 (1989) 350; KENG, Conc. Fl. Sing. (1990) 154.
- 2112 **Geophila pilosa** PEARS.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 2 (1923) 146; KENG, Conc. Fl. Sing. (1990) 154; — *G. hirta* (*non* MIQ.) RIDL., J. Str. Br. R. As. Soc. 33 (1900) 99.
- 2113 **Guettarda speciosa** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; RIDLEY, Fl. Mal. Pen. 2 (1923) 112; CORNER, Ways. Trees 1st ed. (1940) 542; WONG, Kew Bull. 43 (1988) 496; CORNER, Ways. Trees, 3rd ed. (1988) 633; WONG, Tree Fl. Malaya 4 (1989) 351; KENG, Conc. Fl. Sing. (1990) 154.
- 2114 **Gynochthodes coriacea** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 122; KENG, Conc. Fl. Sing. (1990) 154.
- 2115 **Gynochthodes sublanceolata** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 97; RIDLEY, Fl. Mal. Pen. 2 (1923) 122; HENDERSON, Mal. Wild Fl. Dic. (1959) 220; KENG, Conc. Fl. Sing. (1990) 155.
- 2116 **Hedyotis auricularia** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 49; KENG, Conc. Fl. Sing. (1990) 155.

- 2117 **Hedyotis biflora** (L.) LAMK.; KENG, Conc. Fl. Sing. (1990) 155; — *Oldenlandia paniculata* L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 53; HENDERSON, Mal. Wild Fl. Dic. (1959) 207.
- 2118 **Hedyotis capitellata** WALL. ex G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 46; KENG, Conc. Fl. Sing. (1990) 155.
- 2119 **Hedyotis caerulea** W. & A.; RIDLEY, Fl. Mal. Pen. 2 (1923) 52; SINCLAIR, Gard. Bull. Sing. 14 (1953) 33.
- 2120 **Hedyotis congesta** R. BR. ex G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 51; KENG, Conc. Fl. Sing. (1990) 155.
- 2121 **Hedyotis corymbosa** (L.) LAMK.; KENG, Conc. Fl. Sing. (1990) 155; — *Oldenlandia corymbosa* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 54; HENDERSON, Mal. Wild Fl. Dic. (1959) 206.
- 2122 **Hedyotis dichotoma** KOEN. ex ROTH; KENG, Conc. Fl. Sing. (1990) 155; — *Oldenlandia dichotoma* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 53; HENDERSON, Mal. Wild Fl. Dic. (1959) 207.
- 2123 **Hedyotis diffusa** WILLD.; KENG, Conc. Fl. Sing. (1990) 155; — *Oldenlandia diffusa* (WILLD.) ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 54; HENDERSON, Mal. Wild Fl. Dic. (1959) 206.
- 2124 **Hedyotis herbacea** L.; KENG, Conc. Fl. Sing. (1990) 155.
- 2125 **Hedyotis pinifolia** WALL. ex G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 52; HENDERSON, Mal. Wild Fl. Dic. (1959) 204; KENG, Conc. Fl. Sing. (1990) 155.
- 2126 **Hedyotis pumila** L. f.; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 131.
- 2127 **Hedyotis trinervia** (RETZ.) R. & S.; MAXWELL, Gard. Bull. Sing. 35 (1983) 198; KENG, Conc. Fl. Sing. (1990) 155; — *Oldenlandia trinervia* RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 55.
- 2128 **Hedyotis vestita** R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 92; RIDLEY, Fl. Mal. Pen. 2 (1923) 49.
- 2129 **Hydnophytum formicarium** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 172; HENDERSON, Mal. Wild Fl. Dic. (1959) 226; KENG, Conc. Fl. Sing. (1990) 155.
- 2130 **Hypobathrum coniferum** (RIDL.) BAKH. f.; KENG, Conc. Fl. Sing. (1990) 156; — *Petunga venulosa* (*non* HOOK. f.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; — *Petunga conifera* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 85; — *H. sp. 11*, WONG, Tree Fl. Malaya 4 (1989) 355.
- 2131 **Ixora concinna** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 97; RIDLEY, Fl. Mal. Pen. 2 (1923) 95; CORNER, Ways. Trees, 3rd ed. (1988) 637; WONG, Tree Fl. Malaya 4 (1989) 360.

- 2132 ***Ixora congesta*** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96; RIDLEY, Fl. Mal. Pen. 2 (1923) 93; CORNER, Ways. Trees, 3rd ed. (1988) 637; WONG, Tree Fl. Malaya 4 (1989) 361.
- 2133 ***Ixora grandifolia*** Z. & M.; RIDLEY, Fl. Mal. Pen. 2 (1923) 97; CORNER, Ways. Trees, 3rd ed. (1988) 637; WONG, Tree Fl. Malaya 4 (1989) 364; KENG, Conc. Fl. Sing. (1990) 156; — *I. crassifolia* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 98; — *I. elliptica* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 98; — *I. fluminalis* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 97.
- 2134 ***Ixora lobbii*** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 93; CORNER, Ways. Trees, 3rd ed. (1988) 638; WONG, Tree Fl. Malaya 4 (1989) 361; KENG, Conc. Fl. Sing. (1990) 156; — *I. fulgens* (*non* ROXB.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96.
- 2135 ***Ixora pendula*** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96; RIDLEY, Fl. Mal. Pen. 2 (1923) 95 (*incl. var. opaca* RIDL.); CORNER, Ways. Trees, 3rd ed. (1988) 638; WONG, Tree Fl. Malaya 4 (1989) 359; KENG, Conc. Fl. Sing. (1990) 156; — *I. opaca* DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96.
- 2136 ***Ixora umbellata*** K. & V.; CORNER, Ways. Trees, 3rd ed. (1988) 638; WONG, Tree Fl. Malaya 4 (1989) 358; KENG, Conc. Fl. Sing. (1990) 156.
- 2137 ***Jackiopsis ornata*** (WALL.) RIDSDALE, Blumea 25 (1979) 295; WONG, Tree Fl. Malaya 4 (1989) 364; KENG, Conc. Fl. Sing. (1990) 156; — *Jackia ornata* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; RIDLEY, Fl. Mal. Pen. 2 (1923) 89, CORNER, Ways. Trees 1st ed. (1940) 548; CORNER, Ways. Trees, 3rd ed. (1988) 639.
- 2138 ***Lasianthus appressus*** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 156; WONG, Tree Fl. Malaya 4 (1989) 371; KENG, Conc. Fl. Sing. (1990) 156.
- 2139 ***Lasianthus attenuatus*** JACK; RIDLEY, Fl. Mal. Pen. 2 (1923) 156; WONG, Tree Fl. Malaya 4 (1989) 367; KENG, Conc. Fl. Sing. (1990) 156.
- 2140 ***Lasianthus constrictus*** WIGHT; RIDLEY, Fl. Mal. Pen. 2 (1923) 163; WONG, Tree Fl. Malaya 4 (1989) 369; KENG, Conc. Fl. Sing. (1990) 157.
- 2141 ***Lasianthus cyanocarpus*** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 153; HENDERSON, Mal. Wild Fl. Dic. (1959) 224; WONG, Tree Fl. Malaya 4 (1989) 370; KENG, Conc. Fl. Sing. (1990) 157.
- 2142 ***Lasianthus densifolius*** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 156 (*incl. var. calycina* KING & *var. latifolia* KING); WONG, Tree Fl. Malaya 4 (1989) 368.
- 2143 ***Lasianthus ellipticus*** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 159; WONG, Tree Fl. Malaya 4 (1989) 372; KENG, Conc. Fl. Sing. (1990) 157.
- 2144 ***Lasianthus glaber*** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 155; WONG, Tree Fl. Malaya 4 (1989) 373.

- 2145 **Lasianthus griffithii** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 152 (*incl. var. latibracteata* K. & G.); WONG, Tree Fl. Malaya 4 (1989) 371; KENG, Conc. Fl. Sing. (1990) 157.
- 2146 **Lasianthus maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 160; WONG, Tree Fl. Malaya 4 (1989) 369; KENG, Conc. Fl. Sing. (1990) 157.
- 2147 **Lasianthus perakensis** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 160; WONG, Tree Fl. Malaya 4 (1989) 372; — *L. flavinervius* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 162.
- 2148 **Lasianthus pterospermus** WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 160; WONG, Tree Fl. Malaya 4 (1989) 368; — *L. longifolius* sensu RIDL. *p.p.*; RIDLEY, Fl. Mal. Pen. 2 (1923) 164.
- 2149 **Lasianthus ridleyi** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 154; WONG, Tree Fl. Malaya 4 (1989) 371; KENG, Conc. Fl. Sing. (1990) 157; — *L. maingayi* var. *hirta* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 160; — *L. singaporense* KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 159; KENG, Conc. Fl. Sing. (1990) 157.
- 2150 **Lasianthus scabridus** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 152; WONG, Tree Fl. Malaya 4 (1989) 370; KENG, Conc. Fl. Sing. (1990) 157.
- 2151 **Lasianthus sp. 8**, WONG, Tree Fl. Malaya 4 (1989) 373.
- 2152 **Lasianthus stipularis** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99; RIDLEY, Fl. Mal. Pen. 2 (1923) 152; HENDERSON, Mal. Wild Fl. Dic. (1959) 224; WONG, Tree Fl. Malaya 4 (1989) 368; KENG, Conc. Fl. Sing. (1990) 157.
- 2153 **Lasianthus tomentosus** BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 161; WONG, Tree Fl. Malaya 4 (1989) 371; KENG, Conc. Fl. Sing. (1990) 157; — *L. chryseus* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 158; KENG, Conc. Fl. Sing. (1990) 157.
- 2154 **Lecananthus erubescens** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; RIDLEY, Fl. Mal. Pen. 2 (1923) 57; HENDERSON, Mal. Wild Fl. Dic. (1959) 211; KENG, Conc. Fl. Sing. (1990) 157.
- 2155 **Lucinaea membranacea** KING; RIDLEY, Fl. Mal. Pen. 2 (1923) 56; HENDERSON, Mal. Wild Fl. Dic. (1959) 209; KENG, Conc. Fl. Sing. (1990) 157.
- 2156 **Lucinaea morinda** DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 93; RIDLEY, Fl. Mal. Pen. 2 (1923) 56; KENG, Conc. Fl. Sing. (1990) 157.
- A 2157 **Morinda citrifolia** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 97; RIDLEY, Fl. Mal. Pen. 2 (1923) 117; CORLETT, J. Biogeog. (1988) 662; CORNER, Ways. Trees, 3rd ed. (1988) 641; WONG, Tree Fl. Malaya 4 (1989) 377; KENG, Conc. Fl. Sing. (1990) 157.
- 2158 **Morinda ridleyi** (KING & GAMBLE) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 118; WONG, Tree Fl. Malaya 4 (1989) 377; KENG, Conc. Fl. Sing. (1990) 158; — *M. sp. "A tall climber"*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 97.
- 2159 **Morinda rigida** Miq.; RIDLEY, Fl. Mal. Pen. 2 (1923) 118; WONG, Tree Fl. Malaya 4 (1989) 376; KENG, Conc. Fl. Sing. (1990) 158.

- 2160 **Morinda umbellata** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 97; RIDLEY, Fl. Mal. Pen. 2 (1923) 119; HENDERSON, Mal. Wild Fl. Dic. (1959) 219; WONG, Tree Fl. Malaya 4 (1989) 377; KENG, Conc. Fl. Sing. (1990) 158.
- 2161 **Mussaenda glabra** VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 93; RIDLEY, Fl. Mal. Pen. 2 (1923) 61; HENDERSON, Mal. Wild Fl. Dic. (1959) 213; KENG, Conc. Fl. Sing. (1990) 158.
- 2162 **Mussaenda mutabilis** HOOK.f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 58; HENDERSON, Mal. Wild Fl. Dic. (1959) 212; KENG, Conc. Fl. Sing. (1990) 158.
- 2163 **Mussaendopsis beccariana** BAILL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 19; WONG, Tree Fl. Malaya 4 (1989) 378; KENG, Conc. Fl. Sing. (1990) 158.
- 2164 **Mycetia malayana** (WALL. ex RIDL.) CRAIB; WONG, Tree Fl. Malaya 4 (1989) 379; KENG, Conc. Fl. Sing. (1990) 158; — *Adenosacme longifolia* WALL. ex HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 93; — *Adenosacme malayana* WALL. ex RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 63.
- 2165 **Myrmecodia tuberosa** JACK; RIDLEY, Fl. Mal. Mal. Pen. 2 (1923) 173; HUXLEY & JEBB, Blumea 37 (1993) 276; — *M. echinata* GAUD.; RIDLEY, J. Str. Br. R. As. Soc. 33(1900) 100; — *M. armata* DC.; Keng, Conc. Fl. Sing. (1990) 158.
- 2166 **Nauclea officinalis** (PIERRE ex PITARD) MERR. & CHUN.; RIDSDALE, Blumea 24 (1978) 328; WONG, Tree Fl. Malaya 4 (1989) 380; KENG, Conc. Fl. Sing. (1990) 158; — *Sarcocephalus junghuhnii* (non MIQ.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 90; RIDLEY, Fl. Mal. Pen. 2 (1923) 7; — *N. junghuhnii* auct., non MERR.; CORNER, Ways. Trees 1st ed. (1940) 551; CORNER, Ways. Trees, 3rd ed. (1988) 642.
- 2167 **Nauclea subdita** (KORTH.) STEUD.; RIDSDALE, Blumea 24 (1978) 329; WONG, Tree Fl. Malaya 4 (1989) 381; KENG, Conc. Fl. Sing. (1990) 159; — *Sarcocephalus subditus* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 90; RIDLEY, Fl. Mal. Pen. 2 (1923) 7.
- 2168 **Neonauclea pallida** (REINW. ex HAVIL.) BAKH. f. ssp. **malaccensis** (GAND.) RIDSDALE, Blumea 34 (1989) 199; — *Nauclea purpurascens* (non KORTH.) K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 9; — *N. purpurascens* RIDL.; RIDLEY, Fl. Mal. Pen. 5 (1925) 314, p.p.; — *N. pallida*; WONG, Tree Fl. Malaya 4 (1989) 383.
- 2169 **Neonauclea sp. 2**, WONG, Tree Fl. Malaya 4 (1989) 383.
- 2170 **Ochreinauclea maingayi** (HOOK. f.) RIDSDALE, Blumea 24 (1978) 332; WONG, Tree Fl. Malaya 4 (1989) 385; — *Sarcocephalus maingayi* (Hook. f.) HAVIL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 90; RIDLEY, Fl. Mal. Pen. 2 (1923) 7.
- 2171 **Ophiorrhiza singaporense** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 39; HENDERSON, Mal. Wild Fl. Dic. (1959) 209; KENG, Conc. Fl. Sing. (1990) 159; — *O. harrisiae*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 93.
- 2172 **Oxyceros fragrantissima** (RIDL.) K.M. WONG, Malay. Nat. J. 38 (1984) 43; — *Randia fragrantissima* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 75; KENG, Conc. Fl. Sing. (1990) 160.

- 2173 **Oxyceros longiflora** (LAMK.) YAMAZAKI; WONG, Malay. Nat. J. 38 (1984) 39; — *Randia longiflora* LAMK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; RIDLEY, Fl. Mal. Pen. 2 (1923) 73; KENG, Conc. Fl. Sing. (1990) 161.
- 2174 **Oxyceros penangiana** (KING & GAMBLE) TIRVENG.; WONG, Malay. Nat. J. 38 (1984) 39; — *Randia penangiana* KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 72; KENG, Conc. Fl. Sing. (1990) 161.
- 2175 **Oxyceros scandens** (BL.) TIRVENG.; WONG, Malay. Nat. J. 38 (1984) 42; — *Randia clarkei* KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 72; — *Randia scandens* (BL.) DC.; KENG, Conc. Fl. Sing. (1990) 161.
- 2176 **Paederia foetida** L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 173; HENDERSON, Mal. Wild Fl. Doc. (1959) 227; PUFF, Op. Bot. Belg. 3 (1991) 210; — *P. tomentosa* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 100; — *P. scandens* (LOUR) MERR.; KENG, Conc. Fl. Sing. (1990) 159.
- 2177 **Paederia verticillata** BL.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 89; RIDLEY, Fl. Mal. Pen. 2 (1923) 174; HENDERSON, Mal. Wild Fl. Dic. (1959) 227; KENG, Conc. Fl. Sing. (1990) 159; — *P. foetida* sensu RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 100.
- 2178 **Pavetta wallichiana** STEUD.; WONG, Tree Fl. Malaya 4 (1989) 388.
- 2179 **Pertusadina eurhyncha** (MIQ.) RIDSDALE, Blumea 24 (1978) 354; WONG, Tree Fl. Malaya 4 (1989) 391; — *Adina rubescens* HEMSL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 90; RIDLEY, Fl. Mal. Pen. 2 (1923) 10; KENG, Conc. Fl. Sing. (1990) 152.
- 2180 **Porterandia anisophylla** (JACK ex ROXB.) RIDL.; WONG, Malay. Nat. J. 38 (1984) 45; WONG, Tree Fl. Malaya 4 (1989) 393; — *Randia anisophylla* (JACK ex ROXB.) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; RIDLEY, Fl. Mal. Pen. 2 (1923) 77; CORNER, Ways. Trees 1st ed. (1940) 555; CORNER, Ways. Trees, 3rd ed. (1988) 647; KENG, Conc. Fl. Sing. (1990) 160; — *Randia scorchedinii* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 78; CORNER, Ways. Trees 1st ed. (1940) 556; CORNER, Ways. Trees, 3rd ed. (1988) 648.
- 2181 **Prismatomeris glabra** (KORTH.) VAL.; WONG, Tree Fl. Malaya 4 (1989) 395.
- 2182 **Prismatomeris tetranda** (ROXB.) K. SCHUM. *subsp. malayana* (RIDL.) JOHANSSON; WONG, Tree Fl. Malaya 4 (1989) 396; — *P. albiflora*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 97; — *P. malayana* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 116; — *P. tetranda*; CORNER, Ways. Trees, 3rd ed. (1988) 645; KENG, Conc. Fl. Sing. (1990) 159.
- 2183 **Psychotria angulata** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 138; HENDERSON, Mal. Wild Fl. Dic. (1959) 222; WONG, Tree Fl. Malaya 4 (1989) 398; KENG, Conc. Fl. Sing. (1990) 159.
- 2184 **Psychotria cantleyi** RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 130; KENG, Conc. Fl. Sing. (1990) 159.

- 2185 **Psychotria griffithii** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 137; WONG, Tree Fl. Malaya 4 (1989) 399; KENG, Conc. Fl. Sing. (1990) 159.
- 2186 **Psychotria helferiana** KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 134; WONG, Tree Fl. Malaya 4 (1989) 396; KENG, Conc. Fl. Sing. (1990) 159.
- 2187 **Psychotria maingayi** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 131; KENG, Conc. Fl. Sing. (1990) 160.
- 2188 **Psychotria malayana** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 139; WONG, Tree Fl. Malaya 4 (1989) 397; KENG, Conc. Fl. Sing. (1990) 160; — *P. stipulacea* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 140; HENDERSON, Mal. Wild Fl. Dic. (1959) 222; KENG, Conc. Fl. Sing. (1990) 160.
- 2189 **Psychotria obovata** WALL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 129; HENDERSON, Mal. Wild Fl. Dic. (1959) 221; KENG, Conc. Fl. Sing. (1990) 160; — *P. polycarpa* Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98.
- 2190 **Psychotria ovoidea** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 130; KENG, Conc. Fl. Sing. (1990) 160.
- 2191 **Psychotria penangensis** HOOK. f.; RIDLEY, Fl. Mal. Pen. 2 (1923) 132; KENG, Conc. Fl. Sing. (1990) 160.
- 2192 **Psychotria ridleyi** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 133; KENG, Conc. Fl. Sing. (1990) 160.
- 2193 **Psychotria rostrata** BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 134; HENDERSON, Mal. Wild Fl. Dic. (1959) 222; WONG, Tree Fl. Malaya 4 (1989) 397; KENG, Conc. Fl. Sing. (1990) 160; — *Chasalia rostrata* (BL.) Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 99.
- 2194 **Psychotria sarmentosa** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 98; RIDLEY, Fl. Mal. Pen. 2 (1923) 131; HENDERSON, Mal. Wild Fl. Dic. (1959) 221; KENG, Conc. Fl. Sing. (1990) 160.
- 2195 **Psydrax sp. 10**, WONG, Tree Fl. Malaya 4 (1989) 404; — *Canthium didymum* sensu RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 96, p.p.
- 2196 **Psydrax sp. 11**, WONG, Tree Fl. Malaya 4 (1989) 402.
- 2197 **Rothmannia macrophylla** (R. Br. ex HOOK. f.) BREMEK.; WONG, Malay. Nat. J. 38 (1984) 48; WONG, Tree Fl. Malaya 4 (1989) 406; — *Randia macrophylla* R. Br. ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; RIDLEY, Fl. Mal. Pen. 2 (1923) 78; CORNER, Ways. Trees 1st ed. (1940) 556; HENDERSON, Mal. Wild Fl. Dic. (1959) 216; CORNER, Ways. Trees, 3rd ed. (1988) 648; KENG, Conc. Fl. Sing. (1990) 161.
- 2198 **Saprosma glomerulatum** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 170; CORNER, Ways. Trees, 3rd ed. (1988) 650; WONG, Tree Fl. Malaya 4 (1989) 407; KENG, Conc. Fl. Sing. (1990) 161.

- 2199 **Scyphiphora hydrophyllacea** GAERTN. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; RIDLEY, Fl. Mal. Pen. 2 (1923) 89; WATSON, Mal. For. Rec. 6 (1928) 84; CORNER, Ways. Trees 1st ed. (1940) 559; CORNER, Ways. Trees, 3rd ed. (1988) 650; WONG, Tree Fl. Malaya 4 (1989) 89; KENG, Conc. Fl. Sing. (1990) 161.
- 2200 **Tarenna adpressa** (KING) MERR.; CORNER, Ways. Trees 1st ed. (1940) 560 ("*appressa*"); CORNER, Ways. Trees, 3rd ed. (1988) 651; WONG, Tree Fl. Malaya 4 (1989) 411; KENG, Conc. Fl. Sing. (1990) 161; — *T. papillosa* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 103; — *Stylocoryna adpressa* KING; RIDLEY, Fl. Mal. Pen. 2 (1923) 110.
- 2201 **Tarenna costata** (MIQ.) MERR.; CORNER, Ways. Trees, 3rd ed. (1988) 651; WONG, Tree Fl. Malaya 4 (1989) 415; — *Stylocoryna costata* MIQ.; RIDLEY, Fl. Mal. Pen. 2 (1923) 109.
- 2202 **Tarenna fragrans** (NEES) K. & V.; CORNER, Ways. Trees, 3rd ed. (1988) 652; WONG, Tree Fl. Malaya 4 (1989) 411; KENG, Conc. Fl. Sing. (1990) 161; — ?*Webera fragrans*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; — *Stylocoryna fragrans* (NEES) DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 108.
- 2203 **Tarenna mollis** (WALL. ex HOOK. f.) B.L. ROBINSON; CORNER, Ways. Trees, 3rd ed. (1988) 652; WONG, Tree Fl. Malaya 4 (1989) 416; KENG, Conc. Fl. Sing. (1990) 161; — *Webera mollis* WALL. ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; — *Stylocoryna mollis* (WALL. ex HOOK. f.) KING; RIDLEY, Fl. Mal. Pen. 2 (1923) 109.
- 2204 **Tarenna odorata** (ROXB.) B.L. ROBINSON; RIDLEY, Fl. Mal. Pen. 2 (1923) 105; WONG, Tree Fl. Malaya 4 (1989) 410; — *Webera grandifolia* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; — *T. grandifolia* (HOOK. f.) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 104; KENG, Conc. Fl. Sing. (1990) 161.
- 2205 **Tarenna ridleyi** (PEARS. ex KING) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 106, p.p.; WONG, Tree Fl. Malaya 4 (1989) 412; — *Webera sp.* 6147; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 94; — *Webera ridleyi* PEARNS. ex KING; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88.
- 2206 **Tarenna stellulata** (HOOK. f.) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 106; CORNER, Ways. Trees, 3rd ed. (1988) 653; WONG, Tree Fl. Malaya 4 (1989) 412; KENG, Conc. Fl. Sing. (1990) 162.
- 2207 **Timonius compressicaulis** (MIQ.) BOERL.; CORNER, Ways. Trees 1st ed. (1940) 563; WONG, Kew Bull. 43 (1988) 514; CORNER, Ways. Trees, 3rd ed. (1988) 655; WONG, Tree Fl. Malaya 4 (1989) 417; KENG, Conc. Fl. Sing. (1990) 162; — *T. finlaysonianus* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; RIDLEY, Fl. Mal. Pen. 2 (1923) 113.
- 2208 **Timonius flavescens** (JACK) BAKER; CORNER, Ways. Trees 1st ed. (1940) 564; WONG, Kew Bull. 43 (1988) 504; CORNER, Ways. Trees, 3rd ed. (1988) 655; WONG, Tree Fl. Malaya 4 (1989) 418; KENG, Conc. Fl. Sing. (1990) 162; — *T. jambosella* (non THW.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95; — *T. peduncularis* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 113.

- 2209 **Timonius wallichianus** (KORTH.) VALETON; RIDLEY, Fl. Mal. Pen. 2 (1923) 116; CORNER, Ways. Trees 1st ed. (1940) 564, p.p.; WONG, Kew Bull. 43 (1988) 507; CORNER, Ways. Trees, 3rd ed. (1988) 655; WONG, Tree Fl. Malaya 4 (1989) 417; KENG, Conc. Fl. Sing. (1990) 162; — *T. rumphii* (non DC.) HOOK f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 95.
- 2210 **Timonius wrayi** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 115; WONG, Kew Bull. 43 (1988) 512; WONG, Tree Fl. Malaya 4 (1989) 419; KENG, Conc. Fl. Sing. (1990) 162.
- 2211 **Uncaria acida** (HUNT.) ROXB.; HENDERSON, Mal. Wild Fl. Dic. (1959) 194; RIDSDALE, Blumea 24 (1978) 80; — *U. ovalifolia* ROXB.; RIDLEY, Fl. Mal. Pen. 2 (1923) 14; KENG, Conc. Fl. Sing. (1990) 162.
- 2212 **Uncaria attenuata** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 91; RIDLEY, Fl. Mal. Pen. 2 (1923) 16; RIDSDALE, Blumea 24 (1978) 79; KENG, Conc. Fl. Sing. (1990) 162.
- 2213 **Uncaria calophylla** BL. ex KORTH.; RIDSDALE, Blumea 24 (1978) 85; — *U. jasminiflora* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 91; RIDLEY, Fl. Mal. Pen. 2 (1923) 15; KENG, Conc. Fl. Sing. (1990) 162.
- 2214 **Uncaria cordata** (LOUR.) MERR.; HENDERSON, Mal. Wild Fl. Dic. (1959) 195; RIDSDALE, Blumea 24 (1978) 74; KENG, Conc. Fl. Sing. (1990) 162; — *U. pedicellata* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 91; RIDLEY, Fl. Mal. Pen. 2 (1923) 12; — *U. sclerophylla* (HUNT.) ROXB.; RIDLEY, Fl. Mal. Pen. 2 (1923) 12; KENG, Conc. Fl. Sing. (1990) 163.
- A 2215 **Uncaria gambir** (HUNT.) ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 91; RIDLEY, Fl. Mal. Pen. 2 (1923) 15; RIDSDALE, Blumea 24 (1978) 74; KENG, Conc. Fl. Sing. (1990) 162
- 2216 **Uncaria lanosa** WALL. var. **glabrata** (BL.) RIDSD., Blumea 24 (1978) 86; — *U. glabrata* (BL.) DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 91; RIDLEY, Fl. Mal. Pen. 2 (1923) 14; KENG, Conc. Fl. Sing. (1990) 162.
- 2217 **Uncaria longiflora** (POIR.) MERR. var. **pteropoda** (MIQ.) RIDSD., Blumea 24 (1978) 82; — *U. pteropoda* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 91; RIDLEY, Fl. Mal. Pen. 2 (1923) 15; — *U. longiflora*; KENG, Conc. Fl. Sing. (1990) 162.
- 2218 **Uncaria roxburghiana** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 91; RIDLEY, Fl. Mal. Pen. 2 (1923) 11; HENDERSON, Mal. Wild Fl. Dic. (1959) 195; RIDSDALE, Blumea 24 (1978) 89; KENG, Conc. Fl. Sing. (1990) 162.
- 2219 **Urophyllum blumeanum** (WIGHT) HOOK. f.; WONG, Tree Fl. Malaya 4 (1989) 421; — *U. glabrum* var. *blumeanum* sensu RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 69.
- 2220 **Urophyllum corymbosum** (BL.) KORTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 67; WONG, Tree Fl. Malaya 4 (1989) 422.
- 2221 **Urophyllum glabrum** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 93; RIDLEY, Fl. Mal. Pen. 2 (1923) 68; HENDERSON, Mal. Wild Fl. Dic. (1959) 215; WONG, Tree Fl. Malaya 4 (1989) 423; KENG, Conc. Fl. Sing. (1990) 163.

- 2222 ***Urophyllum griffithianum*** (WIGHT) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 93; RIDLEY, Fl. Mal. Pen. 2 (1923) 69; WONG, Tree Fl. Malaya 4 (1989) 423; KENG, Conc. Fl. Sing. (1990) 163.
- 2223 ***Urophyllum hirsutum*** (WIGHT) HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 93; RIDLEY, Fl. Mal. Pen. 2 (1923) 66; WONG, Tree Fl. Malaya 4 (1989) 422; KENG, Conc. Fl. Sing. (1990) 163.
- 2224 ***Urophyllum macrophyllum*** KORTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 66; WONG, Tree Fl. Malaya 4 (1989) 422; KENG, Conc. Fl. Sing. (1990) 163.
- 2225 ***Urophyllum sp.* 2** WONG, Tree Fl. Malaya 4 (1989) 421.
- 2226 ***Urophyllum streptopodium*** WALL. ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 93; RIDLEY, Fl. Mal. Pen. 2 (1923) 67; WONG, Tree Fl. Malaya 4 (1989) 421; KENG, Conc. Fl. Sing. (1990) 163.
- 2227 ***Urophyllum trifurcum*** PEARS. ex KING & GAMBLE; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 88; RIDLEY, Fl. Mal. Pen. 2 (1923) 68; WONG, Tree Fl. Malaya 4 (1989) 422; KENG, Conc. Fl. Sing. (1990) 163.

RUTACEAE

- 2228 ***Acronychia porteri*** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 56; RIDLEY, Fl. Mal. Pen. 1 (1922) 348; STONE, Tree Fl. Malaya 1 (1972) 371; KENG, Conc. Fl. Sing. (1990) 97.
- 2229 ***Clausena excavata*** BURM. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 56; RIDLEY, Fl. Mal. Pen. 1 (1922) 352; CORNER, Ways. Trees 1st ed. (1940) 570; STONE, Tree Fl. Malaya 1 (1972) 375; CORNER, Ways. Trees, 3rd ed. (1988) 662; KENG, Conc. Fl. Sing. (1990) 97.
- 2230 ***Euodia glabra*** (BL.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 56; RIDLEY, Fl. Mal. Pen. 1 (1922) 342; STONE, Tree Fl. Malaya 1 (1972) 377; CORNER, Ways. Trees, 3rd ed. (1988) 664; KENG, Conc. Fl. Sing. (1990) 97.
- 2231 ***Euodia robusta*** HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 56; RIDLEY, Fl. Mal. Pen. 1 (1922) 343; STONE, Tree Fl. Malaya 1 (1972) 379; KENG, Conc. Fl. Sing. (1990) 97.
- 2232 ***Euodia roxburghiana*** (CHAM.) BENTH. ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 56; STONE, Tree Fl. Malaya 1 (1972) 379; KENG, Conc. Fl. Sing. (1990) 97; — *E. malayana* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 342.
- 2233 ***Glycosmis chlorosperma*** (BL.) SPR.; STONE, Tree Fl. Malaya 1 (1972) 382; CORNER, Ways. Trees, 3rd ed. (1988) 666; KENG, Conc. Fl. Sing. (1990) 98; — *G. malayana* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 350.
- 2234 ***Glycosmis lanceolata*** (BL.) SPR. ex TEYSM. & BINN.; STONE, Tree Fl. Malaya 1 (1972) 381; KENG, Conc. Fl. Sing. (1990) 98; — *G. citrifolia* [non (WILLD.) LINDL.] RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 349.
- 2235 ***Luvunga crassifolia*** TANAKA; — *L. eleutheranthera* DALZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57 (*erroneously corrected to L. scandens* HAM. RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 87), RIDLEY, Fl. Mal. Pen. 1 (1922) 355.

2236 **Merope angulata** (WILLD.) SWINGLE; STONE, Tree Fl. Malaya 1 (1972) 382; KENG, Conc. Fl. Sing. (1990) 98; — *Paramignya longispina* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57; RIDLEY, Fl. Mal. Pen. 1 (1922) 356; — *Paramignya angulata* (WILLD.) BURKILL; CORNER, Ways. Trees 1st ed. (1940) 578; CORNER, Ways. Trees, 3rd ed. (1988) 670.

2237 **Paramignya scandens** (GRIFF.) CRAIB var. *ridleyi* (BURKILL) SWINGLE; STONE, Tree Fl. Malaya 1 (1972) 384; KENG, Conc. Fl. Sing. (1990) 98; — *Paramignya griffithii* HOOK.f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 356.

A 2238 **Zanthoxylum nitidum** (ROXB.) DC.; STONE, Tree Fl. Malaya 1 (1972) 386; KENG, Conc. Fl. Sing. (1990) 98; — *Z. hirtellum* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 347.

SABIACEAE

2239 **Meliosma lanceolata** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. 1 (1922) 516; VAN BEUSEKOM & VAN DE WATER, Fl. Males. I 10⁴ (1989) 704; SAW, Tree Fl. Malaya 4 (1989) 427; KENG, Conc. Fl. Sing. (1990) 125; — *M. levis* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 515.

2240 **Meliosma pinnata** (ROXB.) MAXIM ssp. *ridleyi* (KING) BEUS.; VAN BEUSEKOM & VAN DE WATER, Fl. Males. I 10⁴ (1989) 710; SAW, Tree Fl. Malaya 4 (1989) 428; KENG, Conc. Fl. Sing. (1990) 125; — *M. ridleyi* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. 1 (1922) 516; — *M. elegans* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 515.

2241 **Meliosma simplicifolia** (ROXB.) WALP. ssp. *fruticosa* (BL.) BEUS.; VAN BEUSEKOM & VAN DE WATER, Fl. Males. I 10⁴ (1989) 701; SAW, Tree Fl. Malaya 4 (1989) 429; KENG, Conc. Fl. Sing. (1990) 125; — *M. elliptica* HOOK.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. 1 (1922) 514; — *M. lancifolia* HOOK.f.; RIDLEY, Fl. Mal. Pen. 1 (1922) 514.

2242 **Sabia erratica** P.M. v.d. WATER; VAN BEUSEKOM & VAN DE WATER, Fl. Males. I 10⁴ (1989) 684; KENG, Conc. Fl. Sing. (1990) 125.

SANTALACEAE

2243 **Dendrotrophe buxifolia** (BL.) MIQ.; WHITMORE, Tree Fl. Malaya 2 (1973) 342; KENG, Conc. Fl. Sing. (1990) 128; — *Henslowia buxifolia* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 133; RIDLEY, Fl. Mal. Pen. 3 (1924) 170; HENDERSON, Mal. Wild Fl. Dic. (1959) 456.

2244 **Dendrotrophe varians** (BL.) MIQ.; WHITMORE, Tree Fl. Malaya 2 (1973) 342; — *Henslowia lobbiana* A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 133; RIDLEY, Fl. Mal. Pen. 3 (1924) 169; — *Henslowia minor* RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 167; — *Henslowia philippinensis* A. DC.; RIDLEY, Fl. Mal. Pen. 3 (1924) 168; — *Henslowia ridleyi* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 167; — *Henslowia varians* BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 170; — *Henslowia wrayi* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 168.

- 2245 **Scleropyrum wallichianum** (WIGHT & ARN.) ARNOTT; WHITMORE, Tree Fl. Malaya 2 (1973) 343; KENG, Conc. Fl. Sing. (1990) 128; — *S. maingayi* HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 133; RIDLEY, Fl. Mal. Pen. 3 (1924) 171; — *S. ridleyi* GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 171.

SAPINDACEAE

- 2246 **Allophylus cobbe** (L.) RAEUSCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; CORNER, Ways. Trees, 3rd ed. (1988) 677; YAP, Tree Fl. Malaya 4 (1989) 436; KENG, Conc. Fl. Sing. (1990) 120; — *A. fulvinervis* BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 489; — *A. glaber* ROXB.; RIDLEY, Fl. Mal. Pen. 1 (1922) 489; — *A. scandens* RIDL. RIDLEY, Fl. Mal. Pen. 1 (1922) 490; — *A. ternatus* LOUR.; RIDLEY, Fl. Mal. Pen. 1 (1922) 490; — *A. villosus* RADLK.; RIDLEY, Fl. Mal. Pen. 1 (1922) 490.
- 2247 **Arytera littoralis** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; RIDLEY, Fl. Mal. Pen. 1 (1922) 507; YAP, Tree Fl. Malaya 4 (1989) 438; KENG, Conc. Fl. Sing. (1990) 121.
- 2248 **Cardiospermum halicacabum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65; RIDLEY, Fl. Mal. Pen. 1 (1922) 488; HENDERSON, Mal. Wild Fl. Dic. (1959) 59; YAP, Tree Fl. Malaya 4 (1989) 434; KENG, Conc. Fl. Sing. (1990) 120.
- 2249 **Guioa bijuga** (HIERN) RADLK.; CORNER, Ways. Trees, 3rd ed. (1988) 680; YAP, Tree Fl. Malaya 4 (1989) 441; KENG, Conc. Fl. Sing. (1990) 120; — *G. pleuropteris* var. *bijuga* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 505.
- 2250 **Guioa pleuropteris** (BL.) RADLK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; RIDLEY, Fl. Mal. Pen. 1 (1922) 505; CORNER, Ways. Trees, 3rd ed. (1988) 680; YAP, Tree Fl. Malaya 4 (1989) 442; KENG, Conc. Fl. Sing. (1990) 120.
- 2251 **Guioa pubescens** (Z. & M.) RADLK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; RIDLEY, Fl. Mal. Pen. 1 (1922) 506; CORNER, Ways. Trees, 3rd ed. (1988) 681; YAP, Tree Fl. Malaya 4 (1989) 442; KENG, Conc. Fl. Sing. (1990) 120.
- 2252 **Lepisanthes rubiginosa** (ROXB.) LEENH., Blumea 17 (1969) 82; YAP, Tree Fl. Malaya 4 (1989) 446; KENG, Conc. Fl. Sing. (1990) 120; — *Erioglossum edule* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; RIDLEY, Fl. Mal. Pen. 1 (1922) 492; — *Lepisanthes hirta* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 494; — *Erioglossum rubiginosum* (ROXB.) BL.; CORNER, Ways. Trees 1st ed. (1940) 587; CORNER, Ways. Trees, 3rd ed. (1988) 679.
- 2253 **Mischocarpus pentapetalus** (ROXB.) RADLK.; VAN DER HAM, Blumea 23 (1977) 271; YAP, Tree Fl. Malaya 4 (1989) 449; KENG, Conc. Fl. Sing. (1990) 120; — *M. fuscescens* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; — *M. sumatranus* BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 508; BURKILL, Dict. (1935) 1480; CORNER, Ways. Trees 1st ed. (1940) 589; CORNER, Ways. Trees, 3rd ed. (1988) 681.
- 2254 **Mischocarpus sundaicus** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; BURKILL, Dict. (1935) 1479; CORNER, Ways. Trees 1st ed. (1940) 589; VAN DER HAM, Blumea 23 (1977) 281; CORNER, Ways. Trees, 3rd ed. (1988) 681; YAP, Tree Fl. Malaya 4 (1989) 449; — *M. lessertianus* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 508; BURKILL, Dict. (1935) 1479.

- 2255 **Nephelium cuspidatum** BL. var. *eriopetalum* (MIQ.) LEENH., Blumea 31 (1986) 389; YAP, Tree Fl. Malaya 4 (1989) 452; KENG, Conc. Fl. Sing. (1990) 121; — *N. eriopetalum* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; RIDLEY, Fl. Mal. Pen. 1 (1922) 502; CORNER, Ways. Trees, 3rd ed. (1988) 684.
- 2256 **Nephelium lappaceum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; LEENHOUTS, Blumea 31 (1986) 398; CORNER, Ways. Trees, 3rd ed. (1988) 684; YAP, Tree Fl. Malaya 4 (1989) 453; KENG, Conc. Fl. Sing. (1990) 121.
- 2257 **Nephelium laurinum** BL.; LEENHOUTS, Blumea 31 (1986) 404; YAP, Tree Fl. Malaya 4 (1989) 453; — *N. rubescens* HIERN; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66 ("rufescens"); RIDLEY, Fl. Mal. Pen. 1 (1922) 500; EJHC2 593; CORNER, Ways. Trees, 3rd ed. (1988) 686; KENG, Conc. Fl. Sing. (1990) 121; — *N. caudifolium* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 500; — *N. herveyi* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 500, *p.p.*
- 2258 **Nephelium ramboutan-ake** (LABILL.) LEENH., Blumea 31 (1986) 415; YAP, Tree Fl. Malaya 4 (1989) 454; KENG, Conc. Fl. Sing. (1990) 121; — *N. chrysanthemum* (non BL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66 (*cult.*); — *N. mutabile* BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 501; CORNER, Ways. Trees, 3rd ed. (1988) 686.
- 2259 **Paranephelium macrophyllum** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; RIDLEY, Fl. Mal. Pen. 1 (1922) 509; CORNER, Ways. Trees 1st ed. (1940) 594; DAVIDS, Blumea 29 (1984) 432; CORNER, Ways. Trees, 3rd ed. (1988) 686; YAP, Tree Fl. Malaya 4 (1989) 456; KENG, Conc. Fl. Sing. (1990) 121.
- 2260 **Pometia pinnata** FORST.; RIDLEY, Fl. Mal. Pen. 1 (1922) 504; CORNER, Ways. Trees, 3rd ed. (1988) 688; YAP, Tree Fl. Malaya 4 (1989) 457; KENG, Conc. Fl. Sing. (1990) 121; — *P. alnifolia* RADLK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; RIDLEY, Fl. Mal. Pen. 1 (1922) 504; CORNER, Ways. Trees, 3rd ed. (1988) 688; — *P. gracilis* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; — *P. macrocarpa* KURZ; RIDLEY, Fl. Mal. Pen. 1 (1922) 503.
- 2261 **Trigonachras acuta** (HIERN) RADLK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; RIDLEY, Fl. Mal. Pen. 1 (1922) 507; CORNER, Ways. Trees 1st ed. (1940) 596; CORNER, Ways. Trees, 3rd ed. (1988) 689; YAP, Tree Fl. Malaya 4 (1989) 459; KENG, Conc. Fl. Sing. (1990) 121.
- 2262 **Xerospermum laevigatum** RADLK.; RIDLEY, Fl. Mal. Pen. 1 (1922) 497; BURKILL, Dict. (1935) 2272; LEENHOUTS, Blumea 28 (1983) 391; YAP, Tree Fl. Malaya 4 (1989) 461; — *X. unijugum* RADLK.; RIDLEY, Fl. Mal. Pen. 1 (1922) 497.
- 2263 **Xerospermum noronhianum** BL.; LEENHOUTS, Blumea 28 (1983) 394; YAP, Tree Fl. Malaya 4 (1989) 461; KENG, Conc. Fl. Sing. (1990) 121; — *X. muricatum* RADLK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; CORNER, Ways. Trees 1st ed. (1940) 456; CORNER, Ways. Trees, 3rd ed. (1988) 690; — *X. wallichii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 66; RIDLEY, Fl. Mal. Pen. 1 (1922) 498; BURKILL, Dict. (1935) 2272; — *X. echinulatum* RADLK.; RIDLEY, Fl. Mal. Pen. 1 (1922) 497; — *X. intermedium* RADLK.; RIDLEY, Fl. Mal. Pen. 1 (1922) 497.

SAPOTACEAE

- 2264 ***Chrysophyllum lanceolatum* (BL.) DC.**; Ng, Tree Fl. Malaya 1 (1972) 396; KENG, Conc. Fl. Sing. (1990) 134; — *C. roxburghii* G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105; RIDLEY, Fl. Mal. Pen. 2 (1923) 257.
- 2265 ***Ganua kingiana* (BRACE)** VAN DEN ASSEM; Ng, Tree Fl. Malaya 1 (1972) 399; KENG, Conc. Fl. Sing. (1990) 134; — *Bassia kingiana* BRACE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106 ("kingii"); RIDLEY, Fl. Mal. Pen. 2 (1923) 267; — *Madhuca kingiana* (BRACE) LAM; RIDLEY, Fl. Mal. Pen. 5 (1925) 319.
- 2266 ***Ganua motleyana* (DE VR.) PIERRE ex DUBARD**; Ng, Tree Fl. Malaya 1 (1972) 399; KENG, Conc. Fl. Sing. (1990) 134; — *Bassia kingiana* BRACE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106; RIDLEY, Fl. Mal. Pen. 2 (1923) 271; — *Madhuca kingiana auct., non* (BRACE) LAM; RIDLEY, Fl. Mal. Pen. 5 (1925) 320; — *G. scorTechinii* K. & G.) LAM; BURKILL, Dict. (1935) 1045.
- 2267 ***Ganua sessilis* (KING & GAMBLE)** LAM; Ng, Tree Fl. Malaya 1 (1972) 399; KENG, Conc. Fl. Sing. (1990) 134; — *Payena sessilis* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 265.
- 2268 ***Madhuca decipiens*** SINCLAIR; Ng, Tree Fl. Malaya 1 (1972) 405; — *Payena grandiflora* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 262, p.p..
- 2269 ***Madhuca malaccensis* (CLARKE)** LAM; RIDLEY, Fl. Mal. Pen. 5 (1925) 319; Ng, Tree Fl. Malaya 1 (1972) 407; KENG, Conc. Fl. Sing. (1990) 134; — *Bassia malaccensis* (CLARKE) K. & G.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106; RIDLEY, Fl. Mal. Pen. 2 (1923) 268; — *Bassia elongata* (non MIQ.) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 272.
- 2270a ***Madhuca sericea* (MIQ.) LAM var. *sericea***; Ng, Tree Fl. Malaya 1 (1972) 410; — *Bassia argentea* CLARKE; RIDLEY, Fl. Mal. Pen. 2 (1923) 270.
- 2270b ***Madhuca sericea* var. *ridleyi*** (GANDOGER) NG; Ng, Tree Fl. Malaya 1 (1972) 410; KENG, Conc. Fl. Sing. (1990) 134.
- 2271 ***Palaquium gutta* (HOOK. f.) BAILL.**; RIDLEY, Fl. Mal. Pen. 2 (1923) 274; Ng, Tree Fl. Malaya 1 (1972) 420; CORNER, Ways. Trees, 3rd ed. (1988) 695; KENG, Conc. Fl. Sing. (1990) 134; — *Dichopsis gutta* (HOOK. f.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106.
- 2272 ***Palaquium hexandrum* (GRIFF.) BAILL.**; RIDLEY, Fl. Mal. Pen. 2 (1923) 277; Ng, Tree Fl. Malaya 1 (1972) 421; KENG, Conc. Fl. Sing. (1990) 135.
- 2273 ***Palaquium microphyllum* KING & GAMBLE**; RIDLEY, Fl. Mal. Pen. 2 (1923) 276; Ng, Tree Fl. Malaya 1 (1972) 423; KENG, Conc. Fl. Sing. (1990) 135.
- 2274 ***Palaquium obovatum* (GRIFF.) ENGL.**; RIDLEY, Fl. Mal. Pen. 2 (1923) 273; Ng, Tree Fl. Malaya 1 (1972) 423; CORNER, Ways. Trees, 3rd ed. (1988) 695; KENG, Conc. Fl. Sing. (1990) 135; — *Dichopsis obovata* (GRIFF.) CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106.
- 2275 ***Palaquium oxleyanum* PIERRE**; RIDLEY, Fl. Mal. Pen. 2 (1923) 275; Ng, Tree Fl. Malaya 1 (1972) 424; KENG, Conc. Fl. Sing. (1990) 135.

- 2276 **Palaquium ridleyi** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 276; Ng, Tree Fl. Malaya 1 (1972) 426; KENG, Conc. Fl. Sing. (1990) 135; — *Mimusops hexandra* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106.
- 2277 **Palaquium rostratum** (MIQ.) BURCK; Ng, Tree Fl. Malaya 1 (1972) 426; KENG, Conc. Fl. Sing. (1990) 135; — *P. bancanum* BURCK; RIDLEY, Fl. Mal. Pen. 2 (1923) 275; — *P. calophylloides* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 276; — *Bassia cuneata* BL. *sensu* RIDLEY (Ridley 6502, see Ng *loc. cit.* 413); RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106; RIDLEY, Fl. Mal. Pen. 2 (1923) 272.
- 2278 **Palaquium xanthochymum** (DE VR.) PIERRE; RIDLEY, Fl. Mal. Pen. 2 (1923) 275; Ng, Tree Fl. Malaya 1 (1972) 428; KENG, Conc. Fl. Sing. (1990) 135; — *Dichopsis rubens* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106.
- ? 2279 **Payena leerii** (T. & B.) KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 106; RIDLEY, Fl. Mal. Pen. 2 (1923) 263; Ng, Tree Fl. Malaya 1 (1972) 438.
One dubiously localised sheet.
- 2280 **Payena lucida** (G. DON) DC.; RIDLEY, Fl. Mal. Pen. 2 (1923) 263; Ng, Tree Fl. Malaya 1 (1972) 433; KENG, Conc. Fl. Sing. (1990) 135; — *P. dasypylla* (MIQ.) PIERRE var. *glabrata* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 265.
- 2281 **Payena maingayi** CLARKE; RIDLEY, Fl. Mal. Pen. 2 (1923) 262; Ng, Tree Fl. Malaya 1 (1972) 433; KENG, Conc. Fl. Sing. (1990) 135; — *P. grandiflora* RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 262, *p.p.*
- 2282 **Payena obscura** BURCK; Ng, Tree Fl. Malaya 1 (1972) 433; KENG, Conc. Fl. Sing. (1990) 135; — *P. havilandii* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 263.
- 2283 **Planchonella maingayi** (CLARKE) VAN ROYEN; Ng, Tree Fl. Malaya 1 (1972) 436; KENG, Conc. Fl. Sing. (1990) 135; — *Sideroxylon maingayi* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105; RIDLEY, Fl. Mal. Pen. 2 (1923) 258; — *Lucuma maingayi* (CLARKE) DUBARD; BURKILL, Dict. (1935) 1369.
- 2284 **Planchonella obovata** (R. BR.) PIERRE; BURKILL, Dict. (1935) 1765; Ng, Tree Fl. Malaya 1 (1972) 437; CORNER, Ways. Trees, 3rd ed. (1988) 696; KENG, Conc. Fl. Sing. (1990) 135; — *Sideroxylon ferrugineum* HOOK. & ARN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105; RIDLEY, Fl. Mal. Pen. 2 (1923) 259.
- 2285 **Pouteria malaccensis** (CLARKE) BAEHNI; Ng, Tree Fl. Malaya 1 (1972) 438; KENG, Conc. Fl. Sing. (1990) 135; — *Sideroxylon malaccense* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 105; RIDLEY, Fl. Mal. Pen. 2 (1923) 258; — *Lucuma malaccensis* (CLARKE) DUBARD.

SARCOSPERMATACEAE

- 2286 **Sarcosperma paniculatum** (KING) STAPF & KING; KING & GAMBLE, J. As. Soc. Bengal 74 (1905) 160; RIDLEY, Fl. Mal. Pen. 2 (1923) 260; LAM, Fl. Males. I 4¹ (1948) 32; Ng, Tree Fl. Malaya 1 (1972) 440.

SAXIFRAGACEAE

- 2287 **Polyosma conocarpa** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 684; SAW, Tree Fl. Malaya 4 (1989) 464; — *P. integrifolia* BL. var. *mutabilis* KHULZE-MENZ; KENG, Conc. Fl. Sing. (1990) 25.
- 2288 **Polyosma kingiana** SCHLTR.; SAW, Tree Fl. Malaya 4 (1989) 466; KENG, Conc. Fl. Sing. (1990) 25; — *P. flavo-virens* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 686.
- 2289 **Polyosma ridleyi** KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 78; RIDLEY, Fl. Mal. Pen. 1 (1922) 686; SAW, Tree Fl. Malaya 4 (1989) 468.

SCHISANDRACEAE

- 2290 **Kadsura scandens** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 38; RIDLEY, Fl. Mal. Pen. 1 (1922) 20; KENG, Conc. Fl. Sing. (1990) 9; — *K. cauliflora* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 38; RIDLEY, Fl. Mal. Pen. 1 (1922) 20.

SCROPHULARIACEAE

- 2291 **Adenosma indicum** (LOUR.) MERR.; KENG, Conc. Fl. Sing. (1990) 179; — *A. capitatum* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 474; HENDERSON, Mal. Wild Fl. Dic. (1959) 330.
- 2292 **Adenosma inopinatum** PRAIN; RIDLEY, Fl. Mal. Pen. 2 (1923) 474; KENG, Conc. Fl. Sing. (1990) 179; — *A. caeruleum* R. BR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 474; HENDERSON, Mal. Wild Fl. Dic. (1959) 330.
- 2293 **Adenosma javanicum** (BL.) KOORD.; KENG, Conc. Fl. Sing. (1990) 179; — *A. ovatum* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 474; HENDERSON, Mal. Wild Fl. Dic. (1959) 329.
- A 2294 **Bacopa monnieri** (L.) PENNELL; KENG, Conc. Fl. Sing. (1990) 179; CORLETT, J. Biogeog. 19 (1992) 427; — *Herpestis monnieri* (L.) H.B.K.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 475.
- 2295 **Centranthera tranquebarica** (SPRENG.) MERR.; KENG, Conc. Fl. Sing. (1990) 179; — *C. humifusa* WALL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 487.
- 2296 **Legazpia polygonoides** (BENTH.) YAMAZAKI, J. Jap. Bot.; 30 (1955) 359; — *Torenia polygonoides* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 482; HENDERSON, Mal. Wild Fl. Dic. (1959) 331; KENG, Conc. Fl. Sing. (1990) 180.
- 2297 **Limnophila chinensis** (OSB.) MERR. ssp. **aromatica** (LAM.) YAMAZAKI; YAMAZAKI, J. Fac. Sci. Univ. Tokyo III 13 (1985) 600; — *L. gratissima* BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 478; — *L. aromaticata* (LAMK.) MERR.; HENDERSON, Mal. Wild Fl. Dic. (1959) 327; PHILCOX, Kew Bull. 24 (1970) 145; KENG, Conc. Fl. Sing. (1990) 179.

- 2298 **Limnophila laxa** BENTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 478; PHILCOX, Kew Bull. 24 (1970) 161; KENG, Conc. Fl. Sing. (1990) 179; — *L. pulcherrima* [non (GRIFF.) HOOK. f.] HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118, p.p.
- 2299 **Limnophila sessiliflora** (VAHL) BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 478; PHILCOX, Kew Bull. 24 (1970) 112; KENG, Conc. Fl. Sing. (1990) 179.
- 2300 **Limnophila villosa** BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 477; PHILCOX, Kew Bull. 24 (1970) 141; KENG, Conc. Fl. Sing. (1990) 179; — *L. pulcherrima* sensu RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118, p.p.
- 2301 **Lindernia anagallis** (BURM. f.) PENNELL; PHILCOX, Kew Bull. 22 (1968) 45; KENG, Conc. Fl. Sing. (1990) 179; — *Vandellia pedunculata* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 481; HENDERSON, Mal. Wild Fl. Dic. (1959) 333.
- 2302 **Lindernia antipoda** (L.) ALSTON; PHILCOX, Kew Bull. 22 (1968) 57; KENG, Conc. Fl. Sing. (1990) 179; — *Bonnaya veronicaefolia* (RETZ.) SPRENG.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 486; HENDERSON, Mal. Wild Fl. Dic. (1959) 334.
- 2303 **Lindernia ciliata** (COLSM.) PENNELL; PHILCOX, Kew Bull. 22 (1968) 51; KENG, Conc. Fl. Sing. (1990) 179; — *Bonnaya brachiata* LINK & OTTO; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; RIDLEY, Fl. Mal. Pen. 2 (1923) 485.
- 2304 **Lindernia crustacea** (L.) F.V.MUELL.; HENDERSON, Mal. Wild Fl. Dic. (1959) 333; PHILCOX, Kew Bull. 22 (1968) 17; KENG, Conc. Fl. Sing. (1990) 180; — *Vandellia crustacea* (L.) BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 479.
- 2305 **Lindernia elata** (BENTH.) WETTST.; YAMAZAKI, J. Fac. Sci. Univ. Tokyo, Sect. III 13 (1981) 20; — *Vandellia elata* BENTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 481.
- 2306 **Lindernia pusilla** (WILLD.) BOLDINGH; PHILCOX, Kew Bull. 22 (1968) 41; — *Vandellia scabra* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 480.
- 2307 **Lindernia ruellioides** (COLSM.) PENNELL; PHILCOX, Kew Bull. 22 (1968) 54; KENG, Conc. Fl. Sing. (1990) 180; — *Bonnaya reptans* (ROXB.) SPRENG.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; RIDLEY, Fl. Mal. Pen. 2 (1923) 485.
- A 2308 **Lindernia sessiliflora** (BENTH.) WETTST.; SINCLAIR, Gard. Bull. Sing. 15 (1956) 24; PHILCOX, Kew Bull. 22 (1968) 10; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 180; — *L. nummulariifolia* (D. DON) WETTST.; SMITH, Fl. Vit. Nov. 5 (1991) 80.
- 2309 **Lindernia viscosa** (HORNEM.) BOLDINGH; PHILCOX, Kew Bull. 22 (1968) 38; YAMAZAKI, J. Fac. Sci. Univ. Tokyo III 13 (1981) 34; KENG, Conc. Fl. Sing. (1990) 180; — *Vandellia hirsuta* HAM. ex BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 118; RIDLEY, Fl. Mal. Pen. 2 (1923) 480.
- 2310 **Mazus pumilus** (BURM. f.) VAN STEEN.; CRAMER, Rev. Handb. Fl. Ceyl. 3 (1981) 445; — *M. rugosus* LOUR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 117; RIDLEY, Fl. Mal. Pen. 2 (1923) 473; KENG, Conc. Fl. Sing. (1990) 180.

- 2311 **Microcarpaea minima** (KOEN. ex RETZ.) MERR.; KENG, Conc. Fl. Sing. (1990) 180; — *M. muscosa* R. Br.; RIDLEY, Fl. Mal. Pen. 2 (1923) 486.
- A 2312 **Scoparia dulcis** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; RIDLEY, Fl. Mal. Pen. 2 (1923) 488; HENDERSON, Mal. Wild Fl. Dic. (1959) 328; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 180.
- 2313 **Stemodia verticillata** (MILL.) HASSLER; SINCLAIR, Gard. Bull. Sing. 15 (1956) 24.
- 2314 **Striga asiatica** (L.) O.KTZE.; HENDERSON, Mal. Wild Fl. Dic. (1959) 328; KENG, Conc. Fl. Sing. (1990) 180; — *S. lutea* LOUR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 119; — *S. hirsuta* BENTH.; RIDLEY, Fl. Mal. Pen. 2 (1923) 487.

SIMAROUBACEAE

- 2315 **Ailanthus integrifolia** LAM.; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 346.
- 2316 **Brucea javanica** (L.) MERR.; NOOTEBOOM, Fl. Males. I 6² (1962) 211; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 348; CORNER, Ways. Trees, 3rd ed. (1988) 698; KENG, Conc. Fl. Sing. (1990) 99; — *B. sumatrana* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57; RIDLEY, Fl. Mal. Pen. 1 (1922) 361; — *B. amarissima* DESV. ex GOMES; CORNER, Ways. Trees 1st ed. (1940) 603.
- 2317 **Eurycoma longifolia** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57; RIDLEY, Fl. Mal. Pen. 1 (1922) 362; BURKILL, Dict. (1935) 984; CORNER, Ways. Trees 1st ed. (1940) 604; NOOTEBOOM, Fl. Males. I 6² (1962) 205; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 349; CORNER, Ways. Trees, 3rd ed. (1988) 699; KENG, Conc. Fl. Sing. (1990) 99.
- 2318 **Irvingia malayana** OLIV. ex BENN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57; RIDLEY, Fl. Mal. Pen. 1 (1922) 364; CORNER, Ways. Trees 1st ed. (1940) 604; NOOTEBOOM, Fl. Males. I 6² (1962) 225; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 350; CORNER, Ways. Trees, 3rd ed. (1988) 699; KENG, Conc. Fl. Sing. (1990) 99.
- 2319 **Quassia indica** (GAERTN.) NOOTEB.; NOOTEBOOM, Fl. Males. I 6² (1962) 199; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 352; KENG, Conc. Fl. Sing. (1990) 99; — *Samadera indica* GAERTN.; RIDLEY, Fl. Mal. Pen. 1 (1922) 363; BURKILL, Dict. (1935) 1945.

SMILACACEAE

- 2320 **Heterosmilax indica** A. DC.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 90; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 108; RIDLEY, Fl. Mal. Pen. 4 (1924) 344; KENG, Gard. Bull. Sing. 40 (1987) 118.
- 2321 **Smilax bracteata** PRESL var. **barbata** (WALL. ex DC.) KOYAMA; KENG, Gard. Bull. Sing. 40 (1987) 119; — *S. barbata* WALL. ex DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 106; RIDLEY, Fl. Mal. Pen. 4 (1924) 342; HENDERSON, Mal. Wild Fl. Monoc. (1954) 181.

- 2322 **Smilax calophylla** WALL. ex DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 102; RIDLEY, Fl. Mal. Pen. 4 (1924) 339; HENDERSON, Mal. Wild Fl. Monoc. (1954) 180; KENG, Gard. Bull. Sing. 40 (1987) 119.
- 2323 **Smilax carbularia** KUNTH. var. **woodii** (MERR.) KOYAMA; — *S. woodii* MERR.; SINCLAIR, Gard. Bull. Sing. 14 (1953) 36.
- 2324 **Smilax leucophylla** BL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 106; RIDLEY, Fl. Mal. Pen. 4 (1924) 343; KENG, Gard. Bull. Sing. 40 (1987) 119.
- 2325 **Smilax megacarpa** DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 104; RIDLEY, Fl. Mal. Pen. 4 (1924) 341; HENDERSON, Mal. Wild Fl. Monoc. (1954) 180; KENG, Gard. Bull. Sing. 40 (1987) 119.
- 2326 **Smilax myosotiflora** DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 168; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 103; RIDLEY, Fl. Mal. Pen. 4 (1924) 340; HENDERSON, Mal. Wild Fl. Monoc. (1954) 180; KENG, Gard. Bull. Sing. 40 (1987) 119.

SOLANACEAE

- 2327 **Physalis minima** L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 470; HENDERSON, Mal. Wild Fl. Dic. (1959) 325; KENG, Conc. Fl. Sing. (1990) 177.
- A 2328 **Solanum ferox** L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 467; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 177.
- 2329 **Solanum nigrum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 117; RIDLEY, Fl. Mal. Pen. 2 (1923) 465; HENDERSON, Mal. Wild Fl. Dic. (1959) 323; KENG, Conc. Fl. Sing. (1990) 178.
- A 2330 **Solanum sarmentosum** NEES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 117; RIDLEY, Fl. Mal. Pen. 2 (1923) 469; CORLETT, J. Biogeog. (1988) 663.
- A 2331 **Solanum torvum** Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 117; RIDLEY, Fl. Mal. Pen. 2 (1923) 468; HENDERSON, Mal. Wild Fl. Dic. (1959) 324; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 178.

SONNERATIACEAE

- 2332 **Sonneratia alba** J.J. SMITH; BACKER & VAN STEENIS, Fl. Males. I 4³ (1951) 285; WHITMORE, Tree Fl. Malaya 1 (1972) 445; CORNER, Ways. Trees, 3rd ed. (1988) 476; KENG, Conc. Fl. Sing. (1990) 83; — *S. griffithii* (non KURZ) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; RIDLEY, Fl. Mal. Pen. 1 (1922) 825, p.p.; WATSON, Malay. For. Rec. 6 (1928) 120.
- 2333 **Sonneratia caseolaris** (L.) ENGL.; BURKILL, Dict. (1935) 2052; BACKER & VAN STEENIS, Fl. Males. I 4³ (1951) 283; WHITMORE, Tree Fl. Malaya 1 (1972) 445; CORNER, Ways. Trees, 3rd ed. (1988) 476; KENG, Conc. Fl. Sing. (1990) 83; — *S. acida* L.f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; RIDLEY, Fl. Mal. Pen. 1 (1922) 825; WATSON, Malay. For. Rec. 6 (1928) 121.

- 2334 **Sonneratia ovata** BACKER; BACKER & VAN STEENIS, Fl. Males. I 4³ (1951) 285; SINCLAIR, Gard. Bull. Sing. 14 (1953) 37; WHITMORE, Tree Fl. Malaya 1 (1972) 445; CORNER, Ways. Trees, 3rd ed. (1988) 476; KENG, Conc. Fl. Sing. (1990) 84; — *S. alba* (non J.J. SMITH) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 86; RIDLEY, Fl. Mal. Pen. 1 (1922) 825; WATSON, Malay. For. Rec. 6 (1928) 120.

STAPHYLEACEAE

- 2335 **Turpinia sphaerocarpa** HASSK.; VAN DER LINDEN, Fl. Males. I 6¹ (1960) 57; WHITMORE, Tree Fl. Malaya 1 (1972) 448; KENG, Conc. Fl. Sing. (1990) 121; — *T. pomifera* [non (ROXB.) DC.] KING, RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 67; — *T. latifolia* WALL. ex RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 512; — *T. laxiflora* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 512; VAN DER LINDEN, Fl. Males. I 6¹ (1960) 57.

STERCULIACEAE

- 2336 **Byttneria maingayi** MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 286; MAXWELL, Gard. Bull. Sing. 35 (1983) 198; KENG, Conc. Fl. Sing. (1990) 92.
- 2337 **Commersonia bartramia** (L.) MERR.; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 357; CORNER, Ways. Trees, 3rd ed. (1988) 704; KENG, Conc. Fl. Sing. (1990) 92; — *C. platyphylla* ANDR.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 288.
- 2338 **Heritiera borneensis** (MERR.) KOSTERM.; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 360; KENG, Conc. Fl. Sing. (1990) 92; — *Tarrietia unifoliata* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 279.
- 2339 **Heritiera elata** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 280; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 361; KENG, Conc. Fl. Sing. (1990) 92; — *Heritiera* sp.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53.
- 2340 **Heritiera littoralis** DRYAND. ex W. AIT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 279; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 361; CORNER, Ways. Trees, 3rd ed. (1988) 708; KENG, Conc. Fl. Sing. (1990) 92.
- 2341 **Heritiera simplicifolia** (MAST.) KOSTERM.; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 363; KENG, Conc. Fl. Sing. (1990) 92; — *Tarrietia simplicifolia* MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 278.
- 2342 **Kleinhovia hospita** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 280; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 364; CORNER, Ways. Trees, 3rd ed. (1988) 708; KENG, Conc. Fl. Sing. (1990) 92.
- 2343 **Melochia corchorifolia** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 284; HENDERSON, Mal. Wild Fl. Dic. (1959) 41; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 366; KENG, Conc. Fl. Sing. (1990) 92.
- 2344 **Pterocymbium tubulatum** (MAST.) PIERRE; RIDLEY, Fl. Mal. Pen. 1 (1922) 277; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 367; MAXWELL, Gard. Bull. Sing. 36 (1983) 232; KENG, Conc. Fl. Sing. (1990) 92.

- 2345 **Pterospermum diversifolium** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 282; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 368; CORNER, Ways. Trees, 3rd ed. (1988) 710; KENG, Conc. Fl. Sing. (1990) 92.
- 2346 **Pterospermum javanicum** JUNGH.; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 368; CORNER, Ways. Trees, 3rd ed. (1988) 710; KENG, Conc. Fl. Sing. (1990) 92; — *P. blumeanum* KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 283.
- 2347 **Scaphium linearicarpum** (MAST.) PIERRE; RIDLEY, Fl. Mal. Pen. 1 (1922) 275; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 374; CORNER, Ways. Trees, 3rd ed. (1988) 714; KENG, Conc. Fl. Sing. (1990) 92.
- 2348 **Scaphium macropodum** (MIQ.) BEUMEE ex HEYNE; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 374; CORNER, Ways. Trees, 3rd ed. (1988) 714; KENG, Conc. Fl. Sing. (1990) 93; — *Sterculia scaphigera* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 52; — *S. affine* (MAST.) PIERRE; RIDLEY, Fl. Mal. Pen. 1 (1922) 275.
- 2349 **Sterculia bicolor** MAST.; RIDLEY, Fl. Mal. Pen. 1 (1922) 274; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 378; KENG, Conc. Fl. Sing. (1990) 93.
- 2350 **Sterculia coccinea** JACK; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 377; CORNER, Ways. Trees, 3rd ed. (1988) 715; KENG, Conc. Fl. Sing. (1990) 93; — *S. laevis* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 52; RIDLEY, Fl. Mal. Pen. 1 (1922) 269.
- 2351 **Sterculia cordata** BL.; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 378; KENG, Conc. Fl. Sing. (1990) 93; — *S. javanica* R. BR.; RIDLEY, Fl. Mal. Pen. 1 (1922) 274.
- 2352 **Sterculia elongata** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 270; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 377; KENG, Conc. Fl. Sing. (1990) 93.
- 2353 **Sterculia macrophylla** VENT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 52; RIDLEY, Fl. Mal. Pen. 1 (1922) 268; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 382; CORNER, Ways. Trees, 3rd ed. (1988) 716; KENG, Conc. Fl. Sing. (1990) 93.
- 2354 **Sterculia parviflora** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 52; RIDLEY, Fl. Mal. Pen. 1 (1922) 271; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 382; CORNER, Ways. Trees, 3rd ed. (1988) 716; KENG, Conc. Fl. Sing. (1990) 93.
- 2355 **Sterculia rubiginosa** VENT.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 52; RIDLEY, Fl. Mal. Pen. 1 (1922) 271; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 378; CORNER, Ways. Trees, 3rd ed. (1988) 717; KENG, Conc. Fl. Sing. (1990) 93.
- 2356 **Waltheria indica** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 285; HENDERSON, Mal. Wild Fl. Dic. (1959) 41; SINCLAIR, Gard. Bull. Sing. 15 (1956) 23.

STYRACACEAE

- 2357 **Styrax benzoin** DRYAND.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108; RIDLEY, Fl. Mal. Pen. 2 (1923) 297; BURKILL, Dict. (1935) 2105; VAN STEENIS, Fl. Males. I 4² (1949) 52; PUTZ & NG, Tree Fl. Malaya 3 (1978) 263; KENG, Conc. Fl. Sing. (1990) 136.

- 2358 **Styrax crotonoides** CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108; RIDLEY, Fl. Mal. Pen. 2 (1923) 298; BURKILL, Dict. (1935) 2107; VAN STEENIS, Fl. Males. I 4² (1949) 53; PUTZ & NG, Tree Fl. Malaya 3 (1978) 263; KENG, Conc. Fl. Sing. (1990) 137.

SYMPLOCACEAE

- 2359 **Symplocos adenophylla** WALL. ex G. DON; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 303; NOOTEBOOM; Fl. Males. I 8² (1977) 239; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 268; KENG, Conc. Fl. Sing. (1990) 137.
- 2360 **Symplocos barringtonifolia** BRAND; NOOTEBOOM; Fl. Males. I 8² (1977) 242; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 268; KENG, Conc. Fl. Sing. (1990) 137; — *S. rigida* CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 306.
- 2361 **Symplocos celastrifolia** GRIFF. ex CLARKE; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 302; NOOTEBOOM; Fl. Males. I 8² (1977) 244; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 269; KENG, Conc. Fl. Sing. (1990) 137.
- 2362 **Symplocos fasciculata** ZOLL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 301; CORNER, Ways. Trees 1st ed. (1940) 622; NOOTEBOOM; Fl. Males. I 8² (1977) 259; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 270; CORNER, Ways. Trees, 3rd ed. (1988) 718; KENG, Conc. Fl. Sing. (1990) 137.
- 2363 **Symplocos lucida** (THUNB.) S. & Z.; NOOTEBOOM; Fl. Males. I 8² (1977) 264; — *S. ridleyi* KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 302; — *Symplocos sp. "Donoon"*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 108.
- 2364 **Symplocos odoratissima** (BL.) CHOISY ex ZOLL.; K&G 233; RIDLEY, Fl. Mal. Pen. 2 (1923) 299; NOOTEBOOM; Fl. Males. I 8² (1977) 266; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 272; KENG, Conc. Fl. Sing. (1990) 137; — *S. pulverulenta* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 300.
- 2365 **Symplocos rubiginosa** WALL. ex DC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 107; RIDLEY, Fl. Mal. Pen. 2 (1923) 306; NOOTEBOOM; Fl. Males. I 8² (1977) 271; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 273; KENG, Conc. Fl. Sing. (1990) 137.

TACCACEAE

- 2366 **Tacca integrifolia** KER-GAWL.; DRENTH, Fl. Males. I 7(4) 811, KENG, Gard. Bull. Sing. 40 (1987) 121, — *T. cristata* JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 167, RIDL., RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) (1907) 77; RIDLEY, Fl. Mal. Pen. 4 (1924) 310; HENDERSON, Mal. Wild Fl. Monoc. (1954) 187; — *T. chantrieri* (non ANDRÉ) RIDL. RIDLEY, Fl. Mal. Pen. 4 (1924) 309.
- 2367 **Tacca leontopetaloides** (L.) O. KUNTZE; DRENTH, Fl. Males. I 7(4) 809; KENG, Gard. Bull. Sing. 40 (1987) 121, — *T. pinnatifida* J. R. & G. FORST.; RIDL., RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) (1907) 76; RIDLEY, Fl. Mal. Pen. 4 (1924) 309; SINCLAIR, Gard. Bull. Sing. 14 (1953) 36; HENDERSON, Mal. Wild Fl. Monoc. (1954) 188.

TETRAMERISTACEAE

- 2368 **Tetramerista glabra** Miq.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 57; RIDLEY, Fl. Mal. Pen. 1 (1922) 367; KENG, Tree Fl. Malaya 4 (1989) 470; KENG, Conc. Fl. Sing. (1990) 50.

THEACEAE

- 2369 **Adinandra acuminata** KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48; RIDLEY, Fl. Mal. Pen. 1 (1922) 194; KENG, Tree Fl. Malaya 3 (1978) 277; CORNER, Ways. Trees, 3rd ed. (1988) 721; KENG, Conc. Fl. Sing. (1990) 50.
- 2370 **Adinandra dumosa** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48; RIDLEY, Fl. Mal. Pen. 1 (1922) 194; KENG, Tree Fl. Malaya 3 (1978) 278; CORNER, Ways. Trees, 3rd ed. (1988) 721; KENG, Conc. Fl. Sing. (1990) 50.
- 2371 **Adinandra integerrima** T. ANDERS. ex DYER; RIDLEY, Fl. Mal. Pen. 3 (1924) 196; KENG, Tree Fl. Malaya 3 (1978) 279; — *A. hullettii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48; RIDLEY, Fl. Mal. Pen. 3 (1924) 196; KENG, Conc. Fl. Sing. (1990) 50.
- 2372 **Eurya acuminata** DC.; RIDLEY, Fl. Mal. Pen. 1 (1922) 199; KENG, Tree Fl. Malaya 3 (1978) 282; CORNER, Ways. Trees, 3rd ed. (1988) 722; KENG, Conc. Fl. Sing. (1990) 50; — *E. monticola* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 199.
- 2373 **Gordonia multinervis** KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 203; KENG, Tree Fl. Malaya 3 (1978) 286; KENG, Conc. Fl. Sing. (1990) 50.
- 2374 **Gordonia penangensis** RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 203; KENG, Tree Fl. Malaya 3 (1978) 286; KENG, Conc. Fl. Sing. (1990) 50; — *G. excelsa* (*non* BL.) KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 49.
- 2375 **Gordonia singaporiana** WALL. ex RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 202; KENG, Tree Fl. Malaya 3 (1978) 286; CORNER, Ways. Trees, 3rd ed. (1988) 723; KENG, Conc. Fl. Sing. (1990) 50.
- 2376 **Pyrenaria acuminata** PLANCH. ex CHOISY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 49; RIDLEY, Fl. Mal. Pen. 1 (1922) 200; KENG, Tree Fl. Malaya 3 (1978) 290; CORNER, Ways. Trees, 3rd ed. (1988) 725; KENG, Conc. Fl. Sing. (1990) 50.
- 2377 **Ternstroemia bancana** Miq.; RIDLEY, Fl. Mal. Pen. 1 (1922) 197; KENG, Tree Fl. Malaya 3 (1978) 293; KENG, Conc. Fl. Sing. (1990) 50; — *Adinandra miquelii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48.
- 2378 **Ternstroemia penangiana** CHOISY; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48, p.p.; RIDLEY, Fl. Mal. Pen. 1 (1922) 197; KENG, Tree Fl. Malaya 3 (1978) 295.
- 2379 **Ternstroemia wallichiana** (GRIFF.) ENGL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 198; KENG, Tree Fl. Malaya 3 (1978) 295; KENG, Conc. Fl. Sing. (1990) 50; — *T. penangiana* (*non* CHOISY) DYER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 48, p.p.

THYMELAEACEAE

- 2380 **Aquilaria hirta** RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 148; DING HOU, Fl. Males. I 6¹ (1960) 12; WHITMORE, Tree Fl. Malaya 2 (1973) 385; KENG, Conc. Fl. Sing. (1990) 86; — *A. grandiflora*; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132.
- 2381 **Aquilaria malaccensis** LAMK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 132; RIDLEY, Fl. Mal. Pen. 3 (1924) 147; CORNER, Ways. Trees 1st ed. (1940) 632; DING HOU, Fl. Males. I 6¹ (1960) 9; WHITMORE, Tree Fl. Malaya 2 (1973) 385; CORNER, Ways. Trees, 3rd ed. (1988) 729; KENG, Conc. Fl. Sing. (1990) 86.
- 2382 **Aquilaria microcarpa** BAILL.; DING HOU, Fl. Males. I 6¹ (1960) 9; WHITMORE, Tree Fl. Malaya 2 (1973) 385.
- 2383 **Enkleia malaccensis** GRIFF.; RIDLEY, Fl. Mal. Pen. 3 (1924) 147; DING HOU, Fl. Males. I 6¹ (1960) 25; WHITMORE, Tree Fl. Malaya 2 (1973) 384; KENG, Conc. Fl. Sing. (1990) 86; — *Linostoma scandens* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 133.
- 2384 **Linostoma pauciflorum** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 133; RIDLEY, Fl. Mal. Pen. 3 (1924) 146; DING HOU, Fl. Males. I 6¹ (1960) 27; WHITMORE, Tree Fl. Malaya 2 (1973) 384; KENG, Conc. Fl. Sing. (1990) 86.
- A 2385 **Wikstroemia ridleyi** GAMBLE; RIDLEY, Fl. Mal. Pen. 3 (1924) 146; DING HOU, Fl. Males. I 6¹ (1960) 34; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 86.

TILIACEAE

- 2386 **Brownlowia argentata** KURZ; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 394; CORNER, Ways. Trees, 3rd ed. (1988) 732; KENG, Conc. Fl. Sing. (1990) 87; — *B. riedelii* HEMSL.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 292; WATSON, Malay. Forest Rec. 6 (1928) 77; — *B. lepidota* WARB.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 84 (*presumably B. lanceolata* of RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53).
- 2387 **Brownlowia tresa** (L.) KOSTERM.; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 394; CORNER, Ways. Trees, 3rd ed. (1988) 732; KENG, Conc. Fl. Sing. (1990) 87; — *B. lanceolata* BENTH.; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 84; RIDLEY, Fl. Mal. Pen. 1 (1922) 291; WATSON, Malay. Forest Rec. 6 (1928) 77; SINCLAIR, Gard. Bull. Sing. 14 (1953) 38; SINCLAIR, Gard. Bull. Sing. 15 (1956) 29.
- A 2388 **Corchorus aestuans** L.; HENDERSON, Mal. Wild Fl. Dic. (1959) 43; KENG, Conc. Fl. Sing. (1990) 87; — *C. acutangulus* LAMK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 306; CORLETT, J. Biogeog. (1988) 663.
- 2389 **Grewia acuminata** JUSS.; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 397; KENG, Conc. Fl. Sing. (1990) 88; — *G. umbellata* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 300.

- 2390 **Microcos blattaefolia** (CORNER) RAO; J. Bombay Nat. Hist. Soc. 48 (1949) 300; — *Grewia latifolia* (non MUELL. ex BENTH.) MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 300; — *Grewia blattaefolia* CORNER; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 399; CORNER, Ways. Trees, 3rd ed. (1988) 733; KENG, Conc. Fl. Sing. (1990) 88.
- 2391 **Microcos hirsutus** (KORTH.) BURRET, Notizbl. Bot. Gart. Berlin. 9 (1926) 764; — *G. fibrocarpa* (non MAST.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; — *G. omphacarpa* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 301; — *Grewia hirsuta* [non VAHL] (KORTH.) KOCHUMMEN, Tree Fl. Malaya 2 (1973) 397; KENG, Conc. Fl. Sing. (1990) 88.
- 2392 **Pentace triptera** MAST.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 53; RIDLEY, Fl. Mal. Pen. 1 (1922) 293; KOCHUMMEN, Tree Fl. Malaya 2 (1973) 407; KENG, Conc. Fl. Sing. (1990) 88.
- 2393 **Triumfetta pseudo-cana** SPR. & CRAIB; RIDLEY, Fl. Mal. Pen. 1 (1922) 304; HENDERSON, Mal. Wild Fl. Dic. (1959) 45; KENG, Conc. Fl. Sing. (1990) 89.
- 2394 **Triumfetta rhomboidea** JACQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 54; RIDLEY, Fl. Mal. Pen. 1 (1922) 303; KENG, Conc. Fl. Sing. (1990) 88.

TRIGONIACEAE

- 2395 **Trigoniastrum hypoleucum** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 45; RIDLEY, Fl. Mal. Pen. 1 (1922) 142; BURKILL, Dict. (1935) 2182; VAN STEENIS, Fl. Males. I 4² (1949) 59; NG, Tree Fl. Malaya 1 (1972) 449; KENG, Conc. Fl. Sing. (1990) 103.

TRIURIDACEAE

- 2396 **Sciaphila maculata** Miers; VAN DE MEERENDONK, Fl. Males. I 10¹ (1984) 113; KENG, Gard. Bull. Sing. 40 (1987) 115; — *S. affinis* BECC.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 179; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 126; RIDLEY, Fl. Mal. Pen. 4 (1924) 364; HENDERSON, Mal. Wild Fl. Monoc. (1954) 203;
- 2397 **Sciaphila tenella** BL.; VAN DE MEERENDONK, Fl. Males. I 10¹ (1984) 113.

TURNERACEAE

- A 2398 **Turnera subulata** J.E. SMITH; BACKER, Fl. Males. I 4³ (1951) 236; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 42; — *T. trioniflora* Sims; RIDLEY, Fl. Mal. Pen. 1 (1922) 838; BURKILL, Dict. (1935) 2193.
- A 2399 **Turnera ulmifolia** L.; RIDLEY, Fl. Mal. Pen. 1 (1922) 838; BURKILL, Dict. (1935) 2194; HENDERSON, Mal. Wild Fl. Dic. (1959) 169; BACKER, Fl. Males. I 4³ (1951) 237; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 42.

TYPHACEAE

- A 2400 **Typha angustifolia** L.; BACKER, Fl. Males. I 4³ (1951) 243; TAN *et al.*, Gard. Bull. Sing. 44 (1992) 132. — *T. angustata* BORY & CHAUBARD; HENDERSON, Mal. Wild Fl. Monoc. (1954) 211;

ULMACEAE

- 2401 **Gironniera hirta** RIDL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 321; SOEPADMO, Tree Fl. Malaya 2 (1973) 417; SOEPADMO, Fl. Males. I. 8(1) 74.
- 2402 **Gironniera nervosa** PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 320; CORNER, Ways. Trees 1st ed. (1940) 688; SOEPADMO, Tree Fl. Malaya 2 (1973) 419; SOEPADMO, Fl. Males. I. 8(1) 74; CORNER, Ways. Trees, 3rd ed. (1988) 736; KENG, Conc. Fl. Sing. (1990) 66.
- 2403 **Gironniera parvifolia** PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 321; CORNER, Ways. Trees 1st ed. (1940) 689; SOEPADMO, Tree Fl. Malaya 2 (1973) 419; SOEPADMO, Fl. Males. I. 8(1) 75; CORNER, Ways. Trees, 3rd ed. (1988) 736; KENG, Conc. Fl. Sing. (1990) 66.
- 2404 **Gironniera subaequalis** PLANCH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 320; CORNER, Ways. Trees 1st ed. (1940) 690; SOEPADMO, Tree Fl. Malaya 2 (1973) 419; SOEPADMO, Fl. Males. I. 8(1) 75; CORNER, Ways. Trees, 3rd ed. (1988) 736; KENG, Conc. Fl. Sing. (1990) 66.
- 2405 **Trema angustifolia** (PLANCH.) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; RIDLEY, Fl. Mal. Pen. 3 (1924) 319; SOEPADMO, Tree Fl. Malaya 2 (1973) 421; SOEPADMO, Fl. Males. I. 8(1) 54; CORNER, Ways. Trees, 3rd ed. (1988) 738; KENG, Conc. Fl. Sing. (1990) 66.
- 2406 **Trema cannabina** LOUR.; SOEPADMO, Tree Fl. Malaya 2 (1973) 421; SOEPADMO, Fl. Males. I. 8(1) 50; CORNER, Ways. Trees, 3rd ed. (1988) 738; KENG, Conc. Fl. Sing. (1990) 66; — *T. timorensis* (DECNE) BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; — *T. virgata* (PLANCH.) BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 319.
- 2407 **Trema tomentosa** (ROXB.) HARA; SOEPADMO, Tree Fl. Malaya 2 (1973) 423; SOEPADMO, Fl. Males. I. 8(1) 53; CORNER, Ways. Trees, 3rd ed. (1988) 739; KENG, Conc. Fl. Sing. (1990) 66; — *T. orientalis* (non (L.) BL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 143; — *T. amboinensis* (WILLD.) BL.; RIDLEY, Fl. Mal. Pen. 3 (1924) 319.

UMBELLIFERAE

- 2408 **Centella asiatica** (L.) URB.; BUWALDA, Fl. Males. I 4² (1949) 117; KENG, Conc. Fl. Sing. (1990) 132; — *Hydrocotyle asiatica* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 88; RIDLEY, Fl. Mal. Pen. 1 (1922) 869; HENDERSON, Mal. Wild Fl. Dic. (1959) 174.
- A 2409 **Eryngium foetidum** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89; RIDLEY, Fl. Mal. Pen. 1 (1922) 870; BUWALDA, Fl. Males. I 4² (1949) 126; HENDERSON, Mal. Wild Fl. Dic. (1959) 175; CORLETT, J. Biogeog. (1988) 661; KENG, Conc. Fl. Sing. (1990) 132.
- 2410 **Hydrocotyle sibthorpioides** LAMK.; BUWALDA, Fl. Males. I 4² (1949) 115; KENG, Conc. Fl. Sing. (1990) 132; — *H. rotundifolia* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 89; RIDLEY, Fl. Mal. Pen. 1 (1922) 870.

URTIACEAE

- A 2411 **Boehmeria nivea** (L.) GAUD.; CHEW, Fl. Aust. 3 (1989) 85; KENG, Conc. Fl. Sing. (1990) 67.
- 2412 **Laportea interrupta** (L.) CHEW; CHEW, Gard. Bull. Sing. 25 (1969) 145; SAW, Tree Fl. Malaya 4 (1989) 473; CHEW, Fl. Aust. 3 (1989) 73; KENG, Conc. Fl. Sing. (1990) 67; — *Fleurya interrupta* (L.) WIGHT; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 148; RIDLEY, Fl. Mal. Pen. 3 (1924) 359; HENDERSON, Mal. Wild Fl. Dic. (1959) 467.
- 2413 **Nothocnide mollissima** (BL.) CHEW, Gard. Bull. Sing. 24 (1969) 365; SAW, Tree Fl. Malaya 4 (1989) 473; — *Pipturus mollissimus* (BL.) WEDD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 148; RIDLEY, Fl. Mal. Pen. 3 (1924) 367; HENDERSON, Mal. Wild Fl. Dic. (1959) 468; KENG, Conc. Fl. Sing. (1990) 68.
- 2414 **Pellionia repens** (LOUR.) MERR.; YAHARA, J. Fac. Sci. Univ. Tokyo III 13 (1984) 485; — *P. duveauana* N.E. BR.; RIDLEY, Fl. Mal. Pen. 3 (1924) 362; — *Elatostema repens* (LOUR.) HALL. f.; HENDERSON, Mal. Wild Fl. Dic. (1959) 470; KENG, Conc. Fl. Sing. (1990) 67.
- A 2415 **Pilea microphylla** (L.) LIEBM.; HENDERSON, Mal. Wild Fl. Dic. (1959) 46; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 67; — *P. muscosa* LINDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 148; RIDLEY, Fl. Mal. Pen. 3 (1924) 361.
- A 2416 **Pipturus argenteus** (FORST. f.) WEDD.; SAW, Tree Fl. Malaya 4 (1989) 476; KENG, Conc. Fl. Sing. (1990) 67.
- 2417 **Poikilospermum cordifolium** (BARG.-PETR.) MERR.; CHEW, Gard. Bull. Sing. 20 (1963) 66; — *Conocephalus amoenus* KING ex HOOK. f.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 148; RIDLEY, Fl. Mal. Pen. 3 (1924) 357.
- 2418 **Poikilospermum suaveolens** (BL.) MERR.; CHEW, Gard. Bull. Sing. 20 (1963) 88; KENG, Conc. Fl. Sing. (1990) 68; — *Conocephalus suaveolens* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 148; RIDLEY, Fl. Mal. Pen. 3 (1924) 357.
- 2419 **Pouzolzia zeylanica** (L.) BENN.; HENDERSON, Mal. Wild Fl. Dic. (1959) 469; CHEW, Fl. Aust. 3 (1989) 86; KENG, Conc. Fl. Sing. (1990) 68; — *P. indica* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 148; RIDLEY, Fl. Mal. Pen. 3 (1924) 366.

VERBENACEAE

- 2420 **Callicarpa longifolia** LAMK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 616; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 301; KENG, Conc. Fl. Sing. (1990) 192.
- 2421 **Callicarpa maingayi** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 615; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 302.
- 2422 **Clerodendrum deflexum** WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 124; RIDLEY, Fl. Mal. Pen. 2 (1923) 624 (*incl. var. bracteatum* RIDL.); KOCHUMMEN, Tree Fl. Malaya 3 (1978) 304; CORNER, Ways. Trees, 3rd ed. (1988) 745; KENG, Conc. Fl. Sing. (1990) 192.

- 2423 **Clerodendrum inerme** (L.) GAERTN.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 624; HENDERSON, Mal. Wild Fl. Dic. (1959) 385; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 304; KENG, Conc. Fl. Sing. (1990) 193.
- 2424 **Clerodendrum laevifolium** BL.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 305; CORNER, Ways. Trees, 3rd ed. (1988) 746; KENG, Conc. Fl. Sing. (1990) 193; — *C. dispariifolium* BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 625.
- 2425 **Clerodendrum phyllomega** STEUD. var. **myrmecophilum** (RIDL.) MOLDENKE; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 304; KENG, Conc. Fl. Sing. (1990) 193; — *C. myrmecophilum* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 124; RIDLEY, Fl. Mal. Pen. 2 (1923) 627; HENDERSON, Mal. Wild Fl. Dic. (1959) 386.
- 2426 **Clerodendrum villosum** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 124; RIDLEY, Fl. Mal. Pen. 2 (1923) 627; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 304; CORNER, Ways. Trees, 3rd ed. (1988) 746; KENG, Conc. Fl. Sing. (1990) 193.
- 2427 **Duranta erecta** L.; CORNER, Ways. Trees, 3rd ed. (1988) 747; KENG, Conc. Fl. Sing. (1990) 193.
- 2428 **Gmelina asiatica** L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 622; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 306; CORNER, Ways. Trees, 3rd ed. (1988) 748; KENG, Conc. Fl. Sing. (1990) 193.
- 2429 **Gmelina elliptica** J.E. SMITH; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 306; CORNER, Ways. Trees, 3rd ed. (1988) 748; KENG, Conc. Fl. Sing. (1990) 193; — *G. villosa* ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 623.
- 2430 **Gmelina philippinensis** CHAM.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 306; CORNER, Ways. Trees, 3rd ed. (1988) 748; KENG, Conc. Fl. Sing. (1990) 194; — *G. hystrix* SCHULTES; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 623.
- A 2431 **Lantana camara** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 122; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 194; — *L. aculeata* L.; RIDLEY, Fl. Mal. Pen. 2 (1923) 612; HENDERSON, Mal. Wild Fl. Dic. (1959) 382.
- A 2432 **Lantana indica** ROXB.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 122; RIDLEY, Fl. Mal. Pen. 2 (1923) 612.
- 2433 **Peronema canescens** JACK; RIDLEY, J. Str. Br. R. As. Soc. 35 (1901) 89; RIDLEY, Fl. Mal. Pen. 2 (1923) 636; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 306; CORNER, Ways. Trees, 3rd ed. (1988) 749; KENG, Conc. Fl. Sing. (1990) 194.
- 2434 **Phyla nodiflora** (L.) GREENE; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 298; KENG, Conc. Fl. Sing. (1990) 194; — *Lippia nodiflora* (L.) MICH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 122; RIDLEY, Fl. Mal. Pen. 2 (1923) 612; HENDERSON, Mal. Wild Fl. Dic. (1959) 383.

- 2435 **Premna corymbosa** (BURM.f.) ROTTL. & WILLD.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 308; KENG, Conc. Fl. Sing. (1990) 194; — *P. integrifolia* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123 (*var. angustior* CLARKE); RIDLEY, Fl. Mal. Pen. 2 (1923) 619; — *P. angustior* (CLARKE) RIDL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 619; — *P. littoralis* K. & G.; RIDLEY, Fl. Mal. Pen. 2 (1923) 618; — *P. obtusifolia* R. BR.; CORNER, Ways. Trees, 3rd ed. (1988) 750, *p.p.*
- 2436 **Premna foetida** REINW. ex BL.; RIDLEY, Fl. Mal. Pen. 2 (1923) 619; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 307; KENG, Conc. Fl. Sing. (1990) 194; — *P. obtusifolia* R. BR.; CORNER, Ways. Trees, 3rd ed. (1988) 750, *p.p.*
- 2437 **Premna parasitica** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 307; KENG, Conc. Fl. Sing. (1990) 194; — *P. trichostoma* MIQ.; RIDLEY, Fl. Mal. Pen. 2 (1923) 620.
- 2438 **Premna punctulata** CLARKE; RIDLEY, Fl. Mal. Pen. 2 (1923) 620; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 307; KENG, Conc. Fl. Sing. (1990) 194.
- 2439 **Premna ridleyi** KING & GAMBLE; RIDLEY, Fl. Mal. Pen. 2 (1923) 621; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 307; KENG, Conc. Fl. Sing. (1990) 194.
- 2440 **Sphenodesme pentandra** JACK; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 124; RIDLEY, Fl. Mal. Pen. 2 (1923) 639; HENDERSON, Mal. Wild Fl. Dic. (1959) 381; MUNIR, Gard. Bull. Sing. 21 (1966) 357; KENG, Conc. Fl. Sing. (1990) 194.
- A 2441 **Stachytarpheta cayennensis** (L.C. RICH.) VAHL; SINCLAIR, Gard. Bull. Sing. 14 (1953) 34; CORLETT, J. Biogeog. (1988) 663.
- A 2442 **Stachytarpheta indica** (L.) VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 122; RIDLEY, Fl. Mal. Pen. 2 (1923) 613; HENDERSON, Mal. Wild Fl. Dic. (1959) 383; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 195.
- A 2443 **Stachytarpheta jamaicensis** (L.) VAHL; RIDLEY, Fl. Mal. Pen. 2 (1923) 613; CORLETT, J. Biogeog. (1988) 663; KENG, Conc. Fl. Sing. (1990) 195.
- A 2444 **Stachytarpheta mutabilis** (JACQ.) VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 122; RIDLEY, Fl. Mal. Pen. 2 (1923) 613; KENG, Conc. Fl. Sing. (1990) 195.
- 2445 **Teijsmanniodendron coriaceum** (CLARKE) KOSTERM.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 308; KENG, Conc. Fl. Sing. (1990) 195; — *Vitex coriacea* CLARKE; RIDLEY, Fl. Mal. Pen. 2 (1923) 632; CORNER, Ways. Trees 1st ed. (1940) 708; CORNER, Ways. Trees, 3rd ed. (1988) 753.
- 2446 **Teijsmanniodendron pteropodium** (MIQ.) BAKH.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 309; KENG, Conc. Fl. Sing. (1990) 195; — *Vitex peralata* KING; RIDLEY, Fl. Mal. Pen. 2 (1923) 634; CORNER, Ways. Trees 1st ed. (1940) 709; CORNER, Ways. Trees, 3rd ed. (1988) 754; — *Vitex pteropoda* MIQ.; RIDLEY, Fl. Mal. Pen. 2 (1923) 633.
- 2447 **Vitex gamosepala** GRIFF.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 635; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 310; CORNER, Ways. Trees, 3rd ed. (1988) 753.

- 2448 **Vitex negundo** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 631; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 311; CORNER, Ways. Trees, 3rd ed. (1988) 753; KENG, Conc. Fl. Sing. (1990) 195.
- 2449 **Vitex pinnata** L.; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 311; KENG, Conc. Fl. Sing. (1990) 195; — *V. pubescens* VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 632; CORNER, Ways. Trees, 3rd ed. (1988) 754.
- 2450 **Vitex trifolia** L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 630; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 311; CORNER, Ways. Trees, 3rd ed. (1988) 755; KENG, Conc. Fl. Sing. (1990) 195.
- 2451 **Vitex vestita** WALL. ex SCHAU.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 123; RIDLEY, Fl. Mal. Pen. 2 (1923) 635; KOCHUMMEN, Tree Fl. Malaya 3 (1978) 313; CORNER, Ways. Trees, 3rd ed. (1988) 756; KENG, Conc. Fl. Sing. (1990) 195.

VIOLACEAE

- 2452 **Rinorea anguifera** (LOUR.) O.K.; JACOBS & MOORE, Fl. Males. I 7¹ (1971) 183; NG, Tree Fl. Malaya 3 (1978) 315; KENG, Conc. Fl. Sing. (1990) 40; — *Alsodeia echinocarpa* KORTH.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 43; RIDLEY, Fl. Mal. Pen. 1 (1922) 134;
- 2453 **Rinorea lanceolata** (WALL.) O.K.; JACOBS & MOORE, Fl. Males. I 7¹ (1971) 187; NG, Tree Fl. Malaya 3 (1978) 318; KENG, Conc. Fl. Sing. (1990) 40; — *Alsodeia floribunda* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 44; RIDLEY, Fl. Mal. Pen. 1 (1922) 132; — *A. grandiflora* RIDL., RIDLEY, Fl. Mal. Pen. 1 (1922) 132.

VITACEAE

- 2454 **Ampelocissus ascendiflora** LATIFF; LATIFF, Fed. Mus. J. n.s. 27 (1982) 87; KENG, Conc. Fl. Sing. (1990) 117.
- 2455 **Ampelocissus cinnamomea** (WALL.) PLANCH.; LATIFF, Fed. Mus. J. n.s. 27 (1982) 88; KENG, Conc. Fl. Sing. (1990) 117; — *Vitis cinnamomea* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 472.
- 2456 **Ampelocissus elegans** (KURZ) GAGNEP.; LATIFF, Fed. Mus. J. n.s. 27 (1982) 89; KENG, Conc. Fl. Sing. (1990) 117; — *Vitis elegans* KURZ; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 473; HENDERSON, Mal. Wild Fl. Dic. (1959) 56.
- 2457 **Ampelocissus gracilis** (WALL.) PLANCH.; KENG, Conc. Fl. Sing. (1990) 117; — *Vitis gracilis* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 472; HENDERSON, Mal. Wild Fl. Dic. (1959) 55.
- 2458 **Ampelocissus polystachya** (WALL.) PLANCH.; LATIFF, Fed. Mus. J. n.s. 27 (1982) 91; KENG, Conc. Fl. Sing. (1990) 118; — *Vitis polythyrsa* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; — *Vitis polystachya* WALL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 473.
- 2459 **Ampelocissus thrysiflora** (BL.) PLANCH.; LATIFF, Fed. Mus. J. n.s. 27 (1982) 90; KENG, Conc. Fl. Sing. (1990) 118.

- 2460 **Cayratia mollissima** (WALL.) GAGNEP.; LATIFF, Sains Malaysiana 10 (1981) 136; KENG, Conc. Fl. Sing. (1990) 118; — *Vitis mollissima* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65; RIDLEY, Fl. Mal. Pen. 1 (1922) 478.
- 2461 **Cayratia novemfolia** (WALL. ex LAWS.) BURK.; LATIFF, Sains Malaysiana 10 (1981) 138; KENG, Conc. Fl. Sing. (1990) 118; — *Vitis novemfolia* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65; RIDLEY, Fl. Mal. Pen. 1 (1922) 479.
- 2462 **Cayratia trifolia** (L.) DOMIN; KENG, Conc. Fl. Sing. (1990) 118; — *Vitis trifolia* L.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65; RIDLEY, Fl. Mal. Pen. 1 (1922) 478; HENDERSON, Mal. Wild Fl. Dic. (1959) 57.
- 2463 **Cissus hastata** (MIQ.) PLANCH.; KENG, Conc. Fl. Sing. (1990) 118; — *Vitis hastata* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 478; HENDERSON, Mal. Wild Fl. Dic. (1959) 56.
- 2464 **Cissus nodosa** BL.; LATIFF, Malay. Nat. J. 42 (1988) 33; — *Vitis cerasiformis* TEYSM.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; — *Vitis glaberrima* WALL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 477; — *Cissus glaberrima* (WALL.) PLANCH.; KENG, Conc. Fl. Sing. (1990) 118.
- 2465 **Cissus repens** LAMK.; LATIFF, Malay. Nat. J. 42 (1988) 34; KENG, Conc. Fl. Sing. (1990) 118; — *Vitis repens* W. & A.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 477; HENDERSON, Mal. Wild Fl. Dic. (1959) 55; — *Vitis diffusa* MIQ.; RIDLEY, Fl. Mal. Pen. 1 (1922) 477; — *Cissus diffusa* (MIQ.) AMSH.; KENG, Conc. Fl. Sing. (1990) 118.
- 2466 **Cissus rostrata** (MIQ.) PLANCH.; KENG, Conc. Fl. Sing. (1990) 118; — *Vitis furcata* LAWS.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 476.
- 2467 **Nothocissus spicifera** (GRIFF.) LATIFF; LATIFF, Fed. Mus. J. n.s. 27 (1982) 71; KENG, Conc. Fl. Sing. (1990) 118; — *Vitis macrostachya* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 472.
- 2468 **Pterisanthes cissoides** BL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 482; HENDERSON, Mal. Wild Fl. Dic. (1959) 58; LATIFF, Fed. Mus. J. n.s. 27 (1982) 48; KENG, Conc. Fl. Sing. (1990) 119.
- 2469 **Pterisanthes eriopoda** (MIQ.) PLANCH.; RIDLEY, Fl. Mal. Pen. 1 (1922) 481; LATIFF, Fed. Mus. J. n.s. 27 (1982) 57; KENG, Conc. Fl. Sing. (1990) 119.
- 2470 **Pterisanthes polita** (MIQ.) LAWS.; HENDERSON, Mal. Wild Fl. Dic. (1959) 58; LATIFF, Fed. Mus. J. n.s. 27 (1982) 53; KENG, Conc. Fl. Sing. (1990) 119; — *P. coriacea* KORTH. ex KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 65; RIDLEY, Fl. Mal. Pen. 1 (1922) 480.
- 2471 **Tetrastigma curtisii** (RIDL.) SEUSSENG.; LATIFF, Gard. Bull. Sing. 36 (1983) 223; KENG, Conc. Fl. Sing. (1990) 119; — *Vitis curtisii* RIDL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 474.

- 2472 **Tetrastigma lanceolarium** (ROXB.) PLANCH.; LATIFF, Gard. Bull. Sing. 36 (1983) 222; KENG, Conc. Fl. Sing. (1990) 119; — *Vitis kunstleri* KING; RIDLEY, Fl. Mal. Pen. 1 (1922) 475; — *Vitis lanceolarium* (ROXB.) WALL.; RIDLEY, Fl. Mal. Pen. 1 (1922) 475.
- 2473 **Tetrastigma lawsonii** (KING) BURK.; BURKILL, Dict. (1935) 2286; LATIFF, Gard. Bull. Sing. 36 (1983) 220; KENG, Conc. Fl. Sing. (1990) 119; — *Vitis lawsonii* KING; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 64; RIDLEY, Fl. Mal. Pen. 1 (1922) 474.

XYRIDACEAE

- 2474 **Xyris complanata** R. BR.; VAN ROYEN, Fl. Males. I. 369; HENDERSON, Mal. Wild Fl. Monoc. (1954) 193; KENG, Gard. Bull. Sing. 40 (1987) 126; — *X. anceps* (*non* LAMK.) VAHL; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169.
- 2475 **Xyris pauciflora** WILLD.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 112; RIDLEY, Fl. Mal. Pen. 4 (1924) 348; VAN ROYEN, Fl. Males. I. 371; HENDERSON, Mal. Wild Fl. Monoc. (1954) 194; KENG, Gard. Bull. Sing. 40 (1987) 126; — *X. schoenoides* (*non* MART.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 169.

ZANNICHELLIACEAE

- 2476 **Cymodocea rotundata** EHRENB. & HEMP. ex ASCHERS.; SINCLAIR, Gard. Bull. Sing. 15 (1956) 25; DEN HARTOG, The Sea-grasses of the World (1970) 166; KENG, Gard. Bull. Sing. 40 (1987) 115.
- 2477 **Cymodocea serrulata** (R. BR.) ASCHERS. & MAGNUS; SINCLAIR, Gard. Bull. Sing. 15 (1956) 27; DEN HARTOG, The Sea-grasses of the World (1970) 171; KENG, Gard. Bull. Sing. 40 (1987) 115.
- 2478 **Halodule pinifolia** (MIKI) DEN HARTOG; DEN HARTOG, The Sea-grasses of the World (1970) 158.
- 2479 **Halodule uninervis** (FORSK.) ASCHERS.; DEN HARTOG, The Sea-grasses of the World (1970) 147; — *H. tridentata* F.v.M.; KENG, Gard. Bull. Sing. 40 (1987) 115.
- 2480 **Syringodium isoetifolium** (ASCHERS.) DANDY; DEN HARTOG, The Sea-grasses of the World (1970) 177; — *Cymodocea isoetifolia* ASCHERS.; SINCLAIR, Gard. Bull. Sing. 15 (1956) 25; KENG, Gard. Bull. Sing. 40 (1987) 115.

ZINGIBERACEAE

- 2481 **Alpinia aquatica** (RETZ.) ROSCOE; SMITH, Edinb. J. Bot. 47 (1990) 45; — *A. melanocarpa* (T. & B.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 48; RIDLEY, Fl. Mal. Pen. 4 (1924) 279; HENDERSON, Mal. Wild Fl. Monoc. (1954) 150; — *Languas melanocarpa* (T. & B.) BURK.; HOLTTUM, Gard. Bull. Sing. 13 (1950) 159.
- 2482 **Alpinia conchigera** GRIFF.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 47; RIDLEY, Fl. Mal. Pen. 4 (1924) 278; HOLTTUM, Gard. Bull. Sing. 13 (1950) 142; HENDERSON, Mal. Wild Fl. Monoc. (1954) 147.

- 2483 **Alpinia galanga** (L.) Sw.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 48; RIDLEY, Fl. Mal. Pen. 4 (1924) 279; HENDERSON, Mal. Wild Fl. Monoc. (1954) 150; SMITH, Edinb. J. Bot. 47 (1990) 45; — *Languas galanga* (L.) STUNZ; HOLTTUM, Gard. Bull. Sing. 13 (1950) 157.
- 2484 **Alpinia mutica** ROXB.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 49; RIDLEY, Fl. Mal. Pen. 4 (1924) 279; HENDERSON, Mal. Wild Fl. Monoc. (1954) 150; SMITH, Edinb. J. Bot. 47 (1990) 51; — *Catimbium muticum* (ROXB.) HOLTT.; HOLTTUM, Gard. Bull. Sing. 13 (1950) 150.
- 2485 **Alpinia rafflesiana** WALL. ex BAKER; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 50; RIDLEY, Fl. Mal. Pen. 4 (1924) 281; HOLTTUM, Gard. Bull. Sing. 13 (1950) 144; HENDERSON, Mal. Wild Fl. Monoc. (1954) 148.
- 2486 **Amomum hastilabium** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 33; RIDLEY, Fl. Mal. Pen. 4 (1924) 266; HOLTTUM, Gard. Bull. Sing. 13 (1950) 203.
- 2487 **Amomum xanthophlebium** BAK.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 31; RIDLEY, Fl. Mal. Pen. 4 (1924) 263; HOLTTUM, Gard. Bull. Sing. 13 (1950) 198; HENDERSON, Mal. Wild Fl. Monoc. (1954) 159.
- 2488 **Costus globosus** BL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 25; RIDLEY, Fl. Mal. Pen. 4 (1924) 256; HOLTTUM, Gard. Bull. Sing. 13 (1950) 243; HENDERSON, Mal. Wild Fl. Monoc. (1954) 136.
- A 2489 **Costus lucanusianus** J. BRAUN & K. SCH.
- 2490 **Costus speciosus** (KOENIG) SMITH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 24; RIDLEY, Fl. Mal. Pen. 4 (1924) 256; HOLTTUM, Gard. Bull. Sing. 13 (1950) 242; HENDERSON, Mal. Wild Fl. Monoc. (1954) 136.
- 2491 **Elettariopsis curtisii** BAK.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 42; RIDLEY, Fl. Mal. Pen. 4 (1924) 274; HOLTTUM, Gard. Bull. Sing. 13 (1950) 217; HENDERSON, Mal. Wild Fl. Monoc. (1954) 159; — *E. latiflora* RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166.
- 2492 **Etlingera littoralis** (KÖNIG) GISEKE; BURTT & SMITH, Notes R. Bot. Gard. Edinb. 43 (1986) 240; — *Achasma megalochelos* GRIFF.; HOLTTUM, Gard. Bull. Sing. 13 (1950) 191; HENDERSON, Mal. Wild Fl. Monoc. (1954) 157; — *Hornstedtia megalochelos* (GRIFF.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 16; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 3 (1907) 8; RIDLEY, Fl. Mal. Pen. 4 (1924) 270.
- 2493 **Etlingera punicea** (ROXB.) R.M. SMITH, Notes R. Bot. Gard. Edinb. 43 (1986) 249; — *Hornstedtia macrocheilos* (GRIFF.) RIDL.; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 9; RIDLEY, Fl. Mal. Pen. 4 (1924) 271; — *Achasma macrocheilos* GRIFF.; HOLTTUM, Gard. Bull. Sing. 13 (1950) 188; HENDERSON, Mal. Wild Fl. Monoc. (1954) 157.

- 2494 **Globba leucantha** MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 6; RIDLEY, Fl. Mal. Pen. 4 (1924) 238; HOLTTUM, Gard. Bull. Sing. 13 (1950) 26; HENDERSON, Mal. Wild Fl. Monoc. (1954) 137; LIM, Notes R. Bot. Gard. Edinb. 31 (1972) 267.
- 2495 **Globba pendula** ROXB.; HOLTTUM, Gard. Bull. Sing. 13 (1950) 29; LIM, Notes R. Bot. Gard. Edinb. 31 (1972) 264; — *G. panicoides* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 4; RIDLEY, Fl. Mal. Pen. 4 (1924) 235; — *G. uliginosa* MIQ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 3; RIDLEY, Fl. Mal. Pen. 4 (1924) 235.
- 2496 **Globba variabilis** RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 239; HOLTTUM, Gard. Bull. Sing. 13 (1950) 37; LIM, Notes R. Bot. Gard. Edinb. 31 (1972) 260.
- 2497 **Hornstedtia conica** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 37; RIDLEY, Fl. Mal. Pen. 4 (1924) 268; HOLTTUM, Gard. Bull. Sing. 13 (1950) 175.
- 2498 **Hornstedtia leonurus** (KOENIG) RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 37; RIDLEY, Fl. Mal. Pen. 4 (1924) 269; HOLTTUM, Gard. Bull. Sing. 13 (1950) 177; HENDERSON, Mal. Wild Fl. Monoc. (1954) 155.
- 2499 **Hornstedtia scyphifera** (KOENIG) STEUD.; HOLTTUM, Gard. Bull. Sing. 13 (1950) 170; HENDERSON, Mal. Wild Fl. Monoc. (1954) 155; — *H. scyphus* RETZ.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 35; RIDLEY, Fl. Mal. Pen. 4 (1924) 267.
- 2500 **Plagiostachys lateralis** (RIDL.) RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 166; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 41; RIDLEY, Fl. Mal. Pen. 4 (1924) 273; HOLTTUM, Gard. Bull. Sing. 13 (1950) 161.
- 25001 **Plagiostachys mucida** HOLTTUM, Gard. Bull. Sing. 13 (1950) 162; HENDERSON, Mal. Wild Fl. Monoc. (1954) 152.
- 2502 **Zingiber griffithii** BAK.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 29; RIDLEY, Fl. Mal. Pen. 4 (1924) 260; HOLTTUM, Gard. Bull. Sing. 13 (1950) 60; HENDERSON, Mal. Wild Fl. Monoc. (1954) 140.
- 2503 **Zingiber puberulum** RIDL.; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 29; RIDLEY, Fl. Mal. Pen. 4 (1924) 261; HOLTTUM, Gard. Bull. Sing. 13 (1950) 61; HENDERSON, Mal. Wild Fl. Monoc. (1954) 139.
- 2504 **Zingiber zerumbet** (L.) SMITH; RIDLEY, J. Str. Br. R. As. Soc. 33 (1900) 165; RIDLEY, Mat. Fl. Mal. Pen. (Monoc.) 2 (1907) 27; HOLTTUM, Gard. Bull. Sing. 13 (1950) 59; — *Z. aromaticum quoad* RIDL.; RIDLEY, Fl. Mal. Pen. 4 (1924) 259, p.p.

Acknowledgements

I would like to thank Dr Hsuan Keng for the prolonged loan of his copy of the Flora of Syonan,

Dr Hugh Tan and Mr Chua Keng Soon for their assistance and Dr Richard Corlett for his tireless interest in the weeds of Singapore. I am indebted to the Director of the Singapore Botanic Gardens for allowing me to use the facilities of the Gardens' Herbarium and Library. This research was supported by research grant RP 880301 from the National University of Singapore.

References

- Burkill, I.H., (1935). *A dictionary of the economic products of the Malay Peninsula*, Crown Agents for the Colonies, London.
- Corlett, R.T., (1988). The naturalized flora of Singapore. *Journal of Biogeography* 15, 657-663.
- . (1992). The naturalized flora of Hong Kong: a comparison with Singapore. *Journal of Biogeography* 19, 421-430.
- Corner, E.J.H., (1940). *Wayside Trees of Malaya*, First Edition, Government Printing Office, Singapore
- . (1952). *Wayside Trees of Malaya*, Second Edition, Government Printing Office, Singapore
- . (1988). *Wayside Trees of Malaya*, Third Edition, Malayan Nature Society, Kuala Lumpur.
- den Hartog, C., (1970). *The sea-grasses of the world*, North Holland Publishing Co., Amsterdam.
- Gilliland, H.B., (1971). *A revised flora of Malaya. Vol III. Grasses of Malaya*, Botanic Gardens, Singapore.
- Henderson, M.R. (1954). *Malayan Wild Flowers: Monocotyledons*, Malayan Nature Society, Kuala Lumpur
- . (1959). *Malayan Wild Flowers: Dicotyledons*, Malayan Nature Society, Kuala Lumpur.
- Holtum, R.E., (1964). *A revised flora of Malaya. Vol I. Orchids of Malaya*, Government Printing Office, Singapore.
- . (1968). *A revised flora of Malaya. Vol II. Ferns of Malaya*, Second Edition, Government Printing Office, Singapore.
- Johnson, A., (1977). *A student's guide to the ferns of Singapore Island*, Second Edition, Singapore University Press, Singapore.
- Keng, H., (1973). Annotated list of seed plants of Singapore (I). *Gardens' Bulletin, Singapore* 26, 233-237.
- . (1974a). Annotated list of seed plants of Singapore (II). *Gardens' Bulletin, Singapore* 27, 67-83.
- . (1974b). Annotated list of seed plants of Singapore (III). *Gardens' Bulletin, Singapore* 27, 247-266.
- . (1976). Annotated list of seed plants of Singapore (IV). *Gardens' Bulletin, Singapore* 28, 237-258.
- . (1978). Annotated list of seed plants of Singapore (V). *Gardens' Bulletin, Singapore* 31, 84-113.

- _____. (1980). Annotated list of seed plants of Singapore (VI). *Gardens' Bulletin, Singapore* 33, 329-367.
- _____. (1982). Annotated list of seed plants of Singapore (VII). *Gardens' Bulletin, Singapore* 35, 83-103.
- _____. (1983). Annotated list of seed plants of Singapore (VIII). *Gardens' Bulletin, Singapore* 36, 103-124.
- _____. (1985). Annotated list of seed plants of Singapore (IX). *Gardens' Bulletin, Singapore* 38, 149-174.
- _____. (1986). Annotated list of seed plants of Singapore (X). *Gardens' Bulletin, Singapore* 39, 67-94.
- _____. (1987). Annotated list of seed plants in Singapore (XI). *Gardens' Bulletin, Singapore* 40, 113-132.
- _____. (1990). *The concise flora of Singapore: gymnosperms and dicotyledons*, Singapore University Press; Singapore.
- Kramer, K.U. and Green, P.S., (Eds.) (1990). *The families and genera of vascular plants I. Pteridophytes and gymnosperms*. Springer-Verlag, Berlin.
- Maxwell, J.F., (1982). New and interesting plant records for Singapore. *Gardens' Bulletin, Singapore* 35, 191-198.
- _____. (1983). New and interesting plant records for Singapore, II. *Gardens' Bulletin, Singapore* 35, 229-232.
- Ng, F.S.P. (ed.), (1978). *Tree flora of Malaya*, Volume 3. Longman Malaysia Sdn. Berhad, Kuala Lumpur.
- _____. (1989). *Tree flora of Malaya*, Volume 4. Longman Malaysia Sdn. Berhad, Kuala Lumpur.
- Piggott, A.G., (1988). *Ferns of Malaysia in colour*, Tropical Press Sdn. Bhd., Kuala Lumpur.
- Ridley, H.N., (1900). The flora of Singapore. *Journal of the Straits' Branch of the Royal Asiatic Society* 33, 27-196.
- _____. (1901). Supplementary notes on the flora of Singapore. *Journal of the Straits' Branch of the Royal Asiatic Society* 35, 84-90.
- _____. (1907). *Materials for a flora of the Malay Peninsula*, Parts I-III, Methodist Publishing House, Singapore.
- _____. (1908). A list of the ferns of the Malay Peninsula. *Journal of the Straits' Branch of the Royal Asiatic Society* 50, 1-59.
- _____. (1919). The fern-allies and Characeae of the Malay Peninsula. *Journal of the Straits' Branch of the Royal Asiatic Society* 80, 139-164.
- _____. (1922-1925). *The flora of the Malay Peninsula*, Volumes I-V, Reeve & Co., London.
- Seidenfaden, G. and Wood, J.J.,
- _____. (1992). *The orchids of Peninsular Malaysia and Singapore*, Olsen & Olsen, Fredensborg, Denmark.
- Sinclair, J., (1953). Additions to the flora of Singapore and new localities in Singapore for some plants thought to be extinct. *Gardens' Bulletin, Singapore* 14, 30-39.
- _____. (1956). Additions to the flora of Singapore and new localities in Singapore for some plants thought to be extinct. Part II. *Gardens' Bulletin, Singapore* 15, 22-30.

- Tan, H.T.W., Ali bin Ibrahim, Chua, K.S., Turner, I.M., Wee, Y.C., and Chew, P.T., (1992). Additions to the flora of Singapore, I. *Gardens' Bulletin, Singapore* 44, 127-133.
- Turner, I.M., Chua, K.S. & Tan, H.T.W., (1990). A checklist of the native and naturalized vascular plants of the Republic of Singapore. *Journal of the Singapore National Academy of Science* 18 & 19, 58-88.
- Whitmore, T.C. (ed.),(1972). *Tree flora of Malaya*, Volume 1, Longman Malaysia Sdn. Berhad, Kuala Lumpur.
- _____. (1973). *Tree flora of Malaya*, Volume 2, Longman Malaysia Sdn. Berhad, Kuala Lumpur.
- _____. (1977). *Palms of Malaya*, Revised Edition, Oxford University Press, Oxford.

APPENDIX A:

Index of the species listed by Ridley (1900 and 1901) for the flora of Singapore, as they appear (*viz.* spelling and authorities) in those publications. Numbers represent the taxon in the main list of the present paper. Letters relate to subsequent appendices whither certain species not included in the main list are referred. Ridley was unable to name some collections from Singapore. These he referred to by collection numbers (usually numbers of four digits) or by brief descriptions. Abbreviated versions of these descriptions have been used for the unnamed species in the index.

<i>Abrus precatorius</i> L.	1247	<i>Afzelia retusa</i> Kurz	1315
<i>Abutilon indicum</i> L.	1406	<i>Aganosma marginata</i> Don	B
<i>Acacia pennata</i> Willd.	B	<i>Agathis loranthifolia</i> Salisb.	B
<i>Acacia pseudo-intsia</i> Miq.	1250	<i>Agelaea hullettii</i> King	592
<i>Acalypha indica</i> L.	828	<i>Agelaea vestita</i> Hook. f.	591
<i>Acanthospermum xanthoides</i> DC.	E	<i>Agelaea wallichii</i> Hook. f.	592
<i>Acanthus ebracteatus</i> Vahl	191	<i>Ageratum conyzoides</i> L.	556
<i>Acanthus volubilis</i> Wall.	193	<i>Aglaia cordata</i> Hiern	1469
<i>Acorus calamus</i>	D	<i>Aglaia glabriflora</i> Hiern	1472
<i>Acriopsis javanica</i>	1731	<i>Aglaia odoratissima</i> Bl.	1474
<i>Acriopsis ridleyi</i> Hook. f.	1732	<i>Aglaia oligophylla</i> Miq.	1475
<i>Acronychia porteri</i> Hook. f.	2228	<i>Aglaia tenuicaulis</i> Hiern	1481
<i>Acrostichum aureum</i> L.	1	<i>Aglaia trichostemon</i> Dec.	1482
<i>Actephila javanica</i> Miq.	829	<i>Aglaonema minus</i> Hook. f.	377
<i>Actinodaphne maingayi</i> Hook. f.	1194	<i>Aglaonema nitidum</i> N.E. Br.	379
<i>Actinodaphne pruinosa</i> Nees	1196	<i>Aglaonema oblongifolium</i> Schott	378
<i>Adenanthera bicolor</i> Moon	1251	<i>Agrostistachys longifolia</i> Benth. var. malayana	
<i>Adenanthera pavonina</i> L.	1252		831
<i>Adenoncos virens</i> Bl.	1733	<i>Agrostophyllum majus</i> Hook. f.	1735
<i>Adenosacme longifolia</i> Wall.	2163	<i>Agyneia bacciformis</i> Muell.	951
<i>Adenosma caeruleum</i>	2292	<i>Albizia lebbek</i> Benth.	D
<i>Adenosma capitatum</i> Benth.	2291	<i>Albizia littoralis</i> Teysm.	1256
<i>Adenosma ovatum</i> Benth.	2293	<i>Albizia lucida</i> Benth.	B
<i>Adenostemma viscosum</i> Forst.	555	<i>Albizia moluccana</i>	1333
<i>Adhatoda vasica</i> Nees	C	<i>Albizia odoratissima</i> Benth.	D
<i>Adiantum flabellulatum</i> L.	4	<i>Albizia pedicellata</i> Bak.	1255
<i>Adina rubescens</i> Hemst.	2179	<i>Alchornea rugosa</i> Muell.	832
<i>Adinandra acuminata</i> Korth.	2369	<i>Alchornea villosa</i> Muell.	833
<i>Adinandra dumosa</i> Jack	2370	<i>Aleurites moluccana</i> Willd.	D
<i>Adinandra hullettii</i> King	2371	<i>Allamanda schottii</i> Pohl	D
<i>Adinandra maculosa</i> T. Anders.	B	<i>Allmania nodiflora</i> R. Br.	235
<i>Adinandra miquelii</i> King	2377	<i>Allophylus cobbe</i> L.	2246
<i>Adinandra</i> sp.	E	<i>Alocasia cucullata</i> Schott	D
<i>Aegiceras majus</i> Gaertn.	1616	<i>Alocasia denudata</i> Engl.	380
<i>Aeschynanthus lobbianus</i> Hook.	987	<i>Alocasia indica</i> Schott	381
<i>Aeschynanthus motleyi</i> Clarke	988	<i>Alocasia longiloba</i> Miq.	C
<i>Aeschynanthus radicans</i> Jack	989	<i>Alocasia macrorrhizos</i> Schott	381
<i>Aeschynanthus wallichii</i> R. Br.	990	<i>Alpinia galanga</i> L.	2483
<i>Aeschynomene indica</i> L.	1254	<i>Alpinia melanocarpa</i> Ridl.	2481

<i>Alpinia rafflesiana</i> Wall.	2485	<i>Anthistiria gigantea</i> var. <i>villosa</i>	1108
<i>Alseodaphne costalis</i> Nees	1217	<i>Antidesma alatum</i> Hook. f.	836
<i>Alseodaphne decipiens</i> Hook. f.	1197	<i>Antidesma cuspidatum</i> Muell.	835
<i>Alseodaphne lucida</i> Nees	955	<i>Antidesma fallax</i> Meisn.	834
<i>Alseodaphne umbelliflora</i> Hook. f.	1234	<i>Antidesma velutinosum</i> Bl.	837
<i>Alsodeia echinocarpa</i> Korth.	2452	<i>Antrophyum plantagineum</i> Kaulf.	B
<i>Alsodeia floribunda</i> King	2453	<i>Antrophyum reticulatum</i> Kaulf.	B
<i>Alsodeia kunstleriana</i> King	B	<i>Aphyllorchis pallida</i> Bl.	1737
<i>Alsodeia membranacea</i> King	B	<i>Aporusa benthamiana</i> Hook. f.	838
<i>Alsophila comosa</i> Hook.	38	<i>Aporusa falcifera</i> Hook. f.	841
<i>Alsophila latebrosa</i> Hook.	37	<i>Aporusa ficifolia</i> Baill.	B
<i>Alsophila ridleyi</i> Bak.	38	<i>Aporusa fruticosa</i> Muell.	842
<i>Alstonia angustifolia</i> Wall.	336	<i>Aporusa lunata</i> Benth.	843
<i>Alstonia grandifolia</i> Miq.	E	<i>Aporusa maingayi</i>	844
<i>Alstonia scholaris</i> R.Br.	337	<i>Aporusa nigricans</i> Hook. f.	846
<i>Alstonia spathulata</i> Bl.	338	<i>Aporusa prainiana</i> King	847
<i>Alternanthera sessilis</i> R. Br.	238	<i>Aporusa stellifera</i> Hook. f.	B
<i>Alysicarpus vaginalis</i> Miq.	1258	<i>Apostasia nuda</i> R. Br.	1738
<i>Alyxia lucida</i> Wall.	340a	<i>Appendicula bifaria</i> Lindl.	1740
<i>Amaranthus caudatus</i> L.	D	<i>Appendicula callosa</i> Bl.	1734
<i>Amaranthus paniculatus</i> L.	D	<i>Appendicula lewisii</i> Griff.	1739
<i>Amaranthus spinosus</i> L.	240	<i>Appendicula lucida</i> Ridl.	1741
<i>Amaranthus viridis</i> L.	D	<i>Aquilaria grandiflora</i>	2380
<i>Amomum hastilabium</i> Ridl.	2486	<i>Aquilaria malaccensis</i>	2381
<i>Amoora aphanamixis</i> Schultes	1483	<i>Aquilaria</i> sp.	E
<i>Amoora cucullata</i> Roxb.	1470	<i>Aralidium pinnatifidum</i> Miq.	632
<i>Amoora rubescens</i> Hiern	1478	<i>Archytaea vahlii</i> Choisy	468
<i>Amoora rubiginosa</i> Hiern	1479	<i>Ardisia colorata</i> Roxb.	1617
<i>Amorphophallus prainii</i> Hook. f.	382	<i>Ardisia crassa</i> Clarke	1618
<i>Amorphophallus</i> sp.	E	<i>Ardisia crenata</i> Roxb.	1619
<i>Anacardium occidentale</i> L.	244	<i>Ardisia humilis</i> Vahl	B
<i>Anadendrum medium</i> Schott	383	<i>Ardisia lanceolata</i> Roxb.	1621
<i>Anadendrum montanum</i> Schott	384	<i>Ardisia odontophylla</i> var. <i>lobbii</i>	C
<i>Andropogon aciculatus</i> Retz.	1013	<i>Ardisia</i> sp. (6434)	E
<i>Andropogon contortus</i> L.	1051	<i>Ardisia</i> sp. (2816)	1625
<i>Andropogon pseudograya</i> Kth.	1096	<i>Ardisia tuberculata</i> Wall.	1627
<i>Aneilema nudiflorum</i> Br.	550	<i>Ardisia villosa</i> Roxb.	1628
<i>Aneilema vaginata</i> Br.	551	<i>Areca catechu</i> L.	D
<i>Angiopteris evecta</i> Hoffm.	12	<i>Arenga saccharifera</i> Labill.	D
<i>Anisogonium cordifolium</i> Mett.	45	<i>Argostemma elatostemma</i> Hook.	C
<i>Anisomeles ovata</i> R. Br.	1180	<i>Argostemma parvifolium</i> Benn.	C
<i>Anisophyllea disticha</i> Baill.	2061	<i>Argostemma spinulosum</i> Clarke	C
<i>Anisophyllea griffithii</i> Oliv.	2062	<i>Aristolochia unguiflora</i> Mast.	419
<i>Anisoptera costata</i> Korth.	762	<i>Aromadendron elegans</i> Bl.	1399
<i>Anisoptera glabra</i> Kurz	763	<i>Artobotrys maingayi</i> Hk. f.	271
<i>Anoectochilus geniculatus</i> Ridl.	1736	<i>Artobotrys suaveolens</i> Bl.	272
<i>Anplectrum annulata</i> Triana	1421	<i>Artobotrys wrayi</i> King	273
<i>Anplectrum glaucum</i> Triana	1420	<i>Artanema angustifolium</i> Benth.	B
<i>Anthistiria arguens</i> Willd.	1108	<i>Artemisia vulgaris</i> L.	D

<i>Arthrophyllum diversifolium</i> Bl.	411	<i>Bassia malaccensis</i>	2269
<i>Artocarpus gomezianus</i> Wall.	1529	<i>Bassia motleyana</i> De Vr.	2266
<i>Artocarpus kunstleri</i> King	1521	<i>Bauhinia semibifida</i> Roxb.	1265
<i>Artocarpus lakoocha</i> Roxb.	1520	<i>Beilschmiedia malaccensis</i> Hook. f.	1201
<i>Artocarpus lanceifolius</i> Roxb.	1526	<i>Blechnum finlaysonianum</i> Wall.	22
<i>Artocarpus lowii</i> King	1527	<i>Blechnum orientale</i> L.	24
<i>Artocarpus maingayi</i> King	1528	<i>Blechnum serrulatum</i> Rch.	23
<i>Artocarpus peduncularis</i> King	B	<i>Blumea balsamifera</i> DC.	558
<i>Artocarpus rigidus</i>	1530	<i>Blumea lacera</i> DC.	560
<i>Artocarpus scortechinii</i> King	1531	<i>Blumea membranacea</i> DC.	561
<i>Artocarpus</i> sp. medium sized tree	E	<i>Blyxa malaccensis</i> Ridl.	E
<i>Artocarpus</i> sp. Large tree	1519	<i>Boerhavia repens</i> L.	1702
<i>Arytera littoralis</i> Bl.	2247	<i>Bonnaya brachiata</i> Link	2304
<i>Asclepias curassavica</i> L.	422	<i>Bonnaya reptans</i> Spreng.	2307
<i>Aspidium cicutarium</i> Sw.	B	<i>Bonnaya veronicaefolia</i> Spreng.	2302
<i>Aspidium semibipinnatum</i> Wall.	B	<i>Borassus flabellifer</i> L.	D
<i>Aspidium singaporenum</i> Wall.	166	<i>Boschia griffithii</i> Mast.	463
<i>Aspidium vastum</i> Bl.	B	<i>Bouea burmanica</i> Griff.	246
<i>Aspidium zollingerianum</i> Kze.	B	<i>Bouea macrophylla</i> Griff.	245
<i>Aspidopterys concava</i> Juss.	1402	<i>Breynia discigera</i> Muell.	867
<i>Asplenium falcatum</i> Lamk.	B	<i>Breynia reclinata</i>	868
<i>Asplenium longissimum</i> Bl.	15	<i>Breynia rhamnoides</i> Muell.	869
<i>Asplenium macrophyllum</i> Sw.	16	<i>Bridelia pustulata</i> Hook. f.	872
<i>Asplenium squamulatum</i> Bl.	B	<i>Bridelia tomentosa</i> Bl.	874
<i>Asplenium tenerum</i> Forst.	20	<i>Bromheadia alticola</i> Ridl.	1747
<i>Asystasia intrusa</i> Bl.	196	<i>Bromheadia aporoides</i> Rchb. f.	1748
<i>Avicennia officinalis</i> Bl.	453	<i>Bromheadia palustris</i> Lindl.	1749a
<i>Axonopus cimicinus</i> Beauv.	999	<i>Bromheadia sylvestris</i> Ridl.	1749b
<i>Azolla pinnata</i> R. Br.	21	<i>Brownlowia lanceolata</i> Benth.	2387
<i>Baccaurea bracteata</i> Muell.	850	<i>Brownlowia lepidota</i> R1901	2386
<i>Baccaurea kunstleri</i> King	853	<i>Brownlowia riedelii</i> Hemsl.	2386
<i>Baccaurea latifolia</i>	855	<i>Brucea sumatrana</i> Roxb.	2316
<i>Baccaurea macrophylla</i> Muell.	856	<i>Bruguiera caryophylloides</i> Bl.	2063
<i>Baccaurea minor</i> Hook. f.	858	<i>Bruguiera eriopetala</i> W. & A.	2066
<i>Baccaurea motleyana</i>	859	<i>Bruguiera gymnorhiza</i> Lmk.	2064
<i>Baccaurea parviflora</i> Muell.	860	<i>Bruguiera parviflora</i> W. & A.	2065
<i>Baccaurea reticulata</i> Hook. f.	863	<i>Buchanania florida</i> Schauer var. <i>lucida</i>	
<i>Baccaurea</i> sp. (6263)	E	& var. <i>petiolaris</i>	247
<i>Baccaurea</i> sp. B	852	<i>Buchanania sessilifolia</i> Bl.	248
<i>Baccaurea symplocoides</i> King	848	<i>Bulbophyllum adenopetalum</i> Lindl.	1756
<i>Bambusa ridleyi</i> Gamble	1003	<i>Bulbophyllum apodum</i> Hook. f.	1751
<i>Barclaya motleyi</i> Hook.	1703	<i>Bulbophyllum avicella</i> Ridl.	1762
<i>Barringtonia conoidea</i> Griff.	1238	<i>Bulbophyllum botryophorum</i> Ridl.	1753
<i>Barringtonia cylindrostachya</i> Griff.	1239	<i>Bulbophyllum catenarium</i> Ridl.	1764
<i>Barringtonia inclita</i> Miers	1240	<i>Bulbophyllum clandestinum</i> Lindl.	1772
<i>Barringtonia pendulum</i> Miers	B	<i>Bulbophyllum concinnum</i> Hook. f.	1755
<i>Barringtonia speciosa</i> Forst.	1237	<i>Bulbophyllum densiflorum</i> Ridl.	1773
<i>Bassia cuneata</i> Bl.	2277	<i>Bulbophyllum limbatum</i> Lindl.	1757
<i>Bassia kingii</i> Stapf	2265	<i>Bulbophyllum macranthum</i> Lindl.	1758

<i>Bulbophyllum patens</i> King	1770	<i>Canavalia obtusifolia</i> DC.	1271
<i>Bulbophyllum pileatum</i> Lindl.	1766	<i>Canavalia turgida</i> DC.	1272
<i>Bulbophyllum rugosum</i> Ridl.	1771	<i>Canna indica</i> L.	D
<i>Bulbophyllum stella</i> Ridl.	1759	<i>Canna warcewiczii</i>	D
<i>Bulbophyllum striatellum</i> Ridl.	1774	<i>Canthium confertum</i> Korth.	2091
<i>Bulbophyllum trifolium</i> Ridl.	1776	<i>Canthium didymum</i> Roxb.	2195
<i>Bulbophyllum vermiculare</i> Hook. f.	1778	<i>Canthium glabrum</i> Bl.	2092
<i>Bulbostylis barbata</i> Kunth	643	<i>Canthium horridum</i> Korth.	2093
<i>Bulbostylis puberula</i> Kunth	644	<i>Canthium scandens</i> Bl.	2092
<i>Burmannia coelestis</i> Don	477	<i>Canthium sp. "gading"</i>	E
<i>Burmannia tuberosa</i> Becc.	476	<i>Capparis finlaysoniana</i> Wall.	450
<i>Byttneria maingayi</i> Mast.	2336	<i>Capsicum frutescens</i> L.	D
<i>Caesalpinia nuga</i> Ait.	1267	<i>Capsicum grossum</i> Willd.	D
<i>Caesalpinia tortuosa</i> Roxb.	1269	<i>Capsicum minimum</i>	D
<i>Caesulia axillaris</i> Roxb.	E	<i>Carallia scortechinii</i> King	2067
<i>Calamus densiflorus</i> Becc.	1935	<i>Carapa obovata</i> Bl.	1502
<i>Calamus diffusus</i> Becc.	C	<i>Cardiospermum halicacabum</i> L.	2248
<i>Calamus insignis</i> Griff.	1938	<i>Carex 'cyrtostachys'</i> Brongn.	645
<i>Calamus javensis</i> Bl.	1939	<i>Careya</i> sp.	1242
<i>Calamus lobbianus</i> Becc.	1941	<i>Caryota mitis</i> Lour.	1946
<i>Calamus oxleyanus</i> Teysm.	1944	<i>Casearia clarkei</i> King	975
<i>Calamus pallidulus</i> Becc.	1940	<i>Casearia esculenta</i> Roxb.	974
<i>Calamus singaporensis</i> Becc.	1936	<i>Casearia lobbiana</i> Turcz.	976
<i>Calamus</i> sp. near <i>radulosus</i>	E	<i>Cassia alata</i> L.	1339
<i>Calanthe curculigooides</i> Lindl.	1780	<i>Cassia hirsuta</i> L.	1340
<i>Callicarpa longifolia</i> Lamk.	2420	<i>Cassia leschenaultiana</i> DC.	1275
<i>Calophyllum canum</i> Hook. f.	B	<i>Cassia obtusifolia</i> L.	1341
<i>Calophyllum griffithii</i> T. Anders.	1132	<i>Cassia occidentalis</i> L.	1342
<i>Calophyllum inophylloide</i> King	1131	<i>Cassia siamea</i> Lam.	B
<i>Calophyllum inophyllum</i> L.	1120	<i>Cassytha filiformis</i> L.	1202
<i>Calophyllum macrocarpum</i> Hook. f.	1122	<i>Castanopsis hullettii</i> King	955
<i>Calophyllum pulcherrimum</i> Wall.	1123	<i>Castanopsis hystrix</i> DC.	E
<i>Calophyllum retusum</i> Wall.	1129/	<i>Castanopsis javanica</i> DC.	954
<i>Calophyllum spectabile</i> Willd.	1127	<i>Castanopsis nepheliooides</i> King	958
<i>Calophyllum wallichianum</i> Planch.	1125	<i>Castanopsis</i> sp.	E
<i>Calotropis procera</i> R.Br.	D	<i>Castanopsis sumatrana</i> DC.	953
<i>Calycopteris floribunda</i> Lamk.	C	<i>Castanopsis wallichii</i> King	960
<i>Camnospermum auriculatum</i> Hook. f.		<i>Casuarina equisetifolia</i> Forst.	508
	249	<i>Celastrus championii</i> Benth.	B
<i>Camnospermum griffithii</i> Hook. f.	249	<i>Centipeda orbicularis</i> Lour.	563
<i>Camnospermum wallichii</i> King	249	<i>Centotheeca lappacea</i> Beauv.	1010
<i>Canarium grandiflorum</i> Benn.	484	<i>Centrosema plumieri</i> Benth.	1273
<i>Canarium kadondon</i> Benn.	487	<i>Cephaelis griffithii</i> Hook.	B
<i>Canarium nitidum</i> Benn.	483	<i>Ceratolobus kingianus</i> Becc.	B
<i>Canarium pilosum</i> Benn.	484	<i>Ceratopteris thalictroides</i> L.	29
<i>Canarium planchoni</i> King	492	<i>Cerbera lactaria</i> Ham.	343
<i>Canarium purpurascens</i> Benn.	482	<i>Cerbera odollam</i> Gaertn.	344
<i>Canarium rufum</i> Benn.	482	<i>Ceriops candolleana</i> Arn.	2068
<i>Canarium secundum</i> Benn.	482	<i>Chailletia deflexifolia</i> Turcz.	740

<i>Champereia griffithiana</i> Planch.	1729	<i>Clerodendron siphonanthus</i> R. Br.	D
<i>Chasalia curviflora</i> Thw.	2097	<i>Clerodendron squamatum</i> Vahl	D
<i>Chasalia rostrata</i> Miq.	2193	<i>Clerodendron villosum</i> Bl.	2426
<i>Cheilanthes tenuifolia</i> Sw.	30	<i>Clidemia hirta</i> Don	1419
<i>Chisocheton erythrocarpus</i> Hiern	1485	<i>Clitorea cajanifolia</i> Benth.	1277
<i>Chisocheton macrophyllus</i> King	1486	<i>Clitorea ternata</i> L.	1278
<i>Chisocheton patens</i> Bl.	1487	<i>Cnestis ramiflora</i> Griff.	593
<i>Chisocheton pauciflorus</i> King	1488	<i>Cocos nucifera</i> L.	1947
<i>Chloranthus officinalis</i> Bl.	528	<i>Coelodepas ferrugineum</i> Hook. f.	B
<i>Chloris barbata</i> Sw.	1012	<i>Coelogyne cumingii</i> Lindl.	1785
<i>Choriophyllum malayanum</i> Benth.	849	<i>Coelogyne mayeriana</i> Rchb. f.	1787
<i>Chrysophyllum roxburghii</i> G. Don	2264	<i>Coelogyne rochussennii</i> de Vr.	1788
<i>Cinnamomum iners</i> Reinw.	1203	<i>Coelogyne testacea</i> Lindl.	1789
<i>Cinnamomum javanicum</i> Bl.	1204	<i>Coelostegia griffithii</i> Benth.	462
<i>Cinnamomum nitidum</i> Bl.	1203	<i>Coix lacryma-jobi</i> L.	1014
<i>Cirrhopteridium acuminatum</i> Ridl.	1750	<i>Coleus atropurpurea</i> Benth.	1191
<i>Cirrhopteridium blumei</i> Lindl.	1752	<i>Colocasia antiquorum</i> L.	385
<i>Cirrhopteridium citrinum</i> Ridl.	1768	<i>Colubrina asiatica</i> Brongn.	2054
<i>Cirrhopteridium concinnum</i> Hook. f.	1767	<i>Combretum sundaicum</i> Miq.	536
<i>Cirrhopteridium linearifolium</i> Ridl.	1750	<i>Combretum trifoliatum</i> Vent.	B
<i>Cirrhopteridium makoyanum</i> Rchb. f.	1760	<i>Commelina benghalensis</i> L.	546
<i>Cirrhopteridium medusae</i> Lindl.	1761	<i>Commelina nudiflora</i> L.	547
<i>Cirrhopteridium microbulbon</i> Ridl.	1770	<i>Commersonia platyphylla</i> Andr.	2337
<i>Cirrhopteridium semibifidum</i> R.	1750	<i>Connaropsis macrophylla</i> King	1934
<i>Cirrhopteridium vaginatum</i> Lindl.	1777	<i>Connarus ellipticus</i> King	595
<i>Claderia viridiflora</i> Hook. f.	1782	<i>Connarus ferrugineus</i> Jack	594
<i>Cladium glomeratum</i> Br.	709	<i>Connarus grandis</i> Jack	595
<i>Claoxylon indicum</i> Hassk.	876	<i>Connarus oligophyllus</i> Wall.	596
<i>Claoxylon longifolium</i> Muell. var. <i>brachystachys</i>	877	<i>Connarus semidecandrus</i> Jack	598
<i>Clausena excavata</i> Burm.	2229	<i>Conocephalus amoenus</i> King	2417
<i>Cleisostoma spicatum</i> Lindl.	1902	<i>Conocephalus scortechinii</i> King	C
<i>Cleistanthus hirsutulus</i> Hook. f.	878	<i>Conocephalus suaveolens</i> Bl.	2418
<i>Cleistanthus laevis</i> Hook. f.	882	<i>Conocephalus subtrinervius</i> Miq.	C
<i>Cleistanthus macrophyllus</i> Hook. f.	879	<i>Coptosapelta flavesrens</i> Korth.	2100
<i>Cleistanthus myrianthus</i> Kurz	881	<i>Corchorus acutangulus</i> Lmk.	2388
<i>Cleistanthus nitidus</i> Hook. f.	C	<i>Corchorus capsularis</i> L.	D
<i>Cleome aculeatum</i> Jacq.	501	<i>Cordia myxa</i> L.	471
<i>Cleome viscosa</i> L.	505	<i>Corymbis longiflora</i> Hook. f.	1791
<i>Clerodendron colebrookianum</i> Walp.	C	<i>Coscinium fenestratum</i> Colebr.	1506
<i>Clerodendron deflexum</i> Wall.	2422	<i>Cosmos bipinnatus</i>	D
<i>Clerodendron disparifolium</i> Bl.	2424	<i>Costus globosus</i>	2488
<i>Clerodendron fallax</i> Lindl.	D	<i>Costus speciosus</i> Sm.	2490
<i>Clerodendron fragrans</i> Vent.	D	<i>Cotylelobium flavum</i> Pierre	765
<i>Clerodendron inerme</i> Gaertn.	2423	<i>Cratoxylum arborescens</i> Bl.	1160
<i>Clerodendron infortunatum</i> Gaertn.	C	<i>Cratoxylum formosum</i> Benth.	1162
<i>Clerodendron ixoraeflorum</i> Hassk.	C	<i>Cratoxylum polyanthum</i> Korth.	1161
<i>Clerodendron myrmecophilum</i> Ridl.	2425	<i>Crinum asiaticum</i> L.	243
<i>Clerodendron paniculatum</i> L.	B	<i>Crotalaria alata</i> Ham.	1279
		<i>Crotalaria incana</i> L.	1280

<i>Crotalaria quinquefolia</i> L.	1283	<i>Cyrtosperma lasioides</i> Griff.	388
<i>Crotalaria retusa</i> L.	1284	<i>Cystorchis variegata</i> Bl.	1795a
<i>Crotalaria saltiana</i> And.	1282	<i>Cystorchis variegata</i> var. <i>purpurea</i>	1795b
<i>Croton argyratus</i> Bl.	883	<i>Dacrydium elatum</i> Wall.	C
<i>Croton caudatus</i> Geisel	885	<i>Daemonorops accedens</i> Bl.	E
<i>Croton griffithii</i> Hook. f.	888	<i>Daemonorops angustifolius</i> Mart.	1949
<i>Croton olongifolium</i> Roxb.	B	<i>Daemonorops cochleatus</i> Teysm.	1950
<i>Cryptocarya ferrea</i> Bl.	1207	<i>Daemonorops crinita</i> Bl.	E
<i>Cryptocarya griffithiana</i> Wight	1208	<i>Daemonorops didymophylla</i> Becc.	1950
<i>Cryptocarya impressa</i> Meissn.	1209	<i>Daemonorops geniculatus</i> Mart.	1951
<i>Cryptocoryne ciliata</i> Fisch.	386	<i>Daemonorops grandis</i> Mart.	1952
<i>Cryptocoryne griffithii</i> Schott	387	<i>Daemonorops hygrophilus</i> Mart.	1949
<i>Cryptostylis arachnites</i> Bl.	1792	<i>Daemonorops hystrix</i> Mart.	1953
<i>Ctenolophon parvifolius</i> Oliver	638	<i>Daemonorops intermedius</i> Mart.	1952
<i>Curculigo latifolia</i> Dryand.	1165	<i>Daemonorops leptopus</i> Mart.	1955
<i>Curculigo recurvata</i> Dryand.	1166	<i>Daemonorops longipes</i> Mart.	1957
<i>Curcuma zedoaria</i> Rosc.	D	<i>Daemonorops propinquus</i> Becc.	1955
<i>Cyanotis cristata</i> C. B. C.	548	<i>Dalbergia hullettii</i> Prain	1287
<i>Cyathocalyx maingayi</i> Hk. f.	303	<i>Dalbergia junguhnii</i> Benth.	1288
<i>Cyathocalyx virgatus</i> King	299	<i>Dalbergia pseudosisssoo</i> Miq.	1290
<i>Cyathostemma hookeri</i> King	278	<i>Dalbergia torta</i> Grah.	1286
<i>Cyathostemma scortechinii</i> King	279	<i>Dalbergia velutina</i> Benth.	1291
<i>Cyathula prostrata</i> Bl.	242	<i>Daphniphyllum laurinum</i> Baill.	739
<i>Cycas rumphii</i> Miq.	183	<i>Datura fastuosa</i> L.	D
<i>Cyclea peltata</i> Hook. f. var. <i>arnotti</i> Miers	1507	<i>Davallia elegans</i> Sw.	40
<i>Cyclostemon longifolius</i> Bl.	889	<i>Davallia triphylla</i> Hook.	42
<i>Cymbidium aloifolium</i> Sw.	1794	<i>Decaspernum paniculatum</i> Kurz	1639
<i>Cymbidium aloifolium</i> var. <i>pubescens</i>	1793	<i>Dehaasia microcarpa</i> Bl.	1212
<i>Cynanchum ovalifolium</i>	423	<i>Dendrobium acerosum</i> Lindl.	1796
<i>Cynodon dactylon</i> Pers.	1016	<i>Dendrobium aciculare</i> Lindl.	1797
<i>Cynometra cauliflora</i> L.	D	<i>Dendrobium atropurpureum</i> Miq.	1800
<i>Cynometra ramiflora</i> L.	1286	<i>Dendrobium bifarium</i> Lindl.	1799
<i>Cyperus bancanus</i> Miq.	676	<i>Dendrobium callibotrys</i> Ridl.	1811
<i>Cyperus compressus</i> L.	649	<i>Dendrobium conostalix</i> Rchb. f.	1810
<i>Cyperus diffusus</i> vahl	653	<i>Dendrobium criniferum</i> Lindl.	1852
<i>Cyperus distans</i> L.	655	<i>Dendrobium crumenatum</i> Sw.	1802
<i>Cyperus haspan</i> L.	659	<i>Dendrobium dalhousieanum</i> Wall.	1817
<i>Cyperus iria</i> L.	661	<i>Dendrobium eulophotum</i> Lindl.	1806
<i>Cyperus malaccensis</i> Lam.	664	<i>Dendrobium euphlebium</i> Rchb. f.	1825
<i>Cyperus pilosus</i> Vahl	667	<i>Dendrobium flavidulum</i> Ridl.	1824
<i>Cyperus radians</i> Nees	670	<i>Dendrobium flexile</i> Ridl.	1803
<i>Cyperus rotundus</i> L.	671	<i>Dendrobium gemellum</i> Lindl.	1819
<i>Cyperus stoloniferus</i> Retz.	674	<i>Dendrobium junceum</i> Lindl.	C
<i>Cyperus zollingeri</i> Steud.	675	<i>Dendrobium kunstleri</i> Hook. f.	E
<i>Cyrtandra bicolor</i> Jack	991	<i>Dendrobium laciniosum</i> Ridl.	1854
<i>Cyrtandra pilosa</i> Bl.	C	<i>Dendrobium lamellatum</i> Lindl.	1807
<i>Cyrtandromoea acuminata</i> Benth.	C	<i>Dendrobium leonis</i> Rchb. f.	1808
		<i>Dendrobium lonchophyllum</i> Hook. f.	
			1851/1855

<i>Dendrobium longicolle</i> Lindl.	1832	<i>Dioscorea alata</i> L.	D
<i>Dendrobium pandaneti</i> Ridl.	1813	<i>Dioscorea daemona</i> Roxb.	754
<i>Dendrobium pensile</i> Ridl.	1814	<i>Dioscorea deflexa</i> Hook. f.	757
<i>Dendrobium prostratum</i> Ridl.	1822	<i>Dioscorea glabra</i> Roxb.	753
<i>Dendrobium pumilum</i> Roxb.	1812	<i>Dioscorea laurifolia</i> Wall.	755
<i>Dendrobium pyropum</i> Ridl.	1801	<i>Dioscorea oppositifolia</i> L.	761
<i>Dendrobium rhizophoreti</i> Ridl.	1809	<i>Dioscorea polyclades</i> Hook. f.	756
<i>Dendrobium serra</i> Lindl.	1798	<i>Dioscorea pyrifolia</i> Kunth	758
<i>Dendrobium sinuatum</i> Lindl.	1823	<i>Dioscorea sativa</i> L.	752
<i>Dendrobium subulatum</i> Hook. f.	1826	<i>Diospyros argentea</i> Griff.	789
<i>Dendrobium teres</i> Lindl.	1822	<i>Diospyros bilocularis</i> Oliv.	798
<i>Dendrobium tuberiferum</i> Hook. f.	1815	<i>Diospyros clavigera</i>	791
<i>Dendrobium villosulum</i> Wall.	1827	<i>Diospyros lucida</i> Wall.	796
<i>Dendrocolla filiformis</i> Ridl.	1790	<i>Diospyros microphylla</i> Bedd.	790
<i>Dendrocolla maculata</i> Ridl.	1914	<i>Diospyros oblonga</i> Wall.	799
<i>Dendrocolla trichoglottis</i> Ridl.	1915	<i>Diospyros sapotoides</i> Kurz.	E
<i>Dentella repens</i> Forst.	2101	<i>Diospyros sp.</i>	794
<i>Derris amoena</i> Benth.	1292	<i>Diplazium bantamense</i> Bl.	50
<i>Derris malaccensis</i> Prain	B	<i>Diplazium pallidum</i> Bl.	B
<i>Derris oblonga</i> Benth.	B	<i>Diplazium porrectum</i> Wall.	E
<i>Derris scandens</i> Benth.	1294	<i>Diplazium sorzogonense</i> Presl	53
<i>Derris sinuata</i> Thw.	1293	<i>Diplazium speciosum</i> Mett.	B
<i>Derris sp.</i>	E	<i>Diplazium sylvaticum</i> Presl	52
<i>Derris thrysiflora</i> Benth.	1295	<i>Diplazium tomentosum</i> Hook.	54
<i>Derris uliginosa</i> Benth.	1296	<i>Dipodium pictum</i> Rchb. f.	1833
<i>Desmodium heterophyllum</i> DC.	1300	<i>Dipteris horsfieldii</i> Br.	55
<i>Desmodium polycarpum</i> DC.	1299	<i>Dipterocarpus cornutus</i> Dyer	767
<i>Desmodium polycarpum</i> var. <i>ovalifolium</i>	1299	<i>Dipterocarpus grandiflorus</i> Blanco	768
<i>Desmodium triflorum</i> DC.	1301	<i>Dipterocarpus hasseltii</i> Bl.	B
<i>Desmodium umbellatum</i> DC.	1302	<i>Dischidia albida</i> Griff.	424
<i>Dialium laurinum</i> Bak.	1303	<i>Dischidia bengalensis</i> Colebr.	426
<i>Dialium maingayi</i> Bak.	1304	<i>Dischidia coccinea</i> Griff.	427
<i>Dialium wallichii</i> Prain	1306	<i>Dischidia collyris</i> Wall.	425
<i>Dianella ensifolia</i> Red.	1367	<i>Dischidia hirsuta</i> Decne.	428
<i>Dichopsis bancana</i> Miq.	2277	<i>Dischidia nummularia</i> R.Br.	430
<i>Dichopsis gutta</i> Benth.	2271	<i>Dischidia rafflesiana</i> Wall.	429
<i>Dichopsis obovata</i> Clarke	2274	<i>Dischidia wallichii</i> Wight	E
<i>Dichopsis rubens</i> Clarke	2278	<i>Dissochaeta annulata</i> Hook. f.	1423
<i>Dictyopteris barberi</i> Hook.	162	<i>Dissochaeta celebica</i> Bl.	1424
<i>Dictyopteris difformis</i> Bl.	124	<i>Dissochaeta gracilis</i> Bl.	1425
<i>Didymocarpus platypus</i> Clarke	992	<i>Dissochaeta intermedia</i> Bl.	1426
<i>Didymocarpus sp.</i>	993	<i>Dissochaeta pallida</i> Bl.	1427
<i>Didymoplexis pallens</i> Griff.	1830	<i>Dissochaeta punctulata</i> Hook. f.	1428
<i>Dillenia indica</i> L.	743	<i>Dolichandrone rheedii</i> Seem.	457
<i>Dilochia wallichii</i> Lindl.	1831	<i>Donax grandis</i> Ridl.	1414
<i>Dimeria ornithopoda</i> Trin.	1032	<i>Dracaena aurantiacea</i> Wall.	219
<i>Dimorphocalyx capillipes</i> Hook. f.	C	<i>Dracaena gracilis</i> Wall.	220
<i>Dioclea reflexa</i> Hook. f.	1307	<i>Dracaena granulata</i> Hook. f.	222
		<i>Dracaena maingayi</i> Hook. f.	223

<i>Dracaena porteri</i> Bak.	224	<i>Embelia lampani</i> Scheff.	1633
<i>Dracaena singapurensis</i> Ridl.	225	<i>Embelia lucida</i> Wall.	834
<i>Dracaena terniflora</i> Roxb.	226	<i>Embelia ribes</i> Burm.	1634
<i>Dracontomelum mangiferum</i> Bl.	B	<i>Emilia sonchifolia</i> DC.	569
<i>Drepananthus pruniferus</i> Maing.	274	<i>Endospermum malaccense</i> Muell.	890
<i>Drymoglossum piloselloides</i> Presl	141	<i>Engelhardtia serrata</i> Bl.	1179
<i>Drynaria lineei</i> Bory	57	<i>Engelhardtia wallichiana</i> Lindl.	1179
<i>Drynaria quercifolia</i>	56	<i>Enhalus koenigii</i> Rich.	1152
<i>Drynaria splendens</i> Hook.	B	<i>Entada spiralis</i> Ridl.	1308
<i>Durio oblongus</i> Mast.	464	<i>Epipremnum giganteum</i> Schott	389
<i>Dyera laxiflora</i> Hook. f.	346	<i>Eragrostis amabilis</i> Wight	1045
<i>Dysophylla auricularia</i> Bl.	1192	<i>Eragrostis elegantula</i> Steud.	1038
<i>Dysoxylum acutangulum</i> Miq.	1490	<i>Eragrostis elongata</i> Jacq.	1040
<i>Dysoxylum cauliflorum</i> Hiern	1492	<i>Eragrostis tenella</i> R. & S.	1044
<i>Dysoxylum costulatum</i> Miq.	1491	<i>Eranthemum album</i> Nees	B
<i>Dysoxylum macrothyrsrum</i> Miq.	1495	<i>Eranthemum andersoni</i> Masters	D
<i>Dysoxylum turbinatum</i> King	1495	<i>Eria bractescens</i> Lindl.	1834
<i>Ebermaiera griffithiana</i> Anders.	210	<i>Eria endymion</i> Ridl.	1836
<i>Ebermaiera setigera</i> Nees	212	<i>Eria floribunda</i> Lindl.	1835
<i>Echinocarpus</i> sp.	818	<i>Eria longe-repens</i> Ridl.	1838
<i>Eclipta alba</i> Hassk.	567	<i>Eria neglecta</i> Ridl.	1839
<i>Elaeocarpus apiculatus</i> Mast.	B	<i>Eria nutans</i> Lindl.	1840
<i>Elaeocarpus griffithii</i> Mast.	807	<i>Eria obliqua</i> Lindl.	1841
<i>Elaeocarpus hullettii</i> King	811	<i>Eria oligantha</i> Hook. f.	1917
<i>Elaeocarpus jackianus</i> Wall.	805	<i>Eria pannea</i> Lindl. 1	842
<i>Elaeocarpus mastersii</i> King	809	<i>Eria pudica</i> Ridl.	1844
<i>Elaeocarpus parvifolius</i> Wall.	810a	<i>Eria pulchella</i> Lindl.	845
<i>Elaeocarpus pedunculatus</i> Wall.	812	<i>Eria stellata</i> Lindl.	1837
<i>Elaeocarpus petiolatus</i> Wall.	813	<i>Eria striolata</i> Rchb. f.	1837
<i>Elaeocarpus polystachyus</i> Wall.	814	<i>Eria tenuiflora</i> Ridl.	1847
<i>Elaeocarpus salicifolius</i> King	810b	<i>Eria velutina</i> Lindl.	1918
<i>Elaeocarpus stipularis</i> Bl.	816	<i>Eria vestita</i> Lindl.	1919
<i>Elaphoglossum latifolium</i> Sw.	B	<i>Eriachne pallescens</i> Br. 1	1047
<i>Elatostema molle</i> Wedd.	C	<i>Erigeron linifolius</i> Willd.	565
<i>Eleocharis capitata</i> Br.	680	<i>Eriocaulon sexangulare</i> L.	824
<i>Eleocharis chaetaria</i> Roem.	682	<i>Eriocaulon truncatum</i> Ham.	825
<i>Eleocharis fistulosa</i> Schult.	678	<i>Erioglossum edule</i> Bl.	2252
<i>Eleocharis ochrostachys</i> Steud.	681	<i>Erycibe coriacea</i> Wall.	B
<i>Eleocharis variegata</i> var. <i>laxiflora</i>	C.B.C.	<i>Erycibe griffithii</i> Clarke	610/612
	681	<i>Erycibe leucoxylonoides</i> King	611
<i>Elephantopus scaber</i> L.	568	<i>Erycibe malaccensis</i> Clarke	613
<i>Elettariopsis latiflora</i> Ridl.	2491	<i>Erycibe princei</i> Wall.	614a
<i>Eleusine aegyptiaca</i> Desv.	1019	<i>Eryngium foetidum</i> Jacq.	2409
<i>Eleusine indica</i> L.	1037	<i>Erythropalum scandens</i> Bl.	1710
<i>Eleusine indica</i> var. <i>coracana</i>	1036	<i>Erythroxylum burmanicum</i> Griff.	826
<i>Ellianthus griffithii</i> Hook. f.	599	<i>Eugenia acuminatissima</i> Kurz	1647
<i>Ellipeia cuneifolia</i> Hk. f.	283	<i>Eugenia anisosepala</i> Duthie	B
<i>Embelia amentacea</i> Clarke	1629	<i>Eugenia bracteolata</i>	B
<i>Embelia coriacea</i> DC.	1632	<i>Eugenia chlorantha</i> Duthie	644

<i>Eugenia claviflora</i> Roxb.	1645	<i>Fagraea racemosa</i> Jack	1374
<i>Eugenia conglomerata</i>	1646	<i>Fagraea speciosa</i> Bl.	1373
<i>Eugenia cymosa</i> Lmk.	1686	<i>Fibraurea chloroleuca</i> Miers	1508
<i>Eugenia densiflora</i> DC.	1680	<i>Ficus acampophylla</i> Miq.	B
<i>Eugenia filiformis</i> Wall.	1650	<i>Ficus alba</i> Reinw.	1552
<i>Eugenia grandis</i> Wight	1653	<i>Ficus altissima</i> Bl.	B
<i>Eugenia griffithii</i> Duthie	1654	<i>Ficus annulata</i> Bl.	1533
<i>Eugenia helferi</i> Duthie	C	<i>Ficus apiocarpa</i> Miq.	1534
<i>Eugenia jambolana</i> Lam.	D	<i>Ficus benjamina</i> L.	1537
<i>Eugenia laevicaulis</i> Duthie	B	<i>Ficus binnendykii</i>	1538
<i>Eugenia lepidocarpa</i> Wight	1670	<i>Ficus bracteata</i> Wall.	1540
<i>Eugenia leptantha</i> Wight	B	<i>Ficus callicarpa</i> Miq.	1535
<i>Eugenia lineata</i> Bl.	1660	<i>Ficus chartacea</i> Wall.	1542
<i>Eugenia microcalyx</i> Duthie	1661	<i>Ficus chrysocarpa</i> Reinw.	1536
<i>Eugenia myrtifolia</i> Roxb.	1668	<i>Ficus consociata</i> Bl. var. <i>murtoni</i>	1543
<i>Eugenia nitida</i> non Duthie	1674	<i>Ficus diversifolia</i> Bl.	1546
<i>Eugenia oblata</i> Roxb.	1666	<i>Ficus fistulosa</i> Reinw.	1549
<i>Eugenia oblongifolia</i> Duthie	1667	<i>Ficus glabella</i> Bl.	1576
<i>Eugenia papillosa</i> Duthie	1671	<i>Ficus glandulifera</i> Wall.	1550
<i>Eugenia pendens</i> Duthie	1673	<i>Ficus globosa</i> Bl.	1551
<i>Eugenia pyrifolia</i> Wall.	1687	<i>Ficus indica</i> var. <i>gelderi</i>	1560
<i>Eugenia scoparia</i> Wall.	1641	<i>Ficus laevis</i> Bl.	1555
<i>Eugenia subdecussata</i> Wall.	1687	<i>Ficus microstoma</i> Wall.	1561
<i>Eugenia thunra</i> Roxb.	B	<i>Ficus miquelii</i> King	1539
<i>Eugenia venulosa</i> Wall.	1662	<i>Ficus obscura</i> Bl.	1559
<i>Eugenia zeylanica</i> Wight I	682	<i>Ficus obtusifolia</i>	B
<i>Eulophia graminea</i> Lindl.	1848	<i>Ficus pisifera</i> Wall.	1559
<i>Eulophia squalida</i> Lindl.	1849	<i>Ficus pisocarpa</i> Wall.	1561
<i>Euonymus javanicus</i> Bl.	513	<i>Ficus procera</i> Bl.	1544
<i>Euphorbia atoto</i> Forst.	891	<i>Ficus punctata</i> Thunb.	B
<i>Euphorbia pilulifera</i> L.	893	<i>Ficus ramentacea</i>	1567
<i>Euphorbia thymifolia</i> Benn.	894	<i>Ficus recurva</i> Bl. var. <i>ribesioides</i>	1563
<i>Euphorbia tirucalli</i> L.	D	<i>Ficus religiosa</i> L.	1564
<i>Eurycles sylvestris</i> Salisb.	B	<i>Ficus retusa</i> var. <i>nitida</i>	1557
<i>Eurycoma longifolia</i> Jack	2317	<i>Ficus ribes</i> Reinw.	B
<i>Euthemis leucocarpa</i> Jack	1706	<i>Ficus sumatrana</i>	B
<i>Euthemis minor</i> Jack	1707	<i>Ficus urophylla</i> Wall.	1553
<i>Evodia glabra</i> Bl.	2230	<i>Ficus villosa</i> Bl.	1575
<i>Evodia pedunculosa</i> Hook. f.	B	<i>Ficus xylophylla</i> Wall.	1577
<i>Evodia robusta</i> Hook. f.	2231	<i>Fimbristylis acuminata</i> Vahl	684
<i>Evodia roxburghiana</i> Benth.	2232	<i>Fimbristylis aestivalis</i> Vahl	69
<i>Evolvulus alsinoides</i> L.	615	<i>Fimbristylis asperrima</i> Boeck.	688
<i>Excoecaria agallocha</i> L.	894	<i>Fimbristylis complanata</i>	685
<i>Fagraea auriculata</i> Jack	1371	<i>Fimbristylis diphyllea</i> Vahl	687
<i>Fagraea carnosa</i> Jack	1375	<i>Fimbristylis ferruginea</i> Vahl	689
<i>Fagraea fragrans</i> Roxb.	1372	<i>Fimbristylis globulosa</i> Kunth	691
<i>Fagraea ligustrina</i> Bl.	1374	<i>Fimbristylis leptoclada</i> Benth.	693
<i>Fagraea morindaefolia</i> Bl.	1374	<i>Fimbristylis miliacea</i> Vahl	694
<i>Fagraea obovata</i> Wall.	1370	<i>Fimbristylis nutans</i> Vahl	695

<i>Fimbristylis pauciflora</i> r.	698	<i>Geophila hirta</i> Miq.	2112
<i>Fimbristylis setacea</i> Benth.	684	<i>Geophila pilosa</i> Pears.	2112
<i>Fimbristylis spathacea</i> Roth.	686	<i>Geunsia farinosa</i> Bl.	B
<i>Fimbristylis tenera</i> var. <i>obtusata</i>	696	<i>Geunsia reevesii</i> Wall.	D
<i>Fimbristylis tetragona</i> Br.	701	<i>Gironniera nervosa</i> Planch.	2402
<i>Flacourtie cataphracta</i> Roxb.	D	<i>Gironniera parvifolia</i> Planch.	2403
<i>Flacourtie inermis</i> Cl.	B	<i>Gironniera subaequalis</i> Planch.	2404
<i>Flacourtie rukam</i> Zoll.	978	<i>Globba leucantha</i> Miq.	2494
<i>Flagellaria indica</i> L.	985	<i>Globba panicoides</i> Miq.	2495
<i>Flemingia strobilifera</i> R. Br.	1309	<i>Globba uliginosa</i> Miq.	2495
<i>Fleurya interrupta</i> Gaud.	2412	<i>Glochidion brunneum</i> Hook. f.	899
<i>Floscopia scandens</i> Lour.	549	<i>Glochidion coronatum</i> Hook. f.	B
<i>Forrestia marginata</i> Hassk.	544	<i>Glochidion desmocarpum</i> Hook. f.	911
<i>Forrestia mollis</i> Hassk.	543	<i>Glochidion desmogyne</i> Hook. f.	E
<i>Freycinetia angustifolia</i> Bl.	1987	<i>Glochidion goniocarpum</i> Hook. f.	899
<i>Freycinetia gaudichaudii</i> Benn.	B	<i>Glochidion insulare</i> Hook. f.	B
<i>Freycinetia insignis</i> Bl.?	1991	<i>Glochidion laevigatum</i> Hook. f.	902
<i>Fuirena umbellata</i> Rottb.	703	<i>Glochidion leiostylum</i> Kurz	907
<i>Gaertnera grisea</i> Hook. f.	2105	<i>Glochidion littorale</i> Bl.	904
<i>Gaertnera koenigii</i> Wight var. <i>oxyphylla</i>		<i>Glochidion microbotrys</i> Hook. f.	905
Wall.	2107	<i>Glochidion superbum</i> Baill.	910
<i>Gaertnera obesa</i> Hook. f.	2106	<i>Glycosmis pentaphylla</i> Corr.	B
<i>Gaertnera viminea</i> Hook. f.	2108	<i>Gmelina hystrix</i> Kurz	2430
<i>Gahnia tristis</i> Nees	704	<i>Gmelina villosa</i> Roxb.	2429
<i>Galearia affinis</i> Benn.	897	<i>Gnetum edule</i> Bl.	185
<i>Galearia phlebocarpa</i> R.Br.	897	<i>Gnetum funiculare</i> Bl.	186
<i>Galearia subulata</i> Muell.	897	<i>Gnetum macrostachyum</i> Hook. f.	187
<i>Galearia wallichii</i>	897	<i>Gnetum neglectum</i> Bl.	188
<i>Galeola altissima</i> Rchb. f.	B	<i>Gomphandra lanceolata</i> Kurz	1168a
<i>Galeola hydra</i> Rchb. f.	1856	<i>Gomphandra penangiana</i> Wall.	168
<i>Garcinia atroviridis</i> Griff.	1133	<i>Gomphidia hookeri</i> var. <i>corymbosa</i>	1705
<i>Garcinia bancana</i> Miq.	1134	<i>Gomphidia hookeri</i> Planch.	1704
<i>Garcinia cuspidata</i> King	B	<i>Gomphidia sumatrana</i> Jack	1708
<i>Garcinia eugeniaeefolia</i> Wall.	1135	<i>Goniophlebiun verrucosum</i> Wall.	60
<i>Garcinia forbesii</i> King	1136	<i>Goniothalamus malayanus</i> Hk. f.	295
<i>Garcinia griffithii</i> T. Anders.	1137	<i>Goniothalamus ridleyi</i> King	296
<i>Garcinia hombroniana</i> Pierre	1138	<i>Goniothalamus tapis</i> Miq.	297
<i>Garcinia nervosa</i> Miq.	1139	<i>Gonocaryum longeracemosum</i> King	1169
<i>Garcinia nigrolineata</i> Pierre	1140	<i>Gonystylus maingayi</i> Hook. f.	995
<i>Garcinia parvifolia</i> Miq.	1141	<i>Gordonia excelsa</i> Bl.	2374
<i>Garcinia rostrata</i> Benth.	1143	<i>Grammatophyllum speciosum</i> Bl.	1851
<i>Gardenia griffithii</i> Hook. f.	2109	<i>Grewia fibrocarpa</i> Mast.	B
<i>Gardenia speciosa</i> Hook.	C	<i>Grewia latifolia</i> Mast.	2390
<i>Gardenia tubifera</i> Wall.	2110	<i>Grewia umbellata</i> Roxb.	2389
<i>Gardeniopsis longifolia</i> Miq.	2111	<i>Guettarda speciosa</i> L.	2113
<i>Gastrodia javanica</i> Lindl.	1857	<i>Guioa pleuropteris</i> Radlk.	2250
<i>Gelonium bifarium</i> Roxb.	950	<i>Guioa pubescens</i> Radlk.	2251
<i>Gelonium multiflorum</i> Juss.	950	<i>Guioa squamosa</i> Radlk.	B
<i>Genianthus maingayi</i> Hook. f.	433	<i>Gymnogramme calomelanos</i>	121

<i>Gymnopteris presliana</i> Hook.	B	<i>Hopea mengarawan</i>	771
<i>Gymnopteris subrepanda</i> Hook.	28	<i>Hopea micrantha</i> Hook. f.	B
<i>Gymnosiphon borneense</i> Becc.	478	<i>Hopea pierrei</i> Hance	B
<i>Gynochthodes coriacea</i> Miq.	2114	<i>Hornstedtia conica</i> Ridl.	2497
<i>Gynochthodes sub lanceolata</i> Miq.	2115	<i>Hornstedtia leonurus</i> Retz.	2498
<i>Gynotroches axillaris</i> Miq.	2069	<i>Hornstedtia megalochilus</i> Ridl.	2492
<i>Gynura pseudochina</i> DC.	573	<i>Hornstedtia scyphus</i> Retz.	2499
<i>Gynura sarmentosa</i> DC.	574	<i>Hoya coriacea</i> Bl.	435
<i>Habenaria lacertifera</i> Benth.	1890	<i>Hoya coronaria</i> Bl.	436
<i>Habenaria maingayi</i> King	1890	<i>Hoya diversifolia</i> Bl.	437
<i>Habenaria singapurensis</i> Ridl.	1859	<i>Hoya finlaysonii</i> Wall.	438
<i>Halophila ovata</i> Gaud.	1155	<i>Hoya lacunosa</i> Bl.	439
<i>Hedyotis auricularia</i> L.	2116	<i>Hoya latifolia</i> Don	440
<i>Hedyotis capitellata</i> Wall.	2119	<i>Hoya obtusifolia</i> Wight	441
<i>Hedyotis congesta</i> Br.	2120	<i>Hoya parasitica</i> Wall.	442
<i>Hedyotis pinifolia</i> Wall.	2125	<i>Hoya revoluta</i> Wight	443
<i>Hedyotis vestita</i> R. Br.	B	<i>Humata angustata</i> Wall.	64
<i>Helicia excelsa</i> Bl.	2051	<i>Humata heterophylla</i> Wall.	65
<i>Helicia petiolaris</i> Benn.	2052	<i>Humata parallela</i> Wall.	67
<i>Heliotropium indicum</i> L.	473	<i>Humata pedata</i> Sw.	68
<i>Henslowia buxifolia</i> Bl.	2243	<i>Humata sessilifolia</i> Bl.	B
<i>Henslowia lobbiana</i> DC.	2244	<i>Hydnophytum formicarium</i> Jack	2129
<i>Heptapterum avene</i> Seem.	415	<i>Hydrilla verticillata</i> Casp.	1157
<i>Heptapterum cephalotes</i> Clarke	412	<i>Hydrocotyle asiatica</i> L.	2408
<i>Heptapterum ellipticum</i> Seem.	E	<i>Hydrocotyle rotundifolia</i> Roxb.	2410
<i>Heptapterum hullettii</i> King	414	<i>Hygrophila quadrivalvis</i> Nees	200
<i>Heptapterum ridleyi</i> King	417	<i>Hygrophila salicifolia</i> Nees	202
<i>Heptapterum subulatum</i> Seem.	416	<i>Hylophila mollis</i> Lindl.	1862
<i>Heritiera fomes</i> Buch.Ham.	B	<i>Hymenophyllum denticulatum</i> Sw.	74
<i>Heritiera littoralis</i> Dryand.	2340	<i>Hymenophyllum neesii</i> Hook.	74
<i>Heritiera sp.</i>	2339	<i>Hymenophyllum polyanthos</i>	76
<i>Herpestis monnierii</i> H. Bk.	2294	<i>Hymenophyllum sp.</i> (8938)	E
<i>Hetaeria obliqua</i> Bl.	1861	<i>Hypericum japonicum</i> L.	1164
<i>Hibiscus surattensis</i> L.	1407	<i>Hypolytrum latifolium</i> Rich.	705a
<i>Hibiscus tiliaceus</i> L.	1408	<i>Hypolytrum proliferum</i> Boeck.	705b
<i>Hippocratea cumingi</i> Laws.	517	<i>Hypserpa triflora</i> Miers	1509
<i>Hippocratea indica</i> L.	521	<i>Hyptis brevipes</i> Poit.	1181
<i>Hiptage sericea</i> Hook. f.	1403	<i>Hyptis suaveolens</i> Poit.	1183
<i>Homalium grandiflorum</i> Benth.	979	<i>Iguanura geonomaeformis</i> Becc.	1962
<i>Homalomena coeruleescens</i> Jungh.	393	<i>Iguanura malaccensis</i> Becc.	1962
<i>Homalomena griffithii</i> Hook. f.	391	<i>Iguanura wallichiana</i> Hook. f.	1962
<i>Homalomena kingii</i> Hook. f.	391	<i>Ilex cymosa</i> Bl.	373
<i>Homalomena ovata</i> Hook. f.	391	<i>Ilex macrophylla</i> Wall.	374
<i>Homalomena paludosa</i> Hook. f.	394	<i>Illigera appendiculata</i> Bl.	1149
<i>Homalomena pumila</i> Hook. f.	392	<i>Imperata arundinacea</i> Cyril.	1054
<i>Homalomena sagittifolia</i> Jungh.	395	<i>Imperata exaltata</i> Brngn.	1053
<i>Homalomena singaporensis</i> Regel.	B	<i>Indigofera hirsuta</i> L.	1310
<i>Homolanthus populifolius</i> Grah.	D	<i>Iodes oblonga</i> Planch.	1170
<i>Hopea griffithii</i> Kurz	770	<i>Iodes velutina</i> King	1171

<i>Ipomoea angustifolia</i> Jacq.	628	<i>Korthalsia polystachya</i> Mart.	1965
<i>Ipomoea aquatica</i> Forsk.	616	<i>Korthalsia scaphigera</i> Mart.	1966
<i>Ipomoea batatas</i> L.	D	<i>Kunstleria ridleyi</i> Prain	1317
<i>Ipomoea biloba</i> Forsk.	622	<i>Kurrimia paniculata</i> Wall.	510
<i>Ipomoea chryseides</i> Ker.	627	<i>Kurrimia pulcherrima</i> Wall.	511
<i>Ipomoea coccinea</i>	D	<i>Kyllinga brevifolia</i> Rottb.	647
<i>Ipomoea denticulata</i> Chois.	619	<i>Kyllinga cylindrica</i> Nees	677
<i>Ipomoea digitata</i> L.	620	<i>Kyllinga melanosperma</i> Nees	665
<i>Ipomoea linifolia</i> Bl.	628	<i>Kyllinga monocephala</i> Rottb.	663
<i>Ipomoea palmata</i> Forsk.	617	<i>Labisia pothoina</i> Lindl.	1635
<i>Ipomoea quamoclit</i> L.	D	<i>Lantana camara</i> L.	2431
<i>Ipomoea sepiaria</i> Koen.	624	<i>Lantana indica</i> Roxb.	2432
<i>Ipomoea tridentata</i> Roth.	629	<i>Lasia heterophylla</i> Schott	396
<i>Irvingia malayana</i> Oliv.	2318	<i>Lasianthera secundiflora</i> Miq.	1175
<i>Isachne australis</i> R. Br.	1055	<i>Lasianthus appressus</i> Hook. f.	2138
<i>Isachne kunthiana</i> Wt.	1056	<i>Lasianthus crinitus</i> Hook. f.	E
<i>Isachne miliacea</i> Roth.	1057	<i>Lasianthus cyanocarpus</i>	2141
<i>Ischaemum ciliare</i> Retz.	1059	<i>Lasianthus densifolius</i> Miq.	2142
<i>Ischaemum macrurum</i>	1063	<i>Lasianthus ellipticus</i> Wight	2143
<i>Ischaemum magnum</i> Rendle	1059	<i>Lasianthus griffithii</i> Wight	2145
<i>Ischaemum muticum</i> L.	1060	<i>Lasianthus maingayi</i> Hook. f.	2146
<i>Ischaemum rugosum</i> Salisb.	1061	<i>Lasianthus pterospermus</i> Wight	2148
<i>Ischaemum timorense</i> Kth.	1062	<i>Lasianthus stipularis</i> Bl.	2152
<i>Ixonanthes icosandra</i> Jack	1177	<i>Lastrea appendiculata</i>	E
<i>Ixonanthes reticulata</i> Jack	1178	<i>Lastrea crassifolia</i> Bl.	B
<i>Ixora amoena</i> Vahl	E	<i>Lastrea fuscipes</i> Wall.	E
<i>Ixora concinna</i> R.Br.	2131	<i>Lecananthus erubescens</i> Jack	2154
<i>Ixora congesta</i> Roxb.	2132	<i>Lecanopteris carnosa</i> Bl.	B
<i>Ixora fulgens</i> Roxb.	2134	<i>Lecanorchis malaccensis</i> Ridl.	1863
<i>Ixora opaca</i> R. Br.	2135	<i>Leea angulata</i> Korth.	1244
<i>Ixora parviflora</i> Vahl	E	<i>Leea javanica</i> Bl.	1245
<i>Ixora pendula</i> Jack	2135	<i>Leea robusta</i> Roxb.	1243
<i>Jackia ornata</i> Wall.	2137	<i>Leea rubra</i> Bl.	1246
<i>Jasminum bifarium</i> Wall.	1719	<i>Leea sambucina</i> Willd.	1245
<i>Jasminum griffithii</i> Clarke	1720	<i>Leersia hexandra</i> Sw.	1063
<i>Jussiaea angustifolia</i> Lmk.	1725	<i>Lemna paucicostata</i> Hegelm.	1357
<i>Jussiaea repens</i> L.	1723	<i>Lemna polyrhiza</i>	1359
<i>Jussiaea suffruticosa</i> L.	1724	<i>Lemna</i> sp.	1358
<i>Justicia andrographoides</i> Clarke	205	<i>Leonotis nepetaefolia</i> R. Br.	1184
<i>Justicia gendarussa</i> L.	D	<i>Leonurus sibiricus</i> L.	1185
<i>Kadsura caulinflora</i> Bl.	2290	<i>Lepionurus sylvestris</i> Bl.	1730
<i>Kadsura scandens</i> Bl.	2290	<i>Lepironia mucronata</i> Rich.	706
<i>Kibessa acuminata</i> Decne.	1464	<i>Leptadenia reticulata</i> Wight	C
<i>Kibessa echinata</i> Jack	1464	<i>Leptaspis urceolata</i> R. Br.	1065
<i>Kokoona littoralis</i> Laws.	515	<i>Letsomia tomentosa</i>	605
<i>Koompassia malaccensis</i> Maing.	1316	<i>Leucas linifolia</i> Spr.	1186
<i>Kopsia macrophylla</i>	348	<i>Leucas zeylanica</i> R. Br.	1187
<i>Korthalsia echinometra</i> Becc.	1963	<i>Leuconotis griffithii</i> Hook. f.	349
<i>Korthalsia flagellaris</i> Miq.	1967	<i>Leuconotis maingayi</i> Dyer	350

<i>Leucopogon malayanus</i> Jack	819	<i>Lophopetalum fuscescens</i> Kurz.	B
<i>Leucostegia parvula</i> Wall.	66	<i>Loranthus albidus</i> Bl.	1385
<i>Licuala acutifida</i> Mart.	C	<i>Loranthus ampullaceus</i> Roxb.	1389
<i>Licuala ferruginea</i> Becc.	1968	<i>Loranthus coccineus</i> Jack	1387
<i>Licuala spinosa</i> Wurmb	1969	<i>Loranthus crassus</i> Hook. f.	1384
<i>Licuala triphylla</i> Griff.	1970	<i>Loranthus ferrugineus</i> Roxb.	1392
<i>Limacia kunstleri</i> King	1505	<i>Loranthus lobbii</i> Hook. f.	1382
<i>Limacia velutina</i> Miers	1511	<i>Loranthus longiflorus</i> Desr.	1383
<i>Limnanthemum indicum</i> Thw.	986	<i>Loranthus maingayi</i> Hook. f.	1386
<i>Limnophila conferta</i> Benth.	B	<i>Loranthus pentandrus</i> L.	1384
<i>Limnophila pulcherrima</i> Hook. f.	2300	<i>Loranthus retusus</i> Jack	1390
<i>Lindera malaccensis</i> Hook. f.	1213	<i>Lucaena glauca</i> Benth.	1318
<i>Lindera</i> sp.	E	<i>Lucinaea morinda</i> DC.	2156
<i>Lindsaya borneensis</i> Hook.	80	<i>Ludwigia prostrata</i> Roxb.	1727
<i>Lindsaya divergens</i> Wall.	82	<i>Lumnitzera coccinea</i> W. & A.	537
<i>Lindsaya lancea</i>	83	<i>Lumnitzera racemosa</i> Willd.	538
<i>Lindsaya lanuginosa</i> Wall.	110	<i>Luvunga eleutheranthera</i> Dalz.	2235
<i>Lindsaya repens</i> Thw.	91	<i>Luvunga scandens</i> Ham	2235
<i>Lindsaya rigida</i> Sm.	B	<i>Lycopodium cernuum</i> L.	94
<i>Lindsaya trapeziformis</i> Dry.	E	<i>Lycopodium nummulariifolium</i> Bl.	70
<i>Lindsaya walkerae</i> Hook.	92	<i>Lycopodium phlegmaria</i> L.	71
<i>Linociera pauciflora</i> var. <i>palembanica</i>	1718	<i>Lycopodium squarrosum</i> Forst.	72
<i>Linostoma pauciflorum</i> Griff.	2383	<i>Lycopodium taxifolium</i> Sw.	E
<i>Linostoma scandens</i> King	2382	<i>Lygodium circinnatum</i> Sw.	95
<i>Liparis disticha</i> Lindl.	1866	<i>Lygodium flexuosum</i> L.	96
<i>Liparis elegans</i> Lindl.	1864	<i>Lygodium microphyllum</i> R. Br.	99
<i>Liparis nervosa</i> Ridl.	1865	<i>Maba buxifolia</i> Pers.	795
<i>Liparis venosa</i> Ridl.	1867	<i>Macaranga hypoleuca</i> Muell.	921
<i>Lipocarpha argentea</i> R. Br.	707	<i>Macaranga javanica</i> Muell.	918
<i>Lipocarpha microcephala</i> Kunth	707	<i>Macaranga lowii</i> King	922
<i>Lippia nodiflora</i> Rich.	2433	<i>Macaranga megaphylla</i> Muell.	916
<i>Litobrochia incisa</i> Thunb.	63	<i>Macaranga populifolia</i> Muell.	915
<i>Litsea amara</i> Bl.	1231	<i>Macaranga trichocarpa</i> Muell.	925
<i>Litsea ferruginea</i> Bl.	1221	<i>Macaranga triloba</i> Muell.	926
<i>Litsea grandis</i> Bl.	1224	<i>Machilus rimosus</i> Bl.	B
<i>Litsea longipes</i> "Meissn.?"	E	<i>Macodes petola</i> Lindl.	1869
<i>Litsea mysticaefolia</i> Wall.	1228	<i>Maesa indica</i> L.	B
<i>Litsea nitida</i> Bl.	E	<i>Maesa ramentacea</i> DC.	1636
<i>Litsea panamona</i> Ham.	B	<i>Magnolia maingayi</i> King	1400
<i>Litsea penangiana</i> Hook. f.	B	<i>Mallotus barbatus</i> Muell.	C
<i>Litsea petiolata</i> Hook. f.	1219	<i>Mallotus cochinchinensis</i> Lour.	928
<i>Litsea polyantha</i> Juss.	B	<i>Mallotus macrostachyus</i> Muell.	927
<i>Litsea salicifolia</i> Roxb.	E	<i>Mallotus penangensis</i> Muell.	929
<i>Litsea zeylanica</i> Nees	232	<i>Mallotus philippensis</i> Muell.	C
<i>Livistona kingiana</i> Becc.	1977	<i>Mallotus vernicosus</i> Hook. f.	865
<i>Lophatherum lehmanni</i> Brngn.	1068	<i>Mangifera foetida</i> Lour.	254
<i>Lophopetalum curtisii</i> King	B	<i>Mangifera kemanga</i> Bl.	253
<i>Lophopetalum fimbriatum</i> Wight	519	<i>Mangifera lagenifera</i> Griff.	256
		<i>Mangifera odorata</i> Griff.	258

<i>Mangifera sclerophylla</i> Hook. f.	255	<i>Memecylon</i> sp. (3840)	E
<i>Mapania humilis</i> Naves.	709	<i>Memecylon</i> sp. (4436)	E
<i>Mapania longa</i> Clarke	710	<i>Memecylon</i> sp. (5753)	1443
<i>Mapania multispicata</i> Clarke	711	<i>Memecylon</i> sp. (6788)	1445
<i>Mapania palustris</i> Benth.	714	<i>Meniscium cuspidatum</i> Bl.	127
<i>Mariscus albescens</i> Gaud.	662	<i>Meniscium triphyllum</i> Sw.	129
<i>Mariscus cyperinus</i> Vahl	651	<i>Metroxylon rumphii</i> Mart.	D
<i>Mariscus dregeanus</i> Kunth	656	<i>Metroxylon sagus</i> Rottb.	D
<i>Mariscus microcephalus</i> Presl	648	<i>Mezoneuron sumatranum</i> W. & Arn.	268
<i>Mariscus sieberianus</i> Nees	652	<i>Mezzettia leptopoda</i> Oliver	300
<i>Marlea ebenacea</i> C.B. Clarke	229a	<i>Microdesmis caseariifolia</i> Planch.	934
<i>Marlea griffithii</i> C.B. Clarke	230	<i>Microlepia speluncae</i> L.	105
<i>Marlea nobilis</i> C.B. Clarke	231	<i>Micromelum hirsutum</i> Oliv.	B
<i>Marlea</i> sp.	229b	<i>Microsaccus javensis</i> Bl.	1875
<i>Marumia rhodocarpa</i> Jack	1429	<i>Microstylis congesta</i> Rchb. f.	1870
<i>Mastixia junghuhni</i> Clarke	633	<i>Microstylis micrantha</i> Hook. f.	1871
<i>Matthaea sancta</i> Bl.	1517	<i>Mikania scandens</i> Willd.	575
<i>Mazus rugosus</i> Lour.	2310	<i>Millettia atropurpurea</i> Benth.	1319
<i>Medinilla hasseltii</i> Bl.	1431	<i>Millettia eriantha</i> Benth.	1320
<i>Medinilla macrocarpa</i> Bl.	1432	<i>Millettia maingayi</i> Bak.	1321
<i>Medinillopsis sessiliflora</i> Cogn.	1461	<i>Mimosa pudica</i> L.	1325
<i>Megistostigma malaccense</i> Hook. f.	932	<i>Mimosa sepiaria</i> Benth.	1322
<i>Melaleuca leucadendron</i> L.	1689	<i>Mimusops hexandra</i> Roxb.	2276
<i>Melanochyla auriculata</i> Hook. f.	259	<i>Mischocarpus fuscescens</i> Bl.	2253
<i>Melanorrhoea maingayi</i> Hook. f.	252	<i>Mischocarpus sundaicus</i> Bl.	2254
<i>Melastoma decemfidum</i> Jack	C	<i>Modecca populifolia</i> Bl.	E
<i>Melastoma molle</i> Wall.	C	<i>Modecca singaporeana</i> Mast.	2002
<i>Melastoma polyanthum</i>	1433	<i>Mollugo stricta</i> L.	226
<i>Meliosma elliptica</i> Hook. f.	2241	<i>Monochoria hastaeifolia</i> Presl	2045
<i>Meliosma lanceolata</i> Bl.	2239	<i>Monochoria vaginalis</i> Presl	2046
<i>Meliosma ridleyi</i> King	2240	<i>Monogramme trichoidea</i> Sm.	108
<i>Melochia corchorifolia</i> L.	2343	<i>Morinda citrifolia</i> L.	2157
<i>Melodinus micranthus</i> Hook. f.	351	<i>Morinda persicaefolia</i> Ham.	E
<i>Melodinus orientalis</i> Bl.	B	<i>Morinda</i> sp.	2159
<i>Melodorum cylindricum</i> Maingay	322	<i>Morinda</i> sp. "sulong akar darat"	E
<i>Melodorum elegans</i> Hk. f.	302	<i>Morinda tinctoria</i> Roxb.	B
<i>Melodorum fulgens</i> Hk. f.	284	<i>Morinda umbellata</i> L.	2160
<i>Melodorum lanuginosum</i> Hk. f.	285	<i>Mucuna biplicata</i> Teysm.	B
<i>Melodorum latifolium</i> Hk. f.	286	<i>Mucuna gigantea</i> DC.	1326
<i>Melodorum manubriatum</i> Hk. f.	287	<i>Mussaenda glabra</i> Vahl	2161
<i>Melodorum pisocarpum</i> Hk. f.	302	<i>Mussaenda variabilis</i> Hemsl.	E
<i>Melodorum prismaticum</i> Hk. f.	322	<i>Myrialepis scortechinii</i> Becc.	.1971
<i>Memecylon acuminatum</i> Bl.	1434	<i>Myrica nagi</i> Thunb.	1581
<i>Memecylon amplexicaule</i> Roxb.	1435	<i>Myristica bivalvis</i> Hook. f.	1589
<i>Memecylon grande</i> Retz.	1451	<i>Myristica brachiata</i> King	B
<i>Memecylon heteroleprium</i> Bl.	1441	<i>Myristica bracteata</i> DC.	1615
<i>Memecylon laevigatum</i> Bl.	1448	<i>Myristica cantleyi</i> Hook. f.	1606
<i>Memecylon myrsinoides</i> Bl.	1448	<i>Myristica cinnamomea</i> King	1610
<i>Memecylon pauciflorum</i> Bl.	B	<i>Myristica conferta</i> King	1598

<i>Myristica crassa</i> King	1610	<i>Nephrodium molle</i> Desv. var.
<i>Myristica crassifolia</i> Hook. f.	1586	<i>amboinense</i> 34
<i>Myristica elliptica</i> Wall.	1611	<i>Nephrodium pennigerum</i> Bl. B
<i>Myristica farquhariana</i> Wall.	1584a,b	<i>Nephrodium polycarpum</i> 154
<i>Myristica ferruginea</i> Wall.	1583	<i>Nephrodium tectum</i> Wall. 33
<i>Myristica forbesii</i> King	1585	<i>Nephrodium truncatum</i> Presl 126
<i>Myristica glauca</i> Bl.	1601	<i>Nephrodium unitum</i> L. 39
<i>Myristica glaucescens</i> Hook. f.	1607	<i>Nephrodium urophyllum</i> Wall. 128
<i>Myristica hookeriana</i> Wall.	1603	<i>Nephrolepis acuta</i> Presl 111
<i>Myristica iners</i> Bl.	1612	<i>Nephrolepis duffii</i> E
<i>Myristica intermedia</i> Bl.	1604	<i>Nephrolepis exaltata</i> L. 112
<i>Myristica irya</i> Gaertn.	1588	<i>Nephrolepis volubilis</i> J. Sm. 114
<i>Myristica laurina</i> Bl.	1606	<i>Neptunia oleracea</i> Lour. 1327
<i>Myristica longifolia</i> Wall.	1600	<i>Neuwiedia curtissii</i> Rolfe 1880
<i>Myristica lowiana</i> King	1613	<i>Neuwiedia griffithii</i> Rchb. f. 1878
<i>Myristica majuscula</i> King	1590b	<i>Neuwiedia lindleyi</i> Rolfe 1879
<i>Myristica oblongifolia</i> King	B	<i>Niphobolus acrostichoides</i> Sw. 140
<i>Myristica pendulina</i> Hook.	D	<i>Niphobolus adnascens</i> Sw. 139
<i>Myristica polysphaerula</i> Hook. f.	1590a	<i>Niphobolus penangianus</i> Hook. B
<i>Myristica succosa</i> King	1593	<i>Norrisia malaccensis</i> Garden. 1376
<i>Myristica superba</i> Hook. f.	1594	<i>Nypa fruticans</i> Wurm 1973
<i>Myristica wallichii</i> Hook. f.	1596	<i>Oberonia anceps</i> Lindl. 1881
<i>Myristica wrayi</i> King	1601	<i>Oberonia ciliolata</i> Hook. f. 1881
<i>Myrmecodia echinata</i> Jack	2165	<i>Oberonia dissitiflora</i> Ridl. 1883
<i>Myrsine capitellata</i> Wall.	E	<i>Oberonia lunata</i> Lindl. 1886
<i>Najas minor</i> All.	1696	<i>Oberonia miniata</i> Lindl. 1887
<i>Neesia synandra</i> Mast.	467	<i>Ochanostachys amentacea</i> Oliv. 1711
<i>Nenga wendlandiana</i> var. <i>malaccensis</i>	1972	<i>Ochlandra ridleyi</i> Gamble 1098
<i>Nepenthes albomarginata</i> Lobb	C	<i>Ochthocharis borneensis</i> Cogn. 1456
<i>Nepenthes ampullaria</i> Jack	1697	<i>Ochthocharis javanica</i> Bl. 1457
<i>Nepenthes gracilis</i>	1698	<i>Ochthocharis paniculata</i> Korth. 1458
<i>Nepenthes phyllamphora</i> Willd.	1701	<i>Ocimum basilicum</i> L. 1189
<i>Nepenthes rafflesiana</i> Jack	1700	<i>Oldenlandia corymbosa</i> L. 2121
<i>Nepenthes reinwardtii</i> Miq.	B	<i>Oldenlandia dichotoma</i> Retz. 2122
<i>Nephelaphyllum pulchrum</i> Bl.	1876	<i>Oldenlandia diffusa</i> L. 2123
<i>Nephelium eriopetalum</i> Miq.	2255	<i>Oldenlandia trinervia</i> Retz. 2127
<i>Nephelium glabrum</i> Noronha	B	<i>Olea maritima</i> Wall. 1722
<i>Nephelium lappaceum</i> L.	2256	<i>Oncosperma horridum</i> Scheff. 1975
<i>Nephelium rufescens</i> Hiern	2257	<i>Oncosperma tigillarium</i> Griff. 1976
<i>Nephrodium aridum</i> Don	31	<i>Ophioglossum nudicaule</i> L. 115
<i>Nephrodium cucullatum</i> Bl.	155	<i>Ophioglossum pendulum</i> L. 116
<i>Nephrodium heterocarpon</i> Bl.	153	<i>Ophiorrhiza harrisiae</i> Heyne 2171
<i>Nephrodium latebrosum</i> Kze.	E	<i>Orania macrocladus</i> Mart. 1976
<i>Nephrodium molle</i> Desv. ??	33	<i>Ormosia macrodisca</i> Bak. 1331
<i>Nephrodium molle</i> Desv. var. <i>procurrens</i>	E	<i>Ormosia microsperma</i> Bak. 1332
<i>Nephrodium molle</i> Desv. var. <i>didymosorum</i>	33	<i>Ormosia parvifolia</i> Bak. 1330
		<i>Orophea hastata</i> King 303
		<i>Osmelium maingayi</i> King 979
		<i>Ostodes macrophylla</i> 896

<i>Ostodes muricata</i> var. <i>minor</i>	C	<i>Parkia speciosa</i> Hassk.	1334
<i>Oxalis corniculata</i> L.	1931	<i>Parsonia spiralis</i> Wall.	355
<i>Oxyanthera decurva</i> Hook. f.	1911	<i>Paspalum conjugatum</i> Berg.	1080
<i>Oxyanthera elata</i> Hook. f.	1910	<i>Paspalum distichum</i> Burm.	1085
<i>Oxymitra affinis</i> King	B	<i>Paspalum longiflorum</i> Retz.	1026/1031
<i>Oxymitra calycina</i> King	290	<i>Paspalum sanguinale</i> Lam.	1023/1029/
<i>Pachycentria glauca</i> Triana	1446		1030a,b
<i>Pachycentria macrorhiza</i> Becc.	1459	<i>Paspalum scrobiculatum</i> L.	1084
<i>Pachycentria tuberculata</i>	1459	<i>Passiflora foetida</i>	2003
<i>Pachynocarpus wallichii</i> King	786	<i>Passiflora minima</i>	2005
<i>Paederia foetida</i> L.	2177	<i>Passiflora quadrangularis</i>	D
<i>Paederia tomentosa</i> Bl.	2176	<i>Passiflora suberosa</i>	2005
<i>Paederia verticillata</i>	2177	<i>Payena costata</i> King	E
<i>Pandanus atrocarpus</i> Griff.	1993	<i>Payena leerii</i> Benth.	2279
<i>Pandanus fascicularis</i> Lam.	1996	<i>Peliosanthes violacea</i> Wall.	1368
<i>Pandanus houllettei</i> Carr.	1994	<i>Peliosanthes viridis</i> Ridl.	1368
<i>Pandanus laevis</i> Rumph	D	<i>Pellacalyx axillaris</i> Korth.	2071
<i>Pandanus ornatus</i> Kurz	1995	<i>Pellacalyx saccardianus</i> Scort.	2072
<i>Pandanus parvus</i>	1997	<i>Pellionia javanica</i> Wedd.	C
<i>Pandanus</i> sp. "stems slender..."	E	<i>Peltophorum ferrugineum</i> Benth.	1335
<i>Pandanus</i> sp. near <i>P. helicopus</i>	E	<i>Pemphis acidula</i> Forst.	1397
<i>Pandanus</i> sp. "A tall plant..."	E	<i>Pentace triptera</i> Mast.	2391
<i>Panicum auritum</i> Presl	1074	<i>Pentapetes phoenicea</i> L.	D
<i>Panicum colonum</i> L.	1033	<i>Pentaphragma begoniaefolium</i> Wall.	
<i>Panicum crus-galli</i> L.	1034		2008
<i>Panicum distachyum</i> L.	1006	<i>Peperomia exigua</i> Miq.	2011
<i>Panicum indicum</i> L.	1094	<i>Peristrophe acuminata</i> Nees	206
<i>Panicum latifolium</i> L.	997	<i>Peristrophe montana</i> Nees	207
<i>Panicum luzonense</i> Presl	1076	<i>Perotis latifolia</i> Ait	1088
<i>Panicum myosuroides</i> Br.	1095	<i>Petunga venulosa</i> Hook.	2130
<i>Panicum nodosum</i> Kth.	1073	<i>Phaeanthus lucidus</i> Oliver	B
<i>Panicum ovalifolium</i> Poir.	1075	<i>Phaeanthus nutans</i> Hk. f.	305
<i>Panicum patens</i> L.	1017	<i>Philydrum lanuginosum</i>	2009
<i>Panicum pilipes</i> Nees	1018	<i>Phoebe declinata</i> Nees	1235
<i>Panicum repens</i> L.	1078	<i>Phoebe opaca</i> Bl.	1236
<i>Panicum sarmentosum</i> Roxb.	1079	<i>Phoebe sumatrana</i> Miq.	E
<i>Parameria glandulifera</i> Benth.	353	<i>Phoenix</i> sp.	E
<i>Parameria polyneura</i> Benth.	354	<i>Phryníum griffithii</i> Bak.	1418
<i>Paramignya grandiflora</i> Oliv.	B	<i>Phyllanthus coriaceus</i> Wall.	B
<i>Paramignya longispina</i> Hook. f.	2236	<i>Phyllanthus distichus</i> Muell.	D
<i>Paranephelium macrophyllum</i> King	2259	<i>Phyllanthus madraspatensis</i> L.	B
<i>Parastemon urophyllus</i> DC.	533	<i>Phyllanthus niruri</i> Wall.	936
<i>Parinarium costatum</i> Bl.	534	<i>Phyllanthus pectinatus</i> Hook. f.	938
<i>Parinarium griffithianum</i> Benth.	532	<i>Phyllanthus pulcher</i> Wall.	D
<i>Parinarium nitidum</i> Hook. f.	531	<i>Physostelma wallichii</i> Wight	434
<i>Parinarium oblongifolium</i> Hook. f.	535	<i>Phytocrene bracteata</i> Wall.	1172
<i>Parishia maingayi</i> Hook. f.	263	<i>Phytocrene oblonga</i> Wall.	B
<i>Parishia paucijuga</i> Engl.	264	<i>Pilea muscosa</i> Lindl.	2415
<i>Parishia pubescens</i> Hook. f.	262	<i>Pimelandra wallichii</i> DC.	1626

<i>Pinanga coronata</i> Bl.	B	<i>Pollia sorzogonesis</i> Endl.	552
<i>Pinanga disticha</i> Bl.	1978	<i>Polyalthia bullata</i> King	307
<i>Pinanga malaiana</i> Scheff.	1980	<i>Polyalthia macropoda</i> King	315
<i>Pinanga paradoxa</i> Scheff.?	B	<i>Polyalthia scortechinii</i> King	316
<i>Pinanga polymorpha</i> Becc.	C	<i>Polyalthia sumatrana</i> King	318
<i>Piper caninum</i> Bl.	2012	<i>Polybotrya appendiculata</i> Willd.	26
<i>Piper chaba</i> L.	2013	<i>Polygala brachystachya</i> Bl.	2029
<i>Piper maingayi</i> Hook. f.	2016	<i>Polygonum barbatum</i> L.	2041
<i>Piper miniatum</i> Bl.	2018	<i>Polygonum flaccidum</i> Meissn.	B
<i>Piper muricatum</i> Bl.	2019	<i>Polygonum pedunculare</i> Wall.	B
<i>Piper pedicellosum</i> Wall.	2021	<i>Polyosma fragrans</i> Benn.	B
<i>Piper porphyrophyllum</i> N.E. Br.	2022	<i>Polyosma ridleyi</i> King	2289
<i>Piper sarmentosum</i>	2025	<i>Polypodium adpersum</i> Bl.	C
<i>Piper sumatrana</i> Cas.	2024	<i>Polypodium decorum</i> Brack.	35
<i>Pipturus mollisimus</i> Wedd.	2413	<i>Polypodium setigerum</i> Bl.	C
<i>Pistia stratiotes</i> L.	397	<i>Polypodium streptophyllum</i> Bak.	B
<i>Pithecellobium angulatum</i> Benth.	1259	<i>Polystachya singapurensis</i> Ridl.	1896
<i>Pithecellobium bubalinum</i> Benth.	B	<i>Polytrias praemorsa</i> Hack.	1091
<i>Pithecellobium clypearia</i> Benth.	1259	<i>Pometia alnifolia</i> Radlk.	2260
<i>Pithecellobium confertum</i> Benth.	1257	<i>Pometia gracilis</i> King	2260
<i>Pithecellobium contortum</i> Mart.	1260	<i>Pongamia glabra</i> Vent.	1336
<i>Pithecellobium ellipticum</i> Hassk.	1261	<i>Popowia ramosissima</i> Hk. f.	320
<i>Pithecellobium lobatum</i> Benth.	1263	<i>Popowia tomentosa</i> Maing.	321
<i>Pithecellobium microcarpum</i> Benth.	1264	<i>Portulaca oleracea</i> L.	2047
<i>Pittosporum ferrugineum</i> Ait	2027	<i>Portulaca quadrifida</i> L.	2049
<i>Plagiostachys lateralis</i> Ridl.	2500	<i>Pothos curtisiae</i> Hook. f.	396
<i>Plantago major</i> L.	2028	<i>Pouzolzia indica</i> L.	2419
<i>Platycerium bifforme</i> Bl.	22	<i>Pouzolzia pentandra</i> Benn.	E
<i>Platycerium grande</i> Sm.	C	<i>Pratia begonifolia</i> Lindl.	498
<i>Platyclinis longifolia</i> Hemsl.	1829	<i>Premna cordifolia</i> Roxb.	B
<i>Plectocomia griffithii</i> Becc.	1984	<i>Premna coriacea</i> Clarke	E
<i>Pleocnemia gigantea</i> Bl.	B	<i>Premna corymbosa</i> Roth.	2435
<i>Pleopeltis angustata</i> Sw.	138	<i>Premna flavesens</i> var. <i>rubens</i>	E
<i>Pleopeltis longifolia</i> Mett.	79	<i>Premna integrifolia</i> var. <i>angustior</i>	2435
<i>Pleopeltis nigrescens</i> Bl.	119	<i>Premna parasitica</i> Bl.	2437
<i>Pleopeltis phymatodes</i> L.	120	<i>Prismatomeris albidiiflora</i> Thw.	2182
<i>Pleopeltis punctata</i> L.	108	<i>Prosaptia contigua</i> Sw.	B
<i>Pleopeltis sinuosa</i> Wall.	110	<i>Psilotum complanatum</i> Sw.	130
<i>Pleopeltis stenophylla</i> Bl.	B	<i>Psilotum flaccidum</i> Wall.	130
<i>Plocoglottis foetida</i> Ridl.	1892	<i>Psychotria angulata</i> Korth.	2183
<i>Plocoglottis javanica</i> Bl.	1893	<i>Psychotria griffithii</i> Hook. f.	2185
<i>Plocoglottis porphyrophylla</i> Ridl.	1894	<i>Psychotria helferiana</i> Kurz.	2186
<i>Pluchea indica</i> Less.	577	<i>Psychotria maingayi</i> Hook. f.	2187
<i>Plumbago zeylanica</i> L.	2028	<i>Psychotria malayana</i> Jack	2188
<i>Podocarpus neglectus</i> Bl.	B	<i>Psychotria montana</i> var. <i>tabacifolia</i>	
<i>Podocarpus nerifolia</i> Don	B	Wall.	B
<i>Podochilus microphyllus</i> Lindl.	1895	<i>Psychotria morindaeflora</i> Wall.	B
<i>Pogonanthera reflexa</i> Bl.	1462	<i>Psychotria ovoidea</i> Wall.	2190
<i>Pogonia punctata</i> Bl.	1877	<i>Psychotria polycarpa</i> Miq.	2189

<i>Psychotria sarmentosa</i> Bl.	2194	<i>Renanthera elongata</i> Lindl.	1899
<i>Psychotria</i> sp. "green flowers"	E	<i>Renanthera maingayi</i> Hook. f.	1744
<i>Psychotria</i> sp. "grey green fruits"	E	<i>Renantherella histrionica</i> Ridl.	1900
<i>Psychotria stipulacea</i>	2188	<i>Rhizophora conjugata</i> L.	2073
<i>Pteleocarpa malaccensis</i> Oliv.	474	<i>Rhizophora mucronata</i> Lmk.	2074
<i>Pteris aquilina</i> L.	132	<i>Rhodamnia trinervia</i> Bl.	1690
<i>Pteris ensiformis</i> Burm.	134	<i>Rhododendron javanicum</i> var. <i>tubiflorum</i>	
<i>Pteris longifolia</i> L.	137	820	
<i>Pterisanthes coriacea</i> Korth.	2470	<i>Rhododendron lampongum</i> Miq.	820
<i>Pternandra capitellata</i> Jack	1463	<i>Rhodomyrtus tomentosus</i> Wight	1691
<i>Pternandra coerulescens</i> Jack	1463	<i>Rhynchospora glauca</i> var. <i>chinensis</i>	721
<i>Pternandra paniculata</i> Benth.	1463	<i>Rhynchospora malasica</i> Clarke	719
<i>Pterospermum blumeanum</i> Korth.	2346	<i>Rhynchospora wallichiana</i> Kunth	720
<i>Pterospermum diversifolium</i> Bl.	2345	<i>Rhynchospora aurea</i> Vahl	718
<i>Ptychopyxis costata</i> Miq.	943	<i>Rhyncostylis gigantea</i> Ridl.	1901
<i>Ptychoraphis singaporensis</i> Becc.	1985	<i>Rottboellia glandulosa</i> Trin.	1070
<i>Pupalia atropurpurea</i> Miq.	C	<i>Roucheria griffithiana</i> Planch.	1369
<i>Pycreus nitens</i> Nees	669	<i>Rourea acuminata</i> Hook. f.	602
<i>Pycreus polystachyus</i> Beauv.	668	<i>Rourea concolor</i> Bl.	601
<i>Pygeum lanceolatum</i> Hook. f.	2079	<i>Rourea fulgens</i> Planch.	600
<i>Pygeum maingayi</i> Hook. f.	2078	<i>Rourea parallela</i> Planch.	601
<i>Pygeum persimile</i> Kurz	2077	<i>Rourea pulchella</i> Planch.	602
<i>Pygeum polystachyum</i> Hook. f.	2079	<i>Rourea rugosa</i> Planch.	603
<i>Pyrenaria acuminata</i> Planch.	2375	<i>Rourea similis</i> Bl.	601
<i>Pyrenaria kunstleri</i> King	B	<i>Rubus glomeratus</i> Bl.	2080a
<i>Quercus bennettii</i> Miq.	961	<i>Rubus moluccanus</i> L.	2080b
<i>Quercus cantleyana</i>	962	<i>Ruellia repens</i> L.	209
<i>Quercus conocarpa</i> Oudem.	963	<i>Ryparosa hullettii</i> King	982
<i>Quercus cyclophora</i> Endl.	964	<i>Saccolabium perpusillum</i> Hook. f.	1904
<i>Quercus encleisacarpa</i> Korth.	966	<i>Salacia flavescentis</i> Kurz	526
<i>Quercus hystrix</i> Korth.	968	<i>Salacia grandiflora</i> Kurz	524
<i>Quercus lamponga</i> Miq.	971	<i>Salacia latifolia</i> Wall.	522
<i>Quercus lucida</i> Roxb.	970	<i>Salacia lobbia</i> Laws.	517
<i>Quercus oiodocarpa</i> Korth.	B	<i>Salacia longiflora</i> Hook.	E
<i>Quercus spicata</i> var. <i>gravipes</i>	965	<i>Salacia prinoides</i> DC.	522
<i>Quercus sundaica</i>	971	<i>Salacia</i> sp.	526
<i>Quercus wallichiana</i> Lindl.	972	<i>Salacia viminea</i> Wall.	527
<i>Randia angulosa</i> Wall.	E	<i>Salomonia aphylla</i> Griff.	B
<i>Randia anisophylla</i> Jack	2179	<i>Salomonia cantoniensis</i> Lour.	2031
<i>Randia densiflora</i> Benth.	2082	<i>Salomonia oblongifolia</i> Dec.	B
<i>Randia fasciculata</i> DC.	B	<i>Sandoricum indicum</i> Lmk.	1499
<i>Randia longiflora</i> Lam.	2173	<i>Sandoricum radiatum</i> King	1499
<i>Randia macrophylla</i> Br.	2197	<i>Santiria apiculata</i> Benn.	488
<i>Raphidophora gracilipes</i> Hook. f.	B	<i>Santiria laevigata</i> Bl.	491
<i>Raphidophora lobbia</i> Schott	400	<i>Santiria laxa</i> King	486
<i>Raphidophora minor</i> Hook. f.	402	<i>Santiria multiflora</i> Benn.	493
<i>Raphistemma pulchellum</i> Wall.	D	<i>Sapium discolor</i> Muell.	945
<i>Remirea maritima</i> Aubl.	666	<i>Sapium indicum</i> Roxb.	946
<i>Renanthera alba</i> Ridl.	1743	<i>Saprosma</i> sp.	E

<i>Sarauja tristyla</i> Miq.	218	<i>Selliguea feei</i> Hook.	152
<i>Sarcanthus halophilus</i>	1783	<i>Serianthes grandiflora</i> Benth.	1344
<i>Sarcocephalus junguhnii</i> Miq.	2166	<i>Sesamum indicum</i> L.	2006
<i>Sarcocephalus maingayi</i> Hav.	2170	<i>Sesbania paludosa</i> Roxb.	B
<i>Sarcocephalus</i> sp.	E	<i>Sesuvium portulacastrum</i> L.	228
<i>Sarcocephalus subditus</i> Miq.	2167	<i>Setaria glauca</i> Beauv.	1102
<i>Sarcochilus adnatus</i> Ridl.	1872	<i>Shorea bracteolata</i> King	774
<i>Sarcochilus caligaris</i> Ridl.	1898	<i>Shorea gibbosa</i> Brandis	777
<i>Sarcolobus globosus</i> Wall.	444	<i>Shorea gratissima</i> Dyer	778
<i>Sauropolis albicans</i> Bl.	947	<i>Shorea leprosula</i> Miq.	779
<i>Scaevela koenigii</i> Vahl	996	<i>Shorea macroptera</i> Dyer	780
<i>Schismatoglottis longipes</i> Miq.	404	<i>Shorea parvifolia</i> Dyer	782
<i>Schismatoglottis wallichii</i> Hook. f.	405	<i>Shorea pauciflora</i> King	783
<i>Schizaea dichotoma</i> Sw.	143	<i>Sida carpinifolia</i> L.	1409
<i>Schizaea digitata</i> Sw.	144	<i>Sida rhombifolia</i> L.	1411
<i>Schizoloma ensifolium</i> Sw.	84	<i>Sideroxylon ferrugineum</i> Hook.	2284
<i>Schizoloma heterophylla</i> Dry.	85	<i>Sideroxylon maingayi</i> Clarke	2283
<i>Schizoloma lobata</i> Poir.	81	<i>Sideroxylon malaccense</i> Clarke	2285
<i>Schizoloma media</i> R. Br.	E	<i>Sindora intermedia</i> Bak.	1346
<i>Schoenus calostachyus</i> Poir.	722	<i>Sindora wallichiana</i> Benth.	1346
<i>Sciaphila affinis</i> Becc.	2396	<i>Sloanea javanica</i> Miq.	818
<i>Scindapsus hederaceus</i> Schott	406	<i>Sloetia sideroxylon</i> Teysm.	1580
<i>Scindapsus pictus</i> Hassk.	407	<i>Smilax barbata</i> Wall.	2321
<i>Scirpodendron costatum</i> Kurz	723	<i>Smilax calophylla</i> Wall.	2322
<i>Scirpus grossus</i> L. f.	724	<i>Smilax megacarpa</i> Roxb.	2325
<i>Scirpus mucronatus</i> L.	725	<i>Smilax myosotiflora</i> A. DC.	2326
<i>Scleria bancana</i> Miq.	729	<i>Smythea pacifica</i> Seem.	2055
<i>Scleria biflora</i> Roxb.	727	<i>Smythea reticulata</i> King	2055
<i>Scleria caricina</i> Benth.	728	<i>Solanum aculeatissimum</i> Jacq.	B
<i>Scleria levigata</i> Retz.	732	<i>Solanum biflorum</i> Lour.	C
<i>Scleria multifoliata</i> Boeck.	734	<i>Solanum melongena</i> L.	D
<i>Scleria oryzoides</i> Presl	733	<i>Solanum nigrum</i> L.	2329
<i>Scleria radula</i> Hance	737	<i>Solanum sarmentosum</i> Nees	2330
<i>Scleria ridleyi</i> Clarke	730	<i>Solanum torvum</i> Sw.	2331
<i>Scleria sumatrensis</i> Retz.	736	<i>Sonerila heterophylla</i> Herb.	B
<i>Scleria zeylanica</i> Poir.	735	<i>Sonerila moluccana</i> Roxb.	1467
<i>Scleropyrum maingayi</i> Hook. f.	2245	<i>Sonerila obliqua</i> Korth.	1466
<i>Scolopia rhinanthera</i> Clos.	984	<i>Sonneratia acida</i> L.	2333
<i>Scoparia dulcis</i> L.	2312	<i>Sonneratia alba</i> Smith	2332
<i>Scorodocarpus borneensis</i> Becc.	1713	<i>Sonneratia griffithii</i> Kurz	2332
<i>Scyphiphora hydrophyllacea</i> Gaertn.	2199	<i>Spathoglottis plicata</i> Bl.	1906
<i>Sebastiania chamalaea</i> Muell.	948	<i>Spatholobus ferrugineus</i> Benth.	1347
<i>Selaginella atroviridis</i> Spring.	147	<i>Spatholobus maingayi</i> Prain	1348
<i>Selaginella plumosa</i> Bak.	E	<i>Spatholobus ridleyi</i> Prain	1349
<i>Selaginella</i> sp. (6547)	E	<i>Spermacoce hispida</i> L.	2084
<i>Selaginella trichobasis</i> Bak.	149	<i>Spermacoce ocymoides</i> Burm.	E
<i>Selaginella willdenowii</i> Bak.	151	<i>Spermacoce scaberrima</i> Bl.	2103
<i>Seligea membranacea</i> Hook.	B	<i>Sphaeranthus africanus</i> L.	581
		<i>Sphaerocaryum elegans</i> Nees	1104

<i>Sphenodesme pentandra</i> Jack	2440	<i>Tephrosia candida</i> DC.	D
<i>Spilanthes acmella</i> L.	554	<i>Tephrosia hookeriana</i>	1337
<i>Sporobolus indicus</i> L.	1105a	<i>Terminalia catappa</i> L.	540
<i>Stachytarpheta indica</i> Vahl	2442	<i>Terminalia phellocarpa</i> King	541
<i>Stachytarpheta mutabilis</i>	2444	<i>Terminalia subspathulata</i> King	542
<i>Steleocharpus burahol</i> Hook. f.	C	<i>Ternstroemia penangiana</i> Choisy	2378/
<i>Stemona tuberosa</i> Lour.	B		2378
<i>Stenochlaena palustris</i> L.	156	<i>Tetracera assa</i> Dec.	750
<i>Stephania hernandifolia</i> Wall.	B	<i>Tetracera assa</i> var.	747
<i>Stephanotis maingayi</i> Hook. f.	446	<i>Tetracera euryanda</i> Vah.	748
<i>Sterculia laevis</i> Wall.	2350	<i>Tetracera fagifolia</i> Bl.	749
<i>Sterculia macrophylla</i> Vent.	2353	<i>Tetracera macrophylla</i> Wall.	750
<i>Sterculia parviflora</i> Vent.	2354	<i>Tetramerista glabra</i> Miq.	2368
<i>Sterculia rubiginosa</i> Vent.	2355	<i>Thamnopteris nidus</i> L.	17
<i>Sterculia scaphigera</i>	2347	<i>Thelasis elongata</i> Bl.	1912
<i>Stereospermum chelonoides</i> DC.	461	<i>Thespesia populnea</i> Corr.	1412
<i>Stereospermum hyposticta</i> Miq.	459	<i>Thismia aseroe</i> Becc.	479
<i>Streblus asper</i> Lour.	B	<i>Thismia fumida</i> Ridl.	480
<i>Streptocaulon wallichii</i> Wight	C	<i>Thoracostachyum bancanum</i>	738
<i>Striga lutea</i> Lour.	2314	<i>Thottea dependens</i>	420
<i>Strombosia rotundifolia</i> King	1714	<i>Thottea grandiflora</i> Rottb.	421
<i>Strophanthes brevicaudatus</i> Wight	357	<i>Thrixspermum arachnites</i> Rchb. f.	1915
<i>Strophanthes dichotomus</i> DC.	356	<i>Thrixspermum calceolus</i> Rchb. f.	1915
<i>Strychnos malaccensis</i> Benth.	1377	<i>Thrixspermum lilacinum</i> Rchb. f.	1914
<i>Strychnos pubescens</i> Clarke	1377	<i>Thrixspermum notabile</i> Ridl.	1913
<i>Strychnos tieute</i> Bl.	1378	<i>Thuarea sarmentosa</i> Pers.	1109
<i>Styrax benzoin</i> Dryand.	2357	<i>Thunbergia alata</i> Bojer.	214
<i>Styrax crotoides</i> Clarke	2359	<i>Thunbergia fragrans</i> Roxb.	216
<i>Susum anthelminticum</i> Bl.	1147	<i>Timonius finlaysonianus</i> Wall.	2207
<i>Symplocos adenophylla</i> Wall.	2359	<i>Timonius jambosella</i> Thw.	2208
<i>Symplocos celastrifolia</i> Griff.	2361	<i>Timonius rumphii</i> DC.	2209
<i>Symplocos fasciculata</i> Zoll.	2362	<i>Tinomiscium petiolare</i> Miers	1513
<i>Symplocos rigidula</i> Clarke	2360	<i>Tinospora cordifolia</i> Miers	B
<i>Symplocos rubiginosa</i> Wall.	2365	<i>Torenia mucronulata</i> Benth.	E
<i>Symplocos</i> sp.	2363	<i>Torenia polygonoides</i> Benth.	2296
<i>Symplocos spicata</i> Roxb.	B	<i>Tournefortia wallichii</i> DC.	475
<i>Synedrella nodiflora</i> Gaertn.	582	<i>Toxocarpus griffithii</i> Don	447
<i>Syngramma alismifolia</i> Hook.	157	<i>Trema angustifolia</i> Bl.	2405
<i>Syngramma wallichii</i> Hook.	157	<i>Trema orientalis</i> Bl.	2407
<i>Tabernaemontana coronaria</i> Roxb.	D	<i>Trema timorensis</i> Bl.	2406
<i>Tabernaemontana corymbosa</i> Roxb.	358	<i>Trichomanes digitatum</i> Sw.	B
<i>Tabernaemontana malaccensis</i> Hook. f.	359	<i>Trichomanes filicula</i> Bory.	E
<i>Tacca cristata</i> Jack	2366	<i>Trichomanes javanicum</i> Bl.	172
<i>Taeniophyllum serrula</i> Hook. f.	1909	<i>Trichomanes maximum</i> Bl.	B
<i>Taenitis blechnoides</i> Willd.	158	<i>Trichomanes motleyi</i> v.d. Bosch	175
<i>Talauma elegans</i> Miq.	1399	<i>Trichomanes muscooides</i> Sw.	173
<i>Talauma lanigera</i> Hook. f.	1398	<i>Trichomanes parviflorum</i> Poir.	E
<i>Tarrietia simplicifolia</i> Mast.	2341	<i>Trichomanes rigidum</i> Sw.	176
		<i>Trichosanthes celebica</i> Cogn.	640

<i>Trichosanthes wallichiana</i> Wight	641	<i>Uvaria hirsuta</i> Jack	327
<i>Trichosanthes wawraei</i> Cogn.	642	<i>Uvaria lobbiana</i> Hk. f.	329
<i>Tridax procumbens</i> L.	583	<i>Uvaria macrophylla</i> Roxb.	324
<i>Trigonachras acuta</i> Radlk.	2261	<i>Uvaria ridleyi</i> King	328
<i>Trigoniastrum hypoleucum</i> Miq.	2395	<i>Uvaria subrepanda</i> Wall.	329
<i>Trigonochlamys griffithii</i> Hook. f.	490	<i>Vaccinium acuminatissimum</i> Miq.	821
<i>Trigonostemon longifolius</i> Baill.	952	<i>Vaccinium bancanum</i> Miq.	823
<i>Triomma malaccensis</i> Griff.	494	<i>Vaccinium malaccense</i> Wight	822
<i>Tristania merguensis</i> Griff.	1692	<i>Vallaris maingayi</i> Hook. f.	345
<i>Tristania whitiana</i> Griff.	1694	<i>Vandellia crustacea</i> Benth.	2304
<i>Tristellateia australasiae</i> Rich.	1404	<i>Vandellia hirsuta</i> Benth.	2309
<i>Triumfetta pilosa</i> Roth.	E	<i>Vandellia pedunculata</i> Griff.	2301
<i>Triumfetta rhomboidea</i> Jacq.	2394	<i>Vandellia scabra</i> Benth.	2306
<i>Turpinia pomifera</i> DC.	2335	<i>Vanilla griffithii</i> Rchb. f.	1924
<i>Tylophora tenuis</i> Wall.	450	<i>Vatica ridleyana</i> Brandis	786/787
<i>Tylophora wallichii</i> ? Hook. f.	449	<i>Ventilago leiocarpa</i> Benth.	2056
<i>Typhonium roxburghii</i> Schott	409	<i>Ventilago madraspatana</i> Gaertn.	B
<i>Uncaria attenuata</i> Korth.	2212	<i>Vernonia arborea</i> Ham.	584
<i>Uncaria ferrea</i> DC.	B	<i>Vernonia chinensis</i> L.	586
<i>Uncaria gambir</i> Roxb.	2215	<i>Vernonia cinerea</i> Less.	585
<i>Uncaria glabrata</i> DC.	2216	<i>Vernonia scandens</i> DC.	562
<i>Uncaria jasminiflora</i> Wall.	2213	<i>Viburnum sambucinum</i> Reinwardt	506
<i>Uncaria ovata</i> Hook. f.	B	<i>Vigna retusa</i> Walp.	1354
<i>Uncaria pedicellata</i> Roxb.	2214	<i>Vinca rosea</i> L.	342
<i>Uncaria pteropoda</i> Miq.	2217	<i>Viscum articulatum</i> Burm.	1394
<i>Uncaria roxburghiana</i> Korth.	2218	<i>Viscum orientale</i> Willd.	1395
<i>Unona dasymaschala</i> Bl.	281	<i>Vitex gamosepala</i>	2447
<i>Unona desmantha</i> Hk. f.	308	<i>Vitex negundo</i> L.	2448
<i>Unona discolor</i> Vahl	280	<i>Vitex pubescens</i> Vahl	2449
<i>Unona dumosa</i> Roxb.	282	<i>Vitex trifolia</i> L.	2450
<i>Unona longiflora</i> Roxb.	B	<i>Vitex vestita</i> Wall.	2451
<i>Unona stenopetala</i>	B	<i>Vitis cerasiformis</i> Teysm.	2464
<i>Uraria crinita</i> Desv.	1353	<i>Vitis cinnamomea</i> Wall.	2455
<i>Urceola brachysepala</i> Hook. f.	358	<i>Vitis elegans</i> Kurz	2456
<i>Urceola lucida</i> Benth.	360	<i>Vitis furcata</i> Laws.	2466
<i>Urceola maingayi</i> Hook. f.	361	<i>Vitis glaberrima</i> Wall.	2464
<i>Urceola malaccensis</i> Hook. f.	362	<i>Vitis gracilis</i> Wall.	2457
<i>Urceola torulosa</i> Hook. f.	363	<i>Vitis japonica</i> Thunb.	B
<i>Urena lobata</i> L.	1414	<i>Vitis lawsoni</i> King	2473
<i>Urophyllum glabrum</i> Bl.	2221	<i>Vitis macrostachya</i> Miq.	2467
<i>Urophyllum griffithianum</i> Wt.	2222	<i>Vitis mollissima</i> Wall.	2460
<i>Urophyllum hirsutum</i> Wt.	2223	<i>Vitis novemfolia</i> Wall.	2461
<i>Urophyllum streptopodium</i> Wall.	2226	<i>Vitis polythyrsa</i> Miq.	2458
<i>Utricularia affinis</i> var. <i>griffithii</i>	1366	<i>Vitis repens</i> W. & Arn.	2465
<i>Utricularia bifida</i> L.	1362	<i>Vitis sp.</i>	E
<i>Utricularia exoleta</i> Br.	1364	<i>Vitis trifolia</i> L.	2462
<i>Utricularia flexuosa</i> Vahl	1361	<i>Vittaria elongata</i> Sw.	181
<i>Utricularia racemosa</i> Wall.	1363	<i>Vittaria scolopendrina</i> Presl	181
<i>Uvaria dulcis</i> Dunal.	B	<i>Vrydagzynea albida</i> Bl.	1925

<i>Vrydagzynea lancifolia</i> Ridl.	1926	<i>Ziziphus oenoplia</i> Mill.	2060
<i>Vrydagzynea tristriata</i> Ridl.	1927	<i>Zornia diphylla</i> Pers.	1356
<i>Webera fragrans</i> Bl.	2202	<i>Zoysia pungens</i> Willd.	1114
<i>Webera grandifolia</i> Hook. f.	2204		
<i>Webera mollis</i> Wall.	2203		
<i>Webera</i> sp. (5961)	E		
<i>Webera</i> sp. (6147)	2205		
<i>Wedelia biflora</i> DC.	587		
<i>Wikstroemia indica</i>	C		
<i>Willughbeia coriacea</i> Wall.	368		
<i>Willughbeia firma</i> Bl.	368		
<i>Willughbeia flavescens</i> Dyer	365		
<i>Willughbeia grandiflora</i> Dyer	370		
<i>Willughbeia</i> sp. (6023)	367		
<i>Willughbeia tenuiflora</i> Hook. f.	371		
<i>Wolffia arhiza</i> Wimm.	1360		
<i>Wormia pulchella</i> Jack	744		
<i>Wormia scortechinii</i> King	742		
<i>Wormia</i> sp.	E		
<i>Wormia suffruticosa</i> Griff.	746		
<i>Wormia tomentella</i> Bl.	741		
<i>Xanthophyllum affine</i> Korth.	2032		
<i>Xanthophyllum ellipticum</i> Korth.	2034		
<i>Xanthophyllum kunstleri</i> King	2039		
<i>Xanthophyllum obscurum</i> Benn.	2037		
<i>Xanthophyllum palembanicum</i> Miq.	2032		
<i>Xerospermum muricatum</i> Radlk.	2264		
<i>Xerospermum wallichii</i> King	2264		
<i>Ximenia americana</i> L.	1716		
<i>Xylia dolabrifloris</i> Benth.	C		
<i>Xylopia caudata</i> Hk. f.	331a		
<i>Xylopia dicarpa</i> Hook. f.	335		
<i>Xylopia ferruginea</i> Hk. f.	332a		
<i>Xylopia magna</i> Maingay	334		
<i>Xylopia malayana</i> Hk. f.	335		
<i>Xylopia oxyantha</i> Hk. f.	332b		
<i>Xylopia ridleyi</i> King	275		
<i>Xyris anceps</i> Lam.	2474		
<i>Xyris schoenoides</i> Mart.	2475		
<i>Zalacca conferta</i> Griff.	1961		
<i>Zalacca wallichiana</i> Mart.	B		
<i>Zanthoxylum ovalifolium</i> Wight	B		
<i>Zingiber gracile</i> Jack	B		
<i>Zingiber griffithii</i> Bak.	2502		
<i>Zingiber puberula</i> Ridl.	2503		
<i>Zingiber zerumbet</i> Sm.	2504		
<i>Ziziphus calophylla</i> Wall.	2057		
<i>Ziziphus elegans</i> Wall.	2058		
<i>Ziziphus horsfieldii</i> Miq.	2059		

APPENDIX B:

Species included by Ridley (1900) in the Flora of Singapore for which I have been unable to find any evidence of their occurrence in the wild within the Republic. The majority probably represent misapplied names rather than poorly localised collections. The name in bold type is that considered correct. This is preceded by the name used by Ridley, where it is different from the correct name. The number in square brackets represents the page number on which the species is found in Ridley (1900). A question mark indicates doubt concerning the species to which Ridley referred.

Acacia pennata Will. [76] = ***Acacia pennata*** (L.) WILLD., Leguminosae.

Adinandra maculosa T. Anders. [48] = ***Adinandra maculosa*** T. ANDERS. ex DYER, Theaceae.

Aganosma marginata Don [111] = ***Aganosma marginata*** (ROXB.) G. DON, Apocynaceae.

Agathis loranthifolia Salisb. [151] = ***Agathis borneensis*** WARB., Araucariaceae.

Albizia lucida Benth. [76] = ***Albizia lucidior*** (STEUD.) NIELSEN, Leguminosae.

Alsodeia kunstleriana King [44] = ***Rinorea horneri*** (KORTH.) KUNTZE, Violaceae.

Alsodeia membranacea King [44] = ***Rinorea macrophylla*** (DECNE.) KUNTZE, Violaceae.

Antrophyum plantagineum Kaulf. [194] = ***Antrophyum plantagineum*** KAULF., Pteridophyta.

Antrophyum reticulatum KAULF. [194], Pteridophyta.

Aporusa ficifolia Baill. [137] = ***Aporusa pseudo-ficifolia*** P. & H., Euphorbiaceae.

Aporusa stellifera Hook. f. [137] = ***Aporusa stellifera*** HOOK. f., Euphorbiaceae.

Ardisia humilis VAHL [105], Myrsinaceae.

Artanema angustifolium BENTH. [118], Scrophulariaceae.

Artocarpus peduncularis King [147] = ***Artocarpus teysmannii*** MIQ., Moraceae.

Aspidium cicutorium Sw. [191] = ***Tectaria coadunata*** (J. SM.) C. CHR., Pteridophyta.

Aspidium semibipinnatum Wall. [191] = ***Tectaria semibipinnatum*** (WALL. ex HOOK.) COPEL., Pteridophyta.

Aspidium vastum Bl. [191] = ***Tectaria vasta*** (BL.) COPEL., Pteridophyta.

Aspidium zollingerianum Kze. [191] = ***Tectaria brachiata*** (ZOLL. & MOR.) MORTON, Pteridophyta.

Asplenium falcatum LAM. [191], Pteridophyta.

Asplenium squamulatum BL. [190], Pterodophyta.

Barringtonia pendulum Miers [83] = ? ***Barringtonia pendula*** (GRIFF.) KURZ, Lecythidaceae.

Calophyllum canum HOOK. f. [47], Guttiferae.

Cassia siamea Lam. [74] = ***Senna siamea*** (LAM.) IRWIN & BARNEBY, Leguminosae.

Celastrus championii Benth. [63] = ***Celastrus monospermoides*** LOES., Celastraceae.

Cephaelis griffithii HOOK. f. [99], Rubiaceae.

Ceratolobus kingianus BECC. [176],
Palmae.

Clerodendron paniculatum L. [124] =
Clerodendrum paniculatum L.,
Verbenaceae.

Coelodepas ferrugineum Hook. f. [141] =
Koilodepas ferrugineum Hook. f.,
Euphorbiaceae.

Combretum trifoliatum VENT. [80],
Combretaceae.

Croton olongifolium Roxb. [140] = **Croton oblongifolius** ROXB., Euphorbiaceae.

Derris malaccensis PRAIN [72],
Leguminosae.

Derris oblonga Benth. (6086) [72] = **Derris canarensis** (DALZ.) BAKER, Leguminosae.

Diplazium pallidum Bl. [191] = **Diplazium pallidum** (BL.) MOORE, Pteridophyta.

Diplazium speciosum METT. [191],
Pteridophyta.

Dipterocarpus hasseltii Bl. [49],
Dipterocarpaceae.

Dracontomelum mangiferum Bl. [68] =
Dracontomelum dao (BLANCO) MERR. &
ROLFE, Anacardiaceae.

Drynaria splendens Hook. [193] =
Aglaomorpha splendens (J.SM.) COPEL.,
Pteridophyta.

Elaeocarpus apiculatus MAST. [55],
Elaeocarpaceae.

Elaphoglossum latifolium Sw. [194] =
Elaphoglossum angulatum (BL.) MOORE,
Pteridophyta.

Eranthemum album Nees [121] =
Pseuderanthemum graciliflorum (NEES)
RIDL., Acanthaceae.

Erycibe coriacea Wall. [116] = **Erycibe coriacea** WALL. ex CHOISY,
Convolvulaceae.

Eugenia anisosepala DUTHIE [83],
Myrtaceae.

Eugenia bracteolata [82] = **Eugenia fastigiata** (BL.) K. & V., Myrtaceae.

Eugenia laevicaulis DUTHIE [82],
Myrtaceae.

Eugenia leptantha WIGHT [82] = **Eugenia claviflora** var. **leptalea** (CRAIB) HEND.,
Myrtaceae.

Eugenia thunia Roxb. [82] = **Eugenia thunia** ROXB. var. **penangiana** KING,
Myrtaceae.

Euryclodes sylvestris Salisb. [167] = **Proiphys amboinensis** (L.) HERB., Amaryllidaceae.

Evodia pedunculosa Hook. f. [56] =
Tetractomia tetrandrum (ROXB.) MERR.,
Rutaceae.

Ficus acamptophylla MIQ. [145],
Moraceae.

Ficus altissima Bl. [145], Moraceae.

Ficus obtusifolia [145] = ? **Ficus curtipes** CORNER, Moraceae.

Ficus punctata THUNB. [146], Moraceae.

Ficus ribes Reinw. dt. [146] = **Ficus ribes** REINW. ex BL., Moraceae.

Ficus sumatrana [145] = **Ficus sumatrana** MIQ., Moraceae.

Flacourtia inermis CLARKE [44],
Flacourtiaceae.

Freyinetia gaudichaudii BENN. [172],
Pandanaceae.

Galeola altissima (BL.) RCHB. f. [163],
Orchidaceae.

Garcina cuspidata KING [46], Guttiferae.

Geunsia farinosa Bl. [122] = **Geunsia pentandra** (ROXB.) MERR., Verbenaceae.

Glochidion coronatum Hook. f. [136] =
Glochidion penangense (M.A.) AIRY
 SHAW, Euphorbiaceae.

Glochidion insulare HOOK. f. [136],
 Euphorbiaceae.

Glycosmis pentaphylla CORR. [56] =
Glycosmis pentaphylla (RETZ.) CORR.,
 Rutaceae.

Grewia fibrocarpa MAST. [54], Tiliaceae.

Guioa squamosa RADLK. [66],
 Sapindaceae.

Gymnopteris presliana HOOK. [194],
 Pteridophyta.

Hedyotis vestita R. BR. [92] = **Hedyotis**
vestita R. BR. ex G. DON, Rubiaceae.

Heritiera fomes BUCH.-HAM. [53],
 Sterculiaceae.

Homalomena singaporensis REGEL [178],
 Araceae.

Hopea micrantha HOOK. f. [50],
 Dipterocarpaceae.

Hopea pierrei HANCE [50],
 Dipterocarpaceae.

Humata sessilifolia Bl. [189] = **Humata**
sessilifolia (BL.) METT., Pteridophyta.

Lastrea crassifolia Bl. [191] =
Mesophlebion crassifolium (BL.) HOLTT.,
 Pteridophyta.

Lecanopteris carnosa Bl. [188] =
Lecanopteris carnosa (REINW.) BL.,
 Pteridophyta.

Limnophila conferta Benth. [118] =
Limnophila repens (BENTH.) BENTH.,
 Scrophulariaceae.

Lindsaea rigida SM. [189], Pteridophyta.

Litsea panamonja Ham. [131] = **Litsea**
panamanja (NEES) HOOK. f., Lauraceae.

Litsea penangiana HOOK. f. [131],
 Lauraceae.

Litsea polyantha Juss. [132] = **Litsea**
monopetala (ROXB.) PERS., Lauraceae.

Lophopetalum curtisii KING [62] =
Lophopetalum pallidum LAWS.,
 Celastraceae.

Lophopetalum fuscescens KURZ. [62] =
Lophopetalum javanicum (ZOLL.) TURCZ.,
 Celastraceae.

Machilus rimosus Bl. [131] = **Persea**
rimosa (BL.) KOSTERM., Lauraceae.

Masea indica L. [103], Myrsinaceae.

Melodinus orientalis BL. [109],
 Apocynaceae.

Memecylon pauciflorum Bl. [86],
 Melastomataceae.

Micromelum hirsutum OLIVER [56],
 Rutaceae.

Morinda tinctoria Roxb. [97] = **Morinda**
tomentosa ROTH, Rubiaceae.

Mucuna biplicata Teysm. [71] = **Mucuna**
biplicata T. & B. ex KURZ, Leguminosae.

Myristica brachiata KING [129] =
Horsfieldia brachiata (KING) WARBB.,
 Myristicaceae.

Myristica oblongifolia KING [129] = **Knema**
oblongifolia (KING) WARBB., Myristicaceae.

Nepenthes reinwardtii MIQ. [126] =
Nepenthes reinwardtiana MIQ.,
 Nepenthaceae.

Nephelium glabrum Noronha [66] =
Nephelium maingayi HIERN, Sapindaceae.

Nephrodium pennigerum Bl. [192] =
Sphaerostephanos penniger (HOOK.)
 HOLTT., Pteridophyta.

Niphobolus penangianus Hook. [193] =
Pyrrosia penangiana (HOOK.) HOLTT.,
 Pteridophyta.

Oxymitra affinis King [40] = *Oxymitra affinis* Hook. f. & THOMS., Annonaceae.

Paramignya grandiflora Oliv. [57] =
Paramignya grandiflora WALL. ex OLIV.,
 Rutaceae.

Phaeanthus lucidus Oliver [41] =
Phaeanthus crassipetalus BECC.,
 Annonaceae.

Phyllanthus maderaspatensis L. [135],
 Euphorbiaceae.

Phytocrene oblonga WALL. [61],
 Icacinaceae.

Pinanga coronata Bl. [172] = *Pinanga coronata* (BL. ex MART.) BL., Palmae.

Pinanga paradoxa Scheff. [173] = *Pinanga paradoxa* (GRIFF.) SCHEFF., Palmae.

Pithecellobium bubalinum Benth. [77] =
Archidendron bubalinum (JACK) NIELSEN,
 Leguminosae.

Pleocnemia gigantea Bl. [191] = *Tectaria trimeni* (BEDD.) C. CHR., Pteridophyta.

Pleopeltis stenophylla Bl. [193] =
Crypsinus stenophyllus (BL.) HOLTT.,
 Pteridophyta.

Podocarpus neglectus Bl. [151] =
Podocarpus nerifolius D. DON,
 Podocarpaceae.

Podocarpus nerifolius D. DON [151],
 Podocarpaceae.

Polygonum flaccidum MEISSN. [126],
 Polygonaceae.

Polygonum pedunculare WALL. [126],
 Polygonaceae.

Polyosma fragrans BENN. [78],
 Saxifragaceae.

Polypodium streptophyllum Bak. [192] =
Acrosorus streptophyllum (BAK.) COPEL.,
 Pteridophyta.

Premna cordifolia Roxb. [123],
 Verbenaceae.

Prosaptia contigua Sw. [189] =
Ctenopteris contigua (G. FORST.) HOLTT.,
 Pteridophyta.

Psychotria montana var. *tabacifolia* Wall.
 [98] = ? *Psychotria montana* BL.,
 Rubiaceae.

Psychotria morindaeflora Wall. [98] =
Psychotria morindaeflora WALL. ex KING,
 Rubiaceae.

Pyrenaria kunstleri KING [49], Theaceae.

Quercus oidocarpa Korth. [149] = *Quercus gaharuensis* SOEPADMO, Fagaceae.

Randia fasciculata DC. [94] = *Fagerlindia fasciculata* (ROXB.) TIRVENG., Rubiaceae.

Rhaphidophora gracilipes HOOK.f. [179],
 Araceae.

Salomonia aphylla Griff. [45] =
Epirixanthes elongata Bl., Polygalaceae.

Salomonia oblongifolia Dec. [45] =
Salomonia ciliata (L.) DC., Polygalaceae.

Seliguea membranacea Hook. [194] =
Colysis membranacea (BL.) PRESL,
 Pteridophyta.

Sesbania paludosa Roxb. [71] = *Sesbania roxburghii* MERR., Leguminosae.

Solanum aculeatissimum Jacq. [117] =
Solanum capsicoides ALL., Solanaceae.

Sonerila heterophylla Herb. [84] = *Sonerila heterophylla* JACK, Melastomataceae.

Stemona tuberosa LOUR., [168],
 Stemonaceae.

Stephania hernandifolia Wall. [42] =
Stephania japonica (THUNB.) Miers,
Menispermaceae.

Streblus asper Lour. [143], Moraceae.

Symplocos spicata Roxb. [107] =
Symplocos cochinchinensis (LOUR.) S.
MOORE ssp. *laurina* (RETZ.) NOOTE.,
Symplocaceae.

Tinospora cordifolia Miers [42] =
Tinospora cordifolia (WILLD.) HOOK. f. &
THOMS., Menispermaceae.

Trichomanes digitatum Sw. [188],
Pteridophyta.

Trichomanes maximum Bl. [188],
Pteridophyta.

Uncaria ferrea DC. [91] = **Uncaria lanosa**
WALL. var. *ferrea* (BL.) RIDSD., Rubiaceae.

Uncaria ovata Hook. f. [91] = **Uncaria**
canescens KORTH., Rubiaceae.

Unona longiflora Roxb. [39] = **Desmos**
filipes (RIDL.) RIDL., Annonaceae.

Unona stenopetala [40] = **Polyalthia**
stenopetala (HOOK. f. & THOMS.) RIDL.,
Annonaceae.

Uvaria dulcis Dunal. [38] = **Uvaria javana**
DUNAL, Annonaceae.

Ventilago madraspatana GAERTN. [63],
Rhamnaceae.

Vitis japonica Thunb. [65] = **Cayratia**
japonica (THUNB.) GAGNEP., Vitaceae.

Zalacca wallichiana Mart. [176] = **Salacca**
rumphii WALL., Palmae.

Zanthoxylum ovalifolium WIGHT [56],
Rutaceae.

Zingiber gracile JACK [165],
Zingiberaceae.

APPENDIX C:

Species excluded by Ridley in his flora of Singapore (1900). Ridley corrected a number of earlier reports. The name in bold type is that considered correct. This is preceded by the name used by Ridley, where it is different from the correct name. The number in square brackets represents the page number on which the species is found in Ridley (1900). A question mark indicates doubt concerning the species to which Ridley referred.

Adhatoda vasica Nees [122] = **Justicia adhatoda** L., Acanthaceae.

Alocasia longiloba Miq. [177], Araceae.

Ardisia odontophylla var. *lobbii* [105] = **Ardisia odontophylla** WALL. ex A. DC. var. *lobbii* CLARKE, Myrsinaceae.

Argostemma elatostemma HOOK. [92], Rubiaceae.

Argostemma parvifolium Benn. [92] = **Argostemma hookeri** KING, Rubiaceae.

Argostemma spinulosum CLARKE [92], Rubiaceae.

Calamus diffusus Becc. [175] = **Calamus oxleyanus** T. & B., Palmae.

Calycopteris floribunda Lam. [79] = **Calycopteris floribunda** (ROXB.) LAM., Combretaceae.

Cleistanthus nitidus HOOK. f. [135], Euphorbiaceae.

Clerodendron colebrookianum Walp. [124] = **Clerodendrum colebrookianum** WALP., Verbenaceae.

Clerodendron infortunatum Gaertn. [124] = **Clerodendrum infortunatum** L., Verbenaceae.

Clerodendron ixoraeiflorum Hassk. [124] = ? **Clerodendrum colebrookianum** WALP., Verbenaceae.

Conocephalus scortechinii King [148] = **Poikilospermum scortechinii** (KING apud HOOK. f.) MERR., Urticaceae.

Conocephalus subtrinervius Miq. [148] = **Poikilospermum microstachys** (BARG.-PETR.) MERR., Urticaceae.

Cyrtandra pilosa Bl. [120], Gesneriaceae.

Cyrtandromoea acuminata Benth. [120] = ? **Cyrtandromoea subsessilis** (Miq.) B.L. BURTT, Scrophulariaceae.

Dacrydium elatum Wall. [150] = **Dacrydium elatum** (ROXB.) WALL. ex HOOK., Podocarpaceae.

Dendrobium junceum LINDL. [155], Orchidaceae.

Dimorphocalyx capillipes Hook.f. [140] = **Trigonostemon capillipes** (HOOK.f.) AIRY SHAW, Euphorbiaceae.

Elatostema molle Wedd. [148] = ?

Eugenia helferi DUTHIE [81], Myrtaceae.

Gardenia speciosa Hook. [95] = **Gardenia tubifera** WALL., Rubiaceae.

Iguanura wallichiana Hook.f. [173] = **Iguanura wallichiana** (WALL. ex MART.) HOOK. f., Palmae.

Leptadenia reticulata WIGHT [114], Asclepiadaceae.

Licuala acutifida MART. [174], Palmae.

Mallotus barbatus M.A. [141],
Euphorbiaceae.

Mallotus philippensis Muell. [141] =
Mallotus philippensis (LAM.) M.A.,
Euphorbiaceae.

Melastoma decemfidum Jack [84] =
Melastoma sanguineum Sims,
Melastomataceae.

Melastoma molle WALL. [83],
Melastomataceae.

Nepenthes albomarginata LOBB [126],
Nepenthaceae.

Ostodes muricata var. minor [140] =
Dimorphocalyx muricatus (HOOK.f.) AIRY
SHAW var. minor (HOOK. f.) AIRY SHAW,
Euphorbiaceae.

Pellionia javanica Wedd. [148] =
Elatostema latifolium (BL.) H. SCHR_T.,
Urticaceae.

Phyllanthus coriaceus Wall. [135] =
Phyllanthus pachyphyllus M.A.,
Euphorbiaceae.

Pinanga polymorpha BECC. [173], Palmae.

Platycerium grande Sm. [194] =
Platycerium grande J. Sm. ex HOOK.,
Pteridophyta.

Polypodium adspersum Bl. [192] =
Grammitis adspersa (BL.) BL.,
Pteridophyta.

Polypodium setigerum Bl. [192] = ?

Pupalia atropurpurea Miq. [126] = **Pupalia lappacea** (L.) JUSS., Amaranthaceae.

Solanum biflorum Lour. [117] = ?

Stelechocarpus burahol Hook.f. [38] =
Stelechocarpus burahol (BL.) Hook. f. &
THOMS., Annonaceae.

Streptocaulon wallichii WIGHT [111],
Asclepiadaceae.

Wikstroemia indica [133] = **Wikstroemia indica** (L.) C.A. MEY., Thymelaeaceae.

Xylia dolabiformis Benth. [76] = **Xylia xylocarpa** (ROXB.) THEOB., Leguminosae.

APPENDIX D:

Species Ridley (1900) gives as only cultivated in Singapore, or as occasional escapes from cultivation. The name in bold type is that considered correct. This is preceded by the name used by Ridley, where it is different from the correct name. The number in square brackets represents the page number on which the species is found in Ridley (1900). A question mark indicates doubt concerning the species to which Ridley referred.

Acorus calamus L. [179], Araceae.

Albizzia lebbek Benth. [76] = **Albizia lebbeck** (L.) BENTH., Leguminosae.

Albizzia odoratissima Benth. [76] = **Albizia odoratissima** (L.f.) BENTH., Leguminosae.

Aleurites moluccana Willd. [139] = **Aleurites moluccana** (L.) WILLD., Euphorbiaceae.

Allamanda schottii Pohl [110] = ?

Alocasia cucullata Schott [177] = **Alocasia cucullata** (LOUR.) G. DON, Araceae.

Amaranthus caudatus L. [125], Amaranthaceae.

Amaranthus paniculatus L. [125] = **Amaranthus hybridus** L. ssp. **cruentus** (L.) THELL. var. **paniculatus** (L.) THELL., Amaranthaceae.

Amaranthus viridis L. [125] = **Amaranthus gracilis** DESF., Amaranthaceae.

Areca catechu L. [172], Palmae.

Arenga saccharifera Labill. [174] = **Arenga pinnata** (WURMB) MERR., Palmae.

Artemisia vulgaris L. [102], Compositae.

Borassus flabellifer L. [176], Palmae.

Calotropis procera R.Br. [111] = **Calotropis procera** (AIT.) R. BR., Asclepiadaceae.

Canna indica L. [166], Cannaceae.

Canna warcewiczii [166] = **Canna indica** L., Cannaceae.

Capsicum frutescens L. [117], Solanaceae.

Capsicum grossum Willd. [117] = **Capsicum annuum** L., Solanaceae.

Capsicum minimum [117] = ?

Clerodendron fallax Lindl. [124] = **Clerodendrum speciosissimum** VAN GEERT ex MORREN = **Clerodendrum buchananii** (ROXB.) WALP. var. **fallax** (LINDL.) BAKH., Verbenaceae.

Clerodendron fragrans Vent. [124] = **Clerodendrum philippinum** SCHAUER = **Clerodendrum chinense** (OSBECK) MABBERLEY, Verbenaceae.

Clerodendron siphonanthus R.Br. [124] = **Clerodendrum indicum** (L.) KUNTZE, Verbenaceae.

Clerodendron squamatum Vahl [124] = **Clerodendrum kaempferi** (JACQ.) SIEB. ex STEUD., Verbenaceae.

Corchorus capsularis L. [54], Tiliaceae.

Cosmos bipinnatus [102] = **Cosmos bipinnatus** L., Compositae.

Curcumazedoaria Rosc. [165] = **Curcuma zedoaria** (CHRISTM.) ROSCOE, Zingiberaceae.

Cynometra cauliflora L. [75], Leguminosae.

Datura fastuosa L. [117] = *Datura metel* L., Solanaceae.

Dioscorea alata L. [168], Dioscoreaceae.

Eranthemum andersoni Masters [121] = *Pseuderanthemum graciliflorum* (NEES) RIDL., Acanthaceae.

Eugenia jambolana Lam. [83] = *Eugenia cumini* (L.) DRUCE, Myrtaceae.

Euphorbia tirucalli L. [134], Euphorbiaceae.

Flacourtia cataphracta Roxb. [44] = *Flacourtia jangomas* (LOUR.) RAEUSCH., Flacourtiaceae.

Geunsia reevesii Wall. [122] = ? *Callicarpa nudiflora* HOOK. & ARN., Verbenaceae.

Homolanthus populifolius Grah. [142] = *Homolanthus populneus* (GEISEL.) PAX, Euphorbiaceae.

Ipomoea batatas L. [117] = *Ipomoea batatas* (L.) LAM., Convolvulaceae.

Ipomoea coccinea [117] = *Ipomoea hederifolia* L., Convolvulaceae.

Ipomoea quamoclit L. [117], Convolvulaceae.

Justicia gendarussa L. [122] = *Gendarussa vulgaris* NEES, Acanthaceae.

Metroxylon rumphii Mart. [176] = *Metroxylon sagu* ROTTB., Palmae.

Metroxylon sagus Rottb. [176] = *Metroxylon sagu* ROTTB., Palmae.

Myristica pendulina Hook. [130] = *Horsfieldia sylvestris* (HOUTT.) WARBB., Myristicaceae.

Pandanus laevis Rumph [171] = *Pandanus tectorius* PARKINSON ex "Z" var. *laevis* WARBB., Pandanaceae.

Passiflora quadrangularis L. [87], Passifloraceae.

Pentapetes phoenicea L. [53], Sterculiaceae.

Phyllanthus distichus Muell. [136] = *Phyllanthus acidus* (L.) SKEELS, Euphorbiaceae.

Phyllanthus pulcher Wall. [135] = *Phyllanthus pulcher* WALL. ex M.A., Euphorbiaceae.

Raphistemma pulchellum Wall. [112] = *Raphistemma pulchellum* (ROXB.) WALL., Asclepiadaceae.

Solanum melongena L. [117], Solanaceae.

Tabernaemontana coronaria Roxb. [110] = *Tabernaemontana divaricata* (L.) R. BR. ex R. & S., Apocynaceae.

Tephrosia candida DC. [71] = *Tephrosia candida* (ROXB.) DC., Leguminosae.

APPENDIX E

Species given in Ridley (1900) that I have been unable to identify. Ridley was unable to name some collections from Singapore. These he referred to by collection numbers (usually numbers of four digits) or by brief descriptions. Abbreviated versions of these descriptions have been used for the unnamed species in the index. The number in square brackets represents the page number on which the species is found in Ridley (1900).

- | | |
|--|--|
| <i>Acanthospermum xanthoides</i> DC. [102] | <i>Memecylon</i> sp. (4436) [86] |
| <i>Adinandra</i> sp. (4004) "Mongol" [48] | <i>Modecca populifolia</i> Ham. [87] |
| <i>Alstonia grandifolia</i> Miq. doubtful [110] | <i>Morinda persicaefolia</i> Ham. [97] |
| <i>Amorphophallus</i> sp. [177] | <i>Morinda</i> sp. [97] |
| <i>Aquilaria</i> sp. [132] | <i>Mussaenda variabilis</i> Hemsl. [93] |
| <i>Ardisia</i> sp. (6434) [105] | <i>Myrsine capitellata</i> Wall. [104] |
| <i>Artocarpus</i> sp. "medium sized tree" small leaves small green fruits, Botanic Gardens' Jungle [148] | <i>Nephrodium latebrosum</i> Kze. [192] |
| <i>Baccaurea</i> sp. (6263), Botanic Gardens' Jungle [139] | <i>Nephrodium molle</i> Desv. var. <i>procurrens</i> [192] |
| <i>Blyxa malaccensis</i> Ridl. [152] | <i>Nephrolepis duffii</i> [192] |
| <i>Caesulia axillaris</i> Roxb. [101] | <i>Pandanus</i> sp. (stems slender) [172] |
| <i>Canthium</i> sp. (6506) [96] | <i>Pandanus</i> sp. near <i>P. helicopus</i> [172] |
| <i>Castanopsis hystrix</i> DC. [150] | <i>Pandanus</i> sp. "a tall plant" [172] |
| <i>Castanopsis</i> sp. like <i>hullettii</i> [150] | <i>Payena costata</i> King [106] |
| <i>Daemonorops accedens</i> Bl. [176] | <i>Phoebe sumatrana</i> Miq. (1811) [131] |
| <i>Daemonorops crinita</i> Bl. [176] | <i>Phoenix</i> sp. [174] |
| <i>Dendrobium kunstleri</i> Hook. f. [155] | <i>Pouzolzia pentandra</i> Benn. [148] |
| <i>Derris</i> sp. (6087) [72] | <i>Premna coriacea</i> Clarke [123] |
| <i>Diospyros sapotoides</i> Kurz [107] | <i>Premna flavescentia</i> var. <i>rubens</i> [123] |
| <i>Dischidia wallichii</i> Wight [113] | <i>Psychotria</i> sp. "greenflowers" [98] |
| <i>Glochidion desmogynne</i> Hook. f. [136] | <i>Psychotria</i> sp. "grey-green fruits" [98] |
| <i>Heptapleurum ellipticum</i> Seem. [89] | <i>Randia angulosa</i> Wall. [94] |
| <i>Hymenophyllum</i> sp. (8938) [188] | <i>Salacia longiflora</i> Hook. buff flowers [63] |
| <i>Ixora amoena</i> Vahl [97] | <i>Saprosma</i> sp. [99] |
| <i>Ixora parviflora</i> Vahl [97] | <i>Sarcocephalus</i> sp. (6381) [90] |
| <i>Lasianthus crinitus</i> Hook. f. [99] | <i>Schizoloma media</i> R. Br. [190] |
| <i>Lastrea appendiculata</i> [191] | <i>Selaginella plumosa</i> Bak. [195] |
| <i>Lastrea fuscipes</i> Wall. [191] | <i>Selaginella</i> sp. (6547) [196] |
| <i>Lindera</i> sp. [132] | <i>Spermacoce ocymoides</i> Burm. [100] |
| <i>Lindsaya trapeziformis</i> Dry. [189] | <i>Torenia mucronulata</i> Benth. [118] |
| <i>Litsea longipes</i> Meissn. [131] | <i>Trichomanes filicina</i> Bory [188] |
| <i>Litsea nitida</i> Bl. [132] | <i>Trichomanes parviflorum</i> Poir. [188] |
| <i>Litsea salicifolia</i> Roxb. [132] | <i>Triumfetta pilosa</i> Roth. [54] |
| <i>Lycopodium taxifolium</i> Sw. [185] | <i>Vitis</i> sp. [65] |
| <i>Memecylon</i> sp. (3840) [86] | <i>Webera</i> sp. (5961) [94] |
| | <i>Wormia</i> sp. [37] |

APPENDIX F:

Index of the native and naturalized species included in the *Flora of Syonan*. Numbers refer to the taxa in the main text. The names appear, as in the original typescript, without authorities. The *Flora of Syonan* also included commonly cultivated species which have been omitted from Appendix F.

<i>Abacopteris menisciicarpa</i>	127	<i>Adinandra dumosa</i>	2370
<i>Abacopteris triphylla</i>	129	<i>Adinandra hullettii</i>	2371
<i>Abacopteris urophylla</i>	128	<i>Adinobotrys erianthus</i>	1320
<i>Abrus precatorius</i>	1247	<i>Aegiceras corniculatum</i>	1616
<i>Abutilon indicum</i>	1406	<i>Aeschynanthus parvifolia</i>	987
<i>Acacia auriculiformis</i>	1248	<i>Aeschynanthus purpurascens</i>	988
<i>Acacia pseudo-intsia</i>	1250	<i>Aeschynanthus radicans</i>	989
<i>Acalypha indica</i>	828	<i>Aeschynanthus wallichii</i>	990
<i>Acanthospermum brasiliense</i>	553	<i>Aeschynomene indica</i>	1254
<i>Achyranthes aspera</i>	234	<i>Agelaea hullettii</i>	592
<i>Acriopsis javanica</i>	1731	<i>Agelaea vestita</i>	591
<i>Acriopsis ridleyi</i>	1732	<i>Agelaea wallichii</i>	592
<i>Acroceras ridleyi</i>	997	<i>Ageratum conyzoides</i>	556
<i>Acroceras sparsum</i>	998	<i>Aglaia cordata</i>	1469
<i>Acronychia porteri</i>	2248	<i>Aglaia glabriflora</i>	1472
<i>Acrostichum aureum</i>	1	<i>Aglaia odoratissima</i>	1474
<i>Acrosticum speciosum</i>	2	<i>Aglaia oligophylla</i>	1475
<i>Actephila excelsa</i>	829	<i>Aglaia palembanica</i>	1476
<i>Actephila javanica</i>	829	<i>Aglaia trichostemon</i>	1482
<i>Actinodaphne glomerata</i>	1193	<i>Aglaonema angustifolium</i>	379
<i>Actinodaphne hullettii</i>	1195	<i>Aglaonema griffithii</i>	376
<i>Actinodaphne maingayi</i>	1194	<i>Aglaonema oblongifolium</i>	378
<i>Actinodaphne malaccensis</i>	1195	<i>Aglaonema pictum</i>	377
<i>Actinodaphne pruinosa</i>	1196	<i>Aglaonema schottianum</i>	379
<i>Adenanthera bicolor</i>	1251	<i>Agrostistachys gaudichaudii</i>	830
<i>Adenanthera pavonina</i>	1252	<i>Agrostistachys sessilifolia</i>	831
<i>Adenia singaporeana</i>	2002	<i>Agrostophyllum bicuspidatum</i>	1734
<i>Adenoncos sumatrana</i>	1733	<i>Agrostophyllum majus</i>	1735
<i>Adenosacme malayana</i>	2164	<i>Agyneia bacciformis</i>	951
<i>Adenosma caeruleum</i>	2292	<i>Alangium lamarckii</i>	233
<i>Adenosma capitatum</i>	2291	<i>Alangium nobile</i>	231
<i>Adenosma inopinatum</i>	2292	<i>Alangium ridleyi</i>	232
<i>Adenosma ovatum</i>	2293	<i>Alangium tutela</i>	228b
<i>Adenostemma viscosum</i>	555	<i>Albizia falcata</i>	1333
<i>Adiantum capillus-veneris</i>	3	<i>Albizia littoralis</i>	1256
<i>Adiantum hispidulum</i>	6	<i>Albizia pedicellata</i>	1255
<i>Adiantum stenochlamys</i>	8	<i>Alchornea javensis</i>	832
<i>Adina rubescens</i>	2179	<i>Alchornea villosa</i>	833
<i>Adinandra acuminata</i>	2369	<i>Allmania nodiflora</i>	235

<i>Allophylus cobbe</i>	2246	<i>Aphanamixis rohituka</i>	1483
<i>Allotropopsis cimicina</i>	999	<i>Aphyllorchis pallida</i>	1737
<i>Alocasia denudata</i>	380	<i>Aporusa benthamiana</i>	838
<i>Alocasia macrorhiza</i>	381	<i>Aporusa bracteosa</i>	839
<i>Alpinia conchigera</i>	2482	<i>Aporusa confusa</i>	840
<i>Alpinia galanga</i>	2483	<i>Aporusa falcifera</i>	841
<i>Alpinia melanocarpa</i>	2481	<i>Aporusa frutescens</i>	842
<i>Alpinia mutica</i>	2484	<i>Aporusa lunata</i>	843
<i>Alpinia rafflesiana</i>	2485	<i>Aporusa maingayi</i>	844
<i>Alseodaphne bancana</i>	1197	<i>Aporusa nervosa</i>	845
<i>Alstonia angustifolia</i>	336	<i>Aporusa nigricans</i>	846
<i>Alstonia angustiloba</i>	337	<i>Aporusa prainiana</i>	847
<i>Alstonia spathulata</i>	338	<i>Aporusa symlocoides</i>	848
<i>Alternanthera sessilis</i>	238	<i>Apostasia nuda</i>	1738
<i>Alysicarpus nummularifolius</i>	1258	<i>Appendicula anceps</i>	1739
<i>Alysicarpus vaginalis</i>	1258	<i>Appendicula cornuta</i>	1740
<i>Alyxia lucida</i>	340a	<i>Appendicula lucida</i>	1741
<i>Amaranthus spinosus</i>	240	<i>Aquilaria hirta</i>	2380
<i>Ambullia sessiliflora</i>	2299	<i>Aquilaria malaccensis</i>	2381
<i>Amomum hastilabium</i>	2486	<i>Arachnis hookeriana</i>	1743
<i>Amomum xanthophlebium</i>	2487	<i>Arachnis maingayi</i>	1744
<i>Amoora cucullata</i>	1470	<i>Archytaea vahlii</i>	468
<i>Amoora rubescens</i>	1478	<i>Ardisia colorata</i>	1617
<i>Amoora rubiginosa</i>	1479	<i>Ardisia crassa</i>	1618
<i>Amorphophallus prainii</i>	382	<i>Ardisia elliptica</i>	1620
<i>Amylotheca duthieana</i>	1381	<i>Ardisia lanceolata</i>	1621
<i>Anacardium occidentale</i>	244	<i>Ardisia ridleyi</i>	1623
<i>Anadendrum montanum</i>	384	<i>Ardisia singaporensis</i>	1625
<i>Anaxagorea javanica</i>	268a	<i>Ardisia teysmanniana</i>	1626
<i>Ancistrocladus pinangianus</i>	2266	<i>Ardisia tuberculata</i>	1627
<i>Aneilema nudiflorum</i>	550	<i>Ardisia villosa</i>	1628
<i>Aneilema vaginata</i>	551	<i>Aristolochia unguiflora</i>	419
<i>Angelesia nitida</i>	531	<i>Aromadendron elegans</i>	1399
<i>Angiopteris evecta</i>	12	<i>Artobotrys costatus</i>	269
<i>Anisomeles ovata</i>	1180	<i>Artobotrys crassifolius</i>	270
<i>Anisophyllea disticha</i>	2061	<i>Artobotrys maingayi</i>	271
<i>Anisophyllea griffithii</i>	2062	<i>Artobotrys suaveolens</i>	272
<i>Anisoptera costata</i>	762	<i>Artobotrys wrayi</i>	273
<i>Anisoptera laevis</i>	763	<i>Arthrophyllum diversifolium</i>	411
<i>Anisoptera megistocarpa</i>	764	<i>Artocarpus bracteatus</i>	1578
<i>Anodendron candolleanum</i>	340	<i>Artocarpus dadah</i>	1520
<i>Anoectochilus geniculatus</i>	1736	<i>Artocarpus elasticus</i>	1521
<i>Anplectum glaucum</i>	1420	<i>Artocarpus forbesii</i>	579
<i>Anplectum pallens</i>	1422	<i>Artocarpus gomezianus</i>	1529
<i>Antiaris toxicaria</i>	1518	<i>Artocarpus kemando</i>	1526
<i>Antidesma alatum</i>	836	<i>Artocarpus lanceifolius</i>	1526
<i>Antidesma coriaceum</i>	834	<i>Artocarpus lowii</i>	1527
<i>Antidesma cuspidatum</i>	835	<i>Artocarpus maingayi</i>	1528
<i>Antidesma velutinosum</i>	837	<i>Artocarpus rigidus</i>	1530

<i>Artocarpus scortechinii</i>	1531	<i>Barringtonia racemosa</i>	1240
<i>Artocarpus superbus</i>	1519	<i>Barringtonia sumatrana</i>	1241
<i>Arundina graminifolia</i>	1745	<i>Bauhinia semibifida</i>	1265
<i>Arytera littoralis</i>	2247	<i>Beilschmiedia kunstleri</i>	1200
<i>Asclepias curassavica</i>	422	<i>Beilschmiedia malaccensis</i>	1201
<i>Aspidopterys concava</i>	1402	<i>Bidens pilosa</i>	557
<i>Asplenium batuense</i>	14	<i>Blechnum finlaysonianum</i>	22
<i>Asplenium glaucophyllum</i>	18	<i>Blechnum indicum</i>	23
<i>Asplenium longissimum</i>	15	<i>Blechnum orientale</i>	24
<i>Asplenium macrophyllum</i>	16	<i>Blumea balsamifera</i>	558
<i>Asplenium nidus</i>	17	<i>Blumea chinensis</i>	562
<i>Asplenium phyllitidis</i>	19	<i>Blumea lacera</i>	560
<i>Asplenium tenerum</i>	20	<i>Blumea membranacea</i>	561
<i>Asystasia coromandeliana</i>	115	<i>Blumeodendron elateriospermum</i>	865
<i>Asystasia intrusa</i>	196	<i>Blumeodendron tokbrai</i>	865
<i>Athyrium cordifolium</i>	45	<i>Blyxa malayana</i>	1151
<i>Athyrium crenatoserratum</i>	46	<i>Boehmeria nivea</i>	2411
<i>Athyrium esculentum</i>	47	<i>Boerhavia diffusa</i>	1702
<i>Athyrium malaccense</i>	48	<i>Bolbitis diversifolia</i>	28
<i>Athyrium pinnatum</i>	52	<i>Bolbitis heteroclita</i>	27
<i>Athyrium prescottianum</i>	50	<i>Bonnaya brachiata</i>	2304
<i>Athyrium riparium</i>	51	<i>Bonnaya reptans</i>	2307
<i>Athyrium sorzogonense</i>	53	<i>Bonnaya veronicaefolia</i>	2302
<i>Athyrium tomentosum</i>	54	<i>Borreria hispida</i>	2084
<i>Avicennia alba</i>	451	<i>Borreria laevicaulis</i>	2085
<i>Avicennia lanata</i>	454	<i>Borreria latifolia</i>	2083
<i>Avicennia officinalis</i>	453	<i>Borreria setidens</i>	2088
<i>Axonopus compressus</i>	1001	<i>Bouea macrophylla</i>	245
<i>Azolla pinnata</i>	21	<i>Bouea microphylla</i>	246
<i>Baccaurea bracteata</i>	850	<i>Brachiaria distachya</i>	1006
<i>Baccaurea griffithii</i>	851	<i>Brachiaria mutica</i>	1007
<i>Baccaurea hookeri</i>	852	<i>Breynia coronata</i>	866
<i>Baccaurea kingii</i>	864	<i>Breynia discigera</i>	867
<i>Baccaurea kunstleri</i>	853	<i>Breynia reclinata</i>	868
<i>Baccaurea lanceolata</i>	854	<i>Breynia rhamnoides</i>	869
<i>Baccaurea macrophylla</i>	856	<i>Bridelia pustulata</i>	872
<i>Baccaurea maingayi</i>	857	<i>Bridelia stipularis</i>	873
<i>Baccaurea minor</i>	858	<i>Bridelia tomentosa</i>	874
<i>Baccaurea motleyana</i>	859	<i>Bromheadia alticola</i>	1747
<i>Baccaurea parviflora</i>	860	<i>Bromheadia aporooides</i>	1748
<i>Baccaurea pyriformis</i>	861	<i>Bromheadia finlaysoniana</i>	1749
<i>Baccaurea reticulata</i>	863	<i>Brownlowia argentata</i>	2386
<i>Baccaurea wallichii</i>	862	<i>Brownlowia lanceolata</i>	2387
<i>Bambusa vulgaris</i>	1004	<i>Brownlowia riedelii</i>	2386
<i>Barathranthus ascanthus</i>	1382	<i>Brucea amarissima</i>	2316
<i>Barclaya motleyi</i>	1703	<i>Bruguiera caryophylloides</i>	2063
<i>Barringtonia asiatica</i>	1237	<i>Bruguiera eriopetala</i>	2066
<i>Barringtonia conoidea</i>	1238	<i>Bruguiera gymnorhiza</i>	2064
<i>Barringtonia macrostachya</i>	1239	<i>Bruguiera parviflora</i>	2065

<i>Bryophyllum calycinum</i>	634	<i>Calanthe pulchra</i>	1780
<i>Buchanania lucida</i>	247	<i>Callicarpa longifolia</i>	2420
<i>Buchanania sessilifolia</i>	248	<i>Calophanoides quadrifaria</i>	195
<i>Bulbophyllum acuminatum</i>	1750	<i>Calophyllum ferrugineum</i>	1119
<i>Bulbophyllum adenopetalum</i>	1756	<i>Calophyllum floribundum</i>	1130
<i>Bulbophyllum apodium</i>	1751	<i>Calophyllum foetidum</i>	1130
<i>Bulbophyllum blumei</i>	1752	<i>Calophyllum griffithii</i>	1132
<i>Bulbophyllum botryophorum</i>	1753	<i>Calophyllum inophylloide</i>	1131
<i>Bulbophyllum cleistogamum</i>	1754	<i>Calophyllum inophyllum</i>	1120
<i>Bulbophyllum concinnum</i>	1755	<i>Calophyllum macrocarpum</i>	1122
<i>Bulbophyllum corneri</i>	1779	<i>Calophyllum praineanum</i>	1130
<i>Bulbophyllum limbatum</i>	1757	<i>Calophyllum pulcherrimum</i>	1123
<i>Bulbophyllum macranthum</i>	1758	<i>Calophyllum retusum</i>	1119
<i>Bulbophyllum makoyanum</i>	1760	<i>Calophyllum spectabile</i>	1127
<i>Bulbophyllum medusae</i>	1761	<i>Calophyllum wallichianum</i>	1125
<i>Bulbophyllum membranaceum</i>	1762	<i>Camarotis adnata</i>	1781
<i>Bulbophyllum microbulbon</i>	1770	<i>Campnosperma auriculatum</i>	249
<i>Bulbophyllum patens</i>	1765	<i>Campnosperma minor</i>	251
<i>Bulbophyllum pileatum</i>	1766	<i>Canarium grandiflorum</i>	484
<i>Bulbophyllum pulchellum</i>	1767	<i>Canarium kadondon</i>	487
<i>Bulbophyllum purpurascens</i>	1768	<i>Canarium patentinervium</i>	483
<i>Bulbophyllum rugosum</i>	1771	<i>Canarium pilosum</i>	484
<i>Bulbophyllum sessile</i>	1772	<i>Canarium purpurascens</i>	482
<i>Bulbophyllum singaporeanum</i>	1773	<i>Canarium rufum</i>	482
<i>Bulbophyllum stella</i>	1759	<i>Canarium secundum</i>	482
<i>Bulbophyllum striatellum</i>	1774	<i>Canavalia obtusifolia</i>	1272
<i>Bulbophyllum tenuifolium</i>	1775	<i>Canavalia turgida</i>	1271
<i>Bulbophyllum trifolium</i>	1776	<i>Cansjera zizyphifolia</i>	1728
<i>Bulbophyllum vaginatum</i>	1777	<i>Canthium confertum</i>	2091
<i>Bulbophyllum vermiculare</i>	1778	<i>Canthium didymum</i>	2195
<i>Bulbostylis barbata</i>	643	<i>Canthium glabrum</i>	2092
<i>Bulbostylis puberula</i>	644	<i>Canthium horridum</i>	2093
<i>Burmannia coelestis</i>	477	<i>Canthium molle</i>	2094
<i>Burmannia tuberosa</i>	476	<i>Capparis finlaysoniana</i>	450
<i>Byttneria maingayi</i>	2336	<i>Carallia lucida</i>	2067
<i>Caesalpinia bonduc</i>	1266	<i>Carallia scortechinii</i>	2067
<i>Caesalpinia bonducuella</i>	1266	<i>Carapa granatum</i>	1502
<i>Caesalpinia nuga</i>	1267	<i>Carapa moluccensis</i>	1503
<i>Calamus aquatilis</i>	1937	<i>Cardiospermum halicacabum</i>	2248
<i>Calamus densiflorus</i>	1935	<i>Carex cryptostachys</i>	645
<i>Calamus diepenhorstii</i>	1936	<i>Caryota mitis</i>	1946
<i>Calamus insignis</i>	1938	<i>Casearia clarkei</i>	975
<i>Calamus javensis</i>	1939	<i>Casearia coriacea</i>	977
<i>Calamus laxiflorus</i>	1942	<i>Casearia lobbiana</i>	976
<i>Calamus lobbianus</i>	1941	<i>Cassia alata</i>	1339
<i>Calamus ornatus</i>	1943	<i>Cassia hirsuta</i>	1240
<i>Calamus oxleyanus</i>	1944	<i>Cassia mimosoides</i>	1276
<i>Calamus pallidulus</i>	1940	<i>Cassia obtusifolia</i>	1341
<i>Calamus ridleyanus</i>	1945	<i>Cassia occidentalis</i>	1342

<i>Cassia tora</i>	1343	<i>Cleome ciliata</i>	503
<i>Cassytha filiformis</i>	1202	<i>Cleome viscosa</i>	505
<i>Castanopsis andersonii</i>	959	<i>Clerodendrum inerme</i>	2423
<i>Castanopsis hullettii</i>	955	<i>Clerodendrum laevifolium</i>	2424
<i>Castanopsis inermis</i>	953	<i>Clerodendrum myrmecophilum</i>	2425
<i>Castanopsis malaccensis</i>	956	<i>Clerodendrum villosum</i>	2426
<i>Castanopsis megacarpa</i>	957	<i>Clidemia hirta</i>	1419
<i>Castanopsis nepheloides</i>	958	<i>Clitoria cajanifolia</i>	1277
<i>Castanopsis wallichii</i>	960	<i>Clitoria ternatea</i>	1278
<i>Casuarina equisetifolia</i>	508	<i>Cnestis ramiflora</i>	593
<i>Celosia argentea</i>	241	<i>Cocculus ovalifolius</i>	1505
<i>Centella asiatica</i>	2408	<i>Cocos nucifera</i>	1947
<i>Centella rotundifolia</i>	2409	<i>Coelodepas glanduligerum</i>	913
<i>Centipeda orbicularis</i>	563	<i>Coelogyne cumingii</i>	1785
<i>Centotheca lappacea</i>	1010	<i>Coelogyne foersterianii</i>	1786
<i>Centranthera humifusa</i>	2295	<i>Coelogyne mayeriana</i>	1787
<i>Ceratopteris thalictroides</i>	29	<i>Coelogyne rochussennii</i>	1788
<i>Cerbera manghas</i>	343	<i>Coelogyne testacea</i>	1789
<i>Cerbera odollam</i>	344	<i>Coelorachis glandulosa</i>	1070
<i>Ceriops candolleana</i>	2068	<i>Coelospermum scandens</i>	2089
<i>Chamaeanthus laciniatus</i>	1746	<i>Coelostegia griffithii</i>	462
<i>Champereia manillana</i>	1729	<i>Coix lacryma-jobi</i>	1014
<i>Chassalia chartacea</i>	2095	<i>Coleus atropurpurea</i>	1191
<i>Chassalia pubescens</i>	2097	<i>Colocasia antiquorum</i>	385
<i>Cheilanthes tenuifolia</i>	30	<i>Colubrina asiatica</i>	2054
<i>Cheirochris filiformis</i>	1790	<i>Combretum sundaicum</i>	536
<i>Chisocheton divergens</i>	1487	<i>Commelina attenuata</i>	545
<i>Chisocheton erythrocarpus</i>	1485	<i>Commelina beghalensis</i>	546
<i>Chisocheton macrophyllus</i>	1486	<i>Commelina nudiflora</i>	547
<i>Chisocheton pauciflorus</i>	1488	<i>Commersonia bartramia</i>	2337
<i>Chisocheton spicatus</i>	1489	<i>Connaropsis griffithii</i>	1933
<i>Chloranthus officinalis</i>	528	<i>Connaropsis macrophylla</i>	1934
<i>Chloris barbata</i>	1012	<i>Connarus ellipticus</i>	595
<i>Chrysophyllum roxburghii</i>	2264	<i>Connarus ferrugineus</i>	594
<i>Chrysopogon aciculatus</i>	1013	<i>Connarus grandis</i>	597
<i>Cinnamomum iners</i>	1203	<i>Connarus oligophyllus</i>	596
<i>Cinnamomum javanicum</i>	1204	<i>Connarus semidecandrus</i>	598
<i>Cinnamomum ridleyi</i>	1205	<i>Conocephalus amoenus</i>	2417
<i>Claderia viridiflora</i>	1782	<i>Conocephalus suaveolens</i>	2418
<i>Cladium glomeratum</i>	709	<i>Coptosapelta flavescens</i>	2100
<i>Claoxylon indicum</i>	876	<i>Coptosapelta griffithii</i>	2098
<i>Claoxylon longifolium</i>	877	<i>Coptosapelta parviflora</i>	2099
<i>Clausena excavata</i>	2229	<i>Corchorus acutangulus</i>	2388
<i>Cleistanthus heterophyllus</i>	882	<i>Cordia cylindristachya</i>	470
<i>Cleistanthus hirsutulus</i>	878	<i>Cordia obliqua</i>	471
<i>Cleistanthus macrophyllus</i>	879	<i>Corymbis veratrifolia</i>	1791
<i>Cleistanthus malaccensis</i>	880	<i>Coscinium wallichianum</i>	1506
<i>Cleistanthus myrianthus</i>	881	<i>Costus globosus</i>	2488
<i>Cleome aculeata</i>	501	<i>Costus lucanusianus</i>	2489

<i>Costus speciosus</i>	2490	<i>Cymbidium pubescens</i>	1793
<i>Cratoxylum arborescens</i>	1160	<i>Cynanchum ovalifolium</i>	423
<i>Cratoxylum formosum</i>	1162	<i>Cynodon dactylon</i>	1016
<i>Cratoxylum ligustrinum</i>	1161	<i>Cynometra ramiflora</i>	1286
<i>Crepis japonica</i>	590	<i>Cyperus diffusus</i>	656
<i>Crinum asiaticum</i>	243	<i>Cyperus distans</i>	655
<i>Crotalaria alata</i>	1279	<i>Cyperus haspan</i>	659
<i>Crotalaria quinquefolia</i>	1283	<i>Cyperus iria</i>	661
<i>Crotalaria retusa</i>	1284	<i>Cyperus malaccensis</i>	664
<i>Crotalaria saltiana</i>	1282	<i>Cyperus pilosus</i>	667
<i>Croton argyratus</i>	883	<i>Cyperus radians</i>	670
<i>Croton caudatus</i>	885	<i>Cyperus rotundifolius</i>	671
<i>Croton confusus</i>	888	<i>Cyperus stoloniferus</i>	674
<i>Croton griffithii</i>	888	<i>Cyperus uncinatus</i>	650
<i>Croton heteropetalum</i>	886	<i>Cyperus zollingeri</i>	675
<i>Crypteronia griffithii</i>	637	<i>Cyrtandra pendula</i>	991
<i>Cryptocarya caesia</i>	1206	<i>Cyrtococcum accrescens</i>	1017
<i>Cryptocarya ferrea</i>	1207	<i>Cyrtococcum oxyphyllum</i>	1018
<i>Cryptocarya griffithiana</i>	1208	<i>Cyrtosperma lasioides</i>	388
<i>Cryptocarya impressa</i>	1209	<i>Cyrtostachys lakka</i>	1948
<i>Cryptocarya kurzii</i>	1210	<i>Cystorchis variegata</i>	1795
<i>Cryptocoryne ciliata</i>	386	<i>Dacryodes laxa</i>	486
<i>Cryptocoryne griffithii</i>	387	<i>Dacryodes rostrata</i>	487
<i>Cryptostylis arachnites</i>	1792	<i>Dactyloctenium aegyptium</i>	1019
<i>Curculigo latifolia</i>	1165	<i>Daemonorops angustifolia</i>	1949
<i>Curculigo recurvata</i>	1166	<i>Daemonorops carcharodon</i>	1949
<i>Cuscuta hygrophilae</i>	607	<i>Daemonorops didymophylla</i>	1949
<i>Cyanotis barbata</i>	548	<i>Daemonorops grandis</i>	1952
<i>Cyathea glabra</i>	36	<i>Daemonorops hystrix</i>	1953
<i>Cyathea latebrosa</i>	37	<i>Daemonorops leptopus</i>	1955
<i>Cyathea squamulata</i>	38	<i>Daemonorops longipes</i>	1957
<i>Cyathocalyx virgatus</i>	299	<i>Daemonorops micrantha</i>	1958
<i>Cyathostemma hookeri</i>	278	<i>Daemonorops periacantha</i>	1959
<i>Cyathostemma viridiflorum</i>	279	<i>Dalbergia hullettii</i>	1287
<i>Cyclea laxiflora</i>	1507	<i>Dalbergia parviflora</i>	1289
<i>Cyclophorus acrostichoides</i>	140	<i>Dalbergia rostrata</i>	1290
<i>Cyclophorus adnascens</i>	139	<i>Dalbergia scortechnii</i>	1288
<i>Cyclophorus angustata</i>	138	<i>Dalbergia stercoracea</i>	1288
<i>Cyclophorus varius</i>	139	<i>Dalbergia torta</i>	1286
<i>Cyclosorus aridus</i>	31	<i>Dalbergia velutina</i>	1291
<i>Cyclosorus extensus</i>	10	<i>Dapania scandens</i>	1929
<i>Cyclosorus gongyloides</i>	39	<i>Daphniphyllum laurinum</i>	739
<i>Cyclosorus heterocarpus</i>	153	<i>Davallia denticulata</i>	40
<i>Cyclosorus parasiticus</i>	33	<i>Davallia solida</i>	41
<i>Cyclosorus subpubescens</i>	34	<i>Decaspermum fruticosum</i>	1639
<i>Cyclosorus sumatranaus</i>	34	<i>Dehaasia microcarpa</i>	1212
<i>Cyclosorus truncatus</i>	126	<i>Dehaasia nigrescens</i>	1199
<i>Cyclosorus unitus</i>	155	<i>Dendrobium acerosum</i>	1796
<i>Cymbidium finlaysonianum</i>	1794	<i>Dendrobium aloifolium</i>	1798

<i>Dendrobium bifarium</i>	1799	<i>Dialium maingayi</i>	1304
<i>Dendrobium callibotrys</i>	1811	<i>Dialium patens</i>	1305
<i>Dendrobium carnosum</i>	1800	<i>Dialium wallichii</i>	1306
<i>Dendrobium comatum</i>	1852	<i>Dianella ensifolia</i>	1367
<i>Dendrobium crocatum</i>	1801	<i>Dictyopteris irregularis</i>	124
<i>Dendrobium crumenatum</i>	1802	<i>Didymocarpus perdata</i>	993
<i>Dendrobium flabellum</i>	1853	<i>Didymocarpus platypus</i>	992
<i>Dendrobium flexile</i>	1803	<i>Didymoplexis pallens</i>	1830
<i>Dendrobium grande</i>	1803	<i>Digitaria caespitosa</i>	1026
<i>Dendrobium indivisum</i>	1806	<i>Digitaria chinensis</i>	1031
<i>Dendrobium kelsallii</i>	1850	<i>Digitaria longiflora</i>	1026
<i>Dendrobium laciniosum</i>	1854	<i>Digitaria marginata</i>	1023/1029/1030
<i>Dendrobium lamellatum</i>	1807	<i>Dillenia grandifolia</i>	742
<i>Dendrobium leonis</i>	1808	<i>Dillenia indica</i>	743
<i>Dendrobium lobatum</i>	1809	<i>Dillenia reticulata</i>	745
<i>Dendrobium lobbianum</i>	1810	<i>Dilochia wallichii</i>	1832
<i>Dendrobium longicolle</i>	1810	<i>Dimeria ornithopoda</i>	1031
<i>Dendrobium pandaneti</i>	1813	<i>Dioclea reflexa</i>	1307
<i>Dendrobium pensile</i>	1814	<i>Diodia sarmentosa</i>	2103
<i>Dendrobium planibulbe</i>	1815	<i>Dioscorea bulbifera</i>	752
<i>Dendrobium prostratum</i>	1816	<i>Dioscorea glabra</i>	753
<i>Dendrobium pumilum</i>	1812	<i>Dioscorea hispida</i>	754
<i>Dendrobium revolutum</i>	1818	<i>Dioscorea laurifolia</i>	755
<i>Dendrobium salaccense</i>	1819	<i>Dioscorea polyclades</i>	756
<i>Dendrobium secundum</i>	1820	<i>Dioscorea prainiana</i>	757
<i>Dendrobium setifolium</i>	1821	<i>Dioscorea pyrifolia</i>	758
<i>Dendrobium sinuatum</i>	1823	<i>Dioscorea stenomeriflora</i>	760
<i>Dendrobium spurium</i>	1825	<i>Diospyros argentea</i>	789
<i>Dendrobium subulatum</i>	1826	<i>Diospyros bilocularis</i>	798
<i>Dendrobium teres</i>	1822	<i>Diospyros clavigera</i>	791
<i>Dendrochilum ellipticum</i>	1828	<i>Diospyros lucida</i>	796
<i>Dendrochilum longifolium</i>	1829	<i>Diospyros microphylla</i>	790
<i>Dendrophthoe pentandra</i>	1384	<i>Diospyros oblonga</i>	799
<i>Dentella repens</i>	2101	<i>Diospyros pyrifera</i>	794
<i>Deplanchea bancana</i>	456	<i>Diospyros styraciformis</i>	801
<i>Derris amoena</i>	1292	<i>Diplospora malaccensis</i>	2104
<i>Derris scandens</i>	1294	<i>Dipodium pictum</i>	1833
<i>Derris sinuata</i>	1293	<i>Dipteris conjugata</i>	55
<i>Derris thyrsiflora</i>	1295	<i>Dipterocarpus cornutus</i>	767
<i>Derris uliginosa</i>	1296	<i>Dipterocarpus penangianus</i>	766
<i>Desmodium heterophyllum</i>	1300	<i>Dischidia albida</i>	424
<i>Desmodium ovalifolium</i>	1299	<i>Dischidia bengalensis</i>	426
<i>Desmodium polycarpum</i>	1299	<i>Dischidia coccinea</i>	427
<i>Desmodium triflorum</i>	1301	<i>Dischidia collyris</i>	425
<i>Desmodium umbellatum</i>	1302	<i>Dischidia gaudichaudii</i>	430
<i>Desmos chinensis</i>	280	<i>Dischidia hirsuta</i>	428
<i>Desmos dasymaschala</i>	281	<i>Dischidia rafflesiana</i>	427729
<i>Desmos dumosus</i>	282	<i>Dischidia singaporense</i>	431
<i>Dialium laurinum</i>	1303	<i>Dissochaeta annulata</i>	1423

<i>Dissochaeta celebica</i>	1424	<i>Elaeocarpus stipularis</i>	816
<i>Dissochaeta gracilis</i>	1425	<i>Elaeodendron subrotundum</i>	512
<i>Dissochaeta intermedia</i>	1426	<i>Eleocharis capitata</i>	680
<i>Dissochaeta pallida</i>	1427	<i>Eleocharis chaetaria</i>	682
<i>Dissochaeta punctulata</i>	1428	<i>Eleocharis ochrostachys</i>	681
<i>Dolichandrone spathacea</i>	457	<i>Eleocharis plantaginea</i>	679
<i>Donax grandis</i>	1414	<i>Eleocharis variegata</i>	681
<i>Dracaena aurantiacea</i>	219	<i>Elephantopus scaber</i>	568
<i>Dracaena brachystachys</i>	220	<i>Elettariopsis curtisi</i>	2491
<i>Dracaena elliptica</i>	221	<i>Eleusine coracana</i>	1036
<i>Dracaena granulata</i>	222	<i>Eleusine indica</i>	1037
<i>Dracaena maingayi</i>	223	<i>Ellipanthus griffithii</i>	599
<i>Dracaena porteri</i>	224	<i>Ellipeia cuneifolia</i>	283
<i>Dracaena singapurensis</i>	225	<i>Elytranthe albida</i>	1385
<i>Dracaena umbratica</i>	226	<i>Elytranthe arnottiana</i>	1386
<i>Drepananthus pruniferus</i>	274	<i>Embelia amentacea</i>	1629
<i>Drepananthus ramuliflorus</i>	274	<i>Embelia canescens</i>	1630
<i>Drymoglossum piloselloides</i>	141	<i>Embelia coriacea</i>	1631
<i>Drynaria sparsisora</i>	57	<i>Embelia garcinifolia</i>	1634
<i>Dryptes pendula</i>	889	<i>Embelia lampani</i>	1633
<i>Duranta repens</i>	2427	<i>Embelia ridleyi</i>	1582
<i>Durio griffithii</i>	463	<i>Embllica officinalis</i>	938
<i>Durio oblongus</i>	464	<i>Emilia sonchifolia</i>	570
<i>Dyera costulata</i>	346	<i>Endopogon ridleyi</i>	213
<i>Dysophylla auricularia</i>	1192	<i>Endospermum malaccense</i>	890
<i>Dysoxylum acutangulum</i>	1490	<i>Engelhardtia nudiflora</i>	1179
<i>Dysoxylum alliaceum</i>	1491	<i>Enhalus koenigii</i>	1152
<i>Dysoxylum cauliflorum</i>	1492	<i>Enhydra fluctuans</i>	570
<i>Dysoxylum costulatum</i>	1491	<i>Enhydrias angustipetala</i>	1150
<i>Dysoxylum flavescens</i>	1496	<i>Enkleia malaccensis</i>	2383
<i>Dysoxylum macrothyrum</i>	1492	<i>Entada spiralis</i>	1308
<i>Dysoxylum thyrsoideum</i>	1491	<i>Epipremnopsis media</i>	383
<i>Dysoxylum turbinatum</i>	1495	<i>Epipremnum giganteum</i>	389
<i>Echinochloa colona</i>	1033	<i>Epipremnum mirabile</i>	390
<i>Echinochloa crus-galli</i>	1034	<i>Eragrostis amabilis</i>	1045
<i>Eclipta alba</i>	567	<i>Eragrostis elegantula</i>	1038
<i>Egenolfia appendiculata</i>	26	<i>Eragrostis elongata</i>	1040
<i>Eichhornia crassipes</i>	2044	<i>Eragrostis malayana</i>	1042
<i>Elaeocarpus ferrugineus</i>	805	<i>Eragrostis pilosa</i>	1043
<i>Elaeocarpus floribundus</i>	806	<i>Eragrostis tenella</i>	1044
<i>Elaeocarpus griffithii</i>	807	<i>Eragrostis viscosa</i>	1046
<i>Elaeocarpus hullettii</i>	811	<i>Erechtites hieracifolia</i>	572
<i>Elaeocarpus littoralis</i>	808	<i>Erechtites valerianifolia</i>	573
<i>Elaeocarpus mastersii</i>	809	<i>Eria bractescens</i>	1834
<i>Elaeocarpus nitidus</i>	810a	<i>Eria floribunda</i>	1835
<i>Elaeocarpus pedunculatus</i>	812	<i>Eria gracilis</i>	1920
<i>Elaeocarpus petiolatus</i>	813	<i>Eria hyacinthoides</i>	1836
<i>Elaeocarpus polystachyus</i>	814	<i>Eria javanica</i>	1837
<i>Elaeocarpus salicifolius</i>	810b	<i>Eria longe-repens</i>	1838

<i>Eria neglecta</i>	1843	<i>Eugenia polyantha</i>	1674
<i>Eria nutans</i>	1844	<i>Eugenia pseudoformosa</i>	1676
<i>Eria obliqua</i>	1841	<i>Eugenia pseudosubtilis</i>	1677
<i>Eria pannea</i>	1842	<i>Eugenia punctulata</i>	1643
<i>Eria pudica</i>	1844	<i>Eugenia pustulata</i>	1678
<i>Eria pulchella</i>	1845	<i>Eugenia ridleyi</i>	1679
<i>Eria robusta</i>	1846	<i>Eugenia rugosa</i>	1680
<i>Eria tenuiflora</i>	1847	<i>Eugenia scoparia</i>	1641
<i>Eria teretifolia</i>	1843	<i>Eugenia spicata</i>	1682
<i>Eria velutina</i>	1921	<i>Eugenia subdecussata</i>	1685
<i>Eria vestita</i>	1922	<i>Eugenia subrufa</i>	1654
<i>Eriachne pallescens</i>	1047	<i>Eugenia tumida</i>	1654
<i>Erigeron sumatrense</i>	565	<i>Eugenia urceolata</i>	1657
<i>Eriocaulon sexangulare</i>	824	<i>Eugenia venulosa</i>	1662
<i>Eriocaulon truncatum</i>	825	<i>Eulalia praemorsa</i>	1091
<i>Erioglossum rubiginosum</i>	2252	<i>Eulophia graminea</i>	1848
<i>Erycibe festiva</i>	609	<i>Eulophia squalida</i>	1849
<i>Erycibe griffithii</i>	610/612	<i>Euonymus javanicus</i>	513
<i>Erycibe leucoxyloides</i>	611	<i>Euphorbia atoto</i>	891
<i>Erycibe malaccensis</i>	613	<i>Euphorbia heterophylla</i>	892
<i>Erycibe princei</i>	614a	<i>Euphorbia hirta</i>	893
<i>Eryngium foetidum</i>	2409	<i>Euphorbia thymifolia</i>	894
<i>Erythropalum scandens</i>	1710	<i>Eurya acuminata</i>	2372
<i>Erythroxylum cuneatum</i>	826	<i>Eurycoma longifolia</i>	2317
<i>Eugenia acuminatissima</i>	1647	<i>Euthemis leucocarpa</i>	1706
<i>Eugenia caudata</i>	1642	<i>Euthemis minor</i>	1707
<i>Eugenia chlorantha</i>	1644	<i>Evodia glabra</i>	2230
<i>Eugenia claviflora</i>	1645	<i>Evodia malayana</i>	2232
<i>Eugenia conglomerata</i>	1646	<i>Evodia robusta</i>	2231
<i>Eugenia crenulata</i>	1675	<i>Evolvulus alsinoides</i>	615
<i>Eugenia cymosa</i>	1686	<i>Excoecaria agallocha</i>	895
<i>Eugenia densiflora</i>	1648	<i>Fagraea auriculata</i>	1371
<i>Eugenia duthieana</i>	1649	<i>Fagraea fragrans</i>	1372
<i>Eugenia filiformis</i>	1650	<i>Fagraea gigantea</i>	1373
<i>Eugenia glauca</i>	1652	<i>Fagraea ligustrina</i>	1374
<i>Eugenia goodenovii</i>	1680	<i>Fagraea obovata</i>	1370
<i>Eugenia grandis</i>	1653	<i>Fagraea racemosa</i>	1374
<i>Eugenia griffithii</i>	1654	<i>Fagraea ridleyi</i>	1375
<i>Eugenia linocieroidea</i>	1659	<i>Fibraurea chloroleuca</i>	1508
<i>Eugenia longiflora</i>	1660	<i>Ficus alba</i>	1552
<i>Eugenia microcalyx</i>	1661	<i>Ficus annulata</i>	1533
<i>Eugenia myrtifolia</i>	1668	<i>Ficus apiocarpa</i>	1534
<i>Eugenia ngadimaniana</i>	1664	<i>Ficus benjamina</i>	1537
<i>Eugenia nigricans</i>	1665	<i>Ficus binnendykii</i>	1538
<i>Eugenia oblongifolia</i>	1667	<i>Ficus bracteata</i>	1540
<i>Eugenia pachyphylla</i>	1669	<i>Ficus callicarpa</i>	1535
<i>Eugenia palembanica</i>	1670	<i>Ficus caulocarpa</i>	1541
<i>Eugenia papillosa</i>	1671	<i>Ficus chartacea</i>	1542
<i>Eugenia penangiana</i>	1640	<i>Ficus chrysocarpa</i>	1536

<i>Ficus consociata</i>	1543	<i>Flemingia strobilifera</i>	1309
<i>Ficus diversifolia</i>	1546	<i>Fleurya interrupta</i>	2412
<i>Ficus dubia</i>	1547	<i>Floscopia scandens</i>	549
<i>Ficus excavata</i>	1548	<i>Flueggia virosa</i>	949
<i>Ficus fistulosa</i>	1549	<i>Forrestia gracilis</i>	543
<i>Ficus glandulifera</i>	1550	<i>Forrestia marginata</i>	544
<i>Ficus globosa</i>	1551	<i>Freycinetia confusa</i>	1988
<i>Ficus indica</i>	1560/1571	<i>Freycinetia lucens</i>	1990
<i>Ficus laevis</i>	1555	<i>Freycinetia malaccensis</i>	1987
<i>Ficus microstoma</i>	1561	<i>Freycinetia valida</i>	1991
<i>Ficus microsyce</i>	1558	<i>Fuirena umbellata</i>	703
<i>Ficus miquelii</i>	1539	<i>Gaertnera acuminata</i>	2107
<i>Ficus obscura</i>	1559	<i>Gaertnera grisea</i>	2105
<i>Ficus pisifera</i>	1560	<i>Gaertnera obesa</i>	2106
<i>Ficus procera</i>	1544	<i>Gaertnera viminea</i>	2108
<i>Ficus pumila</i>	1562	<i>Gahnia tristis</i>	704
<i>Ficus ramentacea</i>	1567	<i>Galearia affinis</i>	897
<i>Ficus recurva</i>	1563	<i>Galearia finlaysonii</i>	897
<i>Ficus religiosa</i>	1564	<i>Galearia fulva</i>	897
<i>Ficus retusa</i>	1557	<i>Galearia phlebocarpa</i>	897
<i>Ficus rigidula</i>	1570	<i>Galearia wallichii</i>	897
<i>Ficus rostrata</i>	1569	<i>Galeola kuhlii</i>	1856
<i>Ficus truncata</i>	1565	<i>Ganua motleyana</i>	2266
<i>Ficus urophylla</i>	1553	<i>Garcinia atroviridis</i>	1133
<i>Ficus variegata</i>	1553	<i>Garcinia bancana</i>	1134
<i>Ficus vasculosa</i>	1574	<i>Garcinia eugeniaefolia</i>	1135
<i>Ficus villosa</i>	1575	<i>Garcinia forbesii</i>	1136
<i>Ficus xylophylla</i>	1577	<i>Garcinia gaudichaudii</i>	1144
<i>Fimbristylis acuminata</i>	684	<i>Garcinia griffithii</i>	1137
<i>Fimbristylis aestivalis</i>	692	<i>Garcinia hombroniana</i>	1138
<i>Fimbristylis asperrima</i>	688	<i>Garcinia nervosa</i>	1139
<i>Fimbristylis complanata</i>	685	<i>Garcinia nigrolineata</i>	1140
<i>Fimbristylis diphylla</i>	687	<i>Garcinia parvifolia</i>	1141
<i>Fimbristylis ferruginea</i>	689	<i>Garcinia rostrata</i>	1143
<i>Fimbristylis fusca</i>	690	<i>Gardenia griffithii</i>	2109
<i>Fimbristylis globulosa</i>	691	<i>Gardenia tubifera</i>	2110
<i>Fimbristylis leptoclada</i>	693	<i>Gardeniopsis longifolia</i>	2111
<i>Fimbristylis miliacea</i>	694	<i>Gastrodia javanica</i>	1857
<i>Fimbristylis nutans</i>	695	<i>Gelonium glomerulatum</i>	950
<i>Fimbristylis obtusata</i>	696	<i>Genianthus maingayi</i>	433
<i>Fimbristylis pauciflora</i>	698	<i>Geophila pilosa</i>	2112
<i>Fimbristylis polytrichoides</i>	699	<i>Gironniera nervosa</i>	2402
<i>Fimbristylis schoenoides</i>	700	<i>Gironniera subaequalis</i>	2404
<i>Fimbristylis setacea</i>	684	<i>Gironniera parvifolia</i>	24023
<i>Fimbristylis spathacea</i>	686	<i>Gleichenia laevigata</i>	59
<i>Fimbristylis tetragona</i>	701	<i>Gleichenia linearis</i>	44
<i>Finlaysonia obovata</i>	432	<i>Globba leucantha</i>	2495
<i>Flacourtie rukam</i>	978	<i>Globba pendula</i>	2495
<i>Flagellaria indica</i>	985	<i>Glochidion brunneum</i>	899

<i>Glochidion desmocarpum</i>	911	<i>Gynura sarmentosa</i>	574
<i>Glochidion glomerulatum</i>	901	<i>Habenaria lacertifera</i>	1890
<i>Glochidion kunstlerianum</i>	903	<i>Habenaria singapurensis</i>	1859
<i>Glochidion laevigatum</i>	902	<i>Halophila ovata</i>	1155
<i>Glochidion leiostylum</i>	907	<i>Halophila sp.</i>	1154
<i>Glochidion littorale</i>	904	<i>Hedyotis auricularia</i>	2116
<i>Glochidion maingayi</i>	899	<i>Hedyotis capitellata</i>	2119
<i>Glochidion microbotrys</i>	905	<i>Hedyotis congesta</i>	2120
<i>Glochidion pedunculatum</i>	899	<i>Hedyotis pinifolia</i>	2125
<i>Glochidion perakense</i>	906	<i>Hedyotis vestita</i>	2128
<i>Glochidion sericeum</i>	908	<i>Helicia excelsa</i>	2051
<i>Glochidion singaporense</i>	909	<i>Helicia petiolaris</i>	2052
<i>Glochidion superbium</i>	910	<i>Helicia robusta</i>	2053
<i>Glochidion trilobum</i>	905	<i>Heliotropium indicum</i>	473
<i>Glochidion trilobum</i>	911	<i>Helixanthera coccinea1</i>	387
<i>Glycosmis citrifolia</i>	2234	<i>Hemigymnia multinodis</i>	1073
<i>Glycosmis malayana</i>	2233	<i>Henslowia buxifolia</i>	2243
<i>Gmelina asiatica</i>	2428	<i>Henslowia lobbiana</i>	2244
<i>Gmelina elliptica</i>	2429	<i>Heritiera elata</i>	2339
<i>Gmelina hystrix</i>	2430	<i>Heritiera littoralis</i>	2340
<i>Gomphandra affinis</i>	1168	<i>Hernandia peltata</i>	1148
<i>Gomphia corymbosa</i>	1705	<i>Herpestis monnierii</i>	2284
<i>Gomphia hookeri</i>	1704	<i>Hetaeria nitida</i>	1860
<i>Gomphia oblongifolia</i>	1708	<i>Hetaeria obliqua</i>	1861
<i>Gomphia sumatrana</i>	1708	<i>Heterogonium sagenoides</i>	62
<i>Goniothalamus malayanus</i>	295	<i>Heterosmilax indica</i>	2320
<i>Goniothalamus ridleyi</i>	296	<i>Hibiscus surattensis</i>	1407
<i>Goniothalamus tapis</i>	297	<i>Hibiscus tiliaceus</i>	1408
<i>Gonocaryum longeracemosum</i>	1169	<i>Hippocratea indica</i>	521
<i>Gonystylus maingayi</i>	995	<i>Hippocratea macrantha</i>	518
<i>Gordonia multinervis</i>	2373	<i>Hiptage sericea</i>	1403
<i>Gordonia penangensis</i>	2374	<i>Histiopteris incisa</i>	63
<i>Gordonia singaporeana</i>	2375	<i>Homalium grandiflorum</i>	977
<i>Grammatophyllum speciosum</i>	1851	<i>Homalomena caerulescens</i>	393
<i>Grewia blattaefolia</i>	2390	<i>Homalomena griffithii</i>	391
<i>Grewia omphacarpa</i>	2391	<i>Homalomena paludosa</i>	394
<i>Grewia umbellata</i>	2389	<i>Homalomena sagittifolia</i>	395
<i>Guettarda speciosa</i>	2113	<i>Hopea griffithii</i>	770
<i>Guioa bijuga</i>	2249	<i>Hopea mengarawan</i>	771
<i>Guioa pleuropteris</i>	2250	<i>Hornstedtia conica</i>	2497
<i>Guioa pubescens</i>	2251	<i>Hornstedtia leonurus</i>	2498
<i>Gymnacranthera farquhariana</i>	1584a/b	<i>Hornstedtia megalochelilos</i>	2492
<i>Gymnacranthera forbesii</i>	1585	<i>Hornstedtia scyphifera</i>	2499
<i>Gymnacranthera murtonii</i>	1583	<i>Horsfieldia amygdalina</i>	1593
<i>Gymnopetalum quinquelobum</i>	639	<i>Horsfieldia canarioides</i>	1591
<i>Gynandropsis pentaphylla</i>	502	<i>Horsfieldia crassifolia</i>	1586
<i>Gynochthodes coriacea</i>	2114	<i>Horsfieldia globularia</i>	1589
<i>Gynochthodes sub lanceolata</i>	2115	<i>Horsfieldia irya</i>	1588
<i>Gynotroches axillaris</i>	2069	<i>Horsfieldia lemanniana</i>	1590

<i>Horsfieldia majuscula</i>	1590	<i>Intsia bijuga</i>	1315
<i>Horsfieldia racemosa</i>	1582	<i>Iodes oblonga</i>	1170
<i>Horsfieldia sucosa</i>	1593	<i>Iodes velutina</i>	1171
<i>Horsfieldia superba</i>	1594	<i>Ipomoea digitata</i>	620
<i>Horsfieldia tomentosa</i>	1595	<i>Ipomoea littoralis</i>	619
<i>Horsfieldia wallichii</i>	1596	<i>Ipomoea obscura</i>	621
<i>Hoya coriacea</i>	435	<i>Ipomoea pes-caprae</i>	622
<i>Hoya coronaria</i>	436	<i>Ipomoea pulchella</i>	617
<i>Hoya diversifolia</i>	437	<i>Ipomoea sagittaefolia</i>	624
<i>Hoya finlaysonii</i>	438	<i>Irvingia malayana</i>	2318
<i>Hoya lacunosa</i>	439	<i>Isachne australis</i>	1055
<i>Hoya latifolia</i>	440	<i>Isachne miliacea</i>	1057
<i>Hoya obtusifolia</i>	441	<i>Isachne semitalis</i>	1056
<i>Hoya parasitica</i>	442	<i>Ischaemum aristatum</i>	1059
<i>Hoya revoluta</i>	443	<i>Ischaemum magnum</i>	1060
<i>Hoya ridleyi</i>	442	<i>Ischaemum muticum</i>	1061
<i>Humata angustata</i>	64	<i>Ischaemum rugosum</i>	1062
<i>Humata heterophylla</i>	65	<i>Ischaemum timorense</i>	1063
<i>Humata pectinata</i>	67	<i>Ixonanthes icosandra</i>	1177
<i>Humata repens</i>	68	<i>Ixonanthes reticulata</i>	1178
<i>Hydnophytum formicarium</i>	2129	<i>Ixora concinna</i>	2131
<i>Hydrolea zeylanica</i>	1159	<i>Ixora congesta</i>	2132
<i>Hygrophila meianthos</i>	201	<i>Ixora grandifolia</i>	2133
<i>Hygrophila phlomoides</i>	202	<i>Ixora lobbii</i>	2134
<i>Hygrophila quadrivalvis</i>	200	<i>Ixora pendula</i>	2114
<i>Hygrophila spinosa</i>	203	<i>Jackia ornata</i>	2137
<i>Hylophila mollis</i>	1862	<i>Jacobinea coccinea</i>	204
<i>Hymenachne myuros</i>	1052	<i>Jasminum bifarium</i>	1719
<i>Hymenophyllum blumeanum</i>	72	<i>Jasminum griffithii</i>	1720
<i>Hymenophyllum holochilum</i>	71	<i>Jasminum longipetalum</i>	1721
<i>Hymenophyllum neesii</i>	70	<i>Jussiaea erecta</i>	1725
<i>Hymenophyllum serrulatum</i>	73	<i>Jussiaea repens</i>	1723
<i>Hypericum japonicum</i>	1164	<i>Jussiaea speciosa</i>	1726
<i>Hypolytrum latifolium</i>	705a	<i>Jussiaea suffruticosa</i>	1724
<i>Hypolytrum proliferum</i>	705b	<i>Kadsura cauliflora</i>	2290
<i>Hypserpa cuspidata</i>	1509	<i>Kadsura scandens</i>	2290
<i>Hyptis brevipes</i>	1181	<i>Kalanchoe pinnata</i>	633
<i>Hyptis capitata</i>	1182	<i>Kleinhovia hospita</i>	2342
<i>Hyptis suaveolens</i>	1183	<i>Knema cantleyi</i>	1606
<i>Iguanura geonomaeformis</i>	1962	<i>Knema conferta</i>	1598
<i>Ilex cymosa</i>	373	<i>Knema curtisii</i>	1599
<i>Ilex macrophylla</i>	374	<i>Knema furfuracea</i>	1600
<i>Ilex maingayi</i>	375	<i>Knema hookeriana</i>	1603
<i>Ilex venulosa</i>	374	<i>Knema intermedia</i>	1604
<i>Illigera appendiculata</i>	1149	<i>Knema laurina</i>	1606
<i>Imperata arundinacea</i>	1054	<i>Knema malayana</i>	1607
<i>Imperata exaltata</i>	1053	<i>Knema missionis</i>	1603
<i>Indigofera hirsuta</i>	1310	<i>Knema wrayi</i>	1601
<i>Indigofera tinctoria</i>	1313	<i>Koompassia malaccensis</i>	1316

<i>Kopsia singapurensis</i>	348	<i>Leuconotis maingayi</i>	350
<i>Korthalsia echinometra</i>	1963	<i>Leucopogon malayanus</i>	819
<i>Korthalsia grandis</i>	1964	<i>Leucostegia parvula</i>	66
<i>Korthalsia polystachya</i>	1967	<i>Licuala ferruginea</i>	1968
<i>Korthalsia scaphigera</i>	1965	<i>Licuala spinosa</i>	1969
<i>Korthalsia wallichiaefolia</i>	1966	<i>Licuala triphylla</i>	1970
<i>Kunstleria ridleyi</i>	1317	<i>Limacia velutina</i>	1511
<i>Kurrimia paniculata</i>	510	<i>Limnanthemum indicum</i>	986
<i>Kurrimia robusta</i>	511	<i>Limnophila laxa</i>	2298
<i>Kyllinga brevifolia</i>	647	<i>Limnophila villosa</i>	2300
<i>Kyllinga cylindrica</i>	677	<i>Lindera lucida</i>	1213
<i>Kyllinga melanosperma</i>	665	<i>Lindsaya borneensis</i>	80
<i>Kyllinga monocephala</i>	663	<i>Lindsaya nitens</i>	81
<i>Labisia pothoina</i>	1635	<i>Lindsaya orbiculata</i>	87
<i>Lantana indica</i>	2432	<i>Lindsaya parallelogramma</i>	89
<i>Lasia aculeata</i>	396	<i>Lindsaya scandens</i>	83
<i>Lasianthus appressus</i>	2138	<i>Linociera pauciflora</i>	1718
<i>Lasianthus attenuatus</i>	2139	<i>Linostoma pauciflorum</i>	2384
<i>Lasianthus chrysanthus</i>	2153	<i>Liparis elegans</i>	1864
<i>Lasianthus constricta</i>	2140	<i>Liparis ferruginea</i>	1865
<i>Lasianthus cyanocarpus</i>	2141	<i>Liparis gibbosa</i>	1866
<i>Lasianthus densifolius</i>	2142	<i>Liparis tricallosa</i>	1867
<i>Lasianthus ellipticus</i>	2143	<i>Lipocarpha argentea</i>	707
<i>Lasianthus griffithii</i>	2145	<i>Lipocarpha microcephala</i>	708
<i>Lasianthus maingayi</i>	2146	<i>Lippia nodiflora</i>	2434
<i>Lasianthus ridleyi</i>	2149	<i>Litsea cordata</i>	1216
<i>Lasianthus scabridus</i>	2150	<i>Litsea ferruginea</i>	1221
<i>Lasianthus singapurensis</i>	2149	<i>Litsea firma</i>	1222
<i>Lasianthus stipularis</i>	2152	<i>Litsea grandis</i>	1224
<i>Lasianthus tomentosus</i>	2153	<i>Litsea griffithii</i>	1220
<i>Lecananthus erubescens</i>	2154	<i>Litsea lancifolia</i>	1226
<i>Lecanorchis malaccensis</i>	1863	<i>Litsea machilifolia</i>	1227
<i>Leea angulata</i>	1244	<i>Litsea megacarpa</i>	1217
<i>Leea robusta</i>	1243	<i>Litsea myristicaefolia</i>	1228
<i>Leea rubra</i>	1246	<i>Litsea perakensis</i>	1218
<i>Leea sambucina</i>	1245	<i>Litsea petiolata</i>	1219
<i>Leersia hexandra</i>	1064	<i>Litsea ridleyi</i>	1229
<i>Lemna paucicostata</i>	1357	<i>Litsea robusta</i>	1230
<i>Lemna polyrhiza</i>	1359	<i>Litsea sarawakensis</i>	1225
<i>Lemna tenera</i>	1358	<i>Litsea singapurensis</i>	1214
<i>Leonurus sibiricus</i>	1185	<i>Litsea umbellata</i>	1231
<i>Lepionurus sylvestris</i>	1730	<i>Lomariopsis cochinchinensis</i>	93
<i>Lepironia mucronata</i>	706	<i>Longetia malayana</i>	849
<i>Leptaspis urceolata</i>	1065	<i>Lophatherum gracile</i>	1068
<i>Leptochloa chinensis</i>	1066	<i>Lophopetalum fimbriatum</i>	519
<i>Lettsomia ridleyi</i>	605	<i>Lophopetalum littoralis</i>	515
<i>Leucas lavendulifolia</i>	1186	<i>Lucaena glauca</i>	1318
<i>Leucas zeylanica</i>	1187	<i>Lucinaea membranacea</i>	2155
<i>Leuconotis griffithii</i>	349	<i>Lucinaea morinda</i>	2156

<i>Lucuma maingayi</i>	2283	<i>Mapania valida</i>	712
<i>Lucuma malaccensis</i>	2285	<i>Mapania wallichii</i>	717
<i>Ludwigia prostrata</i>	1727	<i>Mariscus albescens</i>	662
<i>Lumnitzera littorea</i>	537	<i>Mariscus cyperinus</i>	651
<i>Lumnitzera racemosa</i>	538	<i>Mariscus dregeanus</i>	656
<i>Lycopodium cernuum</i>	94	<i>Mariscus microcephalus</i>	648
<i>Lycopodium laxum</i>	69	<i>Mariscus sieberianus</i>	652
<i>Lycopodium nummulariifolium</i>	70	<i>Marumia nemorosa</i>	1430
<i>Lycopodium phlegmaria</i>	71	<i>Marumia rhodocarpa</i>	1429
<i>Lycopodium squarrosum</i>	72	<i>Mastixia maingayi</i>	633
<i>Lygodium dichotomum</i>	95	<i>Matthaea sancta</i>	1517
<i>Lygodium flexuosum</i>	96	<i>Mazus rugosus</i>	2310
<i>Lygodium scandens</i>	100	<i>Medinilla crassinervia</i>	1432
<i>Maba buxifolia</i>	795	<i>Medinilla hasseltii</i>	1431
<i>Maba venosa</i>	803	<i>Medinilla maingayi</i>	1460
<i>Macaranga cornuta</i>	920	<i>Melaleuca leucadendron</i>	1689
<i>Macaranga gigantea</i>	916	<i>Melanochyla auriculata</i>	259
<i>Macaranga griffithiana</i>	917	<i>Melanochyla kunstleri</i>	261
<i>Macaranga hosei</i>	919	<i>Melanochyla sp.</i>	259
<i>Macaranga hypoleuca</i>	921	<i>Melanorrhoea wallichii</i>	252
<i>Macaranga javanica</i>	918	<i>Melanorrhoea woodsiana</i>	252
<i>Macaranga maingayi</i>	922	<i>Melastoma malabathricum</i>	1433
<i>Macaranga populifolia</i>	915	<i>Meliosma elliptica</i>	2241
<i>Macaranga puncticulata</i>	914	<i>Meliosma lanceolata</i>	2239
<i>Macaranga recurvata</i>	924	<i>Meliosma ridleyi</i>	2240
<i>Macaranga trichocarpa</i>	925	<i>Melochia corchorifolia</i>	2343
<i>Macaranga triloba</i>	926	<i>Melodinus micranthus</i>	351
<i>Macodes petola</i>	1869	<i>Melodorum cylindricum</i>	322
<i>Macrosolen cochinchinensis</i>	1389	<i>Melodorum elegans</i>	302
<i>Macrosolen papillosum</i>	1390	<i>Melodorum fulgens</i>	284
<i>Macrosolen retusus</i>	1391	<i>Melodorum latifolium</i> var. <i>ovoidea</i>	286
<i>Madhuca kingiana</i>	2265	<i>Melodorum manubriatum</i>	287
<i>Madhuca malaccensis</i>	2269	<i>Melodorum pisocarpum</i>	302
<i>Madhuca sericea</i>	2270	<i>Melodorum prismaticum</i>	322
<i>Maesa ramentacea</i>	1636	<i>Memecylon amplexicaule</i>	1435
<i>Magnolia maingayi</i>	1400	<i>Memecylon cantleyi</i>	1437
<i>Malaxis latifolia</i>	1870	<i>Memecylon coeruleum</i>	1436
<i>Malaxis micrantha</i>	1871	<i>Memecylon edule</i>	1440a
<i>Mallotus paniculatus</i>	928	<i>Memecylon garcinoides</i>	1444
<i>Mangifera caesia</i>	253	<i>Memecylon heteropleurum</i>	1441
<i>Mangifera foetida</i>	254	<i>Memecylon laevigatum</i>	1448
<i>Mangifera lagenifera</i>	256	<i>Memecylon laxiflorum</i>	1440b
<i>Mangifera odorata</i>	258	<i>Memecylon myrsinoides</i>	1448
<i>Mangifera sclerophylla</i>	255	<i>Memecylon oleifolium</i>	1451
<i>Manihot utilissima</i>	930	<i>Memecylon ovatum</i>	1440
<i>Mapania humilis</i>	710	<i>Memecylon pubescens</i>	1455
<i>Mapania longa</i>	711	<i>Merremia caespitosa</i>	628
<i>Mapania palustris</i>	715	<i>Merremia convolvulacea</i>	627
<i>Mapania triquetra</i>	710	<i>Merremia tridentata</i>	629

<i>Merremia umbellata</i>	630	<i>Nepenthes gracilis</i>	1698
<i>Mezoneuron sumatranum</i>	1268	<i>Nepenthes rafflesiana</i>	1700
<i>Mezzettia leptopoda</i>	300	<i>Nepenthes trichocarpa</i>	1701
<i>Microcarpa curtisi</i>	?	<i>Nephelaphyllum pulchrum</i>	1876
<i>Microcarpaea muscosa</i>	2311	<i>Nephelium eriopetalum</i>	2255
<i>Micrococca mercurialis</i>	933	<i>Nephelium lappaceum</i>	2256
<i>Microdesmis caseariifolia</i>	934	<i>Nephelium mutabile</i>	2258
<i>Microsaccus ampullaceus</i>	1873	<i>Nephelium rubescens</i>	2257
<i>Microsaccus brevifolius</i>	1874	<i>Nephrolepis acutifolia</i>	110
<i>Microsaccus javensis</i>	1875	<i>Nephrolepis biserrata</i>	111
<i>Mikania scandens</i>	575	<i>Nephrolepis hirsutula</i>	113
<i>Miliusa longipes</i>	301	<i>Nephrolepis radicans</i>	114
<i>Millettia atropurpurea</i>	1319	<i>Neptunia oleracea</i>	1327
<i>Mimosa invisa</i>	1323	<i>Nervilia punctata</i>	1877
<i>Mimosa pudica</i>	1325	<i>Neuwiedia curtisii</i>	1880
<i>Mimosa sepia</i>	1322	<i>Neuwiedia griffithii</i>	1878
<i>Mischocarpus sumatratus</i>	2253	<i>Neuwiedia lindleyi</i>	1879
<i>Mischocarpus sundaeicus</i>	2254	<i>Norrisia malaccensis</i>	1376
<i>Mollugo pentaphylla</i>	227	<i>Nothaphoebe umbelliflora</i>	1234
<i>Monochoria hastaefolia</i>	2045	<i>Nypa fruticans</i>	1973
<i>Monochoria vaginalis</i>	2046	<i>Oberonia anceps</i>	1881
<i>Monogramme dareicarpus</i>	107	<i>Oberonia bertoldii</i>	1882
<i>Monogramme trichoidea</i>	108	<i>Oberonia ciliolata</i>	1883
<i>Morinda citrifolia</i>	2157	<i>Oberonia dissitiflora</i>	1884
<i>Morinda ridleyi</i>	2158	<i>Oberonia miniata</i>	1887
<i>Morinda rigida</i>	2159	<i>Ochanostachys amentacea</i>	1711
<i>Morinda umbellata</i>	2160	<i>Ochrosia borbonica</i>	352
<i>Muntingia calabura</i>	817	<i>Ochthocharis borneensis</i>	1456
<i>Mussaenda glabra</i>	2161	<i>Ochthocharis javanica</i>	1457
<i>Mussaenda mutabilis</i>	2162	<i>Ochthocharis paniculata</i>	1458
<i>Mussaendopsis beccariana</i>	2163	<i>Ocimum americanum</i>	1188
<i>Myrica farquhariana</i>	1581	<i>Ocimum basilicum</i>	1189
<i>Myristica cinnamomea</i>	1609	<i>Ocimum canum</i>	1188
<i>Myristica crassa</i>	1610	<i>Ocimum sanctum</i>	1190
<i>Myristica elliptica</i>	1611	<i>Oldenlandia corymbosa</i>	2121
<i>Myristica maingayi</i>	1614	<i>Oldenlandia dichotoma</i>	2122
<i>Myristica maxima</i>	1615	<i>Oldenlandia diffusa</i>	2123
<i>Myrmecodia tuberosa</i>	2166	<i>Oldenlandia paniculata</i>	2117
<i>Myrsine avenis</i>	1637	<i>Olea brachiata</i>	1722
<i>Myrsine porteriana</i>	1637	<i>Oncosperma horridum</i>	1974
<i>Myrsine umbellulata</i>	1637	<i>Oncosperma tigillarium</i>	1975
<i>Najas graminea</i>	1696	<i>Ophioglossum pedunculosum</i>	115/117
<i>Najas kingii</i>	1695	<i>Ophioglossum pendulum</i>	116
<i>Nauclea junghuhnii</i>	2166	<i>Ophiorrhiza singaporense</i>	2171
<i>Nauclea subdita</i>	2167	<i>Ormosia macrodisca</i>	1331
<i>Neesia altissima</i>	465	<i>Ormosia microsperma</i>	1332
<i>Nenga wendlandiana</i>	1972	<i>Ormosia parvifolia</i>	1330
<i>Neonauclea purpurascens</i>	2168	<i>Orophea hastata</i>	303
<i>Nepenthes ampullaria</i>	1697	<i>Osmelia maingayi</i>	980

<i>Ostodes macrophylla</i>	896	<i>Paspalum distichum</i>	1085
<i>Oxalis barrelieri</i>	1930	<i>Paspalum longifolium</i>	1082
<i>Oxalis corniculata</i>	1931	<i>Paspalum orbiculare</i>	1083
<i>Oxalis corymbosa</i>	1932	<i>Passiflora foetida</i>	2003
<i>Oxymitra glauca</i>	292	<i>Passiflora laurifolia</i>	2004
<i>Oxymitra latifolia</i>	293	<i>Passiflora quadrangularis</i>	2005
<i>Pachycentria tuberculata</i>	1459	<i>Passiflora suberosa</i>	2005
<i>Padebruggea maingayi</i>	1321	<i>Pavetta indica</i>	2178
<i>Paederia foetida</i>	2176	<i>Payena havilandii</i>	2280
<i>Paederia verticillata</i>	2177	<i>Payena lucida</i>	2278
<i>Pajanella longifolia</i>	458	<i>Payena maingayi</i>	2279
<i>Palaquium bancanum</i>	2277	<i>Payena sessilis</i>	2265
<i>Palaquium gutta</i>	2271	<i>Peliosanthes violacea</i>	1368
<i>Palaquium hexandrum</i>	2272	<i>Peliosanthes viridis</i>	1368
<i>Palaquium microphyllum</i>	2273	<i>Pellacalyx axillaris</i>	2071
<i>Palaquium obovatum</i>	2274	<i>Pellacalyx saccardianus</i>	2072
<i>Palaquium oxleyanum</i>	2275	<i>Pellionia daveauana</i>	2414
<i>Palaquium ridleyi</i>	2276	<i>Peltophorum ferrugineum</i>	1335
<i>Palaquium xanthochylum</i>	2278	<i>Pemphis acidula</i>	1397
<i>Pandanus atrocarpus</i>	1993	<i>Pentace triptera</i>	2392
<i>Pandanus aurantiacus</i>	1992	<i>Pentaphragma ridleyi</i>	2008
<i>Pandanus corneri</i>	1999	<i>Pentaphragma scortechinii</i>	2008
<i>Pandanus houllettei</i>	1994	<i>Peperomia pellucida</i>	2011
<i>Pandanus militaris</i>	2001	<i>Peristrophe acuminata</i>	206
<i>Pandanus ornatus</i>	1995	<i>Peristrophe tinctoria</i>	207
<i>Pandanus parvus</i>	1997	<i>Peronema canescens</i>	2433
<i>Pandanus tectorius</i>	1996	<i>Perotis latifolia</i>	1088
<i>Pandanus tetrodon</i>	2000	<i>Petunga conifera</i>	2130
<i>Panicum auritum</i>	1074	<i>Phaeanthus nutans</i>	305
<i>Panicum caesium</i>	1076	<i>Philydrum lanuginosum</i>	2009
<i>Panicum ovalifolium</i>	1075	<i>Phoebe declinata</i>	1235
<i>Panicum repens</i>	1078	<i>Phoebe grandis</i>	1236
<i>Panicum sarmentosum</i>	1079	<i>Phoebe opaca</i>	1236
<i>Parameria glandulifera</i>	353	<i>Photinopteris speciosa</i>	9
<i>Parameria polyneura</i>	354	<i>Phyllanthus niruri</i>	936
<i>Paramignya griffithii</i>	2237	<i>Phyllanthus urinaria</i>	939
<i>Paramignya longispina</i>	2236	<i>Physalis minima</i>	2327
<i>Parartocarpus triandrus</i>	1579	<i>Physostelma wallichii</i>	434
<i>Parastemon urophyllus</i>	533	<i>Phytocrene bracteata</i>	1172
<i>Parinarium asperulum</i>	529	<i>Pilea muscosa</i>	2415
<i>Parinarium corymbosum</i>	532	<i>Pimeleodendron griffithianum</i>	940
<i>Parinarium costatum</i>	534	<i>Pinanga disticha</i>	1978
<i>Parinarium oblongifolium</i>	535	<i>Pinanga limosa</i>	1979
<i>Parishia paucijuga</i>	264	<i>Pinanga malaiana</i>	1980
<i>Parishia pubescens</i>	262	<i>Pinanga simplicifrons</i>	1982
<i>Parkia speciosa</i>	1334	<i>Pinanga singaporensis</i>	1981
<i>Parsonsia spiralis</i>	353	<i>Pinanga subruminata</i>	1983
<i>Paspalum commersonii</i>	1084	<i>Piper caninum</i>	2012
<i>Paspalum conjugatum</i>	1080	<i>Piper chaba</i>	2013

<i>Piper flavimarginatum</i>	2014	<i>Polygala brachystachya</i>	2029
<i>Piper lanatum</i>	2015	<i>Polygonum barbatum</i>	2041
<i>Piper maingayi</i>	2016	<i>Polyosma conocarpa</i>	2287
<i>Piper miniatum</i>	2018	<i>Polyosma flavo-virens</i>	2286
<i>Piper muricatum</i>	2019	<i>Polyosma ridleyi</i>	2285
<i>Piper pachyphyllum</i>	2020	<i>Polypodium grandidentata</i>	163
<i>Piper pedicellosum</i>	2021	<i>Polypodium moultonii</i>	35
<i>Piper porphyrophyllum</i>	2022	<i>Polypodium nigrescens</i>	119
<i>Piper protractum</i>	2023	<i>Polypodium phymatodes</i>	120
<i>Piper ribesioides</i>	2024	<i>Polypodium punctatum</i>	106
<i>Piper sarmentosum</i>	2025	<i>Polypodium revolutum</i>	79
<i>Pipturus mollisimus</i>	2413	<i>Polypodium sinuosum</i>	110
<i>Pistia stratiotes</i>	397	<i>Polypodium verrucosum</i>	60
<i>Pithecellobium affine</i>	1262	<i>Polystachya flavescens</i>	1896
<i>Pithecellobium angulatum</i>	1259	<i>Pomatocalpa latifolium</i>	1897
<i>Pithecellobium clypearia</i>	1259	<i>Pometia alnifolia</i>	2260
<i>Pithecellobium confertum</i>	1257	<i>Pongamia pinnata</i>	1336
<i>Pithecellobium contortum</i>	1360	<i>Popowia fusca</i>	319
<i>Pithecellobium ellipticum</i>	1261	<i>Popowia ramosissima</i>	320
<i>Pithecellobium jiringa</i>	1263	<i>Popowia tomentosa</i>	321
<i>Pithecellobium microcarpum</i>	1264	<i>Portulaca oleracea</i>	2047
<i>Pittosporum ferrugineum</i>	2026	<i>Portulaca quadrifida</i>	2049
<i>Pityrogramma calomelanos</i>	121	<i>Pothos latifolius</i>	398
<i>Plagiostachys lateralis</i>	2500	<i>Pouzolzia indica</i>	2419
<i>Planchonella obovata</i>	2284	<i>Premna corymbosa</i>	2435
<i>Plantago asiatica</i>	2027	<i>Premna foetida</i>	2436
<i>Platycerium coronarium</i>	122	<i>Premna punctulata</i>	2438
<i>Platycerium ridleyi</i>	123	<i>Premna ridleyi</i>	2439
<i>Plectocomia griffithii</i>	1984	<i>Premna trichostoma</i>	2437
<i>Plectocomiopsis annulatus</i>	1971	<i>Prismatomeris tetranda</i>	2182
<i>Plectocomiopsis scortechinii</i>	1971	<i>Pseuderanthemum kingii</i>	208
<i>Pleocnemia olivacea</i>	125	<i>Pseudo-eugenia singaporense</i>	1638
<i>Plethiandra sessiliflora</i>	1461	<i>Psilotum complanatum</i>	130
<i>Plocoglottis gigantea</i>	1892	<i>Psychotria angulata</i>	2183
<i>Plocoglottis javanica</i>	1893	<i>Psychotria cantleyi</i>	2184
<i>Plocoglottis lowii</i>	1894	<i>Psychotria griffithii</i>	2185
<i>Pluchea indica</i>	577	<i>Psychotria helferiana</i>	2186
<i>Plumbago zeylanica</i>	2028	<i>Psychotria maingayi</i>	2187
<i>Podochilus microphyllus</i>	1895	<i>Psychotria malayana</i>	2188
<i>Pogonanthera pulverulenta</i>	1462	<i>Psychotria obovata</i>	2189
<i>Polyalthia angustissima</i>	306	<i>Psychotria ovoidea</i>	2190
<i>Polyalthia beccarii</i>	308	<i>Psychotria penangensis</i>	2191
<i>Polyalthia cauliflora</i>	308	<i>Psychotria ridleyi</i>	2192
<i>Polyalthia desmantha</i>	308	<i>Psychotria rostrata</i>	2193
<i>Polyalthia hypoleuca</i>	312	<i>Psychotria sarmentosa</i>	2194
<i>Polyalthia lateriflora</i>	314	<i>Psychotria stipulacea</i>	2188
<i>Polyalthia macropoda</i>	315	<i>Pteleocarpa malaccensis</i>	474
<i>Polyalthia scortechinii</i>	316	<i>Pteridium aquilinum</i>	132
<i>Polyalthia sumatrana</i>	318	<i>Pteris decussata</i>	135

<i>Pteris ensiformis</i>	134	<i>Rhodamnia trinervia</i>	1690
<i>Pteris tripartita</i>	136	<i>Rhododendron longiflorum</i>	820
<i>Pteris vittata</i>	137	<i>Rhodomyrtus tomentosus</i>	1691
<i>Pterisanthes coriacea</i>	2470	<i>Rhynchospora aurea</i>	718
<i>Pternandra coerulescens</i>	1463	<i>Rhynchospora glauca</i>	721
<i>Pternandra echinata</i>	1464	<i>Rhynchospora malasica</i>	719
<i>Pternandra paniculata</i>	1465	<i>Rhynchospora wallichiana</i>	720
<i>Pterococcus corniculatus</i>	941	<i>Rhyncostylis gigantea</i>	1901
<i>Pterospermum diversifolium</i>	2345	<i>Ricinus communis</i>	944
<i>Pterospermum javanicum</i>	2346	<i>Rivina humilis</i>	2010
<i>Ptychopyxis caput-medusae</i>	942	<i>Robiquetia spathulata</i>	1902
<i>Ptychopyxis costata</i>	943	<i>Roucheria griffithiana</i>	1369
<i>Ptychoraphis singaporenensis</i>	1985	<i>Rourea acuminata</i>	602
<i>Pycreus nitens</i>	669	<i>Rourea concolor</i>	601
<i>Pycreus polystachyus</i>	668	<i>Rourea fulgens</i>	600
<i>Pygeum parviflorum</i>	2076	<i>Rourea pulchella</i>	602
<i>Pygeum persimile</i>	2076	<i>Rourea rugosa</i>	603
<i>Pygeum polystachyum</i>	2078	<i>Rourea similis</i>	601
<i>Pyrenaria acuminata</i>	2376	<i>Rubus angulosus</i>	2080a
<i>Quercus argentata</i>	973	<i>Rubus moluccanus</i>	2080b
<i>Quercus bennettii</i>	961	<i>Ruellia repens</i>	209
<i>Quercus cantleyana</i>	962	<i>Ryparosa hullettii</i>	982
<i>Quercus conocarpa</i>	963	<i>Ryparosa wallichii</i>	983
<i>Quercus cyclophora</i>	964	<i>Saccharum arundinaceum</i>	1092
<i>Quercus encleisacarpa</i>	966	<i>Sacciolepis angusta</i>	1094
<i>Quercus ewyckii</i>	967	<i>Sacciolepis myosuroides</i>	1095
<i>Quercus lamponga</i>	971	<i>Sacciolepis turgida</i>	1094
<i>Quercus lucida</i>	970	<i>Salacia flavescent</i>	526
<i>Quercus spicata</i>	965	<i>Salacia grandiflora</i>	524
<i>Quercus wallichiana</i>	972	<i>Salacia korthalsiana</i>	525
<i>Quisqualis indica</i>	538	<i>Salacia latifolia</i>	522
<i>Radermachera lobpii</i>	459	<i>Salacia prinoides</i>	522
<i>Randia anisophylla</i>	2179	<i>Salacia rubra</i>	523
<i>Randia auriculata</i>	2080	<i>Salacia viminea</i>	527
<i>Randia clarkei</i>	2175	<i>Salomonia cantoniensis</i>	2031
<i>Randia densiflora</i>	2081	<i>Samadera indica</i>	2319
<i>Randia fragrantissima</i>	2172	<i>Sandoricum emarginatum</i>	1498
<i>Randia longiflora</i>	2173	<i>Sandoricum koetjape</i>	1499
<i>Randia macrophylla</i>	2197	<i>Santiria apiculata</i>	488
<i>Randia penangiana</i>	2174	<i>Santiria laevigata</i>	491
<i>Raphidophora korthalsii</i>	399	<i>Santiria rubiginosa</i>	492
<i>Raphidophora lobpii</i>	400	<i>Sapium discolor</i>	945
<i>Raphidophora maingayi</i>	401	<i>Saprosma glomerulata</i>	2198
<i>Raphidophora minor</i>	402	<i>Sarcanthus halophilus</i>	1783
<i>Remirea maritima</i>	666	<i>Sarcochilus caligaris</i>	1898
<i>Renanthera elongata</i>	1899	<i>Sarcolobus globosus</i>	444
<i>Renanthera histrionica</i>	1900	<i>Sarcostoma javanica</i>	1903
<i>Rhizophora conjugata</i>	2073	<i>Saurauia tristyla</i>	218
<i>Rhizophora mucronata</i>	2074	<i>Sauropolis albicans</i>	947

<i>Scaevola frutescens</i>	996	<i>Selaginella ciliaris</i>	146
<i>Scaphium affine</i>	2348	<i>Selaginella mayeri</i>	148
<i>Scaphium linearicarpum</i>	2347	<i>Selaginella roxburghii</i>	149
<i>Schefflera cephalotes</i>	412	<i>Selaginella willdenowii</i>	151
<i>Schefflera hullettii</i>	414	<i>Selliguea heterocarpa</i>	152
<i>Schefflera lanceolata</i>	415	<i>Serianthes grandiflora</i>	1344
<i>Schefflera micrantha</i>	413	<i>Sesamum indicum</i>	2006
<i>Schefflera ridleyi</i>	417	<i>Sesuvium portulacastrum</i>	228
<i>Schefflera subulata</i>	416	<i>Setaria rubiginosa</i>	1102
<i>Schismatoglottis calyptrotrata</i>	404	<i>Shorea bracteolata</i>	774
<i>Schismatoglottis wallichii</i>	405	<i>Shorea curtisiae</i>	776
<i>Schizachryium semiberbe</i>	1096	<i>Shorea gibbosa</i>	777
<i>Schizaea dichotoma</i>	143	<i>Shorea gratissima</i>	778
<i>Schizaea digitata</i>	144	<i>Shorea leprosula</i>	779
<i>Schizoloma divergens</i>	82	<i>Shorea macroptera</i>	780
<i>Schizoloma ensifolium</i>	84	<i>Shorea ovalis</i>	781
<i>Schizoloma heterophyllum</i>	85	<i>Shorea parvifolia</i>	782
<i>Schizoloma walkerae</i>	92	<i>Shorea pauciflora</i>	783
<i>Schizostachyum chilanthum</i>	1097	<i>Shorea platycarpa</i>	784
<i>Schizostachyum latifolium</i>	1098	<i>Sida carpinifolia</i>	1409
<i>Schizostachyum tenuie</i>	1097	<i>Sida cordifolia</i>	1410
<i>Schizostachyum zolleringi</i>	1099	<i>Sida rhombifolia</i>	1411
<i>Schoenorchis micrantha</i>	1904	<i>Sigesbeckia orientalis</i>	79
<i>Schoenorchis secundiflora</i>	1905	<i>Sindora intermedia</i>	1346
<i>Schoenus calostachyus</i>	722	<i>Sindora wallichii</i>	1346
<i>Sciaphila affinis</i>	2396	<i>Sloanea javanica</i>	818
<i>Scindapsus hederaceus</i>	406	<i>Sloetia elongata</i>	1580
<i>Scindapsus pictus</i>	407	<i>Smilax barbata</i>	2321
<i>Scirpodendron costatum</i>	723	<i>Smilax calophylla</i>	2322
<i>Scirpus grossus</i>	724	<i>Smilax leucophylla</i>	2324
<i>Scirpus mucronatus</i>	725	<i>Smilax megacarpa</i>	2325
<i>Scleria bancana</i>	729	<i>Smilax myosotiflora</i>	2326
<i>Scleria biflora</i>	727	<i>Smythea pacifica</i>	2055
<i>Scleria caricina</i>	728	<i>Solanum ferox</i>	2328
<i>Scleria corymbosa</i>	730	<i>Solanum nigrum</i>	2329
<i>Scleria hebecarpa</i>	731	<i>Solanum sarmentosum</i>	2330
<i>Scleria levigata</i>	732	<i>Solanum torvum</i>	2331
<i>Scleria multifoliata</i>	734	<i>Sonerila begoniaefolia</i>	1467
<i>Scleria oryzoides</i>	733	<i>Sonerila heterostemon</i>	1466
<i>Scleria sumatrensis</i>	736	<i>Sonneratia acida</i>	2333
<i>Scleria zeylanica</i>	735	<i>Sonneratia alba</i>	2332
<i>Scleropyrum ridleyi</i>	2245	<i>Sonneratia griffithii</i>	2332
<i>Scolopia rhinanthera</i>	984	<i>Sparganophorus vaillantii</i>	580
<i>Scoparia dulcis</i>	2312	<i>Spathodea campanulata</i>	460
<i>Scorodocarpus borneensis</i>	1713	<i>Spathodea nilotica</i>	460
<i>Scurrula ferruginea</i>	1392	<i>Spathoglottis plicata</i>	1906
<i>Scyphiphora hydrophyllacea</i>	2199	<i>Spatholobus ferrugineus</i>	1347
<i>Sebastiania chamalaea</i>	948	<i>Spatholobus maingayi</i>	1348
<i>Selaginella atroviridis</i>	147	<i>Spatholobus ridleyi</i>	1349

<i>Sphaeranthus africanus</i>	581	<i>Synedrella nodiflora</i>	582
<i>Sphaerocaryum elegans</i>	1104	<i>Syngamma alismifolia</i>	157
<i>Sphaerostephanos polycarpus</i>	154	<i>Tabernaemontana corymbosa</i>	358
<i>Sphaerostylis malaccense</i>	932	<i>Tabernaemontana hirta</i>	358
<i>Sphenodesme pentandra</i>	2440	<i>Tabernaemontana malaccensis</i>	359
<i>Spilanthes acmella</i>	554	<i>Tacca chantrieri</i>	2366
<i>Sporobolus diander</i>	1105	<i>Tacca cristata</i>	2366
<i>Sporobolus indicus</i>	1105	<i>Taeniophyllum filiforme</i>	1908
<i>Stachyphrynum griffithii</i>	1418	<i>Taeniophyllum obtusum</i>	1909
<i>Stachyphrynum parvum</i>	1415	<i>Taenitis blechnoides</i>	158
<i>Stachytarpheta indica</i>	2442	<i>Talauma lanigera</i>	1401
<i>Stachytarpheta jamaicensis</i>	2443	<i>Talauma singaporense</i>	1398
<i>Stachytarpheta mutabilis</i>	2444	<i>Tarennia adpressa</i>	2200
<i>Staurogyne griffithiana</i>	210	<i>Tarennia fragrans</i>	2202
<i>Staurogyne setigera</i>	212	<i>Tarennia mollis</i>	2203
<i>Stemonurus capitatus</i>	1174	<i>Tarennia ridleyi</i>	2205
<i>Stemonurus scorpioides</i>	1175	<i>Tarennia stellulata</i>	2206
<i>Stemonurus secundiflorus</i>	1175	<i>Tarrietia simplicifolia</i>	2341
<i>Stenochlaena palustris</i>	156	<i>Tectaria angulata</i>	161
<i>Stephanotis maingayi</i>	446	<i>Tectaria barberi</i>	162
<i>Sterculia bicolor</i>	2349	<i>Tectaria multicaudata</i>	164
<i>Sterculia elongata</i>	2352	<i>Tectaria singaporeana</i>	166
<i>Sterculia javanica</i>	2351	<i>Tephrosia subamoena</i>	1353
<i>Sterculia laevis</i>	2350	<i>Teratophyllum aculeatum</i>	167
<i>Sterculia macrophylla</i>	2353	<i>Teratophyllum ludens</i>	168
<i>Sterculia parviflora</i>	2354	<i>Terminalia catappa</i>	540
<i>Sterculia rubiginosa</i>	2355	<i>Terminalia phellocarpa</i>	541
<i>Stereospermum chelonoides</i>	461	<i>Terminalia subspathulata</i>	542
<i>Striga hirsuta</i>	2314	<i>Ternstroemia bancana</i>	2377
<i>Strombosis javanica</i>	1715	<i>Ternstroemia wallichiana</i>	2379
<i>Strombosis rotundifolia</i>	1714	<i>Tetracera assa</i>	747
<i>Strophanthes brevicaudatus</i>	357	<i>Tetracera fagifolia</i>	749
<i>Strophanthes dichotomus</i>	356	<i>Tetracera lucida</i>	748
<i>Strychnos malaccensis</i>	1377	<i>Tetracera macrophylla</i>	751
<i>Strychnos ovalifolia</i>	1378	<i>Tetracera sumatrana</i>	749
<i>Strychnos pubescens</i>	1377	<i>Tetracera sylvestris</i>	747
<i>Strychnos ridleyi</i>	1380	<i>Tetramerista glabra</i>	2368
<i>Styrax benzoin</i>	2357	<i>Thelasis carinata</i>	1910
<i>Styrax crotonoides</i>	2358	<i>Thelasis micrantha</i>	1911
<i>Susum malayanum</i>	1147	<i>Thelasis triptera</i>	1912
<i>Swintonia schwenkii</i>	265	<i>Thelypteris chlamydophora</i>	102
<i>Symplocos adenophylla</i>	2359	<i>Thelypteris motleyi</i>	103
<i>Symplocos celastrifolia</i>	2361	<i>Themeda arguens</i>	1108
<i>Symplocos fasciculata</i>	2362	<i>Themeda villosa</i>	1109
<i>Symplocos odoratissima</i>	2364	<i>Thespisia populnea</i>	1412
<i>Symplocos pulverulenta</i>	2364	<i>Thoracostachyum bancanum</i>	738
<i>Symplocos ridleyi</i>	2363	<i>Thottea dependens</i>	420
<i>Symplocos rigida</i>	2360	<i>Thottea grandiflora</i>	421
<i>Symplocos rubiginosa</i>	2365	<i>Thrixspermum acuminatissimum</i>	1913

<i>Thrixspermum amplexicaule</i>	1914	<i>Turpinia laxiflora</i>	2335
<i>Thrixspermum arachnites</i>	1916	<i>Turraea breviflora</i>	1501
<i>Thrixspermum calceolus</i>	1915	<i>Tylophora asthmatica</i>	448
<i>Thrixspermum ridleyanum</i>	1917	<i>Tylophora squarrosa</i>	449
<i>Thrixspermum trichoglossis</i>	1919	<i>Tylophora tenuis</i>	450
<i>Thuarea sarmentosa</i>	1110	<i>Tylophora wallichii</i>	449
<i>Thunbergia alata</i>	214	<i>Typhonium cuspidatum</i>	408
<i>Thunbergia fragrans</i>	216	<i>Typhonium roxburghii</i>	409
<i>Thunbergia grandiflora</i>	217	<i>Uncaria attenuata</i>	2212
<i>Timonius finlaysonianus</i>	2207	<i>Uncaria gambir</i>	2215
<i>Timonius flavescentis</i>	2208	<i>Uncaria glabrata</i>	2216
<i>Timonius wallichianus</i>	2209	<i>Uncaria jasminiflora</i>	2213
<i>Timonius wrayi</i>	2210	<i>Uncaria ovalifolia</i>	2217
<i>Tinomiscium petiolare</i>	1513	<i>Uncaria pedicellata</i>	2214
<i>Tinospora crispa</i>	1514	<i>Uncaria pteropoda</i>	2217
<i>Torenia polygonoides</i>	2296	<i>Uncaria roxburghiana</i>	2218
<i>Tournefortia wallichii</i>	475	<i>Uncaria sclerophylla</i>	2214
<i>Trema angustifolia</i>	2405	<i>Uraria crinita</i>	1353
<i>Trema orientalis</i>	2407	<i>Urceola brachysepala</i>	360
<i>Trema virgata</i>	2406	<i>Urceola lucida</i>	361
<i>Trevesia cheirantha</i>	418	<i>Urceola maingayi</i>	362
<i>Trichomanes bimarginatum</i>	176	<i>Urceola malaccensis</i>	363
<i>Trichomanes christii</i>	170	<i>Urceola torulosa</i>	364
<i>Trichomanes humile</i>	171	<i>Urena lobata</i>	1413
<i>Trichomanes javanicum</i>	172	<i>Urophyllum glabrum</i>	2221
<i>Trichomanes obscurum</i>	176	<i>Urophyllum griffithianum</i>	2222
<i>Trichomanes pallidum</i>	177	<i>Urophyllum hirsutum</i>	2223
<i>Trichomanes singaporenum</i>	178	<i>Urophyllum macrophyllum</i>	2224
<i>Trichomanes sublimbatum</i>	179	<i>Urophyllum streptopodium</i>	2226
<i>Trichosanthes celebica</i>	640	<i>Urophyllum trifurcum</i>	2227
<i>Trichosanthes wallichiana</i>	641	<i>Utricularia albina</i>	1363
<i>Trichosanthes wawraei</i>	642	<i>Utricularia bifida</i>	1362
<i>Tridax procumbens</i>	583	<i>Utricularia exoleta</i>	1364
<i>Trigonachras acuta</i>	2261	<i>Utricularia fluitans</i>	1365
<i>Trigoniastrum hypoleucum</i>	2395	<i>Utricularia griffithii</i>	1366
<i>Trigonochlamys grandifolia</i>	480	<i>Uvaria excelsa</i>	277
<i>Trigonochlamys griffithii</i>	4490	<i>Uvaria hirsuta</i>	327
<i>Trigonostemon longifolius</i>	952	<i>Uvaria lobbiana</i>	329
<i>Triomma malaccensis</i>	494	<i>Uvaria macrophylla</i>	324
<i>Tristania merguensis</i>	1692	<i>Uvaria purpurea</i>	326
<i>Tristania obovata</i>	1693	<i>Uvaria ridleyi</i>	328
<i>Tristania sumatrana</i>	1694	<i>Uvaria subrepanda</i>	329
<i>Tristellateia australasiae</i>	1404	<i>Vaccinium acuminatissimum</i>	821
<i>Triumfetta pseudo-cana</i>	2393	<i>Vaccinium hasseltii</i>	823
<i>Triumfetta rhomboidea</i>	2394	<i>Vaccinium malaccense</i>	822
<i>Tropidia curculigooides</i>	1923	<i>Vandellia crustacea</i>	2304
<i>Turnera trioniflora</i>	2398	<i>Vandellia elata</i>	2305
<i>Turnera ulmifolia</i>	2399	<i>Vandellia hirsuta</i>	2309
<i>Turpinia latifolia</i>	2335	<i>Vandellia pedunculata</i>	2301

<i>Vanilla griffithii</i>	1924	<i>Xanthophyllum discolor</i>	2033
<i>Vatica maingayi</i>	785	<i>Xanthophyllum kingii</i>	2034
<i>Vatica ridleyana</i>	786	<i>Xanthophyllum obscurum</i>	2037
<i>Vatica wallichii</i>	786	<i>Xanthophyllum palembanicum</i>	2035
<i>Ventilago malaccensis</i>	2056	<i>Xerospermum intermedium</i>	2264
<i>Vernonia arborea</i>	584	<i>Xerospermum wallichii</i>	2264
<i>Vernonia chinensis</i>	586	<i>Ximenia americana</i>	1716
<i>Vernonia cinerea</i>	585	<i>Xylophia caudata</i>	331
<i>Vernonia javanica</i>	584	<i>Xylophia dicarpa</i>	335
<i>Viburnum sambucinum</i>	506	<i>Xylophia ferruginea</i>	332a
<i>Vigna retusa</i>	1354	<i>Xylophia fusca</i>	333
<i>Viscum articulatum</i>	1394	<i>Xylophia malayana</i>	335
<i>Viscum orientale</i>	1395	<i>Xylophia oxyantha</i>	332b
<i>Vitex coriacea</i>	2445	<i>Xylophia ridleyi</i>	275
<i>Vitex negundo</i>	2448	<i>Xyris anceps</i>	2474
<i>Vitex peralata</i>	2446	<i>Xyris indica</i>	2475
<i>Vitex pteropoda</i>	2446	<i>Zalacca affinis</i>	1986
<i>Vitex pubescens</i>	2449	<i>Zalacca conferta</i>	1961
<i>Vitex trifolia</i>	2450	<i>Zanthoxylum hirtellum</i>	2238
<i>Vitex vestita</i>	2451	<i>Zeuxine clandestina</i>	1928
<i>Vitis cinnamomea</i>	2455	<i>Zingiber griffithii</i>	2502
<i>Vitis elegans</i>	2456	<i>Zingiber puberulum</i>	2503
<i>Vitis furcata</i>	2466	<i>Zingiber zerumbet</i>	2504
<i>Vitis glaberrima</i>	2464	<i>Ziziphus calophylla</i>	2057
<i>Vitis gracilis</i>	2457	<i>Ziziphus elegans</i>	2058
<i>Vitis hastata</i>	2463	<i>Ziziphus horsfieldii</i>	2059
<i>Vitis lawsonii</i>	2473	<i>Ziziphus oenoplia</i>	2060
<i>Vitis macrostachya</i>	2467	<i>Zornia diphylla</i>	1356
<i>Vitis mollissima</i>	2460	<i>Zoysia pungens</i>	1114
<i>Vitis novemfolia</i>	2461		
<i>Vitis repens</i>	2465		
<i>Vitis trifolia</i>	2462		
<i>Vittaria elongata</i>	181		
<i>Vrydagzynea albida</i>	1925		
<i>Vrydagzynea lancifolia</i>	1926		
<i>Vrydagzynea tristriata</i>	1927		
<i>Wedelia biflora</i>	587		
<i>Wikstroemia ridleyi</i>	2385		
<i>Willughbeia coriacea</i>	368		
<i>Willughbeia firma</i>	368		
<i>Willughbeia flavescens</i>	365		
<i>Willughbeia tenuiflora</i>	371		
<i>Wolfenia arhiza</i>	1360		
<i>Wormia excelsa</i>	741		
<i>Wormia pulchella</i>	744		
<i>Wormia suffruticosa</i>	746		
<i>Xanthium strumarium</i>	589		
<i>Xanthophyllum affine</i>	2306		
<i>Xanthophyllum curtisii</i>	2313		