

Flora of Singapore: Checklist and bibliography

S. Lindsay¹, D.J. Middleton¹, B.C. Ho¹, K.Y. Chong^{1,2}, I.M. Turner^{1,3}, Ali Ibrahim¹, M. Alonso-García⁴, W.F. Ang¹, P.S. Ashton³, P. Athen¹, S. Atkins⁵, Bazilah Ibrahim¹, H.J. Beentje³, C.M. Boo⁶, P.C. Boyce⁷, G.L.C. Bramley³, S. Buerki⁸, M.W. Callmander⁹, S. Chantanaorrapint¹⁰, M. Cheek³, C.-W. Chen^{11,12,13}, J. Chen¹, L.M.J. Chen¹, Chew, P.T.¹, R. Chong^{1,2}, L.M. Choo¹, R.C.K. Chung¹⁴, M.J.E. Coode⁵, S.C. Chua², D. Cicuzza^{15,16}, R.P.J. de Kok¹, G.W.H. Davison¹, W.J.J.O. de Wilde^{17†}, H. Duistermaat¹⁷, A. Dubéarnès¹⁸, B.E.E. Duyfjes¹⁷, L.T. Ellis¹⁹, H.-J. Esser²⁰, P.R. Gajurel²¹, S.W. Gale²², S.K. Ganesan¹, E.M. Gardner^{1,23,24}, D.L. Geiger^{25,26}, R.K. Harwood²⁷, Hassan Ibrahim¹, S. He²⁸, A. Henderson²⁹, P.H. Hovenkamp^{17†}, M. Hughes⁵, Zaki Jamil¹, M.H.P. Jebb³⁰, D.M. Johnson³¹, A. Kartonegoro³², R. Kiew¹⁴, S. Knapp¹⁹, S.L. Koh¹, H. Kurzweil¹, S. Lee¹, P.K.F. Leong¹, J. Leong-Škorničková¹, G.A. Levin³³, D.C.H. Liew¹, R.C.J. Lim¹, W.H. Lim¹, A.H.B. Loo¹, Y.W. Low¹, H.K. Lua¹, S. Lum³⁴, D.J. Mabberley^{35,36,37}, R. Mahyuni³², B. Maslin^{1,38}, N.A. Murray³¹, L. Neo¹, X.Y. Ng¹, K.M. Ngo³⁴, M.A. Niissalo¹, P.T. Ong¹⁴, C.M. Pannell^{3,39,40}, A. Phang^{1,5,41}, G.T. Prance³, C. Promma⁴², C. Puglisi^{1,3}, M.L. Rodda¹, S.C.K. Rubasinghe⁴³, R.M.K. Saunders⁴⁴, I.A. Savinov⁴⁵, L.G. Saw¹⁴, A. Schuiteiman³, W.W. Seah¹, D.A. Simpson³, J.S. Strijk^{15,46}, P. Sukkharak⁴⁷, M. Sugumaran⁴⁸, S. Syahida-Emiza¹⁴, J.P.C. Tan¹, N.P. Taylor⁴⁹, Y.K.L. Teo³⁴, D.C. Thomas¹, A. Trias-Blasi³, T. Utteridge³, P.C. van Welzen¹⁷, J.F. Veldkamp^{17†}, J. Vermeulen⁵⁰, R. Wang⁵¹, P. Wilkie⁵, Y.-M. Wei⁵², S.Y. Wong^{53,54}, K.M. Wong¹, S. Yaakub⁵⁵, T.W. Yam¹, S. Yang¹, T.L. Yao¹⁴, W. Ye⁵⁶, A.T.K. Yee¹, C.K. Yeo¹, Y.S. Yeoh¹, C. Yong¹, K.T. Yong⁴⁸, N.J.C. Zerega⁵⁷, R.-L. Zhu⁴², K.B.H. Er¹

ABSTRACT. A checklist of all species of bryophytes, lycophytes, ferns, gymnosperms and angiosperms that are found in the wild (native, naturalised and casual) in Singapore is presented. We have attempted to account for all names of species and infraspecific taxa that have ever been recorded for Singapore, along with the pertinent publications that reported each of these names. For each currently accepted name, the synonyms of relevance for Singapore are included. The native or non-native status for all taxa is given, along with the most recent national conservation assessment applied to each native taxon. If we were aware that the most recent assessment required an update, the taxon is newly assessed here. The checklist includes 2654 native taxa, 479 naturalised/casual taxa and 101 cryptogenic taxa.

ACKNOWLEDGEMENTS. Although compiled primarily by the first five authors in collaboration with the remaining authors, this checklist is based on the field work, specimen curation, taxonomic research and accumulated knowledge of very many people who are all gratefully acknowledged. We thank management within the National Parks Board (NParks) for their support for this work, in particular Leong Chee Chiew, Executive Director of the National Parks, Gardens and Nature Reserves Cluster, Tan Puay Yok of the Singapore Botanic Gardens, and Lilian Kwok and Ng Cheow Kheng of the Horticulture and Community Gardens Division. We also thank the many colleagues from NParks who have aided in various ways and without

whom this checklist would not have been possible. Kenneth Er and Chong Kwek Yan would like to acknowledge Hugh Tan of the National University of Singapore for his many years of research on the plant diversity of Singapore. Our work has been greatly aided by online resources such as the International Plant Names Index (IPNI), Plants of the World Online (POWO), World Checklist of Selected Plant Families (WCSP), the Biodiversity Heritage Library (BHL), JStor Global Plants, Taxonomic Literature II (TL-2), Tropicos, and The Wallich Catalogue Online. We thank the various institutions behind these initiatives. Lastly, we thank John McNeill (E), Kanchi Gandhi (A/GH), Nicholas Turland (B) and the staff of IPNI for nomenclatural advice and/or comments on particular names.

AUTHOR AFFILIATIONS.

¹National Parks Board, 1 Cluny Road, Singapore 259569, Singapore

²Department of Biological Sciences, National University of Singapore, 16 Science Drive 4, Singapore 117558, Singapore

³Royal Botanic Gardens Kew, Richmond TW9 3AE, England, UK

⁴Département de Biologie, Institut de Biologie Intégrative et des Systèmes, 1030 Avenue de la Médecine, Université Laval, Québec G1V 0A6, Canada

⁵Royal Botanic Garden Edinburgh, 20a Inverleith Row, Edinburgh EH3 5LR, Scotland, UK

⁶Camphora Pte Ltd, 4 Ean Kiam Place, Singapore 429105, Singapore

⁷CSET - Centro Studi Erbario Tropicale, Via La Pira 4, 50121 Firenze, Italy

⁸Department of Biological Sciences, Boise State University, 1910 University Drive, Boise, ID, 83725, USA

⁹Conservatoire et Jardin botaniques de Genève, ch. de l'Impératrice 1, 1292 Chambésy, Switzerland

¹⁰Division of Biological Science, Faculty of Science, Prince of Songkla University, Hat Yai, Songkhla 90112, Thailand

¹¹Biodiversity Program, Taiwan International Graduate Program, Academia Sinica and National Taiwan Normal University, Taipei 115, Taiwan

¹²Biodiversity Research Center, Academia Sinica, Taipei 115, Taiwan

¹³Department of Life Science, National Taiwan Normal University, Taipei 106, Taiwan

¹⁴Forest Research Institute Malaysia, 52109 Kepong, Selangor, Malaysia

¹⁵Institute for Biodiversity and Environmental Research, Universiti Brunei Darussalam, Jalan Tungku Link, BE1410, Brunei Darussalam

¹⁶Faculty of Science, Universiti Brunei Darussalam, Jalan Tungku Link, BE1410, Brunei Darussalam

¹⁷Naturalis Biodiversity Center, Research group Tropical Botany, P.O. Box 9517, 2300 RA Leiden, The Netherlands

¹⁸Herbarium, Botany Department, Trinity College Dublin, Dublin 2, Ireland

¹⁹Herbarium, The Natural History Museum, Cromwell Road, London SW7 5BD, England, UK

²⁰Botanische Staatssammlung München, Menzinger Straße 67, 80638 München, Germany

²¹Department of Forestry, North Eastern Regional Institute of Science & Technology, Nirjuli-791109, Arunachal Pradesh, India

²²Flora Conservation Department, Kadoorie Farm and Botanic Garden, Lam Kam Road, Tai Po, New Territories, Hong Kong, China

²³International Center for Tropical Botany, Institute of Environment, Department of Biological Sciences, Florida International University, Miami, Florida, USA

²⁴National Tropical Botanical Garden, Kalāheo, Hawai'i, USA

- ²⁵Santa Barbara Museum of Natural History, 2559 Puesta del Sol, Santa Barbara, CA 93105, USA
- ²⁶Visiting Research Scholar, Huntington Library, Art Museum and Botanical Gardens - Botany Division, 1151 Oxford Street, San Marino, California 91108, USA
- ²⁷Northern Territory Herbarium, Department of Land Resource Management, P.O. Box 496, Palmerston, Northern Territory 0831, Australia
- ²⁸Herbarium, Missouri Botanical Garden, 4344 Shaw Blvd., Saint Louis, Missouri 63110-2291, USA
- ²⁹Institute of Systematic Botany, The New York Botanical Garden, 2900 Southern Blvd., Bronx, New York 10458-5126, USA
- ³⁰National Herbarium, National Botanic Gardens of Ireland, Glasnevin, Dublin D09 VY63, Ireland
- ³¹The Jason Swallen Herbarium, Department of Biological Sciences, Ohio Wesleyan University, Delaware, Ohio 43015-2370, USA
- ³²Herbarium Bogoriense, Research Centre for Biosystematics and Evolution, National Research and Innovation Agency (BRIN), Jl. Raya Jakarta-Bogor, KM. 46, Cibinong Science Center, Cibinong 16911, Indonesia
- ³³Canadian Museum of Nature, P.O. Box 3443 Stn "D", Ottawa, Ontario N K1P 6P4, Canada
- ³⁴Nanyang Technological University, 50 Nanyang Avenue, Singapore 639798, Singapore
- ³⁵Royal Botanic Garden Sydney, Royal Botanic Gardens & Domain Trust, Mrs Macquaries Road, Sydney, New South Wales 2000, Australia
- ³⁶Wadham College, University of Oxford, Parks Road, Oxford OX1 3PN, UK
- ³⁷School of Natural Sciences, Macquarie University, Balaclava Road, North Ryde, New South Wales 2109, Australia
- ³⁸Western Australian Herbarium, Locked Bag 104, Bentley Delivery Centre, Western Australia 6983, Australia
- ³⁹Department of Plant Sciences, University of Oxford, South Parks Road, Oxford, England OX1 3RB, UK
- ⁴⁰Queen's University Belfast, Marine Laboratory, 12–13 The Strand, Portaferry, Co Down BT22 1PF, Northern Ireland, UK
- ⁴¹School of Biological Sciences, University of Aberdeen, Aberdeen AB24 3UU, Scotland, UK
- ⁴²Bryology laboratory, School of Life Sciences, East China Normal University, 500 Dongchuan Road, Shanghai 200241, China
- ⁴³Department of Botany, Faculty of Science, University of Peradeniya, Peradeniya, Sri Lanka 20400
- ⁴⁴Division of Ecology & Biodiversity, School of Biological Sciences, The University of Hong Kong, Pokfulam Road, Hong Kong, China
- ⁴⁵Department of Botany, Breeding and Seed Technology of Horticultural crops, Russian State Agrarian University – Moscow Timiryazev Agricultural Academy, Moscow 127550, Russia
- ⁴⁶Alliance for Conservation Tree Genomics, Pha Tad Ke Botanical Garden, P.O. Box 959, 06000 Luang Prabang, Lao PDR
- ⁴⁷Department of Biology, Faculty of Science, Burapha University, Chonburi 20131, Thailand
- ⁴⁸Institute of Biological Sciences, Faculty of Science, University of Malaya, 50603 Kuala Lumpur, Malaysia
- ⁴⁹University of Gibraltar, Gibraltar Botanic Gardens Campus, PO Box 843, Red Sands Road, Gibraltar GX1 1AA
- ⁵⁰jk.artandscience, Lauwerbes 8, 2318 AT Leiden, The Netherlands

⁵¹South China Botanical Garden, Chinese Academy of Sciences, China

⁵²Guangxi Key Laboratory of Plant Conservation and Restoration Ecology in Karst Terrain,
Guangxi Institute of Botany, Guilin 541006, Guangxi, China

⁵³Institute of Biodiversity and Environmental Conservation, Universiti Malaysia Sarawak,
94300 Kota Samarahan, Sarawak, Malaysia

⁵⁴Research Associate, Harvard University Herbaria, 22 Divinity Avenue, Cambridge, MA
02138, USA

⁵⁵DHI Water & Environment (S) Pte Ltd, 2 Venture Drive, #18–18, Vision Exchange, Singapore
608526, Singapore

⁵⁶State Key Laboratory of Cellular Stress Biology, School of Life Sciences, Xiamen University,
Xiamen 361102, China

⁵⁷Northwestern University and Chicago Botanic Garden, 1000 Lake Cook Road, Glencoe, IL
60022, USA

Introduction

Botanical exploration in Singapore began more than 200 years ago with Christopher Smith's collections from Pulau Senang in 1796 and William Jack's collections from the mainland of Singapore in 1819 (Middleton & Turner, 2019). The latter was employed by Sir Stamford Raffles who, along with William Farquhar, established a colonial outpost that was to become a bustling metropolis. This led to widespread conversion of forest to plantations and agricultural land, driven mainly by gambir and pepper (Corlett, 1991). The effects of this can be seen in the many taxa only known from collections by Nathaniel Wallich in 1822 and not collected in Singapore since. Although there were collections by many different botanists in the decades after Wallich (see Middleton & Turner, 2019), systematic collection and documentation of the plant diversity of Singapore only really began when Henry Nicholas Ridley arrived in Singapore in 1888, by which time most of the original tropical forest had been cleared or logged at least once. Although efforts had already begun to establish protected areas from 1884, the establishment of rubber plantations then led to a second wave of forest conversion that claimed much of the first regrowth forest and other unmanaged areas, peaking in the 1930s when forest protection was withdrawn altogether for a brief period (Davison, 2019). From the 1950s, with self-government and eventual independence and industrialisation, these plantations were gradually abandoned. The abandoned plantations were replaced by native and exotic-dominated secondary forests, some of which are today protected and managed by the National Parks Board (NParks), including as buffers around more mature forests. The current patchwork of forest types and habitats has been summarised by Yee et al. (2011, 2019).

Taxonomic research on the plants of Singapore has ebbed and flowed over time (Middleton & Turner, 2019). The earliest attempt to synthesise data on the plant diversity of the island was by Ridley (1900, 1901) who compiled the first annotated checklist. Two decades later, Ridley (1922–1925) published his 5-volume *Flora of the Malay Peninsula*, the first Flora to include the native and naturalised species of Singapore. Other major checklists of the plants of Singapore include those by Turner et. al (1990), Turner (1993), Turner & Tan (1994) and Chong et al. (2009). Between these various taxonomic works and checklists, and other monographic and floristic works for Singapore (e.g., Johnson, 1959, 1977, 1980; Wee, 1984; Keng, 1990; Keng et al., 1998; Piippo et al., 2002; Duistermaat, 2005; LaFrankie et al., 2005; Tan & Ho, 2008a; Yam, 2013; Kaw & Neo, 2018) and the wider region, such as *Flora Malesiana* and *Flora of Peninsular Malaysia*, the plant diversity of Singapore is considered to be rather well known when compared to many other countries in tropical regions (Middleton et al., 2019a). However, new exploration and new research continuously leads to new discoveries that enrich our understanding of Singapore's plant diversity. Identifying the need for a modern comprehensive floristic treatment to synthesise the data accumulated over many decades, NParks, led by the Singapore Botanic Gardens, has begun a new *Flora of Singapore*, with three volumes having been published so far (Middleton et al., 2019c,d,e).

The native flora of Singapore is relatively well-collected (Chong et al., 2012; Niissalo et al., 2014; Middleton et al., 2019a) because of the small size of the country, an active botanical community over a long period of time, and the relatively small area of remaining natural vegetation to be explored. This combination of factors meant that the flora was of a manageable size for an assessment of the threats to all native plant species. The conservation statuses of native species which have been assessed as threatened have been published in two editions of the *Singapore Red Data Book* (Wee, 1994; Turner et al., 1994; Tan & Ho, 2008b; B.C. Tan et al., 2008; H.T.W. Tan et al., 2008). Even the non-native, or exotic, flora is relatively well-documented. A checklist of naturalised vascular plants was compiled by Corlett (1988) and incorporated into the checklists by Turner (1993) and Chong et al. (2009) and another was compiled by Lok et al. (2010). New species, new records of both native and introduced species, and rediscoveries of species thought to be nationally extinct are regularly published, particularly in *Gardens' Bulletin Singapore* and *Nature in Singapore* (Middleton, 2019; Lim et al., 2019).

Chong et al. (2009) is currently treated as the main source of information for vascular plant species found in Singapore, although this has now been superseded for some families by the first volumes of the *Flora of Singapore*. However, as with many large bibliographic works, Chong et al. (2009) contains errors arising from incomplete information for some taxa, including in some of the conservation assessments applied to species not covered in the earlier Singapore Red Data Books (although these too were not error-free). Many of those errors have since been corrected in later works or are corrected here (recorded as ‘assessed here’ in the list of taxa). A new, 3rd edition of the *Singapore Red Data Book* is currently in preparation and all conservation assessments will be updated there.

Here we publish an updated checklist of the plants of Singapore, presented in a manner more similar to Turner (1993) than to Chong et al. (2009) because of the inclusion of bibliographic information for each species. Unlike Turner (1993), Chong et al. (2009) and most earlier works, bryophytes are now included. Turner (1993) was quite explicit that he was only attempting to account for names used for plants in Singapore since 1900. In this new checklist, however, we have attempted to also account for names used for plants in Singapore from several major floristic sources in the nineteenth century.

The taxonomic arrangement follows Frey & Stech (2009) for bryophytes, PPG I (2016) for lycophytes and ferns, Christenhusz et al. (2011) for gymnosperms, and APG IV (2016) for angiosperms (for further discussion on the application of these systems for Singapore see Middleton et al., 2019b). Where family delimitation is still in flux, we have adopted the more traditional concepts (for example in Boraginaceae and Olacaceae). We have, however, revived the family Taccaceae because the synonymy into Dioscoreaceae is not supported (Merckx & Smets, 2014; Givnish et al., 2018; Shepeleva et al., 2020).

We have compiled this checklist in close collaboration with the *Flora of Singapore* project to ensure that the names being used are as accurate as possible at the time of compilation. It is inevitable that as research for the *Flora of Singapore* and

other taxonomic projects in the region proceeds, new insights and discoveries will lead to further change. However, with the rigorous approach that has been adopted for this checklist, efforts have been made to ensure that it is as accurate as possible at the time of writing and that all entries and conservation assessments are supported by citations. It is hoped that in time there will also be a live online version of this checklist that can be kept up to date.

We have also compiled this checklist in an era when many more online resources are available to us than to the earlier checklist compilers. Consequently, we have been better able to check the original literature sources and clarify confusing and often conflicting data from other publications. Notwithstanding this, it has also raised innumerable questions as to the correct spellings of names and their authorships. So that future generations of taxonomists and bibliographers need not have to repeat the enormous amount of work done to answer these questions, we have also been working with the *International Plant Names Index* (IPNI) to ensure that our findings are incorporated into IPNI and from there will find their way into other online resources (Middleton et al., 2021).

This new checklist comprises 2654 native taxa, 479 naturalised/casual taxa and 101 cryptogenic taxa. Of these, 30 species have more than one infraspecific taxon in Singapore. It complements the *Flora of Singapore* by providing the bibliographic references and conservation assessments in a concise manner for a wide range of potential users of botanical data. It also provides a summary of the Singapore-related literature on species for which *Flora of Singapore* accounts are still pending. These literature resources will likewise be of considerable value for future researchers, including *Flora of Singapore* authors. As this publication is now the most accurate compilation of taxa to be assessed for the forthcoming new edition of the *Singapore Red Data Book*, and with large numbers of conservation assessments having been checked and updated here, this checklist will also act as the starting point for an update of the assessments of all plant species.

Interpreting rediscoveries and new records

There have been numerous ‘rediscoveries’ of species presumed to be nationally extinct since the publication of the second edition of the *Singapore Red Data Book* in 2008 (Tan & Ho, 2008b; B.C. Tan et al., 2008; H.T.W. Tan et al., 2008). The term ‘nationally extinct’ is used for plant taxa in the *Singapore Red Data Book* that have not been collected or recorded in Singapore within the previous 30 years. A number of the species listed as nationally extinct in Chong et al. (2009) were due to clerical error and should never have been listed as such. These were highlighted and mostly corrected by Chong et al. (2012) and some have been further corrected here.

When a paper documenting a rediscovery, new record, or re-circumscription of a species also proposed a new conservation status, that status is reflected in this checklist. We encourage authors proposing new conservation statuses in the future to provide some justification through the IUCN Red List criteria, as elaborated for Singapore by Davison et al. (2008) and summarised in Table 1.

Table 1. Definitions of native and non-native status categories used in this checklist. The definitions for the threat statuses of the native species follow Davison et al. (2008), largely based on Criterion D for very small and restricted populations (see IUCN, 2019 for the current version), applied at the national level.

Status	Definition
Native	
Extinct (EX)	Originated or arrived in Singapore without intentional or unintentional involvement of human activities.
Presumed Nationally Extinct (NEx)	Globally extinct.
Critically Endangered (CR)	Not recorded in Singapore within the last 30 years. Endemic species that are presumed nationally extinct will consequently also be presumed to be globally extinct.
Endangered (EN)	Fewer than 50 mature individuals estimated to be in Singapore; or if more than 50 but fewer than 250 mature individuals, with evidence of rapid decline or decline and fragmentation of populations.
Vulnerable (VU)	Between 50 and 250 mature individuals estimated to be in Singapore, with no evidence of decline or fragmentation of populations.
Least Concern (LC)	Between 250 to 1000 mature individuals estimated in Singapore.
Data Deficient (DD)	More than 1000 mature individuals estimated in Singapore.
Not Evaluated (NE)	Not enough information available to assess the risk of extinction.
Cryptogenic	Not yet assessed for risk of extinction. This includes some species for which there are grounds for rejecting or questioning a previous assessment but for which a new assessment is pending.
Uncertain whether presence in Singapore is from natural dispersal or as a result of human activities.	
Non-native (=Exotic)	
Naturalised	Presence in Singapore is because of intentional or unintentional involvement of human activities.
Casual	Species that have established self-sustaining wild (i.e., non-cultivated) populations such that long-term persistence in Singapore is likely without additional introduction of new individuals or propagules.
Cultivated Only	Species that occur in the wild in Singapore as escapes or relics of cultivation but do not form self-sustaining populations, such that their presence is ephemeral once the original individuals die or are removed without additional introduction of new individuals or propagules. This includes taxa that were formerly considered to be naturalised but have since died out. Those for which we have no record of occurrence in the wild for more than 30 years are still treated as casual but are further highlighted with an asterisk (Casual*).
	Only found in cultivation (not featured in this checklist).

Most rediscoveries of species previously thought to be nationally extinct, and new records of species previously unknown in Singapore, will be of taxa that are so extremely rare that they likely occur in very low numbers of individuals and, consequently, are likely to be assessed as Critically Endangered (CR/D) in Singapore. However, as Chong et al. (2018) cautioned, this must not be an automatic response as some of them may have simply been poorly documented and may be locally abundant or widespread. All rediscoveries and new records should, therefore, be assessed anew and the justification given. In this checklist, all taxa with updated national conservation assessments have been assessed under Criterion D (IUCN Standards and Petitions Committee, 2019), reflecting our estimates of population sizes in Singapore.

Misapplied names and excluded names

Sometimes authors report a species for Singapore that later turns out to be incorrect when further taxonomic research is done. In most cases, it can be established that a name has been misapplied to a species that is correctly identified under a different name. The most proficient way to check the application of names used in the previous literature is by tracing any specimens cited. Following the established convention, names that have been misapplied in Singapore are cited as synonyms in this checklist under the correct name and indicated as misapplied with ‘auct. non’. Occasionally a species is listed in the literature as occurring in Singapore for which no specimens are cited or known and hence cannot be confidently assigned as misapplied to a known species. Such species are excluded from this checklist but are listed separately in the Excluded Species section. Middleton & Turner (2019) also noted problems in the interpretation of some nineteenth century collections that appear to have been collected from Singapore but are unlikely to have been so. Many of these are also included in the list of excluded taxa and will be explained in the *Flora of Singapore* accounts. Cultivated taxa that were noted as escaping in early literature but for which there is no specimen evidence and which are today unknown in the wild, are mostly treated as excluded.

Conservation assessments

All native plant species in this checklist have been assigned a national conservation status or are listed as NE which stands for Not Evaluated. The definitions of the threatened status categories for native species are shown in Table 1.

The purpose of conservation assessments is to shine a spotlight on species at risk of extinction, i.e., threatened species. Like many other country/regional-level Red Lists, the previous editions of the *Singapore Red Data Book* (Davison et al., 2008) did not list species that have been assessed and found to be not threatened. Chong et al. (2009) listed all native vascular plant species in Singapore that were not included in the *Singapore Red Data Book* as ‘Common’, which is a term incongruent with IUCN

terminology. However, rather than being of Least Concern (LC), to use the appropriate IUCN language, some of these species were not assessed in the two editions of the *Singapore Red Data Book* for various reasons. Many of these unassessed species are rare and likely threatened. Many of the updates in this new checklist are to provide assessments for species incorrectly treated as Least Concern or not previously assessed at all. Many more must await the new edition of the *Singapore Red Data Book* for an assessment under the IUCN criteria and are hence treated here as Not Evaluated. This distinguishes between those that have been assessed and considered not to be threatened, i.e., Least Concern, from those that have not yet been assessed at all. In some cases where an assessment has been attempted but the data found to be insufficient to do so reliably, a status of Data Deficient is used. This term is also applied to those cases where taxonomic problems remain, such that a species cannot be clearly defined.

Taxonomic changes and the clarification of misapplied names may also have impacts on the conservation status. In cases where a taxon's name has changed but not its circumscription, the conservation status remains unchanged (unless, for unrelated reasons, there are grounds for a new assessment). We have ensured that all taxa previously assessed as threatened retain this assessment if the only change is that the name has changed. In some cases, the reason for a name change is too complex to allow simple transfer of an earlier assessment and in these cases, a new assessment is necessary. In other cases, assessments have been found to be erroneous for a variety of reasons, or were inadvertently omitted, and have either been reassessed here or have been given a status of Not Evaluated.

A new edition of the *Singapore Red Data Book* is currently in preparation as a collaboration between the National Parks Board, Singaporean universities and the nature community and is scheduled to be published in 2023. In addition, all authors for accounts in the *Flora of Singapore* are being asked to provide global and national conservation assessments for their taxa. The combination of work done for this checklist, the *Flora of Singapore* and the new *Red Data Book* should ensure that the plant diversity of Singapore has a very robust taxonomic framework and that the conservation status given for each species is based on sound data.

Care must be taken when assessing the conservation status of wild native species if the same species is also known in cultivation. In some cases, plants found in secondary forest may be from long-abandoned gardens or plantations and not of native stock at all. Sometimes, the native stock may be Nationally Extinct (NEx) or Critically Endangered (CR) and these formerly cultivated plants may well be plants originally introduced from elsewhere, particularly from Malaysia. A clear distinction must be maintained pending more detailed studies.

A clear distinction should also be maintained for native species that have been reintroduced into Singapore or translocated from existing populations. The IUCN guidelines (IUCN Standards and Petitions Committee, 2019) do suggest that populations of reintroduced and translocated species be included in conservation assessments, but only if it can be demonstrated these populations are self-sustaining. Most of such programmes in Singapore began relatively recently (see Lim et al.,

2019) such that the data on whether they are self-sustaining or not is still pending and consequently the conservation assessments reflected in this list do not take these reintroduced and translocated populations into account.

To summarise, in this checklist we have not attempted to systematically reassess the conservation status of every single plant species found in Singapore. Instead, we include a conservation status based on those provided for published *Flora of Singapore* accounts, those from *Flora of Singapore* accounts currently in the process of being edited for future volumes, those published in other scientific works since Chong et al. (2009, 2012), those known to be incorrect in previous works and updated here, and those for which we have sufficient data to be able to assess anew. For all other species we default back to the assessment in Chong et al. (2009), for vascular plants, and Tan & Ho (2008b), for bryophytes. All conservation statuses given here should be considered as interim assessments pending the new edition of the *Singapore Red Data Book*.

Endemic plant species

Kiew & Turner (2003) listed only four plant species as endemic in Singapore: *Flickingeria laciniosa* (Ridl.) A.D.Hawkes (now *Dendrobium laciniosum* Ridl.), *Spatholobus ridleyi* Prain, *Strychnos ridleyi* King & Gamble and *Thunbergia dasychlamys* Bremek. They also listed two endemic plant hybrids: *Bolbitis × singaporenensis* Holttum and *Cryptocoryne × timahensis* Bastm. Three of the four species, *Dendrobium laciniosum* (as *Flickingeria laciniosa*), *Strychnos ridleyi* and *Thunbergia dasychlamys*, were presumed to be nationally and, therefore, also globally extinct in the most recent *Singapore Red Data Book*. Rodda et al. (2016) and Middleton (2019) reported that *Spatholobus ridleyi* and *Thunbergia dasychlamys* respectively were no longer to be considered as endemic in Singapore as collections are known from elsewhere. Since Kiew & Turner (2003), seven new endemic plant species have been described for Singapore: *Splachnobryum temasekense* B.C.Tan et al. (Tan et al., 2004), *Hanguana rubinea* Škorničk. & P.C.Boyce and *Hanguana triangulata* Škorničk. & P.C.Boyce (Leong-Škorničková & Boyce, 2015), *Zingiber singapurense* Škorničk. (Leong-Škorničková et al., 2014), *Neonauclea kranjiensis* K.M.Wong & W.W.Seah (Seah & Wong, 2018), *Nervilia singaporensis* Niissalo (Niissalo et al., 2020), and *Gaolejeunea hoi* W.Ye & Y.M.Wei (Ye & Wei, 2021). Recent research for the *Flora of Singapore* has highlighted that the bryophytes *Riccardia latifrondoides* Schiffn. and *Ectropothecium singapurense* Dixon are still only known from Singapore although in both cases this may reflect a lack of collecting and research on bryophytes in the wider region. *Litsea ridleyi* Gamble may also be endemic to Singapore but specimens which have not yet been verified have also been reported from Borneo (de Kok, pers. comm.). Of the species here listed, *Neonauclea kranjiensis* was assessed as globally extinct at the time it was described. In summary, there are eleven known endemic plant species in Singapore, of which three are believed to be globally extinct, *Dendrobium laciniosum*, *Strychnos ridleyi* and *Neonauclea kranjiensis*, and a fourth, *Riccardia latifrondoides*,

must be treated as such following the guidelines of Davison et al. (2008) but is far more easily overlooked than the other species and may be refound. Of the endemic natural hybrids, *Cryptocoryne × timahensis* Bastm. has now also been reported from Johor in Malaysia (Jacobsen et al., 2016) and *Sindora × changiensis* L.M.Choo et al. has been added as a hybrid only known from Singapore (Choo et al., 2022).

Naturally occurring hybrids

Hybrids were excluded from the Chong et al. (2009) checklist. This new checklist includes naturally occurring hybrids that have been named such as *Sindora × changiensis*, *Bolbitis × singaporenensis* and *Cryptocoryne × timahensis*, as well as others such as the *Nepenthes* hybrids. It also includes unnamed hybrids such as *Nepenthes gracilis* Korth. × *Nepenthes rafflesiana* Jack.

Arachnis × maingayi (Hook.f.) Schltr. and *Mangifera × odorata* Griff. were previously given conservation statuses (H.T.W. Tan et al., 2008) even though it is not appropriate to give conservation statuses to hybrids under IUCN guidelines. It has also come to light that *Bruguiera × hainesii* C.G.Rogers, previously listed as Critically Endangered, is a hybrid (Ono et al., 2016).

Terminology for the status of non-native species

The definitions of the various naturalised status categories for non-native plant species are included in Table 1.

Chong et al. (2009) followed as closely as possible the terminology in invasion biology literature for the status of non-native species. Given that checklists are a key source of information on the distributions and macroecological patterns of non-native species that cause ecological and economic impacts around the world, as well as a baseline for monitoring the local establishment of non-native species, there is a need to ensure that standard terminology is consistently used (Pyšek et al., 2004; Lok et al., 2010). Chong et al. (2009) also introduced two new categories of species in the flora: (1) those of uncertain origin, for which Chong et al. (2011) proposed the term ‘Cryptogenic’ (following Carlton, 1996); and (2) ‘Cultivated Only’ for non-native plants that are only found in cultivation. Cryptogenic species are usually species that are so widespread that their natural distribution before mass human migration cannot be ascertained, or species with native geographic ranges that include Singapore but are restricted in Singapore to open, non-coastal habitats that were not expected to have been present in pre-modern times (see Corlett, 1991; Lok et al., 2010; Yee et al., 2011), such as many lawn weeds. A taxon may be moved into or out of the cryptogenic category if its native status is clarified. There are, however, three problems: (1) Some of these taxa may have occurred ephemerally in Singapore in pre-modern times when local catastrophic events led to interludes of open areas in the vegetation; (2) Much of the native vegetation, including coastal vegetation, was already lost by the time

widescale collecting began and surmising that some species otherwise known in the region would likely not have been in Singapore if the native vegetation were intact is rather speculative; and (3) Weedy species are woefully neglected in vegetation surveys so their distribution and status over time is difficult to accurately assess. Although the term cryptogenic is used in this checklist, we are aware that its use is rather subjective and open to differing interpretations. For example, in Chong et al. (2009), 33 species of Poaceae were listed as ‘Weed of Uncertain Origin’ (i.e., Cryptogenic) but in Veldkamp et al. (2019) they were almost all listed as native, albeit with some doubt expressed for a few of those species. Based on the assessments of authors in published and submitted *Flora of Singapore* manuscripts, the total number of cryptogenic species is now considerably lower than in Chong et al. (2009).

The respective definitions of naturalised and casual species, although unambiguous as definitions (Table 1), can be difficult to objectively apply to non-native species that are infrequently observed in the wild. When it is uncertain whether a species has naturalised or is casual, authors should state so clearly. This need for further clarity may spur amateur and professional naturalists to pay closer attention to the biology of these species.

If species were listed as cryptogenic, cultivated only, naturalised, casual or native in previous works but more recent work, including for this checklist and ongoing *Flora of Singapore* research, has found that the species rather belongs to one of the other categories (e.g., a species previously listed as cryptogenic is now treated as native or naturalised), this is then reflected in the checklist with a statement of ‘assessed here’.

Conclusion

All taxonomic works, including checklists, are snapshots of the current state of knowledge of the diversity of a group of plants or of a region at a particular moment in time (Middleton, 2019). Table 2 summarises the number of taxa in each major plant group along with their native status and current national conservation assessment where relevant. This new checklist is based on a rigorous assessment of available data to ensure that it is as current and accurate as possible. It must be repeated that what we know of the plant diversity of Singapore is based on the accumulated specimens collected over the past 200 years, the research that has been done on them, and on field observations. However, not every question can be satisfactorily answered with the data and knowledge we currently have. Consequently, over the coming years, there will likely be further changes in response to new collections, new research, and new insights.

Table 2. Summary of the number of taxa arranged by major plant group, their status as native or otherwise, and the current conservation status of the native taxa. The conservation status of native taxa is subject to reevaluation in the forthcoming *Red Data Book* (3rd edition).

Status	Liverworts	Mosses	Hornworts	Lycophtyes	Ferns	Gymnosperms	Angiosperms	Total
Native	116	147	3	12	163	8	2205	2654
EX	1	0	0	0	0	0	3	4
NE _{Ex}	9	28	0	4	52	0	539	632
CR	3	19	0	1	23	6	884	936
EN	3	16	0	2	29	2	250	302
VU	2	13	1	2	10	0	218	246
LC	7	25	0	3	44	0	274	353
DD	14	1	0	0	5	0	22	42
Not Evaluated	77	44	2	0	0	0	9	132
Unnamed taxa	0	1	0	0	0	0	6	7
Non-native	1	2	0	0	15	0	461	479
Naturalised	1	1	0	0	14	0	270	286
Casual	0	1	0	0	1	0	191	193
Cryptogenic	0	0	0	2	7	0	92	101
Total	117	149	3	14	185	8	2758	3234

References

- APG IV (2016). An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. *Bot. J. Linn. Soc.* 181: 1–20.
- Carlton, J.T. (1996). Biological invasions and cryptogenic species. *Ecology* 77: 1653–1655.
- Chong, K.Y., Tan, H.T.W. & Corlett, R.T. (2009). *A Checklist of the Total Vascular Plant Flora of Singapore: Native, Naturalised and Cultivated Species*. Singapore: Raffles Museum of Biodiversity Research, National University of Singapore.
- Chong, K.Y., Tan, H.T.W. & Corlett, R.T. (2011). A summary of the total vascular flora of Singapore. *Gard. Bull. Singapore* 63: 197–204.
- Chong, K.Y., Lee, S.M.L., Gwee, A.T., Leong, P.K.F., Samsuri Ahmad, Ang, W.F., Lok, A.F.S.L., Yeo, C.K., Corlett, R.T. & Tan, H.T.W. (2012). Herbarium records do not predict rediscovery of presumed nationally extinct species. *Biodivers. Conserv.* 21: 2589–2599.
- Chong, K.Y., Lim, R.C.J., Loh, J.W., Neo, L., Seah, W.W., Tan, S.Y. & Tan, H.T.W. (2018). Rediscoveries, new records, and the floristic value of the Nee Soon freshwater swamp forest, Singapore. *Gard. Bull. Singapore* 70(Suppl. 1): 49–69.
- Choo, L.M., Loo, A.H.B., Ang, W.F. & Er, K.B.H. (2022). A natural hybrid of *Sindora* (Fabaceae: Detarioideae) from Singapore. *PhytoKeys* 190: 87–102.
- Christenhusz, M.J.M., Reveal, J.L., Farjon, A., Gardner, M.F., Mill, R.R. & Chase, M.W. (2011). A new classification and linear sequence of extant gymnosperms. *Phytotaxa* 19: 55–70.
- Corlett, R.T. (1988). The naturalized flora of Singapore. *J. Biogeogr.* 15: 657–663.
- Corlett, R.T. (1991). Vegetation. In: Chia, L.S., Ausafur Rahman & Tay, D.B.H. (ed.) *The Biophysical Environment of Singapore*, pp. 134–154. Singapore: Singapore University Press.
- Davison, G.W.H. (2019). Plant conservation in Singapore I: historical and legal background. In: Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (ed.) *Flora of Singapore*, vol. 1, pp. 71–81. Singapore: National Parks Board.
- Davison, G.W.H., Ng, P.K.L. & Ho, H.C. (ed.) (2008). *The Singapore Red Data Book: Threatened Plants and Animals of Singapore*, ed. 2. Singapore: Nature Society (Singapore).
- Duistermaat, H. (2005). Field guide to the grasses of Singapore (excluding bamboos). *Gard. Bull. Singapore* 57(Suppl.): 1–177.
- Frey, W. & Stech, M. (2009). Bryophytes (Marchantiophyta, Bryophyta, Anthocerophyta). In: Frey, W. (ed.) *Syllabus of Plant Families: Adolf Engler's Syllabus der Pflanzenfamilien*, ed. 13, Part 3, *Bryophytes and seedless vascular plants*, pp. 9–263. Stuttgart: Gebrüder Borntraeger.
- Givnish, T.J., Zuluaga, A., Spalink, D., Soto Gomez, M., Lam, V.K.Y., Saarela, J.M., Sass, C., Iles, W.J.D., De Sousa, D.J.L., Leebens-Mack et al. (2018). Monocot plastid phylogenomics, timeline, net rates of species diversification, the power of multi-gene analyses, and a functional model for the origin of monocots. *Amer. J. Bot.* 105: 1888–1910.
- IUCN Standards and Petitions Committee (2019). *Guidelines for Using the IUCN Red List Categories and Criteria*. Version 14. Prepared by the Standards and Petitions Committee. Available from <http://iucnredlist.org/documents/RedListGuidelines.pdf>.
- Jacobsen, N., Bastmeijer, J.D., Bogner, J., Budianto, H., Ganapathy, H.B., Idei, T., Ipor, I.B., Komala, T., Othman, A.S., Rosazlina, R. et al. (2016). Hybrids and the Flora of Thailand revisited: Hybridization in the South-East Asian genus *Cryptocoryne* (Araceae). *Thai Forest Bull., Bot.* 44: 53–73.

- Johnson, A. (1959). A student's guide to the ferns of Singapore Island. *Malayan Nat. J.* 13(3&4): 99–223.
- Johnson, A. (1977). *The ferns of Singapore Island*. Singapore: Singapore University Press.
- Johnson, A. (1980). *Mosses of Singapore and Malaysia*. Singapore: Singapore University Press.
- Kaw, J.B. & Neo, L. (2018). *Wayside flowers of Singapore*. Singapore: Straits Times Press.
- Keng, H. (1990). *The Concise Flora of Singapore: Gymnosperms and Dicotyledons*. Singapore: Singapore University Press.
- Keng, H., Chin, S.C. & Tan, H.T.W. (1998). *The Concise Flora of Singapore. Volume II: Monocotyledons*. Singapore: Singapore University Press.
- Kiew, R. & Turner, I.M. (2003). Are any plants endemic to Singapore? *Gard. Bull. Singapore* 55: 173–184.
- LaFrankie, J.V., Davies, S.J., Wang, L.K., Lee, S.K. & Lum, S.K.Y. (2005). *Forest trees of Bukit Timah: populational ecology in a tropical forest fragment*. Singapore: Simply Green.
- Leong-Škorničková, J. & Boyce, P.C. (2015). *Hanguana* in Singapore demystified: an overview with descriptions of three new species and a new record. *Gard. Bull. Singapore* 67: 1–28.
- Leong-Škorničková, J., Thame, A. & Chew, P.T. (2014). Notes on Singapore native Zingiberales I: A new species of *Zingiber* and notes on the identities of two further *Zingiber* taxa. *Gard. Bull. Singapore* 66: 153–167.
- Lim, R.C.J., Leong-Škorničková, J., Lindsay, S., Niissalo, M.A., Yam, T.W. & Middleton, D.J. (2019). Plant conservation in Singapore II: practical implementation. In: Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (ed.) *Flora of Singapore*, vol. 1, pp. 83–106. Singapore: National Parks Board.
- Lok, A.F.S.L., Chong, K.Y., Tan, K.-X. & Tan, H.T.W. (2010). A checklist of the spontaneous exotic vascular plant flora of Singapore. *COSMOS* 6: 57–83.
- Merckx, V.S.F.T. & Smets, E.F. (2014). *Thismia americana*, the 101st anniversary of a botanical mystery. *Int. J. Pl. Sci.* 175: 165–175.
- Middleton, D.J. (2019). Introduction. In: Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (ed.) *Flora of Singapore*, vol. 1, pp. 1–4. Singapore: National Parks Board.
- Middleton, D.J. & Turner, I.M. (2019). History of taxonomic research in Singapore. In: Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (ed.) *Flora of Singapore*, vol. 1, pp. 15–36. Singapore: National Parks Board.
- Middleton, D.J., Armstrong, K., Baba, Y., Balslev, H., Chayamarit, K., Chung, R.C.K., Conn, B.J., Fernando, E.S., Fujikawa, K., Kiew, R. et al. (2019a). Progress on Southeast Asia's Flora projects. *Gard. Bull. Singapore* 71: 267–319.
- Middleton, D.J., Ho, B.C. & Lindsay, S. (2019b). Taxonomic overview of the plants of Singapore. In: Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (ed.) *Flora of Singapore*, vol. 1, pp. 5–14. Singapore: National Parks Board.
- Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (2019c). *Flora of Singapore*, vol. 1. Singapore: National Parks Board.
- Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (2019d). *Flora of Singapore*, vol. 7. Singapore: National Parks Board.
- Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (2019e). *Flora of Singapore*, vol. 13. Singapore: National Parks Board.
- Middleton, D.J., Lindsay, S. & Turner, I.M. (2021). The International Plant Names Index (IPNI). *Gardenwise* 56: 24–25.

- Niissalo, M.A., Wijedasa, L.S., Boyce, P.C. & Leong-Škorničková, J. (2014). *Hanguana neglecta* (Hanguanaceae): a new plant species from a heavily collected and visited reserve in Singapore. *Phytotaxa* 188: 14–20.
- Niissalo, M.A., Choo, L.M., Kurzweil, H., Yam, T.W. & Khew, G.S. (2020). A new species of *Nervilia* (Orchidaceae) from Singapore. *Gard. Bull. Singapore* 72: 1–14.
- Ono, J., Yong, J.W.H., Takayama, K., Mohd Nazre Bin Saleh, Wee, A.K.S., Asakawa, T., Yllano, O.B., Salmo III, S.G., Suleiman, M., Tung, N.X. et al. (2016). *Bruguiera hainesii*, a critically endangered mangrove species, is a hybrid between *B. cylindrica* and *B. gymnorhiza* (Rhizophoraceae). *Conserv. Genet.* 17: 1137–1144.
- Piippo, S., He, S.-L., Juslén, A., Tan, B.C., Murphy, D.H. & Pócs, T. (2002). Hepatic and hornwort flora of Singapore. *Ann. Bot. Fenn.* 39: 101–127.
- PPG I (2016). The Pteridophyte Phylogeny Group. A community-derived classification for extant lycophytes and ferns. *J. Syst. Evol.* 54: 563–603.
- Pyšek, P., Richardson, D.M., Rejmánek, M., Webster, G.L., Williamson, M. & Kirschner, J. (2004). Alien plants in checklists and floras: towards better communication between taxonomists and ecologists. *Taxon* 53: 131–143.
- Ridley, H.N. (1900). The Flora of Singapore. *J. Straits Branch Roy. Asiatic Soc.* 33: 27–196.
- Ridley, H.N. (1901). *Annual Report on the Botanic Gardens, Singapore, for the Year 1900*. Singapore: Government Printing Office.
- Ridley, H.N. (1922–1925). *The Flora of the Malay Peninsula*, vols. 1–5. London: L. Reeve & Co.
- Rodda, M., Simonsson Juhonewe, N. & Middleton, D.J. (2016). The taxonomic status of the presumed extinct Singaporean *Hoya wallichii* (Apocynaceae: Asclepiadoideae). *Gard. Bull. Singapore* 68: 175–187.
- Seah, W.W. & Wong, K.M. (2018). Flora of Singapore precursors, 7. A newly diagnosed species of *Neonauclea* (Rubiaceae: Naucleeae) now extinct in Singapore and notes on *Neonauclea excelsa* and *N. calycina*. *Gard. Bull. Singapore* 70: 289–294.
- Shepeleva, E.A., Schelkunov, M.I., Hroneš, M., Sochor, M., Dančák, M., Merckx, V.S.F.T., Kikuchi, I.A.B.S., Chantanaorrapint, S., Suetsugu, K., Tsukaya, H. et al. (2020). Phylogenetics of the mycoheterotrophic genus *Thismia* (Thismiaceae: Dioscoreales) with a focus on the Old World taxa: delineation of novel natural groups and insights into the evolution of morphological traits. *Bot. J. Linn. Soc.* 193: 287–315.
- Tan, B.C. & Ho, B.C. (2008a). *A guide to the mosses of Singapore*. Singapore: Science Centre Singapore.
- Tan, B.C. & Ho, B.C. (2008b). Bryophytes. In: Davison, G.W.H., Ng, P.K.L. & Ho, H.C. (ed.) *The Singapore Red Data Book: Threatened Plants and Animals of Singapore*, ed. 2, p. 209. Singapore: Nature Society (Singapore).
- Tan, B.C., Ho, B.C., Seah, B.K.B. (2004). Two new moss species, *Trichosteleum fleischeri* and *Splachnobryum temasekensis*, from Singapore. *J. Hattori Bot. Lab.* 96: 223–230.
- Tan, B.C., Tan, H.T.W., Tan, K.-X., Ali bin Ibrahim, Chew, P.T., Chua, K.S., Gwee, A.T., Kiew, R., Lee, S.M.L., Leong, P. et al. (2008). Ferns and fern allies. In: Davison, G.W.H., Ng, P.K.L. & Ho, H.C. (ed.) *The Singapore Red Data Book: Threatened Plants and Animals of Singapore*, ed. 2, pp. 210–212. Singapore: Nature Society (Singapore).
- Tan, H.T.W., Tan, K.-X., Ali bin Ibrahim, Chew, P.T., Chua, K.S., Duistermaat, H., Ganesan, S.K., Goh, M.W.K., Gwee, A.T., Kiew, R. et al. (2008). Seed plants. In: Davison, G.W.H., Ng, P.K.L. & Ho, H.C. (ed.) *The Singapore Red Data Book: Threatened Plants and Animals of Singapore*, ed. 2, pp. 213–245. Singapore: Nature Society (Singapore).

- Turner, I.M., Chua, K.S. & Tan, H.T.W. (1990). A checklist of the native and naturalized vascular plants of the Republic of Singapore. *J. Singapore Natl Acad. Sci.* 18 & 19 (1990): 58–88.
- Turner, I.M. (1993). The names used for Singapore plants since 1900. *Gard. Bull. Singapore* 45: 1–287.
- Turner, I.M. & Tan, H.T.W. (1994). Kingdom 5: Plantae. In: Wee, Y.C. & Ng, P.K.L. (ed.), *A first look at biodiversity in Singapore*, pp. 106–127. Singapore: National Council on the Environment.
- Turner, I.M., Tan, H.T.W., Ali bin Ibrahim & Corlett, R.T. (1994). Seed plants. In: Ng, P.K.L. & Wee, Y.C. (ed.) *The Singapore Red Data Book: Threatened Plants and Animals of Singapore*, pp. 273–313. Singapore: Nature Society (Singapore).
- Veldkamp, J.F., Duistermaat, H., Wong, K.M. & Middleton, D.J. (2019). Poaceae (Gramineae). In: Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (ed.) *Flora of Singapore*, vol. 7, pp. 219–501. Singapore: National Parks Board.
- Wee, Y.C. (1984). *Common ferns and fern-allies of Singapore*. Singapore: Malayan Nature Society (Singapore Branch).
- Wee, Y.C. (1994). Ferns and fern allies. In: Ng, P.K.L. & Wee, Y.C. (ed.) *The Singapore Red Data Book: Threatened Plants and Animals of Singapore*, pp. 269–272. Singapore: Nature Society (Singapore).
- Yam, T.W. (2013). *Native orchids of Singapore: diversity, identification & conservation*. Singapore: National Parks Board.
- Ye, W. & Wei, Y.-M. (2021). *Gaolejeunia hoi* (Lejeuneaceae), a new species and generic record from Singapore. *Bryologist* 124: 600–609.
- Yee, A.T.K., Corlett, R.T., Liew, S.C. & Tan, H.T.W. (2011). The vegetation of Singapore—an updated map. *Gard. Bull. Singapore* 63: 205–212.
- Yee, A.T.K., Chong, K.Y., Seah, W.W., Lua, H.K. & Yang, S. (2019). Vegetation of Singapore. In: Middleton, D.J., Leong-Škorničková, J. & Lindsay, S. (ed.) *Flora of Singapore*, vol. 1, pp. 47–70. Singapore: National Parks Board.

Checklist and bibliography

The taxa are arranged by each of the major plant groups: liverworts, mosses, hornworts, lycophytes, ferns, gymnosperms and angiosperms. Within each plant group, the taxa are arranged alphabetically by family, then genus, and then species.

For each entry, the currently accepted name is given first, followed, in chronological order, by the most relevant Singapore-related publications that have used the currently accepted name. In the few cases where there is no Singapore-related publication to justify the use of the currently accepted name we give a reference for the accepted name such as a publication that made the name change, or the name of an expert in that genus, or a major plant names database that accepts the same currently accepted name (namely Plants of the World Online (POWO) and/or World Checklist of Selected Plant Families (WCSP)), the access date of which can be taken as 10 January 2022. The currently accepted name is then followed by any synonyms and/or misapplied names arranged in reverse chronological order of their last usage in the relevant Singapore-related literature (i.e., the synonym most recently used as the accepted name, and potentially most familiar to some readers, comes first). Although the synonyms and misapplied names are arranged in reverse chronological order of their most recent usage, the citations for each name are always given in chronological order. At the end of each entry, the native or introduced status of each taxon is given along with a national conservation assessment for the native species (see Table 1).

For species with infraspecific taxa, the species name is given first along with literature citations given for the taxon at the rank of species. Literature records are only given for the species if there are any that specifically record the species rather than only the infraspecific taxon for Singapore, or which support the synonymy given. This is followed by any synonyms of the species, including synonyms attributable to the type subspecies or variety. The species is then followed by the relevant infraspecific taxa and literature citations given for that taxon at the appropriate rank. When only one infraspecific taxon is given, it can be assumed that all material of the species belongs to that infraspecific taxon, pending ongoing research for the *Flora of Singapore*. In the very rare cases when there is more than one infraspecific taxon in Singapore, care must be taken when interpreting the literature citations given to the species. The native or introduced status and any conservation assessments given are applied only to the infraspecific taxa and not to the species when relevant.

There is a small number of taxa which are morphologically distinct and defined but which have not yet been formally named, generally because fertile material has not yet been available. These appear in this list under the genus and a numbered species, e.g., *Philonotis* sp. 2. They are the ‘Unnamed taxa’ in Table 2.

The list of taxa and inclusion of bibliographic references are based on extensive research. We are reasonably confident of the inclusion of taxa but invite readers to contact us if they are aware of gaps in the inclusion of literature.

LIVERWORTS

Adelanthaceae

Syzygiella subintegerrima (Reinw. et al.) Spruce: Inoue, J. Hattori Bot. Lab. 29: 193 (1966); Inoue, Gen. Plagiochila S.E. Asia: 132 (1984). **Native; NEx** (assessed here).

Aneuraceae

Aneura blasioides (Horik.) Furuki: Furuki & Tan, Nat. Hist. Res. (Chiba) 12: 72 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Aneura pinguis* auct. non (L.) Dumort.: Piippo et al., Ann. Bot. Fenn. 39: 121 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 55 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Riccardia pinguis* auct. non (L.) Gray: Johnson, Malayan Nat. J. 13(2): 65 (1958); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). **Non-native, naturalised** (assessed here).

Riccardia crenulata Schiffn.: Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 67: 173 (1898); Schiffner, Hepat. Fl. Buitenzorg: 53 (1900); Furuki, Hikobia 13: 514 (2001); Furuki & Tan, Nat. Hist. Res. (Chiba) 12: 72 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE.**

Riccardia elata (Steph.) Schiffn.: Furuki, J. Hattori Bot. Lab. 100: 98 (2006); Furuki & Tan, Nat. Hist. Res. (Chiba) 12: 72 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Aneura ridleyi* (Schiffn.) Steph.: Stephani, Sp. Hepat. 1: 219 (1899 ['1900']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 519 (2013). – *Riccardia ridleyi* Schiffn.: Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 67: 172 (1898); Johnson, Malayan Nat. J. 13(2): 67 (1958). **Native; DD** (Wong et al., 2013).

Riccardia graeffei (Steph.) Hewson: Furuki, J. Hattori Bot. Lab. 70: 337 (1991); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Piippo et al., Ann. Bot. Fenn. 39: 121 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 62 (2002); Furuki, J. Hattori Bot. Lab. 100: 92 (2006); Furuki & Tan, Nat. Hist. Res. (Chiba) 12: 74 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Aneura flavesrens* Steph.: Stephani, Sp. Hepat. 6: 26 (1917 ['1924']). – *Riccardia latifrondoides* Schiffn. f. *major* Schiffn.: Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 67: 169 (1898). **Native; NE.**

Riccardia grossitexta (Steph.) Furuki: Furuki, J. Hattori Bot. Lab. 70: 383 (1991); Furuki, Hikobia 11: 465 (1994); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Aneura grossitexta* Steph.: Stephani, Sp. Hepat. 6: 29 (1917 ['1924']). **Native; NE.**

Riccardia inconspicua (Steph.) Reeb & Bardat: Reeb & Bardat, Cryptog. Bryol. 35: 61 (2014). – *Riccardia tenuicostata* Schiffn.: Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 67: 166 (1898); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Piippo et al., Ann. Bot. Fenn. 39: 124 (2002); Furuki & Tan, Nat. Hist. Res. (Chiba) 12: 78 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Aneura tenuicostata* (Schiffn.) Steph.: Stephani, Sp. Hepat. 1: 245 (1899 ['1900']). **Native; NE.**

Riccardia latifrondoides Schiffn.: Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 67: 168 (1898); Furuki & Tan, Nat. Hist. Res. (Chiba) 12: 75 (2013); Söderström et al., PhytoKeys 59: 450 (2016); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Aneura latifrondoides* (Schiffn.) Steph.: Stephani, Sp. Hepat. 1: 260 (1899 ['1900']). **Native; EX** (assessed here).

Riccardia singapurensis Schiffn.: Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 67: 165 (1898); Furuki & Tan, Nat. Hist. Res. (Chiba) 12: 75 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Aneura singapurensis* (Schiffn.) Steph.: Stephani, Sp. Hepat. 1: 249 (1899 ['1900']). **Native; NE**.

Calypogeiaceae

Calypogeia arguta Nees & Mont.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Piippo et al., Ann. Bot. Fenn. 39: 111 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 89 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Cincinnulus argutus* (Nees & Mont.) Dumort.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 56, 519 (2013). – *Calypogeia furcata* Steph.: Stephani, Sp. Hepat. 3: 411 (1908 ['1906–1909']). **Native; VU** (assessed here).

Cephaloziellaceae

Cylindrocolea kiaeri (Austin) Váňa: Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Cephaloziella kiaeri* (Austin) Douin: Piippo et al., Ann. Bot. Fenn. 39: 111 (2002). – *Cephaloziella* sp.: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995). **Native; NE**.

Cyathodiaceae

Cyathodium cavernarum Kunze: Rubasinghe, Fl. Singapore 2 (in prep.). – *Cyathodium* sp.: Piippo et al., Ann. Bot. Fenn. 39: 121 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 66 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Frullaniaceae

Frullania apiculata (Reinw. et al.) Nees: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), as '*apioculata*'; Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Frullania brotheri Steph.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Piippo et al., Ann. Bot. Fenn. 39: 114 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Frullania ericoides (Nees) Mont.: Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Frullania aeolotis* Mont. & Nees: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), as '*acolotis*'. – *Frullania squarrosa* (Nees ex Mont.) Nees var. *planescens* Verd.: Verdoorn, Ann. Bryol. 2: 134 (1929). – *Frullania aeolotis* Mont. & Nees var. *singapurensis* Gottsche et al.: Gottsche et al., Syn. Hepat., fasc. 3: 418 (1845 ['1844']); Schiffner, Consp. Hepat. Arch. Ind.: 319 (1898). **Native; NE**.

Frullania gaudichaudii (Nees & Mont.) Nees & Mont.: Verdoorn, Ann. Bryol., Suppl. 1: 91 (1930); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Piippo et al., Ann. Bot. Fenn. 39: 114 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 123, 520 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NEx** (assessed here).

Frullania gracilis (Reinw. et al.) Nees: Verdoorn, Ann. Bryol. 2: 144 (1929); Verdoorn, Ann. Bryol., Suppl. 1: 111 (1930); Verdoorn, Ann. Bryol. 5: 126 (1932); Verdoorn, Ann. Bryol., Suppl. 4: 206 (1934); Hattori, Bull. Natl Sci. Mus. Tokyo, B 1: 112 (1975); Hattori & Thaithong, Bull. Natl Sci. Mus. Tokyo, B 4: 66 (1978); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Piippo et al., Ann. Bot. Fenn. 39: 114 (2002); Piippo et al., Guide Common Liverw. &

Hornw. Singapore: 106 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Frullania gracilis* (Reinw. et al.) Nees f. *distincteocellata* S.Hatt.: Hattori, Bull. Natl Sci. Mus. Tokyo, B 1: 112 (1975). – *Frullania picta* auct. non Steph.: Svhla, Bryologist 62: 193 (1959).

Frullania gracilis (Reinw. et al.) Nees var. **brevior** Gottsche et al.: Gottsche et al., Syn. Hepat., fasc. 3: 453 (1845 ['1844']); Schiffner, Consp. Hepat. Arch. Ind.: 327 (1898). **Native; LC** (assessed here).

Frullania hypoleuca Nees: Verdoorn, Ann. Bryol. 2: 145 (1929); Verdoorn, Ann. Bryol., Suppl. 1: 126 (1930); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Piippo et al., Ann. Bot. Fenn. 39: 114 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Frullania intermedia (Reinw. et al.) Nees: Verdoorn, Ann. Bryol., Suppl. 1: 161 (1930); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 114 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 123, 520 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; DD** (Wong et al., 2013).

Frullania nodulosa (Reinw. et al.) Nees: Verdoorn, Ann. Bryol. 2: 154 (1929); Verdoorn, Ann. Bryol., Suppl. 1: 177 (1930); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 115 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 123, 520 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Frullania nodulosa* (Reinw. et al.) Nees f. *irreflexa* Verd.: Verdoorn, Ann. Bryol. 2: 154 (1929). – *Frullania replicata* (Nees) Nees: Schiffner, Consp. Hepat. Arch. Ind.: 339 (1898). – *Frullania thuillieri* Nees: Gottsche et al., Syn. Hepat., fasc. 3: 434 (1845 ['1844']); Mitten, J. Proc. Linn. Soc., Bot. 5: 121 (1861). **Native; DD** (Wong et al., 2013).

Frullania sublignosa Steph.: Verdoorn, Ann. Bryol. 2: 122 (1929); Verdoorn, Ann. Bryol., Suppl. 1: 61 (1930); Verdoorn, Ann. Bryol. 4: 140 (1931); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 115 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Jackiellaceae

Jackiella javanica Schiffn.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 15 (2018). **Native; NE**.

Jackiella singapurensis Schiffn.: Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 70: 218 (1900 ['1901']); Stephan, Sp. Hepat. 3: 273 (1908 ['1906–1909']); Grolle, J. Hattori Bot. Lab. 33: 234 (1970); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995); Piippo et al., Ann. Bot. Fenn. 39: 111 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 91 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Lejeuneaceae

Acrolejeunea fertilis (Reinw. et al.) Schiffn.: Gradstein, Bryophyt. Biblioth. 4: 85 (1975); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 115 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 110 (2002); Zheng & Zhu, Bryologist 113: 606 (2010); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Ptychocoleus wichurae* (Schiffn.) Steph.: Verdoorn, Ann. Bryol. 6: 96 (1933); Verdoorn, Recueil Trav. Bot. Neerl. 30: 228 (1933); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Ptychocoleus fertilis* (Reinw. et al.) Trevis.: Verdoorn, Ann. Bryol., Suppl. 4: 144 (1934). **Native; NE**.

Acrolejeunea pycnoclada (Taylor) Schiffn.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 115 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Ptychocoleus pycnocladus* (Taylor) Steph.: Verdoorn, Recueil Trav. Bot. Neerl. 30: 226 (1933); Verdoorn, Ann. Bryol., Suppl. 4: 132 (1934).

Acrolejeunea pycnoclada (Taylor) Schiffn. subsp. **pycnoclada**: Gradstein, Bryophyt. Biblioth. 4: 108 (1975). **Native; NE**.

Acrolejeunea securifolia (Nees) Steph.: Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018).

Acrolejeunea securifolia (Nees) Steph. subsp. **hartmannii** (Steph.) Gradst.: Piippo et al., Ann. Bot. Fenn. 39: 115 (2002). **Native; NE**.

Caudalejeunea cristiloba (Steph.) Gradst.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 12 (2018). – *Ptychocoleus cristilobus* (Steph.) Steph.: Verdoorn, Recueil Trav. Bot. Neerl. 30: 225 (1933); Verdoorn, Ann. Bryol., Suppl. 4: 129 (1934).

Caudalejeunea cristiloba (Steph.) Gradst. subsp. **cristiloba**: Gradstein, Acta Bot. Neerl. 23: 340 (1974). **Native; NE**.

Caudalejeunea reniloba (Gottsche) Steph.: Verdoorn, Ann. Bryol., Suppl. 4: 60 (1934). – *Caudalejeunea recurvistipula* (Gottsche) Schiffn.: Zheng & Zhu, Bryologist 113: 606 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 51, 520 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 13 (2018). **Native; DD** (Wong et al., 2013).

Ceratolejeunea singapurensis (Lindenb.) Schiffn.: Schöffner, Consp. Hepat. Arch. Ind.: 273 (1898); Stephani, Sp. Hepat. 5: 441 (1913 ['1912–1917']); Piippo et al., Ann. Bot. Fenn. 39: 115 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Lejeunea singapurensis* Lindenb.: Gottsche et al., Syn. Hepat., fasc. 3: 397 (1845 ['1844']); Mitten, J. Proc. Linn. Soc., Bot. 5: 117 (1861); Stephani, Hedwigia 29: 93 (1890). **Native; NE**.

Cheilolejeunea intertexta (Lindenb.) Steph.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995); Piippo et al., Ann. Bot. Fenn. 39: 116 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 112 (2002); Zheng & Zhu, Bryologist 113: 608 (2010); Passos Bastos, J. Bryol. 34: 66 (2012); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Cheilolejeunea lindenbergii (Gottsche) Mizut.: Zhu et al., Philipp. J. Syst. Biol. 12: 13 (2018). **Native; NE**.

Cheilolejeunea malaccensis (G.Hoffm.) X.L.He: He, Ann. Bot. Fenn. 33: 59 (1996); Zhu et al., Philipp. J. Syst. Biol. 12: 13 (2018). – *Cheilolejeunea trapezia* auct. non (Nees) Kachroo & R.M.Schust.: Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Cheilolejeunea longiloba* auct. non (Steph. ex G.Hoffm.) Kachroo & R.M.Schust. ex J.J.Engel & B.C.Tan: Piippo et al., Ann. Bot. Fenn. 39: 116 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 114 (2002). – *Pycnolejeunea malaccensis* G.Hoffm.: Hoffman, Ann. Bryol. 8: 91, 118 (1935). **Native; NE**.

Cheilolejeunea rigidula (Nees ex Mont.) R.M.Schust.: Zhu et al., Philipp. J. Syst. Biol. 12: 13 (2018). – *Cheilolejeunea intertexta* auct. non (Lindenb.) Steph.: Piippo et al., Ann. Bot. Fenn. 39: 116 (2002), p.p. – *Cheilolejeunea serpentina* (Mitt.) Steph.: Mizutani, J. Hattori Bot. Lab. 26: 171 (1963). **Native; NE**.

Cheilolejeunea ventricosa (Schiffn. ex P.Syd.) X.L.He: Zhu & So, Ann. Bot. Fenn. 36: 221 (1999); Piippo et al., Ann. Bot. Fenn. 39: 116 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Cheilolejeunea fitzgeraldii* (Steph.) X.L.He: He, Ann. Bot. Fenn. 32: 253 (1995). – *Pycnolejeunea ventricosa* Schiffn. ex P.Syd.: Hoffman, Ann. Bryol. 8: 90, 91, 127 (1935). **Native; NE.**

Cheilolejeunea vittata (Steph. ex G.Hoffm.) R.M.Schust. & Kachroo: Zhu et al., Philipp. J. Syst. Biol. 12: 13 (2018). **Native; NE.**

Cololejeunea aequabilis (Sande Lac.) Schiffn.: Zhu et al., Philipp. J. Syst. Biol. 12: 13 (2018). **Native; NE.**

Cololejeunea ceratilobula (P.C.Chen) R.M.Schust.: Zhu et al., Philipp. J. Syst. Biol. 12: 13 (2018). **Native; NE.**

Cololejeunea cordiflora Steph.: Piippo et al., Ann. Bot. Fenn. 39: 116 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Cololejeunea cuneata (Lehm. & Lindenb.) Herzog: Piippo et al., Ann. Bot. Fenn. 39: 116 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Cololejeunea floccosa (Lehm. & Lindenb.) Schiffn.: Benedix, Feddes Repert. Spec. Nov. Regni Veg. Beih. 134: 21 (1953); Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Cololejeunea grossepapillosa (Horik.) N.Kitag.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 520 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 15 (2018). **Native; DD** (Wong et al., 2013).

Cololejeunea haskarliana (Lehm.) Schiffn.: Piippo et al., Ann. Bot. Fenn. 39: 117 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Cololejeunea inflectens (Mitt.) Benedix: Piippo et al., Ann. Bot. Fenn. 39: 117 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Cololejeunea planissima (Mitt.) Abeyw.: Zhu et al., Philipp. J. Syst. Biol. 12: 15 (2018). **Native; NE.**

Cololejeunea raduliloba Steph.: Zhu et al., Philipp. J. Syst. Biol. 12: 15 (2018). **Native; NE.**

Cololejeunea siamensis Steph.: Piippo et al., Ann. Bot. Fenn. 39: 117 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 116 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 520 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Cololejeunea pluripunctata* Benedix: Benedix, Feddes Repert. Spec. Nov. Regni Veg. Beih. 134: 45 (1953); Piippo et al., Ann. Bot. Fenn. 39: 123 (2002). **Native; DD** (Wong et al., 2013).

Cololejeunea stoniana Tixier: Piippo et al., Ann. Bot. Fenn. 39: 117 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Cololejeunea trichomanis (Gottsche) Besch.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 520 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Cololejeunea goebelii* (Gottsche ex K.I.Goebel) Schiffn.: Piippo et al., Ann. Bot. Fenn. 39: 116 (2002). **Native; DD** (Wong et al., 2013).

Cololejeunea wightii Steph.: Piippo et al., Ann. Bot. Fenn. 39: 117 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 118 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 520 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; DD** (Wong et al., 2013).

Colura brevistyla Herzog: Sangrattanaprasert et al., Gard. Bull. Singapore 71: 82 (2019). **Native; NEx** (assessed here).

Drepanolejeunea vesiculosa (Mitt.) Steph.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Zhu & So, Ann. Bot. Fenn. 36: 223 (1999); Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 15 (2018). – *Drepanolejeunea ternatensis* auct. non (Gottsche) Schiffn.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 92, 521 (2013). **Native; DD** (Wong et al., 2013).

Gaolejeunea hoi W.Ye & Y.M.Wei: Ye & Wei, Bryologist 124: 605 (2021). **Native; EN** (Ye & Wei, 2021).

Lejeunea anisophylla Mont.: Lee, Cryptog. Bryol. 34: 399 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Lejeunea catanduana* (Steph.) H.A.Mill. et al.: Piippo et al., Ann. Bot. Fenn. 39: 118 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 124 (2002). **Native; LC** (assessed here).

Lejeunea cocoes Mitt.: Lee, Cryptog. Bryol. 34: 405 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 15 (2018); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Lejeunea parva* auct. non (S.Hatt.) Mizut.: Piippo et al., Ann. Bot. Fenn. 39: 118 (2002), p.p. **Native; NE**.

Lejeunea exilis (Reinw. et al.) Grolle: Zhu et al., Philipp. J. Syst. Biol. 12: 15 (2018). **Native; NE**.

Lejeunea flava (Sw.) Nees: Piippo et al., Ann. Bot. Fenn. 39: 118 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Lejeunea papilionacea Prantl: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 158, 521 (2013); Lee, Cryptog. Bryol. 34: 453 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 15 (2018). **Native; EN** (assessed here).

Lejeunea sordida (Nees) Nees: Lee, Cryptog. Bryol. 34: 464 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE**.

Lejeunea tenella Taylor: Taylor, London J. Bot. 5: 398 (1846); Gottsche et al., Syn. Hepat., fasc. 5: 766 (1847 ['1844']); Mitten, J. Proc. Linn. Soc., Bot. 5: 115 (1861); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Cheirolejeunea tenella* (Taylor) J.J.Engel & B.C.Tan: Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu, Ann. Bot. Fenn. 43: 484 (2006). – *Euosmolejeunea tenella* (Taylor) Steph.: Stephani, Hedwigia 29: 87 (1890); Schiffner, Consp. Hepat. Arch. Ind.: 263 (1898); Stephani, Sp. Hepat. 5: 591 (1914 ['1912–1917']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; NE**.

Lepidolejeunea bidentula (Steph.) R.M.Schust.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 118 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE**.

Leptolejeunea elliptica (Lehm. & Lindenb.) Besch.: Piippo et al., Ann. Bot. Fenn. 39: 119 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 129 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 159, 521 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; LC** (Wong et al., 2013).

Leptolejeunea epiphylla (Mitt.) Steph.: Herzog, Flora 135: 413 (1942); Zhu et al., Philipp. J. Syst. Biol. 12: 18 (2018). – *Leptolejeunea subacuta* Steph. ex A.Evans: Herzog, Flora 135: 414 (1942). **Native; NE**.

Leptolejeunea maculata (Mitt.) Schiffn.: Zhu et al., Philipp. J. Syst. Biol. 12: 18 (2018). **Native; NE.**

Leptolejeunea vitrea (Nees) Schiffn.: Herzog, Flora 135: 392 (1942); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE.**

Lopholejeunea nigricans (Lindenb.) Schiffn.: Piippo et al., Ann. Bot. Fenn. 39: 119 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 131 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE.**

Lopholejeunea subfuscata (Nees) Schiffn.: Verdoorn, Ann. Bryol. 6: 95 (1933); Verdoorn, Recueil Trav. Bot. Neerl. 30: 219 (1933); Verdoorn, Ann. Bryol., Suppl. 4: 78 (1934); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 119 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 131 (2002); Zheng & Zhu, Bryologist 113: 615 (2010); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Lopholejeunea sagrana* (Mont.) Schiffn.: Schiffner, Consp. Hepat. Arch. Ind.: 294 (1898), as ‘*sagraeana*’. – *Lejeunea subfuscata* (Nees) Nees & Mont.: Gottsche et al., Syn. Hepat., fasc. 3: 315 (1845 [‘1844’]). **Native; LC** (assessed here).

Metalejeunea cucullata (Reinw. et al.) Grolle: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Lejeunea cucullata* (Reinw. et al.) Nees: Stephani, Hedwigia 29: 89 (1890). **Native; NE.**

Microlejeunea filicispis (Steph.) Heinrichs et al.: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Harpalejeunea filicispis* (Steph.) Mizut.: Piippo et al., Ann. Bot. Fenn. 39: 118 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 122 (2002). **Native; NE.**

Microlejeunea lunulatiloba Horik.: Miller et al., Bryophyt. Biblioth. 25: 235 (1983); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE.**

Microlejeunea punctiformis (Taylor) Steph.: Piippo et al., Ann. Bot. Fenn. 39: 119 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Microlejeunea gracillima* (Mitt.) Steph.: Stephani, Sp. Hepat. 5: 830 (1915 [‘1912–1917’]). – *Eulejeunea gracillima* (Mitt.) Schiffn.: Schiffner, Consp. Hepat. Arch. Ind.: 255 (1898). **Native; NE.**

Microlejeunea ulicina (Taylor) Steph.: Piippo et al., Ann. Bot. Fenn. 39: 119 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 133 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; LC** (assessed here).

Mohamedia borneensis (Steph.) R.L.Zhu & L.Shu: Zhu et al., Bryologist 122: 91 (2019). – *Lepidolejeunea borneensis* (Steph.) R.M.Schust.: Piippo et al., Ann. Bot. Fenn. 39: 119 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 126 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE.**

Myriocoleopsis minutissima (Sm.) R.L.Zhu et al.: Yu et al., Phytotaxa 183: 293 (2014); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018).

Myriocoleopsis minutissima (Sm.) R.L.Zhu et al. subsp. **myriocarpa** (Nees & Mont.) R.L.Zhu et al.: Yu et al., Phytotaxa 183: 294 (2014). – *Cololejeunea minutissima* (Sm.) Schiffn. subsp. *myriocarpa* (Nees & Mont.) R.M.Schust.: Piippo et al., Ann. Bot. Fenn. 39: 117 (2002). **Native; NE.**

Pycnolejeunea contigua (Nees) Grolle: Piippo et al., Ann. Bot. Fenn. 39: 119 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Pycnolejeunea bancana* Steph.: Hoffman, Ann. Bryol. 8: 90,

91, 126 (1935); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; NE.**

Schiffnerolejeunea cumingiana (Mont.) Gradst.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 120 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 135 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Ptychocoleus cumingianus* (Mont.) Trevis.: Verdoorn, Recueil Trav. Bot. Neerl. 30: 225 (1933); Verdoorn, Ann. Bryol., Suppl. 4: 137 (1934). **Native; NE.**

Schiffnerolejeunea pulopenangensis (Gottsche) Gradst.: Piippo et al., Ann. Bot. Fenn. 39: 120 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 18 (2018). – *Ptychocoleus pulopenangensis* (Gottsche) Trevis.: Verdoorn, Ann. Bryol. 6: 95 (1933); Verdoorn, Recueil Trav. Bot. Neerl. 30: 226 (1933); Verdoorn, Ann. Bryol., Suppl. 4: 130 (1934); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; NE.**

Schiffnerolejeunea tumida (Nees) Gradst.: Gradstein & Terken, Occas. Pap. Farlow Herb. Cryptog. Bot. 16: 73 (1981); Piippo et al., Ann. Bot. Fenn. 39: 120 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Ptychocoleus tumidus* (Nees) Trevis.: Verdoorn, Ann. Bryol. 6: 96 (1933); Verdoorn, Recueil Trav. Bot. Neerl. 30: 228 (1933); Verdoorn, Ann. Bryol., Suppl. 4: 141 (1934); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; NE.**

Spruceanthus planiusculus (Mitt.) X.Q.Shi et al.: Zhu et al., Philipp. J. Syst. Biol. 12: 18 (2018). **Native; NE.**

Thysananthus ciliaris (Sande Lac.) Sukkharak: Ho & Sukkharak, Gard. Bull. Singapore 73: 237 (2021). **Native; CR** (Ho & Sukkharak, 2021).

Thysananthus comosus Lindenb.: Verdoorn, Ann. Bryol. 6: 96 (1933); Verdoorn, Recueil Trav. Bot. Neerl. 30: 229 (1933); Verdoorn, Ann. Bryol., Suppl. 4: 175 (1934); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 120 (2002); Sukkharak, Phytotaxa 193: 26 (2015); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NEx** (assessed here).

Thysananthus fruticosus (Lindenb. & Gottsche) Schiffn.: Verdoorn, Ann. Bryol., Suppl. 4: 182 (1934); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Sukkharak, Phytotaxa 193: 41 (2015); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Dendrolejeunea fruticosa* (Lindenb. & Gottsche) Lacout.: Piippo et al., Ann. Bot. Fenn. 39: 117 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 120 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 79, 520 (2013). **Native; CR** (assessed here).

Thysananthus indicus (Steph.) Sukkharak & Gradst.: Sukkharak & Gradstein, Phytotaxa 326: 102 (2017). – *Thysananthus humilis* auct. non (Gottsche) Sukkharak & Gradst.: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Mastigolejeunea indica* Steph.: Sukkharak & Gradstein, Nova Hedwigia 99: 314 (2014). – *Mastigolejeunea auriculata* auct. non (Wilson & Hook.) Steph.: Piippo et al., Ann. Bot. Fenn. 39: 123 (2002). – *Mastigolejeunea humilis* auct. non (Gottsche) Schiffn.: Verdoorn, Recueil Trav. Bot. Neerl. 30: 221 (1933); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; NEx** (assessed here).

Thysananthus spathulistipus (Reinw. et al.) Lindenb.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 120 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 137 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 248, 521 (2013); Sukkharak, Phytotaxa 193: 33 (2015); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NEx** (assessed here).

Lepidoziaceae

Acromastigum echinatum (Gottsche) A.Evans: Evans, Ann. Bryol., Suppl. 3: 147 (1934); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Mastigobryum echinatum* Gottsche: Gottsche et al., Syn. Hepat., fasc. 2: 218 (1845 ['1844']); Stephani, Sp. Hepat. 3: 536 (1908 ['1906–1909']); Grolle, J. Hattori Bot. Lab. 44: 6 (1978). – *Bazzania echinata* (Gottsche) Trevis.: Schiffner, Consp. Hepat. Arch. Ind.: 153 (1898). **Native; NE.**

Acromastigum inaequilaterum (Lehm. & Lindenb.) A.Evans: Evans, Ann. Bryol., Suppl. 3: 129 (1934); Verdoorn, Ann. Bryol. 10: 124 (1938 ['1937']); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995); Piippo et al., Ann. Bot. Fenn. 39: 109 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 77 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 9, 521 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; DD** (Wong et al., 2013).

Bazzania fleischeri (Steph.) Abeyw.: Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Mastigobryum fleischeri* Steph.: Stephani, Sp. Hepat. 3: 457 (1908 ['1906–1909']). **Native; NE.**

Bazzania indica (Gottsche & Lindenb.) Trevis.: Schiffner, Consp. Hepat. Arch. Ind.: 161 (1898); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Mastigobryum indicum* Gottsche & Lindenb.: Gottsche et al., Syn. Hepat., fasc. 2: 230 (1845 ['1844']); Mitten, J. Proc. Linn. Soc., Bot. 5: 105 (1861); Stephani, Sp. Hepat. 3: 482 (1908 ['1906–1909']). **Native; NE.**

Bazzania paradoxa (Sande Lac.) Steph.: Piippo et al., Ann. Bot. Fenn. 39: 109 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Bazzania natunensis* Steph.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Mastigobryum modiglianii* Steph.: Stephani, Sp. Hepat. 3: 491 (1908 ['1906–1909']). **Native; NE.**

Bazzania recurva (Mont.) Trevis.: Piippo et al., Ann. Bot. Fenn. 39: 109 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Bazzania tridens (Reinw. et al.) Trevis.: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995); Piippo et al., Ann. Bot. Fenn. 39: 109 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 80 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Bazzania wallichiana (Lindenb.) Trevis.: Schiffner, Consp. Hepat. Arch. Ind.: 179 (1898); Mizutani, J. Hattori Bot. Lab. 30: 87 (1967); Piippo et al., Ann. Bot. Fenn. 39: 109 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Mastigobryum gaudichaudii* Gottsche ex Steph.: Stephani, Sp. Hepat. 3: 441 (1908 ['1906–1909']). – *Mastigobryum wallichianum* Lindenb.: Gottsche et al., Syn. Hepat., fasc. 2: 229 (1845 ['1844']); Stephani, Sp. Hepat. 3: 485 (1908 ['1906–1909']). – *Bazzania gaudichaudii* (Gottsche ex Steph.) Schiffn.: Schiffner, Consp. Hepat. Arch. Ind.: 159 (1898). – *Mastigobryum concavulum* Nees: Gottsche et al., Syn. Hepat., fasc. 2: 228 (1845 ['1844']); Mitten, J. Proc. Linn. Soc., Bot. 5: 104 (1861). **Native; NE.**

Kurzia gonyotricha (Sande Lac.) Grolle: Piippo et al., Ann. Bot. Fenn. 39: 110 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE.**

Neolepidozia mamillosa (Schiffn.) E.D.Cooper: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Lepidozia mamillosa* Schiffn.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 110 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 83 (2002). **Native; NE.**

Neolepidozia wallichiana (Gottsche) Fulford & J.Taylor: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Lepidozia wallichiana* Gottsche: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 111 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 85 (2002). **Native; NE**.

Telaranea major (Herzog) J.J.Engel & G.L.Merr.: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Arachniopsis major* Herzog: Piippo et al., Ann. Bot. Fenn. 39: 109 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 79 (2002). **Native; NE**.

Tricholepidozia neesii (Lindenb.) E.D.Cooper: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Blepharostoma trichophyllum* auct. non (L.) Dumort.: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995); Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Telaranea neesii* (Lindenb.) Fulford: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995); Piippo et al., Ann. Bot. Fenn. 39: 111 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 86 (2002). **Native; NE**.

Lophocoleaceae

Chiloscyphus tridens Steph.: Stephani, Sp. Hepat. 6: 315 (1922 ['1924']). **Native; NE**.

Heteroscyphus argutus (Reinw. et al.) Schiffn.: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995); Piippo et al., Ann. Bot. Fenn. 39: 112 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 96 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 140, 519 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Chiloscyphus cubans* Taylor: Stephani, Sp. Hepat. 3: 216 (1907 ['1906–1909']). **Native; DD** (Wong et al., 2013).

Heteroscyphus splendens (Lehm. & Lindenb.) Grolle: Piippo et al., Ann. Bot. Fenn. 39: 123 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Heteroscyphus decurrens* (Nees) Schiffn.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Chiloscyphus decurrens* Nees: Gottsche et al., Syn. Hepat., fasc. 2: 173 (1845 ['1844']); Mitten, J. Proc. Linn. Soc., Bot. 5: 100 (1861); Schiffner, Conspl. Hepat. Arch. Ind.: 134 (1898). **Native; NE**.

Heteroscyphus succulentus (Gottsche) Schiffn.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 112 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; NE**.

Heteroscyphus zollingeri (Gottsche) Schiffn.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 113 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 98 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). – *Chiloscyphus zollingeri* Gottsche: Stephani, Sp. Hepat. 3: 214 (1907 ['1906–1909']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; LC** (assessed here).

Marchantiaceae

Marchantia acaulis Steph.: Piippo et al., Ann. Bot. Fenn. 39: 121 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 68 (2002); Tan & Ho in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 19, 209 (2008); Ho, Nat. Singapore 6: 188 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NEx** (assessed here).

Marchantia emarginata Reinw. et al.: Ho, Nat. Singapore 6: 188 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE**.

Pallaviciniaceae

Pallavicinia levieri Schiffn.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994), as ‘*Pallavacinia*’; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995); Piippo et al., Ann. Bot. Fenn. 39: 124 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE.**

Pallavicinia lyellii (Hook.) Gray: Stephani, Sp. Hepat. 1: 317 (1899 [‘1900’]); Piippo et al., Ann. Bot. Fenn. 39: 120 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 57 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Pallavicinia indica* Schiffn.: Schiffner, Hepat. Fl. Buitenzorg: 65 (1900); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995). – *Pallavicinia radiculosa* (Sande Lac.) Schiffn.: Johnson, Malayan Nat. J. 13(2): 62 (1958); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994), as ‘*Pallavacinia*’. – *Pallavicinia ridleyi* Steph.: Stephani, Sp. Hepat. 6: 64 (1917 [‘1924’]), as ‘*Pallavicinius*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; VU** (assessed here).

Podomitrium malaccense (Steph.) Campb.: Grolle & Piippo, Acta Bot. Fenn. 133: 76 (1986); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 121 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 60 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 206, 521 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Hymenophyton malaccense* Steph.: Stephani, Hedwigia 34: 46 (1895), as ‘*Hymenophytum*’; Schiffner, Consp. Hepat. Arch. Ind.: 63 (1898), as ‘*Hymenophytum*’; Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 67: 183 (1898); Stephani, Sp. Hepat. 1: 307 (1899 [‘1900’]), as ‘*Hymenophytum*’; Troll, Flora 125: 158 (1931), as ‘*Hymenophytum*’; Johnson, Malayan Nat. J. 13(2): 64 (1958), as ‘*Hymenophytum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994), as ‘*Hymenophytum*’. **Native; DD** (Wong et al., 2013).

Plagiochilaceae

Plagiochila bantamensis (Reinw. et al.) Mont.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Grolle & So, Bryologist 102: 202 (1999); So, Austral. Syst. Bot. 14: 679 (2001); Piippo et al., Ann. Bot. Fenn. 39: 113 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 100 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Plagiochila densifolia* Sande Lac.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 124 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 201, 521 (2013). – *Plagiochila lobulata* Schiffn.: Stephani, Sp. Hepat. 2: 390 (1903 [‘1906’]). **Native; DD** (Wong et al., 2013).

Plagiochila kurzii Steph.: Piippo et al., Ann. Bot. Fenn. 39: 113 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE.**

Plagiochila sciophila Nees: Piippo et al., Ann. Bot. Fenn. 39: 113 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE.**

Radulaceae

Radula anceps Sande Lac.: Piippo et al., Ann. Bot. Fenn. 39: 113 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 103 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Radula amoena* auct. non Herzog: Zheng & Zhu, Nova Hedwigia 88: 232 (2009); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; EN** (assessed here).

Radula javanica Gottsche: Promma, Fl. Singapore 2 (in prep.). – *Radula borneensis* auct. non Steph.: Piippo et al., Ann. Bot. Fenn. 39: 113 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 216, 521 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; CR** (assessed here).

Radula reflexa Nees & Mont.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 113 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NEx** (assessed here).

Ricciaceae

Riccia treubiana Steph.: Meijer, J. Hattori Bot. Lab. 20: 117 (1958); Piippo et al., Ann. Bot. Fenn. 39: 122 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 70 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; LC** (assessed here).

Schistostichilaceae

Schistochila sciurea (Nees) Schiffn.: So, J. Hattori Bot. Lab. 93: 98 (2003); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NEx** (assessed here).

Solenostomaceae

Solenostoma ariadne (Taylor) R.M.Schust. ex Váňa & D.G.Long: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Jungermannia ariadne* Taylor: Amakawa, J. Hattori Bot. Lab. 31: 105 (1968); Piippo et al., Ann. Bot. Fenn. 39: 123 (2002). – *Plectocolea ariadne* (Taylor) Mitt.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Nardia ariadne* (Taylor) Schiffn.: Schiffner, Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 67: 188 (1898); Schiffner, Hepat. Fl. Buitenzorg: 79 (1900). **Native; NE**.

Solenostoma truncatum (Nees) R.M.Schust. ex Váňa & D.G.Long: Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Jungermannia truncata* Nees: Piippo et al., Ann. Bot. Fenn. 39: 111 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 93 (2002). **Native; NE**.

Trichocoleaceae

Trichocolea pluma (Reinw. et al.) Mont.: Piippo et al., Ann. Bot. Fenn. 39: 108 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 87 (2002); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 250, 521 (2013); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). Native; DD (Wong et al., 2013).

MOSSES

Bartramiaceae

Philonotis hastata (Duby) Wijk & Margad.: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 77, 132 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 77 (2013). **Native; LC** (assessed here).

Philonotis laii T.J.Kop.: Koponen, Acta Bryolichenol. Asiat. 3: 137 (2010); Koponen et al., Arctoa 21: 62 (2012). **Native; NE**.

Philonotis mollis (Dozy & Molk.) Mitt.: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 132 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 77 (2013). – *Philonotis secunda* (Dozy & Molk.) Bosch & Sande Lac.: Tixier, Nova Hedwigia 36: 85 (1982); Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). **Native; NE**.

Philonotis thwaitesii Mitt.: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 132 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 78 (2013). **Native; LC** (assessed here).

Philonotis sp. 2: Koponen et al., Arctoa 21: 62 (2012). **Native;** conservation assessments are generally not applicable to unnamed taxa.

Bryaceae

Bryum apiculatum Schwägr.: Tan & Ho, Guide Mosses Singapore: 80, 123 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 15 (2013). – *Bryum bicolor* auct. non Dicks.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 16 (2013). – *Bryum junghuhnianum* auct. non Hampe ex Dozy & Molk.: Wee, Gard. Bull. Singapore 32: 59 (1979); Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 123 (2008). – *Bryum nitens* Harv.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995). – *Bryum ambiguum* Duby: Tixier, Nova Hedwigia 36: 85 (1982); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). **Native; LC** (assessed here).

Bryum coronatum Schwägr.: Fleischer, Musc. Buitenzorg 2: 537 (1904 ['1902–1904']); Dixon, Gard. Bull. Straits Settlem. 4(1): 19 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 59 (1979); Johnson, Mosses Singapore & Malaysia: 77 (1980); Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 123 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 38, 265 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 16 (2013). **Native; LC** (Wong et al., 2013).

Calymperaceae

Arthrocormus schimperi (Dozy & Molk.) Dozy & Molk.: Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 42 (1980); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 48, 122 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 13 (2013). **Native; CR** (assessed here).

Calymperes boulai Besch.: Ellis, J. Bryol. 15(1): 127 (1988); Chew & Tan, Singapore Scientist 89: 5 (2000); Tan & Ho, Guide Mosses Singapore: 123 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 19 (2013). – *Calymperes dozyanum* auct. non Mitt.: Fleischer, Musc. Buitenzorg 1: 266 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 14 (1926), p.p.; Wee, Gard. Bull. Singapore 32: 57 (1979), p.p.; Johnson, Mosses Singapore & Malaysia: 50 (1980), p.p.; Reese & Mohamed, Bryologist 88: 106 (1985), p.p.; Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p. – *Calymperes delessertii* Besch.: Bescherelle, Ann. Sci. Nat., Bot., sér. 8, 1: 282 (1895); Dixon, Gard. Bull. Straits Settlem. 4(1): 14 (1926). – *Calymperes eutrichostomum* Müll. Hal.: Bescherelle, Ann. Sci. Nat., Bot., sér. 8, 1: 284 (1895); Müller, Gen. Musc. Frond.: 359 (1900). **Native; VU** (assessed here).

Calymperes crassinerve (Mitt.) A.Jaeger: Reese & Mohamed, Bryologist 88: 105 (1985); Mohamed & Tan, Bryologist 91: 29 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Chew & Tan, Singapore Scientist 89: 5 (2000); Tan & Ho, Guide Mosses Singapore: 60, 123 (2008); Yong et al., Rev. Moss

Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 19 (2013). – *Calymperes bescherellei* M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 278 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 15 (1926); Wee, Gard. Bull. Singapore 32: 57 (1979). **Native; LC** (assessed here).

Calymperes erosum Müll.Hal.: Reese & Mohamed, Bryologist 88: 102 (1985); Mohamed & Tan, Bryologist 91: 29 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Chew & Tan, Singapore Scientist 89: 5 (2000); Tan & Ho, Guide Mosses Singapore: 61, 124 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 19 (2013). – *Calymperes afzelii* auct. non Sw.: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Tan & Ho, Guide Mosses Singapore: 138 (2008). – *Calymperes hampei* Dozy & Molk.: Möller, Hedwigia 60: 316 (1919); Dixon, Gard. Bull. Straits Settlem. 4(1): 15 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927); Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 52 (1980). – *Calymperes thwaitesii* auct. non Besch.: Wee, Gard. Bull. Singapore 32: 58 (1979). **Native; LC** (assessed here).

Calymperes graeffeanum Müll.Hal.: Chew & Tan, Singapore Scientist 89: 5 (2000); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 20 (2013). – *Calymperes palisotii* auct. non Schwägr. subsp. *palisotii*: Tan & Ho, Guide Mosses Singapore: 124 (2008), p.p. – *Calymperes punctulatum* Hampe: Tixier, Nova Hedwigia 36: 85 (1982); Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p.; Tan & Ho, Guide Mosses Singapore: 124 (2008), p.p. – *Calymperes dozyanum* auct. non Mitt.: Dixon, Gard. Bull. Straits Settlem. 4(1): 14 (1926), p.p.; Holttum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927); Wee, Gard. Bull. Singapore 32: 57 (1979), p.p.; Johnson, Mosses Singapore & Malaysia: 50 (1980), p.p.; Reese & Mohamed, Bryologist 88: 106 (1985), p.p.; Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p. – *Calymperes palisotii* auct. non Schwägr.: Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p. – *Calymperes hyophilaceum* Müll.Hal.: Tixier, Nova Hedwigia 36: 84 (1982). – *Calymperes nicobarensis* Hampe ex Besch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 15 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 89 (1927); Johnson, Mosses Singapore & Malaysia: 52 (1980). **Native; VU** (assessed here).

Calymperes lonchophyllum Schwägr.: Reese & Mohamed, Bryologist 88: 100 (1985); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995). – *Calymperes serratum* auct. non A.Braun ex Müll.Hal.: Dixon, Gard. Bull. Straits Settlem. 4(1): 16 (1926), p.p.; Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 58 (1979), p.p.; Johnson, Mosses Singapore & Malaysia: 50 (1980), p.p.; Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p.; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995), p.p.; Tan & Ho, Guide Mosses Singapore: 124 (2008), p.p.; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 23 (2013), p.p. – *Calymperes lonchophyllum* Schwägr. subsp. *beccarii* auct. non (Hampe) M.Menzel: Menzel & Schultze-Motel, Willdenowia 19: 488 (1990); Tan & Ho, Guide Mosses Singapore: 124 (2008). – *Calymperes beccarii* auct. non Hampe: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995), as ‘*beccarii*’. – *Calymperes nietneri* Müll. Hal.: Wee, Gard. Bull. Singapore 32: 58 (1979).

Calymperes lonchophyllum Schwägr. subsp. **lonchophyllum**: Tan & Ho, Guide Mosses Singapore: 124 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 21 (2013). **Native; EN** (assessed here).

Calymperes moluccense Schwägr.: Mitten, J. Proc. Linn. Soc., Bot. Suppl. 1: 41 (1859); Dixon, Gard. Bull. Straits Settlem. 4(1): 17 (1926); Ellis, J. Bryol. 14(4): 681 (1987); Ellis, J. Bryol. 15(1): 133 (1988); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 21 (2013). – *Calymperes palisotii* auct. non Schwägr.: Reese & Mohamed, Bryologist 88: 104 (1985), p.p.; Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p.; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Chew & Tan, Singapore Scientist 89: 5 (2000); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 22 (2013). – *Calymperes dozyanum* Mitt.: Dixon, Gard. Bull. Straits Settlem. 4(1): 14 (1926), p.p.; Wee, Gard. Bull. Singapore 32: 57 (1979), p.p.; Johnson, Mosses Singapore & Malaysia: 50 (1980), p.p.; Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p.; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Tan & Ho, Guide Mosses Singapore: 124 (2008). – *Calymperes palisotii* Schwägr. subsp. *moluccense* (Schwägr.) M.Menzel: Tan & Ho, Guide Mosses Singapore: 124 (2008). – *Calymperes punctulatum* auct. non Hampe: Bescherelle, Ann. Sci. Nat., Bot., sér. 8, 1: 300 (1895), p.p.; Fleischer, Musc. Buitenzorg 1: 273 (1904 ['1900–1902']), p.p.; Dixon, Gard. Bull. Straits Settlem. 4(1): 15 (1926), p.p.; Wee, Gard. Bull. Singapore 32: 58 (1979), p.p.; Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p.; Tan & Ho, Guide Mosses Singapore: 124 (2008), p.p. – *Calymperes kurzianum* Hampe ex Müll.Hal.: Tixier, Nova Hedwigia 36: 85 (1982). **Native; EN** (assessed here).

Calymperes motleyi Mitt.: Reese & Mohamed, Bryologist 88: 106 (1985); Chew & Tan, Singapore Scientist 89: 5 (2000); Tan & Ho, Guide Mosses Singapore: 124 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 21 (2013). **Native; VU** (assessed here).

Calymperes porrectum Mitt.: Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 51 (1980); Reese & Mohamed, Bryologist 88: 105 (1985); Mohamed & Tan, Bryologist 91: 29 (1988); Ellis, J. Bryol. 15(4): 720 (1989); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Tan & Ho, Guide Mosses Singapore: 124 (2008). – *Calymperes porrectum* Mitt. var. *porrectum*: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 22 (2013). – *Calymperes salakense* Besch.: Fleischer, Musc. Buitenzorg 1: 251 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 17 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927). – *Calymperes recurvifolium* Besch.: Bescherelle, Ann. Sci. Nat., Bot., sér. 8, 1: 301 (1895); Fleischer, Musc. Buitenzorg 1: 253 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 16 (1926). **Native; NEx** (assessed here).

Calymperes serratum A.Braun ex Müll.Hal.: Johnson, Mosses Singapore & Malaysia: 50 (1980), p.p.; Reese & Mohamed, Bryologist 88: 100 (1985); Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p.; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995), p.p.; Tan & Ho, Guide Mosses Singapore: 124 (2008), p.p.; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 23 (2013), p.p. **Native; NEx** (assessed here).

Calymperes taitense (Sull.) Mitt.: Wee, Gard. Bull. Singapore 32: 58 (1979), as '*tahitense*'; Johnson, Mosses Singapore & Malaysia: 52 (1980), as '*tahitense*'; Reese & Mohamed, Bryologist 88: 103 (1985); Mohamed & Tan, Bryologist 91: 29 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Tan & Ho, Guide Mosses Singapore: 124 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 46, 265 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 23 (2013). – *Calymperes orientale* Mitt. var. *polytrichoides* M.Fleisch.: Fleischer,

Musc. Buitenzorg 1: 249 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 16 (1926). **Native; VU** (assessed here).

Calympères tenerum Müll.Hal.: Fleischer, Musc. Buitenzorg 1: 275 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 15 (1926); Froehlich, Ann. Naturhist. Mus. Wien 59: 76 (1953); Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 55 (1980); Tixier, Nova Hedwigia 36: 85 (1982); Reese & Mohamed, Bryologist 88: 106 (1985); Mohamed & Tan, Bryologist 91: 29 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Chew & Tan, Singapore Scientist 89: 5 (2000); Tan & Ho, Guide Mosses Singapore: 64, 124 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 24 (2013). **Native; LC** (assessed here).

Exostratum blumei (Nees ex Hampe) L.T.Ellis: Ellis, Lindbergia 11: 25 (1985); Tan & Ho, Guide Mosses Singapore: 126 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 42 (2013), as ‘*blumii*’. – *Exodictyon blumei* (Nees ex Hampe) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 57 (1979), as ‘*blumii*’; Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; CR** (assessed here).

Leucophanes candidum (Schwägr.) Lindb.: Fleischer, Musc. Buitenzorg 1: 181 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 8 (1926); Johnson, Mosses Singapore & Malaysia: 41 (1980); Tixier, Nova Hedwigia 36: 83 (1982); Salazar-Allen, Bryophyt. Biblioth. 46: 113 (1993); Tan & Ho, Guide Mosses Singapore: 130 (2008). – *Leucophanes candidum* (Schwägr.) Lindb. var. *candidum*: Wee, Gard. Bull. Singapore 32: 57 (1979); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 62 (2013). – *Leucophanes candidum* (Schwägr.) Lindb. var. *densifolium* (Mitt.) Dixon: Wee, Gard. Bull. Singapore 32: 57 (1979); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Leucophanes aciculare* Müll.Hal., nom. nud.: Dixon, Gard. Bull. Straits Settlem. 4(1): 8 (1926). – *Leucophanes densifolium* Mitt.: Dixon, Gard. Bull. Straits Settlem. 4(1): 8 (1926). – *Leucophanes pugioniforme* M.Fleisch., nom. nud.: Dixon, Gard. Bull. Straits Settlem. 4(1): 8 (1926). – *Didymodon sphagnoides* Harv., nom. illeg. superfl.: Harvey & Hooker, J. Bot. (Hooker) 2: 4 (1840). **Native; NEx** (assessed here).

Leucophanes glaucum (Schwägr.) Mitt.: Salazar-Allen, Bryophyt. Biblioth. 46: 115 (1993); Tan & Ho, Guide Mosses Singapore: 53, 130 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 62 (2013). – *Leucophanes albescens* Müll.Hal.: Möller, Hedwigia 60: 315 (1919); Dixon, Gard. Bull. Straits Settlem. 4(1): 8 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 89 (1927); Johnson, Gard. Bull. Singapore 20(4): 336 (1964); Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 42 (1980); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995).

Leucophanes glaucum (Schwägr.) Mitt. subsp. **glaucum**: Chantanaorrapint, Fl. Singapore 2 (in prep.). **Native; LC** (assessed here).

Leucophanes octoblepharioides Brid.: Möller, Hedwigia 60: 315 (1919); Dixon, Gard. Bull. Straits Settlem. 4(1): 8 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 89 (1927); Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 41 (1980); Mohamed & Tan, Bryologist 91: 29 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 53, 130 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 63 (2013).

Leucophanes octoblepharoides Brid. subsp. **octoblepharoides**: Chantanaorrapint, Fl. Singapore 2 (in prep.). **Native; VU** (assessed here).

Mitthyridium fasciculatum (Hook. & Grev.) H.Rob.: Mohamed & Tan, Bryologist 91: 29 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995). – *Mitthyridium fasciculatum* (Hook. & Grev.) H.Rob. subsp. *cardotii* auct. non (M.Fleisch.) B.C.Tan & L.T.Ellis: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 68 (2013), p.p. – *Mitthyridium cardotii* auct. non (M.Fleisch.) H.Rob.: Reese et al., Bryologist 89: 55 (1986), p.p.; Mohamed & Tan, Bryologist 91: 29 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Tan & Ho, Guide Mosses Singapore: 131 (2008). – *Thyridium cardotii* auct. non M.Fleisch.: Johnson, Mosses Singapore & Malaysia: 63 (1980). – *Thyridium fasciculatum* (Hook. & Grev.) Mitt.: Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 62 (1980). – *Syrrhopodon fasciculatus* Hook. & Grev.: Harvey & Hooker, J. Bot. (Hooker) 2: 7 (1840); Möller, Hedwigia 60: 316 (1919); Dixon, Gard. Bull. Straits Settlem. 4(1): 13 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927). – *Thyridium fasciculatum* (Hook. & Grev.) Mitt. var. *zollingeri* M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 228 (1904 ['1900–1902']).

Mitthyridium fasciculatum (Hook. & Grev.) H.Rob. subsp. **fasciculatum**: Menzel & Schultze-Motel, Willdenowia 19: 501 (1990); Tan & Ho, Guide Mosses Singapore: 131 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 69 (2013). – *Mitthyridium fasciculatum* (Hook. & Grev.) H.Rob. var. *fasciculatum*: Nowak, Bryophyt. Biblioth. 20: 103 (1980). **Native; CR** (assessed here).

Mitthyridium flavum (Müll.Hal.) H.Rob.: Mohamed & Tan, Bryologist 91: 29 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 131 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 69 (2013). – *Thyridium flavum* (Müll.Hal.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 62 (1980). – *Syrrhopodon flavus* Müll.Hal.: Dixon, Gard. Bull. Straits Settlem. 4(1): 13 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927). **Native; EN** (assessed here).

Mitthyridium jungquianum (Mitt.) H.Rob.: Reese et al., Bryologist 89: 51 (1986), as ‘*jungquianum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), as ‘*jungquianum*’; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995), as ‘*jungquianum*’; Tan & Ho, Guide Mosses Singapore: 131 (2008), as ‘*jungquianum*’; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 70 (2013), as ‘*jungquianum*’. **Native; CR** (assessed here).

Mitthyridium repens (Harv.) H.Rob.: Reese et al., Bryologist 89: 51 (1986); Mohamed & Tan, Bryologist 91: 29 (1988); Tan & Ho, Guide Mosses Singapore: 65, 131 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 182, 265 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 70 (2013). – *Mitthyridium undulatum* auct. non (Dozy & Molk.) H.Rob.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 131 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 71 (2013), p.p. – *Oedidcladium rufescens* auct. non (Reinw. & Hornsch.) Mitt.: Mohamed & Tan, Bryologist 91: 32 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 132 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 74 (2013). – *Mitthyridium louisiadum* (Broth.) H.K.Nowak: Nowak, Bryophyt. Biblioth. 20: 93 (1980); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995). – *Mitthyridium repens* (Harv.) H.Rob. var. *minor* (M.Fleisch.) B.C.Tan & Mohamed: Turner & Tan in Wee & Ng (ed.), First Look Biodivers.

Singapore: 106 (1994). – *Mitthyridium repens* (Harv.) H.Rob. var. *repens*: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). – *Thyridium undulatum* auct. non (Dozy & Molk.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 59 (1979); Johnson, Mosses Singapore & Malaysia: 64 (1980), p.p. – *Myurium rufescens* auct. non (Reinw. & Hornsch.) M.Fleisch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 22 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 60 (1979). – *Thyridium manii* M.Fleisch.: Wee, Gard. Bull. Singapore 32: 59 (1979). – *Thyridium repens* (Harv.) Mitt.: Wee, Gard. Bull. Singapore 32: 59 (1979). – *Thyridium undulatum* (Broth. & Geh.) M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 236 (1904 ['1900–1902']); Wee, Gard. Bull. Singapore 32: 59 (1979). – *Syrrhopodon manii* Müll.Hal. f. *minor* (M.Fleisch.) Dixon: Dixon, Gard. Bull. Straits Settlem. 4(1): 13 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927). – *Syrrhopodon repens* Harv.: Paris, Rev. Bryol. 33: 26 (1906); Dixon, Gard. Bull. Straits Settlem. 4(1): 12 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927). – *Syrrhopodon manii* Müll.Hal., nom. nud.: Dixon, Gard. Bull. Straits Settlem. 4(1): 13 (1926). – *Syrrhopodon undulatus* Broth. & Geh.: Dixon, Gard. Bull. Straits Settlem. 4(1): 13 (1926). – *Syrrhopodon undulatus* auct. non (Dozy & Molk.) Lindb.: Dixon, Gard. Bull. Straits Settlem. 4(1): 13 (1926). – *Thyridium manii* M.Fleisch. var. *minor* M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 236 (1904 ['1900–1902']). **Native; VU** (assessed here).

Mitthyridium undulatum (Dozy & Molk.) H.Rob.: Nowak, Bryophyt. Biblioth. 20: 121 (1980); Reese et al., Bryologist 89: 52 (1986); Mohamed & Tan, Bryologist 91: 29 (1988); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 71 (2013), p.p. – *Thyridium undulatum* (Dozy & Molk.) M.Fleisch.: Johnson, Mosses Singapore & Malaysia: 64 (1980), p.p. **Native; CR** (assessed here).

Octoblepharum albidum Hedw.: Harvey & Hooker, J. Bot. (Hooker) 2: 7 (1840); Johnson, Gard. Bull. Singapore 20(4): 337 (1964); Tixier, Nova Hedwigia 36: 84 (1982); Mohamed & Tan, Bryologist 91: 29 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 57, 132 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 74 (2013). **Native; LC** (assessed here).

Syrrhopodon albovaginatus Schwägr.: Fleischer, Bot. Jahrb. Syst. 55(1): 28 (1917 ['1919']); Brotherus in Engler & Prantl, Nat. Pflanzenfam., ed. 2, 10: 230 (1924); Dixon, Gard. Bull. Straits Settlem. 4(1): 11 (1926); Tixier, Nova Hedwigia 29: 1000 (1978); Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 57 (1980); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Tan & Ho, Guide Mosses Singapore: 134 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 93 (2013). **Native; CR** (assessed here).

Syrrhopodon aristifolius Mitt.: Menzel & Schultze-Motel, Willdenowia 19: 514 (1990); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 134 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 93 (2013). – *Syrrhopodon albidus* auct. non Thwaites & Mitt. subsp. *albidus*: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 93 (2013), p.p. – *Syrrhopodon prolifer* Schwägr. var. *albidus* auct. non (Thwaites & Mitt.) Orbán & W.D.Reese: Tan & Ho, Guide Mosses Singapore: 135 (2008). **Native; EN** (assessed here).

Syrrhopodon armatus Mitt.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 94 (2013); Ellis, J. Bryol. 39: 318 (2017). – *Syrrhopodon fimbriatulus* Müll.Hal.: Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 134 (2008). – *Syrrhopodon larminati* Paris & Broth.: Tixier, Nova Hedwigia 29: 982 (1978); Tixier, Nova Hedwigia 36: 84 (1982). **Native; VU** (assessed here).

Syrrhopodon borneensis (Hampe) A.Jaeger: Fisher, Syst. Bot. 31: 22 (2006); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 94 (2013). – *Syrrhopodon involutus* auct. non Schwägr.: Mohamed & Reese, Bryologist 88: 236 (1985), p.p.; Mohamed & Tan, Bryologist 91: 30 (1988), p.p.; Eddy, Handb. Males. Mosses 2: 55 (1990), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p. **Native; NEx** (assessed here).

Syrrhopodon ciliatus (Hook.) Schwägr.: Fleischer, Musc. Buitenzorg 1: 210 (1904 ['1900–1902']); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927); Froehlich, Ann. Naturhist. Mus. Wien 59: 75 (1953); Pócs & Tixier, Ann. Hist.-Nat. Mus. Natl. Hung. 59: 133 (1967); Tixier, Nova Hedwigia 29: 980 (1978); Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 58 (1980); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 134 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 94 (2013). – *Syrrhopodon ciliatus* (Hook.) Schwägr. f. *pseudopodianus* M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 211 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 12 (1926); Mohamed & Tan, Bryologist 91: 30 (1988). **Native; EN** (assessed here).

Syrrhopodon croceus Mitt.: Mitten, J. Proc. Linn. Soc., Bot. Suppl. 1: 41 (1859); Müller, Gen. Musc. Frond.: 374 (1900); Dixon, Gard. Bull. Straits Settlem. 4(1): 14 (1926); Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 61 (1980); Mohamed & Reese, Bryologist 88: 246 (1985); Menzel & Schultze-Motel, Willdenowia 19: 516 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Leonardi, Mem. New York Bot. Gard. 68: 37 (1992); Tan & Ho, Guide Mosses Singapore: 134 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 95 (2013); Ellis, J. Bryol. 38: 22 (2016). – *Calymperidium croceum* (Mitt.) M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 219 (1904 ['1900–1902']). **Native; EN** (assessed here).

Syrrhopodon loreus (Sande Lac.) W.D.Reese: Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 135 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 233, 266 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 96 (2013). – *Calymperes longifolium* Mitt.: Dixon, Gard. Bull. Straits Settlem. 4(1): 16 (1926); Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 51 (1980). **Native; CR** (assessed here).

Syrrhopodon muelleri (Dozy & Molk.) Sande Lac.: Dixon, Gard. Bull. Straits Settlem. 4(1): 13 (1926); Tixier, Nova Hedwigia 29: 1009 (1978); Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 61 (1980); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 135 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 97 (2013). – *Calymperidium muelleri* Dozy & Molk.: Fleischer, Musc. Buitenzorg 1: 217 (1904 ['1900–1902']). **Native; CR** (assessed here).

Syrrhopodon revolutus Dozy & Molk.: Dixon, Gard. Bull. Straits Settlem. 4(1): 10 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927); Wee, Gard. Bull. Singapore 32: 58 (1979); Fisher, Syst. Bot. 31: 20 (2006). – *Syrrhopodon involutus* auct. non Schwägr.: Dixon, Gard. Bull. Straits Settlem. 4(1): 11 (1926), p.p.; Holtum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927); Tixier, Nova Hedwigia 36: 84 (1982), p.p.; Mohamed & Reese, Bryologist 88: 236 (1985), p.p.; Mohamed & Tan, Bryologist 91: 30 (1988), p.p.; Eddy, Handb. Males. Mosses 2: 55 (1990), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p.; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995), p.p.; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 95 (2013), p.p. – *Syrrhopodon pseudoinvolutus* Broth., nom. nud.: Dixon,

Gard. Bull. Straits Settlem. 4(1): 11 (1926). – *Leucophanella revoluta* (Dozy & Molk.) M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 198 (1904 ['1900–1902']). **Native; VU** (assessed here).

Syrrhopodon rufescens Hook. & Grev.: Hooker & Greville, Edinburgh J. Sci. 3: 227 (1826); Mitten, J. Proc. Linn. Soc., Bot. Suppl. 1: 39 (1859); Müller, Gen. Musc. Frond.: 365 (1900); Brotherus in Engler & Prantl, Nat. Pflanzenfam., ed. 2, 10: 229 (1924); Dixon, Gard. Bull. Straits Settlem. 4(1): 11 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927); Tixier, Nova Hedwigia 29: 974 (1978); Wee, Gard. Bull. Singapore 32: 58 (1979); Fisher, Syst. Bot. 31: 20 (2006); Ellis, J. Bryol. 38: 7 (2016). – *Syrrhopodon involutus* auct. non Schwägr.: Mohamed & Reese, Bryologist 88: 236 (1985), p.p.; Mohamed & Tan, Bryologist 91: 30 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), p.p.; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995), p.p.; Tan & Ho, Guide Mosses Singapore: 135 (2008), p.p.; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 95 (2013), p.p. – *Syrrhopodon ridleyi* Broth. ex Dixon: Dixon, Bull. Torrey Bot. Club 51: 229 (1924); Dixon, Gard. Bull. Straits Settlem. 4(1): 11 (1926); Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 61 (1980). – *Leucophanella rufescens* (Hook. & Grev.) M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 200 (1904 ['1900–1902']). **Native; CR** (assessed here).

Syrrhopodon spiculosus Hook. & Grev.: Hooker & Greville, Edinburgh J. Sci. 3: 226 (1826); Harvey & Hooker, J. Bot. (Hooker) 2: 7 (1840); Mitten, J. Proc. Linn. Soc., Bot. Suppl. 1: 39 (1859); Fleischer, Musc. Buitenzorg 1: 208 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 11 (1926); Froehlich, Ann. Naturhist. Mus. Wien 59: 75 (1953); Pócs & Tixier, Ann. Hist.-Nat. Mus. Natl. Hung. 59: 129 (1967); Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 58 (1980); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Ellis, J. Bryol. 29: 65 (2007); Tan & Ho, Guide Mosses Singapore: 135 (2008); Ellis, J. Bryol. 38: 15 (2016). – *Syrrhopodon spiculosus* Hook. & Grev. var. *spiculosus*: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 99 (2013). – *Syrrhopodon trachyphyllus* auct. non Mont.: Tan & Ho, Guide Mosses Singapore: 135 (2008), p.p.; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 99 (2013), p.p. – *Syrrhopodon horridulus* M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 208 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 12 (1926). **Native; VU** (assessed here).

Syrrhopodon trachyphyllus Mont.: Montagne, Syll. Gen. Sp. Crypt.: 47 (1856); Mitten, J. Proc. Linn. Soc., Bot. Suppl. 1: 40 (1859); Fleischer, Musc. Buitenzorg 1: 209 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 12 (1926); Tixier, Nova Hedwigia 29: 987 (1978); Mohamed & Reese, Bryologist 88: 244 (1985); Mohamed & Tan, Bryologist 91: 30 (1988); Menzel & Schultze-Motel, Willdenowia 19: 536 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Ellis, Syst. Biodivers. 1: 161 (2003); Tan & Ho, Guide Mosses Singapore: 135 (2008), p.p.; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 99 (2013), p.p.; Ellis, J. Bryol. 38: 18 (2016). – *Syrrhopodon griffithii* Mitt.: Mitten, J. Proc. Linn. Soc., Bot. Suppl. 1: 40 (1859); Fleischer, Musc. Buitenzorg 1: 208 (1904 ['1900–1902']); Brotherus in Engler & Prantl, Nat. Pflanzenfam., ed. 2, 10: 231 (1924); Dixon, Gard. Bull. Straits Settlem. 4(1): 12 (1926); Wee, Gard. Bull. Singapore 32: 58 (1979); Leonardi, Mem. New York Bot. Gard. 68: 37 (1992). – *Syrrhopodon spiculosus* Hook. & Grev. var. *griffithii* (Mitt.) Pócs & Tixier: Pócs & Tixier, Ann. Hist.-Nat. Mus. Natl. Hung. 59: 130 (1967). **Native; NEx** (assessed here).

Daltoniaceae

Distichophyllum schmidti Broth.: Johnson, Mosses Singapore & Malaysia: 90 (1980); Mohamed & Tan, Bryologist 91: 34 (1988); Mohamed & Robinson, Smithsonian Contr. Bot. 80: 26 (1991);

Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 125 (2008); Ho et al., Trop. Bryol. 31: 118 (2010); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 37 (2013). – *Distichophyllum gracilicaule* auct. non M.Fleisch.: Johnson, Mosses Singapore & Malaysia: 90 (1980), p.p.; Mohamed & Tan, Bryologist 91: 34 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 125 (2008). **Native; NEx** (assessed here).

Dicranaceae

Dicranoloma braunii (Müll.Hal.) Paris: Dixon, Gard. Bull. Straits Settlem. 4(1): 4 (1926); Wee, Gard. Bull. Singapore 32: 57 (1979); Tan & Ho, Guide Mosses Singapore: 125 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 34 (2013). – *Dicranoloma brevisetum* (Dozy & Molk.) Paris var. *samoanum* (Broth.) B.C.Tan & T.J.Kop.: Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). **Native; NE**.

Leptotrichella brasiliensis (Duby) Ochyra: Ochyra, Fragm. Florist. Geobot. 42: 561 (1997). – *Microdus brasiliensis* (Duby) Thér.: Tan & Ho, Guide Mosses Singapore: 130 (2008). **Native; NE**.

Leptotrichella miqueliana (Mont.) Lindb. ex Broth.: Ochyra, Fragm. Florist. Geobot. 42: 561 (1997). – *Microdus miquelianus* (Mont.) Besch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 3 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 89 (1927); Wee, Gard. Bull. Singapore 32: 57 (1979); Tan & Ho, Guide Mosses Singapore: 46, 130 (2008). – *Orthodontium infractum* auct. non Dozy & Molk.: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995).

Leptotrichella miqueliana (Mont.) Lindb. ex Broth. var. **miqueliana**: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 58 (2013). – *Microdus miquelianus* (Mont.) Besch. var. *miquelianus*: Froehlich, Ann. Naturhist. Mus. Wien 59: 69 (1953); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 58 (2013). **Native; LC** (assessed here).

Leptotrichella miqueliana (Mont.) Lindb. ex Broth. var. **longifolia** (Baumgartner & J.Froehl.) Ochyra: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 58 (2013). – *Microdus miquelianus* (Mont.) Besch. var. *longifolius* Baumgartner & J.Froehl.: Froehlich, Ann. Naturhist. Mus. Wien 59: 69 (1953); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 58 (2013). **Native; NE**.

Leucoloma amoenevirens Mitt.: Eddy, Handb. Males. Mosses 1: 177 (1988); Tan & Ho, Guide Mosses Singapore: 138 (2008). **Native; NE**.

Diphysciaceae

Diphyscium mucronifolium Mitt.: Manuel, J. Bryol. 11(2): 245 (1980); Johnson, Mosses Singapore & Malaysia: 79 (1980); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Magombo, J. Hattori Bot. Lab. 94: 50 (2003); Tan & Ho, Guide Mosses Singapore: 125 (2008); Tan & Ho in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 18, 209 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 35 (2013). – *Diphyscium longifolium* auct. non

Griff.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 35 (2013). – *Diphyscium malayense* Manuel: Manuel, J. Bryol. 11(2): 246 (1980); Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 138 (2008). – *Diphyscium rupestre* auct. non Dozy & Molk.: Dixon, Gard. Bull. Straits Settlem. 4(1): 21 (1926); Wee, Gard. Bull. Singapore 32: 63 (1979); Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 125 (2008). – *Diphyscium involutum* Mitt.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995). **Native; CR** (Tan & Ho in Davison et al. (ed.), 2008).

Ditrichaceae

Garckea flexuosa (Griff.) Margad. & Nork.: Margadant & Norkett, J. Bryol. 7(3): 440 (1973); Tan & Ho, Guide Mosses Singapore: 128 (2008). – *Garckea phascooides* Müll.Hal.: Dixon, Gard. Bull. Straits Settlem. 4(1): 3 (1926); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 49 (2013). – *Garckea comosa* (Dozy & Molk.) Wijk & Margad.: Wee, Gard. Bull. Singapore 32: 56 (1979); Tixier, Nova Hedwigia 36: 83 (1982); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), as ‘*Garkea*’. – *Garckea phascooides* (Hook.) Bosch & Sande Lac., nom. illeg. hom.: Van den Bosch & Sande Lac. in Dozy & Molkenboer, Bryol. Jav. 1: 92 (1858 ['1854–1861']). **Native; NE**.

Fissidentaceae

Fissidens autoicus Thér. & Dixon: Tan & Choy, J. Bryol. 24: 46 (2002), as ‘*autoicus*’; Tan et al., J. Hattori Bot. Lab. 96: 223 (2004), as ‘*autoicus*’; Tan & Ho, Guide Mosses Singapore: 126 (2008), as ‘*autoicus*’; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 43 (2013), as ‘*autoicus*’. **Native; EN** (assessed here).

Fissidens bogoriensis M.Fleisch.: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 342 (1987); Tan & Ho, Guide Mosses Singapore: 126 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 43 (2013). **Native; EN** (assessed here).

Fissidens ceylonensis Dozy & Molk.: Fleischer, Musc. Buitenzorg 1: 30 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 9 (1926); Johnson, Nanyang Univ. J. 7: 65 (1973); Wee, Gard. Bull. Singapore 32: 56 (1979); Johnson, Mosses Singapore & Malaysia: 67 (1980); Tixier, Nova Hedwigia 36: 83 (1982); Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 347 (1987); Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Choy, J. Bryol. 24: 46 (2002); Pursell, Bryologist 105: 246 (2002); Tan & Ho, Guide Mosses Singapore: 34, 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 43 (2013). **Native; LC** (assessed here).

Fissidens crassinervis Sande Lac.: Fleischer, Musc. Buitenzorg 1: 38 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 9 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 89 (1927); Johnson, Nanyang Univ. J. 7: 68 (1973); Wee, Gard. Bull. Singapore 32: 56 (1979); Johnson, Mosses Singapore & Malaysia: 68 (1980); Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 351 (1987); Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Choy, J. Bryol. 24: 47 (2002); Tan & Ho, Guide Mosses Singapore: 37, 127 (2008). – *Fissidens crassinervis* Sande Lac. var. *crassinervis*: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 43 (2013). **Native; LC** (assessed here).

Fissidens crenulatus Mitt.

Fissidens crenulatus Mitt. var. **elmeri** (Broth.) Z.Iwats. & Tad.Suzuki: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 343 (1987); Tan & Choy, J. Bryol. 24: 47 (2002); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 44 (2013). **Native; LC** (assessed here).

Fissidens crispulus Brid.: Tan & Ho, Guide Mosses Singapore: 127 (2008). – *Fissidens zippelianus* Dozy & Molk.: Fleischer, Musc. Buitenzorg 1: 43 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 10 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 90 (1927); Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 353 (1987); Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995). – *Fissidens sylvaticus* auct. non Griff.: Johnson, Nanyang Univ. J. 7: 66 (1973); Wee, Gard. Bull. Singapore 32: 56 (1979); Johnson, Mosses Singapore & Malaysia: 67 (1980).

Fissidens crispulus Brid. var. **crispulus**: Tan & Choy, J. Bryol. 24: 47 (2002); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 44 (2013). **Native; EN** (assessed here).

Fissidens flaccidus Mitt.: Tan & Choy, J. Bryol. 24: 47 (2002); Tan & Ho, Guide Mosses Singapore: 41, 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 45 (2013). – *Fissidens splachnobryoides* Broth.: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 342 (1987); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995). **Native; EN** (assessed here).

Fissidens guangdongensis Z.Iwats. & Z.H.Li: Tan & Choy, J. Bryol. 24: 47 (2002); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 38, 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 45 (2013). **Native; NE**.

Fissidens gymnogynus Besch.: Tan & Choy, J. Bryol. 24: 48 (2002); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 40, 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 45 (2013). **Native; NE**.

Fissidens oblongifolius Hook.f. & Wilson: Tan & Choy, J. Bryol. 24: 48 (2002); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 46 (2013). – *Fissidens mangarevensis* Mont.: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 356 (1987). **Native; NE**.

Fissidens pallidinervis Mitt.: Tan & Choy, J. Bryol. 24: 47 (2002); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 46 (2013). **Native; CR** (assessed here).

Fissidens pallidus Hook.f. & Wilson: Tan & Choy, J. Bryol. 24: 47 (2002); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 46 (2013). **Native; CR** (assessed here).

Fissidens pellucidus Hornsch.: Tan & Choy, J. Bryol. 24: 48 (2002); Tan & Ho, Guide Mosses Singapore: 38, 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 47 (2013). – *Fissidens laxus* Sull. & Lesq.: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 350 (1987); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995). – *Fissidens*

laxus Sull. & Lesq. var. *javensis* (M.Fleisch.) B.C.Tan & Mohamed: Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). – *Fissidens laxus* Sull. & Lesq. var. *laxus*: Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). – *Fissidens mittenii* Paris: Dixon, Gard. Bull. Straits Settlem. 4(1): 10 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 89 (1927); Johnson, Nanyang Univ. J. 7: 69 (1973); Wee, Gard. Bull. Singapore 32: 56 (1979); Johnson, Mosses Singapore & Malaysia: 68 (1980); Tixier, Nova Hedwigia 36: 83 (1982). – *Fissidens mittenii* Paris var. *mittenii*: Fleischer, Musc. Buitenzorg 1: 39 (1904 ['1900–1902']). **Native; LC** (assessed here).

Fissidens polypodioides Hedw.: Tan & Choy, J. Bryol. 24: 47 (2002); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 127 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 47 (2013). – *Fissidens areolatus* Griff.: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 357 (1987). **Native; CR** (assessed here).

Fissidens pseudoceylonensis B.C.Tan & M.-S.Choy: Tan & Choy, J. Bryol. 24: 48 (2002); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 34, 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 47 (2013). **Native; NE**.

Fissidens serratus Müll.Hal.: Tan & Choy, J. Bryol. 24: 50 (2002); Tan & Ho, Guide Mosses Singapore: 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 47 (2013). – *Fissidens papillosum* Sande Lac.: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 351 (1987); Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). **Native; NE**.

Fissidens zollingeri Mont.: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 342 (1987); Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Choy, J. Bryol. 24: 50 (2002); Tan & Ho, Guide Mosses Singapore: 41, 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 48 (2013). **Native; LC** (assessed here).

Hypnaceae

Ctenidiadelphus plumularia (Müll.Hal.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 63 (1979); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 125 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 31 (2013). – *Taxithelium plumularia* (Müll.Hal.) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 35 (1926). **Native; NE**.

Ectropothecium buitenzorgii (Bél.) Mitt.: Holtum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927), as ‘*buitenzorgii*’; Wee, Gard. Bull. Singapore 32: 63 (1979), as ‘*buitenzorgii*’; Johnson, Mosses Singapore & Malaysia: 97 (1980), as ‘*buitenzorgii*’; Tixier, Nova Hedwigia 36: 86 (1982), as ‘*buitenzorgii*’; Mohamed & Tan, Bryologist 91: 36 (1988), as ‘*buitenzorgii*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994), as ‘*buitenzorgii*’; Tan & Ho, Guide Mosses Singapore: 90, 126 (2008), as ‘*buitenzorgii*’; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 38 (2013), as ‘*buitenzorgii*’. **Native; NE**.

Ectropothecium ichnotocladum (Müll.Hal.) A.Jaeger: Tan & Ho, Guide Mosses Singapore: 126 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 39 (2013). – *Warburgiella leptocarpos* auct. non (Schwägr.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 62 (1979), as ‘*leptocarpa*’; Johnson, Mosses Singapore & Malaysia: 111 (1980), as ‘*leptocarpa*’; Mohamed & Tan, Bryologist 91: 36 (1988), p.p., as ‘*leptocarpa*’; Turner & Tan in Wee & Ng (ed.),

First Look Biodivers. Singapore: 108 (1994), as ‘*leptocarpa*’; Tan & Ho, Guide Mosses Singapore: 137 (2008), as ‘*leptocarpa*’; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 111 (2013), p.p., as ‘*leptocarpa*’. – *Trichosteleum leptocarpon* auct. non (Schwägr.) M.Fleisch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 40 (1926). **Native; NE.**

Ectropothecium incubans (Reinw. & Hornsch.) A.Jaeger: Dixon, Gard. Bull. Straits Settlem. 4(1): 31 (1926); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 98 (1980); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 126 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 95, 267 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 39 (2013). **Native; DD** (Wong et al., 2013).

Ectropothecium monumentorum (Duby) A.Jaeger: Dixon, Gard. Bull. Straits Settlem. 4(1): 32 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 101 (1980); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 126 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 40 (2013). **Native; NE.**

Ectropothecium moritzii A.Jaeger: Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 98 (1980); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994).

Ectropothecium moritzii A.Jaeger var. **moritzii**: Dixon, Bull. Torrey Bot. Club 51: 241 (1924); Mohamed & Tan, Bryologist 91: 37 (1988); Tan & Ho, Guide Mosses Singapore: 126 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 40 (2013). **Native; NE.**

Ectropothecium singapurense Dixon: Dixon, Bull. Torrey Bot. Club 51: 239 (1924); Dixon, Gard. Bull. Straits Settlem. 4(1): 30 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 98 (1980); Mohamed & Tan, Bryologist 91: 37 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 126 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 40 (2013), p.p. **Native; NE.**

Ectropothecium zollingeri (Müll.Hal.) A.Jaeger: Dixon, Gard. Bull. Straits Settlem. 4(1): 32 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 126 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 40 (2013). – *Glossadelphus zollingeri* (Müll.Hal.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 61 (1979). **Native; NE.**

Taxiphyllum taxirameum (Mitt.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 63 (1979); Tixier, Nova Hedwigia 36: 86 (1982); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 135 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 100 (2013). **Native; NE.**

Vesicularia dubyana (Müll.Hal.) Broth.: Möller, Hedwigia 60: 328 (1919); Dixon, Gard. Bull. Straits Settlem. 4(1): 36 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 103 (1980); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 96, 137 (2008); Yong et al., Rev. Moss Checkl.

Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 110 (2013). **Native; LC** (assessed here).

Vesicularia kurzii (A.Jaeger) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 36 (1926); Froehlich, Ann. Naturhist. Mus. Wien 59: 114 (1953); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 103 (1980); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 137 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 110 (2013). **Native; NE**.

Vesicularia miquelii (Sande Lac.) M.Fleisch.: Fleischer, Musc. Buitenzorg 4: 1440 (1923 ['1915–1922']); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 102 (1980); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 267 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 110 (2013). – *Plagiothecium miquelii* (Sande Lac.) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 33 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927). **Native; EN** (assessed here).

Vesicularia montagnei (Bél.) Broth.: Möller, Hedwigia 60: 328 (1919); Dixon, Gard. Bull. Straits Settlem. 4(1): 36 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Wee, Gard. Bull. Singapore 32: 63 (1979); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 98, 137 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 110 (2013). **Native; NE**.

Vesicularia reticulata (Dozy & Molk.) Broth.: Möller, Hedwigia 60: 328 (1919); Fleischer, Musc. Buitenzorg 4: 1447 (1923 ['1915–1922']); Brotherus in Engler & Prantl, Nat. Pflanzenfam., ed. 2, 11: 464 (1925); Dixon, Gard. Bull. Straits Settlem. 4(1): 36 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 102 (1980); Tixier, Nova Hedwigia 36: 86 (1982); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 99, 137 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 111 (2013). **Native; LC** (assessed here).

Hypnodendraceae

Dendro-hypnum subspininervium (Müll.Hal.) N.E.Bell et al.

Dendro-hypnum subspininervium (Müll.Hal.) N.E.Bell et al. subsp. **arborescens** (Mitt.) N.E.Bell et al.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 33 (2013). – *Hypnodendron arborescens* (Mitt.) Lindb.: Dixon, Gard. Bull. Straits Settlem. 4(1): 45 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 145, 267 (2013). – *Hypnodendron subspininervium* (Müll.Hal.) A.Jaeger subsp. *arborescens* (Mitt.) Touw: Touw, Blumea 19: 237 (1971); Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994), as ‘*Hypodendron*’; Tan & Ho, Guide Mosses Singapore: 128 (2008). **Native; NEx** (assessed here).

Hypopterygiaceae

Hypopterygium tamarisci (Sw.) Brid. ex Müll.Hal.: Kruijer, Blumea, Suppl. 13: 198 (2002); Tan & Ho, Guide Mosses Singapore: 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 56 (2013). **Native; NEx** (assessed here).

Leskeaceae

Claopodium prionophyllum (Müll.Hal.) Broth.: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 125 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 29 (2013). **Non-native, casual** (assessed here).

Leucobryaceae

Campylopus serratus Sande Lac.: Dixon, Gard. Bull. Straits Settlem. 4(1): 5 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 89 (1927); Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 37 (1980); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995); Tan & Ho, Guide Mosses Singapore: 43, 125 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 26 (2013). – *Campylopus ericoides* auct. non (Griff.) A.Jaeger: Tan & Ho, Guide Mosses Singapore: 125 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 25 (2013), p.p. – *Campylopus singapurensis* M.Fleisch. ex Paris: Paris, Rev. Bryol. 33: 25 (1906). **Native; NE.**

Cladopodanthus heterophyllus (M.Fleisch.) E.B.Bartram: Magill, Bryologist 96: 237 (1993); Tan & Ho, Guide Mosses Singapore: 125 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 29 (2013). **Native; NEx** (assessed here).

Leucobryum aduncum Dozy & Molk.: Fleischer, Musc. Buitenzorg 1: 141 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 7 (1926); Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 40 (1980); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 50 (2008).

Leucobryum aduncum Dozy & Molk. var. **aduncum**: Tan & Ho, Guide Mosses Singapore: 129 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 58 (2013). **Native; VU** (assessed here).

Leucobryum aduncum Dozy & Molk. var. **scalare** (Müll.Hal. ex M.Fleisch.) A.Eddy: Yamaguchi, J. Hattori Bot. Lab. 73: 33 (1993); Tan & Ho, Guide Mosses Singapore: 129 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 58 (2013). – *Leucobryum scalare* Müll.Hal. ex M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 143 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 7 (1926); Wee, Gard. Bull. Singapore 32: 57 (1979); Tixier, Nova Hedwigia 36: 83 (1982); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; NE.**

Leucobryum aduncum Dozy & Molk. var. **teysmannianum** (Dozy & Molk.) T.Yamag.: Tan & Ho, Guide Mosses Singapore: 129 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 58 (2013). **Native; NE.**

Leucobryum chlorophyllosum Müll.Hal.: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 129 (2008). – *Leucobryum chlorophyllosum* Müll.Hal. var. *chlorophyllosum*: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 59 (2013). **Native; NE.**

Leucobryum javense (Brid.) Mitt.: Dixon, Gard. Bull. Straits Settlem. 4(1): 7 (1926); Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 40 (1980); Tixier, Nova Hedwigia 36: 83 (1982); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 129 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon

Swamp For.: 159, 266 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 59 (2013). – *Leucobryum cyathifolium* Dixon: Mohamed & Tan, Bryologist 91: 28 (1988). – *Dicranum megalophyllum* Brid.: Harvey & Hooker, J. Bot. (Hooker) 2: 6 (1840). **Native; NEx** (assessed here).

Leucobryum sanctum (Nees ex Schwägr.) Hampe: Fleischer, Musc. Buitenzorg 1: 145 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 7 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 89 (1927); Johnson, Gard. Bull. Singapore 20(4): 328 (1964); Wee, Gard. Bull. Singapore 32: 57 (1979); Johnson, Mosses Singapore & Malaysia: 39 (1980); Ligrone, J. Bryol. 13(3): 411 (1985); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 129 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 160, 267 (2013).

Leucobryum sanctum (Nees ex Schwägr.) Hampe var. **sanctum**: Yamaguchi, J. Hattori Bot. Lab. 73: 45 (1993); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 60 (2013). **Native; EN** (assessed here).

Mniaceae

Plagiomnium succulentum (Mitt.) T.J.Kop.: Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 133 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 80 (2013). – *Mnium succulentum* Mitt.: Wee, Gard. Bull. Singapore 32: 60 (1979). **Native; NE**.

Myuriaceae

Oedipodium pseudorufescens (Hampe) B.C.Tan & Mohamed: Mohamed & Tan, Bryologist 91: 32 (1988), as ‘*pseudo-rufescens*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994), as ‘*pseudo-rufescens*’; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 74 (2013). – *Piloecium pseudorufescens* (Hampe) Müll.Hal.: Fleischer, Musc. Buitenzorg 4: 1663 (1923 ['1915–1922']); Dixon, Gard. Bull. Straits Settlem. 4(1): 45 (1926); Wee, Gard. Bull. Singapore 32: 60 (1979); Tan & Ho, Guide Mosses Singapore: 133 (2008). – *Myurium pseudorufescens* (Hampe) Maschke subsp. *pseudorufescens*: Maschke, Bryophyt. Biblioth. 6: 136 (1976). **Native; NEx** (assessed here).

Neckeraceae

Caduciella mariei (Besch.) Enroth: Enroth, J. Bryol. 16(4): 612 (1991); Tan & Ho, Guide Mosses Singapore: 123 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 17 (2013). – *Pinnatella microptera* M.Fleisch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 25 (1926); Wee, Gard. Bull. Singapore 32: 60 (1979); Mohamed & Tan, Bryologist 91: 33 (1988); Mohamed & Abdullah, J. Bryol. 15(1): 142 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; NEx** (assessed here).

Neckeropsis gracilenta (Bosch & Sande Lac.) M.Fleisch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 23 (1926); Touw, Blumea 11(2): 394 (1962); Wee, Gard. Bull. Singapore 32: 60 (1979); Mohamed & Tan, Bryologist 91: 33 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 131 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 73 (2013). **Native; CR** (assessed here).

Pinnatella mucronata (Bosch & Sande Lac.) M.Fleisch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 25 (1926); Johnson, Mosses Singapore & Malaysia: 88 (1980); Mohamed & Tan, Bryologist 91: 33 (1988); Mohamed & Abdullah, J. Bryol. 15(1): 145 (1988); Enroth, Acta Bot. Fenn. 151: 29 (1994); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 133 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 79 (2013). – *Pinnatella kuehliana* auct. non (Bosch & Sande Lac.) M.Fleisch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 25 (1926), p.p.; Wee, Gard. Bull. Singapore 32: 60 (1979); Mohamed & Tan, Bryologist 91: 33 (1988), p.p.; Enroth, Acta Bot. Fenn. 151: 25 (1994), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 133 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 79 (2013), p.p. **Native; NEx** (assessed here).

Orthotrichaceae

Desmotrichia apiculata (Dozy & Molk.) Lindb.: Dixon, Gard. Bull. Straits Settlem. 4(1): 18 (1926); Wee, Gard. Bull. Singapore 32: 60 (1979); Johnson, Mosses Singapore & Malaysia: 82 (1980); Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 125 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 33 (2013). **Native; NEx** (assessed here).

Groutiella tomentosa (Hornschr.) Wijk & Margad.: Tan & Ho, Guide Mosses Singapore: 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 51 (2013). – *Groutiella goniorrhyncha* (Dozy & Molk.) E.B.Bartram: Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 60 (1979); Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Macromitrium goniorrhynchum* (Dozy & Molk.) Mitt.: Möller, Hedwigia 60: 318 (1919); Dixon, Gard. Bull. Straits Settlem. 4(1): 18 (1926). **Native; NEx** (assessed here).

Macromitrium fuscescens Schwägr.: Vitt et al., Acta Bot. Fenn. 154: 33 (1995). – *Macromitrium semipellucidum* Dozy & Molk.: Dixon, Gard. Bull. Straits Settlem. 4(1): 19 (1926); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 130 (2008). **Native; NEx** (assessed here).

Macromitrium incurvifolium (Hook. & Grev.) Schwägr.: Dixon, Gard. Bull. Straits Settlem. 4(1): 19 (1926); Wee, Gard. Bull. Singapore 32: 60 (1979); Johnson, Mosses Singapore & Malaysia: 83 (1980); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 130 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 64 (2013). **Native; NEx** (assessed here).

Macromitrium nepalense (Hook. & Grev.) Schwägr.: Dixon, Gard. Bull. Straits Settlem. 4(1): 18 (1926). – *Macromitrium minutum* auct. non Mitt.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 65 (2013). **Native; NEx** (assessed here).

Pilotrichaceae

Callicostella papillata (Mont.) Mitt.: Dixon, Gard. Bull. Straits Settlem. 4(1): 27 (1926); Wee, Gard. Bull. Singapore 32: 61 (1979); Mohamed & Tan, Bryologist 91: 33 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 85, 123 (2008).

Callicostella papillata (Mont.) Mitt. var. **papillata**: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 17 (2013). **Native; EN** (assessed here).

Callicostella papillata (Mont.) Mitt. var. **prabaktiana** (Müll.Hal.) Streimann: Tan & Ho, Guide Mosses Singapore: 123 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 18 (2013). – *Callicostella beccariana* auct. non (Hampe) A.Jaeger: Dixon, Gard. Bull. Straits Settlem. 4(1): 27 (1926); Wee, Gard. Bull. Singapore 32: 61 (1979); Mohamed & Tan, Bryologist 91: 33 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Callicostella prabaktiana* (Müll.Hal.) Bosch & Sande Lac.: Dixon, Gard. Bull. Straits Settlem. 4(1): 27 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 61 (1979); Johnson, Mosses Singapore & Malaysia: 94 (1980); Mohamed & Tan, Bryologist 91: 33 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). **Native; EN** (assessed here).

Plagiotheciaceae

Pseudotaxiphyllum pohliaecarpum (Sull. & Lesq.) Z.Iwats.: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 133 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 83 (2013). **Native; NE**.

Pottiaceae

Barbula thelimitria Müll.Hal.: Müller, Gen. Musc. Frond.: 440 (1900). **Native; NE**.

Chionoloma angustatum (Mitt.) M.Menzel: Alonso et al., Ann. Missouri Bot. Gard. 104: 568 (2019). **Native; NEx** (assessed here).

Gymnostomiella vernicosa (Hook. ex Harv.) M.Fleisch.: Möller, Hedwigia 60: 317 (1919); Dixon, Gard. Bull. Straits Settlem. 4(1): 18 (1926); Wee, Gard. Bull. Singapore 32: 59 (1979); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 51 (2013).

Gymnostomiella vernicosa (Hook. ex Harv.) M.Fleisch. var. **vernicosa**: Arts, J. Bryol. 20: 421 (1998). **Native; NEx** (assessed here).

Hydrogonium arcuatum (Griff.) Wijk & Margad.: Wee, Gard. Bull. Singapore 32: 59 (1979); Johnson, Mosses Singapore & Malaysia: 74 (1980). – *Barbula arcuata* Griff.: Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 123 (2008). – *Barbula comosa* Dozy & Molk.: Mitten, J. Proc. Linn. Soc., Bot. Suppl. 1: 35 (1859); Dixon, Gard. Bull. Straits Settlem. 4(1): 17 (1926); Tan & Ho, Guide Mosses Singapore: 137 (2008). **Native; NEx** (assessed here).

Hydrogonium consanguineum (Thwaites & Mitt.) Hilp.: Kučera et al., Taxon 62: 32 (2013). – *Barbula consanguinea* (Thwaites & Mitt.) A.Jaeger: Fleischer, Musc. Buitenzorg 1: 348 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 17 (1926); Tan & Ho, Guide Mosses Singapore: 123 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 14 (2013). – *Barbula javanica* auct. non Dozy & Molk.: Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 137 (2008).

Hydrogonium consanguineum (Thwaites & Mitt.) Hilp. var. **consanguineum**: Kučera et al., Taxon 62: 32 (2013). **Native; LC** (assessed here).

Hydrogonium orientale (F.Weber) Jan Kučera: Kučera et al., Taxon 62: 35 (2013). – *Barbula indica* (Hook.) Spreng.: Dixon, Gard. Bull. Straits Settlem. 4(1): 17 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Froehlich, Ann. Naturhist. Mus. Wien 59: 79 (1953); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Sollman, Trop. Bryol. 19: 25 (2000); Tan & Ho, Guide Mosses Singapore: 71, 123 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 14 (2013). – *Weissia malayensis* (M.Fleisch.) Manuel: Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Semibarbula orientalis* (F.Weber) Wijk & Margad.: Johnson, Mosses Singapore & Malaysia: 73 (1980). – *Barbula orientalis* (F.Weber) Broth., nom. illeg. hom.: Paris, Rev. Bryol. 33: 25 (1906); Möller, Hedwigia 60: 317 (1919); Wee, Gard. Bull. Singapore 32: 59 (1979). – *Hymenostomum malayense* M.Fleisch.: Fleischer, Musc. Buitenzorg 1: 315 (1904 ['1900–1902']); Dixon, Gard. Bull. Straits Settlem. 4(1): 17 (1926). – *Trichostomum orientale* F.Weber: Fleischer, Musc. Buitenzorg 1: 345 (1904 ['1900–1902']). – *Barbula murina* Müll.Hal., nom. illeg. hom.: Müller, Gen. Musc. Frond.: 440 (1900). **Native; LC** (assessed here).

Hydrogonium subcomosum (Broth.) P.C.Chen: Kučera et al., Taxon 62: 36 (2013). – *Barbula subcomosa* Broth.: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 123 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 14 (2013). **Native; NE.**

Hyophila beruensis Dixon: Eddy, Handb. Males. Mosses 2: 201 (1990); Tan & Ho, Guide Mosses Singapore: 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 53 (2013). – *Hyophila subspathulata* Müll.Hal., nom. nud.: Müller, Gen. Musc. Frond.: 394 (1900). **Native; NE.**

Hyophila involuta (Hook.) A.Jaeger: Wee, Gard. Bull. Singapore 32: 59 (1979); Tixier, Nova Hedwigia 36: 85 (1982); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 74, 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 54 (2013). – *Hyophila commutata* Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 17 (1926). – *Hyophila micholitzii* Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 17 (1926). **Native; LC** (assessed here).

Hyophila javanica (Nees & Blume) Brid.: Möller, Hedwigia 60: 317 (1919); Wee, Gard. Bull. Singapore 32: 59 (1979); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 54 (2013). **Native; NE.**

Splachnobryum oorschotii (Sande Lac.) Müll.Hal.: Fleischer, Musc. Buitenzorg 2: 471 (1904 ['1902–1904']); Dixon, Gard. Bull. Straits Settlem. 4(1): 18 (1926); Wee, Gard. Bull. Singapore 32: 59 (1979); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Arts, Lindbergia 26: 87 (2001); Tan & Ho, Guide Mosses Singapore: 134 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 92 (2013). **Native; NE.**

Splachnobryum temasekense B.C.Tan et al.: Tan et al., J. Hattori Bot. Lab. 96: 228 (2004), as ‘*temasekensis*’; Tan & Ho, Guide Mosses Singapore: 134 (2008), as ‘*temasekensis*’; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 92 (2013), as ‘*temasekensis*’. **Native; NE.**

Pylaisiadelphaceae

Isopterygium albescens (Hook.) A.Jaeger: Dixon, Gard. Bull. Straits Settlem. 4(1): 33 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 101 (1980); Tixier, Nova Hedwigia 36: 86 (1982); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994). – *Isopterygium minutirameum* (Müll.Hal.) A.Jaeger: Fleischer, Musc. Buitenzorg 4: 1426 (1923 ['1915–1922']); Dixon, Gard. Bull. Straits Settlem. 4(1): 32 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Wee, Gard. Bull. Singapore 32: 63 (1979); Johnson, Mosses Singapore & Malaysia: 101 (1980); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 94, 129 (2008).

Isopterygium albescens (Hook.) A.Jaeger var. **albescens**: Tan & Chang, Cryptog. Bryol. 25: 306 (2004); Tan & Ho, Guide Mosses Singapore: 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 56 (2013). **Native; LC** (assessed here).

Isopterygium bancanum (Sande Lac.) A.Jaeger: Johnson, Mosses Singapore & Malaysia: 102 (1980); Tan & Ho, Guide Mosses Singapore: 92, 128 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 57 (2013). **Native; LC** (assessed here).

Pterogonidium pulchellum (Hook.) Müll.Hal. ex Broth.: Tan & Buck, Fol. Malaysiana 3: 166 (2002); Tan & Chang, Cryptog. Bryol. 25: 306 (2004); Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 133 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 83 (2013). **Non-native, naturalised** (Yong et al., 2013).

Taxithelium instratum (Brid.) Broth.: Möller, Hedwigia 60: 328 (1919); Fleischer, Musc. Buitenzorg 4: 1338 (1923 ['1915–1922']); Dixon, Gard. Bull. Straits Settlem. 4(1): 33 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 105 (1980); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 105, 135 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 101 (2013). – *Taxithelium capillipes* (Sande Lac.) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 34 (1926); Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 106 (1980); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 135 (2008). **Native; LC** (assessed here).

Taxithelium isocladum (Bosch & Sande Lac.) Renauld & Cardot: Dixon, Gard. Bull. Straits Settlem. 4(1): 34 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 106 (1980); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 136 (2008); Câmara, Syst. Bot. 36: 11 (2011); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 101 (2013). **Native; NE** (assessed here).

Taxithelium kerianum (Broth.) Broth.: Johnson, Mosses Singapore & Malaysia: 106 (1980); Tan & Ho, Guide Mosses Singapore: 136 (2008); Câmara, Syst. Bot. 36: 829 (2012); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 101 (2013). **Native; NE**.

Taxithelium leptosigmatum (Müll.Hal. ex Geh.) Paris: Câmara, Syst. Bot. 36: 829 (2011); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 101 (2013). – *Taxithelium subtrachaelophyllum* Dixon: Dixon, Bull. Torrey Bot. Club 51: 243 (1924). **Native; NEx** (assessed here).

Taxithelium nepalense (Schwägr.) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 34 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Tixier, Nova Hedwigia 36: 86 (1982); Tan & Chang, Cryptog. Bryol. 25: 306 (2004); Tan & Ho, Guide Mosses Singapore: 105, 136 (2008); Câmara, Syst. Bot. 36: 830 (2011); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 102 (2013). – *Taxithelium planum* auct. non (Brid.) Mitt.: Wee, Gard. Bull. Singapore 32: 62 (1979); Mohamed & Tan, Bryologist 91: 36 (1988); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995). – *Taxithelium gottscheanum* (Hampe ex Müll.Hal.) Broth.: Johnson, Mosses Singapore & Malaysia: 105 (1980). **Native; LC** (assessed here).

Taxithelium vernieri (Duby) Besch.: Wee, Gard. Bull. Singapore 32: 62 (1979); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 136 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 103 (2013). **Native; NE**.

Trismegistia lancifolia (Harv.) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 37 (1926); Wee, Gard. Bull. Singapore 32: 62 (1979); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Long, Bot. J. Linn. Soc. 119(1): 29 (1995); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 112, 137 (2008); Tan & Ho in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 18, 209 (2008).

Trismegistia lancifolia (Harv.) Broth. var. **lancifolia**: Mohamed & Tan, Bryologist 91: 36 (1988); Akiyama, Humans & Nature 21: 20 (2010). **Native; CR** (assessed here).

Trismegistia lancifolia (Harv.) Broth. var. **pseudoplicata** H.Akiyama: Akiyama, Humans & Nature 21: 26 (2010); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 110 (2013). – *Trismegistia calderensis* (Sull.) Broth. var. *convoluta* auct. non (Bosch & Sande Lac.) K.T.Yong et al.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 109 (2013), p.p. – *Trismegistia rigida* auct. non (Mitt.) Broth.: Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 108 (1980), p.p.; Mohamed & Tan, Bryologist 91: 36 (1988), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 137 (2008). **Native; CR** (assessed here).

Rhizogoniaceae

Pyrrhobryum latifolium (Bosch & Sande Lac.) Mitt.: Wee, Gard. Bull. Singapore 32: 60 (1979); Manuel, Cryptog. Bryol. Lichénol. 2: 454 (1981); Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 133 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 83 (2013). – *Pyrrhobryum longiflorum* Mitt.: Frahm et al., Trop. Bryol. 24: 117 (2003). – *Rhizogonium latifolium* Bosch & Sande Lac.: Dixon, Gard. Bull. Straits Settlem. 4(1): 20 (1926); Johnson, Mosses Singapore & Malaysia: 78 (1980). **Native; CR** (assessed here).

Pyrrhobryum spiniforme (Hedw.) Mitt.: Manuel, Cryptog. Bryol. Lichénol. 2: 450 (1981); Mohamed & Tan, Bryologist 91: 31 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 82, 133 (2008); Tan & Ho in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 17, 209 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon

Swamp For.: 214, 480 (2013). – *Pyrrhobryum spiniforme* (Hedw.) Mitt. var. *spiniforme*: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 84 (2013). – *Rhizogonium spiniforme* (Hedw.) Bruch: Dixon, Gard. Bull. Straits Settlem. 4(1): 20 (1926); Wee, Gard. Bull. Singapore 32: 60 (1979); Johnson, Mosses Singapore & Malaysia: 78 (1980). **Native; CR** (assessed here).

Sematophyllaceae

Acanthorrhynchium papillatum (Harv.) M.Fleisch.: Fleischer, Musc. Buitenzorg 4: 1331 (1923 ['1915–1922']); Froehlich, Ann. Naturhist. Mus. Wien 59: 110 (1953); Wee, Gard. Bull. Singapore 32: 61 (1979); Johnson, Mosses Singapore & Malaysia: 103 (1980); Mohamed & Tan, Bryologist 91: 34 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 101, 122 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 5 (2013). – *Taxithelium papillatum* (Harv.) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 35 (1926). – *Trichosteleum papillatum* (Harv.) A.Jaeger: Möller, Hedwigia 60: 328 (1919). **Native; VU** (assessed here).

Acporium convolutum (Sande Lac.) M.Fleisch.: Fleischer, Musc. Buitenzorg 4: 1276 (1923 ['1915–1922']); Brotherus in Engler & Prantl, Nat. Pflanzenfam., ed. 2, 11: 435 (1925); Wee, Gard. Bull. Singapore 32: 61 (1979); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 122 (2008).

Acporium convolutum (Sande Lac.) M.Fleisch. var. **convolutum**: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 7 (2013). **Native; NE**.

Acporium microcladon (Dozy & Molk.) B.C.Tan: Tan & Ho, Guide Mosses Singapore: 122 (2008), as ‘*microcladum*’; Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 9 (2013), as ‘*microcladum*’. – *Sematophyllum microcladiellum* M.Fleisch.: Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 111 (1980); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994). – *Rhaphidostegium microcladon* (Dozy & Molk.) Broth., nom. illeg. hom.: Dixon, Gard. Bull. Straits Settlem. 4(1): 38 (1926), as ‘*microcladum*’. **Native; NEx** (assessed here).

Acporium rufum (Reinw. & Hornsch.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 61 (1979); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 122 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 10 (2013). **Native; NE**.

Acporium secundum (Reinw. & Hornsch.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 61 (1979); Mohamed & Tan, Bryologist 91: 35 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 122 (2008).

Acporium secundum (Reinw. & Hornsch.) M.Fleisch. var. **secundum**: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 10 (2013). **Native; NE**.

Clastobryophilum asperifolium (Thwaites & Mitt.) B.C.Tan: Tan & Ho, Guide Mosses Singapore: 125 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 30 (2013). – *Acporium asperifolium* (Thwaites & Mitt.) Dixon: Dixon, Gard. Bull. Straits Settlem. 4(1): 41 (1926); Wee, Gard. Bull. Singapore 32: 61 (1979); Johnson, Mosses Singapore & Malaysia: 107 (1980), as ‘*Arcroporium*’; Mohamed & Tan, Bryologist 91: 34 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 6 (2013). **Native; NEx** (assessed here).

Meiothecium jagorii (Müll.Hal.) Broth.: Fleischer, Musc. Buitenzorg 4: 1234 (1923 ['1915–1922']); Dixon, Gard. Bull. Straits Settlem. 4(1): 37 (1926); Wee, Gard. Bull. Singapore 32: 62 (1979); Mohamed & Tan, Bryologist 91: 35 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 130 (2008).

Meiothecium jagorii (Müll.Hal.) Broth. var. **jagorii**: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 66 (2013). **Native; NE**.

Meiothecium microcarpum (Harv.) Mitt.: Fleischer, Musc. Buitenzorg 4: 1230 (1923 ['1915–1922']); Dixon, Gard. Bull. Straits Settlem. 4(1): 37 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Froehlich, Ann. Naturhist. Mus. Wien 59: 107 (1953); Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 108 (1980), as 'mircocarpum'; Tixier, Nova Hedwigia 36: 85 (1982); Mohamed & Tan, Bryologist 91: 35 (1988); Long, Bot. J. Linn. Soc. 119(1): 21 (1995); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 103, 130 (2008). – *Pterogonium viridissimum* Müll.Hal. ex Paris, nom. nud.: Paris, Index Bryol.: 1051 (1898).

Meiothecium microcarpum (Harv.) Mitt. var. **microcarpum**: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 66 (2013). **Native; LC** (assessed here).

Meiothecium microcarpum (Harv.) Mitt. var. **lineolatum** (Duby) M.Fleisch.: Fleischer, Musc. Buitenzorg 4: 1233 (1923 ['1915–1922']); Dixon, Gard. Bull. Straits Settlem. 4(1): 37 (1926); Wee, Gard. Bull. Singapore 32: 62 (1979); Mohamed & Tan, Bryologist 91: 35 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 66 (2013). **Native; NE**.

Meiothecium microcarpum (Harv.) Mitt. var. **minus** (Paris) Wijk & Margad.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 67 (2013). – *Meiothecium bogoriense* M.Fleisch. f. *tenuissimum* M.Fleisch.: Fleischer, Musc. Buitenzorg 4: 1230 (1923 ['1915–1922']); Tan & Ho, Guide Mosses Singapore: 130 (2008), as 'tenuissima'. **Native; NE**.

Papillidiopsis bruchii (Dozy & Molk.) W.R.Buck & B.C.Tan: Tan & Ho, Guide Mosses Singapore: 132 (2008); Tan & Ho in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 17, 209 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 194, 267 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 75 (2013). – *Acanthocladium bifarium* Mitt., nom. inval. in syn.: Leonardi, Mem. New York Bot. Gard. 68: 40 (1992). – *Rhaphidostichum bruchii* (Dozy & Molk.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 112 (1980); Mohamed & Tan, Bryologist 91: 35 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994). – *Trichosteleum bruchii* (Dozy & Molk.) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 40 (1926). **Native; CR** (Wong et al., 2013).

Papillidiopsis luxurians (Dozy & Molk.) W.R.Buck & B.C.Tan: Tan & Ho, Guide Mosses Singapore: 132 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 194, 268 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 76 (2013). – *Rhaphidostichum luxurians* (Dozy & Molk.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 112 (1980); Mohamed & Tan, Bryologist 91: 35 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994). – *Trichosteleum luxurians* (Dozy & Molk.) Broth.: Dixon, Gard. Bull. Straits Settlem. 4(1): 40 (1926). **Native; NEx** (assessed here).

Papillidiopsis ramulina (Thwaites & Mitt.) W.R.Buck & B.C.Tan: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 132 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 76 (2013). **Native; EN** (assessed here).

Sematophyllum subpinnatum (Brid.) E.Britton: Mohamed & Tan, Bryologist 91: 35 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 133 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 90 (2013). – *Sematophyllum tristiculum* (Mitt.) M.Fleisch.: Tixier, Nova Hedwigia 36: 85 (1982); Tan & Ho, Guide Mosses Singapore: 134 (2008). – *Rhaphidostegium caespitosum* (Hedw.) Besch.: Dixon, Gard. Bull. Straits Settlem. 4(1): 37 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927). **Native; NE**.

Trichosteleum boschii (Dozy & Molk.) A.Jaeger: Dixon, Gard. Bull. Straits Settlem. 4(1): 39 (1926); Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 112 (1980); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994), as ‘*Trichostelium*’; Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995); Tan & Ho, Guide Mosses Singapore: 136 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 106 (2013). – *Trichosteleum brachypelma* (Müll.Hal.) Paris var. *brachypelma*: Mohamed & Tan, Bryologist 91: 36 (1988); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 106 (2013). – *Trichosteleum brachypelma* (Müll.Hal.) Paris: Dixon, Gard. Bull. Straits Settlem. 4(1): 39 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994), as ‘*Trichostelium*’. – *Rhaphidostichum boschii* (Dozy & Molk.) Seki var. *boschii*: Seki, J. Sci. Hiroshima Univ., ser. B., Div. 2, Bot. 12: 58 (1968). **Native; EN** (assessed here).

Trichosteleum fleischeri B.C.Tan et al.: Tan et al., J. Hattori Bot. Lab. 96: 223 (2004); Tan & Ho, Guide Mosses Singapore: 108, 136 (2008). **Native; NE**.

Trichosteleum saproxylophilum (Müll.Hal.) B.C.Tan et al.: Tan & Ho, Guide Mosses Singapore: 136 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 108 (2013). – *Sematophyllum saproxylophilum* (Müll.Hal.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 62 (1979); Johnson, Mosses Singapore & Malaysia: 111 (1980); Tixier, Nova Hedwigia 36: 85 (1982); Mohamed & Tan, Bryologist 91: 35 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 74 (1995). – *Rhaphidostegium saproxylophilum* (Müll.Hal.) A.Jaeger: Dixon, Gard. Bull. Straits Settlem. 4(1): 38 (1926). **Native; NEx** (assessed here).

Trichosteleum stigmosum Mitt.: Tan et al., Ann. Bot. Fenn. 44: 71 (2007). – *Trichosteleum monostictum* (Thwaites & Mitt.) Broth. var. *laevius* auct. non Dixon: Dixon, Gard. Bull. Straits Settlem. 4(1): 39 (1926); Wee, Gard. Bull. Singapore 32: 62 (1979); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994), as ‘*Trichostelium*’; Tan & Ho, Guide Mosses Singapore: 136 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 107 (2013). – *Trichosteleum singapurense* M.Fleisch.: Fleischer, Hedwigia 44: 326 (1905); Fleischer, Musc. Buitenzorg 4: 1323 (1923 [‘1915–1922’]); Brotherus in Engler & Prantl, Nat. Pflanzenfam., ed. 2, 11: 438 (1925); Dixon, Gard. Bull. Straits Settlem. 4(1): 39 (1926); Holtum, Gard. Bull. Straits Settlem. 4(2&3): 92 (1927); Wee, Gard. Bull. Singapore 32: 62 (1979); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994), as ‘*Trichostelium*’; Tan & Chang, Cryptog. Bryol. 25: 306 (2004); Tan & Ho, Guide Mosses Singapore: 110, 136 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 108 (2013). – *Trichosteleum brachypelma* (Müll.Hal.) Paris var. *compactum* Dixon: Dixon, Bull. Torrey Bot. Club 51: 246 (1924); Mohamed & Tan, Bryologist 91: 36 (1988). **Native; VU** (assessed here).

Thuidiaceae

Pelekium bifarium (Bosch & Sande Lac.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 61 (1979); Johnson, Mosses Singapore & Malaysia: 96 (1980); Mohamed & Tan, Bryologist 91: 34 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 132 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 198, 268 (2013). – *Aequatoriella bifaria* (Bosch & Sande Lac.) A.Touw: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 12 (2013). – *Thuidium bifarium* Bosch & Sande Lac.: Dixon, Gard. Bull. Straits Settlem. 4(1): 29 (1926). **Native; NEx** (assessed here).

Pelekium velatum Mitt.: Fleischer, Musc. Buitenzorg 4: 1509 (1923 ['1915–1922']); Dixon, Gard. Bull. Straits Settlem. 4(1): 29 (1926); Holttum, Gard. Bull. Straits Settlem. 4(2&3): 91 (1927); Wee, Gard. Bull. Singapore 32: 61 (1979); Johnson, Mosses Singapore & Malaysia: 96 (1980); Mohamed & Tan, Bryologist 91: 34 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 88, 132 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 77 (2013). **Native; VU** (assessed here).

HORNWORTS

Anthocerotaceae

Folioceros glandulosus (Lehm. & Lindenb.) D.C.Bharadwaj: Piippo et al., Ann. Bot. Fenn. 39: 108 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 49 (2002); Tan & Ho in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 19, 209 (2008); Zhu et al., Philipp. J. Syst. Biol. 12: 20 (2018). **Native; VU** (Tan & Ho in Davison et al. (ed.), 2008).

Notothyladaceae

Notothylas javanica (Sande Lac.) Gottsche: Piippo et al., Ann. Bot. Fenn. 39: 108 (2002); Piippo et al., Guide Common Liverw. & Hornw. Singapore: 52 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). **Native; NE**.

Phaeoceros laevis (L.) Prosk.: Piippo et al., Ann. Bot. Fenn. 39: 124 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018). – *Anthoceros validus* Steph.: Johnson, Malayan Nat. J. 13(2): 69 (1958); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994). **Native; NE**.

LYCOPHYTES

Lycopodiaceae

Palhinhaea cernua (L.) Franco & Vasc.: Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59, 130 (2019); Kiew, Fl. Penins. Malaysia, ser. 1, 3: 38, fig. 5, pl. 3A,B (2020). – *Lycopodiella cernua* (L.) Pic.Serm.: Øllgaard, Opera Bot. 92: 175 (1987); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 92, 229 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 172, 277 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017). – *Lycopodium cernuum* L.: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 195 (1900);

Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 144 (1919); Johnson, Malayan Nat. J. 13(3&4): 204 (1959); Johnson, Ferns Singapore Isl., ed. 2: 103, fig. 33 (1977); Wee, Guide Ferns Singapore: 45 (1983); Wee, Common Ferns & Fern-allies Singapore: 41, fig. 19a,c,d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990). **Native; LC** (Kiew, 2020).

Phlegmariurus carinatus (Desv.) Ching: Field & Bostock, PhytoKeys 20: 37 (2013); Kiew, Fl. Penins. Malaysia, ser. 1, 3: 43, pl. 3C (2020). – *Huperzia carinata* (Desv.) Trevis.: Øllgaard, Opera Bot. 92: 165 (1987); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner, Gard. Bull. Singapore 47: 37 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 92, 193 (2009). – *Lycopodium carinatum* Desv.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 8 (1993). – *Lycopodium acrostachyum* Wall. ex Hook. & Grev.: Hooker & Greville, Icon. Filic. 2, fasc. 10: t. 181 (1830–1831); Øllgaard, Biol. Skr. 34: 30 (1989). – *Lycopodium urostachyum* Wall. ex Ridl., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 142 (1919). – *Lycopodium urostachyum* Wall., nom. nud.: Wallich, Numer. List no. 117 (1829). **Native; CR** (assessed here).

Phlegmariurus dalhousieanus (Spring) A.R.Field & Bostock: Kiew, Fl. Penins. Malaysia, ser. 1, 3: 45, pl. 4 (2020). – *Huperzia phyllantha* auct. non (Hook. & Arn.) Holub: Turner, Gard. Bull. Singapore 47: 37 (1997 ['1995']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 92, 193 (2009). – *Lycopodium dalhousieanum* Spring: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 142 (1919). – *Lycopodium taxifolium* auct. non Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900). **Native; NEx** (assessed here).

Phlegmariurus nummulariifolius (Blume) Ching: Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 101, 382 (2020). – *Huperzia nummulariifolia* (Blume) Jeremy: Øllgaard, Opera Bot. 92: 167 (1987); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008), as 'nummulariifolia'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 92, 193 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 277 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 226, 807 [2015]. – *Lycopodium nummulariifolium* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900), as 'nummulariifolium'; Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 143 (1919), as 'nummulariifolium'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990). **Native; NEx** (Wong et al., 2013).

Phlegmariurus phlegmaria (L.) T.Sen & U.Sen: Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019); Kiew, Fl. Penins. Malaysia, ser. 1, 3: 52, pl. 6A (2020); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 101, 382 (2020). – *Huperzia phlegmaria* (L.) Rothm.: Øllgaard, Opera Bot. 92: 166 (1987); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 5 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 92, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 277 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 122 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 226, 807 [2015]. – *Lycopodium phlegmaria* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 143 (1919); Johnson, Malayan Nat. J. 13(3&4): 204 (1959); Johnson, Ferns Singapore Isl., ed. 2: 103 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Wee, Common Ferns & Fern-allies Singapore: 41, fig. 19b (1984); Turner et al., J.

Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995). – *Lycopodium filiforme* Roxb., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 143 (1919). **Native; EN** (Wong et al., 2013).

Phlegmariurus squarrosum (G.Forst.) Á.Löve & D.Löve: Lim et al., Fl. Singapore 1: 106 (2019); Kiew, Fl. Penins. Malaysia, ser. 1, 3: 56, pl. 6C (2020); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 102, 382 (2020). – *Huperzia squarrosa* (G.Forst.) Trevis.: Øllgaard, Opera Bot. 92: 167 (1987); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 92, 193 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 227, 807 [2015]. – *Lycopodium squarrosum* G.Forst.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 142 (1919); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990). **Native; NEx** (Chong et al., 2009).

Selaginellaceae

Selaginella argentea (Wall. ex Hook. & Grev.) Spring: Turner et al., Gard. Bull. Singapore 46(2): 5 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 92, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 226, 277 (2013); Neo et al., Nat. Singapore 7: 67 (2014). **Cryptogenic** (assessed here).

Selaginella ciliaris (Retz.) Spring: Johnson, Malayan Nat. J. 13(3&4): 202 (1959); Johnson, Ferns Singapore Isl., ed. 2: 99, fig. 31 (1977); Wong, Gard. Bull. Singapore 35(2): 130 (1983 ['1982']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 92, 230 (2009); Wong, Fl. Penins. Malaysia, ser. 1, 1: 58 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 226, 277 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014). – *Selaginella belangeri* (Bory) Spring: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 156 (1919). **Native; LC** (Wong et al., 2013).

Selaginella intermedia (Blume) Spring: Wong, Gard. Bull. Singapore 35(2): 124 (1983 ['1982']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 5 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 92, 224 (2009); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 17, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 109, 382 (2020). – *Selaginella atroviridis* (Wall. ex Hook. & Grev.) Spring: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 153 (1919); Alston, Gard. Bull. Straits Settlem. 8(1): 53 (1934); Johnson, Malayan Nat. J. 13(3&4): 204 (1959), as ‘*atroviridis*’; Johnson, Ferns Singapore Isl., ed. 2: 103, fig. 32 (1977), as ‘*atroviridis*’; Turner et al., Gard. Bull. Singapore 46(2): 5 (1995 ['1994']). – *Selaginella ascendens* Alderw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 153 (1919); Alston, Gard. Bull. Straits Settlem. 8(1): 52 (1934). – *Selaginella plumosa* auct. non Spring: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 151 (1919).

Selaginella intermedia (Blume) Spring var. **intermedia**: Wong, Fl. Penins. Malaysia, ser. 1, 1: 63, fig. 2A–D, pl. 1E,F (2010). **Native; LC** (assessed here).

Selaginella mayeri Hieron.: Hieronymus & Sadebeck in Engler & Prantl, Nat. Pflanzenfam. 1(4): 700 (1902); Van Alderwerelt, Malayan Fern Allies: 203 (1915); Alston, Gard. Bull. Straits Settlem. 8(1): 42 (1934); Wong, Gard. Bull. Singapore 35(2): 126 (1983 ['1982']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 17 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 92, 218 (2009); Wong, Fl. Penins. Malaysia, ser. 1, 1: 66, fig. 3A,B, pl. 2A,B (2010). – *Selaginella minguina* auct. non Spring: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 149 (1919), p.p. Native; EN (Chong et al., 2009).

Selaginella plana (Desv. ex Poir.) Hieron.: Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014). Cryptogenic (assessed here).

Selaginella roxburghii (Hook. & Grev.) Spring: Alston, Gard. Bull. Straits Settlem. 8(1): 51 (1934); Johnson, Malayan Nat. J. 13(3&4): 203 (1959); Johnson, Ferns Singapore Isl., ed. 2: 102 (1977); Wong, Gard. Bull. Singapore 35(2): 130 (1983 ['1982']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 17 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 92, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019). – *Selaginella trichobasis* Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 152 (1919). – *Selaginella pulmosa* auct. non (L.) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900). – *Selaginella* sp. (*Ridley 6547*): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 196 (1900).

Selaginella roxburghii (Hook. & Grev.) Spring var. **roxburghii**: Turner, Gard. Bull. Singapore 47: 40 (1997 ['1995']); Wong, Fl. Penins. Malaysia, ser. 1, 1: 79, pl. 2E,F (2010). Native; VU (Chong et al., 2009, as *Selaginella roxburghii*).

Selaginella wallichii (Hook. & Grev.) Spring: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 153 (1919); Alston, Gard. Bull. Straits Settlem. 8(1): 48 (1934); Johnson, Malayan Nat. J. 13(3&4): 203 (1959); Johnson, Ferns Singapore Isl., ed. 2: 102 (1977); Wong, Gard. Bull. Singapore 35(2): 133 (1983 ['1982']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 17 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Wong, Fl. Penins. Malaysia, ser. 1, 1: 85, fig. 5C–E (2010). – *Selaginella wallichii* (Hook. & Grev.) Spring var. *walkeri* Alderw.: Van Alderwerelt, Malayan Fern Allies: 212 (1915). – *Lycopodium wallichii* Hook. & Grev.: Greville & Hooker, Bot. Misc. 2: 384 (1831). – *Lycopodium elegans* Wall., nom. nud.: Wallich, Numer. List no. 128 (1829). Native; NEx (assessed here).

Selaginella willdenowii (Desv.) Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Alston, Gard. Bull. Straits Settlem. 8(1): 45 (1934); Johnson, Malayan Nat. J. 13(3&4): 202 (1959); Johnson, Ferns Singapore Isl., ed. 2: 99 (1977); Wong, Gard. Bull. Singapore 35(2): 133 (1983 ['1982']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 17 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 5 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Turner, Gard. Bull. Singapore 47: 40 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 210 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 92, 224 (2009); Wong, Fl. Penins. Malaysia, ser. 1, 1: 85, fig. 4E–G, pl. 3A,B (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 23

(2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 110, 382 (2020). – *Selaginella laevigata* auct. non (Willd.) Spring: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 155 (1919). **Native; VU** (Chong et al., 2009).

FERNS

Aspleniaceae

Asplenium batuense Alderw.: Johnson, Malayan Nat. J. 13(3&4): 177 (1959); Johnson, Ferns Singapore Isl., ed. 2: 74 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 7, fig. 10, pl. 2 (1979); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 92, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 32, 268 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019); Beentje, Fl. Penins. Malaysia, ser. 1, 3: 176, pl. 32C,D (2020). – *Asplenium squamulatum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 27 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 43 (1926), p.p. **Native; EN** (Wong et al., 2013).

Asplenium cf. oxyphyllum J.Sm. ex Kunze: Beentje, Fl. Singapore 3 (in prep.). – *Asplenium dimidiatum* auct. non Sw.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 46 (1926), p.p. – *Asplenium falcatum* auct. non Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 28 (1908), p.p. **Native; DD** (assessed here).

Asplenium longissimum Blume: Hooker, Sp. Fil. 3, fasc. 10–12: 148, t. 190 (1859–1860 ['1860']); Beddome, Ferns Brit. India 1, fasc. 1–8: 63, pl. 63 (1865); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 27 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 44 (1926); Johnson, Malayan Nat. J. 13(3&4): 179 (1959); Johnson, Ferns Singapore Isl., ed. 2: 76 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 8, fig. 12, 13, pl. 5 (1979); Wee, Guide Ferns Singapore: 55 (1983); Wee, Common Ferns & Fern-allies Singapore: 11, fig. 4b,c (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 82, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 93, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 113 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 91, 382 (2020). **Native; LC** (Chong et al., 2009).

Asplenium macrophyllum Sw.: Hooker, Sp. Fil. 3, fasc. 10–12: 158, t. 196 (1859–1860 ['1860']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 28 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 46 (1926); Johnson,

Malayan Nat. J. 13(3&4): 179 (1959); Johnson, Ferns Singapore Isl., ed. 2: 76 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 93, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 32, 268 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019); Beentje, Fl. Penins. Malaysia, ser. 1, 3: 179, pl. 34 (2020). **Native; NEx** (Wong et al., 2013).

Asplenium nidus L.: Johnson, Malayan Nat. J. 13(3&4): 177 (1959); Johnson, Ferns Singapore Isl., ed. 2: 74, fig. 21 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Wee, Guide Ferns Singapore: 11, 19, 20, 32, 63 (1983); Wee, Common Ferns & Fern-allies Singapore: 11, fig. 4e,d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 37 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 93, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 32, 268 (2013); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 114 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 91, 382 (2020). – *Neottopteris nidus* (L.) J.Sm. ex Hook., nom. inval.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 42 (1926). – *Thamnopteris nidus* (L.) C.Presl, nom. inval.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 26 (1908).

Asplenium nidus L. var. **nidus**: Beentje, Fl. Penins. Malaysia, ser. 1, 3: 183, pl. 36 (2020). **Native; LC** (assessed here).

Asplenium nidus L. var. **musifolium** (Mett.) C.Chr.: Beentje, Fl. Penins. Malaysia, ser. 1, 3: 184 (2020). – *Neottopteris nidus* (L.) J.Sm. ex Hook. var. *musifolia* (Mett.) Ridl.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 42 (1926), as ‘*musaefolium*’. – *Thamnopteris nidus* (L.) C.Presl var. *musifolia* (Mett.) Ridl.: Beddome, Handb. Ferns Brit. India: 139 (1883), as ‘*musaefolia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900), as ‘*musaefolia*’. – *Asplenium musifolium* Mett.: Hooker, Sp. Fil. 3, fasc. 10–12: 78 (1859–1860 ['1860']), as ‘*musaefolium*’. **Native; LC** (assessed here).

Asplenium nitidum Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 29 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 48 (1926); Tagawa & Iwatsuki, Fl. Thailand 3(2): 286 (1985); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 93, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019); Beentje, Fl. Penins. Malaysia, ser. 1, 3: 185, pl. 37A (2020). – *Asplenium glaucophyllum* Alderw.: Holttum, Rev. Fl. Malaya 2: 440

(1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 178 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 440 (1968); Johnson, Ferns Singapore Isl., ed. 2: 76 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 7, fig. 11 (1979); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995). — *Asplenium pulchellum* Wall., nom. nud.: Wallich, Numer. List no. 214 (1829). **Native; CR** (assessed here).

Asplenium phyllitidis D.Don: Holttum, Rev. Fl. Malaya 2: 420 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 177 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 420 (1968); Johnson, Ferns Singapore Isl., ed. 2: 74 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990), as '*phyllitidis*'; Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 93, 214 (2009). — *Neoptopteris nidus* (L.) J.Sm. ex Hook. var. *phyllitidis* (D.Don) Ridl.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 43 (1926).

Asplenium phyllitidis D.Don subsp. **malesicum** Holttum: Holttum, Gard. Bull. Singapore 27: 153 (1974); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Beentje, Fl. Penins. Malaysia, ser. 1, 3: 194, pl. 38B,C (2020). — *Asplenium ob lanceolatum* Copel.: Lin & Viane, Fl. China 2–3: 276 (2013). **Native; NEx** (assessed here).

Asplenium tenerum G.Forst.: Beddome, Handb. Ferns Brit. India: 147, fig. 74 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 28 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 45 (1926); Johnson, Malayan Nat. J. 13(3&4): 179 (1959); Johnson, Ferns Singapore Isl., ed. 2: 76, fig. 22 (1977); Wee, Guide Ferns Singapore: 54, 56 (1983); Wee, Common Ferns & Fern-allies Singapore: 11, fig. 4a (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Wee, Ferns Tropics: 100, fig. 9a,b (1997); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Wee, Ferns Tropics, rev. ed.: 100, fig. 9a,b (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 93, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019). — *Asplenium tenerum* G.Forst. var. *retusum* C.Chr.: Ng & Wee (ed.), Singapore Red Data Book: 12, 269 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 20, 210 (2008). **Native; EN** (assessed here).

Athyriaceae

Diplazium cordifolium Blume: Hooker, Icon. Pl. 10 [ser. 2, 6], fasc. 1: t. 936 (1854); Johnson, Ferns Singapore Isl., ed. 2: 84 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 83 (2011); Hovenkamp, Gard. Bull. Singapore 71: 61 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019). — *Athyrium cordifolium* (Blume) Copel.: Johnson, Malayan Nat. J. 13(3&4): 188 (1959). — *Anisogonium cordifolium* (Blume) Bedd.: Beddome, Ferns Brit. India 3, fasc. 23: 331, pl. 331 (1870); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 31 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 53 (1926). — *Asplenium cordifolium* (Blume) Mett., nom. illeg. hom.: Hooker, Sp. Fil. 3, fasc. 10–12: 267 (1859–1860 ['1860']), p.p. **Native; EN** (Chong et al., 2009).

Diplazium esculentum (Retz.) Sw.: Johnson, Ferns Singapore Isl., ed. 2: 84 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 220 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014). – *Athyrium esculentum* (Retz.) Copel.: Johnson, Malayan Nat. J. 13(3&4): 188 (1959). – *Anisogonium esculentum* (Retz.) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 31 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 54 (1926). **Native; VU** (Chong et al., 2009).

Diplazium fraxinifolium C.Presl: Beddome, Ferns Brit. India 1, fasc. 1–8: 69, pl. 69 (1865); Hovenkamp, Gard. Bull. Singapore 71: 62 (2019). – *Diplazium riparium* Holttum: Johnson, Ferns Singapore Isl., ed. 2: 86 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 215 (2009). – *Athyrium riparium* (Holttum) Holttum: Johnson, Malayan Nat. J. 13(3&4): 189 (1959). – *Diplazium bantamense* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 49 (1926), p.p. – *Diplazium bantamense* Blume var. *prescottianum* Ridl., nom. nud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 30 (1908). **Native; CR** (assessed here).

Diplazium holttumii Hovenkamp: Hovenkamp, Gard. Bull. Singapore 71: 62 (2019). – *Diplazium malaccense* C.Presl, nom. illeg. superfl.: Johnson, Ferns Singapore Isl., ed. 2: 85 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 215 (2009). – *Athyrium malaccense* Holttum: Johnson, Malayan Nat. J. 13(3&4): 189 (1959). – *Diplazium speciosum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 30 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 52 (1926), p.p. – *Diplazium acuminatum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 30 (1908), p.p. – *Diplazium sorzogonense* auct. non (C.Presl) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 31 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 51 (1926), p.p. **Native; EN** (Chong et al., 2009).

Diplazium mixtum (Roxb.) C.V.Morton: Hovenkamp, Gard. Bull. Singapore 71: 62 (2019). – *Diplazium prescottianum* (Wall. ex Hook.) T.Moore: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 51 (1926); Holttum, Rev. Fl. Malaya, ed. 2, 2: 637 (cf. 557) (1968); Tagawa & Iwatsuki, Fl. Thailand 3(3): 457 (1988); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Turner, Gard. Bull. Singapore 47: 83 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 215 (2009). – *Athyrium prescottianum* (Wall. ex Hook.) Holttum: Holttum, Rev. Fl. Malaya 2: 557 (1955 ['1954']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990). – *Diplazium pallidum* auct. non (Blume) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 29 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 49 (1926), p.p. – *Diplazium sylvaticum* (Bory) Sw. var. *prescottianum* (Wall. ex Hook.) Bedd.: Beddome, Handb. Ferns Brit. India: 178 (1883). – *Diplazium prescottianum* (Wall. ex Hook.) T.Moore var. B: Beddome, Ferns Brit. India 2, fasc. 15–17: 243, pl. 243 (1867). – *Asplenium prescottianum* Wall. ex Hook.: Hooker, Sp. Fil. 3, fasc. 10–12: 251 (1859–1860 ['1860']). – *Asplenium prescottianum* Wall., nom. nud.: Wallich, Numer. List no. 235 (1829). **Native; EN** (Chong et al., 2009).

Diplazium phanerotis Kunze: Hovenkamp, Gard. Bull. Singapore 71: 63 (2019). – *Diplazium crenatoserratum* auct. non (Blume) T.Moore: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 50 (1926); Johnson, Ferns Singapore Isl., ed. 2: 85 (1977), as ‘*crennatoserratum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994), as ‘*crennatoserratum*’; Ng & Wee (ed.), Singapore Red Data Book: 269 (1994), as ‘*crennatoserratum*’; Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995), as ‘*crennatoserratum*’; Turner et al., Gard. Bull. Singapore 48: 139 (1998 [‘1996’]), as ‘*crennatoserratum*’; Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008), as ‘*crennatoserratum*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 220 (2009), as ‘*crennatoserratum*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 83 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 89, 275 (2013), as ‘*crenato-serratum*’; Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014). – *Athyrium crenatoserratum* auct. non (Blume) Milde: Johnson, Malayan Nat. J. 13(3&4): 188 (1959), as ‘*crennatoserratum*’. – *Diplazium porrectum* C.Presl: Beddome, Ferns Brit. India 2, fasc. 15–17: 245, pl. 245 (1867); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 30 (1908). **Native; EN** (assessed here).

Diplazium polypodioides Blume: Tagawa & Iwatsuki, Fl. Thailand 3(3): 465 (1988); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008), as ‘*polypodioides*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 215 (2009), as ‘*polypodioides*’; Hovenkamp, Gard. Bull. Singapore 71: 63 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019). – *Diplazium asperum* Blume: Johnson, Ferns Singapore Isl., ed. 2: 86 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995). – *Athyrium asperum* (Blume) Milde: Johnson, Malayan Nat. J. 13(3&4): 189 (1959). – *Asplenium polypodioides* (Blume) Mett.: Hooker, Sp. Fil. 3, fasc. 10–12: 257 (1859–1860 [‘1860’]). **Native; NEx** (assessed here).

Diplazium proliferum (Lam.) Kaulf.: Hovenkamp, Gard. Bull. Singapore 71: 64 (2019). – *Athyrium accedens* (Blume) Milde: Lai, Nat. Watch 18(4): 20 (2010); Yeo et al., Nat. Singapore 6: 39 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 5, 806 [2015]. **Non-native, naturalised** (assessed here).

Diplazium sorzogonense (C.Presl) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 51 (1926), p.p.; Johnson, Ferns Singapore Isl., ed. 2: 85 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011); Hovenkamp, Gard. Bull. Singapore 71: 65 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 59 (2019). – *Athyrium sorzogonense* (C.Presl) Milde: Johnson, Malayan Nat. J. 13(3&4): 189 (1959). – *Diplazium acuminatum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 30 (1908), p.p. – *Diplazium speciosum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 30 (1908), p.p. **Native; EN** (Chong et al., 2009).

Diplazium sylvaticum (Bory) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 30 (1908), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990), as ‘*sylvaticum*’; Turner, Gard. Bull. Singapore 45: 7 (1993), as ‘*sylvaticum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994), as ‘*sylvaticum*’. – *Diplazium allantoideum* auct. non M.G.Price: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 227 (2009). **Native; CR** (assessed here).

Diplazium tomentosum Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 30 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 51 (1926); Johnson, Ferns Singapore Isl., ed. 2: 85 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 97, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Athyrium tomentosum* (Blume) Milde: Johnson, Malayan Nat. J. 13(3&4): 188 (1959). **Native; CR** (assessed here).

Blechnaceae

Blechnopsis finlaysoniana (Wall. ex Hook. & Grev.) C.Presl: Gasper et al., Phytotaxa 275: 205 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Blechnum finlaysonianum* Wall. ex Hook. & Grev.: Hooker, Sp. Fil. 3, fasc. 9: 53 (1859 ['1860']); Beddome, Ferns Brit. India 2, fasc. 15–17: 249, pl. 249 (1867); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 26 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 42 (1926); Johnson, Malayan Nat. J. 13(3&4): 180 (1959); Johnson, Ferns Singapore Isl., ed. 2: 77 (1977); Wee, Guide Ferns Singapore: 50, 61 (1983); Wee, Common Ferns & Fern-allies Singapore: 15, fig. 6d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 93, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Chambers & Farrant, Fl. Males., ser. 2, 4: 21, fig. 2c, 7a–f, map 1 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 34, 269 (2013); Neo et al., Nat. Singapore 7: 101 (2014). **Native; LC** (assessed here).

Blechnopsis orientalis (L.) C.Presl: Gasper et al., Phytotaxa 275: 205 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 92, 382 (2020). – *Blechnum orientale* L.: Hooker, Sp. Fil. 3, fasc. 9: 52 (1859 ['1860']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 26 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 41 (1926); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 333 (1935); Johnson, Malayan Nat. J. 13(3&4): 181 (1959); Johnson, Ferns Singapore Isl., ed. 2: 78, fig. 23 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Wee, Guide Ferns Singapore: 49, 61, 64 (1983); Wee, Common Ferns & Fern-allies Singapore: 15 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Wee, Ferns Tropics: 103, fig. 12a,b (1997); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 286 (2003); Wee, Ferns Tropics, rev. ed.: 103, fig. 12a,b (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 93, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Chambers & Farrant, Fl. Males., ser. 2, 4: 45, fig. 1b, 7g, map 10 (2012); Neo et al., Nat. Singapore 6: 275 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 6, 806 [2015]; Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017). **Native; LC** (Chong et al., 2009).

Stenochlaena palustris (Burm.f.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900), as ‘*palustre*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 53 (1908), as ‘*palustre*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 111 (1926), p.p.; Johnson, Malayan Nat. J. 13(3&4): 176 (1959); Johnson, Ferns Singapore Isl., ed. 2: 73, fig. 20 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Wee, Guide Ferns Singapore: 34, 42 (1983); Wee, Common Ferns & Fern-allies Singapore: 71, fig. 34a,b (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 17 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 [‘1994’]); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Turner et al., Gard. Bull. Singapore 48: 138 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 286 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 93, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Teo et al., Nat. Singapore 4: 269 (2011); Holttum & Nooteboom in Nooteboom et al., Fl. Males., ser. 2, 4: 75 (2012); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 231, 269 (2013); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 24 (2014); Neo et al., Nat. Singapore 7: 62 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 18, 807 [2015]; Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019); Yee et al., Fl. Singapore 1: 62 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 110, 382 (2020). **Native; LC** (Wong et al., 2013).

Telmatoblechnum indicum (Burm.f.) Perrie et al.: Gasper et al., Phytotaxa 275: 201 (2016). – *Blechnum indicum* Burm.f.: Johnson, Malayan Nat. J. 13(3&4): 180 (1959); Johnson, Ferns Singapore Isl., ed. 2: 76 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Chambers & Farrant, Fl. Males., ser. 2, 4: 34, fig. 2g, map 7 (2012). – *Blechnum serrulatum* auct. non Rich.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 26 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 41 (1926); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 93, 219 (2009). **Native; CR** (assessed here).

Cyatheaceae

Alsophila glabra (Blume) Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 59 (addend.) (cf. 7) (1908); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Cyathea glabra* (Blume) Copel.: Sinclair, Gard. Bull. Singapore 15: 30 (1956); Johnson, Malayan Nat. J. 13(3&4): 142 (1959); Holttum, Fl. Males., ser. 2, 1(2): 120 (1963); Holttum & Molesworth-Allen, Gard. Bull. Singapore 22(1): 48 (1967); Johnson, Ferns Singapore Isl., ed. 2: 40 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Wee, Common Ferns & Fern-allies Singapore: 21 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 [‘1994’]); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Turner, Gard. Bull. Singapore 47: 45 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 138 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 93, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011). – *Alsophila umbrosa* auct. non Wall. ex Ridl.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 6 (1926), p.p. – *Amphiccosmia alternans* auct. non (Hook.) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 7, 59 (1908), as ‘*alterans*’ (p. 7), as ‘*Amplicosmia alterans*’ (p. 59). **Native; NEx** (Chong et al., 2009).

Alsophila latebrosa Wall. ex Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 8 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 8 (1926); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019); Yee et al., Fl. Singapore 1: 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 89, 382 (2020). – *Cyathea latebrosa* (Wall. ex Hook.) Copel.: Johnson, Malayan Nat. J. 13(3&4): 140 (1959); Holttum, Fl. Males., ser. 2, 1(2): 115 (1963); Johnson, Ferns Singapore Isl., ed. 2: 38, fig. 9 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Wee, Guide Ferns Singapore: 46, 61 (1983); Wee, Common Ferns & Fern-allies Singapore: 21 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 65 (1995); Wee, Ferns Tropics: 112, fig. 22a,b (1997); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Wee, Ferns Tropics, rev. ed.: 112, fig. 22a,b (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 83, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 93, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 269 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Neo et al., Nat. Singapore 7: 63 (2014). **Native; LC** (assessed here).

Sphaeropteris squamulata (Blume) R.M.Tryon: Lim et al., Gard. Bull. Singapore 70: 74 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Cyathea squamulata* (Blume) Copel.: Johnson, Malayan Nat. J. 13(3&4): 142 (1959); Holttum, Fl. Males., ser. 2, 1(2): 152, fig. 8c, 29c–d (1963); Johnson, Ferns Singapore Isl., ed. 2: 40 (1977); Wee, Guide Ferns Singapore: 61 (1983); Wee, Common Ferns & Fern-allies Singapore: 21 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Turner, Gard. Bull. Singapore 47: 46 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 93, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 269 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Neo et al., Nat. Singapore 7: 102 (2014). – *Alsophila comosa* Wall. ex Hook.: Hooker, Sp. Fil. 1, fasc. 1: 53, t. 20A (1844 ['1846']); Beddome, Handb. Ferns Brit. India: 13 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 8 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 6 (1926). – *Alsophila ridleyi* Baker: Baker, Ann. Bot. (Oxford) 8: 122 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 8 (1908); Van Alderwerelt, Malayan Ferns: 2 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 6 (1926). – *Alsophila comosa* Wall., nom. nud.: Wallich, Numer. List no. 319 (1829). – *Polypodium comosum* Wall., nom. nud.: Wallich, Numer. List no. 319 (1829). **Native; EN** (Wong et al., 2013).

Sphaeropteris trichodesma (Scort.) R.M.Tryon: Lim et al., Gard. Bull. Singapore 70: 74 (2018). – *Cyathea trichodesma* (Scort.) Copel.: Holttum, Fl. Males., ser. 2, 1(2): 150 (1963). **Native; CR** (Lim et al., 2018).

Davalliaceae

Davallia angustata Wall. ex Hook. & Grev.: Hooker, Sp. Fil. 1, fasc. 3: 152 (1845 ['1846']); Turner, Gard. Bull. Singapore 47: 46 (1997 ['1995']); Nooteboom, Fl. Males., ser. 2, 3: 247 (1998); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 180

(1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 93, 215 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 76, 269 (2013); Nootboom, Fl. Penins. Malaysia, ser. 1, 2: 76, pl. 1 (2013). — *Humata angustata* (Wall. ex Hook. & Grev.) J.Sm.: Beddome, Ferns Brit. India 2, fasc. 15–17: 237, pl. 237 (1867); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 15 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 28 (1926); Johnson, Malayan Nat. J. 13(3&4): 167 (1959); Johnson, Ferns Singapore Isl., ed. 2: 66 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994). — *Pachypleuria angustata* (Wall. ex Hook. & Grev.) C.Presl: Tagawa & Iwatsuki, Fl. Thailand 3(4): 617 (1989). — *Davallia angustata* Wall., nom. nud.: Wallich, Numer. List no. 242 (1829). **Native; NEx** (assessed here).

Davallia denticulata (Burm.f.) Mett. ex Kuhn: Johnson, Malayan Nat. J. 13(3&4): 167 (1959); Johnson, Ferns Singapore Isl., ed. 2: 64, fig. 17 (1977); Wee, Guide Ferns Singapore: 21, 32, 64 (1983); Wee, Common Ferns & Fern-allies Singapore: 23, fig. 10b–d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Lee et al., Gard. Bull. Singapore 55: 282, 286 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 38 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 93, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 21 (2011); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Neo et al., Nat. Singapore 7: 63 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 116 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 93, 382 (2020). — *Davallia elegans* Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 17 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 31 (1926).

Davallia denticulata (Burm.f.) Mett. ex Kuhn var. **denticulata**: Nootboom, Fl. Males., ser. 2, 3: 250 (1998); Nootboom, Fl. Penins. Malaysia, ser. 1, 2: 78, pl. 2, 3A (2013). **Native; LC** (Chong et al., 2009, as *Davallia denticulata*).

Davallia heterophylla Sm.: Hooker, Sp. Fil. 1, fasc. 3: 152 (1845 ['1846']); Tagawa & Iwatsuki, Fl. Thailand 3(4): 616 (1989); Nootboom, Fl. Males., ser. 2, 3: 254 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 93, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 21 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). — *Humata heterophylla* (Sm.) Desv.: Beddome, Ferns Brit. India 1, fasc. 1–8: 100, pl. 100 (1865); Beddome, Handb. Ferns Brit. India: 46 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 15 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 26 (1926); Johnson, Malayan Nat. J. 13(3&4): 169 (1959); Johnson, Ferns Singapore Isl., ed. 2: 66 (1977); Wee, Common Ferns & Fern-allies Singapore: 35, fig. 16b (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995). **Native; NEx** (Chong et al., 2009).

Davallia parvula Wall. ex Hook. & Grev.: Hooker, Sp. Fil. 1, fasc. 3: 160 (1845 ['1846']); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 31 (1926); Turner, Gard. Bull. Singapore 47: 47 (1997 ['1995']); Nootboom, Fl. Males., ser. 2, 3: 257 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 93, 190 (2009);

Nooteboom, Fl. Penins. Malaysia, ser. 1, 2: 86 (2013). – *Humata parvula* (Wall. ex Hook. & Grev.) Mett.: Johnson, Malayan Nat. J. 13(3&4): 169 (1959); Johnson, Ferns Singapore Isl., ed. 2: 66 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994). – *Pachypleuria parvula* (Wall. ex Hook. & Grev.) M.Kato: Kato, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13(5): 572 (1985). – *Leucostegia parvula* (Wall. ex Hook. & Grev.) J.Sm.: Beddome, Handb. Ferns Brit. India: 54 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 16 (1908), as ‘*Levcostegia*’. – *Acrophorus parvulus* (Wall. ex Hook. & Grev.) T.Moore: Beddome, Ferns Brit. India 1, fasc. 1–8: 97, pl. 97 (1865). – *Davallia parvula* Wall., nom. nud.: Wallich, Numer. List no. 247 (1829). **Native; NEx** (Chong et al., 2009).

Davallia pectinata Sm.: Turner, Gard. Bull. Singapore 47: 47 (1997 [‘1995’]); Nooteboom, Fl. Males., ser. 2, 3: 258 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 93, 215 (2009); Nooteboom, Fl. Penins. Malaysia, ser. 1, 2: 87 (2013). – *Humata pectinata* (Sm.) Desv.: Johnson, Malayan Nat. J. 13(3&4): 169 (1959); Johnson, Ferns Singapore Isl., ed. 2: 67 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994). – *Pachypleuria pectinata* (Sm.) C.Presl: Tagawa & Iwatsuki, Fl. Thailand 3(4): 616 (1989). – *Humata gaimardiana* (Gaud.) J.Sm.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 27 (1926). – *Humata parallela* (Wall. ex Hook.) Brack.: Beddome, Ferns Brit. India 1, fasc. 1–8: 99, pl. 99 (1865); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 15 (1908). – *Davallia parallela* Wall. ex Hook.: Hooker, Sp. Fil. 1, fasc. 3: 153, t. 42A (1845 [‘1846’]). – *Davallia parallela* Wall., nom. nud.: Wallich, Numer. List no. 251 (1829). **Native; NEx** (assessed here).

Davallia repens (L.f.) Kuhn: Nooteboom, Fl. Males., ser. 2, 3: 259 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 93, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 21 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Humata repens* (L.f.) Diels: Johnson, Malayan Nat. J. 13(3&4): 169 (1959); Johnson, Ferns Singapore Isl., ed. 2: 67 (1977); Wee, Common Ferns & Fern-allies Singapore: 35, fig. 16a,c (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995). – *Pachypleuria repens* (L.f.) M.Kato: Kato, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13(5): 573 (1985). – *Humata pedata* J.Sm., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 16 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 27 (1926). – *Davallia pedata* Sm., nom. illeg. superfl.: Hooker, Sp. Fil. 1, fasc. 3: 154, t. 45A (1845 [‘1846’]). **Native; NEx** (assessed here).

Davallia solida (G.Forst.) Sw.: Beddome, Ferns Brit. India 1, fasc. 1–8: 104, pl. 104 (1865); Beddome, Handb. Ferns Brit. India: 59, fig. 30 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 17 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 30 (1926); Johnson, Malayan Nat. J. 13(3&4): 167 (1959); Johnson, Ferns Singapore Isl., ed. 2: 64 (1977); Wee, Common Ferns & Fern-allies Singapore: 23 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 93, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah

Nat. Res.: 21 (2011); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Davallia solida* (G.Forst.) Sw. var. *caudata* Hook.: Hooker, Sp. Fil. 1, fasc. 3: 163 (1845 ['1846']). – *Davallia solida* (G.Forst.) Sw. var. *latifolia* Hook.: Hooker, Sp. Fil. 1, fasc. 3: 163, 42B (1845 ['1846']).

Davallia solida (G.Forst.) Sw. var. **solida**: Nooteboom, Fl. Males., ser. 2, 3: 263 (1998); Nooteboom, Fl. Penins. Malaysia, ser. 1, 2: 89, fig. 3 (2013). **Native; VU** (Chong et al., 2009, as *Davallia solida*).

Davallia triphylla Hook.: Beddome, Ferns Brit. India 1, fasc. 1–8: 105, pl. 105 (1865); Beddome, Handb. Ferns Brit. India: 58, fig. 29 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 17 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 29 (1926); Johnson, Ferns Singapore Isl., ed. 2: 114 (1977); Wee, Common Ferns & Fern-allies Singapore: 23, fig. 10a (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Turner, Gard. Bull. Singapore 47: 47 (1997 ['1995']); Nooteboom, Fl. Males., ser. 2, 3: 267 (1998); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 93, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 21 (2011); Nooteboom, Fl. Penins. Malaysia, ser. 1, 2: 95, pl. 4A (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). **Native; CR** (assessed here).

Dennstaedtiaceae

Histiopteris incisa (Thunb.) J.Sm.: Holttum, Rev. Fl. Malaya 2: 391 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 172 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 391 (1968); Johnson, Ferns Singapore Isl., ed. 2: 68 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 93, 221 (2009). – *Histiopteris incisa* (Thunb.) J.Sm. var. *integrifolia* (Bedd.) Ridl.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 36 (1926). – *Litobrochia incisa* (Thunb.) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 25 (1908). **Native; CR** (assessed here).

Microlepia speluncae (L.) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 18 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 31 (1926); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 93, 229 (2009); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 276 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 20 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Microlepia speluncae* (L.) T.Moore var. *vilosissima* C.Chr.: Holttum, Rev. Fl. Malaya 2: 315 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 162 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 315 (1968); Johnson, Ferns Singapore Isl., ed. 2: 59 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011). – *Microlepia speluncae* (L.) T.Moore var. *hancei* (Prantl) C.Chr. & Tardieu: Holttum, Rev. Fl. Malaya 2: 315 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4):

161 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 315 (1968); Johnson, Ferns Singapore Isl., ed. 2: 59 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']). – *Microlepia speluncae* (L.) T.Moore var. *rhomboides* Ridl.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 32 (1926). – *Davallia polypodioides* (Sw.) D.Don var. *pubescens* Hook.: Hooker, Sp. Fil. 1, fasc. 3: 181 (1845 ['1846']). **Native; LC** (Chong et al., 2009).

Pteridium revolutum (Blume) Nakai: POWO. – *Pteridium aquilinum* (L.) Kuhn var. *wightianum* (J.Agardh) R.M.Tryon: Holttum, Rev. Fl. Malaya, ed. 2, 2: 634 (cf. 389) (1968); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 93, 230 (2009). – *Pteridium aquilinum* auct. non (L.) Kuhn: Holttum, Rev. Fl. Malaya 2: 389 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 173 (1959); Johnson, Ferns Singapore Isl., ed. 2: 70 (1977); Wee, Common Ferns & Fern-allies Singapore: 59, fig. 28c,d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994). – *Pteridium aquilinum* (L.) Kuhn var. *lanuginosum* auct. non (Bory ex Willd.) Kuhn: Holttum, Rev. Fl. Malaya 2: 389 (1955 ['1954']), as '*lanuginosa*'. – *Pteris aquilina* L. var. *lanuginosa* auct. non (Bory ex Willd.) Hook.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 40 (1926), as '*lanuginosum*'. **Native; DD** (assessed here).

Pteridium semihastatum (Wall. ex J.Agardh) S.B.Andrews: POWO. – *Pteridium aquilinum* (L.) Kuhn var. *esculentum* auct. non (G.Forst.) Kuhn: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 93, 230 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Pteridium esculentum* auct. non (G.Forst.) Cockayne: Holttum, Rev. Fl. Malaya 2: 389, 390 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 173 (1959); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011). – *Pteridium caudatum* (L.) Maxon subsp. *yarrabense* (Domin) Parris: Holttum, Rev. Fl. Malaya, ed. 2, 2: 634 (cf. 389, 390) (1968), as 'var. *yarrabense*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995), as 'var. *yarrabense*'. – *Pteridium caudatum* auct. non (L.) Maxon: Johnson, Ferns Singapore Isl., ed. 2: 70 (1977); Wee, Guide Ferns Singapore: 60 (1983); Wee, Common Ferns & Fern-allies Singapore: 59, fig. 28a,b (1984). – *Pteris aquilina* L. var. *esculenta* auct. non (G.Forst.) Kuhn: Hooker, Sp. Fil. 2, fasc. 7 & 8: 198 (1858); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 40 (1926). – *Pteris aquilina* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 24 (1908), p.p. – *Pteris semihastata* Wall. ex J.Agardh: Agardh, Recens. Spec. Pter.: 48 (1839). – *Pteris semihastata* Wall., nom. nud.: Wallich, Numer. List no. 102 (1829). **Native; EN** (assessed here).

Dipteridaceae

Dipteris conjugata Reinw.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 57 (1926); Holttum, Rev. Fl. Malaya 2: 135 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 143 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 135 (1968); Johnson, Ferns Singapore Isl., ed. 2: 41, fig. 10 (1977); Wee, Guide Ferns Singapore: 40 (1983); Wee, Common Ferns & Fern-allies Singapore: 27, fig. 12 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 14, 270 (1994); Wee, Ferns Tropics: 119, fig. 27a (1997); Wee, Ferns Tropics, rev. ed.: 119, fig. 27a (2005); Tan et al. in Davison et al. (ed.),

Singapore Red Data Book, ed. 2: 21, 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 94, 204 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 8, 806 [2015]. – *Dipteris horsfieldii* (R.Br.) Bedd.: Beddome, Handb. Ferns Brit. India: 336, fig. 185 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 44 (1908). – *Polypodium horsfieldii* R.Br.: Hooker, Sp. Fil. 5, fasc. 18–20: 99 (1864). **Native; CR** (Chong et al., 2009).

Dryopteridaceae

Bolbitis appendiculata (Willd.) K.Iwats.: Wee, Common Ferns & Fern-allies Singapore: 17, fig. 7b (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990), as ‘*appendiculata*’; Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 13, 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 20, 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 94, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Egenofia appendiculata* (Willd.) J.Sm.: Holttum, Rev. Fl. Malaya 2: 459 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 184 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 459 (1968); Johnson, Ferns Singapore Isl., ed. 2: 80 (1977); Wee, Guide Ferns Singapore: 54, 56 (1983). – *Bolbitis appendiculata* (Willd.) K.Iwats. subsp. *appendiculata*: Hennipman, Leiden Bot. Ser. 2: 190 (1977); Hennipman in Holttum, Fl. Males., ser. 2, 1(4): 322, fig. 26b, 27d (1978). – *Polybotrya appendiculata* (Willd.) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 54 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 112 (1926). **Native; EN** (Chong et al., 2009).

Bolbitis heterocarpa (C.Presl) Ching: Johnson, Malayan Nat. J. 13(3&4): 184 (1959); Johnson, Ferns Singapore Isl., ed. 2: 81 (1977); Hennipman, Leiden Bot. Ser. 2: 221 (1977); Hennipman in Holttum, Fl. Males., ser. 2, 1(4): 325, fig. 25d, 31a–f (1978); Wee, Common Ferns & Fern-allies Singapore: 17 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 94, 214 (2009). – *Leptochilus heterocarpus* (C.Presl) C.Chr.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 115 (1926). – *Gymnopteris flagellifera* (Wall. ex Hook. & Grev.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 54 (1908). **Native; NEx** (assessed here).

Bolbitis × singaporenensis Holttum: Holttum, Gard. Bull. Singapore 11(4): 271 (1947), as ‘*Bolbitis singaporenensis*’; Holttum, Rev. Fl. Malaya 2: 467 (1955 ['1954']), as ‘*Bolbitis singaporenensis*’; Johnson, Malayan Nat. J. 13(3&4): 184 (1959), as ‘*Bolbitis singaporenensis*’; Holttum, Rev. Fl. Malaya, ed. 2, 2: 467 (1968), as ‘*Bolbitis singaporenensis*’; Johnson, Ferns Singapore Isl., ed. 2: 81 (1977), as ‘*Bolbitis singaporenensis*’; Hennipman, Leiden Bot. Ser. 2: 296, fig. 85a–d (1977); Hennipman, Fl. Males., ser. 2, 1(4): 329 (1978); Wee, Guide Ferns Singapore: 54, 56 (1983), as ‘*Bolbitis singaporenensis*’; Wee, Common Ferns & Fern-allies Singapore: 17, fig. 7c,d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Turner, Gard. Bull. Singapore 47: 64 (1997 ['1995']), as ‘*Bolbitis singaporenensis*’; Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']), as ‘*Bolbitis singaporenensis*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). **Native hybrid** (Hennipman, 1978).

Bolbitis sinuata (C.Presl) Hennipman: Hennipman, Leiden Bot. Ser. 2: 232 (1977); Hennipman in Holttum, Fl. Males., ser. 2, 1(4): 326, fig. 27j,32 (1978); Wee, Common Ferns & Fern-allies Singapore: 17, fig. 7a (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 94, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Ho et al., Gard. Bull. Singapore 70: 40 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Bolbitis diversifolia* (Blume) Schott: Holttum, Rev. Fl. Malaya 2: 465 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 185 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 465 (1968); Johnson, Ferns Singapore Isl., ed. 2: 81 (1977); Wee, Guide Ferns Singapore: 54 (1983). – *Leptochilus zollingeri* (Kunze) Fée: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 116 (1926). – *Gymnopteris presliana* auct. non (Fée) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 54 (1908). – *Gymnopteris subrepanda* J.Sm., nom. nud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 54 (1908). **Native; CR** (Ho et al., 2018).

Elaphoglossum amblyphyllum P.R.Bell ex Holttum: Holttum, Fl. Males., ser. 2, 1(4): 303, fig. 19 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 94, 191 (2009). – *Elaphoglossum decurrens* auct. non (Desv.) T.Moore: Holttum, Rev. Fl. Malaya 2: 458, fig. 268 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 183 (1959); Johnson, Ferns Singapore Isl., ed. 2: 80 (1977). – *Elaphoglossum obtusifolium* P.R.Bell, nom. illeg. hom.: Bell, Kew Bull. 14(1): 83 (1960); Holttum, Rev. Fl. Malaya, ed. 2, 2: 635 (cf. 458), fig. 268 (1968). – *Elaphoglossum laurifolium* auct. non (Thouars) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 53 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 111 (1926). – *Elaphoglossum latifolium* auct. non (Sw.) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 53 (1908), p.p. **Native; NEx** (Chong et al., 2009).

Pleocnemia conjugata (Blume) C.Presl: Holttum, Rev. Fl. Malaya 2: 534 (1955 ['1954']); Holttum, Rev. Fl. Malaya, ed. 2, 2: 534, 636 (1968); Holttum, Fl. Males., ser. 2, 2(1): 16, fig. 4a,b (1991); Tan & Ng, Nat. Watch 20(3): 2 (2012); Tan et al., J. Trop. Biol. Conserv. 11: 22 (2014). **Non-native, naturalised** (assessed here).

Pleocnemia irregularis (C.Presl) Holttum: Holttum, Kew Bull. 29: 347 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Holttum, Fl. Males., ser. 2, 2(1): 12, fig. 3a (1991); Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 94, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 22 (2014); Neo et al., Nat. Singapore 7: 63 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 13, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Tectaria griffithii* auct. non (Baker) C.Chr.: Wee, Ferns Tropics, rev. ed.: 128, fig. 34 (2005). – *Heterogonium sagenoides* auct. non (Mett.) Holttum: Wee, Common Ferns & Fern-allies Singapore: 35, fig. 14a (1984), p.p., as ‘*sagenoides*’; Wee, Ferns Tropics: 128, fig. 34 (1997), as ‘*sagenoides*’. – *Arcypteris irregularis* (C.Presl) Ching: Johnson, Ferns Singapore Isl., ed. 2: 114, fig. 38 (1977). – *Aspidium cicutarium* auct. non (L.) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 34 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 79 (1926), p.p. – *Dicteopteris difformis* (Blume) T.Moore: Ridley, J. Straits Branch

Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 55 (1926). **Native; LC** (Chong et al., 2009).

Pleocnemia olivacea (Copel.) Holttum: Holttum, Rev. Fl. Malaya 2: 535 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 185 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 535 (1968); Johnson, Ferns Singapore Isl., ed. 2: 82 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Holttum, Fl. Males., ser. 2, 2(1): 19, fig. 4c (1991); Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 66 (1995); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']). – *Pleocnemia leuzeana* auct. non (Gaudich.) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 34 (1908), as '*lenzeana*'; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 63 (1926). **Native; NEx** (assessed here).

Teratophyllum aculeatum (Blume) Mett. ex Kuhn: Holttum, Rev. Fl. Malaya 2: 473 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 183 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 473 (1968); Johnson, Ferns Singapore Isl., ed. 2: 78 (1977); Wee, Common Ferns & Fern-allies Singapore: 73, fig. 35a,d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Wee, Ferns Tropics: 175, fig. 76a–c (1997); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Wee, Ferns Tropics, rev. ed.: 175, fig. 76a–c (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 95, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 246, 271 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Stenochlaena sorbifolia* auct. non (L.) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 53 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 111 (1926), p.p.

Teratophyllum aculeatum (Blume) Mett. ex Kuhn var. **aculeatum**: Holttum, Fl. Males., ser. 2, 1(4): 269, fig. 3,4 (1978). **Native; NEx** (assessed here).

Teratophyllum ludens (Fée) Holttum: Johnson, Malayan Nat. J. 13(3&4): 183 (1959); Johnson, Ferns Singapore Isl., ed. 2: 80 (1977); Holttum, Fl. Males., ser. 2, 1(4): 275, fig. 6a–e (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 95, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 246, 271 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Stenochlaena sorbifolia* auct. non (L.) J.Sm.: Beddome, Handb. Ferns Brit. India: 423, (excl. fig. 254) (1883), p.p. – *Lomariopsis sorbifolia* auct. non (L.) Fée: Beddome, Ferns Brit. India 1, fasc. 9–14: 192, (excl. pl. 192) (1866), p.p. – *Acrostichum sorbifolium* auct. non L.: Hooker, Sp. Fil. 5, fasc. 18–20: 241 (1864), p.p. – *Acrostichum scandens* auct. non (J.Sm.) Hook.: Hooker, Sp. Fil. 5, fasc. 18–20: 249 (1864), p.p. – *Lomaria limonifolia* Wall., nom. nud.: Wallich, Numer. List no. 35 (1829). **Native; CR** (assessed here).

Teratophyllum rotundifoliatum (Bonap.) Holttum: Johnson, Malayan Nat. J. 13(3&4): 181 (1959); Johnson, Ferns Singapore Isl., ed. 2: 78 (1977); Holttum, Fl. Males., ser. 2, 1(4): 270, fig. 6f–k (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995), as ‘*rotundifoiliatum*’ (p. 62); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 95, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). – *Stenochlaena sorbifolia* auct. non (L.) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 53 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 111 (1926), p.p. **Native; NEx** (assessed here).

Gleicheniaceae

Dicranopteris curranii Copel.: Holttum, Fl. Males., ser. 2, 1(1): 31, fig. 11, 12a, 14a, 16 (1959); Johnson, Ferns Singapore Isl., ed. 2: 110 (1977); Wee, Guide Ferns Singapore: 40, 43, 45 (1983); Wee, Common Ferns & Fern-allies Singapore: 25, fig. 11a (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 94, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 60 (2019). **Native; LC** (Chong et al., 2009).

Dicranopteris linearis (Burm.f.) Underw.: Johnson, Malayan Nat. J. 13(3&4): 134 (1959); Johnson, Ferns Singapore Isl., ed. 2: 32, fig. 7 (1977); Wee, Guide Ferns Singapore: 40, 43, 45 (1983); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 39 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 94, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 82, 269 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019); Yee et al., Fl. Singapore 1: 52 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 94, 382 (2020). – *Gleichenia linearis* (Burm.f.) C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 7 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 3 (1926); Wee, Common Ferns & Fern-allies Singapore: 25, fig. 11e,d (1984). – *Gleichenia dichotoma* (Willd.) Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 7 (1908).

Dicranopteris linearis (Burm.f.) Underw. var. **linearis**: Holttum, Fl. Males., ser. 2, 1(1): 33, fig. 12a, 14g, 16 (1959). **Native; LC** (Wong et al., 2013, as *Dicranopteris linearis*).

Dicranopteris subpectinata (Christ) C.M.Kuo: POWO. – *Dicranopteris linearis* (Burm.f.) Underw. var. *subpectinata* (Christ) Holttum: Holttum, Fl. Males., ser. 2, 1(1): 35, fig. 12c, 16 (1959); Wee, Common Ferns & Fern-allies Singapore: 25, fig. 11b (1984); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995). – *Gleichenia pteridifolia* auct. non (C.Presl) Ces.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 4 (1926). **Native; LC** (assessed here).

Sticherus truncatus (Willd.) Nakai: Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 24 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Gleichenia truncata* (Willd.) Spreng.: Johnson, Ferns Singapore Isl., ed. 2: 30, fig. 6 (1977); Wee, Guide Ferns Singapore: 44 (1983); Wee, Common Ferns & Fern-allies Singapore: 33, fig. 11c (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 94, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 128, 270 (2013). – *Gleichenia laevigata* (Willd.) Hook.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 3 (1926); Johnson, Malayan Nat. J. 13(3&4): 132 (1959). – *Gleichenia truncata* (Willd.) Spreng. var. *truncata*: Holttum, Fl. Males., ser. 2, 1(1): 20, fig. 7a, 8a,b, 9 (1959). **Native; VU** (Wong et al., 2013).

Hymenophyllaceae

Abrodicty়um obscurum (Blume) Ebihara & K.Iwats.: Ebihara et al., Blumea 51: 244 (2006). – *Cephalomanes obscurum* (Blume) K.Iwats.: Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 94, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 52, 270 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Trichomanes obscurum* Blume: Johnson, Malayan Nat. J. 13(3&4): 139 (1959); Johnson, Ferns Singapore Isl., ed. 2: 37 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 20 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']). – *Selenodesmium obscurum* (Blume) Copel.: Tagawa & Iwatsuki, Fl. Thailand 3(1): 99 (1979). – *Trichomanes setaceum* auct. non Bosch: Van den Bosch, Ned. Kruidk. Arch. 5(2): 176 (1861); Van Alderwerelt, Malayan Ferns: 801 (1908), p.p.; Christensen, Gard. Bull. Straits Settlem. 4(11&12): 378 (1929). – *Trichomanes cupressoides* auct. non Desv.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 19 (1926). – *Trichomanes rigidum* auct. non Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 13 (1908). – *Trichomanes foeniculaceum* auct. non Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 14 (1908). – *Trichomanes parviflorum* auct. non Poir.: Beddome, Handb. Ferns Brit. India, Suppl.: 11 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 14 (1908). – *Trichomanes maximum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900). **Native; VU** (assessed here).

Callistopteris superba (Backh.) Ebihara & K.Iwats.: Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 56 (2018). – *Cephalomanes superbum* (Backh.) I.M.Turner: Turner, Gard. Bull. Singapore 47: 61 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 94, 189 (2009). – *Trichomanes superbum* Backh.: Holttum, Rev. Fl. Malaya 2: 108 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 139 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 108 (1968); Johnson, Ferns Singapore Isl., ed. 2: 37 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 20 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994). – *Trichomanes hispidulum* Mett.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 14 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 18 (1926). **Native; CR** (assessed here).

Cephalomanes javanicum (Blume) C.Presl: Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 94, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Trichomanes javanicum* Blume: Beddome, Ferns Brit. India 1, fasc. 9–14: 180, pl. 180 (1866); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 13 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 19 (1926); Holttum, Rev. Fl. Malaya 2: 102 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 137 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 102 (1968); Johnson, Ferns Singapore Isl., ed. 2: 35, fig. 8 (1977); Wee, Common Ferns & Fern-allies Singapore: 75 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995).

Cephalomanes javanicum (Blume) C.Presl var. **javanicum**: Iwatsuki & Ebihara, Fl. Males., ser. 2, 5 (in press). **Native; EN** (Chong et al., 2009, as *Cephalomanes javanicum*).

Cephalomanes singaporianum Bosch: Van den Bosch, Ned. Kruidk. Arch. 4(4): 351 (1859); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008), as ‘singaporeanum’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 94, 220 (2009), as ‘singaporeanum’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011), as ‘singaporeanum’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Trichomanes singaporianum* (Bosch) Alderw.: Holttum, Rev. Fl. Malaya 2: 103 (1955 ['1954]), as ‘singaporeanum’; Johnson, Malayan Nat. J. 13(3&4): 138 (1959), as ‘singaporeanum’; Holttum, Rev. Fl. Malaya, ed. 2, 2: 103 (1968), as ‘singaporeanum’; Johnson, Ferns Singapore Isl., ed. 2: 36 (1977), as ‘singaporeanum’; Wee, Common Ferns & Fern-allies Singapore: fig. 36b (1984), as ‘singaporeanum’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990), as ‘singaporeanum’; Turner, Gard. Bull. Singapore 45: 20 (1993), as ‘singaporeanum’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994), as ‘singaporeanum’; Ng & Wee (ed.), Singapore Red Data Book: 270 (1994), as ‘singaporeanum’; Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995), as ‘singaporeanum’. – *Trichomanes javanicum* auct. non Blume: Hooker & Greville, Icon. Filic. 2, fasc. 12: t. 240 (1832). **Native; EN** (assessed here).

Crepidomanes christii (Copel.) Copel.: Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 94, 190 (2009). – *Trichomanes christii* Copel.: Holttum, Rev. Fl. Malaya 2: 100 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 140 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 100 (1968); Johnson, Ferns Singapore Isl., ed. 2: 38 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 250, 271 (2013). – *Trichomanes bipunctatum* auct. non Poir.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 13 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 17 (1926), p.p. – *Trichomanes filicula* auct. non (Bory ex Willd.) Bory: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 13 (1908). **Native; NEx** (assessed here).

Crepidomanes humile (G.Forst.) Bosch: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 94, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Trichomanes humile* G.Forst.: Ridley, J. Straits Branch Roy. Asiat. Soc.

50: 12 (1908); Christensen, Gard. Bull. Straits Settlem. 4(11&12): 377 (1929); Johnson, Malayan Nat. J. 13(3&4): 140 (1959); Johnson, Ferns Singapore Isl., ed. 2: 38 (1977); Wee, Common Ferns & Fern-allies Singapore: fig. 36a (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995). – *Reediella humilis* (G.Forst.) Pic.Serm.: Tagawa & Iwatsuki, Fl. Thailand 3(1): 87 (1979), as ‘*Reedia*’. – *Trichomanes pyxidiferum* auct. non L.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 18 (1926), p.p. – *Trichomanes bipunctatum* auct. non Poir.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900), p.p. – *Trichomanes filicula* auct. non (Bory ex Willd.) Bory: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900), p.p. **Native; NEx** (assessed here).

Crepidomanes minutum (Blume) K.Iwats.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 94, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Crepidomanes proliferum* (Blume) Bostock: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 69, 270 (2013). – *Trichomanes saxifragoides* C.Presl: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995). – *Trichomanes minutum* Blume: Johnson, Ferns Singapore Isl., ed. 2: 110 (1977); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994). – *Trichomanes proliferum* Blume: Viane, Gard. Bull. Singapore 37(1): 111–114 (1984). – *Gonocormus saxifragoides* (C.Presl) Bosch: Tagawa & Iwatsuki, Fl. Thailand 3(1): 80 (1979). **Native; NEx** (assessed here).

Didymoglossum bimarginatum (Bosch) Ebihara & K.Iwats.: Ebihara et al., Blumea 51: 236 (2006). – *Didymoglossum mindorense* auct. non (Christ) K.Iwats.: Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Trichomanes mindorense* auct. non Christ: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner, Gard. Bull. Singapore 47: 64 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 94, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011). – *Trichomanes bimarginatum* (Bosch) Bosch: Holttum, Rev. Fl. Malaya 2: 92 (1955 [‘1954’]); Johnson, Malayan Nat. J. 13(3&4): 137 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 92 (1968); Johnson, Ferns Singapore Isl., ed. 2: 35 (1977); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995). – *Microgonium mindorense* auct. non (Christ) Copel.: Croxall, Kew Bull. 41: 522 (1986). – *Trichomanes sublimbatum* auct. non Müll.Berol.: Christensen, Gard. Bull. Straits Settlem. 4(11&12): 377 (1929), p.p. – *Trichomanes henzaianum* auct. non Parish ex Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 12 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 15 (1926). – *Trichomanes muscoides* auct. non Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 12 (1908). **Native; EN** (Chong et al., 2009).

Didymoglossum motleyi (Bosch) Ebihara & K.Iwats.: Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Trichomanes motleyi* (Bosch) Bosch: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 90 (1901); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 12 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 15 (1926); Holttum, Rev. Fl. Malaya 2: 92 (1955 [‘1954’]); Johnson, Malayan Nat. J. 13(3&4): 136 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 92 (1968); Johnson, Ferns Singapore Isl., ed. 2: 34 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 19 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore

Red Data Book: 270 (1994); Turner, Gard. Bull. Singapore 47: 64 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 94, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011). – *Microgonium motleyi* Bosch: Tagawa & Iwatsuki, Fl. Thailand 3(1): 44 (1979); Croxall, Kew Bull. 41: 526 (1986). **Native; EN** (Chong et al., 2009).

Didymoglossum sublimbatum (Müll.Berol.) Ebihara & K.Iwats.: Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Trichomanes sublimbatum* Müll.Berol.: Christensen, Gard. Bull. Straits Settlem. 4(11&12): 377 (1929), p.p.; Holttum, Rev. Fl. Malaya 2: 92 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 137 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 92 (1968); Johnson, Ferns Singapore Isl., ed. 2: 35 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 20 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Turner, Gard. Bull. Singapore 47: 64 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 94, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011). – *Microgonium sublimbatum* (Müll.Berol.) Bosch: Tagawa & Iwatsuki, Fl. Thailand 3(1): 94 (1979); Croxall, Kew Bull. 41: 527 (1986). **Native; EN** (Chong et al., 2009).

Hymenophyllum acanthoides (Bosch) Rosenst.: Johnson, Malayan Nat. J. 13(3&4): 136 (1959); Johnson, Ferns Singapore Isl., ed. 2: 34 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 94, 216 (2009). – *Meringium acanthoides* (Bosch) Copel.: Tagawa & Iwatsuki, Fl. Thailand 3(1): 78 (1979). – *Hymenophyllum neesii* auct. non (Blume) Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 11 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 15 (1926), p.p. **Native; NEx** (assessed here).

Hymenophyllum denticulatum Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 11 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 14 (1926); Johnson, Malayan Nat. J. 13(3&4): 135 (1959); Johnson, Ferns Singapore Isl., ed. 2: 33 (1977); Wee, Common Ferns & Fern-allies Singapore: 37, fig. 17a (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 94, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 145, 271 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Meringium denticulatum* (Sw.) Copel.: Tagawa & Iwatsuki, Fl. Thailand 3(1): 77 (1979). – *Hymenophyllum aculeatum* (Bosch) Racib.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 11 (1908). **Native; NEx** (assessed here).

Hymenophyllum digitatum (Sw.) Fosberg: Ebihara et al., Taxon 53(4): 940, 948 (2004). – *Trichomanes digitatum* Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 12 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 16 (1926). **Native; NEx** (assessed here).

Hymenophyllum holochilum (Bosch) C.Chr.: Johnson, Malayan Nat. J. 13(3&4): 135 (1959); Johnson, Ferns Singapore Isl., ed. 2: 33 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 94, 216 (2009). – *Meringium holochilum* (Bosch) Copel.: Tagawa & Iwatsuki, Fl. Thailand 3(1): 77 (1979). – *Hymenophyllum neesii* auct. non (Blume) Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 11 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 15 (1926), p.p. **Native; NEx** (assessed here).

Hymenophyllum pallidum (Blume) Ebihara & K.Iwats.: Ebihara et al., Blumea 51: 232 (2006). – *Crepidomanes pallidum* (Blume) K.Iwats.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 94, 190 (2009). – *Trichomanes pallidum* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 12 (1908), as ‘*pallidum*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 17 (1926); Johnson, Malayan Nat. J. 13(3&4): 139 (1959); Johnson, Ferns Singapore Isl., ed. 2: 37 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 23, pl. 28 (1979); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 20 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994). – *Pleuromanes pallidum* (Blume) C.Presl: Tagawa & Iwatsuki, Fl. Thailand 3(1): 86 (1979). **Native; NEx** (assessed here).

Hymenophyllum polyanthos (Sw.) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 10 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 11 (1926); Johnson, Malayan Nat. J. 13(3&4): 136 (1959); Johnson, Ferns Singapore Isl., ed. 2: 34 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 94, 193 (2009). – *Hymenophyllum polyanthos* (Sw.) Sw. var. *blumeanum* (Spreng.) Krug: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 10 (1908), as ‘*blumeana*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 12 (1926). – *Hymenophyllum* sp. (Ridley 8938): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900). **Native; NEx** (assessed here).

Hymenophyllum serrulatum (C.Presl) C.Chr.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 14 (1926); Johnson, Malayan Nat. J. 13(3&4): 135 (1959); Johnson, Ferns Singapore Isl., ed. 2: 33 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 15, pl. 15 (1979); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 94, 216 (2009). – *Meringium meyenianum* C.Presl: Tagawa & Iwatsuki, Fl. Thailand 3(1): 76 (1979). – *Hymenophyllum smithii* Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 11 (1908). **Native; NEx** (assessed here).

Lindsaeaceae

Lindsaea borneensis Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900), as ‘*Lindsayas*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 20 (1908), as ‘*Lindsaya*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 23 (1926), as ‘*Lindsaya*’; Holttum, Rev. Fl. Malaya 2: 331 (1955 [‘1954’]), as ‘*Lindsaya*’; Johnson, Malayan Nat. J. 13(3&4): 163 (1959), as ‘*Lindsaya*’; Holttum,

Rev. Fl. Malaya, ed. 2, 2: 331 (1968), as ‘*Lindsaya*’; Kramer, Fl. Males., ser. 2, 1(3): 225 (1971); Johnson, Ferns Singapore Isl., ed. 2: 61 (1977), as ‘*Lindsaya*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009). – *Lindsaea rigida* auct. non J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900), as ‘*Lindsays*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 20 (1908), p.p., as ‘*Lindsaya*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 23 (1926), p.p., as ‘*Lindsaya*’. **Native; NEx** (assessed here).

Lindsaea cultrata (Willd.) Sw.: Kramer, Fl. Males., ser. 2, 1(3): 222, map 6 (1971); Wee, Common Ferns & Fern-allies Singapore: 39, fig. 18b (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 21 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lindsaea decomposita* Willd.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 24 (1926), as ‘*Lindsaya*’; Holttum, Rev. Fl. Malaya 2: 333 (1955 [‘1954’]), as ‘*Lindsaya*’; Johnson, Malayan Nat. J. 13(3&4): 164 (1959), as ‘*Lindsaya*’; Holttum, Rev. Fl. Malaya, ed. 2, 2: 333 (1968), as ‘*Lindsaya*’; Johnson, Ferns Singapore Isl., ed. 2: 61 (1977), as ‘*Lindsaya*’. – *Schizoloma lobatum* auct. non (Poir.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900), as ‘*lobata*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 21 (1908), as ‘*lobata*’; *Lindsaea recurvata* (J.Sm. ex Hook.) Wall. ex Hook.: Hooker, Sp. Fil. 1, fasc. 4: 222, t. 70A (1846). – *Synaphlebium recurvatum* J.Sm. ex Hook.: Hooker, Gen. Fil.: t. 101 (1842). – *Lindsaea recurvata* Wall., nom. nud.: Wallich, Numer. List no. 149 (1829). **Native; EN** (Chong et al., 2009).

Lindsaea divergens Hook. & Grev.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900), as ‘*Lindsays*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 20 (1908), as ‘*Lindsaya*’; Kramer, Fl. Males., ser. 2, 1(3): 233 (1971); Wee, Common Ferns & Fern-allies Singapore: 39, fig. 18a,e (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 21 (2011); Tan & Yeo, Nat. Singapore 5: 339 (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019); Lim et al., Fl. Singapore 1: 88 (2019). – *Isoloma divergens* (Hook. & Grev.) J.Sm.: Holttum, Rev. Fl. Malaya 2: 337 (1955 [‘1954’]); Johnson, Malayan Nat. J. 13(3&4): 165 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 337 (1968); Johnson, Ferns Singapore Isl., ed. 2: 62 (1977). – *Schizoloma divergens* (Roxb.) Kuhn: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 25 (1926). **Native; CR** (assessed here).

Lindsaea doryphora K.U.Kramer: Kramer, Fl. Males., ser. 2, 1(3): 227, fig. 35, map 7 (1971); Wee, Common Ferns & Fern-allies Singapore: 39, fig. 18c,d (1984); Turner, Gard. Bull. Singapore 45: 10 (1993), as ‘*doryophora*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994), as ‘*doryophora*’; Ng & Wee (ed.), Singapore Red Data Book: 15, 270 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 [‘1994’]), as ‘*doryophora*’; Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Turner et al., Gard. Bull. Singapore 48: 139 (1998 [‘1996’]), as ‘*doryophora*’; Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 [‘1997’]), as ‘*doryophora*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 21, 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore:

55, 93, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 163, 269 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lindsaea scandens* auct. non Hook.: Johnson, Malayan Nat. J. 13(3&4): 162 (1959), p.p., as ‘*Lindsaya*’; Johnson, Ferns Singapore Isl., ed. 2: 60 (1977), p.p., as ‘*Lindsaya*’. – *Lindsaea lancea* auct. non (L.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900), as ‘*Lindsaya*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 20 (1908), as ‘*Lindsaya*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 23 (1926), as ‘*Lindsaya*’. – *Lindsaea trapeziformis* auct. non Dryand.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900), as ‘*Lindsaya*’. **Native; EN** (Wong et al., 2013).

Lindsaea ensifolia Sw.: Wee, Common Ferns & Fern-allies Singapore: 39 (1984); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 67 (1995); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 21 (2011); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lindsaea ensifolia* Sw. subsp. *coriacea* (Alderw.) K.U.Kramer: Kramer, Fl. Males., ser. 2, 1(3): 212 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 48 (1997 [‘1995’]). – *Schizoloma ensifolium* (Sw.) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900), as ‘*ensifolia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 21 (1908), as ‘*ensifolia*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 25 (1926); Holttum, Rev. Fl. Malaya 2: 346 (1955 [‘1954’]); Johnson, Malayan Nat. J. 13(3&4): 166 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 346 (1968); Johnson, Ferns Singapore Isl., ed. 2: 63 (1977).

Lindsaea ensifolia Sw. var. **ensifolia**: POWO. – *Lindsaea ensifolia* Sw. subsp. *ensifolia*: Kramer, Fl. Males., ser. 2, 1(3): 212 (1971). **Native; LC** (Chong et al., 2009, as *Lindsaea ensifolia*).

Lindsaea heterophylla Dryand.: Hooker, Sp. Fil. 1, fasc. 4: 223 (1846); Kramer, Fl. Males., ser. 2, 1(3): 210, fig. 17, 18, map 3 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009). – *Schizoloma heterophyllum* (Dryand.) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900), as ‘*heterophylla*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 21 (1908), as ‘*heterophylla*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 26 (1926); Johnson, Malayan Nat. J. 13(3&4): 166 (1959); Johnson, Ferns Singapore Isl., ed. 2: 64 (1977). **Native; NEx** (Chong et al., 2009).

Lindsaea lucida Blume: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009). – *Lindsaea lucida* Blume subsp. *lucida*: Kramer, Fl. Males., ser. 2, 1(3): 233 (1971). **Native; NEx** (Chong et al., 2009).

Lindsaea orbiculata (Lam.) Mett. ex Kuhn: Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009). – *Lindsaea orbiculata* (Lam.) Mett. ex Kuhn var. *commixta* (Tagawa) K.U.Kramer: Kramer, Fl. Males., ser. 2, 1(3): 207 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008). – *Lindsaea orbiculata*

(Lam.) Mett. ex Kuhn var. *orbiculata*: Kramer, Fl. Males., ser. 2, 1(3): 206, fig. 15 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008). – *Schizoloma orbiculatum* (Lam.) Kuhn: Holttum, Rev. Fl. Malaya 2: 344 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 166 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 344 (1968); Johnson, Ferns Singapore Isl., ed. 2: 63 (1977). – *Schizoloma medium* auct. non (R.Br.) Kuhn: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900), as ‘*media*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 21 (1908), as ‘*media*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 26 (1926). – *Lindsaea orbiculata* (Lam.) Mett. ex Kuhn var. *polymorpha* (Wall. ex Hook. & Grev.) Alderw.: Van Alderwerelt, Malayan Ferns: 270 (1908). – *Lindsaea flabellulata* Dryand. var. *polymorpha* (Wall. ex Hook. & Grev.) Hook.: Hooker, Sp. Fil. 1, fasc. 4: 211 (1846). – *Lindsaea polymorpha* Wall. ex Hook. & Grev.: Hooker & Greville, Icon. Fil. 1, fasc. 4: t. 75 (1828). – *Lindsaea polymorpha* Wall., nom. nud.: Wallich, Numer. List no. 147 (1829). – *Lindsaea dentata* Wall., nom. nud.: Wallich, Numer. List no. 146 (1829). **Native; CR** (assessed here).

Lindsaea ovata J.Sm.: Kramer, Fl. Males., ser. 2, 1(3): 231 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009). – *Isoloma ovatum* (J.Sm.) C.Presl: Holttum, Rev. Fl. Malaya 2: 338 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 165 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 338 (1968); Johnson, Ferns Singapore Isl., ed. 2: 63 (1977). **Native; NEx** (assessed here).

Lindsaea parallelogramma Alderw.: Holttum, Rev. Fl. Malaya 2: 335 (1955 ['1954']), as ‘*Lindsaya*’; Johnson, Malayan Nat. J. 13(3&4): 164 (1959), as ‘*Lindsaya*’; Holttum, Rev. Fl. Malaya, ed. 2, 2: 335 (1968), as ‘*Lindsaya*’; Kramer, Fl. Males., ser. 2, 1(3): 220, fig. 29, map 5 (1971); Johnson, Ferns Singapore Isl., ed. 2: 61 (1977), as ‘*Lindsaya*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 10 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lindsaea davallioides* auct. non Blume: Hooker, Sp. Fil. 1, fasc. 4: 224, t. 68A (1846), as ‘*davallioides*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 24 (1926), p.p., as ‘*Lindsaya*’. – *Schizoloma davallioides* auct. non (Blume) T.Moore: Beddome, Ferns Brit. India 1, fasc. 9–14: 141, pl. 141 (1866); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 21 (1908), p.p. – *Lindsaea lobata* Wall., nom. nud.: Wallich, Numer. List no. 152 (1829). **Native; NEx** (assessed here).

Lindsaea parasitica (Roxb.) Wall. ex Hieron.: Kramer, Fl. Males., ser. 2, 1(3): 244 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 21 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lindsaea scandens* Hook.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 22 (1926), as ‘*Lindsaya*’; Johnson, Malayan Nat. J. 13(3&4): 162 (1959), p.p., as ‘*Lindsaya*’; Johnson, Ferns Singapore Isl., ed. 2: 60 (1977), p.p., as ‘*Lindsaya*’. – *Lindsaea serpens* Wall., nom. nud.: Wallich, Numer. List no. 150 (1829). **Native; EN** (assessed here).

Lindsaea pectinata Blume: POWO. – *Lindsaea repens* (Bory) Thwaites var. *pectinata* (Blume) Mett. ex Kuhn: Kramer, Fl. Males., ser. 2, 1(3): 239, fig. 43 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 57 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lindsaea macraeana* (Hook. & Arn.) Copel.: Johnson, Malayan Nat. J. 13(3&4): 162 (1959), as ‘*Lindsaya*’; Johnson, Ferns Singapore Isl., ed. 2: 59, fig. 16 (1977), as ‘*Lindsaya*’. – *Lindsaea repens* auct. non (Bory) Thwaites: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900), as ‘*Lindsay*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 19 (1908), as ‘*Lindsay*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 21 (1926), as ‘*Lindsay*’. **Native; CR** (assessed here).

Lindsaea walkerae Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900), as ‘*Lindsay*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 20 (1908), as ‘*Lindsay*’; Kramer, Fl. Males., ser. 2, 1(3): 229, map 8 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 93, 194 (2009). – *Schizoloma walkerae* (Hook.) Kuhn: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 25 (1926); Holttum, Rev. Fl. Malaya 2: 344 (1955 [‘1954’]); Johnson, Malayan Nat. J. 13(3&4): 166 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 344 (1968); Johnson, Ferns Singapore Isl., ed. 2: 63 (1977). **Native; NEx** (Chong et al., 2009).

Tapeinidium pinnatum (Cav.) C.Chr.: Johnson, Malayan Nat. J. 13(3&4): 165 (1959); Kramer, Fl. Males., ser. 2, 1(3): 193, map 2 (1971); Johnson, Ferns Singapore Isl., ed. 2: 62 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 18 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 93, 224 (2009). **Native; NEx** (assessed here).

Lomariopsidaceae

Lomariopsis lineata (C.Presl) Holttum: Holttum, Fl. Males., ser. 2, 1(4): 262 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 94, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 271 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lomariopsis cochinchinensis* Féé: Johnson, Malayan Nat. J. 13(3&4): 183 (1959); Johnson, Ferns Singapore Isl., ed. 2: 80 (1977). – *Stenochlaena cochinchinensis* (Féé) Underw.: Christensen, Gard. Bull. Straits Settlem. 4(11&12): 395 (1929). – *Stenochlaena palustris* auct. non (Burm.f.) Bedd.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 111 (1926), p.p. – *Stenochlaena sorbifolia* auct. non (L.) J.Sm.: Beddome, Handb. Ferns Brit. India: 423 (1883), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 53 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 111 (1926), p.p. – *Lomariopsis sorbifolia* auct. non (L.) Féé: Beddome, Ferns Brit. India 1, fasc. 9–14: 192, pl. 192 (1866), p.p. – *Acrostichum sorbifolium* auct. non L.: Hooker, Sp. Fil. 5, fasc. 18–20: 241 (1864), p.p. **Native; EN** (assessed here).

Lygodiaceae

Lygodium circinnatum (Burm.f.) Sw.: Holttum, Fl. Males., ser. 2, 1(1): 59, fig. 5d, 14 (1959); Johnson, Malayan Nat. J. 13(3&4): 127 (1959); Johnson, Ferns Singapore Isl., ed. 2: 24, fig. 3 (1977); Wee, Common Ferns & Fern-allies Singapore: 43, fig. 20c (1984); Chua & Wee, Malayan Nat. J. 43(1): 21 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994), as ‘*circinatum*’; Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995), as ‘*circinatum*’; Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 96, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Neo et al., Nat. Singapore 6: 16 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Hung et al., Nat. Singapore 10: 43 (2017), as ‘*circinatum*’. **Cryptogenic** (assessed here).

Lygodium flexuosum (L.) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 58 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 119 (1926); Holttum, Rev. Fl. Malaya 2: 57 (1955 [‘1954’]), p.p.; Holttum, Fl. Males., ser. 2, 1(1): 53, fig. 9e–f (1959); Johnson, Malayan Nat. J. 13(3&4): 128 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 57, 629 (1968), p.p.; Johnson, Ferns Singapore Isl., ed. 2: 26, fig. 4 (1977); Wee, Guide Ferns Singapore: 14, 18 (1983); Wee, Common Ferns & Fern-allies Singapore: 43, fig. 20b,d, e (1984); Chua & Wee, Malayan Nat. J. 43(1): 21 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 96, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Neo et al., Nat. Singapore 7: 67 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). **Native; LC** (Chong et al., 2009).

Lygodium japonicum (Thunb.) Sw.: Holttum, Fl. Males., ser. 2, 1(1): 51, fig. 8d–f (1959); Wee & Chua, Fern Gaz. 13: 246 (1988); Chua & Wee, Malayan Nat. J. 43(1): 21 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner, Gard. Bull. Singapore 47: 75 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 96, 267 (2009); Lok et al., Cosmos 6: 67 (2010); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014). **Non-native, naturalised** (Tan et al., 2014).

Lygodium longifolium (Willd.) Sw.: Holttum, Fl. Males., ser. 2, 1(1): 59, fig. 5a, 12 (1959); Johnson, Ferns Singapore Isl., ed. 2: 25 (1977); Wee, Guide Ferns Singapore: 14, 18 (1983); Wee, Common Ferns & Fern-allies Singapore: 43 (1984); Chua & Wee, Malayan Nat. J. 43(1): 21 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 [‘1994’]); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Turner et al., Gard. Bull. Singapore 48: 139 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 96, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 172, 274 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 123 (2013);

Neo et al., Nat. Singapore 6: 285 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lygodium circinnatum* auct. non (Burm.f.) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 57 (1908), p.p., as ‘*circinatum*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 119 (1926), p.p.; Wee, Guide Ferns Singapore: 48, 60 (1983); Lee et al., Gard. Bull. Singapore 55: 287 (2003). – *Lygodium digitatum* C.Presl: Johnson, Malayan Nat. J. 13(3&4): 127 (1959). – *Lygodium dichotomum* auct. non (Cav.) Sw.: Wallich, Numer. List no. 176 (1829); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900). **Native; LC** (assessed here).

Lygodium microphyllum (Cav.) R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 58 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 119 (1926); Holttum, Fl. Males., ser. 2, 1(1): 47, fig. 5e–f, 6, 7 (1959); Johnson, Ferns Singapore Isl., ed. 2: 28 (1977); Wee, Common Ferns & Fern-allies Singapore: 43, fig. 20a (1984); Chua & Wee, Malayan Nat. J. 43(1): 21 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 [‘1994’]); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 96, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Teo et al., Nat. Singapore 4: 272 (2011); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 61 (2019). – *Lygodium flexuosum* auct. non (L.) Sw.: Wee, Ferns Tropics: 139, fig. 43a (not 43b) (1997), p.p.; Wee, Ferns Tropics, rev. ed.: 139, fig. 43a (not 43b) (2005), p.p. – *Lygodium scandens* auct. non (L.) Sw.: Johnson, Malayan Nat. J. 13(3&4): 130 (1959). **Native; LC** (Chong et al., 2009).

Lygodium salicifolium C.Presl: Holttum, Fl. Males., ser. 2, 1(1): 51, fig. 6, 10, 13a,b (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 630 (cf. 57) (1968); Johnson, Ferns Singapore Isl., ed. 2: 110 (1977); Chua & Wee, Malayan Nat. J. 43(1): 21 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 11 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 96, 229 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). – *Lygodium flexuosum* auct. non (L.) Sw.: Holttum, Rev. Fl. Malaya 2: 57 (1955 [‘1954’]), p.p. **Native; VU** (assessed here).

Marattiaceae

Angiopteris evecta (G.Forst.) Hoffm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 58 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 118 (1926); Johnson, Malayan Nat. J. 13(3&4): 126 (1959); Johnson, Ferns Singapore Isl., ed. 2: 24, fig. 2 (1977); Wee, Guide Ferns Singapore: 61 (1983); Wee, Common Ferns & Fern-allies Singapore: 9, fig. 3 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 37 (2004 [‘2003’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 95,

219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 271 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014); Neo et al., Nat. Singapore 7: 65 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Yee et al., Fl. Singapore 1: 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 90, 382 (2020). **Native; VU** (Wong et al., 2013).

Nephrolepidaceae

Nephrolepis acutifolia (Desv.) Christ: Ridley, J. Malayan Branch Roy. Asiatic Soc. 4, No. 1(96): 59 (1926); Holttum, Rev. Fl. Malaya 2: 375 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 170 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 375 (1968); Johnson, Ferns Singapore Isl., ed. 2: 67 (1977); Wee, Guide Ferns Singapore: 29 (1983); Wee, Common Ferns & Fern-allies Singapore: 47, fig. 22a,b (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 40 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 95, 217 (2009); Hovenkamp & Miyamoto, Fl. Males., ser. 2, 4: 108, fig. 1a, pl. 2a (2012); Tan et al., J. Trop. Biol. Conserv. 11: 20, fig. 1A (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 126 (2014 [2015]). – *Lindsaea lanuginosa* (J.Sm.) Wall. ex Hook.: Hooker, Sp. Fil. 1, fasc. 4: 210, t. 69B (1846); Beddome, Ferns Brit. India 1, fasc. 9–14: 140, pl. 140 (1866); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 189 (1900), as '*Lindsays*'; Ridley, J. Straits Branch Roy. Asiatic Soc. 50: 21 (1908), as '*Lindsaya*'. – *Lindsaea lanuginosa* Wall., nom. nud.: Wallich, Numer. List no. 154 (1829). **Native; EN** (Chong et al., 2009).

Nephrolepis biserrata (Sw.) Schott: Johnson, Malayan Nat. J. 13(3&4): 170 (1959); Johnson, Ferns Singapore Isl., ed. 2: 68, fig. 18 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 18, fig. 40, pl. 21 (1979); Wee, Guide Ferns Singapore: 13, 40, 52, 64 (1983); Wee, Common Ferns & Fern-allies Singapore: 47, fig. 22c–e (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Boo et al., 1001 Gard. Pl. Singapore (print 3): 41 (2004 ['2003']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Hovenkamp & Miyamoto, Fl. Males., ser. 2, 4: 108, fig. 1g, pl. 1b (2012); Tan et al., J. Trop. Biol. Conserv. 11: 20 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 98, 382 (2020). – *Nephrolepis auriculata* (L.) Trimen, nom. rej.: Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 286 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 95, 272 (2009); Lok et al., Cosmos 6: 78 (2010); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017). – *Nephrolepis acuta* (Schkuhr) C.Presl: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 192 (1900); Ridley, J. Malayan Branch Roy. Asiatic Soc. 4, No. 1(96): 60 (1926). – *Nephrolepis exaltata* auct. non (L.) Schott: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 192 (1900); Ridley, J. Malayan Branch Roy. Asiatic Soc. 4, No. 1(96): 60 (1926). – *Nephrolepis acuta* (Schkuhr) C.Presl var. *subferruginea* Hook.: Hooker, Sp. Fil. 4, fasc. 14: 153 (1862). **Native; LC** (assessed here).

Nephrolepis brownii (Desv.) Hovenkamp & Miyam.: Hovenkamp & Miyamoto, Fl. Males., ser. 2, 4: 110, fig. 1f, pl. 1a (2012). – *Nephrolepis hirsutula* auct. non (G.Forst.) C.Presl: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 59 (1926); Johnson, Malayan Nat. J. 13(3&4): 172 (1959); Johnson, Ferns Singapore Isl., ed. 2: 68 (1977); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 95, 272 (2009); Lok et al., Cosmos 6: 78 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 20 (2014). – *Nephrolepis multiflora* (Roxb.) F.M.Jarrett ex C.V.Morton: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995). – *Nephrolepis exaltata* (L.) Schott var. *hirsutula* auct. non (G.Forst.) Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 39 (1908). **Native; DD** (assessed here).

Nephrolepis duffii T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 95, 251 (2009). **Non-native, casual*** (assessed here).

Nephrolepis hirsutula (G.Forst.) C.Presl: Hovenkamp & Miyamoto, Fl. Males., ser. 2, 4: 117, fig. 1h, pl. 2f (2012). **Cryptogenic** (assessed here).

Nephrolepis radicans (Burm.f.) Kuhn: Johnson, Malayan Nat. J. 13(3&4): 172 (1959); Johnson, Ferns Singapore Isl., ed. 2: 68 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990), as ‘*Naphrolepis*’; Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 95, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Hovenkamp & Miyamoto, Fl. Males., ser. 2, 4: 120, pl. 2c (2012); Tan et al., J. Trop. Biol. Conserv. 11: 21 (2014). – *Nephrolepis volubilis* J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 39 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 60 (1926). **Native; NEx** (assessed here).

Ophioglossaceae

Ophioglossum nudicaule L.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 59 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 121 (1926); Wee, Guide Ferns Singapore: 16 (1983); Wee, Common Ferns & Fern-allies Singapore: 49, fig. 23c (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 88, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 95, 229 (2009). **Native; LC** (Chong et al., 2009).

Ophioglossum pendulum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 59 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 121 (1926); Holtum, Rev. Fl. Malaya 2: 40 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 124 (1959); Holtum, Rev. Fl. Malaya, ed. 2, 2: 40 (1968); Johnson, Ferns Singapore Isl., ed. 2: 22, fig. 1 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 18, fig. 42, pl. 22 (1979); Wee, Guide Ferns Singapore: 26 (1983); Wee, Common Ferns & Fern-allies Singapore: 49, fig. 23a,d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 88, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 95, 209 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 21 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 128 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). **Native; CR** (Chong et al., 2009).

Ophioglossum reticulatum L.: Johnson, Ferns Singapore Isl., ed. 2: 110, fig. 35 (1977); Wee, Guide Ferns Singapore: 17 (1983); Wee, Common Ferns & Fern-allies Singapore: 49, fig. 23b (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 95, 229 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 21 (2014). **Native; LC** (Chong et al., 2009).

Polypodiaceae

Ctenopterella blechnoides (Grev.) Parris: Parris, Fl. Penins. Malaysia, ser. 1, 1: 147, fig. 4, pl. 13C,D (2010). – *Ctenopteris blechnoides* (Grev.) W.H.Wagner & Grether: Parris, Kew Bull. 41: 494 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 94, 190 (2009). – *Polypodium decorum* Brack.: Hooker, Sp. Fil. 4, fasc. 15 & 16: 179 (1863 ['1862']); Beddome, Handb. Ferns Brit. India: 310, fig. 165 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 42 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 83 (1926). **Native; NEx** (assessed here).

Drynaria quercifolia (L.) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900), as '*quercifolium*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 44 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 100 (1926); Johnson, Malayan Nat. J. 13(3&4): 145 (1959); Johnson, Ferns Singapore Isl., ed. 2: 43, fig. 11 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Wee, Guide Ferns Singapore: 28 (1983); Wee, Common Ferns & Fern-allies Singapore: 31, fig. 14c (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Hovenkamp & Roos, Fl. Males., ser. 2, 3: 40, fig. 6a,b (1998); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 286 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 39 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 95, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 6: 15 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 118 (2014 [2015]); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 94, 382 (2020). – *Aglaomorpha quercifolia* (L.) Hovenkamp & S.Linds.: Lindsay et al., Gard. Bull. Singapore 69: 152 (2017). – *Polypodium quercifolium* L.: Hooker, Sp. Fil. 5, fasc. 17: 96 (1864). **Native; LC** (assessed here).

Drynaria sparsisora (Desv.) T.Moore: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 100 (1926); Johnson, Malayan Nat. J. 13(3&4): 146 (1959); Johnson, Ferns Singapore Isl., ed. 2: 44 (1977); Wee, Guide Ferns Singapore: 28 (1983); Wee, Common Ferns & Fern-allies Singapore: 31, fig. 14d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 7 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Hovenkamp & Roos, Fl. Males., ser. 2, 3: 43, fig. 6d (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 95, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Hovenkamp, Fl. Penins. Malaysia, ser. 1, 2: 117 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). – *Aglaomorpha sparsisora* (Desv.) Hovenkamp & S.Linds.: Lindsay et al., Gard. Bull. Singapore 69: 153 (2017). – *Drynaria linnei* Bedd., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900), as '*linnaei*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 45 (1908), as '*linnaei*'. **Native; VU** (assessed here).

Drynaria speciosa (Blume) Christenh.: Christenhusz, Phytotaxa 230: 299 (2015). – *Aglaomorpha acuminata* (Willd.) Hovenkamp: Hovenkamp & Roos, Fl. Males., ser. 2, 3: 13 (1998); Hovenkamp, Fl. Penins. Malaysia, ser. 1, 2: 100 (2013). – *Aglaomorpha speciosa* (Blume) M.C.Roos: Roos, Blumea 31(1): 153 (1985); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 95, 187 (2009). – *Photinopteris speciosa* (Blume) C.Presl: Holttum, Rev. Fl. Malaya 2: 187 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 152 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 187 (1968); Johnson, Ferns Singapore Isl., ed. 2: 50 (1977); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994). – *Photinopteris rigida* Bedd.: Beddome, Ferns Brit. India 1, fasc. 9–14: 211, pl. 211 (1866); Beddome, Handb. Ferns Brit. India: 442, fig. 269 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 55 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 114 (1926). – *Acrostichum rigidum* Wall. ex Hook.: Hooker, Sp. Fil. 5, fasc. 18–20: 281 (1864). – *Photinopteris horsfieldii* J.Sm. ex Hook.: Hooker, Gen. Fil.: t. 92 (1842). – *Acrostichum rigidum* Wall., nom. nud.: Wallich, Numer. List no. 27 (1829). **Native; NEx** (assessed here).

Goniophlebium percussum (Cav.) W.H.Wagner & Grether: Rödl-Linder, Blumea 34(2): 381 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Hovenkamp & Rödl-Linder, Fl. Males., ser. 2, 3: 51, fig. 7c (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 95, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 134, 271 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 120 (2014 [2015]); Hovenkamp, Gard. Bull. Singapore 71: 65 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). – *Goniophlebium verrucosum* (Hook.) J.Sm.: Beddome, Ferns Brit. India 2, fasc. 18–20: 257, pl. 257 (1868); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 43 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 88 (1926); Johnson, Ferns Singapore Isl., ed. 2: 50 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 13, fig. 26, pl. 12 (1979); Wee, Common Ferns & Fern-allies Singapore: 33, fig. 15 (1984); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995). – *Polypodium verrucosum* (Hook.) Wall. ex Mett.: Mettenius, Abh. Senckenberg. Naturf. Ges. 2(1): 81 (1856); Hooker, Sp. Fil. 5, fasc. 17: 31 (1864); Holttum, Rev. Fl. Malaya 2: 206 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 152 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 206 (1968). – *Marginaria verrucosa* Hook.: Hooker, Gen. Fil.: t. 14 (1838 ['1842']). – *Polypodium verrucosum* Wall., nom. nud.: Wallich, Numer. List no. 296 (1829). **Native; VU** (assessed here).

Lecanopteris crustacea Copel.: Copeland, Univ. Calif. Publ. Bot. 12: 406 (1931); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner, Gard. Bull. Singapore 47: 70 (1997 ['1995']); Hennipman & Hovenkamp, Fl. Males., ser. 2, 3: 61 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 95, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011); Hovenkamp, Fl. Penins. Malaysia, ser. 1, 2: 126 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 95, 382 (2020). – *Phymatodes crustacea* (Copel.) Holttum: Holttum, Rev. Fl. Malaya 2: 190 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 153 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 190 (1968); Johnson, Ferns Singapore Isl., ed. 2: 51 (1977); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 130 (2014 [2015]). – *Myrmecophila crustacea*

(Copel.) Tagawa: Tagawa & Iwatsuki, Fl. Thailand 3(4): 535 (1989). – *Lecanopteris carnosa* auct. non (Reinw.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 188 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 10, 57 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 97 (1926), p.p. – *Pleopeltis lomariooides* auct. non (Kunze ex Mett.) T.Moore: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 91 (1926). **Native; NEx** (assessed here).

Lecanopteris sinuosa (Wall. ex Hook.) Copel.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Ferns Tropics: 135, fig. 38a,b (1997); Hennipman & Hovenkamp, Fl. Males., ser. 2, 3: 64 (1998); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Turner et al., Gard. Bull. Singapore 49(1): 3 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Wee, Ferns Tropics, rev. ed.: 135, fig. 38a,b (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 95, 228 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 157, 271 (2013). – *Myrmecopteris sinuosa* (Wall. ex Hook.) Pic. Serm.: Pichi Sermolli, Webbia 31: 239, 240 (1977); Turner, Gard. Bull. Singapore 45: 13 (1993). – *Myrmecophila sinuosa* (Wall. ex Hook.) Nakai ex H.Ito: Tagawa & Iwatsuki, Fl. Thailand 3(4): 535 (1989). – *Phymatodes sinuosa* (Wall. ex Hook.) J.Sm.: Johnson, Malayan Nat. J. 13(3&4): 152 (1959); Johnson, Ferns Singapore Isl., ed. 2: 50 (1977); Wee, Common Ferns & Fern-allies Singapore: 51, fig. 24a (1984). – *Pleopeltis sinuosa* (Wall. ex Hook.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 4, 46 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 90 (1926). **Native; EN** (assessed here).

Microsorum membranifolium (R.Br.) Ching: Nooteboom, Blumea 42: 339 (1997); Bosman et al., Fl. Males., ser. 2, 3: 114 (1998); Hovenkamp, Gard. Bull. Singapore 71: 66 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). – *Phymatosorus nigrescens* (Blume) Pic.Serm.: Pichi Sermolli, Webbia 28: 459 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 95, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011). – *Phymatodes nigrescens* (Blume) J.Sm.: Johnson, Malayan Nat. J. 13(3&4): 153 (1959); Johnson, Ferns Singapore Isl., ed. 2: 51 (1977); Wee, Common Ferns & Fern-allies Singapore: 51, fig. 24b (1984); Wee, Gard. Bull. Singapore, Suppl. 3: 66 (1995). – *Microsorum nigrescens* (Blume) Copel.: Tagawa & Iwatsuki, Fl. Thailand 3(4): 532 (1989). – *Pleopeltis nigrescens* (Blume) Carruth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 47 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 96 (1926). **Native; NEx** (assessed here).

Microsorum punctatum (L.) Copel.: Johnson, Ferns Singapore Isl., ed. 2: 111, fig. 36 (1977), as 'Microsorium'; Wee, Common Ferns & Fern-allies Singapore: 45, fig. 25b,c (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Bosman, Leiden Bot. Ser. 14: 97 (1991); Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Bosman et al., Fl. Males., ser. 2, 3: 121 (1998); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 95, 229 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 180, 272 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 20 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 124 (2014 [2015]); Hung et al., Nat. Singapore 10: 43 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 96, 382 (2020). – *Polypodium polycarpon* Cav.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 95, 255 (2009). – *Pleopeltis viridis* T.Moore ex Ridl., nom. illeg. superfl.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 93 (1926). – *Pleopeltis punctata* (L.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 46 (1908). – *Pleopeltis irioides* T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900). **Native; LC** (assessed here).

Microsorum rubidum (Kunze) Copel.: Tagawa & Iwatsuki, Fl. Thailand 3(4): 532 (1989); Bosman et al., Fl. Males., ser. 2, 3: 125, fig. 17c (1998). – *Microsorum longissimum* (Blume) Copel., ined. [non Fée]: Tan et al., J. Trop. Biol. Conserv. 11: 20 (2014). – *Phymatosorus longissimus* (Blume) Pic.Serm.: Pichi Sermolli, Webbia 28: 459 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 95, 217 (2009). – *Phymatodes longissima* (Blume) J.Sm.: Sinclair, Gard. Bull. Singapore 14(1): 38 (1953); Holttum, Rev. Fl. Malaya 2: 191 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 153 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 191 (1968); Johnson, Ferns Singapore Isl., ed. 2: 51 (1977). **Native; CR** (assessed here).

Microsorum scolopendria (Burm.f.) Copel.: Tagawa & Iwatsuki, Fl. Thailand 3(4): 533 (1989); Bosman et al., Fl. Males., ser. 2, 3: 127 (1998); Lee et al., Gard. Bull. Singapore 55: 286 (2003), as ‘*scolopendrium*’; Tan et al., J. Trop. Biol. Conserv. 11: 20 (2014); Hovenkamp, Gard. Bull. Singapore 71: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 97, 382 (2020). – *Phymatosorus scolopendria* (Burm.f.) Pic.Serm.: Pichi Sermolli, Webbia 28: 457, 460 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 42 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 95, 230 (2009); Neo et al., Nat. Singapore 6: 15 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 134 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017). – *Phymatodes scolopendria* (Burm.f.) Ching: Johnson, Malayan Nat. J. 13(3&4): 154 (1959); Johnson, Ferns Singapore Isl., ed. 2: 51, fig. 14 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 19, fig. 44, pl. 26 (1979); Wee, Guide Ferns Singapore: 30, 64 (1983); Wee, Common Ferns & Fern-allies Singapore: 51, fig. 24c,d (1984). – *Pleopeltis phymatodes* (L.) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 47 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 95 (1926). – *Polypodium phymatodes* L.: Hooker, Sp. Fil. 5, fasc. 17: 82 (1864). **Native; LC** (assessed here).

Paragamma longifolia (Blume) T.Moore: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008). – *Lepisorus longifolius* (Blume) Holttum: Johnson, Ferns Singapore Isl., ed. 2: 111 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 9 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Hovenkamp, Fl. Males., ser. 2, 3: 78 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 95, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). – *Pleopeltis longifolia* Blume: Beddome, Ferns Brit. India 1, fasc. 1–8: 7, pl. 7 (1865); Beddome, Handb. Ferns Brit. India: 349, fig. 196 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 46 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 92 (1926). – *Polypodium contiguum* Wall. ex Hook.: Hooker, Icon. Pl. 10 [ser. 2, 6], fasc. 2: pl. 987 (1854). **Native; NEx** (assessed here).

Platycerium coronarium (J.Koenig) Desv.: Holttum, Rev. Fl. Malaya 2: 138 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 146 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 138 (1968); Johnson, Ferns Singapore Isl., ed. 2: 44, fig. 12 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Hennipman & Roos, Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2., 80: 92 (1982); Wee, Guide Ferns Singapore: 24, 32, 63 (1983); Wee, Common Ferns & Fern-allies Singapore: 55, fig. 26a, c, d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990);

Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Hennipman & Roos, Fl. Males., ser. 2, 3: 138, fig. 19d (1998); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 43 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 95, 230 (2009); Hovenkamp, Fl. Penins. Malaysia, ser. 1, 2: 164, pl. 21D,E (2013); Tan et al., J. Trop. Biol. Conserv. 11: 21 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 135 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 103, 382 (2020). – *Platycerium bifforme* (Sw.) Blume, nom. illeg. superfl.: Hooker, Sp. Fil. 5, fasc. 18–20: 285 (1864); Beddome, Ferns Brit. India 1, fasc. 1–8: 109, pl. 109 (1865); Beddome, Handb. Ferns Brit. India: 445 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 56 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 110 (1926). – *Neuroplatyceros grandis* auct. non Fée: Fée, Mém. Foug., 2. Hist. Acrostich.: 103 (1845), p.p., as ‘*Nevroplatyceros*’. – *Acrostichum fuciforme* Wall., nom. nud.: Wallich, Numer. List no. 20 (1829). **Native; EN** (assessed here).

Platycerium ridleyi Christ: Christ, Ann. Jard. Bot. Buitenzorg, Suppl. 3(1): 8, pl. 2 (1909 ['1910']); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 110 (1926); Holtum, Rev. Fl. Malaya 2: 140 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 148 (1959); Holtum, Rev. Fl. Malaya, ed. 2, 2: 140 (1968); Johnson, Ferns Singapore Isl., ed. 2: 44 (1977); Hennipman & Roos, Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2., 80: 107 (1982); Wee, Guide Ferns Singapore: 63 (1983); Wee, Common Ferns & Fern-allies Singapore: 55 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 16, 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65, 67 (1995); Hennipman & Roos, Fl. Males., ser. 2, 3: 142, fig. 19g (1998); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 90, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 22, 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 95, 197 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011); Hovenkamp, Fl. Penins. Malaysia, ser. 1, 2: 167 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Lim et al., Fl. Singapore 1: 106 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 104, 382 (2020). – *Platycerium bifforme* (Sw.) Blume var. *erecta* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 56 (1908). **Native; NEx** (assessed here).

Pyrrosia angustata (Sw.) Ching: Johnson, Malayan Nat. J. 13(3&4): 148 (1959); Johnson, Ferns Singapore Isl., ed. 2: 46 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Hovenkamp, Leiden Bot. Series 9: 156 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Hovenkamp, Fl. Males., ser. 2, 3: 152 (1998); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 95, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011); Hovenkamp, Fl. Penins. Malaysia, ser. 1, 2: 169, fig. 15A–D, pl. 22A,B (2013); Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 140 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). – *Cyclophorus angustatus* (Sw.) Desv.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 99 (1926). – *Pleopeltis angustata* (Sw.) C.Presl: Beddome, Handb. Ferns Brit. India: 351 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 46 (1908). **Native; EN** (assessed here).

Pyrrosia lanceolata (L.) Farw.: Hovenkamp, Leiden Bot. Series 9: 191 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65 (1995); Hovenkamp, Fl. Males., ser. 2, 3: 161 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 95, 230 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 6: 283 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 141 (2014 [2015]); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). – *Pyrrosia adnascens* (Sw.) Ching: Johnson, Malayan Nat. J. 13(3&4): 149 (1959); Johnson, Ferns Singapore Isl., ed. 2: 47 (1977); Wee, Common Ferns & Fern-allies Singapore: 63 (1984). – *Pyrrosia varia* (Kaulf.) Farw.: Johnson, Malayan Nat. J. 13(3&4): 149 (1959); Johnson, Ferns Singapore Isl., ed. 2: 47 (1977); Wee, Common Ferns & Fern-allies Singapore: 63 (1984). – *Cyclophorus varius* (Kaulf.) Gaudich.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 98 (1926); Christensen, Gard. Bull. Straits Settlem. 4(11&12): 406 (1929). – *Cyclophorus pannosus* auct. non (Mett.) C.Chr.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 98 (1926). – *Cyclophorus adnascens* (Sw.) Desv.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 97 (1926). – *Niphobolus adnascens* (Sw.) Kaulf.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 43 (1908). – *Niphobolus hoyaeafolium* T.Moore, ined.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 44 (1908). – *Niphobolus penangianus* auct. non Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900). **Native; LC** (Chong et al., 2019).

Pyrrosia longifolia (Burm.f.) C.V.Morton: Johnson, Malayan Nat. J. 13(3&4): 150 (1959); Johnson, Ferns Singapore Isl., ed. 2: 47 (1977); Piggott, Guide Common Epiphytic Ferns Malaysia & Singapore: 21, pl. 27 (1979); Wee, Guide Ferns Singapore: 31 (1983); Wee, Common Ferns & Fern-allies Singapore: 63, fig. 30a,b (1984); Hovenkamp, Leiden Bot. Series 9: 209 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Hovenkamp, Fl. Males., ser. 2, 3: 163 (1998); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 44 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 95, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 214, 273 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 142 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 106, 382 (2020). – *Cyclophorus acrostichoides* (G.Forst.) C.Presl: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 98 (1926). – *Niphobolus acrostichoides* (G.Forst.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 43 (1908). **Native; LC** (assessed here).

Pyrrosia piloselloides (L.) M.G.Price: Ravensburg & Hennipman, Leiden Bot. Series 9: 302 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Hovenkamp, Fl. Males., ser. 2, 3: 167 (1998); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 286 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 44 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 95, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014); Yong et al., Guide

Common Epiphytes & Mistletoes Singapore: 144 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 107, 382 (2020). – *Pyrrosia nummulariifolia* auct. non (Sw.) Ching: Lee et al., Gard. Bull. Singapore 55: 286 (2003). – *Drymoglossum piloselloides* (L.) C.Presl: Hooker, Sp. Fil. 5, fasc. 18–20: 190 (1864), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 52 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 102 (1926); Johnson, Malayan Nat. J. 13(3&4): 150 (1959); Johnson, Ferns Singapore Isl., ed. 2: 48 (1977); Wee, Guide Ferns Singapore: 23, 32, 64 (1983); Wee, Common Ferns & Fern-allies Singapore: 29, fig. 13a–c (1984). – *Drymoglossum piloselloides* (L.) C.Presl var. *platyceroides* Teruya: Holttum, Rev. Fl. Malaya 2: 150 (1955 ['1954']); Holttum, Rev. Fl. Malaya, ed. 2, 2: 150 (1968); Johnson, Ferns Singapore Isl., ed. 2: 48, fig. 13 (1977), as '*platyceroides*'; Wee, Common Ferns & Fern-allies Singapore: 29, fig. 13d (1984), as '*platyceroides*'. **Native; LC** (assessed here).

Selliguea lateritia (Baker) Hovenkamp: Hovenkamp, Fl. Males., ser. 2, 3: 212, fig. 30j (1998). – *Selliguea heterocarpa* auct. non (Blume) Blume: Johnson, Malayan Nat. J. 13(3&4): 151 (1959); Johnson, Ferns Singapore Isl., ed. 2: 49 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 17 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 95, 211 (2009). – *Selliguea feei* auct. non Bory: Beddome, Ferns Brit. India 1, fasc. 9–14: 151, pl. 151 (1866); Beddome, Handb. Ferns Brit. India: 389, (excl. fig. 225) (1883), p.p.; Beddome, Handb. Ferns Brit. India, Suppl.: 101 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 49 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 89 (1926), p.p. – *Gymnogramma feei* auct. non (Bory) Hook.: Hooker, Sp. Fil. 5, fasc. 18–20: 158 (1864), p.p., as '*Gymnogramme*'. – *Grammitis diversifolia* Wall., nom. nud.: Wallich, Numer. List no. 8 (1829). **Native; NEx** (assessed here).

Selliguea stenophylla (Blume) Parris: Hovenkamp, Fl. Males., ser. 2, 3: 222 (1998); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62, 123 (2019). – *Crypsinus stenophyllus* (Blume) Holttum: Turner, Gard. Bull. Singapore 45: 259 (1993). – *Pleopeltis stenophylla* (Blume) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 45 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 92 (1926). **Native; NEx** (assessed here).

Selliguea taeniata (Sw.) Parris: Hovenkamp, Fl. Males., ser. 2, 3: 225 (1998). – *Pleopeltis palmata* (Blume) T.Moore: Beddome, Ferns Brit. India 1, fasc. 9–14: 156, pl. 156 (1866); Beddome, Handb. Ferns Brit. India: 368 (1883). – *Polypodium palmatum* Blume: Hooker, Sp. Fil. 5, fasc. 17: 89 (1864). **Native; NEx** (assessed here).

Psilotaceae

Psilotum complanatum Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 196 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 146 (1919); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 95, 197 (2009); Kiew, Fl. Penins. Malaysia, ser. 1, 1: 88, fig. 1, pl. 4A (2010); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Psilotum flaccidum* Wall. ex Hook. & Grev.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 196 (1900); Johnson, Ferns Singapore Isl., ed. 2: 106 (1977). – *Psilotum flaccidum* Wall., nom. nud.: Wallich, Numer. List no. 45 (1829). **Native; NEx** (assessed here).

Psilotum nudum (L.) P.Beauv.: Johnson, Ferns Singapore Isl., ed. 2: 106, fig. 34 (1977); Wee, Guide Ferns Singapore: 65 (1983); Wee, Common Ferns & Fern-allies Singapore: 57, fig. 27b,c (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 43 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 95, 230 (2009); Kiew, Fl. Penins. Malaysia, ser. 1, 1: 90, pl. 4B (2010); Tan et al., J. Trop. Biol. Conserv. 11: 22 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 137 (2014 [2015]); Hung et al., Nat. Singapore 10: 43 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 104, 382 (2020). – **Psilotum triquetrum** Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 145 (1919); Sinclair, Gard. Bull. Singapore 14(1): 37 (1953). **Native; LC** (Chong et al., 2009).

Pteridaceae

Acrostichum aureum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 55 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 114 (1926); Johnson, Malayan Nat. J. 13(3&4): 174 (1959); Johnson, Ferns Singapore Isl., ed. 2: 71, fig. 19 (1977); Wee, Guide Ferns Singapore: 42, 64 (1983); Wee, Common Ferns & Fern-allies Singapore: 5, fig. 1b (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 2 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Lee et al., Gard. Bull. Singapore 55: 286 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 36 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 96, 225 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Agung Sedayu et al., Fl. Males., ser. 2, 4: 142, fig. 2 (2012); Neo et al., Nat. Singapore 6: 17 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 16 (2014); Hung et al., Nat. Singapore 10: 43 (2017); Yee et al., Fl. Singapore 1: 64 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 88, 382 (2020). **Native; LC** (Chong et al., 2009).

Acrostichum speciosum Willd.: Johnson, Malayan Nat. J. 13(3&4): 174 (1959); Johnson, Ferns Singapore Isl., ed. 2: 71 (1977); Wee, Guide Ferns Singapore: 41 (1983); Wee, Common Ferns & Fern-allies Singapore: 5, fig. 1a (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 2 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 80, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 96, 225 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 16 (2014); Hung et al., Nat. Singapore 10: 43 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 88, 382 (2020). **Native; LC** (Chong et al., 2009).

Adiantum capillus-veneris L.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 34 (1926); Holttum, Rev. Fl. Malaya 2: 600 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 195 (1959), p.p. (excluding fig. 26); Holttum, Rev. Fl. Malaya, ed. 2, 2: 600 (1968); Johnson, Ferns Singapore Isl., ed. 2: 91 (excl. fig. 26) (1977), p.p. (excluding fig. 26); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 2 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan et al., J. Trop. Biol. Conserv. 11: 16 (2014); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 118 (2020). **Non-native, naturalised** (assessed here).

Adiantum flabellulatum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 22 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 34 (1926); Holttum, Rev. Fl. Malaya 2: 603 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 197 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 603 (1968); Johnson, Ferns Singapore Isl., ed. 2: 93 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 2 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore:

108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Turner, Gard. Bull. Singapore 47: 40 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 285 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 92, 214 (2009); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 119 (2020). **Native; NEx** (assessed here).

Adiantum hispidulum Sw.: Holttum, Rev. Fl. Malaya 2: 603 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 197 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 603 (1968); Johnson, Ferns Singapore Isl., ed. 2: 93 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 2 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Lee et al., Gardenwise 24: 12 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 92, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). **Cryptogenic** (assessed here).

Adiantum latifolium Lam.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 2 (1993); Tan et al., Gard. Bull. Singapore 44: 127 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 68 (1995); Wee, Ferns Tropics: 91, fig. 3a,b (1997); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 285 (2003); Wee, Ferns Tropics, rev. ed.: 91, fig. 3a,b (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 92, 264 (2009); Lok et al., Cosmos 6: 67 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 5 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 16 (2014); Neo et al., Nat. Singapore 7: 61 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019). – *Adiantum flabellulatum* auct. non L.: Wee, Guide Ferns Singapore: 58 (1983); Wee, Common Ferns & Fern-allies Singapore: 7, fig. 1c,d (1984); Wee in Choo-Toh et al., Guide Bukit Timah Nat. Reserve: 21, 22 (1985). **Non-native, naturalised** (Tan et al., 2014).

Adiantum pulverulentum L.: S. Lindsay, pers. comm. – *Adiantum fructuosum* auct. non Poepp. ex Spreng.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 2 (1993); Tan et al., Gard. Bull. Singapore 44: 127 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner, Gard. Bull. Singapore 47: 40 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 92, 264 (2009); Lok et al., Cosmos 6: 67 (2010). **Non-native, naturalised** (Chong et al., 2009).

Adiantum stenochlamys Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 22 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 34 (1926); Johnson, Malayan Nat. J. 13(3&4): 195 (1959); Johnson, Ferns Singapore Isl., ed. 2: 93 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 2 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 92, 187 (2009); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 126, fig. 1, pl. 26E,F (2020). **Native; NEx** (assessed here).

Adiantum tenerum Sw.: Tan & Ng, Nat. Watch 20(3): 6 (2012); Tan et al., J. Trop. Biol. Conserv. 11: 16 (2014). **Non-native, naturalised** (Tan et al., 2014).

Antrophyum callifolium Blume: Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl.

Vasc. Pl. Fl. Singapore: 14, 96, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 83 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 132, pl. 28A (2020). – *Antrophyum reticulatum* auct. non (G.Forst.) Kaulf.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 50 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 104 (1926). **Native; CR** (assessed here).

Ceratopteris thalictroides (L.) Brongn.: Wallich, Numer. List no. 83 (1829); Hooker, Sp. Fil. 2, fasc. 7 & 8: 235 (1858); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 25 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 118 (1926); Johnson, Malayan Nat. J. 13(3&4): 190 (1959); Johnson, Ferns Singapore Isl., ed. 2: 86 (1977); Wee, Guide Ferns Singapore: 36 (1983); Wee, Common Ferns & Fern-allies Singapore: 17, fig. 8a (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 96, 269 (2009); Lok et al., Cosmos 6: 78 (2010); Nooteboom et al., Fl. Males., ser. 2, 4: 139, fig. 1 (2012). **Cryptogenic** (Chong et al., 2009).

Cheilanthes tenuifolia (Burm.f.) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 22 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 35 (1926); Johnson, Malayan Nat. J. 13(3&4): 198 (1959); Johnson, Ferns Singapore Isl., ed. 2: 94, fig. 27 (1977); Wee, Guide Ferns Singapore: 17 (1983); Wee, Common Ferns & Fern-allies Singapore: 19, fig. 8e (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 92, 220 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014). **Native; VU** (Chong et al., 2009).

Haplopteris dareicarpa (Hook.) S.Linds. & C.W.Chen: Lindsay & Chen, Gard. Bull. Singapore 66: 171 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 142 (2020). – *Monogramma dareicarpa* Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 48 (1908), as ‘*Monogramme dareaecarpa*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 107 (1926); Holttum, Rev. Fl. Malaya 2: 615 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 190 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 615 (1968); Johnson, Ferns Singapore Isl., ed. 2: 87 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990), as ‘*Monogramme*’; Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 65, 67 (1995); Turner, Gard. Bull. Singapore 47: 81 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 96, 195 (2009). **Native; NEx** (assessed here).

Haplopteris elongata (Sw.) E.H.Crane: Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 143, pl. 29A (2020). – *Vittaria elongata* Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 51 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 108 (1926); Holttum, Rev. Fl. Malaya 2: 614 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 191 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 614 (1968); Johnson, Ferns Singapore Isl., ed. 2: 87, fig. 25 (1977); Wee, Common Ferns & Fern-allies Singapore: 75, fig. 36e (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 20 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109

(1994); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 97, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 83 (2011); Teo et al., Nat. Singapore 4: 272 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 260, 275 (2013); Neo et al., Nat. Singapore 6: 72 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 145 (2014 [2015]). – *Vittaria scolopendrina* auct. non (Bory) Mett.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 51 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 109 (1926), p.p. **Native; LC** (Wong et al., 2013).

Haplopteris ensiformis (Sw.) E.H.Crane: Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 62 (2019); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 144, pl. 29B (2020); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 94, 382 (2020). – *Vittaria ensiformis* Sw.: Holttum, Rev. Fl. Malaya 2: 613 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 191 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 613 (1968); Johnson, Ferns Singapore Isl., ed. 2: 87, fig. 24 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Wee, Guide Ferns Singapore: 22 (1983); Wee, Common Ferns & Fern-allies Singapore: 75, fig. 36c,d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 20 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 64, 65 (1995); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 45 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 97, 231 (2009); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 146 (2014 [2015]); Hung et al., Nat. Singapore 10: 43 (2017). – *Vittaria lineata* auct. non (L.) Sm.: Hooker, Sp. Fil. 5, fasc. 18–20: 180 (1864), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 108 (1926). **Native; LC** (Chong et al., 2009).

Haplopteris sessilifrons (Miyam. & H.Ohba) S.Linds.: Lim et al., Gard. Bull. Singapore 70: 72 (2018); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 152 (2020). **Native; NEx** (Lim et al., 2018).

Pityrogramma calomelanos (L.) Link: Johnson, Malayan Nat. J. 13(3&4): 197 (1959); Johnson, Ferns Singapore Isl., ed. 2: 93 (1977); Wee, Guide Ferns Singapore: 13 (1983); Wee, Common Ferns & Fern-allies Singapore: 53, fig. 25a, d, e (1984); Corlett, J. Biogeogr. 15: 661 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Corlett, J. Biogeogr. 19: 426 (1992), as ‘*calomelanos*’; Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 68 (1995); Turner, Gard. Bull. Singapore 47: 41 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 285 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 89, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 92, 267 (2009); Lok et al., Cosmos 6: 67 (2010); Tan et al., J. Trop. Biol. Conserv. 11: 21 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017). – *Ceropteris calomelanos* (L.) Link: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 103 (1926). – *Gymnogramma calomelanos* (L.) Kaulf.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900), as ‘*Gymnogramme*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 48 (1908), as ‘*Gymnogramme*’. **Non-native, naturalised** (Tan et al., 2014).

Pteris ensiformis Burm.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 23 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 38 (1926); Holttum, Rev. Fl. Malaya 2: 399 (1955 ['1954']); Holttum, Rev. Fl. Malaya, ed. 2, 2: 399 (1968); Johnson, Ferns Singapore Isl., ed. 2: 114, fig. 37 (1977); Wee, Guide Ferns Singapore: 15 (1983); Wee, Common Ferns & Fern-allies Singapore: 61, fig. 29b (1984); Turner et

al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 7 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 44 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 96, 272 (2009); Lok et al., Cosmos 6: 78 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 22 (2014); Neo et al., Nat. Singapore 7: 66 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). **Cryptogenic** (Chong et al., 2009).

Pteris mertensiooides Willd.: Holttum, Rev. Fl. Malaya 2: 404 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 174 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 404 (1968); Johnson, Ferns Singapore Isl., ed. 2: 71 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 96, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 65 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). **Native; NEx** (assessed here).

Pteris multifida Poir.: Wee, Common Ferns & Fern-allies Singapore: 61, fig. 29e (1984); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 96, 230 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 22 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). **Non-native, naturalised** (assessed here).

Pteris semipinnata L.: Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 133 (1995 ['1994']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 92, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 96, 223 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 22 (2014); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 105, 382 (2020). **Non-native, naturalised** (assessed here).

Pteris tripartita Sw.: Hooker, Sp. Fil. 2, fasc. 7 & 8: 225 (1858), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 41 (1926); Holttum, Rev. Fl. Malaya 2: 408 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 174 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 408 (1968); Johnson, Ferns Singapore Isl., ed. 2: 71 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 96, 217 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 22 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 15, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 106, 382 (2020). – *Pteridium esculentum* auct. non (G.Forst.) Cockayne: Lee et al., Gard. Bull. Singapore 55: 286 (2003). – *Pteris biaurita* auct. non L.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 40 (1926), p.p. – *Pteris wallichiana* auct. non C.Agardh: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 41 (1926), p.p. – *Campteria biaurita* auct. non (L.) Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 24 (1908), p.p. **Cryptogenic** (assessed here).

Pteris vittata L.: Johnson, Malayan Nat. J. 13(3&4): 173 (1959); Johnson, Ferns Singapore Isl., ed. 2: 70 (1977); Wee, Guide Ferns Singapore: 15 (1983); Wee, Common Ferns & Fern-allies Singapore: 61, fig. 29a,c,d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990);

Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Wee, Ferns Tropics: 161, fig. 63b,c, 64a–c (1997); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Wee, Ferns Tropics, rev. ed.: 161, fig. 63b,c, 64a–c (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 92, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 96, 273 (2009); Lok et al., Cosmos 6: 78 (2010); Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Pteris longifolia* auct. non L.: Hooker, Sp. Fil. 2, fasc. 7 & 8: 157 (1858), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 190 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 23 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 37 (1926). **Cryptogenic** (Chong et al., 2009).

Syngramma wallichii (Hook.) Bedd.: Beddome, Ferns Brit. India 1, fasc. 9–14: 153, pl. 153 (1866); Beddome, Handb. Ferns Brit. India: 387 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900), as 'Syngramme'; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 49 (1908), as 'Syngramme'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 233, 268 (2013). – *Syngramma alismifolia* auct. non (C.Presl) J.Sm.: Beddome, Ferns Brit. India 2, fasc. 15–17: 240, pl. 240 (1867), as 'alismaefolia'; Beddome, Handb. Ferns Brit. India: 389, fig. 224 (1883), as 'alismaefolia'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900), as 'Syngramme alismaefolia'; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 49 (1908), as 'Syngramme alismaefolia'; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 105 (1926); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2117 (1935); Holtum, Rev. Fl. Malaya 2: 581 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 191 (1959); Holtum, Rev. Fl. Malaya, ed. 2, 2: 581 (1968); Johnson, Ferns Singapore Isl., ed. 2: 90 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 17 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 270 (1994); Turner et al., Gard. Bull. Singapore 46(2): 5 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 210 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 92, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 5 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Trichiogramme alismifolia* auct. non (C.Presl) Kuhn: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 250, 268 (2013). – *Syngramma alismifolia* (C.Presl) J.Sm. var. *wallichii* (Hook.) Alderw.: Van Alderwerelt, Malayan Ferns: 543 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 106 (1926). – *Gymnogramma alismifolia* auct. non (C.Presl) Hook.: Hooker, Sp. Fil. 5, fasc. 18–20: 154 (1864), p.p., as 'Gymnogramme alismaefolia'. – *Gymnogramma wallichii* Hook.: Hooker, Sp. Fil. 5, fasc. 18–20: 155, t. 302 (1864), as 'Gymnogramme'. – *Asplenium cordifolium* auct. non (Blume) Mett.: Hooker, Sp. Fil. 3, fasc. 10–12: 267 (1859–1860 ['1860']), p.p. – *Asplenium ovatum* Wall., nom. nud.: Wallich: Numer. List no. 195 (1829). **Native; EN** (assessed here).

Taenitis blechnoides (Willd.) Sw.: Beddome, Ferns Brit. India 1, fasc. 1–8: 54, pl. 54 (1865); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900), as 'Taenites'; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 109 (1926); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2119 (1935); Johnson, Malayan Nat. J. 13(3&4): 194 (1959); Johnson, Ferns Singapore Isl., ed. 2: 90 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978); Wee, Guide Ferns Singapore: 47, 60 (1983); Wee, Common Ferns & Fern-allies Singapore: 71, fig. 34e,f (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 18 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 5 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Turner et al., Gard. Bull. Singapore 48: 138 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Lee et al., Gard. Bull. Singapore

55: 286 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 96, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 5 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 245, 274 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 24 (2014); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Hung et al., Nat. Singapore 10: 15, 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Taenitis blechnoides* (Willd.) Sw. var. b: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 52 (1908). – *Taenitis blechnoides* (Willd.) Sw. var. c: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 52 (1908).

Native; LC (Wong et al., 2013).

Taenitis interrupta Hook. & Grev.: Wallich, Numer. List. no. 142 (1829); Holttum, Rev. Fl. Malaya 2: 587 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 195 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 587 (1968); Johnson, Ferns Singapore Isl., ed. 2: 91 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 18 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 5 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 5 (2011); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Taenitis blechnoides* (Willd.) Sw. var. *interrupta* (Hook. & Grev.) Hook.: Hooker, Sp. Fil. 5, fasc. 18–20: 188 (1864); Van Alderwerelt, Malayan Ferns: 563 (1908). **Native; DD** (assessed here).

Vaginularia trichoidea Fée: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 97, 199 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019); Lindsay & Middleton, Fl. Penins. Malaysia, ser. 1, 3: 153, fig. 4, pl. 29D (2020). – *Monogramma trichoidea* (Fée) J.Sm. ex Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900), as ‘*Monogramme*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 48 (1908), as ‘*Monogramme*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 107 (1926); Holttum, Rev. Fl. Malaya 2: 616 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 191 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 616 (1968); Johnson, Ferns Singapore Isl., ed. 2: 87 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990), as ‘*Monogramme*’; Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995). **Native; NEx** (assessed here).

Salviniaceae

Azolla pinnata R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 196 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 80: 161 (1919); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 277 (1935); Johnson, Malayan Nat. J. 13(3&4): 201 (1959); Saunders, Fl. Males., ser. 2, 3: 282 (1998).

Azolla pinnata R.Br. subsp. **asiatica** R.M.K.Saunders & K.Fowler: Saunders & Fowler, Bot. J. Linn. Soc. 109: 349 (1992); Turner, Gard. Bull. Singapore 45: 4 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 96, 265 (2009); Lok et al., Cosmos 6: 67 (2010). – *Azolla caroliniana* auct. non Willd.: Johnson, Ferns Singapore Isl., ed. 2: 97, fig. 30 (1977); Wee, Guide Ferns Singapore: 35 (1983); Wee, Common Ferns & Fern-allies Singapore: 13, fig. 5a, 8b (1984); Corlett, J. Biogeogr. 15: 661 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990). **Non-native, naturalised** (Chong et al., 2009).

Salvinia molesta D.S.Mitch.: Johnson, Malayan Nat. J. 13(3&4): 200 (1959); Johnson, Ferns Singapore Isl., ed. 2: 96, fig. 29 (1977); Wee, Guide Ferns Singapore: 37 (1983); Wee, Common Ferns & Fern-allies Singapore: 65, fig. 31 (1984); Corlett, J. Biogeogr. 15: 661 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Wee, Ferns Tropics: 168, fig. 70a–c (1997); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Wee, Ferns Tropics, rev. ed.: 168, fig. 70a–c (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 96, 268 (2009); Lok et al., Cosmos 6: 67 (2010); Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014); Yee et al., Fl. Singapore 1: 60 (2019). – *Salvinia adnata* auct. non Desv.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 274 (2013). **Non-native, naturalised** (Tan et al., 2014).

Schizaeaceae

Actinostachys digitata (L.) Wall.: Jaman & Umi Kalsom, Fl. Penins. Malaysia, ser. 1, 1: 108, fig. 1H,I, pl. 8D (2010); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Schizaea digitata* (L.) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900), as ‘*digitatum*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 57 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 120 (1926); Holttum, Fl. Males., ser. 2, 1(1): 41, fig. 3a–e (1959); Johnson, Malayan Nat. J. 13(3&4): 131 (1959); Johnson, Ferns Singapore Isl., ed. 2: 29, fig. 5 (1977); Wee, Guide Ferns Singapore: 51 (1983); Wee, Common Ferns & Fern-allies Singapore: 67, fig. 32b,c,d (right) (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 45 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 96, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 225, 274 (2013). **Native; EN** (Wong et al., 2013).

Actinostachys wagneri (Selling) C.F.Reed: Jaman & Umi Kalsom, Fl. Penins. Malaysia, ser. 1, 1: 111 (2010). – *Schizaea wagneri* Selling: Holttum, Rev. Fl. Malaya 2: 52 (1955 ['1954']); Holttum, Fl. Males., ser. 2, 1(1): 44, fig. 4e–g (1959); Johnson, Malayan Nat. J. 13(3&4): 132 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 52 (1968); Johnson, Ferns Singapore Isl., ed. 2: 30 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Turner, Gard. Bull. Singapore 47: 75 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 96, 197 (2009). **Native; NEx** (assessed here).

Schizaea dichotoma (L.) Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 195 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 57 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 120 (1926); Holttum, Fl. Males., ser. 2, 1(1): 41, fig. 1, 2, 4a–d (1959); Johnson, Malayan Nat. J. 13(3&4): 130 (1959); Johnson, Ferns Singapore Isl., ed. 2: 28 (1977); Wee, Guide Ferns Singapore: 51 (1983); Wee, Common Ferns & Fern-allies Singapore: 67, fig. 32a,d (left) (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 16 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 17, 271 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Boo et al., 1001 Gard.

Pl. Singapore, ed. 2 (print 1): 94, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 22, 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 96, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). **Native; EN** (Chong et al., 2009).

Tectariaceae

Tectaria angulata (Willd.) Copel.: Holttum, Rev. Fl. Malaya 2: 511 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 187 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 511 (1968); Johnson, Ferns Singapore Isl., ed. 2: 83 (1977); Holttum, Gard. Bull. Singapore 34: 145 (1981); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Holttum, Fl. Males., ser. 2, 2(1): 85 (1991); Turner, Gard. Bull. Singapore 45: 18 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 94, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Aspidium angulatum* (Willd.) J.Sm. ex Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 33 (1908). **Native; NEx** (assessed here).

Tectaria barberi (Hook.) Copel.: Holttum, Rev. Fl. Malaya 2: 508 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 187 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 508 (1968); Johnson, Ferns Singapore Isl., ed. 2: 84 (1977); Holttum, Gard. Bull. Singapore 34: 138 (1981); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Holttum, Fl. Males., ser. 2, 2(1): 52, fig. 12 h,i (1991); Turner, Gard. Bull. Singapore 45: 18 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 94, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 246, 269 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 24 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Tectaria crenata* auct. non Cav.: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011). – *Dictyopteris barberi* (Hook.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 40 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 55 (1926). – *Aspidium variolosum* auct. non Wall. ex Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 33 (1908), p.p. – *Aspidium zollingerianum* auct. non Kunze: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900). **Native; LC** (Wong et al., 2013).

Tectaria grandidentata (Ces.) Holttum: Holttum, Rev. Fl. Malaya 2: 514 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 186 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 514 (1968); Johnson, Ferns Singapore Isl., ed. 2: 83 (1977); Holttum, Gard. Bull. Singapore 34: 139 (1981); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Holttum, Fl. Males., ser. 2, 2(1): 92 (1991); Turner, Gard. Bull. Singapore 45: 18 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 94, 218 (2009). **Native; NEx** (assessed here).

Tectaria incisa Cav.: Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 24 (2014); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014). **Non-native, naturalised** (Tan et al., 2014).

Tectaria multicaudata (C.B.Clarke) Ching: Holttum, Rev. Fl. Malaya 2: 507 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 187 (1959); Johnson, Ferns Singapore Isl., ed. 2: 83 (1977);

Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Tectaria griffithii* (Baker) C.Chr. var. *singapureana* Holttum: Holttum, Blumea 35(2): 551 (1991); Holttum, Fl. Males., ser. 2, 2(1): 54 (1991); Turner, Gard. Bull. Singapore 45: 18 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Turner, Gard. Bull. Singapore 47: 54 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 94, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011). – *Tectaria griffithii* auct. non (Baker) C.Chr.: Holttum, Rev. Fl. Malaya, ed. 2, 2: 636 (cf. 507) (1968); Holttum, Gard. Bull. Singapore 34: 137 (1981), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995). – *Aspidium cicutarium* auct. non (L.) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 34 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 79 (1926), p.p. – *Pleocnemia gigantea* auct. non (Blume) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 34 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 62 (1926). – *Aspidium malayense* Christ: Christ, Philipp. J. Sci., C 2: 187 (1907); Van Alderwerelt, Malayan Ferns: 249 (1908). **Native; CR** (assessed here).

Tectaria nayarrii Mazumdar: Ho et al., Gard. Bull. Singapore 70: 36 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63, 124 (2019). – *Heterogonium pinnatum* (Copel.) Holttum: Holttum, Rev. Fl. Malaya 2: 524 (1955 ['1954']); Holttum, Rev. Fl. Malaya, ed. 2, 2: 524 (1968); Holttum, Fl. Males., ser. 2, 2(1): 115, fig. 19d–f (1991); Tan & Ng, Nat. Watch 20(3): 4 (2012); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014). **Non-native, naturalised** (Ho et al., 2018).

Tectaria sagenioides (Mett.) Christenhusz: Christenhusz, Phytotaxa 10: 58 (2010); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Heterogonium sagenioides* (Mett.) Holttum: Holttum, Reinwardtia 3(2): 271 (1955), as ‘*sagenioides*’; Holttum, Rev. Fl. Malaya 2: 520 (1955 ['1954']), as ‘*sagenioides*’; Johnson, Malayan Nat. J. 13(3&4): 105, 185 (1959), as ‘*sagenioides*’; Holttum, Rev. Fl. Malaya, ed. 2, 2: 636 (cf. 520) (1968), as ‘*sagenioides*’ (p. 520); Holttum, Kalikasan 4: 211 (1975); Johnson, Ferns Singapore Isl., ed. 2: 3 (1977); Wee, Common Ferns & Fern-allies Singapore: 35, (excl. fig. 14a) (1984), p.p., as ‘*sagenioides*’; Holttum, Fl. Males., ser. 2, 2(1): 108, fig. 19a,b (1991); Turner, Gard. Bull. Singapore 45: 8 (1993), as ‘*sagenioides*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994), as ‘*sagenioides*’; Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995), as ‘*sagenioides*’; Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 94, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011), as ‘*sagenioides*’. – *Heterogonium gurupahense* auct. non (C.Chr.) Holttum: Johnson, Ferns Singapore Isl., ed. 2: 82 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994). – *Lastrea fuscipes* auct. non (Wall. ex Bedd.) T.Moore ex Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 36 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 66 (1926), as ‘*Lastrea*’. **Native; EN** (Chong et al., 2009).

Tectaria semipinnata (Roxb.) C.V.Morton: Holttum, Gard. Bull. Singapore 34: 138 (1981); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Holttum, Fl. Males., ser. 2, 2(1): 78 (1991); Turner, Gard. Bull. Singapore 45: 18 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Ng & Wee (ed.), Singapore Red Data Book: 269 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 94, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Tectaria maingayi* (Baker) C.Chr.: Holttum, Rev. Fl. Malaya 2: 513 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 186 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 513 (1968); Johnson, Ferns Singapore Isl., ed. 2: 83 (1977). – *Aspidium subdecurrens* (Luerss.)

C.Chr.: Christensen, Index Filic.: 94 (1905); Christensen, Gard. Bull. Straits Settlem. 4(11&12): 393 (1929). – *Aspidium vastum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 77 (1926), p.p. – *Dictyopteris subdecurrens* (Luerss.) Alderw.: Van Alderwerelt, Malayan Ferns: 514 (1909); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 56 (1926). – *Phegopteris subdecurrens* Luerss.: Luerssen, Bot. Centralbl. 11: 30 (1882). **Native; EN** (Chong et al., 2009).

Tectaria singaporiana (Wall. ex Hook. & Grev.) Copel.: Holttum, Rev. Fl. Malaya 2: 512 (1955 ['1954']), as ‘singaporeana’; Johnson, Malayan Nat. J. 13(3&4): 186 (1959), as ‘singaporeana’; Holttum, Rev. Fl. Malaya, ed. 2, 2: 512 (1968), as ‘singaporeana’; Johnson, Ferns Singapore Isl., ed. 2: 82 (1977), as ‘singaporeana’; Holttum, Gard. Bull. Singapore 34: 138 (1981), as ‘singaporeana’; Wee, Guide Ferns Singapore: 54 (1983), as ‘singaporeana’; Wee, Common Ferns & Fern-allies Singapore: fig. 34c,d (1984), as ‘singaporeana’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990), as ‘singaporeana’; Holttum, Fl. Males., ser. 2, 2(1): 100 (1991), as ‘singaporeana’; Turner, Gard. Bull. Singapore 45: 18 (1993), as ‘singaporeana’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994), as ‘singaporeana’; Ng & Wee (ed.), Singapore Red Data Book: 269 (1994), as ‘singaporeana’; Turner et al., Gard. Bull. Singapore 46(2): 6 (1995 ['1994']), as ‘singaporeana’; Wee, Gard. Bull. Singapore, Suppl. 3: 62, 63 (1995), as ‘singaporeana’; Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']), as ‘singaporeana’; Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']), as ‘singaporeana’; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 96, 776 (2006), as ‘singaporeana’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 94, 231 (2009), as ‘singaporeana’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011), as ‘singaporeana’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 246, 269 (2013); Neo et al., Nat. Singapore 6: 277 (2013), as ‘singaporeana’; Tan et al., J. Trop. Biol. Conserv. 11: 24 (2014), as ‘singaporeana’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 110, 382 (2020). – *Aspidium singaporianum* Wall. ex Hook. & Grev.: Hooker & Greville, Icon. Filic. 1, fasc. 2: t. 26 (1827); Wallich, Numer. List no. 374 (1829); Hooker, Sp. Fil. 4, fasc. 13: 42 (1862); Beddome, Ferns Brit. India 1, fasc. 9–14: 168, pl. 168 (1866); Beddome, Handb. Ferns Brit. India: 212 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 32 (1908); Van Alderwerelt, Malayan Ferns: 235 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 77 (1926); Burkill, Dict. Econ. Prod. Malay Penins. 1: 263 (1935). **Native; LC** (Wong et al., 2013).

Tectaria vasta (Blume) Copel.: Holttum, Fl. Males., ser. 2, 2(1): 92 (1991); Lai & Ng, Nat. Watch 12(3): 2–3 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 211 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 94, 218 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 24 (2014). – *Aspidium vastum* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900). – *Sagenia alata* (Wall. ex Hook. & Grev.) Bedd.: Beddome, Ferns Brit. India 1, fasc. 9–14: 169, pl. 169 (1866). **Native; CR** (assessed here).

Thelypteridaceae

Abacopteris repanda (Fée) S.E.Fawc. & A.R.Sm.: Fawcett & Smith, Sida, Bot. Misc. 59: 23 (2021). – *Pronephrium repandum* (Fée) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 533, fig. 1n, 16i–j (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 96, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Cyclosorus urophyllus* (Mett.) Tardieu: Johnson, Ferns Singapore Isl., ed. 2: 111 (1977). – *Nephrodium moulmeinense* auct. non Bedd.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 72 (1926). – *Nephrodium urophyllum* (Mett.) Keyserl.: Ridley, J. Straits Branch Roy.

Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 37 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 72 (1926). **Native; EN** (assessed here).

Amblovenatum decorum (Domin) S.Linds. & D.J.Middleton: Lindsay & Middleton, Kew Bull. 76: 318 (2021). – *Amblovenatum terminans* auct. non (Panigrahi) J.P.Roux: Roux, Strelitzia 23: 201 (2009). – *Amphineuron terminans* auct. non Holttum: Holttum, Fl. Males., ser. 2, 1(5): 545 (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 96, 225 (2009). – *Cyclosorus interruptus* auct. non (Willd.) H.Ito: Holttum, Rev. Fl. Malaya 2: 262, fig. 149 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 157 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 262, fig. 149 (1968); Johnson, Ferns Singapore Isl., ed. 2: 55 (1977). – *Nephrodium pteroides* auct. non (Retz.) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 36 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 70 (1926), p.p. – *Nephrodium terminans* auct. non J.Sm. ex Hook.: Hooker, Sp. Fil. 4, fasc. 14: 73 (1862), p.p. **Native; CR** (assessed here).

Amblovenatum opulentum (Kaulf.) J.P.Roux: Hung et al., Nat. Singapore 10: 32 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Amphineuron opulentum* (Kaulf.) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 548, fig. 19b–c (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 271 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 96, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 21, 274 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014); Neo et al., Nat. Singapore 7: 67 (2014). – *Mesophlebion chlamydophorum* auct. non (Rosenst. ex C.Chr.) Holttum: Wee, Ferns Tropics: 141, fig. 46a,b (1997); Wee, Ferns Tropics, rev. ed.: 141, fig. 46a,b (2005). – *Cyclosorus impressus* (Desv.) Alston: Johnson, Ferns Singapore Isl., ed. 2: 55 (1977). – *Cyclosorus extensus* (Blume) H.Ito: Holttum, Rev. Fl. Malaya 2: 264 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 158 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 264, 633 (1968). – *Lastrea crassifolia* auct. non (Blume) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 35 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 64 (1926), p.p. as '*Lastraea*'. – *Nephrodium extensum* (Blume) T.Moore: Hooker, Sp. Fil. 4, fasc. 14: 72, t. 240A (1862), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 70 (1926). **Native; LC** (assessed here).

Christella arida (D.Don) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 555, fig. 1i (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 96, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Cyclosorus aridus* (D.Don) Ching: Johnson, Malayan Nat. J. 13(3&4): 156 (1959); Johnson, Ferns Singapore Isl., ed. 2: 54 (1977). – *Nephrodium aridum* (D.Don) J.Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 37 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 71 (1926). – *Nephrodium cucullatum* auct. non (Blume) Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 36 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 71 (1926), p.p. **Native; LC** (Chong et al., 2009).

Christella dentata (Forssk.) Brownsey & Jermy: Holttum, Fl. Males., ser. 2, 1(5): 557, fig. 1p, 20a (1982 ['1981']); Wee, Common Ferns & Fern-allies Singapore: 19, fig. 8c (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull.

Singapore 46(2): 8 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 96, 270 (2009); Lok et al., Cosmos 6: 78 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 56, 274 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 83 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014). – *Cyclosorus dentatus* (Forssk.) Ching: Johnson, Ferns Singapore Isl., ed. 2: 56 (1977). – *Cyclosorus subpubescens* auct. non (Blume) Ching: Holttum, Rev. Fl. Malaya 2: 273 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 158 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 273, 633 (1968). – *Nephrodium molle* (Sw.) R.Br.: Hooker, Sp. Fil. 4, fasc. 14: 67 (1862), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 37 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 73 (1926). – *Nephrodium amboinense* auct. non (Willd.) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 38 (1908), p.p. **Native; LC** (assessed here).

Christella parasitica (L.) H.Lév.: Holttum, Fl. Males., ser. 2, 1(5): 559, fig. 20f (1982 ['1981']); Wee, Common Ferns & Fern-allies Singapore: 19, fig. 8d (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 96, 270 (2009); Lok et al., Cosmos 6: 78 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Cyclosorus parasiticus* (L.) Farw.: Holttum, Rev. Fl. Malaya 2: 281 (1955 ['1954']); Holttum, Rev. Fl. Malaya, ed. 2, 2: 281 (1968); Johnson, Ferns Singapore Isl., ed. 2: 111 (1977); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 71, 275 (2013). – *Nephrodium molle* (Sw.) R.Br. var. *didymosorum* (C.S.P.Parish ex Bedd.) Bedd.: Beddome, Handb. Ferns Brit. India: 279 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 73 (1926). – *Nephrodium molle* (Sw.) R.Br. var. *procurrens* (Baker) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 73 (1926). – *Nephrodium tectum* Wall. ex Bedd.: Beddome, Handb. Ferns Brit. India, Suppl.: 79 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 38 (1908). – *Aspidium tectum* Wall., nom. nud.: Wallich, Numer. List no. 394 (1829). **Native; LC** (assessed here).

Christella subpubescens (Blume) Holttum: Holttum, Gard. Bull. Singapore 33: 26 (1980); Holttum, Fl. Males., ser. 2, 1(5): 558, fig. 20g (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 5 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 67 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 96, 226 (2009); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 17 (2014); Neo et al., Nat. Singapore 7: 67 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Cyclosorus subpubescens* (Blume) Ching: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 71, 275 (2013). – *Cyclosorus sumatrana* (Alderw.) Ching: Holttum, Rev. Fl. Malaya 2: 275 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 158 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 275 (1968); Johnson, Ferns Singapore Isl., ed. 2: 56 (1977). – *Dryopteris subpubescens* (Blume) C.Chr.: Christensen, Gard. Bull. Straits Settlem. 4(11&12): 390 (1929). – *Dryopteris subpubescens* (Blume) C.Chr. var. *major* (Bedd.) C.Chr.: Christensen, Gard. Bull. Straits Settlem. 4(11&12): 390 (1929). – *Nephrodium molle* (Sw.) R.Br. var. *amboinense* Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 73 (1926). – *Nephrodium amboinense* auct. non (Willd.) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 38 (1908), p.p. – *Nephrodium molle* (Sw.) R.Br. var. *major* Bedd.: Beddome, Handb. Ferns Brit. India, Suppl.: 76 (1892). **Native; LC** (Wong et al., 2013).

Cyclosorus interruptus (Willd.) H.Ito: Sinclair, Gard. Bull. Singapore 14(1): 37 (1953); Holttum, Fl. Males., ser. 2, 1(5): 386, fig. 1r, 7a–c (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 6 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 96, 226 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014). – *Cyclosorus gongyloides* auct. non (Schkuhr) Link: Johnson, Malayan Nat. J. 13(3&4): 157 (1959); Johnson, Ferns Singapore Isl., ed. 2: 55 (1977). – *Nephrodium unitum* auct. non (L.) R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 36 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 70 (1926). – *Nephrodium propinquum* R.Br.: Hooker, Sp. Fil. 4., fasc. 14: 79 (1862), p.p. – *Polypodium secundum* Wall., nom. nud.: Wallich, Numer. List no. 301 (1829). **Native; LC** (Chong et al., 2009).

Grypotherix triphylla (Sw.) S.E.Fawc. & A.R.Sm.: Fawcett & Smith, Sida, Bot. Misc. 59: 48 (2021). – *Pronephrium triphyllum* (Sw.) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 534, fig. 16k, l (1982 ['1981']); Turner, Gard. Bull. Singapore 45: 15 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 96, 230 (2009); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 83 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 22 (2014); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Meniscium triphyllum* Sw.: Hooker, Sp. Fil. 5, fasc. 18–20: 163 (1864), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 50 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 56 (1926). **Native; LC** (Chong et al., 2009).

Mesophlebion chlamydophorum (Rosenst. ex C.Chr.) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 384 (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']), as ‘*chlamydophorum*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008), as ‘*chlamydophorum*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 96, 222 (2009), as ‘*chlamydophorum*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 179, 275 (2013); Tan et al., J. Trop. Biol. Conserv. 11: 19 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 63 (2019). – *Thelypteris chlamydophora* (Rosenst. ex C.Chr.) Ching: Holttum, Rev. Fl. Malaya 2: 246 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 155 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 246 (1968); Johnson, Ferns Singapore Isl., ed. 2: 53 (excl. fig. 15) (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 83 (1978). – *Lastrea crassifolia* auct. non (Blume) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 35 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 64 (1926), p.p. as ‘*Lastrea*’. – *Nephrodium truncatum* auct. non (Gaudich.) C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 38 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 74 (1926), p.p. **Native; VU** (Wong et al., 2013).

Mesophlebion motleyanum (Hook.) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 381 (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee

(ed.), Singapore Red Data Book: 272 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 96, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Mesophlebion crassifolium* auct. non (Blume) Holttum: Tan et al., J. Trop. Biol. Conserv. 11: 20 (2014). – *Thelypteris motleyana* (Hook.) Holttum: Holttum, Rev. Fl. Malaya 2: 247 (1955 ['1954']); Johnson, Malayan Nat. J. 13(3&4): 155 (1959); Holttum, Rev. Fl. Malaya, ed. 2, 2: 247 (1968); Johnson, Ferns Singapore Isl., ed. 2: 53 (1977). **Native; CR** (assessed here).

Metathelypteris dayi (Bedd.) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 352, fig. 1m,3d (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 96, 195 (2009). – *Thelypteris singalanensis* auct. non (Baker) Ching: Johnson, Ferns Singapore Isl., ed. 2: 111 (1977), as ‘singalanensis’. – *Lastrea dayi* (Bedd.) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 35 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 66 (1926), p.p., as ‘Lastrea’. **Native; DD** (assessed here).

Pronephrium menisciicarpon (Blume) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 526 (1982 ['1981']); Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 96, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Nephrodium glandulosum* auct. non (Blume) J.Sm.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 72 (1926), p.p. – *Meniscium cuspidatum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 50 (1908). **Native; NEx** (assessed here).

Reholttumia truncata (Poir.) S.E.Fawc. & A.R.Sm.: Fawcett & Smith., Sida, Bot. Misc. 59: 78 (2021). – *Pneumatopteris truncata* (Poir.) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 429, fig. 11d–f (1982 ['1981']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 14 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Thelypteris truncata* (Poir.) K.Iwats.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 96, 224 (2009). – *Cyclosorus truncatus* (Poir.) Farw.: Johnson, Malayan Nat. J. 13(3&4): 160 (1959); Johnson, Ferns Singapore Isl., ed. 2: 56 (1977). – *Nephrodium truncatum* auct. non (Gaudich.) C.Presl: Beddome, Handb. Ferns Brit. India: 280, fig. 143 (1883); Beddome, Handb. Ferns Brit. India, Suppl.: 78 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 74 (1926), p.p. **Native; CR** (assessed here).

Sphaerostephanos heterocarpus (Blume) Holttum: Holttum, Fl. Males., ser. 2, 1(5): 457, fig. 1q (1982 ['1981']), as ‘*heterocarpus*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990), as ‘*heterocarpus*’; Turner, Gard. Bull. Singapore 45: 17 (1993), as ‘*heterocarpus*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994), as ‘*heterocarpus*’; Ng & Wee (ed.), Singapore Red Data Book: 272 (1994), as ‘*heterocarpus*’; Wee, Gard. Bull. Singapore, Suppl. 3: 63 (1995), as ‘*heterocarpus*’; Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']), as ‘*heterocarpus*’; Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']), as ‘*heterocarpus*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 96, 230 (2009), as ‘*heterocarpus*’; Turner & Chua,

Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011), as ‘*heterocarpus*’; Tan et al., J. Trop. Biol. Conserv. 11: 23 (2014), as ‘*heterocarpus*’; Neo et al., Nat. Singapore 7: 67 (2014), as ‘*heterocarpus*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019), as ‘*heterocarpus*’. – *Cyclosorus heterocarpus* (Blume) Ching: Holtum, Rev. Fl. Malaya 2: 269 (1955 [‘1954’]), as ‘*heterocarpus*’; Johnson, Malayan Nat. J. 13(3&4): 160 (1959), as ‘*heterocarpus*’; Holtum, Rev. Fl. Malaya, ed. 2, 2: 269 (1968), as ‘*heterocarpus*’; Johnson, Ferns Singapore Isl., ed. 2: 58 (1977), as ‘*heterocarpus*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 71, 274 (2013), as ‘*heterocarpus*’. – *Nephrodium haenkeanum* auct. non C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 39 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 71 (1926). – *Nephrodium heterocarpon* (Blume) T.Moore: Beddome, Handb. Ferns Brit. India, Suppl.: 78 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 38 (1908), p.p., as ‘*heterocarpum*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 75 (1926), as ‘*heterocarpum*’. – *Lastrea ochthodes* auct. non (Kunze) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 35 (1908). – *Nephrodium molle* auct. non (Sw.) R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 37 (1908), p.p. – *Lastrea appendiculata* C.Presl, nom. nud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900). – *Nephrodium latebrosum* auct. non (Kunze) T.Moore: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900). **Native; LC** (Wong et al., 2013).

Sphaerostephanos polycarpus (Blume) Copel.: Holtum, Fl. Males., ser. 2, 1(5): 448, fig. 12a–c (1982 [‘1981’]), as ‘*polycarpus*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990), as ‘*polycarpus*’; Turner, Gard. Bull. Singapore 45: 17 (1993), as ‘*polycarpus*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994), as ‘*polycarpus*’; Ng & Wee (ed.), Singapore Red Data Book: 272 (1994), as ‘*polycarpus*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008), as ‘*polycarpus*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 96, 224 (2009), as ‘*polycarpus*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011), as ‘*polycarpus*’; Neo et al., Nat. Singapore 6: 285 (2013), as ‘*polycarpa*’; Tan et al., J. Trop. Biol. Conserv. 11: 23, fig. 1B (2014), as ‘*polycarpus*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019), as ‘*polycarpus*’. – *Cyclosorus polycarpus* (Blume) Holtum: Johnson, Malayan Nat. J. 13(3&4): 160 (1959), as ‘*polycarpus*’; Johnson, Ferns Singapore Isl., ed. 2: 56 (1977), as ‘*polycarpus*’. – *Mesochlaena polycarpus* (Blume) Bedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900), as ‘*polycarpa*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 32 (1908), as ‘*polycarpa*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 76 (1926), as ‘*polycarpa*’. – *Nephrodium polycarpon* (Blume) Keyserl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900), as ‘*polycarpum*’. – *Nephrodium javanicum* (Fée) Hook.: Hooker, Sp. Fil. 4, fasc. 14: 67 (1862). – *Polypodium caudigerum* Wall., nom. nud.: Wallich, Numer. List no. 298 (1829). **Native; LC** (assessed here).

Strophocaulon unitum (L.) S.E.Fawc. & A.R.Sm.: Fawcett & Smith, Sida, Bot. Misc. 59: 88 (2021). – *Sphaerostephanos unitus* (L.) Holtum: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 17 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 96, 273 (2009); Lok et al., Cosmos 6: 78 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Tan et al., J. Trop. Biol. Conserv. 11: 24 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Sphaerostephanos unitus* (L.) Holtum var. *unitus*: Holtum, Fl. Males., ser. 2, 1(5): 478 (1982 [‘1981’]). – *Cyclosorus unitus* (L.) Ching: Holtum, Rev. Fl. Malaya 2: 260 (1955 [‘1954’]); Johnson, Malayan Nat. J. 13(3&4): 157 (1959); Holtum, Rev. Fl. Malaya, ed. 2, 2: 260 (1968); Johnson, Ferns Singapore Isl., ed. 2: 54 (1977). – *Nephrodium cucullatum* (Blume) Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 36 (1908), p.p.; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 71 (1926), p.p. **Native; LC** (assessed here).

GYMNOSPERMS

Cycadaceae

Cycas edentata de Laub.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 26, 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 97, 203 (2009); Lindstrom et al., Telopea 12(3): 405 (2009); Jutta, Fl. Penins. Malaysia, ser. 2, 3: 157 (2012); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 495, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 16, 310 (2020). – *Cycas rumphii* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 151 (1900); Ridley, Fl. Malay Penins. 5: 284 (1925); Keng, Gard. Bull. Singapore 26(2): 234 (1973); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 1, fig. 1.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 20 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 29, 280 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 237 (2004 ['2003']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 461, 776 (2006). **Native; CR** (Chong et al., 2009).

Gnetaceae

Gnetum gnemon L.: Hooker, Fl. Brit. India 5, fasc. 15: 641 (1888); Ridley, Fl. Malay Penins. 5: 273 (1925); Markgraf, Fl. Males., ser. 1, 4(3): 340 (1951); Keng, Gard. Bull. Singapore 26(2): 237 (1973); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 6, fig. 7.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 20 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 380 (2004 ['2003']); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 162, 310 (2020).

Gnetum gnemon L. var. **gnemon**: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 98, 206 (2009); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 132, 275 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014). **Native; CR** (Wong et al., 2013).

Gnetum gnemonoides Brongn.: Markgraf, Fl. Males., ser. 1, 4(3): 344 (1951); Keng, Gard. Bull. Singapore 26(2): 237 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 98, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 133, 276 (2013). – *Gnetum wrayi* Gamble: Ridley, Fl. Malay Penins. 5: 276 (1925). – *Gnetum edule* auct. non (Willd.) Blume: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 151 (1900). **Native; CR** (Wong et al., 2013).

Gnetum latifolium Blume: Lee et al., Gard. Bull. Singapore 55: 287 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 98, 206 (2009). – *Gnetum latifolium* Blume var. *funiculare* (Blume) Markgr.: Markgraf, Fl. Males., ser. 1, 4(3): 343 (1951); Keng, Gard. Bull. Singapore 26(2): 237

(1973); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 7, fig. 7.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 133, 276 (2013). – *Gnetum kingianum* Gamble: Ridley, Fl. Malay Penins. 5: 276 (1925). – *Gnetum funiculare* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 151 (1900). – *Gnetum scandens* auct. non Roxb.: Hooker, Fl. Brit. India 5, fasc. 15: 643 (1888). **Native; CR** (Wong et al., 2013).

Gnetum macrostachyum Hook.f.: Hooker, Fl. Brit. India 5, fasc. 15: 642 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 151 (1900); Ridley, Fl. Malay Penins. 5: 274 (1925); Markgraf, Fl. Males., ser. 1, 4(3): 346 (1951); Keng, Gard. Bull. Singapore 26(2): 237 (1973); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 98, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 133, 276 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). **Native; CR** (Wong et al., 2013).

Gnetum microcarpum Blume: Markgraf, Fl. Males., ser. 1, 4(3): 343 (1951); Keng, Gard. Bull. Singapore 26(2): 237 (1973); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner et al., Gard. Bull. Singapore 46(2): 8 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 139 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 98, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 133, 276 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Gnetum campestre* Gamble: Ridley, Fl. Malay Penins. 5: 275 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1091 (1935). – *Gnetum sylvestre* Gamble: Ridley, Fl. Malay Penins. 5: 275 (1925). – *Gnetum neglectum* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 151 (1900). **Native; EN** (assessed here).

Podocarpaceae

Nageia wallichiana (C.Presl) Kuntze: De Laubenfels, Fl. Males., ser. 1, 10(3): 391 (1988); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 98, 209 (2009); Farjon, Fl. Penins. Malaysia, ser. 2, 1: 190 (2010); Lim et al., Fl. Singapore 1: 89 (2019). – *Podocarpus wallichianus* C.Presl: Keng, Gard. Bull. Singapore 26(2): 235 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 3 (1990). – *Decussocarpus wallichianus* (C.Presl) de Laub.: De Laubenfels, J. Arnold Arbor. 50: 349 (1969); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990). – *Podocarpus blumei* Endl.: Ridley, Fl. Malay Penins. 5: 281 (1925). **Native; CR** (Chong et al., 2009).

Podocarpus polystachyus R.Br. ex Endl.: Miquel, Fl. Ned. Ind. 2, fasc. 7: 1072 (1859 ['1856']); Ridley, Fl. Malay Penins. 5: 282 (1925); Keng, Tree Fl. Malaya 1: 53 (1972); Keng, Gard. Bull. Singapore 26(2): 235 (1973), as '*polystachyus*'; De Laubenfels, Fl. Males., ser. 1, 10(3): 417 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 3, fig. 2.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 44, 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']), as '*polystachys*'; Turner, Gard. Bull. Singapore 47: 86 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 428 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 33, 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 98, 210 (2009); Farjon, Fl. Penins. Malaysia, ser. 2, 1: 195 (2010); Neo et al., Nat. Singapore 6: 283 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Hung et al., Nat. Singapore 10: 43 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 236, 311 (2020). – *Podocarpus neriiifolius* auct. non D.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 151 (1900), as '*neriiifolia*'. – *Podocarpus neglectus* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 151 (1900).

Native; EN (assessed here).

ANGIOSPERMS

Acanthaceae

Acanthus ebracteatus Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 660 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 577 (1923); Keng, Gard. Bull. Singapore 39(1): 82 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 187, fig. 140.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 49 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 98, 219 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 8, 277 (2013); Neo et al., Nat. Singapore 6: 17 (2013); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 116, 382 (2020).

Native; VU (assessed here).

Acanthus ilicifolius L.: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 659 (1908 ['1907']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 98, 225 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 370, 806 [2015]; Yee et al., Fl. Singapore 1: 64 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 116, 382 (2020). **Native; LC** (assessed here).

Acanthus volubilis Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 660 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 577 (1923); Keng, Gard. Bull. Singapore 39(1): 82 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 187 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc.

Pl. Fl. Singapore: 9, 98, 219 (2009); Neo et al., Nat. Singapore 6: 17 (2013). **Native; VU** (assessed here).

Andrographis paniculata (Burm.f.) Wall. ex Nees: Sinclair, Gard. Bull. Singapore 15: 25 (1956); Keng, Gard. Bull. Singapore 39(1): 82 (1986); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 187, fig. 140.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 98, 264 (2009); Lok et al., Cosmos 6: 67 (2010); Hung et al., Nat. Singapore 10: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 103 (2018). **Non-native, naturalised** (assessed here).

Asystasia gangetica (L.) T.Anderson: Keng, Gard. Bull. Singapore 39(1): 83 (1986); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 187 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 21 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Lok et al., Cosmos 6: 67 (2010); Hung et al., Nat. Singapore 10: 19, 22 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 44 (2017). – *Asystasia coromandeliana* Nees, nom. illeg. superfl.: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 667 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 586 (1923). – *Ruellia angustiflora* (Nees) Lindau ex Rambo: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 649 (1908 ['1907']). – *Asystasia gangetica* (L.) T.Anderson var. *albida* Kuntze: Kuntze, Revis. Gen. Pl. 2: 482 (1891).

Asystasia gangetica (L.) T.Anderson subsp. **gangetica**: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 98, 265 (2009); Hung et al., Nat. Singapore 10: 15 (2017). **Non-native, naturalised** (assessed here).

Asystasia gangetica (L.) T.Anderson subsp. **micrantha** (Nees) Ensermu: Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 98, 265 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Hung et al., Nat. Singapore 10: 15 (2017); Kaw & Neo, Wayside Fls Singapore: 91 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64, 125 (2019). – *Asystasia intrusa* Blume: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 493 (1884); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 668 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 585 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 1: 265 (1935); Henderson, Malay. Wild Fls, Dicot.: 373 (1959). **Non-native, naturalised** (assessed here).

Asystasia nemorum Nees: Keng, Gard. Bull. Singapore 39(1): 83 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 187, fig. 140.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Hung et al., Nat. Singapore 10: 19 (2017); Hung et al., Nat. Singapore 10: 32 (2017). **Non-native, casual*** (assessed here).

Avicennia alba Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 868 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 641 (1923); Keng, Gard. Bull. Singapore 39(1): 88 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 192, fig. 141.1 (1990); Turner

et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Duke, Austral. Syst. Bot. 4: 307 (1991); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Lee et al., Gard. Bull. Singapore 55: 292 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 98, 225 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 6: 17 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 543, 806 [2015]; Yee et al., Fl. Singapore 1: 64 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 66, 310 (2020). – *Avicennia spicata* Kuntze, Revis. Gen. Pl. 2: 502 (1891). **Native; LC** (assessed here).

Avicennia marina (Forssk.) Vierh.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 192 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Duke, Austral. Syst. Bot. 4: 311 (1991); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Hung et al., Nat. Singapore 10: 44 (2017). – *Avicennia marina* (Forssk.) Vierh. subsp. *marina*: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 98, 201 (2009); Teo et al., Nat. Singapore 4: 268 (2011). **Native; EN** (assessed here).

Avicennia officinalis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 867 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 640 (1923); Keng, Gard. Bull. Singapore 39(1): 88 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 192 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Duke, Austral. Syst. Bot. 4: 319 (1991); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Lee et al., Gard. Bull. Singapore 55: 292 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 98, 225 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 6: 17 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 544, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 66, 310 (2020). – *Avicennia obovata* Griff.: Ridley, Fl. Malay Penins. 2: 640 (1923). – *Avicennia officinalis* L. f. *tomentosa* Kuntze: Kuntze, Revis. Gen. Pl. 2: 502 (1891). **Native; LC** (assessed here).

Avicennia rumphiana Hallier f.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 192 (1990); Duke, Austral. Syst. Bot. 4: 321 (1991); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Lee et al., Gard. Bull. Singapore 55: 292 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 98, 225 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 544, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 67, 310 (2020). – *Avicennia lanata* Ridl.: Ridley, J. Fed. Malay States Mus. 10: 151 (1920); Ridley, Fl. Malay Penins. 2: 641 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 1: 275 (1935); Keng, Gard. Bull. Singapore 39(1): 88 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 192, fig. 141.1a (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990). **Native; LC** (assessed here).

Elytraria acaulis (L.f.) Lindau: POWO. – *Elytraria acaulis* (L.f.) Lindau var. *lyrata* (Vahl) Bremek.: Bremekamp, Reinwardtia 3(2): 251 (1955). **Non-native, casual** (assessed here).

Hygrophila auriculata (Schumach.) Heine: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 99, 263 (2009); Lok et al., Cosmos 6: 74 (2010). – *Hygrophila schullii* M.R.Almeida & S.M.Almeida, nom. illeg. superfl.: Turner, Gard. Bull. Singapore 47: 90 (1997 ['1995']). – *Hygrophila spinosa* T.Anderson: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 646 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 567 (1923); Keng, Gard. Bull. Singapore 39(1): 85 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 189 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994). **Non-native, casual*** (assessed here).

Hygrophila phlomoides Nees: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 646 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 567 (1923); Keng, Gard. Bull. Singapore 39(1): 84 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 189, fig. 140.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 99, 263 (2009); Lok et al., Cosmos 6: 74 (2010). **Non-native, casual** (assessed here).

Hygrophila ringens (L.) R.Br. ex Steud.: Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 99, 271 (2009); Lok et al., Cosmos 6: 78 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 144, 278 (2013). – *Hygrophila erecta* (Burm.f.) Hochr.: Keng, Gard. Bull. Singapore 39(1): 84 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 189 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994). – *Hygrophila quadrivalvis* (Buch.-Ham.) Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 645 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 566 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1214 (1935). – *Hygrophila salicifolia* (Vahl) Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900). – *Hygrophila undulata* Nees (Vahl) var. *obovatifolia* Kuntze: Kuntze, Revis. Gen. Pl. 2: 491 (1891). **Native; LC** (assessed here).

Justicia comata (L.) Lam.: Chen et al., Gard. Bull. Singapore 70: 94 (2018). **Non-native, naturalised** (assessed here).

Justicia gendarussa Burm.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 99, 247 (2009); Neo et al., Nat. Singapore 6: 13 (2013). – *Gendarussa vulgaris* Nees: Keng, Gard. Bull. Singapore 39(1): 84 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 188 (1990). **Non-native, naturalised** (assessed here).

Justicia pectinata L.: Middleton et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, naturalised** (Middleton et al., 2022).

Justicia procumbens L.: Turner et al., Gard. Bull. Singapore 49(1): 2 (1998 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 99, 271 (2009), as ‘*procumbrens*’; Lok et al., Cosmos 6: 78 (2010), as ‘*procumbrens*’; Kaw & Neo, Wayside Fls Singapore: 137 (2018). **Cryptogenic** (assessed here).

Justicia quadrifaria (Nees) T.Anderson: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 684 (1908 ['1907']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 99, 193 (2009). – *Calophanoides quadrifaria* (Nees) Ridl.: Ridley, Fl. Malay Penins. 2: 593 (1923); Keng, Gard. Bull. Singapore 39(1): 83 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 188 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994). **Native; NEx** (assessed here).

Justicia vasculosa (Nees) T.Anderson: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 687 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 598 (1923); Keng, Gard. Bull. Singapore 39(1): 85 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 189 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 48: 140 (1998).

[‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 99, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 152, 279 (2013). – *Leda andrographioides* (C.B.Clarke) C.B.Clarke: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 692 (1908 [‘1907’]); Ridley, Fl. Malay Penins. 2: 605 (1923). – *Justicia andrographioides* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900). **Native; CR** (assessed here).

Lepidagathis cephalotes (Link) Kuntze: Middleton et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, naturalised** (Middleton et al., 2022).

Nelsonia canescens (Lam.) Spreng.: Kaw & Neo, Wayside Fls Singapore: 87 (2018). **Cryptogenic** (assessed here).

Pachystachys coccinea (Aubl.) Nees: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 99, 263 (2009); Lok et al., Cosmos 6: 74 (2010). – *Jacobinia coccinea* (Aubl.) Hiern: Keng, Gard. Bull. Singapore 39(1): 85 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 189 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994). **Non-native, casual** (assessed here).

Peristrophe bivalvis (L.) Merr.: De Kok, Fl. Singapore 14 (in prep.). – *Peristrophe roxburghiana* (Schult.) Bremek.: Keng, Gard. Bull. Singapore 39(1): 85 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 189 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 363, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 99, 272 (2009); Lok et al., Cosmos 6: 78 (2010); Neo et al., Nat. Singapore 7: 61 (2014). – *Peristrophe tinctoria* Nees, nom. illeg. superfl.: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 695 (1908 [‘1907’]); Ridley, Fl. Malay Penins. 2: 609 (1923). – *Peristrophe montana* auct. non Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900). **Cryptogenic** (assessed here).

Peristrophe hyssopifolia (Burm.f.) Merr.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 99, 253 (2009). – *Peristrophe acuminata* Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 696 (1908 [‘1907’]); Ridley, Fl. Malay Penins. 2: 609 (1923); Keng, Gard. Bull. Singapore 39(1): 85 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 189 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 99, 272 (2009); Lok et al., Cosmos 6: 78 (2010). **Non-native, naturalised** (assessed here).

Pseuderanthemum kingii (C.B.Clarke) Ridl.: Ridley, Fl. Malay Penins. 2: 591 (1923); Keng, Gard. Bull. Singapore 39(1): 85 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 190 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner, Gard. Bull. Singapore 47: 93 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 99, 197 (2009). – *Eranthemum kingii* C.B.Clarke: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 678 (1908 [‘1907’]). – *Eranthemum album* auct. non (Roxb.) Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900). **Native; NEx** (assessed here).

Ptyssiglottis kunthiana (Nees) B.Hansen: Niissalo & Choo, Gard. Bull. Singapore 73: 37, fig. 2, 3, 4 (2021). **Native; EN** (assessed here).

Rhinacanthus nasutus (L.) Kurz: Kaw & Neo, Wayside Fls Singapore: 126 (2018). **Non-native, casual** (assessed here).

Ruellia blechum L.: POWO. – *Blechum pyramidatum* (Lam.) Urb.: Neo et al., Nat. Singapore 7: 61 (2014). **Non-native, casual** (assessed here).

Ruellia prostrata Poir.: Middleton et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, naturalised** (Middleton et al., 2022).

Ruellia repens L.: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 412 (1884); Kuntze, Revis. Gen. Pl. 2: 494 (1891), as ‘*Ruellea*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 648 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 564 (1923); Keng, Gard. Bull. Singapore 39(1): 86 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 190 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 99, 273 (2009); Lok et al., Cosmos 6: 78 (2010); Kaw & Neo, Wayside Fls Singapore: 56 (2018). **Cryptogenic** (assessed here).

Ruellia simplex C.Wright: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 99, 256 (2009); Kaw & Neo, Wayside Fls Singapore: 36 (2018). – *Ruellia malacosperma* Greenm.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 99, 256 (2009). **Non-native, naturalised** (assessed here).

Ruellia tuberosa L.: Keng, Gard. Bull. Singapore 39(1): 86 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 190 (1990); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 100, 256 (2009). **Non-native, naturalised** (assessed here).

Staurogyne griffithiana (Nees) Kuntze: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 640 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 561 (1923); Bremekamp, Reinwardtia 3(2): 181 (1955); Keng, Gard. Bull. Singapore 39(1): 86 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 190 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner, Gard. Bull. Singapore 47: 94 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 100, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 5 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Ebermaiera griffithiana* (Nees) T.Anderson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900). **Native; NEx** (assessed here).

Staurogyne kingiana C.B.Clarke: Sinclair, Gard. Bull. Singapore 14(1): 34 (1953); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 100, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 231, 279 (2013). – *Staurogyne kingiana* C.B.Clarke var. *kingiana*: Bremekamp, Reinwardtia 3(2): 194 (1955); Turner, Gard. Bull. Singapore 47: 94 (1997 ['1995']). **Native; CR** (assessed here).

Staurogyne setigera (Nees) Kuntze: Ridley, Fl. Malay Penins. 2: 559 (1923); Keng, Gard. Bull. Singapore 39(1): 86 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 190, fig. 140.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 100, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 231, 279 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Staurogyne setigera* (Nees) Kuntze var. *grandis* Bremek.: Bremekamp, Reinwardtia 3(2): 189 (1955); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 5 (2011). – *Staurogyne setigera* (Nees) Kuntze var. *setigera*: Bremekamp, Reinwardtia 3(2): 188 (1955); Turner, Gard. Bull. Singapore 47: 95 (1997 ['1995']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 5 (2011). – *Ebermaiera setigera* Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900). **Native; CR** (assessed here).

Strobilanthes brunelloides (Lam.) J.R.I.Wood: POWO. – *Hemigraphis confinis* (Nees) T.Anderson: Sinclair, Gard. Bull. Singapore 14(1): 34 (1953); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 99, 266 (2009); Lok et al., Cosmos 6: 67 (2010); Teo et al., Nat. Singapore 4: 268 (2011). **Native; EN** (assessed here).

Strobilanthes collina Nees: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 658 (1908 ['1907']), as 'collinus'. **Native; DD** (assessed here).

Strobilanthes echinata Nees: De Kok, Fl. Singapore 14 (in prep.). – *Strobilanthes maingayi* C.B.Clarke: Turner, Gard. Bull. Singapore 47: 96 (1997 ['1995']). **Native; NEx** (assessed here).

Strobilanthes palawanensis Elmer: Terao, Acta Phytotax. Geobot. 34: 120 (1983); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner, Gard. Bull. Singapore 47: 96 (1997 ['1995']); Lee et al., Gard. Bull. Singapore 55: 291 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 100, 212 (2009). – *Endopogon ridleyi* C.B.Clarke: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 654 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 570 (1923); Keng, Gard. Bull. Singapore 39(1): 83 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 188 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990). **Native; CR** (assessed here).

Strobilanthes reptans (G.Forst.) Moylan ex Y.F.Deng & J.R.I.Wood: Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64, 125 (2019). – *Hemigraphis reptans* (G.Forst.) T.Anderson ex Hemsl.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 139, 277 (2013); Neo et al., Nat. Singapore 6: 13 (2013); Kaw & Neo, Wayside Fls Singapore: 71 (2018). – *Hemigraphis primulifolia* (Nees) Fern.-Vill.: Turner, Gard. Bull. Singapore 45: 22 (1993); Tan et al., Gard. Bull. Singapore 44: 128 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994), as 'primulaefolia'; Turner, Gard. Bull. Singapore 47: 89 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 99, 266 (2009); Lok et al., Cosmos 6: 67 (2010). **Non-native, naturalised** (assessed here).

Thunbergia alata Bojer ex Sims: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 632 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 557 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2158 (1935); Keng, Gard. Bull. Singapore 39(1): 87 (1986); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise

Fl. Singapore, vol. 1, Gymn. Dicot.: 190, fig. 140.7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 100, 269 (2009); Lok et al., Cosmos 6: 67 (2010); Hung et al., Nat. Singapore 10: 35 (2017). **Non-native, naturalised** (assessed here).

Thunbergia dasychlamys Bremek.: Bremekamp, Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2, 50(4): 53 (1955); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner, Gard. Bull. Singapore 47: 97 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 100, 187 (2009). **Native; NEx** (assessed here).

Thunbergia fragrans Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 121 (1900); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 632 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 557 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2158 (1935); Keng, Gard. Bull. Singapore 39(1): 87 (1986); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 191 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 100, 269 (2009); Lok et al., Cosmos 6: 67 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64, 125 (2019). – *Thunbergia fragrans* Roxb. f. *javanica* C.B.Clarke: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 632 (1908 ['1907']). **Non-native, naturalised** (assessed here).

Thunbergia grandiflora Roxb.: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 392 (1884); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 631 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 557 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2158 (1935); Keng, Gard. Bull. Singapore 39(1): 87 (1986); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 191 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 97 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 100, 264 (2009); Lok et al., Cosmos 6: 74 (2010); Yee et al., Fl. Singapore 1: 70 (2019). **Non-native, casual*** (Chong et al., 2009).

Thunbergia laurifolia Lindl.: Keng, Gard. Bull. Singapore 39(1): 87 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 191 (1990); Turner, Gard. Bull. Singapore 47: 97 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 100, 199 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). **Non-native, casual** (assessed here).

Achariaceae

Ryparosa fasciculata King: Harwood & Webber, Fl. Thailand 13(1): 13 (2015). – *Ryparosa scorchedinii* King: Sleumer, Fl. Males., ser. 1, 5(1): 42 (1954); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 100, 211 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64, 118 (2019). – *Ryparosa wallichii* auct. non Ridl.: Ridley, Fl. Malay Penins. 1: 165 (1922), p.p.; Keng, Gard. Bull. Singapore 28(2): 239 (1976); Keng, Concise

Fl. Singapore, vol. 1, Gymn. Dicot.: 41 (1990), p.p. – *Ryparosa acuminata* auct. non Merr.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990). **Native; CR** (Chong et al., 2009).

Ryparosa hullettii King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 59: 126 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900); Ridley, Fl. Malay Penins. 1: 165 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1923 (1935); Sleumer, Fl. Males., ser. 1, 5(1): 48 (1954); Whitmore, Tree Fl. Malaya 2: 159 (1973); Keng, Gard. Bull. Singapore 28(2): 239 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner, Gard. Bull. Singapore 47: 241 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 100, 197 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 279 (2013); Ho et al., Gard. Bull. Singapore 70: 50 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). **Native; CR** (Ho et al., 2018).

Acoraceae

Acorus calamus L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 35 (1935); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 37 (1998); Bogner, Fl. Males., ser. 1, 20: 10 (2011). **Non-native, casual*** (assessed here).

Actinidiaceae

Saurauia pentapetala (Jack) Hoogland: Hoogland, Gard. Bull. Singapore 30: 112 (1977); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46, fig. 38.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 100, 197 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 5 (2011); Rafidah, Fl. Penins. Malaysia, ser. 2, 4: 19 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64 (2019). – *Saurauia tristyla* auct. non DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900), as ‘*Sarauja*'; Ridley, Fl. Malay Penins. 1: 207 (1922), p.p., as ‘*Saurauja*'; Keng, Gard. Bull. Singapore 28(2): 243 (1976). **Native; CR** (assessed here).

Adoxaceae

Viburnum sambucinum Blume: Clarke in Hooker, Fl. Brit. India 3, fasc. 7: 5 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 113 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 1 (1923); Keng, Gard. Bull. Singapore 38(2): 166 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 164, fig. 126.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 100, 199 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 318 (2013). – *Viburnum sambucinum* Blume var. *sambucinum*: Kern & Van Steenis, Fl. Males., ser. 1, 4(3): 186 (1951); Wong & Saw, Tree Fl. Malaya 4: 67 (1989); Turner, Gard. Bull. Singapore 47: 159 (1997 ['1995']). **Native; NEx** (Wong et al., 2013).

Aizoaceae

Sesuvium portulacastrum (L.) L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900); Ridley, Fl. Malay Penins. 1: 866 (1922); Backer, Fl. Males., ser. 1, 4(3): 272 (1951); Keng, Gard. Bull. Singapore 28(2): 256 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 58, fig. 51.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Lee et al., Gard. Bull. Singapore 55: 291 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 412, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 101, 230 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Hung et al., Nat. Singapore 10: 17, 20 (2017); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 7: 4 (2018); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 96, 317 (2020). **Native; LC** (Chong et al., 2009).

Alismataceae

Echinodorus grandiflorus (Cham. & Schltdl.) Micheli: Chen et al., Nat. Singapore 14-e2021090: 3 (2021). **Non-native, casual** (Chen et al., 2021).

Limnocharis flava (L.) Buchenau: Van Steenis, Fl. Males., ser. 1, 5(1): 120 (1954); Keng, Gard. Bull. Singapore 40: 113 (1987); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 1, fig. 1 (1998); Choo & Tan, Gard. Bull. Singapore 49(1): 107–110 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 143, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Kaw & Neo, Wayside Fls Singapore: 177 (2018). **Non-native, naturalised** (Chong et al., 2009).

Amaranthaceae

Achyranthes aspera L.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 16 (1912); Ridley, Fl. Malay Penins. 3: 8 (1924); Backer, Fl. Males., ser. 1, 4(2): 88 (1949); Keng, Gard. Bull. Singapore 28(2): 255 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57, fig. 49.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 101, 269 (2009); Lok et al., Cosmos 6: 78 (2010). **Cryptogenic** (Chong et al., 2009).

Allmania nodiflora (L.) R.Br. ex Wight: Hooker, Fl. Brit. India 4, fasc. 12: 716 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Ridley, Fl. Malay Penins. 3: 5 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 103 (1935); Backer, Fl. Males., ser. 1, 4(2): 74 (1949); Henderson, Malay. Wild Fls, Dicot.: 409 (1959); Keng, Gard. Bull. Singapore 28(2): 255 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 101, 225 (2009). – *Allmania nodiflora* (L.) R.Br. ex Wight var. *procumbens* Hook.f.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 8 (1912); Ridley, Fl. Malay Penins. 3: 5 (1924). – *Allmania nodiflora* (L.) R.Br. ex Wight var. *esculenta* (Moq.) Hook.f.: Hooker, Fl. Brit. India 4, fasc. 12: 717 (1885); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 8 (1912). – *Chamissoa brownii* Steud. ex Miq., nom. illeg. superfl.: Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 1029 (1858 ['1855']), as ‘*brownii*’. **Native; LC** (Chong et al., 2009).

Alternanthera bettzickiana (Regel) G.Nicholson: Mears, Proc. Acad. Nat. Sci. Philadelphia 129: 16 (1977), as ‘*bettzickiana*’; Turner, Gard. Bull. Singapore 45: 25 (1993), as ‘*bettzickiana*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994), as ‘*bettzickiana*’; Turner, Gard. Bull. Singapore 47: 100 (1997 [‘1995’]), as ‘*bettzickiana*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 101, 264 (2009); Lok et al., Cosmos 6: 67 (2010). — *Alternanthera amoena* (Lem.) Voss: Keng, Gard. Bull. Singapore 28(2): 255 (1976). — *Alternanthera ficoidea* (L.) P.Beauv. var. *bettzickiana* (Regel) Backer: Sinclair, Gard. Bull. Singapore 14(1): 35 (1953), as ‘*ficoidea*’. **Non-native, naturalised** (Chong et al., 2009).

Alternanthera philoxeroides (Mart.) Griseb.: Backer, Fl. Males., ser. 1, 4(2): 93 (1949); Sinclair, Gard. Bull. Singapore 14(1): 35 (1953); Corlett, J. Biogeogr. 15: 661 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner, Gard. Bull. Singapore 47: 100 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 101, 264 (2009); Lok et al., Cosmos 6: 67 (2010). **Non-native, naturalised** (Chong et al., 2009).

Alternanthera sessilis (L.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 17 (1912); Ridley, Fl. Malay Penins. 3: 10 (1924); Backer, Fl. Males., ser. 1, 4(2): 92 (1949); Keng, Gard. Bull. Singapore 28(2): 255 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57, fig. 49.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 101, 269 (2009); Lok et al., Cosmos 6: 78 (2010); Hung et al., Nat. Singapore 10: 44 (2017). **Cryptogenic** (Chong et al., 2009).

Amaranthus blitum L.: Fillias et al., Taxon 29: 149 (1980); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Kaw & Neo, Wayside Fls Singapore: 30 (2018).

Amaranthus blitum L. subsp. *oleraceus* (L.) Costea: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 101, 264 (2009); Lok et al., Cosmos 6: 67 (2010). — *Amaranthus lividus* L.: Backer, Fl. Males., ser. 1, 4(2): 77 (1949); Keng, Gard. Bull. Singapore 28(2): 255 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57, fig. 49.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990). **Non-native, naturalised** (Chong et al., 2009).

Amaranthus spinosus L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900), as ‘*Amarantus*’; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 9 (1912), as ‘*Amarantus*’; Ridley, Fl. Malay Penins. 3: 6 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 127 (1935); Backer, Fl. Males., ser. 1, 4(2): 78 (1949); Keng, Gard. Bull. Singapore 28(2): 255 (1976); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 101, 264 (2009); Lok et al., Cosmos 6: 67 (2010). **Non-native, naturalised** (Chong et al., 2009).

Amaranthus tricolor L.: Keng, Gard. Bull. Singapore 28(2): 256 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57 (1990); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]). — *Amaranthus gangeticus* L.: Ridley, Fl. Malay Penins. 3: 6 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 126 (1935). **Non-native, casual** (assessed here).

Amaranthus viridis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900), as ‘*Amarantus*’; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 11 (1912), as ‘*Amarantus*’; Ridley, Fl. Malay Penins. 3: 7 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 128 (1935); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 19, 279 (2013). – *Amaranthus gracilis* Desf.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57 (1990). **Cryptogenic** (assessed here).

Celosia argentea L.: Ridley, Fl. Malay Penins. 3: 5 (1924); Backer, Fl. Males., ser. 1, 4(2): 73 (1949); Keng, Gard. Bull. Singapore 28(2): 256 (1976); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57, fig. 49.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 101, 262 (2009); Lok et al., Cosmos 6: 74 (2010). **Non-native, casual** (Chong et al., 2009).

Cyathula prostrata (L.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Ridley, Fl. Malay Penins. 3: 7 (1924); Backer, Fl. Males., ser. 1, 4(2): 82 (1949); Keng, Gard. Bull. Singapore 28(2): 256 (1976), as ‘*Cyathula*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 57, fig. 49.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 291 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 212, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 101, 226 (2009); Kaw & Neo, Wayside Fls Singapore: 29 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 64, 118 (2019). **Native; LC** (Chong et al., 2009).

Gomphrena celosioides Mart.: Backer, Fl. Males., ser. 1, 4(2): 96 (1949); Soejani et al. (ed.), Weeds Rice Indonesia: 46, 47 (1987); Turner, Gard. Bull. Singapore 47: 100 (1997 ['1995']); Kaw & Neo, Wayside Fls Singapore: 114 (2018). **Non-native, naturalised** (assessed here).

Amaryllidaceae

Crinum asiaticum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 167 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 68 (1907); Ridley, Fl. Malay Penins. 4: 301 (1924); Keng, Gard. Bull. Singapore 40: 120 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Geerinck, Fl. Males., ser. 1, 11(2): 359 (1993); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 27, 273 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 12, fig. 28 (1998); Boo et al., 1001 Gard. Pl. Singapore (print 3): 100 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 26, 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 101, 203 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 198, 382 (2020). – *Crinum zanthophyllum* L.S.Hannibal: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 101, 240 (2009). **Native; CR** (Chong et al., 2009).

Zephyranthes rosea Lindl.: Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2292 (1935); Geerinck, Fl. Males., ser. 1, 11(2): 373 (1993); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 101, 264 (2009); Lok et al., Cosmos 6: 74 (2010). **Non-native, casual** (Chong et al., 2009).

Anacardiaceae

Anacardium occidentale L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 68 (1900); Ridley, Fl. Malay Penins. 1: 526 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 143 (1935); Ding Hou, Fl. Males., ser. 1, 8(3): 421 (1978); Keng, Gard. Bull. Singapore 35(1): 93 (1982); Keng, Concise

Fl. Singapore, vol. 1, Gymn. Dicot.: 123, fig. 101.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 25 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 102, 262 (2009); Lok et al., Cosmos 6: 74 (2010); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Hung et al., Nat. Singapore 10: 44 (2017). **Non-native, casual** (Chong et al., 2009).

Bouea oppositifolia (Roxb.) Meisn.: Ding Hou, Fl. Males., ser. 1, 8(3): 466 (1978); Keng, Gard. Bull. Singapore 35(1): 93 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 123 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 26 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 53, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 102, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019). – *Bouea microphylla* Griff.: Ridley, Fl. Malay Penins. 1: 519 (1922). – *Bouea burmanica* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900). – *Bouea burmanica* Griff. var. *microphylla* (Griff.) Engl.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 465 (1896). **Native; CR** (assessed here).

Buchanania arborescens (Blume) Blume: Ding Hou, Fl. Males., ser. 1, 8(3): 415 (1978); Keng, Gard. Bull. Singapore 35(1): 93 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 123 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 26 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 314 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 102, 225 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 39, 279 (2013); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 125 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 77, 310 (2020). – *Buchanania lucida* Blume: Ridley, Fl. Malay Penins. 1: 518 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 378 (1935); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 102, 236 (2009). – *Buchanania florida* Schauer var. *lucida* (Blume) Engl.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 464 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900). – *Buchanania florida* Schauer var. *petiolaris* (Miq.) Engl.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 464 (1896); Ridley J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900). **Native; LC** (Wong et al., 2013).

Buchanania sessifolia Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900), as ‘*sessilifolia*'; Ridley, Fl. Malay Penins. 1: 519 (1922), as ‘*sessilifolia*'; Ding Hou, Fl. Males., ser. 1, 8(3): 418 (1978); Keng, Gard. Bull. Singapore 35(1): 93 (1982), as ‘*sessilifolia*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 123 (1990), as ‘*sessilifolia*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990), as ‘*sessilifolia*'; Turner, Gard. Bull. Singapore 45: 26 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 291 (2003); LaFrankie et al., Forest Trees Bukit Timah: 54, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 102, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 40, 281 (2013), as ‘*sessilifolia*'; Neo

et al., Nat. Singapore 7: 100 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 556, 807 [2015], as ‘*sessilifolia*’; Hung et al., Nat. Singapore 10: 44 (2017), as ‘*sessilifolia*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019). **Native; EN** (assessed here).

Campnosperma auriculatum (Blume) Hook.f.: Hooker, Fl. Brit. India 2, fasc. 4: 41 (1876), as ‘*auriculata*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 495 (1896), p.p., as ‘*auriculata*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 68 (1900), as ‘*auriculata*’; Ridley, Fl. Malay Penins. 1: 534 (1922), p.p., as ‘*auriculata*’; Ding Hou, Fl. Males., ser. 1, 8(3): 529 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978), as ‘*auriculata*’; Keng, Gard. Bull. Singapore 35(1): 93 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 123 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 26 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 140 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005), as ‘*auriculata*’; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 539, 777 (2006), as ‘*auriculata*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 102, 226 (2009), as ‘*auriculata*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Neo et al., Nat. Singapore 5: 280 (2012), as ‘*auriculata*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 46, 281 (2013); Neo et al., Nat. Singapore 6: 13 (2013), as ‘*auriculata*’; Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 80, 310 (2020). – *Campnosperma wallichii* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 497 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 68 (1900); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994). – *Campnosperma griffithii* auct. non Marchand: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 494 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 68 (1900); Ridley, Fl. Malay Penins. 1: 534 (1922), p.p. – *Campnosperma auriculatum* (Blume) Hook.f. var. *wallichii* (King) Ridl.: Ridley, Fl. Malay Penins. 1: 534 (1922). **Native; LC** (Wong et al., 2013).

Campnosperma squamatum Ridl.: Ding Hou, Fl. Males., ser. 1, 8(3): 532 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978), as ‘*squamata*’; Keng, Gard. Bull. Singapore 35(1): 93 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 123, fig. 101.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 26 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 101 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 140 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 102, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 47, 281 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 561, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019); Yee et al., Fl. Singapore 1: 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 80, 310 (2020). – *Campnosperma auriculatum* auct. non (Blume) Hook.f.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 495 (1896), p.p., as ‘*auriculata*’; Ridley, Fl. Malay Penins. 1: 534 (1922), p.p., as ‘*auriculata*’. **Native; VU** (assessed here).

Dracontomelon dao (Blanco) Merr. & Rolfe: Ding Hou, Fl. Males., ser. 1, 8(3): 470 (1978); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 102, 242 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 91, 281 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 125 (2019). – *Dracontomelon mangiferum* Blume, nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 68 (1900), as ‘*Dracontomelum*’. **Native; CR** (assessed here).

Gluta malayana (Corner) Ding Hou: Khoo et al., Gard. Bull. Singapore 70: 61 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 118 (2019). **Native; CR** (assessed here).

Gluta wallichii (Hook.f.) Ding Hou: Ding Hou, Fl. Males., ser. 1, 8(3): 456 (1978); Keng, Gard. Bull. Singapore 35(1): 93 (1982); Kochummen, Tree Fl. Malaya 4: 30 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 123, fig. 101.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 26 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Kochummen, Tree Fl. Sabah & Sarawak 2: 29, fig. 7F (1996); Turner, Gard. Bull. Singapore 47: 103 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 55, 162 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 102, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 132, 281 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019); Yee et al., Fl. Singapore 1: 51 (2019). – *Melanorrhoea wallichii* Hook.f.: Hooker, Fl. Brit. India 2, fasc. 4: 25 (1876); Hooker, Fl. Brit. India 2, fasc. 4: 26 (1876); Ridley, Fl. Malay Penins. 1: 529 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978). – *Melanorrhoea maingayi* Hook.f.: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 484 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 68 (1900), as ‘*Melanorrhea*’. **Native; EN** (assessed here).

Mangifera caesia Jack: Ridley, Fl. Malay Penins. 1: 525 (1922); Ding Hou, Fl. Males., ser. 1, 8(3): 438 (1978); Keng, Gard. Bull. Singapore 35(1): 94 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 27 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 647, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 208 (2009); Neo et al., Nat. Singapore 6: 273 (2013); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 197, 310 (2020). – *Mangifera kemanga* auct. non Blume: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 68 (1900); Ridley, Fl. Malay Penins. 1: 525 (1922). **Non-native, casual** (assessed here).

Mangifera foetida Lour.: Hooker, Fl. Brit. India 2, fasc. 4: 18 (1876); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 474 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 67 (1900); Ridley, Fl. Malay Penins. 1: 524 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 109 (1952); Ding Hou, Fl. Males., ser. 1, 8(3): 435 (1978); Keng, Gard. Bull. Singapore 35(1): 94 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 27 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 648, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 176, 281 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 197, 310 (2020). **Native; CR** (assessed here).

Mangifera gracilipes Hook.f.: Ding Hou, Fl. Males., ser. 1, 8(3): 433 (1978); Khoo et al., Gard. Bull. Singapore 70: 62 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 118 (2019). **Native; CR** (assessed here).

Mangifera griffithii Hook.f.: Ding Hou, Fl. Males., ser. 1, 8(3): 430 (1978); Keng, Gard. Bull. Singapore 35(1): 94 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 27 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 103 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 176, 282 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019). – *Mangifera sclerophylla* Hook.f.: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 469 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 67 (1900); Ridley, Fl. Malay Penins. 1: 521 (1922). **Native; CR** (assessed here).

Mangifera indica L.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 68 (1900); Ding Hou, Fl. Males., ser. 1, 8(3): 427 (1978); Keng, Gard. Bull. Singapore 35(1): 94 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124, fig. 101.4 (1990); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 291 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 263 (2009); Lok et al., Cosmos 6: 74 (2010); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 125 (2019); Yee et al., Fl. Singapore 1: 66 (2019). **Non-native, casual** (Chong et al., 2009).

Mangifera lagenifera Griff.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 67 (1900); Ridley, Fl. Malay Penins. 1: 525 (1922); Ding Hou, Fl. Males., ser. 1, 8(3): 433 (1978); Keng, Gard. Bull. Singapore 35(1): 94 (1982); Kochummen, Tree Fl. Malaya 4: 36 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 27 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 103 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 208 (2009). **Non-native, casual*** (assessed here).

Mangifera laurina Blume: Turner, Gard. Bull. Singapore 47: 103 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 194 (2009). – *Mangifera longipes* Griff.: Ridley, Fl. Malay Penins. 1: 523 (1922). **Native; NEx** (assessed here).

Mangifera magnifica Kochummen: Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Ganesan, Gardenwise 21: 20 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 208 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 685, 807 [2015]; Hung et al., Nat. Singapore 10: 46 (2017); Lim et al., Fl. Singapore 1: 89, 90, fig. 2 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 198, 310 (2020). **Native; CR** (Chong et al., 2009).

Mangifera × odorata Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900), as ‘*Mangifera odorata*’; Ridley, Fl. Malay Penins. 1: 524 (1922), as ‘*Mangifera odorata*’; Ding Hou, Fl. Males., ser. 1, 8(3): 437 (1978), as ‘*Mangifera odorata*...?hybrid’; Keng, Gard. Bull. Singapore 35(1): 94 (1982), as ‘*Mangifera odorata*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990), as ‘*Mangifera odorata*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990), as ‘*Mangifera odorata*’; Turner, Gard. Bull. Singapore 45: 27 (1993), as ‘*Mangifera odorata*’; Ng & Wee (ed.), Singapore Red Data Book: 274 (1994), as ‘*Mangifera odorata*’; Turner, Gard. Bull. Singapore 47: 103 (1997 [‘1995’]), as ‘*Mangifera odorata*’; Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]), as ‘*Mangifera odorata*’; Kiew, Gard. Bull. Singapore 54: 205 (2002); Teo et al., Molecular Ecology 11: 1465 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008), as ‘*Mangifera odorata*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 222 (2009), as ‘*Mangifera odorata*’; Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 685, 807 [2015], as ‘*Mangifera odorata*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 118 (2019), as ‘*Mangifera odorata* [possibly a hybrid *M. foetida* × *M. indica*]’; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 199, 310 (2020), as ‘*Mangifera odorata*’. **Non-native, casual** (assessed here).

Mangifera paludosa Kosterm. ex S.K.Ganesan: Turner et al., Gard. Bull. Singapore 48: 140 (1998 [‘1996’]); Ganesan, Gard. Bull. Singapore 70: 301, fig. 1, 2 (2018). – *Mangifera paludosa* Kosterm., nom. inval.: Kostermans & Bompard, Mangoes: 41 (1993); Turner, Gard. Bull. Singapore 47: 104 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 49(1): 3 (1998 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 194 (2009). – *Mangifera parvifolia* auct. non Boerl. & Koord.: Ding Hou, Fl. Males., ser. 1, 8(3): 431 (1978), p.p.; Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978), as ‘aff. *parvifolia*’; Turner, Gard. Bull. Singapore 47: 104 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 194 (2009). – *Mangifera lagenifera* auct. non Griff.: Wong in Sharp et al., Guide Bukit Timah Nat. Reserve: 59 (1985). **Native; NEx** (assessed here).

Mangifera pentandra Hook.f.: Ridley, Fl. Malay Penins. 1: 522 (1922); Ding Hou, Fl. Males., ser. 1, 8(3): 426 (1978); Kostermans & Bompard, Mangoes: 36 (1993); Ganesan & Ali, Gardenwise 51: 12 (2018). **Native; CR** (assessed here).

Mangifera quadrifida Jack: Ding Hou, Fl. Males., ser. 1, 8(3): 429 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Turner, Gard. Bull. Singapore 47: 104 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]); Ganesan, Nat. Singapore 12: 1 (2019). **Native; CR** (assessed here).

Mangifera subsessilifolia Kosterm.: Kostermans & Bompard, Mangoes: 180 (1993); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 [‘1994’]); Kochummen, Tree Fl. Sabah & Sarawak 2: 45 (1996); Turner, Gard. Bull. Singapore 47: 104 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019). – *Mangifera macrocarpa* auct. non Blume: Ding Hou, Fl. Males., ser. 1, 8(3): 439 (1978), p.p.; Maxwell, Gard. Bull. Singapore 35(2): 191 (1983 [‘1982’]), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 27 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 102, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011). **Native; CR** (assessed here).

Melanochyla angustifolia Hook.f.: Ding Hou, Fl. Males., ser. 1, 8(3): 496 (1978); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 282 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 60 (2018). **Native; CR** (assessed here).

Melanochyla auriculata Hook.f.: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 505 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 68 (1900); Ridley, Fl. Malay Penins. 1: 540 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1434 (1935); Ding Hou, Fl. Males., ser. 1, 8(3): 495 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 35(1): 94 (1982); Kochummen, Tree Fl. Malaya 4: 41 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 27 (1993); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 104 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 102, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 282 (2013). **Native; CR** (assessed here).

Melanochyla bracteata King: Ding Hou, Fl. Males., ser. 1, 8(3): 496 (1978); Kochummen, Tree Fl. Malaya 4: 42 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 27 (1993); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 104 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 102, 222 (2009). **Native; CR** (assessed here).

Melanochyla caesia (Blume) Ding Hou: Ding Hou, Fl. Males., ser. 1, 8(3): 498 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 27 (1993); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 102, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 282 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 125 (2019). – *Melanochyla kunstleri* King: Ding Hou, Fl. Males., ser. 1, 8(3): 499 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 35(1): 94 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990). **Native; CR** (assessed here).

Parishia insignis Hook.f.: Ridley, Fl. Malay Penins. 1: 536 (1922); Ding Hou, Fl. Males., ser. 1, 8(3): 545 (1978); Keng, Gard. Bull. Singapore 35(1): 94 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 105 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 102, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019). – *Parishia pubescens* Hook.f.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 68 (1900). **Native; CR** (assessed here).

Parishia maingayi Hook.f.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 68 (1900); Ridley, Fl. Malay Penins. 1: 535 (1922); Ding Hou, Fl. Males., ser. 1, 8(3): 543 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner,

Gard. Bull. Singapore 47: 105 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 56, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 102, 223 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 196, 282 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019).

Parishia maingayi Hook.f. var. **maingayi**: Ganesan, Fl. Singapore 11 (in prep.). **Native; CR** (assessed here).

Parishia paucijuga Engl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 68 (1900); Ridley, Fl. Malay Penins. 1: 536 (1922); Ding Hou, Fl. Males., ser. 1, 8(3): 544 (1978); Keng, Gard. Bull. Singapore 35(1): 95 (1982); Kochummen, Tree Fl. Malaya 4: 46 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124, fig. 101.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 105 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 102, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019). **Native; CR** (assessed here).

Semecarpus heterophyllus Blume: Ridley, Fl. Malay Penins. 5: 302 (1925), as '*heterophylla*'; Turner, Gard. Bull. Singapore 47: 106 (1997 ['1995']). **Native; NEx** (assessed here).

Swintonia schwenkii (Teijsm. & Binn.) Teijsm. & Binn.: Ding Hou, Fl. Males., ser. 1, 8(3): 443 (1978); Keng, Gard. Bull. Singapore 35(1): 95 (1982); Kochummen, Tree Fl. Malaya 4: 57 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 124 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 106 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 102, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019). **Native; CR** (assessed here).

Ancistrocladaceae

Ancistrocladus tectorius (Lour.) Merr.: Van Steenis, Fl. Males., ser. 1, 4(1): 9 (1948); Keng, Gard. Bull. Singapore 28(2): 252 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 53, fig. 43.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 102, 200 (2009); Siti-Munirah, Fl. Penins. Malaysia, ser. 2, 1: 58 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 21, 282 (2013). – *Ancistrocladus extensus* Wall. ex Planch.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(2): 137 (1893); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 155 (1935). – *Ancistrocladus pinangianus* Wall. ex Planch.: Ridley, Fl. Malay Penins. 1: 251 (1922). **Native; CR** (Wong et al., 2013).

Anisophylleaceae

Anisophyllea disticha (Jack) Baill.: Henslow in Hooker, Fl. Brit. India 2, fasc. 5: 442 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900), as ‘*Anisophyllea*’; Ridley, Fl. Malay Penins. 1: 701 (1922); Ding Hou, Fl. Males., ser. 1, 5(4): 479 (1958); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 31: 98 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 73, fig. 68.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 9 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 140 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 57, 160 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 127, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 102, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 282 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Chen et al., Phytotaxa 229(1): 54 (2015); Nor-Ezzawanis, Fl. Penins. Malaysia, ser. 2, 7: 18 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 53, 310 (2020). – *Haloragis disticha* Jack: Jack, Malayan Misc. 2(7): 19 (1822); Miquel, Fl. Ned. Ind. 1(1), fasc. 4: 633 (1856 [‘1855’]). **Native; LC** (Wong et al., 2013).

Anisophyllea griffithii Oliv.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 702 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 162 (1935); Ding Hou, Fl. Males., ser. 1, 5(4): 476 (1958); Keng, Gard. Bull. Singapore 31: 98 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 73 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 107 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 102, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 282 (2013); Chen et al., Phytotaxa 229(1): 82 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 531, 806 [2015]; Nor-Ezzawanis, Fl. Penins. Malaysia, ser. 2, 7: 21 (2018). **Native; CR** (Wong et al., 2013).

Annonaceae

Alphonsea johorensis J.Sinclair: Khoo et al., Gard. Bull. Singapore 70: 59 (2018); Turner, Gard. Bull. Singapore 70: 415 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 118 (2019). **Native; EN** (assessed here).

Alphonsea maingayi Hook.f. & Thomson: Ridley, Fl. Malay Penins. 1: 98 (1922); Sinclair, Gard. Bull. Singapore 14(2): 384 (1955); Keng, Gard. Bull. Singapore 27: 69 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 11 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 108 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 102, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 18, 282 (2013); Turner, Gard. Bull. Singapore 70: 417 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 65, 125 (2019). **Native; CR** (Wong et al., 2013).

Anaxagorea javanica Blume: Keng, Gard. Bull. Singapore 27: 70 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 510, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 103, 200 (2009); Turner, Gard. Bull. Singapore 70: 421 (2018).

Anaxagorea javanica Blume var. **javanica**: Sinclair, Gard. Bull. Singapore 14(2): 347 (1955); Maas & Westra, Bot. Jahrb. Syst. 105: 182 (1985); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 11, fig. 10.1 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner, Gard. Bull. Singapore 47: 108 (1997 ['1995']); Turner, Gard. Bull. Singapore 70: 422 (2018). **Native; CR** (Chong et al., 2009, as *Anaxagorea javanica*).

Annona reticulata L.: Keng, Gard. Bull. Singapore 27: 70 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 11 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 103, 262 (2009); Lok et al., Cosmos 6: 74 (2010). **Non-native, casual** (Chong et al., 2009).

Artobotrys costatus King: Ridley, Fl. Malay Penins. 1: 43 (1922); Sinclair, Gard. Bull. Singapore 14(2): 255 (1955); Keng, Gard. Bull. Singapore 27: 70 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 11 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 108 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 11, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 103, 219 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 29, 282 (2013); Turner, Gard. Bull. Singapore 70: 427 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66, 125 (2019). **Native; EN** (assessed here).

Artobotrys crassifolius Hook.f. & Thomson: Ridley, Fl. Malay Penins. 1: 40 (1922); Sinclair, Gard. Bull. Singapore 14(2): 249 (1955); Keng, Gard. Bull. Singapore 27: 70 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 11 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 109 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 103, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Turner, Gard. Bull. Singapore 70: 427 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). **Native; EN** (assessed here).

Artobotrys maingayi Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 42 (1922); Sinclair, Gard. Bull. Singapore 14(2): 259 (1955), p.p.; Keng, Gard. Bull. Singapore 27: 70 (1974), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 11 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 28 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 274 (1994), p.p.; Turner, Gard. Bull. Singapore 47: 109 (1997 ['1995']), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 103, 201 (2009), p.p.; Neo et al., Nat. Singapore 6: 119 (2013), p.p.; Neo et al., Nat. Singapore 7: 61 (2014), p.p.; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66, 125 (2019). **Native; VU** (assessed here).

Artobotrys scortechinii King: Chen et al., Gard. Bull. Singapore 70: 5 (2018); Turner, Gard. Bull. Singapore 70: 437 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66, 118 (2019). – *Artobotrys maingayi* auct. non Hook.f. & Thomson: Sinclair, Gard. Bull. Singapore 14(2): 259 (1955), p.p.; Keng, Gard. Bull. Singapore 27: 70 (1974), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 11 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 28 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 274 (1994), p.p.; Turner, Gard. Bull. Singapore 47: 109 (1997 ['1995']), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 103, 201 (2009), p.p.; Neo et al., Nat. Singapore 6: 119 (2013), p.p.; Neo et al., Nat. Singapore 7: 61 (2014), p.p. **Native; CR** (assessed here).

Artobotrys suaveolens (Blume) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 42 (1922); Sinclair, Gard. Bull. Singapore 14(2): 256 (1955); Keng, Gard. Bull. Singapore 27: 70 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 11, fig. 10.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 109 (1997 ['1995']), p.p.; Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 291 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 103, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 29, 283 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Turner, Gard. Bull. Singapore 70: 438 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). **Native; LC** (assessed here).

Artobotrys wrayi King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 40 (1922); Sinclair, Gard. Bull. Singapore 14(2): 248 (1955); Keng, Gard. Bull. Singapore 27: 70 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 109 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 103, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 29, 283 (2013); Turner, Gard. Bull. Singapore 70: 441 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). **Native; DD** (assessed here).

Cananga odorata (Lam.) Hook.f. & Thomson: Keng, Gard. Bull. Singapore 27: 70 (1974); Corner, Wayside Trees Malaya, ed. 3, 1: 141 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 103, 237 (2009); Turner, Gard. Bull. Singapore 70: 443 (2018).

Cananga odorata (Lam.) Hook.f. & Thomson var. **odorata**: Turner, Gard. Bull. Singapore 70: 443 (2018). **Cryptogenic** (assessed here).

Cyathocalyx sumatranaus Scheff.: Sinclair, Gard. Bull. Singapore 14(2): 236 (1955); Kochummen, Tree Fl. Malaya 1: 71 (1972); Keng, Gard. Bull. Singapore 27: 71 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61

(1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 110 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 103, 203 (2009); Turner, Gard. Bull. Singapore 70: 446 (2018). **Native; NEx** (assessed here).

Dasymaschalon dasymaschalum (Blume) I.M.Turner: Turner, Gard. Bull. Singapore 58(2): 276 (2007); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Neo et al., Nat. Singapore 7: 100 (2014); Turner, Gard. Bull. Singapore 70: 448 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). – *Dasymaschalon blumei* Finet & Gagnep.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 76, 283 (2013). – *Desmos dasymaschalus* (Blume) Saff.: Ridley, Fl. Malay Penins. 1: 46 (1922), as ‘*dasymaschala*’; Sinclair, Gard. Bull. Singapore 14(2): 269 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974), as ‘*dasymaschala*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12, fig. 10.6 (1990), as ‘*dasymaschala*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990), as ‘*dasymaschala*’; Turner, Gard. Bull. Singapore 45: 29 (1993), as ‘*dasymaschala*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994), as ‘*dasymaschala*’; Ng & Wee (ed.), Singapore Red Data Book: 274 (1994), as ‘*dasymaschala*’; Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']), as ‘*dasymaschala*’; Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']), as ‘*dasymaschala*’; Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008), as ‘*dasymaschala*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 103, 204 (2009), as ‘*dasymaschala*’. – *Unona dasymaschala* Blume: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 61 (1872); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 47 (1892); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 39 (1900). **Native; EN** (assessed here).

Dasymaschalon wallichii (Hook.f. & Thomson) Jing Wang & R.M.K.Saunders: Turner, Gard. Bull. Singapore 70: 453 (2018). – *Dasymaschalon dasymaschalum* (Blume) I.M.Turner var. *wallichii* (Hook.f. & Thomson) I.M.Turner: Turner, Gard. Bull. Singapore 58(2): 277 (2007). – *Desmos dasymaschalus* (Blume) Saff. var. *wallichii* (Hook.f. & Thomson) Ridl.: Turner, Gard. Bull. Singapore 47: 111 (1997 ['1995']). – *Unona longiflora* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 39 (1900). – *Unona dasymaschala* Blume var. *wallichii* Hook.f. & Thomson: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 62 (1872). **Native; EN** (assessed here).

Dendrokingstonia nervosa (Hook.f. & Thomson) Rauschert: Lim et al., Gard. Bull. Singapore 70: 70 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66, 118 (2019). **Native; CR** (Lim et al., 2018).

Desmos chinensis Lour.: Ridley, Fl. Malay Penins. 1: 46 (1922); Sinclair, Gard. Bull. Singapore 14(2): 266 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 111 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 291 (2003); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 81, 284 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66, 125 (2019). – *Unona discolor* Vahl: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 39 (1900). **Non-native, casual** (assessed here).

Desmos dumosus (Roxb.) Saff.: Ridley, Fl. Malay Penins. 1: 46 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 797 (1935), as ‘*dumosa*’; Sinclair, Gard. Bull. Singapore 14(2): 268 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978), as ‘*demosa*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in

Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 111 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 103, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 81, 284 (2013); Turner, Gard. Bull. Singapore 70: 458 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66, 125 (2019). – *Desmos subbiglandulosus* (Miq.) Merr.: Nikmah et al., Floribunda 6(3): 102 (2019). – *Unona dumosa* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900). **Native; CR** (Wong et al., 2013).

Desmos dunalii (Wall. ex Hook.f. & Thomson) Saff.: Neo et al., Nat. Singapore 7: 100 (2014). **Native; CR** (assessed here).

Drepananthus pruniferus Maingay ex Hook.f. & Thomson: Ng et al., Nat. Singapore 13: 47 (2020). **Native; CR** (Ng et al., 2020).

Drepananthus ramuliflorus Maingay ex Hook.f. & Thomson: Ridley, Fl. Malay Penins. 1: 38 (1922); Surveswaran et al., Taxon 59: 1371 (2010); Turner, Gard. Bull. Singapore 70: 472 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). – *Cyathocalyx ramuliflorus* (Maingay ex Hook.f. & Thomson) Scheff.: Sinclair, Gard. Bull. Singapore 14(2): 243 (1955); Kochummen, Tree Fl. Malaya 1: 71 (1972); Keng, Gard. Bull. Singapore 27: 70 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13, fig. 10.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 110 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 58, 161 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 103, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 283 (2013); Neo et al., Nat. Singapore 7: 100 (2014). – *Drepananthus pruniferus* auct. non Maingay ex Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 37 (1922). **Native; VU** (assessed here).

Drepananthus ridleyi (King) Survesw. & R.M.K.Saunders: Surveswaran et al., Taxon 59: 1371 (2010); Turner, Tree Fl. Sabah & Sarawak 8: 40, fig. 9, pl. 2E (2014); Turner, Gard. Bull. Singapore 70: 472 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). – *Cyathocalyx ridleyi* (King) J.Sinclair: Sinclair, Gard. Bull. Singapore 14(2): 237 (1955); Kochummen, Tree Fl. Malaya 1: 71 (1972); Keng, Gard. Bull. Singapore 27: 71 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 110 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 103, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 7 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 283 (2013); Neo et al., Nat. Singapore 7: 100 (2014). – *Xylopia ridleyi* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 121 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 95 (1922). **Native; EN** (assessed here).

Fissistigma fulgens (Hook.f. & Thomson) Merr.: Sinclair, Gard. Bull. Singapore 14(2): 353 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12,

fig. 10.7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 112 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 121, 284 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Turner, Gard. Bull. Singapore 70: 477 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). – *Melodorum cylindricum* auct. non Maingay ex Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 106 (1892), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 84 (1922), p.p. – *Melodorum fulgens* Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 120 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 35 (1858 ['1859']); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 104 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 83 (1922). **Native; VU** (Wong et al., 2013).

Fissistigma lanuginosum (Hook.f. & Thomson) Merr.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 1021 (1935); Sinclair, Gard. Bull. Singapore 14(2): 357 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 112 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 121, 284 (2013); Turner, Gard. Bull. Singapore 70: 479 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). – *Melodorum lanuginosum* Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 117 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 35 (1858 ['1859']); Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 79 (1872); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 108 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 86 (1922). **Native; EN** (Wong et al., 2013).

Fissistigma manubriatum (Hook.f. & Thomson) Merr.: Sinclair, Gard. Bull. Singapore 14(2): 355 (1955); Keng, Gard. Bull. Singapore 27: 72 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 112 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 121, 285 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Turner, Gard. Bull. Singapore 70: 481 (2018). – *Melodorum manubriatum* Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 104 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 84 (1922). **Native; VU** (Wong et al., 2013).

Fissistigma ovoideum (King) Merr.: Turner, Gard. Bull. Singapore 70: 482 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). – *Fissistigma latifolium* (Dunal) Merr. var. *ovoideum* (King) J. Sinclair: Sinclair, Gard. Bull. Singapore 14(2): 359 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 112 (1997 ['1995']); Tan et al. in Davison et

al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 121, 285 (2013); Neo et al., Nat. Singapore 7: 100 (2014). – *Melodorum latifolium* (Dunal) Hook.f. & Thomson var. *ovoideum* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 106 (1892), as ‘*ovoidea*’; Ridley, Fl. Malay Penins. 1: 85 (1922). – *Melodorum latifolium* auct. non (Dunal) Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 105 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900). **Native; VU** (Wong et al., 2013).

Friesodielsia biglandulosa (Blume) Steenis: Van Steenis, Blumea 12(2): 358 (1964); Keng, Gard. Bull. Singapore 27: 72 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 113 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 140 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 122, 285 (2013); Turner, Gard. Bull. Singapore 70: 491 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66, 125 (2019). – *Oxymitra biglandulosa* (Blume) Scheff.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1616 (1935); Sinclair, Gard. Bull. Singapore 14(2): 459 (1955); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978). **Native; VU** (Wong et al., 2013).

Friesodielsia borneensis (Miq.) Steenis: Van Steenis, Blumea 12(2): 358 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 113 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 140 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 122, 285 (2013).

Friesodielsia borneensis (Miq.) Steenis var. **sumatrana** (Miq.) I.M.Turner: Turner, Gard. Bull. Singapore 70: 492 (2018). – *Oxymitra borneensis* Miq. var. *sumatrana* Miq.: Sinclair, Gard. Bull. Singapore 14(2): 458 (1955); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978). – *Oxymitra affinis* auct. non Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 79 (1922), p.p. **Native; VU** (Wong et al., 2013, as *Friesodielsia borneensis*).

Friesodielsia calycina (King) Steenis: Van Steenis, Blumea 12(2): 358 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner, Gard. Bull. Singapore 47: 113 (1997 [‘1995’]). – *Friesodielsia excisa* auct. non (Miq.) Steenis: Van Steenis, Blumea 12(2): 359 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 113 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 122, 285 (2013); Turner, Gard. Bull. Singapore 70: 493 (2018), p.p. – *Oxymitra calycina* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 99 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Sinclair, Gard. Bull. Singapore 14(2): 451 (1955). **Native; NEx** (assessed here).

Friesodielsia glauca (Hook.f. & Thomson) Steenis: Van Steenis, Blumea 12(2): 359 (1964); Keng, Gard. Bull. Singapore 27: 72 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 113 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 192 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 122, 285 (2013); Turner, Gard. Bull. Singapore 70: 494 (2018); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). – *Oxymitra glauca* Hook.f. & Thomson: Sinclair, Gard. Bull. Singapore 14(2): 460 (1955); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978). **Native; EN** (assessed here).

Friesodielsia latifolia (Hook.f. & Thomson) Steenis: Van Steenis, Blumea 12(2): 360 (1964); Keng, Gard. Bull. Singapore 27: 72 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 113 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 103, 228 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 122, 285 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66, 125 (2019). – *Oxymitra latifolia* Hook.f. & Thomson: Ridley, Fl. Malay Penins. 1: 81 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1617 (1935); Sinclair, Gard. Bull. Singapore 14(2): 456 (1955). **Native; LC** (Wong et al., 2013).

Goniothalamus macrophyllus (Blume) Hook.f. & Thomson: Sinclair, Gard. Bull. Singapore 14(2): 446 (1955); Maxwell, Gard. Bull. Singapore 36(2): 229 (1984 ['1983']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 114 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 59, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 103, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 134, 285 (2013); Turner, Gard. Bull. Singapore 70: 518 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). **Native; EN** (assessed here).

Goniothalamus malayanus Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 66 (1922); Sinclair, Gard. Bull. Singapore 14(2): 432 (1955); Keng, Gard. Bull. Singapore 27: 72 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 30 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 114 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 103, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 135, 286 (2013); Turner, Tree Fl. Sabah & Sarawak 8: 53, fig. 10, pl. 3A (2014); Turner, Gard. Bull. Singapore 70: 519 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 66 (2019). **Native; CR** (assessed here).

Goniothalamus ridleyi King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 76 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Gard. Bull. Malay Penins. 1: 68 (1922); Sinclair, Gard. Bull. Singapore 14(2): 437 (1955); Keng, Gard. Bull. Singapore 27: 72 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 114 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 103, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 135, 286 (2013); Turner, Tree Fl. Sabah & Sarawak 8: 58, fig. 11, pl. 4A–D (2014); Turner, Gard. Bull. Singapore 70: 524 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). **Native; EN** (assessed here).

Goniothalamus tapis Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 67 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1099 (1935); Sinclair, Gard. Bull. Singapore 14(2): 444 (1955); Keng, Gard. Bull. Singapore 27: 72 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 114 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 103, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 135, 286 (2013); Turner, Gard. Bull. Singapore 70: 530 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). **Native; EN** (assessed here).

Huberantha jenkinsii (Hook.f. & Thomson) Chaowasku: Turner, Gard. Bull. Singapore 70: 538 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Polyalthia jenkinsii* (Hook.f. & Thomson) Hook.f. & Thomson: Sinclair, Gard. Bull. Singapore 14(2): 305 (1955), as ‘jenkensii’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990), as ‘jenkensii’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990), as ‘jenkensii’; Turner, Gard. Bull. Singapore 45: 32 (1993), as ‘jenkensii’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994), as ‘jenkensii’; Ng & Wee (ed.), Singapore Red Data Book: 275 (1994), as ‘jenkensii’; Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']), as ‘jenkensii’; Turner, Gard. Bull. Singapore 47: 118 (1997 ['1995']), as ‘jenkensii’; Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']), as ‘jenkensii’; LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008), as ‘jenkensii’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 103, 210 (2009), as ‘jenkensii’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011). **Native; CR** (Chong et al., 2009).

Huberantha rumphii (Blume ex Hensch.) Chaowasku: Turner, Gard. Bull. Singapore 70: 541 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Polyalthia rumphii* (Blume ex Hensch.) Merr.: Sinclair, Gard. Bull. Singapore 14(2): 306 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 119 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 430 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215

(2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 104, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 207, 287 (2013). – *Polyalthia scortechinii* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 56 (1922). **Native; CR** (Wong et al., 2013).

Maasia glauca (Hassk.) Mols et al.: Mols et al., Syst. Bot. 33: 493 (2008); Turner, Gard. Bull. Singapore 70: 544 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Polyalthia glauca* (Hassk.) Muell.: Sinclair, Gard. Bull. Singapore 14(2): 321 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Rogstad, J. Arnold Arbor. 70: 209 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 118 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 103, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 206, 286 (2013). **Native; CR** (assessed here).

Maasia hypoleuca (Hook.f. & Thomson) Mols et al.: Mols et al., Syst. Bot. 33: 493 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Turner, Tree Fl. Sabah & Sarawak 8: 75 (2014); Turner, Gard. Bull. Singapore 70: 545 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Polyalthia hypoleuca* Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 52 (1892); Ridley, Fl. Malay Penins. 1: 53 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1787 (1935); Sinclair, Gard. Bull. Singapore 14(2): 320 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Rogstad, J. Arnold Arbor. 70: 227 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 118 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 103, 210 (2009). **Native; CR** (Chong et al., 2009).

Maasia sumatrana (Miq.) Mols et al.: Mols et al., Syst. Bot. 33: 493 (2008); Turner, Gard. Bull. Singapore 70: 545 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67, 125 (2019). – *Polyalthia sumatrana* (Miq.) Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 52 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1788 (1935); Sinclair, Gard. Bull. Singapore 14(2): 319 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Rogstad, J. Arnold Arbor. 70: 220 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 119 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 104, 210 (2009). **Native; CR** (Chong et al., 2009).

Meiogyne virgata (Blume) Miq.: Sinclair, Gard. Bull. Singapore 14(2): 277 (1955); Keng, Gard. Bull. Singapore 27: 72 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13, fig. 10.8 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng

& Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 115 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 103, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Turner, Gard. Bull. Singapore 70: 556 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Cyathocalyx virgatus* (Blume) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 36 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 717 (1935). **Native; CR** (Chong et al., 2009).

Mezzettia parviflora Becc.: Van der Heijden & Kessler, Blumea 35(1): 222 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 115 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 103, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011); Turner, Gard. Bull. Singapore 70: 558 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Mezzettia leptopoda* (Hook.f. & Thomson) Oliv.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900); Ridley, Fl. Malay Penins. 1: 100 (1922); Sinclair, Gard. Bull. Singapore 14(2): 327 (1955); Keng, Gard. Bull. Singapore 27: 72 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990). – *Mezzettia curtisi* King: Sinclair, Gard. Bull. Singapore 14(2): 328 (1955). **Native; CR** (Chong et al., 2009).

Miliusa eupoda (Miq.) I.M.Turner: Turner, Gard. Bull. Singapore 70: 563 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Miliusa longipes* King: Ridley, Fl. Malay Penins. 1: 96 (1922); Sinclair, Gard. Bull. Singapore 14(2): 379 (1955); Kochummen, Tree Fl. Malaya 1: 79 (1972); Keng, Gard. Bull. Singapore 27: 72 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 115 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 103, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 8 (2011). **Native; NEx** (Chong et al., 2009).

Mitrella kentii (Blume) Miq.: Sinclair, Gard. Bull. Singapore 14(2): 365 (1955); Keng, Gard. Bull. Singapore 27: 72 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 115 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 103, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 182, 286 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Turner, Gard. Bull. Singapore 70: 576 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Melodorum elegans* Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 88 (1922). – *Melodorum pisocarpum* Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 88 (1922). **Native; VU** (assessed here).

Mitrephora maingayi Hook.f. & Thomson: LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 103, 229 (2009); Turner, Gard. Bull. Singapore 70: 583 (2018); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 210, 310 (2020). – *Mitrephora teysmannii* Scheff.: Weerasooriya & Saunders, Taxon 51: 191 (2002); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 695, 807 [2015]. **Non-native, casual** (assessed here).

Monocarpia maingayi (Hook.f. & Thomson) I.M.Turner: Turner, Gard. Bull. Singapore 70: 591 (2018). – *Monocarpia marginalis* (Scheff.) J.Sinclair: Sinclair, Gard. Bull. Singapore 14(2): 273 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 657, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 103, 222 (2009). – *Cyathocalyx maingayi* Hook.f. Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 29 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900). **Native; CR** (assessed here).

Monoon anomalum (Becc.) B.Xue & R.M.K.Saunders: Xue et al., Taxon 61: 1030 (2012); Turner, Gard. Bull. Singapore 70: 593 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Polyalthia anomala* Becc.: Turner, Phytotaxa 8: 43 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011). – *Cleistopetalum sumatranum* H.Okada: Turner, Phytotaxa 8: 41 (2010). – *Polyalthia clavigera* King: Sinclair, Gard. Bull. Singapore 14(2): 318 (1955); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 117 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 103, 197 (2009). **Native; NEx** (Chong et al., 2009).

Monoon borneense (H.Okada) B.Xue & R.M.K.Saunders: Xue et al., Taxon 61: 1030 (2012); Turner, Gard. Bull. Singapore 70: 595 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Polyalthia macropoda* King, nom. illeg. hom.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 60 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 60 (1922); Sinclair, Gard. Bull. Singapore 14(2): 316 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']), as '*Polyathia*'; Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 118 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 61, 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 104, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 207, 287 (2013). – *Polyalthia sinclairiana* I.M.Turner: Turner, Gard. Bull. Singapore 58(2): 275 (2007); Turner, Phytotaxa 8: 42 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011). – *Cleistopetalum borneense* H.Okada: Turner, Phytotaxa 8: 41 (2010). **Native; EN** (Wong et al., 2013).

Monoon hookerianum (King) B.Xue & R.M.K.Saunders: Xue et al., Taxon 61: 1032 (2012); Turner, Gard. Bull. Singapore 70: 600 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67

(2019). – *Polyalthia hookeriana* King: Sinclair, Gard. Bull. Singapore 14(2): 312 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 118 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 103, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 206, 287 (2013). **Native; NEx** (assessed here).

Monoon lateriflorum (Blume) Miq.: Xue et al., Taxon 61: 1039 (2012); Turner, Gard. Bull. Singapore 70: 601 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Polyalthia lateriflora* (Blume) Kurz: Ridley, Fl. Malay Penins. 1: 59 (1922); Sinclair, Gard. Bull. Singapore 14(2): 310 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 118 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 103, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 207, 287 (2013). **Native; CR** (Wong et al., 2013).

Monoon sclerophyllum (Hook.f. & Thomson) B.Xue & R.M.K.Saunders: Xue et al., Taxon 61: 1033 (2012); Turner, Gard. Bull. Singapore 70: 608 (2018). – *Polyalthia sclerophylla* Hook.f. & Thomson: Sinclair, Gard. Bull. Singapore 14(2): 311 (1955); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 119 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 430 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 104, 210 (2009). **Native; CR** (Chong et al., 2009).

Orophea hastata King: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 71 (1922); Sinclair, Gard. Bull. Singapore 14(2): 397 (1955); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 116 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 103, 195 (2009). – *Orophea* sp.: LaFrankie et al., Forest Trees Bukit Timah: 164 (2005). **Native; NEx** (Chong et al., 2009).

Phaeanthus intermedius (P.Parm.) I.M.Turner & Veldkamp: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011); Turner & Veldkamp, Kew Bull. 66(4): 577 (2012 ['2011']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 286 (2013); Turner, Gard. Bull. Singapore 70: 628 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Phaeanthus ophthalmicus* auct. non (Roxb. ex G.Don) J.Sinclair: Sinclair, Gard. Bull. Singapore 14(2): 374 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13, fig. 10.9 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore

45: 31 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 116 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 291 (2003); LaFrankie et al., Forest Trees Bukit Timah: 60, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 103, 223 (2009). – *Phaeanthus nutans* auct. non Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 147 (1855), p.p.; Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 51 (1858 ['1859']); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 122 (1892), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 95 (1922), p.p. **Native; VU** (assessed here).

Phaeanthus splendens Miq.: Turner, Gard. Bull. Singapore 70: 629 (2018). – *Phaeanthus lucidus* Oliv.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 96 (1922). **Native; CR** (assessed here).

Polyalthia angustissima Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 11 (1910); Ridley, Fl. Malay Penins. 1: 53 (1922); Sinclair, Gard. Bull. Singapore 14(2): 286 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 117 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 103, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011); Turner, Gard. Bull. Singapore 70: 632 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Unona stenopetala* Hook.f. & Thomson var.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900). **Native; VU** (Chong et al., 2009).

Polyalthia cauliflora Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 138 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 44 (1858 ['1859']); Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 6 (1917); Ridley, Fl. Malay Penins. 1: 51 (1922); Sinclair, Gard. Bull. Singapore 14(2): 292 (1955); Keng, Gard. Bull. Singapore 27: 73 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 13, fig. 10.10 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']), as 'Polyathia'; Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 103, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 9 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 206, 286 (2013); Turner, Tree Fl. Sabah & Sarawak 8: 145, pl. 6D (2014); Turner, Gard. Bull. Singapore 70: 634 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). – *Polyalthia cauliflora* Hook.f. & Thomson var. *cauliflora*: Turner, Gard. Bull. Singapore 47: 117 (1997 ['1995']). – *Polyalthia cauliflora* Hook.f. & Thomson var. *beccarii* (King) J. Sinclair: Turner, Gard. Bull. Singapore 47: 117 (1997 ['1995']). – *Polyalthia beccarii* King: Ridley, Fl. Malay Penins. 1: 50 (1922). – *Polyalthia desmantha* (Hook.f. & Thomson) Ridl.: Ridley, Fl. Malay Penins. 1: 49 (1922). – *Unona desmantha* Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900). – *Polyalthia teysmannii* (Miq.) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900), as 'teysmanni'. – *Unona wrayi* Hemsl.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 47 (1892). **Native; VU** (Wong et al., 2013).

Popowia fusca King: Ridley, Fl. Malay Penins. 1: 76 (1922); Sinclair, Gard. Bull. Singapore 14(2): 471 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14, fig. 10.11 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 119 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 291 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 104, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Turner, Gard. Bull. Singapore 70: 659 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 67 (2019). **Native; VU** (Chong et al., 2009).

Popowia pisocarpa (Blume) Endl. ex Walp.: Sinclair, Gard. Bull. Singapore 14(2): 468 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 104, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Ganesan, Tree Fl. Sabah & Sarawak 8: 168, fig. 34 (2014); Turner, Gard. Bull. Singapore 70: 661 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). – *Popowia ramosissima* Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 75 (1922). **Native; EN** (assessed here).

Popowia tomentosa Maingay ex Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 77 (1922); Sinclair, Gard. Bull. Singapore 14(2): 474 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 62, 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 104, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 209, 287 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Turner, Gard. Bull. Singapore 70: 663 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019).

Popowia tomentosa Maingay ex Hook.f. & Thomson var. **tomentosa**: Turner, Gard. Bull. Singapore 47: 119 (1997 ['1995']); Turner, Gard. Bull. Singapore 70: 663 (2018). **Native; CR** (assessed here).

Pyramidanthe prismatica (Hook.f. & Thomson) Merr.: Sinclair, Gard. Bull. Singapore 14(2): 362 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Van Setten & Maas, Taxon 39: 686 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 120 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999).

[‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 104, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 287 (2013); Turner, Gard. Bull. Singapore 70: 679 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). – *Melodorum prismaticum* Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 121 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 36 (1858 [‘1859’]); Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 81 (1872); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 109 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 87 (1922). **Native; EN** (Wong et al., 2013).

Trivalvaria macrophylla (Blume) Miq.: Sinclair, Gard. Bull. Singapore 14(2): 196 (1955); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 121 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 104, 199 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 287 (2013); Turner, Gard. Bull. Singapore 70: 689 (2018).

Trivalvaria macrophylla (Blume) Miq. var. **macrophylla**: Turner, Gard. Bull. Singapore 70: 689 (2018). **Native; NEx** (Wong et al., 2013, as *Trivalvaria macrophylla*).

Uvaria blumei (Boerl.) I.M.Turner: Turner, Gard. Bull. Singapore 70: 692 (2018). – *Uvaria dulcis* auct. non Dunal: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2215 (1935). **Native; CR** (assessed here).

Uvaria clementis (Merr.) Attan. et al.: Turner, Gard. Bull. Singapore 70: 694 (2018). – *Cyathostemma hookeri* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900); Ridley, Fl. Malay Penins. 1: 28 (1922); Sinclair, Gard. Bull. Singapore 14(2): 223 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner, Gard. Bull. Singapore 47: 110 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 103, 190 (2009). – *Orophea dodecandra* auct. non Miq.: Ridley, Fl. Malay Penins. 1: 72 (1922). **Native; CR** (assessed here).

Uvaria cuneifolia (Hook.f. & Thomson) L.L.Zhou et al.: Turner, Gard. Bull. Singapore 45: 30 (1993); Zhou et al., Syst. Biodivers. 7: 255 (2009); Turner, Gard. Bull. Singapore 70: 696 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68, 125 (2019). – *Ellipeia cuneifolia* Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 35 (1922); Sinclair, Gard. Bull. Singapore 14(2): 230 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 111 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 103, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 98, 284 (2013). **Native; CR** (Wong et al., 2013).

Uvaria curtisiae King: Sinclair, Gard. Bull. Singapore 14(2): 206 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993);

Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 121 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 104, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 257, 287 (2013); Turner, Gard. Bull. Singapore 70: 696 (2018); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 58 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). **Native; EN** (assessed here).

Uvaria excelsa (Hook.f. & Thomson) King: Turner, Gard. Bull. Singapore 70: 698 (2018). – *Cyathostemma excelsum* (Hook.f. & Thomson) J.Sinclair: Sinclair, Gard. Bull. Singapore 14(2): 226 (1955); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Utteridge, Blumea 45: 384 (2000). **Native; NEx** (assessed here).

Uvaria grandiflora Roxb. ex Hornem.: Sinclair, Gard. Bull. Singapore 14(2): 202 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14, fig. 10.12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 76, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 104, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 257, 287 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 85, 382 (2020). – *Uvaria grandiflora* Roxb. ex Hornem. var. *grandiflora*: Lee et al., Gard. Bull. Singapore 55: 292 (2003). – *Uvaria purpurea* Blume: Hooker & Thomson, Fl. Ind. 1: 95 (1855); Ridley, Fl. Malay Penins. 1: 31 (1922). **Native; VU** (Wong et al., 2013).

Uvaria griffithii L.L.Zhou et al.: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Turner, Gard. Bull. Singapore 70: 702 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). – *Cyathostemma viridiflorum* Griff.: Ridley, Fl. Malay Penins. 1: 27 (1922); Sinclair, Gard. Bull. Singapore 14(2): 221 (1955); Keng, Gard. Bull. Singapore 27: 71 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 29 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 274 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 110 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 214 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 103, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 71, 283 (2013). – *Cyathostemma scortechinii* King: King, J. Asiatic. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 9 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900). **Native; VU** (Wong et al., 2013).

Uvaria hirsuta Jack: Hooker & Thomson, Fl. Ind. 1: 99 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 24 (1858 ['1859']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 31 (1922); Sinclair, Gard. Bull. Singapore 14(2): 203 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 121 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 292 (2003); Boo et al., 1001 Gard. Pl. Singapore,

ed. 2 (print 1): 77, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 104, 224 (2009); Turner, Gard. Bull. Singapore 70: 703 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68, 126 (2019). **Native; VU** (Chong et al., 2009).

Uvaria leptopoda (King) J.Sinclair: Sinclair, Gard. Bull. Singapore 14(2): 212 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990), as ‘*leptopoda*’; Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994), as ‘*leptopoda*’; Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 121 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 141 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 [‘1997’]), as ‘*leptopoda*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 104, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Turner, Gard. Bull. Singapore 70: 706 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). – *Uvaria ridleyi* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 32 (1922). – *Ellipeia leptopoda* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 25 (1892). **Native; CR** (Chong et al., 2009).

Uvaria littoralis (Blume) Blume: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Turner, Gard. Bull. Singapore 70: 706 (2018). – *Uvaria cordata* (Dunal) Wall., nom. illeg. hom.: Sinclair, Gard. Bull. Singapore 14(2): 207 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 33 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 141 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 291 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 104, 231 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 257, 287 (2013). – *Uvaria macrophylla* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 30 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2215 (1935). **Native; LC** (Wong et al., 2013).

Uvaria lobiana Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 100 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 24 (1858 [‘1859’]); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 15 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 30 (1922); Sinclair, Gard. Bull. Singapore 14(2): 208 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 34 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 121 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 104, 199 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 257, 288 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Turner, Gard. Bull. Singapore 70: 708 (2018); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 58 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68, 126 (2019). – *Uvaria subrepanda* Wall. ex Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 101 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 25 (1858 [‘1859’]); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 23 (1892), as ‘*sub-repanda*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 39 (1900); Ridley, Fl. Malay Penins. 1: 34 (1922), as ‘*sub-repanda*’. – *Uva subrepanda* (Wall. ex Hook.f. & Thomson) Kuntze: Kuntze, Revis. Gen. Pl. 1: 8 (1891). – *Uvaria subrepanda* Wall., nom. nud.: Wallich, Numer. List no. 6483 (1832). **Native; CR** (assessed here).

Uvaria micrantha (A.DC.) Hook.f. & Thomson: Lim et al., Gard. Bull. Singapore 70: 77 (2018). **Native; CR** (Lim et al., 2018).

Uvaria pauciovulata Hook.f. & Thomson: Sinclair, Gard. Bull. Singapore 14(2): 217 (1955), as ‘*pauci-ovulata*’; Keng, Gard. Bull. Singapore 27: 74 (1974), as ‘*pauci-ovulata*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990), as ‘*pauci-ovulata*’; Turner, Gard. Bull. Singapore 45: 34 (1993), as ‘*pauci-ovulata*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994), as ‘*pauci-ovulata*’; Ng & Wee (ed.), Singapore Red Data Book: 275 (1994), as ‘*pauci-ovulata*’; Turner, Gard. Bull. Singapore 47: 121 (1997 [‘1995’]), as ‘*pauci-ovulata*’; Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 [‘1997’]), as ‘*pauci-ovulata*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008), as ‘*pauci-ovulata*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 104, 213 (2009), as ‘*pauci-ovulata*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 257, 288 (2013); Turner, Gard. Bull. Singapore 70: 712 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). **Native; CR** (Wong et al., 2013).

Xylopia caudata Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 125 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 38 (1858 [‘1859’]); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 117 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 93 (1922); Sinclair, Gard. Bull. Singapore 14(2): 339 (1955); Keng, Gard. Bull. Singapore 27: 74 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 34 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 122 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 141 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 104, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Neo et al., Nat. Singapore 7: 100 (2014); Turner, Gard. Bull. Singapore 70: 721 (2018).

Xylopia caudata Hook.f. & Thomson var. **caudata**: Turner, Gard. Bull. Singapore 70: 721 (2018). **Native; EN** (assessed here).

Xylopia dicarpa Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 114 (1892), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 84 (1901); Ridley, Fl. Malay Penins. 1: 91 (1922), p.p.; Turner, Gard. Bull. Singapore 70: 723 (2018). – *Xylopia malayana* auct. non Hook.f. & Thomson: Sinclair, Gard. Bull. Singapore 14(2): 340 (1955), p.p. **Native; CR** (assessed here).

Xylopia ferruginea (Hook.f. & Thomson) Baill.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 93 (1922); Keng, Gard. Bull. Singapore 27: 75 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 746, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 104, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 288 (2013); Turner, Gard. Bull. Singapore 70: 724 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). – *Xylopia ferruginea* (Hook.f. & Thomson) Baill. var. *ferruginea*: Sinclair, Gard. Bull. Singapore 14(2): 343 (1955); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14, fig. 10.13 (1990); Turner, Gard. Bull. Singapore 45: 34 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner, Gard. Bull. Singapore 47: 122 (1997 [‘1995’]). **Native; EN** (assessed here).

Xylophia fusca Maingay ex Hook.f. & Thomson: Sinclair, Gard. Bull. Singapore 14(2): 337 (1955); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 104, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 288 (2013); Turner, Gard. Bull. Singapore 70: 724 (2018); Wong & Ganesan, Fl. Singapore 1: 44 (2019). – *Xylophia fusca* Maingay ex Hook.f. & Thomson var. *fusca*: Turner, Gard. Bull. Singapore 47: 122 (1997 ['1995']). **Native; CR** (Wong et al., 2013).

Xylophia magna Maingay ex Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 120 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Sinclair, Gard. Bull. Singapore 14(2): 338 (1955); Keng, Gard. Bull. Singapore 27: 75 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 34 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 122 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 104, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Turner, Gard. Bull. Singapore 70: 725 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). **Native; CR** (Chong et al., 2009).

Xylophia malayana Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 115 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 91 (1922); Sinclair, Gard. Bull. Singapore 14(2): 340 (1955), p.p.; Keng, Gard. Bull. Singapore 27: 75 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 34 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 292 (2003); LaFrankie et al., Forest Trees Bukit Timah: 63, 166 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 747, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 104, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 10 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 288 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Turner, Gard. Bull. Singapore 70: 726 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 296, 311 (2020). – *Xylophia malayana* Hook.f. & Thomson var. *malayana*: Turner, Gard. Bull. Singapore 47: 122 (1997 ['1995']). **Native; VU** (assessed here).

Xylophia oxyantha (Hook.f. & Thomson) Hook.f. & Thomson: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 83 (1872); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 114 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 41 (1900); Ridley, Fl. Malay Penins. 1: 90 (1922); Turner, Gard. Bull. Singapore 70: 727 (2018). – *Xylophia ferruginea* (Hook.f. & Thomson) Baill. var. *oxyantha* (Hook.f. & Thomson) J.Sinclair: Sinclair, Gard. Bull. Singapore 14(2): 345 (1955); Turner, Gard. Bull. Singapore 45: 34 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 122 (1997 ['1995']). – *Habzelia oxyantha* Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 124 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 37 (1858 ['1859']). **Native; CR** (assessed here).

Apiaceae

Eryngium foetidum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 71: 71 (1902); Ridley, Fl. Malay Penins. 1: 870 (1922); Buwalda, Fl. Males., ser. 1, 4(2): 126 (1949); Keng, Gard. Bull. Singapore 35(1): 103 (1982); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 132, fig. 110.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 222 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 104, 263 (2009); Lok et al., Cosmos 6: 74 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 102, 288 (2013). **Non-native, casual*** (Chong et al., 2009).

Apocynaceae

Allamanda cathartica L.: Kuntze, Revis. Gen. Pl. 2: 412 (1891); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 390 (1908 ['1907']); Keng, Gard. Bull. Singapore 36(1): 113 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 143, fig. 122.1 (1990); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 262 (2009); Lok et al., Cosmos 6: 74 (2010); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 15 (2011); Neo et al., Nat. Singapore 6: 68 (2013); Middleton & Rodda, Fl. Singapore 13: 429, fig. 1 (2019). – *Allamanda schottii* auct. non Pohl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900). **Non-native, naturalised** (Middleton & Rodda, 2019).

Alstonia angustifolia Wall. ex A.DC.: De Candolle, Prodr. 8: 409 (1844); Miquel, Fl. Ned. Ind. 2, fasc. 3: 437 (1857 ['1856']); Hooker, Fl. Brit. India 3, fasc. 9: 643 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 440 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 348 (1923); Whitmore, Tree Fl. Malaya 2: 8 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 36(1): 113 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 143 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 34 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 123 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Sidiyasa, Tree Fl. Sabah & Sarawak 5: 15, fig. 1 (2004); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 508, 776 (2006); Middleton, Fl. Males., ser. 1, 18: 37 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 17 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 18, 288 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Middleton & Rodda, Fl. Singapore 13: 432, fig. 2 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 49, 310 (2020). – *Alstonia angustifolia* Wall., nom. nud.: Wallich, Numer. List no. 1650 (1829). **Native; LC** (Middleton & Rodda, 2019).

Alstonia angustiloba Miq.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 438 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 347 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 112 (1935); Keng, Gard. Bull. Singapore 36(1): 113 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 143 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 34 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Sidiyasa, Tree Fl. Sabah & Sarawak 5: 17 (2004); Boo et al., 1001 Gard.

Pl. Singapore (print 3): 292 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Middleton, Fl. Males., ser. 1, 18: 39 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 17 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 19, 288 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Middleton & Rodda, Fl. Singapore 13: 434, fig. 3 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 49, 310 (2020). – *Alstonia scholaris* auct. non (L.) R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900). **Native; LC** (Middleton & Rodda, 2019).

Alstonia macrophylla Wall. ex G.Don: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 49 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 264 (2009); Lok et al., Cosmos 6: 67 (2010); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 20 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 19, 288 (2013); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Middleton & Rodda, Fl. Singapore 13: 437 (2019). **Non-native, naturalised** (Chong et al., 2009).

Alstonia pneumatophora Backer ex Den Berger: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 50 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Sidiyasa, Tree Fl. Sabah & Sarawak 5: 21 (2004); Middleton, Fl. Males., ser. 1, 18: 52 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 200 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 22 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 19, 289 (2013); Middleton & Rodda, Fl. Singapore 13: 438, fig. 4 (2019); Yee et al., Fl. Singapore 1: 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 50, 310 (2020). **Native; CR** (Middleton & Rodda, 2019).

Alstonia scholaris (L.) R.Br.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 436 (1908 ['1907']); Keng, Gard. Bull. Singapore 36(1): 113 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 143 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 233 (2009); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 61 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Middleton & Rodda, Fl. Singapore 13: 440, fig. 5 (2019). **Non-native, naturalised** (Middleton & Rodda, 2019).

Alstonia spatulata Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900), as 'spathulata'; Ridley, Fl. Malay Penins. 2: 346 (1923), as 'spathulata'; Corner, Wayside Trees Malaya, ed. 2, 1: 142 (1952), as 'spathulata'; Sinclair, Gard. Bull. Singapore 15: 29 (1956), as 'spathulata'; Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978), as 'spathulata'; Keng, Gard. Bull. Singapore 36(1): 113 (1983), as 'spathulata'; Corner, Wayside Trees Malaya, ed. 3, 1: 152 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 143, fig. 122.2 (1990), as 'spathulata'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 294 (2004 ['2003']); Sidiyasa, Tree Fl. Sabah & Sarawak 5: 23 (2004); Middleton, Fl. Males., ser. 1, 18: 59 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 219 (2009), as 'spathulata'; Middleton, Fl. Penins. Malaysia, ser. 2, 2: 26 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 19, 289 (2013); Middleton & Rodda, Fl. Singapore 13: 442, fig. 6 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 51, 310 (2020). **Native; EN** (Middleton & Rodda, 2019).

Alyxia reinwardtii Blume: Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 112 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 33 (2011); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Middleton & Rodda, Fl. Singapore 13: 445, fig. 7, 8 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68 (2019). – *Alyxia pilosa* auct. non Miq.: Markgraf, Blumea 23(2): 382 (1977), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 123 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 104, 187 (2009). – *Alyxia reinwardtii* Blume var. *meiantha* (Stapf) Markgr.: Markgraf, Blumea 23(2): 389 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990), as ‘*reinwardtii*’; Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner, Gard. Bull. Singapore 47: 124 (1997 ['1995']). – *Alyxia reinwardtii* Blume var. *lucida* (Wall.) Markgr.: Markgraf, Blumea 23(2): 389 (1977); Keng, Gard. Bull. Singapore 36(1): 113 (1983), as ‘*reinwardtii*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 143 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner, Gard. Bull. Singapore 47: 123 (1997 ['1995']). – *Alyxia lucida* Wall.: Wallich in Roxburgh, Fl. Ind. 2: 540 (1824); Hooker, Fl. Brit. India 3, fasc. 9: 635 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 417 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 332 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 124 (1935). – *Alyxia odorata* Wall. ex G.Don: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 418 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 334 (1923). **Native; LC** (Middleton & Rodda, 2019).

Anodendron candolleanum Wight: Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 36(1): 113 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 143 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Middleton, Fl. Males., ser. 1, 18: 137 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 104, 200 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 122 (2011); Teo et al., Nat. Singapore 4: 268 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 289 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Middleton & Rodda, Fl. Singapore 13: 493, fig. 25 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 68, 126 (2019). **Native; CR** (Middleton & Rodda, 2019).

Anodendron parviflorum (Roxb.) I.M.Turner: Middleton & Rodda, Fl. Singapore 13: 495, fig. 26, 27 (2019). **Native; CR** (Middleton & Rodda, 2019).

Asclepias curassavica L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 530 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 379 (1923); Keng, Gard. Bull. Singapore 36(1): 118 (1983); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 147 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 104, 264 (2009); Lok et al., Cosmos 6: 67 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 32, 289 (2013); Middleton & Rodda, Fl. Singapore 13: 540, fig. 43 (2019); Yee et al., Fl. Singapore 1: 66 (2019). **Non-native, casual*** (assessed here).

Calotropis gigantea (L.) W.T.Aiton: Hooker, Fl. Brit. India 4, fasc. 10: 17 (1883); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 529 (1908 ['1907']); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 415 (1935); Keng, Gard. Bull. Singapore 36(1): 118 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 147, fig. 123.1 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 104, 237 (2009); Chen et al., Nat. Singapore 13: 33 (2020). – *Calotropis procera* auct. non (Aiton) W.T.Aiton: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900). **Non-native, casual** (assessed here).

Catharanthus roseus (L.) G.Don: Keng, Gard. Bull. Singapore 36(1): 114 (1983); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144, fig. 122.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 105, 265 (2009); Lok et al., Cosmos 6: 67 (2010); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 38 (2011); Kaw & Neo, Wayside Fls Singapore: 42 (2018); Middleton & Rodda, Fl. Singapore 13: 450, fig. 9 (2019). – *Vinca rosea* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900). **Non-native, naturalised** (Chong et al., 2009).

Cerbera manghas L.: Wallich in Roxburgh, Fl. Ind. 2: 529 (1824); Keng, Gard. Bull. Singapore 36(1): 114 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Lee et al., Gard. Bull. Singapore 55: 292 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 547, 777 (2006); Middleton, Fl. Males., ser. 1, 18: 160 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 105, 202 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 39 (2011); Teo et al., Nat. Singapore 4: 268 (2011); Hung et al., Nat. Singapore 10: 44 (2017); Middleton & Rodda, Fl. Singapore 13: 452, fig. 10 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 89, 310 (2020). – *Cerbera lactaria* auct. non Buch.-Ham. ex Spreng.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900); Ridley, Fl. Malay Penins. 2: 339 (1923). – *Tanghinia manghas* (L.) G.Don: Don, Gen. Hist. 4: 98 (1837–1838). **Native; CR** (Middleton & Rodda, 2019).

Cerbera odollam Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 427 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 339 (1923); Keng, Gard. Bull. Singapore 36(1): 114 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144, fig. 122.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 330 (2004 ['2003']); Middleton, Fl. Males., ser. 1, 18: 163 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 105, 220 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 40 (2011); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 7: 62 (2014); Hung et al., Nat. Singapore 10: 44 (2017); Middleton & Rodda, Fl. Singapore 13: 455, fig. 11 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 90, 310 (2020). **Native; VU** (Middleton & Rodda, 2019).

Chonemorpha fragrans (Moon) Alston: Keng, Gard. Bull. Singapore 36(1): 114 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144 (1990); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 50 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 179 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 105, 202 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 132 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 55, 289 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 93, 806 [2015]; Middleton & Rodda, Fl. Singapore 13: 499, fig. 28, 29 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 16, 382

(2020). – *Chonemorpha penangensis* Ridl.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 105, 238 (2009). **Native; CR** (Middleton & Rodda, 2019).

Cynanchum ovalifolium Wight: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 533 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 381 (1923); Keng, Gard. Bull. Singapore 36(1): 118 (1983), as ‘*Cynanchium*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 147 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 105, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 101, 806 [2015]; Middleton & Rodda, Fl. Singapore 13: 543 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Cynanchum ovalifolium* Wight var.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900). **Native; CR** (Middleton & Rodda, 2019).

Cynanchum tunicatum (Retz.) Alston: Middleton & Rodda, Fl. Singapore 13: 545, fig. 44 (2019). **Non-native, naturalised** (Middleton & Rodda, 2019).

Dischidia acutifolia Maingay ex Hook.f.: Rodda et al., Gard. Bull. Singapore 67: 30 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 209, 806 [2015]; Middleton & Rodda, Fl. Singapore 13: 549, fig. 45 (2019); Lim et al., Fl. Singapore 1: 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 27, 382 (2020). **Native; CR** (Middleton & Rodda, 2019).

Dischidia albida Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Ridley, Fl. Malay Penins. 2: 407 (1923); Rintz, Blumea 26: 100 (1980); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 204 (2009); Middleton & Rodda, Fl. Singapore 13: 551 (2019). **Native; NEx** (Middleton & Rodda, 2019).

Dischidia albiflora Griff.: Rintz, Blumea 26: 94 (1980); Keng, Gard. Bull. Singapore 36(1): 118 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 191 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 290 (2013); Middleton & Rodda, Fl. Singapore 13: 553 (2019). – *Dischidia collyris* Wall.: Hooker, Fl. Brit. India 4, fasc. 10: 51 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 583 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 404 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978). **Native; NEx** (Middleton & Rodda, 2019).

Dischidia bengalensis Colebr.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900), as ‘*benghalensis*'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 586 (1908 ['1907']), as ‘*benghalensis*'; Ridley, Fl. Malay Penins. 2: 405 (1923); Rintz, Blumea 26: 97 (1980); Keng, Gard. Bull. Singapore 36(1): 118 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 191 (2009); Middleton & Rodda, Fl. Singapore 13: 554, fig. 46 (2019). **Native; CR** (assessed here).

Dischidia cochleata Blume: Rintz, Blumea 26: 90 (1980); Keng, Gard. Bull. Singapore 36(1): 118 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 138 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Middleton & Rodda, Fl. Singapore 13: 556, fig. 47 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Dischidia coccinea* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Ridley, Fl. Malay Penins. 2: 404 (1923). **Native; NEx** (Middleton & Rodda, 2019).

Dischidia complex Griff.: Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978), as ‘aff. *complex*'; Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Turner et al., Gard. Bull. Singapore 49(1): 2 (1998 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 191 (2009); Middleton & Rodda, Fl. Singapore 13: 558 (2019). **Native; NEx** (Middleton & Rodda, 2019).

Dischidia hirsuta (Blume) Decne.: Hooker, Fl. Brit. India 4, fasc. 10: 50 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 589 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 406 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Rintz, Blumea 26: 94 (1980); Keng, Gard. Bull. Singapore 36(1): 118 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 191 (2009); Rodda et al., Gard. Bull. Singapore 64: 293 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 290 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 173 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 209, 806 [2015]; Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Middleton & Rodda, Fl. Singapore 13: 559, fig. 48 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 28, 382 (2020). **Native; CR** (Middleton & Rodda, 2019).

Dischidia major (Vahl) Merr.: Rintz, Blumea 26: 92 (1980); Keng, Gard. Bull. Singapore 36(1): 118 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148, fig. 123.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 292 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 227 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 174 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 209, 806 [2015]; Hung et al., Nat. Singapore 10: 16, 19, 22 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Middleton & Rodda, Fl. Singapore 13: 561, fig. 49 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 28, 382 (2020). – *Dischidia singaporenensis* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 61: 31 (1912); Ridley, Fl. Malay Penins. 2: 407 (1923); Rintz, Blumea 26: 92 (1980); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First

Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 139 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 191 (2009). – *Dischidia rafflesiana* Wall.: Don, Gen. Hist. 4: 133 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 3: 512 (1857 ['1856']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 585 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 405 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978). **Native; LC** (Middleton & Rodda, 2019).

Dischidia nummularia R.Br.: Hooker, Fl. Brit. India 4, fasc. 10: 49 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 587 (1908 ['1907']); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Rintz, Blumea 26: 98 (1980); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 292 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 32, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 105, 227 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 175 (2014 [2015]); Hung et al., Nat. Singapore 10: 16, 20 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Middleton & Rodda, Fl. Singapore 13: 564, fig. 50, 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 28, 382 (2020). – *Dischidia gaudichaudii* Decne.: Ridley, Fl. Malay Penins. 2: 406 (1923). – *Dischidia ridleyana* Schltr.: Schlechter in Schumann & Lauterbach., Nachtr. Fl. Schutzgeb. Südsee: 358 (1905). **Native; LC** (Middleton & Rodda, 2019).

Dischidia oiantha Schltr.: Middleton & Rodda, Fl. Singapore 13: 569, fig. 52 (2019). **Non-native, naturalised** (Middleton & Rodda, 2019).

Dyera costulata (Miq.) Hook.f.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 443 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 345 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 1: 876 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 143 (1952); Keng, Gard. Bull. Singapore 36(1): 114 (1983); Corner, Wayside Trees Malaya, ed. 3, 1: 154 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144, fig. 122.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 126 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 352 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Middleton, Fl. Males., ser. 1, 18: 187 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 105, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 93, 290 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Middleton & Rodda, Fl. Singapore 13: 457, fig. 12 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 127, 310 (2020). – *Dyera laxiflora* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 9: 644 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 444 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 345 (1923). – *Alstonia grandifolia* Miq.: Hooker, Fl. Brit. India 3, fasc. 9: 643 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 442 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 348 (1923). **Native; VU** (assessed here).

Epigynum ridleyi King & Gamble: Middleton, Fl. Males., ser. 1, 18: 195 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 105, 205 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 143 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 100, 291 (2013); Middleton & Rodda, Fl. Singapore 13: 503, fig. 30 (2019). – *Epigynum griffithianum* auct. non Wight: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 99, 291 (2013). – *Epigynum forbesii* King & Gamble: Maxwell, Gard. Bull. Singapore 35(2): 192 (1983 ['1982']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144 (1990), as ‘*Epignum*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008). **Native; CR** (Middleton & Rodda, 2019).

Finlaysonia obovata Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 89 (1901); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 513 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 373 (1923); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148, fig. 123.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 105, 205 (2009); Middleton & Rodda, Fl. Singapore 13: 616, fig. 71, 72 (2019). – *Finlaysonia maritima* auct. non (Blume) Backer ex K. Heyne: Henderson, Malay. Wild Fls. Dicot.: 289 (1959). **Native; CR** (Middleton & Rodda, 2019).

Gongreos wallichii (Wight) Rodda et al.: Liede-Schumann et al., Taxon doi.org/10.1002/tax.12713: 18 (2022). – *Gongronema wallichii* (Wight) Decne.: Miquel, Fl. Ned. Ind. 2, fasc. 3: 500 (1857 ['1856']); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 542 (1908 ['1907']); Middleton & Rodda, Fl. Singapore 13: 571, fig. 53 (2019); Yeoh & Rodda, Gardenwise 55: 4–5 (2020). – *Tylophora wallichii* (Wight) Hook.f.: Hooker, Fl. Brit. India 4, fasc. 10: 45 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 555 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 391 (1923). – *Gymnema wallichii* Wight: Don, Gen. Hist. 4: 136 (1837–1838). **Native; CR** (assessed here).

Gymnanthera oblonga (Burm.f.) P.S. Green: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 51 (1998 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 105, 206 (2009); Middleton & Rodda, Fl. Singapore 13: 620, fig. 73, 74 (2019). – *Gymnanthera nitida* R.Br.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 105, 228 (2009). **Native; CR** (Middleton & Rodda, 2019).

Hoya campanulata Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 578 (1908 ['1907']); Rintz, Malayan Nat. J. 30(3&4): 495 (1978); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 193 (2009); Rodda et al., Gard. Bull. Singapore 68: 183 (2016); Middleton & Rodda, Fl. Singapore 13: 575, fig. 54 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 40, 382 (2020). **Native; NEx** (Middleton & Rodda, 2019).

Hoya caudata Hook.f.: Rodda & Ang, Nat. Singapore 5: 123 (2012); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 178 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 217, 806 [2015]; Middleton & Rodda, Fl. Singapore 13: 577, fig. 55 (2019); Lim et al., Fl. Singapore 1: 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 40, 382 (2020). **Native; CR** (Middleton & Rodda, 2019).

Hoya coriacea Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Ridley, Fl. Malay Penins. 2: 397 (1923); Rintz, Malayan Nat. J. 30(3&4): 495 (1978); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 193 (2009); Middleton & Rodda, Fl. Singapore 13: 579, fig. 56 (2019). **Native; CR** (assessed here).

Hoya coronaria Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 566 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 400 (1923); Rintz, Malayan Nat. J. 30(3&4): 505 (1978); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Yap, Nat. Watch 14(3): 11 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 193 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 217, 807 [2015]; Middleton & Rodda, Fl. Singapore 13: 581, fig. 57 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 40, 382 (2020). **Native; CR** (Middleton & Rodda, 2019).

Hoya diversifolia Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 570 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 396 (1923); Rintz, Malayan Nat. J. 30(3&4): 517 (1978); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148, fig. 123.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 41, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 207 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 180 (2014 [2015]); Middleton & Rodda, Fl. Singapore 13: 583, fig. 58 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 41, 382 (2020). **Native; VU** (Middleton & Rodda, 2019).

Hoya finlaysonii Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 574 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 397 (1923); Rintz, Malayan Nat. J. 30(3&4): 511 (1978); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 193 (2009); Middleton & Rodda, Fl. Singapore 13: 585, fig. 59 (2019). **Native; NEx** (Middleton & Rodda, 2019).

Hoya lacunosa Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Ridley, Fl. Malay Penins. 2: 395 (1923); Rintz, Malayan Nat. J. 30(3&4): 490 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong

et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 291 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 181 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 221, 807 [2015]; Middleton & Rodda, Fl. Singapore 13: 587, fig. 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 42, 382 (2020). **Native; CR** (Middleton & Rodda, 2019).

Hoya latifolia G.Don: Hooker, Fl. Brit. India 4, fasc. 10: 57 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 568 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 395 (1923); Rintz, Malayan Nat. J. 30(3&4): 508 (1978); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 141 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 291 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 182 (2014 [2015]); Middleton & Rodda, Fl. Singapore 13: 588, fig. 61, 62A–C (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69, 126 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 42, 382 (2020). – *Hoya* sp.: Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']). **Native; LC** (Middleton & Rodda, 2019).

Hoya obtusifolia Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 563 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 399 (1923); Rintz, Malayan Nat. J. 30(3&4): 520 (1978); Keng, Gard. Bull. Singapore 36(1): 120 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 141 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 193 (2009); Rodda & Lai, Nat. Singapore 11: 45 (2018); Middleton & Rodda, Fl. Singapore 13: 592, fig. 62D (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69, 118 (2019); Lim et al., Fl. Singapore 1: 88 (2019). **Native; CR** (Middleton & Rodda, 2019).

Hoya revoluta Wight ex Hook.f.: Hooker, Fl. Brit. India 4, fasc. 10: 55 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 577 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 401 (1923); Turner, Gard. Bull. Singapore 45: 44 (1993); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 193 (2009); Middleton & Rodda, Fl. Singapore 13: 593 (2019). – *Hoya ovalifolia* auct. non Wight & Arn.: Don, Gen. Hist. 4: 126 (1837–1838), p.p. **Native; NEx** (Middleton & Rodda, 2019).

Hoya scorchedinii King & Gamble: Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 42, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 246 (2009); Yap, Nat. Watch 19(2): 21 (2011); Rodda & Ang, Nat. Singapore 5: 123 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 291 (2013); Middleton & Rodda, Fl. Singapore 13: 594, fig. 63A–C (2019). **Native; CR** (Middleton & Rodda, 2019).

Hoya verticillata (Vahl) G.Don: Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 184 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3:

225, 807 [2015]; Hung et al., Nat. Singapore 10: 16, 20 (2017); Middleton & Rodda, Fl. Singapore 13: 596, fig. 63D, E (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 45, 382 (2020). – *Hoya verticillata* (Vahl) G.Don var. *verticillata*: Lee et al., Gard. Bull. Singapore 55: 292 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 42, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 105, 228 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 291 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Hoya parasitica* Wall. ex Wight: Hooker, Fl. Brit. India 4, fasc. 10: 57 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 572 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 396 (1923); Rintz, Malayan Nat. J. 30(3&4): 514 (1978); Keng, Gard. Bull. Singapore 36(1): 120 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Hung et al., Nat. Singapore 10: 20 (2017). – *Hoya ridleyi* King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 575 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 401 (1923); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']). **Native; LC** (Middleton & Rodda, 2019).

Hoya wallichii (Wight) C.M.Burton: Rodda et al., Gard. Bull. Singapore 68: 182 (2016); Middleton & Rodda, Fl. Singapore 13: 597, fig. 64 (2019). – *Physostelma wallichii* Wight: Don, Gen. Hist. 4: 128 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 3: 513 (1857 ['1856']); Hooker, Fl. Brit. India 4, fasc. 10: 62 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Ridley, Fl. Malay Penins. 2: 411 (1923); Keng, Gard. Bull. Singapore 36(1): 120 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990). **Native; NEx** (Middleton & Rodda, 2019).

Jasminanthes maingayi (Hook.f.) Rodda: Middleton & Rodda, Fl. Singapore 13: 599, fig. 65, 66 (2019); Lim et al., Fl. Singapore 1: 88 (2019); Rodda, Phytotaxa 405: 137 (2019). – *Marsdenia maingayi* (Hook.f.) P.I.Forst.: Turner, Gard. Bull. Singapore 47: 143 (1997 ['1995']); Yeoh et al., Gard. Bull. Singapore 65: 244 (2013). – *Stephanotis maingayi* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 550 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 389 (1923); Keng, Gard. Bull. Singapore 36(1): 120 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 106, 198 (2009). **Native; CR** (Middleton & Rodda, 2019).

Kibatalia maingayi (Hook.f.) Woodson: Keng, Gard. Bull. Singapore 36(1): 114 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 50 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 223 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 105, 207 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 156 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 152, 291 (2013); Middleton & Rodda, Fl. Singapore 13: 506, fig. 31, 32 (2019). – *Vallaris maingayi* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 461 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 351 (1923). **Native; CR** (Middleton & Rodda, 2019).

Kopsia singapurensis Ridl.: Ridley, Fl. Malay Penins. 2: 336 (1923); Corner, Wayside Trees Malaya, ed. 2, 1: 146 (1952); Markgraf, Blumea 20(2): 409 (1973 ['1972']); Whitmore, Tree Fl. Malaya 2: 19 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 36(1): 114 (1983), as '*singapurensis*'; Corner, Wayside Trees Malaya, ed. 3, 1: 156 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144 (1990), as '*singapurensis*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 35 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 35, 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 10 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 127 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 396 (2004 ['2003']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 632, 777 (2006), as '*singapurensis*' (p. 777); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 4): 632, 777 (2006), as '*singapurensis*'; Middleton, Fl. Males., ser. 1, 18: 254 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 29, 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 105, 207 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 71 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 154, 291 (2013); Middleton & Rodda, Fl. Singapore 13: 461, fig. 13 (2019); Lim et al., Fl. Singapore 1: 87, 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 183, 310 (2020). – *Kopsia fruticosa* (Roxb.) A.DC. var. *albiflora* auct. non (Teijsm. & Binn.) King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 431 (1908 ['1907']), p.p. – *Kopsia macrophylla* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900). **Native; CR** (Middleton & Rodda, 2019).

Leuconotis griffithii Hook.f.: Hooker, Fl. Brit. India 3, fasc. 9: 628 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 409 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 329 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1339 (1935); Keng, Gard. Bull. Singapore 36(1): 115 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 268 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 105, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 77 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 160, 291 (2013); Middleton & Rodda, Fl. Singapore 13: 463, fig. 14, 15 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Leuconotis maingayi* Dyer ex Hook.f.: Hooker, Fl. Brit. India 3, fasc. 9: 628 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 408 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 329 (1923); Keng, Gard. Bull. Singapore 36(1): 115 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008). **Native; LC** (Middleton & Rodda, 2019).

Melodinus orientalis Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900); Middleton, Fl. Males., ser. 1, 18: 279 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 105, 195 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 81 (2011); Middleton & Rodda, Fl. Singapore 13: 468, fig. 16 (2019). – *Melodinus micranthus* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109

(1900), as ‘*micrantha*’; Ridley, Fl. Malay Penins. 2: 331 (1923); Keng, Gard. Bull. Singapore 36(1): 115 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 144 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 128 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 81 (2011). – *Hunteria coriacea* Wall. ex G.Don: Don, Gen. Hist. 4: 105 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 3: 410 (1857 [‘1856’]). **Native; NEx** (Middleton & Rodda, 2019).

Micrechites lancifolius (Hook.f.) D.J.Middleton & Livsh.: Middleton et al., Gard. Bull. Singapore 70: 13 (2018), as ‘*lancifolia*’; Livshultz et al., Taxon 67: 355 (2018), as ‘*lancifolia*’; Middleton & Rodda, Fl. Singapore 13: 510, fig. 33 (2019). **Native; CR** (Middleton & Rodda, 2019).

Micrechites serpyllifolius (Blume) Kosterm.: Middleton, Fl. Males., ser. 1, 18: 287 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 105, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 162 (2011); Turner et al., Gard. Bull. Singapore 70: 295 (2018); Middleton & Rodda, Fl. Singapore 13: 512, fig. 34 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Ichnocarpus serpyllifolius* (Blume) P.I.Forst.: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 50 (1998 [‘1997’]); Chew et al., Gard. Bull. Singapore 49(2): 171 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008). – *Dischidia wallichii* Wight: Wight, Contr. Bot. India: 43 (1834); Don, Gen. Hist. 4: 134 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 3: 510 (1857 [‘1856’]); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 113 (1900); Ridley, Fl. Malay Penins. 2: 410 (1923). **Native; EN** (assessed here).

Ochrosia oppositifolia (Lam.) K.Schum.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1570 (1935); Leeuwenberg, Agric. Univ. Wageningen Pap. 87(5): 51 (1988 [‘1987’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 145, fig. 122.6 (1990); Middleton, Fl. Males., ser. 1, 18: 299 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 106, 195 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 84 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 702, 807 [2015]; Middleton & Rodda, Fl. Singapore 13: 471, fig. 17 (2019); Lim et al., Fl. Singapore 1: 106 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 218, 310 (2020). – *Neisosperma oppositifolium* (Lam.) Fosberg & Sachet: Markgraf, Blumea 25: 243 (1979); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 128 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008). – *Ochrosia borbonica* auct. non J.F.Gmel.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 428 (1908 [‘1907’]); Ridley, Fl. Malay Penins. 2: 340 (1923); Keng, Gard. Bull. Singapore 36(1): 115 (1983). **Native; NEx** (assessed here).

Parsonia alboflavescens (Dennst.) Mabb.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 106, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 196, 293 (2013); Middleton & Rodda, Fl. Singapore 13: 515, fig. 35, 36 (2019). – *Parsonia helicandra* Hook. & Arn.: Keng, Gard. Bull. Singapore 36(1): 115 (1983), as ‘*Parsonia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 145 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994). – *Parsonia spiralis* Wall. ex G.Don: Hooker, Fl. Brit. India 3, fasc. 9: 650 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 456 (1908 [‘1907’]); Ridley, Fl. Malay Penins. 2: 350 (1923). – *Parsonia pauciflora* Wall., nom. nud.: Miquel, Fl. Ned. Ind. 2, fasc. 3: 428 (1857 [‘1856’]). **Native; CR** (Middleton & Rodda, 2019).

Parsonisia curvisepala K.Schum.: Middleton, Blumea 42: 207 (1997); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 197, 294 (2013); Middleton & Rodda, Fl. Singapore 13: 518 (2019). **Native; NEx** (Middleton & Rodda, 2019).

Sarcolobus globosus Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 536 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 382 (1923); Rintz, Blumea 26: 72 (1980); Keng, Gard. Bull. Singapore 36(1): 120 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 143 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 106, 197 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 223, 294 (2013); Middleton & Rodda, Fl. Singapore 13: 603, fig. 67 (2019). – *Gongronema finlaysonii* (Wight) Decne.: Miquel, Fl. Ned. Ind. 2, fasc. 3: 500 (1857 ['1856']). **Native; NEx** (Middleton & Rodda, 2019).

Secamone griffithii (Decne.) Klack.: Middleton & Rodda, Fl. Singapore 13: 625 (2019). – *Toxocarpus griffithii* Decne.: Hooker, Fl. Brit. India 4, fasc. 10: 13 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 520 (1908 ['1907']); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 36(1): 120 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 106, 199 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 249, 296 (2013). **Native; NEx** (Middleton & Rodda, 2019).

Secamone maingayi (Hook.f.) Rodda: Middleton & Rodda, Fl. Singapore 13: 626, fig. 75 (2019); Rodda & Middleton, Gard. Bull. Singapore 71: 79 (2019). – *Genianthus maingayi* Hook.f.: Hooker, Fl. Brit. India 4, fasc. 10: 16 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900), as 'maingayii'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 525 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 378 (1923); Keng, Gard. Bull. Singapore 36(1): 119 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 148 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 140 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 105, 192 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69, 118 (2019). **Native; CR** (Middleton & Rodda, 2019).

Strophanthus caudatus (L.) Kurz: Beentje, Meded. Landbouwhoogeschool Wageningen 82(4): 54 (1982); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 129 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 362 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 106, 212 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 181 (2011); Neo et al., Nat. Singapore

6: 13 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Middleton & Rodda, Fl. Singapore 13: 520, fig. 37, 38 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69, 126 (2019). – *Strophanthus dichotomus* DC.: Hooker, Fl. Brit. India 3, fasc. 9: 655 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Ridley, Fl. Malay Penins. 2: 354 (1923); Keng, Gard. Bull. Singapore 36(1): 116 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 145 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990). **Native; EN** (Middleton & Rodda, 2019).

Strophanthus singaporianus (Wall. ex G.Don) Gilg: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 471 (1908 ['1907']); Beentje, Meded. Landbouwhoogeschool Wageningen 82(4): 139 (1982); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 129 (1997 ['1995']); Middleton, Fl. Males., ser. 1, 18: 368 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 106, 198 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 183 (2011); Middleton & Rodda, Fl. Singapore 13: 523 (2019). – *Strophanthus brevicaudatus* Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Ridley, Fl. Malay Penins. 2: 356 (1923); Keng, Gard. Bull. Singapore 36(1): 116 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 145 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990). – *Cercocoma singaporiana* Wall. ex G.Don: Don, Gen. Hist. 4: 83 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 3: 445 (1857 ['1856']), as ‘singaporana’. – *Cercocoma singaporiana* Wall., nom. nud.: Wallich, Numer. List no. 1623 (1829). **Native; NEx** (Middleton & Rodda, 2019).

Tabernaemontana africana Hook.: Choo et al., Nat. Singapore 13: 43 (2020). **Non-native, casual** (Choo et al., 2020).

Tabernaemontana corymbosa Roxb. ex Wall.: Hooker, Fl. Brit. India 3, fasc. 9: 646 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 36(1): 116 (1983); Leeuwenberg, Agric. Univ. Wageningen Pap. 87(5): 5 (1988 ['1987']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 145 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 129 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Tree Fl. Sabah & Sarawak 5: 53 (2004); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 424, 776 (2006); Middleton, Fl. Males., ser. 1, 18: 376 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 106, 218 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 92 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 243, 294 (2013); Middleton & Rodda, Fl. Singapore 13: 474, fig. 18 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69, 126 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 335, 382 (2020). – *Ervatamia corymbosa* (Roxb. ex Wall.) King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 448 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 341 (1923). – *Tabernaemontana hirta* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900). **Native; EN** (assessed here).

Tabernaemontana pauciflora Blume: Leeuwenberg, Agric. Univ. Wageningen Pap. 87(5): 20 (1988 ['1987']); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 130 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Tree Fl. Sabah & Sarawak 5: 58, fig. 10, pl. 1F (2004); Middleton, Fl. Males., ser. 1, 18: 383 (2007); Tan et

al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 106, 224 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 97 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 244, 296 (2013); Middleton & Rodda, Fl. Singapore 13: 477, fig. 19, 20 (2019). – *Tabernaemontana malaccensis* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900); Keng, Gard. Bull. Singapore 36(1): 116 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 145 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990). – *Ervatamia malaccensis* (Hook.f.) King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 452 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 343 (1923). **Native; EN** (assessed here).

Urceola brachysepala Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Ridley, Fl. Malay Penins. 2: 357 (1923); Keng, Gard. Bull. Singapore 36(1): 116 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 146 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 130 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 396 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 106, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 190 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 252, 296 (2013); Middleton & Rodda, Fl. Singapore 13: 526, fig. 39, 40A (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Urceola maingayi* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 9: 658 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 473 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 357 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2209 (1935); Keng, Gard. Bull. Singapore 36(1): 117 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 146 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008). **Native; LC** (Middleton & Rodda, 2019).

Urceola elastica Roxb.: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 50 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 106, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 252, 297 (2013); Middleton & Rodda, Fl. Singapore 13: 528, fig. 40B (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). **Native; CR** (Middleton & Rodda, 2019).

Urceola laevigata (Juss.) D.J.Middleton & Livsh.: Livshultz et al., Taxon 67: 356 (2018); Middleton & Rodda, Fl. Singapore 13: 530 (2019). – *Parameria laevigata* (Juss.) Moldenke: Turner, Gard. Bull. Singapore 47: 128 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 305 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 106, 209 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 165 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 194, 292 (2013); Neo et al., Nat. Singapore 7: 100 (2014). – *Parameria glandulifera* (Wall. ex G.Don) Benth. & Hook.f. ex Kurz: Hooker, Fl. Brit. India 3, fasc. 9: 660 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 478 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 358 (1923); Keng, Gard. Bull. Singapore 36(1): 115 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 145 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng

& Wee (ed.), Singapore Red Data Book: 275 (1994); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 165 (2011). – *Ecdysanthera glandulifera* (Wall.ex G.Don) A.DC.: Miquel, Fl. Ned. Ind. 2, fasc. 3: 452 (1857 ['1856']). **Native; NEx** (Middleton & Rodda, 2019).

Urceola lucida (A.DC.) Benth. & Hook.f. ex Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 475 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 358 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2209 (1935); Keng, Gard. Bull. Singapore 36(1): 116 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 146 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 130 (1997 ['1995']); Middleton, Fl. Males., ser. 1, 18: 401 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 106, 199 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 192 (2011); Middleton & Rodda, Fl. Singapore 13: 531 (2019). – *Urceola reticulata* King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 477 (1908 ['1907']). **Native; NEx** (Middleton & Rodda, 2019).

Urceola polyneura (Hook.f.) D.J.Middleton & Livsh.: Livshultz et al., Taxon 67: 356 (2018); Middleton & Rodda, Fl. Singapore 13: 533 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69, 126 (2019). – *Parameria polyneura* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 479 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 359 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1662 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 36(1): 115 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 145 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 36 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 128 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 308 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 106, 209 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 166 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 195, 292 (2013); Neo et al., Nat. Singapore 7: 100 (2014). **Native; CR** (Middleton & Rodda, 2019).

Urceola torulosa Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 476 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 358 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 36(1): 117 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 146 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner, Gard. Bull. Singapore 47: 130 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 408 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 106, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 196 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 253, 297 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Middleton & Rodda, Fl. Singapore 13: 534, fig. 40C (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Urceola malaccensis* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 475 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 357 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2209 (1935); Keng, Gard. Bull. Singapore

36(1): 117 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 146 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994). – *Echites moniliferus* Wall., nom. nud.: Don, Gen. Hist. 4: 75 (1837–1838), as ‘*monilifera*’. **Native; LC** (Middleton & Rodda, 2019).

Vincetoxicum flexuosum (R.Br.) Kuntze: Middleton & Rodda, Fl. Singapore 13: 607 (2019).

Vincetoxicum flexuosum (R.Br.) Kuntze var. **tenuis** (Blume) Schneidt et al.: Middleton & Rodda, Fl. Singapore 13: 608, fig. 68, 69 (2019); Rodda & Middleton, Gard. Bull. Singapore 71: 79 (2019). – *Tylophora flexuosa* auct. non R.Br.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 106, 231 (2009); Hung et al., Nat. Singapore 10: 35 (2017). – *Tylophora tenuissima* (Roxb. ex Willd.) Wight & Arn.: Huber, Revis. Handb. Fl. Ceylon 4: 96 (1983); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994). – *Tylophora tenuis* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 552 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 391 (1923); Keng, Gard. Bull. Singapore 36(1): 121 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149, fig. 123.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990). **Native; LC** (Middleton & Rodda, 2019).

Vincetoxicum globiferum (Hook.f.) Kuntze: Middleton & Rodda, Fl. Singapore 13: 612, fig. 70 (2019). – *Tylophora indica* auct. non (Burm.f.) Merr.: Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 106, 213 (2009). – *Tylophora squarrosa* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 61: 30 (1912); Ridley, Fl. Malay Penins. 2: 392 (1923); Keng, Gard. Bull. Singapore 36(1): 121 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 106, 199 (2009). – *Tylophora asthmatica* auct. non (L.f.) Wight & Arn.: Ridley, Fl. Malay Penins. 2: 392 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2194 (1935); Keng, Gard. Bull. Singapore 36(1): 120 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 149 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990). **Native; CR** (Middleton & Rodda, 2019).

Willughbeia angustifolia (Miq.) Markgr.: Markgraf, Blumea 20(2): 414 (1973 ['1972']); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 130 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 423 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 106, 199 (2009); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 104 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 261, 297 (2013); Middleton & Rodda, Fl. Singapore 13: 481 (2019). – *Urnularia rufescens* (Dyer ex Hook.f.) Pichon: Markgraf, Blumea 20(2): 409 (1973 ['1972']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994). – *Willughbeia apiculata* Miq.: Keng, Gard. Bull. Singapore 36(1): 117 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 146 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990). – *Willughbeia flavesrens* Dyer ex Hook.f. var. *rufescens* (Dyer ex Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 2: 325 (1923). – *Willughbeia rufescens*

Dyer ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 89 (1901); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 398 (1908 ['1907']). – *Willughbeia* aff. *flavescens* Dyer ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900). **Native; NEx** (Middleton & Rodda, 2019).

Willughbeia coriacea Wall.: Don, Gen. Hist. 4: 102 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 3: 391 (1857 ['1856']); Hooker, Fl. Brit. India 3, fasc. 9: 623 (1882), as ‘*Willoughbeia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 393 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 323 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2260 (1935); Markgraf, Blumea 20(2): 412 (1973 ['1972']); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 36(1): 117 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 146 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Middleton, Fl. Males., ser. 1, 18: 425 (2007); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 105 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 261, 297 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 59 (2018); Middleton & Rodda, Fl. Singapore 13: 482, fig. 21, 22 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69, 118 (2019). – *Willughbeia firma* Blume: Hooker, Fl. Brit. India 3, fasc. 9: 624 (1882), as ‘*Willoughbeia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 394 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 323 (1923). **Native; LC** (Middleton & Rodda, 2019).

Willughbeia edulis Roxb.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner, Gard. Bull. Singapore 47: 130 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 292 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 78, 776 (2006); Middleton, Fl. Males., ser. 1, 18: 426 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 106, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 107 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 261, 298 (2013); Middleton & Rodda, Fl. Singapore 13: 486, fig. 23 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Willughbeia dulcis* Ridl.: Markgraf, Blumea 20(2): 414 (1973 ['1972']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994). **Native; CR** (Middleton & Rodda, 2019).

Willughbeia flavescens Dyer ex Hook.f.: Hooker, Fl. Brit. India 3, fasc. 9: 625 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 397 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 325 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2262 (1935); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner, Gard. Bull. Singapore 47: 130 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 429 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 106, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 110 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 262, 298 (2013); Middleton & Rodda, Fl. Singapore 13: 488 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). – *Willughbeia grandiflora* auct. non Dyer ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 109 (1900); Markgraf, Blumea 20(2): 411 (1973 ['1972']), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look

Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 131 (1997 ['1995']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 106, 199 (2009). – *Urnularia flavescentia* (Dyer ex Hook.f.) Stapf: Markgraf, Blumea 20(2): 409 (1973 ['1972']); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Ng & Wee (ed.), Singapore Red Data Book: 275 (1994); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']). **Native; CR** (Middleton & Rodda, 2019).

Willughbeia tenuiflora Dyer ex Hook.f.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 109 (1900); Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(2): 396 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 325 (1923); Markgraf, Blumea 20(2): 413 (1973 ['1972']); Keng, Gard. Bull. Singapore 36(1): 117 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 146 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 131 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 435 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 106, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 112 (2011); Middleton & Rodda, Fl. Singapore 13: 490, fig. 24 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 69 (2019). **Native; CR** (Middleton & Rodda, 2019).

Wrightia laevis Hook.f.: Ngan, Ann. Missouri Bot. Gard. 52: 136 (1965); Whitmore, Tree Fl. Malaya 2: 24 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Middleton, Fl. Males., ser. 1, 18: 440 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 106, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 11 (2011); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 201 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 262, 298 (2013); Middleton & Rodda, Fl. Singapore 13: 535, fig. 41, 42 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019). – *Wrightia laevis* Hook.f. subsp. *laevis*: Turner, Gard. Bull. Singapore 47: 131 (1997 ['1995']). **Native; CR** (Middleton & Rodda, 2019).

Aquifoliaceae

Ilex cymosa Blume: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 64: 136 (1895); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 62 (1900); Ridley, Fl. Malay Penins. 1: 442 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 35(1): 83 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 114, fig. 94.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 37 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Andrews, Sandakania 11: 17, 22 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 292 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 389 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 106, 228 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 146, 299 (2013); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 273

(2013); Neo et al., Nat. Singapore 7: 100 (2014); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70, 126 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 175, 310 (2020). – *Ilex singapuriana* Wall., nom. nud.: Wallich, Numer. List no. 6526 (1832). **Native; LC** (Wong et al., 2013).

Ilex macrophylla Wall. ex Hook.f., nom. illeg. hom.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 136 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ridley, Fl. Malay Penins. 1: 442 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 329 (1952); Corner, Gard. Bull. Singapore, Suppl. 1: 72 (1978); Keng, Gard. Bull. Singapore 35(1): 83 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 114 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Andrews, Sandakania 11: 17 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Andrews, Tree Fl. Sabah & Sarawak 4: 17 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011). – *Ilex latifolia* auct. non Thunb.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 106, 221 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019). **Native; CR** (assessed here).

Ilex maingayi Hook.f.: Ridley, Fl. Malay Penins. 1: 440 (1922); Keng, Gard. Bull. Singapore 35(1): 83 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 114 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Andrews, Sandakania 11: 17 (1998); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 107, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019). **Native; CR** (assessed here).

Ilex nervulosa (Loes.) S.Andrews: Andrews, Sandakania 11: 14 (1998); Andrews, Tree Fl. Sabah & Sarawak 4: 19, fig. 2 (2002). – *Ilex venulosa* auct. non Hook.f.: Ridley, Fl. Malay Penins. 1: 442 (1922). – *Ilex venulosa* Hook.f. var. *nervulosa* Loes.: Loesener, Monogr. Aquifol. 1: 90 (1901). **Native; NEx** (assessed here).

Araceae

Aglaonema commutatum Schott: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 107, 262 (2009); Lok et al., Cosmos 6: 74 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 62 (2014). **Non-native, casual** (Chong et al., 2009).

Aglaonema griffithii Schott: Ridley, Fl. Malay Penins. 5: 100 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990). – *Aglaodorum griffithii* (Schott) Schott: Nicolson, Smithsonian Contr. Bot. 1: 61 (1969); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 504 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 37 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 107, 187 (2009). **Native; NEx** (Chong et al., 2009).

Aglaonema nebulosum N.E.Br.: Nicolson, Smithsonian Contr. Bot. 1: 31 (1969); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 37, fig. 75 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 107, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 14, 299 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 122, 382 (2020). – *Aglaonema pictum* auct. non (Roxb.) Kunth: Ridley, Fl. Malay Penins. 5: 102 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990). – *Aglaonema minus* Hook.f.: Hooker, Fl. Brit. India 6, fasc. 19: 530 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 21 (1907). **Native; EN** (assessed here).

Aglaonema nitidum (Jack) Kunth: Nicolson, Smithsonian Contr. Bot. 1: 34 (1969); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']), as '*nitidum*'; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 37, fig. 76 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 112, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 107, 219 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70, 118 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 122, 382 (2020). – *Aglaonema oblongifolium* Schott: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 20 (1907); Ridley, Fl. Malay Penins. 5: 100 (1925). **Native; VU** (Chong et al., 2009).

Aglaonema simplex Blume: Nicolson, Smithsonian Contr. Bot. 1: 39 (1969); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 37 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 107, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 14, 299 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 123, 382 (2020). – *Aglaonema angustifolium* N.E.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900), as '*nitidum* N.E.Br.'; Ridley, Mat. Fl. Malay. Penins. 3: 20 (1907); Ridley, Fl. Malay Penins. 5: 101 (1925); Henderson, Malay. Wild Fls, Monocot.: 228 (1954); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990). – *Aglaonema schottianum* Miq.: Ridley, Mat. Fl. Malay. Penins. 3: 20 (1907); Ridley, Fl. Malay Penins. 5: 101 (1925). **Native; VU** (assessed here).

Alocasia longiloba Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 107, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 18, 300 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 265, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 126, 382 (2020). – *Alocasia denudata* Engl.: Hooker, Fl. Brit. India 6, fasc. 19: 525 (1893);

Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 17 (1907); Ridley, Fl. Malay Penins. 5: 97 (1925); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 38 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 57 (2004 ['2003']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011). – *Alocasia denudata* Engl. var. *elongata* Engl.. Turner, Gard. Bull. Singapore 47: 504 (1997 ['1995']). **Native; LC** (Wong et al., 2013).

***Alocasia macrorrhizos* (L.) G.Don:** Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900), as '*macrorrhiza*'; Ridley, Fl. Malay Penins. 5: 99 (1925), as '*macrorrhiza*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990), as '*macrorrhiza*'; Hay & Wise, Blumea 35(2): 532 (1991); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 38, fig. 77 (1998); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 107, 264 (2009); Lok et al., Cosmos 6: 67 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 100 (2014). – *Alocasia indica* (Lour.) Spach; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900). **Non-native, naturalised** (Chong et al., 2009).

***Amorphophallus prainii* Hook.f.:** Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 13 (1907), as '*minor*' (printing error); Ridley, Fl. Malay Penins. 5: 94 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 38 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 39 (1998); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 123, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 107, 200 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 135, 382 (2020). **Native; NEx** (assessed here).

***Amydrium medium* (Zoll. & Moritzi) Nicolson:** Nicolson, Blumea 16(2): 124 (1968); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 39, fig. 79 (1998); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 107, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019). – *Epipremnopsis media* (Zoll. & Moritzi) Engl.: Ridley, Fl. Malay Penins. 5: 120 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990). – *Raphidophora huegelii* Schott: Ridley, Mat. Fl. Malay. Penins. 3: 45 (1907), as '*huegeliana*'. – *Anadendrum medium* (Zoll. & Moritzi) Schott: Hooker, Fl. Brit. India 6, fasc. 19: 540 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900), p.p. **Native; EN** (Chong et al., 2009).

***Anadendrum montanum* (Blume) Schott:** Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 36 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 115 (1925), p.p.; Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 39 (1993), p.p.; Turner & Tan in Wee & Ng

(ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 39, fig. 80 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011). – *Anadendrum microstachyum* auct. non (de Vriese & Miq.) Backer & Alderw.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 39 (1998), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 21, 301 (2013), p.p.; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019). – *Anadendrum montanum* (Blume) Schott var. *montanum*: Turner, Gard. Bull. Singapore 47: 506 (1997 ['1995']). **Native; VU** (assessed here).

Colocasia esculenta (L.) Schott: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 40, fig. 82 (1998); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 186, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 107, 262 (2009); Lok et al., Cosmos 6: 74 (2010); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Yee et al., Fl. Singapore 1: 56 (2019). – *Colocasia antiquorum* Schott: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Fl. Malay Penins. 5: 96 (1925). **Non-native, casual** (Chong et al., 2009).

Cryptocoryne ciliata (Roxb.) Fisch. ex Schott: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 4 (1907); Ridley, Fl. Malay Penins. 5: 86 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 40, fig. 83 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 107, 190 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 309, 806 [2015]. **Native; NEx** (assessed here).

Cryptocoryne griffithii Schott: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 5 (1907); Ridley, Fl. Malay Penins. 5: 87 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 28, 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 40 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 107, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 301 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70, 118 (2019). **Native; CR** (Wong et al., 2013).

Cryptocoryne × timahensis Bastm.: Kiew & Bastmeijer, Gard. Bull. Singapore 53: 11 (2001); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019). **Native hybrid** (Kiew & Bastmeijer, 2001).

Cyrtosperma merkusii (Hassk.) Schott: Hay, Blumea 33: 430 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Turner, Gard.

Bull. Singapore 47: 507 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 41, fig. 84 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 107, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 72, 301 (2013); Yee et al., Fl. Singapore 1: 60 (2019). – *Cyrtosperma lasioides* Griff.: Hooker, Fl. Brit. India 6, fasc. 19: 551 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 47 (1907); Ridley, Fl. Malay Penins. 5: 127 (1925). **Native; VU** (Wong et al., 2013).

Dieffenbachia seguine (Jacq.) Schott: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 41, fig. 85 (1998). – *Dieffenbachia seguine* (Jacq.) Schott var. *seguine*: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 107, 263 (2009); Lok et al., Cosmos 6: 74 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70, 126 (2019). **Non-native, casual** (Chong et al., 2009).

Epipremnum aureum (Linden ex André) G.S.Bunting: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 107, 263 (2009); Lok et al., Cosmos 6: 74 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70, 126 (2019). – *Scindapsus aureus* (Linden ex André) Engl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 44, fig. 94 (1998). **Non-native, casual** (Chong et al., 2009).

Epipremnum giganteum (Roxb.) Schott: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900); Ridley, Fl. Malay Penins. 5: 119 (1925); Henderson, Malay. Wild Fls, Monocot.: 236 (1954); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 41, fig. 86 (1998); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 107, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 104, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 33, 382 (2020). – *Raphidophora gigantea* (Roxb.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 3: 44 (1907), as '*giganteum*'. **Native; LC** (Chong et al., 2009).

Epipremnum pinnatum (L.) Engl.: Nicolson, Revis. Handb. Fl. Ceylon 6: 32 (1988); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 41 (1998); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 107, 205 (2009); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 104, 806 [2015]; Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70, 118 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 33, 382 (2020). – *Epipremnum mirabile* Schott: Ridley, Fl. Malay Penins. 5: 119 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990), as '*mirabile*'. – *Raphidophora caudata* (Roxb.) Schott: Ridley, Mat. Fl. Malay. Penins. 3: 46 (1907). **Non-native, naturalised** (assessed here).

Homalomena coerulescens Jungh. ex Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 24 (1907); Ridley, Fl. Malay Penins. 5: 104 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1185 (1935). – *Homalomena pendula* auct. non (Blume) Bakh.f.: Hotta, Diversity & Dynamics Pl. Life Sumatra: 96 (in Appendix) (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 509 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 42 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 107, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019). **Native; NEx** (assessed here).

Homalomena griffithii (Schott) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 26 (1907); Ridley, Fl. Malay Penins. 5: 106 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 42, fig. 87 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 107, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 142, 302 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 248, 382 (2020). – *Homalomena deltoidea* Hook.f.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 142, 302 (2013). – *Homalomena griffithii* (Schott) Hook.f. var. *ovata* (Schott) Ridl.: Ridley, Fl. Malay Penins. 5: 107 (1925). – *Homalomena kingii* Hook.f.: Hooker, Fl. Brit. India 6, fasc. 19: 535 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900). – *Homalomena ovata* (Schott) Hook.f., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900). **Native; CR** (assessed here).

Homalomena humilis (Jack) Hook.f.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 42, fig. 88 (1998); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 107, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 142, 302 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 248, 382 (2020). – *Homalomena pygmaea* (Hassk.) Engl.: Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 12 (2011). – *Homalomena humilis* (Jack) Hook.f. var. *pumila* (Hook.f.) Furtado: Hotta, Diversity & Dynamics Pl. Life Sumatra: 88 (in Appendix) (1986); Turner, Gard. Bull. Singapore 45: 39 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008). – *Homalomena purpurascens* (Schott) Hook.f.: Ridley, Fl. Malay Penins. 5: 105 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1186 (1935); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 42 (1998). – *Homalomena purpurascens* (Schott) Hook.f. var. *pumila* (Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 5: 105 (1925). – *Homalomena pumila* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 26 (1907). – *Homalomena pumila* Hook.f. var. *purpurascens* (Schott) Ridl.: Ridley, Mat. Fl. Malay. Penins. 3: 26 (1907). **Native; CR** (assessed here).

Homalomena pontederiifolia Griff. ex Hook.f.: Turner, Gard. Bull. Singapore 47: 509 (1997 ['1995']). – *Homalomena coerulescens* Jungh. ex Miq. var. *pontederiifolia* (Griff. ex Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 5: 104 (1925), as ‘*pontederiaefolia*’. **Native; NE**.

Homalomena rostrata Griff.: Hotta, Diversity & Dynamics Pl. Life Sumatra: 100 (in Appendix) (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 42 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 107, 216 (2009); Wong et al., Gard. Bull. Singapore 62(2): 318 (2011); Mansor et al., Araceae Penins. Malaysia: 90 (2011). – *Homalomena sagittifolia* Jungh. ex Schott: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900), as ‘*sagittifolia*’; Ridley, Mat. Fl. Malay. Penins. 3: 23 (1907), as ‘*sagittifolia*’; Ridley, Fl. Malay Penins. 5: 103 (1925), as ‘*sagittifolia*’; Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1186 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 [‘1994’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 42 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 107, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 70 (2019). – *Homalomena paludosa* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 24 (1907); Ridley, Fl. Malay Penins. 5: 104 (1925); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 [‘1997’]). – *Homalomena sagittifolia* Jungh. ex Schott var. *sagittifolia*: Turner, Gard. Bull. Singapore 47: 510 (1997 [‘1995’]). **Native; NEx** (assessed here).

Lasia spinosa (L.) Thwaites: Hay, Blumea 33: 459 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 510 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 42, fig. 89 (1998); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 162 (2004 [‘2003’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 107, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 154, 302 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71, 126 (2019); Yee et al., Fl. Singapore 1: 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 131, 317 (2020). – *Lasia aculeata* Lour.: Ridley, Mat. Fl. Malay. Penins. 3: 46 (1907); Ridley, Fl. Malay Penins. 5: 125 (1925). – *Lasia heterophylla* (Roxb.) Schott: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900). **Native; VU** (Wong et al., 2013).

Lemma aequinoctialis Welw.: Landolt, Veröff. Geobot. Inst. ETH Stiftung Rübel Zürich 71: 303 (1986). – *Lemma perpusilla* auct. non Torr.: Van der Plas, Fl. Males., ser. 1, 7(1): 230 (1972 [‘1971’]); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 47, fig. 100 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 107, 266 (2009); Lok et al., Cosmos 6: 67 (2010). – *Lemma paucicostata* Hegelm. ex Engelm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 52 (1907); Ridley, Fl. Malay Penins. 5: 132 (1925). **Non-native, naturalised** (Chong et al., 2009).

Lemma tenera Kurz: Ridley, Mat. Fl. Malay. Penins. 3: 52 (1907); Ridley, Fl. Malay Penins. 5: 132 (1925); Van der Plas, Fl. Males., ser. 1, 7(1): 235 (1972 [‘1971’]); Landolt, Veröff. Geobot. Inst. ETH Stiftung Rübel Zürich 71: 320 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner, Gard. Bull. Singapore 47: 556 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.:

47 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 107, 228 (2009). – *Lemna* aff. *trisulca* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900). **Native; NEx** (assessed here).

Monstera deliciosa Liebm.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 42, fig. 90 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 107, 263 (2009); Lok et al., Cosmos 6: 74 (2010). **Non-native, casual** (Chong et al., 2009).

Philodendron hederaceum (Jacq.) Schott: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 108, 263 (2009); Lok et al., Cosmos 6: 74 (2010); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 7: 62 (2014). **Non-native, casual** (Chong et al., 2009).

Pistia stratiotes L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 3 (1907); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 43, fig. 91 (1998); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 108, 267 (2009); Lok et al., Cosmos 6: 67 (2010). **Non-native, naturalised** (Chong et al., 2009).

Pothos venustus (Wall. ex C.DC.) A.Hay & P.C.Boyce: Hay & Boyce, Aroideana 45(1): 264 (2022). – *Pothos latifolius* Hook.f., nom. illeg. hom.: Ridley, Mat. Fl. Malay. Penins. 3: 49 (1907); Ridley, Fl. Malay Penins. 5: 129 (1925); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978), as ‘*latifolia*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 43 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 108, 223 (2009), as ‘*lancifolius*’. – *Pothos peninsularis* Alderw.: Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']). – *Pothos curtisii* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900). – *Pothos scandens* auct. non L.: Hooker, Fl. Brit. India 6, fasc. 19: 551 (1893), p.p. – *Piper venustum* Wall. ex C.DC.: De Candolle, Prodr. 16(1): 378 (1869); Hooker, Fl. Brit. India 5, fasc. 13: 96 (1886). – *Piper venustum* Wall., nom. nud.: Wallich, Numer. List no. 6666 (1832). **Native; CR** (assessed here).

Rhaphidophora burkilliana Ridl.: P. Boyce, pers. comm. – *Rhaphidophora montana* auct. non (Blume) Schott: Boyce, Gard. Bull. Singapore 51: 233 (1999), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 108, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 217, 303 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019). – *Rhaphidophora sylvestris* auct. non (Blume) Engl.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 108, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019). – *Rhaphidophora sylvestris* (Blume) Engl. var. *montana* auct. non (Blume) Nicolson, ined.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990), as ‘*Raphidophora*’; Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008). – *Rhaphidophora maingayi* auct. non Hook.f.: Ridley, Mat. Fl. Malay. Penins. 3: 43 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 123 (1925), p.p.; Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994), as ‘*Raphidophora*’; Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 512 (1997 ['1995']), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 44 (1998), as ‘*Raphidophora*’. **Native; CR** (assessed here).

Raphidophora korthalsii Schott: Ridley, Mat. Fl. Malay. Penins. 3: 45 (1907); Ridley, Fl. Malay Penins. 5: 124 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990), as ‘*Raphidophora*’; Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994), as ‘*Raphidophora*’; Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 [‘1994’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 43, fig. 92 (1998), as ‘*Raphidophora*’; Turner et al., Gard. Bull. Singapore 48: 141 (1998 [‘1996’]); Boyce, Gard. Bull. Singapore 51: 217 (1999); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 108, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 216, 302 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 77, 382 (2020). – *Pothos bifarius* Wall., nom. nud.: Wallich, Numer. List no. 4445 (1831); Hooker, Fl. Brit. India 6, fasc. 19: 555 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900), p.p., as ‘*bifaria*’. – *Pothos celatocaulis* N.E.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900), p.p., as ‘*celaticaulis*’. **Native; VU** (Wong et al., 2013).

Raphidophora lobbii Schott: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 41 (1907); Ridley, Fl. Malay Penins. 5: 122 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990), as ‘*Raphidophora*’; Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994), as ‘*Raphidophora*’; Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 512 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 44 (1998), as ‘*Raphidophora*’; Boyce, Gard. Bull. Singapore 51: 186, 223 (1999); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 108, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 217, 303 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019). **Native; VU** (Wong et al., 2013).

Raphidophora maingayi Hook.f.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990), as ‘*Raphidophora*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 108, 223 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 217, 303 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71, 118 (2019). **Native; EN** (assessed here).

Raphidophora minor Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 41 (1907); Ridley, Fl. Malay Penins. 5: 121 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990), as ‘*Raphidophora*’; Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994), as ‘*Raphidophora*’; Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 512 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 44 (1998), as ‘*Raphidophora*’; Boyce, Gard. Bull. Singapore 51: 230 (1999); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 108, 223 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 217, 303 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71, 126 (2019). **Native; VU** (Wong et al., 2013).

Raphidophora sylvestris (Blume) Engl.: Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 [‘1997’]); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 217, 303 (2013). **Native; CR** (Wong et al., 2013).

Schismatoglottis lowiae S.Y.Wong & P.C.Boyce: Wong & Boyce, Aroideana 40(1): 31, fig. 1–3 (2017). — *Schismatoglottis wallichii* auct. non Hook.f.: Hooker, Fl. Brit. India 6, fasc. 19: 537 (1893), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 33 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 112 (1925), p.p.; Burkill, Dict. Econ. Prod. Malay Penins. 2: 1975 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 44, fig. 93 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 405, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 108, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 225, 305 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 321, 382 (2020). **Native; VU** (Wong et al., 2013).

Schismatoglottis pantiensis S.Y.Wong et al.: Wong et al., Webbia 76(2): 255 (2021). — *Schismatoglottis calyprata* auct. non (Roxb.) Zoll. & Moritzi: Ridley, Mat. Fl. Malay. Penins. 3: 31 (1907); Ridley, Fl. Malay Penins. 5: 111 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1974 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 44 (1998); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 108, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 224, 304 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019). — *Schismatoglottis calyprata* (Roxb.) Zoll. & Moritzi var. *picta* (Schott) Hallier f.: Ridley, Mat. Fl. Malay. Penins. 3: 31 (1907); Ridley, Fl. Malay Penins. 5: 111 (1925). — *Schismatoglottis longipes* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900). **Native; VU** (Wong et al., 2013).

Scindapsus hederaceus Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900), as ‘*hederacea*’; Ridley, Mat. Fl. Malay. Penins. 3: 38 (1907), as ‘*hederacea*’; Ridley, Fl. Malay Penins. 5: 117 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 44, fig. 95 (1998); Turner et al., Gard. Bull. Singapore 48: 141 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 108, 230 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 225, 305 (2013); Neo et al., Nat. Singapore 7: 100 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71, 118 (2019). **Native; LC** (Wong et al., 2013).

Scindapsus lucens Bogner & P.C.Boyce: Ho et al., Gard. Bull. Singapore 70: 34 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71, 118 (2019); Lim et al., Fl. Singapore 1: 89 (2019). **Native; CR** (Ho et al., 2018).

Scindapsus pictus Hassk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 37 (1907), as ‘*picta*’; Ridley, Fl. Malay Penins. 5: 117 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 40 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 45 (1998); Chew et al., Gard. Bull. Singapore 49(2):

173 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 108, 230 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 137, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71, 118 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 77, 382 (2020). **Native; EN** (assessed here).

Spirodela polyrhiza (L.) Schleid.: Van der Plas, Fl. Males., ser. 1, 7(1): 224 (1972 ['1971']); Landolt, Veröff. Geobot. Inst. ETH Stiftung Rübel Zürich 71: 243 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 47, fig. 101 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 108, 273 (2009); Lok et al., Cosmos 6: 78 (2010). – *Lemna polyrhiza* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 53 (1907), as ‘*polyrrhiza*’; Ridley, Fl. Malay Penins. 5: 132 (1925), as ‘*polyrrhiza*’. **Cryptogenic** (Chong et al., 2009).

Syngonium angustatum Schott: P. Boyce, pers. comm. – *Syngonium podophyllum* Schott: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2117 (1935); Turner et al., Gard. Bull. Singapore 46(2): 11 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 108, 269 (2009); Lok et al., Cosmos 6: 67 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 100 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71, 126 (2019). – *Syngonium podophyllum* Schott var. *podophyllum*: Chong et al., Nat. Singapore 3: 1 (2010). – *Syngonium auritum* auct. non (L.) Schott: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2117 (1935); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 45 (1998). **Non-native, naturalised** (Neo et al., 2014).

Typhonium flagelliforme (Roxb. ex G.Lodd.) Blume: Nicolson & Sivadasan, Blumea 27: 489 (1981); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 513 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 45, fig. 96 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 108, 273 (2009); Lok et al., Cosmos 6: 78 (2010). – *Typhonium cuspidatum* (Blume) Decne.: Ridley, Mat. Fl. Malay. Penins. 3: 11 (1907); Ridley, Fl. Malay Penins. 5: 91 (1925). **Cryptogenic** (Chong et al., 2009).

Typhonium roxburghii Schott: Hooker, Fl. Brit. India 6, fasc. 19: 510 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 10 (1907); Ridley, Fl. Malay Penins. 5: 90 (1925); Nicolson & Sivadasan, Blumea 27: 492 (1981); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 513 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 45 (1998); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 108, 273 (2009); Lok et al., Cosmos 6: 78 (2010). **Cryptogenic** (Chong et al., 2009).

Typhonium trilobatum (L.) Schott: Nicolson & Sivadasan, Blumea 27: 488 (1981); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Turner, Gard. Bull. Singapore 47: 514 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 45, fig. 97 (1998); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 108, 269 (2009); Lok et al., Cosmos 6: 67 (2010); Neo et al., Nat. Singapore 6: 13 (2013). **Non-native, naturalised** (Chong et al., 2009).

Wolffia angusta Landolt: Landolt, Veröff. Geobot. Inst. ETH Stiftung Rübel Zürich 71: 365 (1986). **Native; NE.**

Wolffia globosa (Roxb.) Hartog & Plas: Van der Plas, Fl. Males., ser. 1, 7(1): 236 (1972 ['1971']); Landolt, Veröff. Geobot. Inst. ETH Stiftung Rübel Zürich 71: 377 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner, Gard. Bull. Singapore 47: 557 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 48, fig. 102 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 108, 273 (2009); Lok et al., Cosmos 6: 78 (2010). – *Wolffia arrhiza* auct. non (L.) Horkel ex Wimm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900), as 'arrhiza'; Ridley, Mat. Fl. Malay. Penins. 3: 53 (1907); Ridley, Fl. Malay Penins. 5: 132 (1925), as 'arrhiza'. **Cryptogenic** (Chong et al., 2009).

Araliaceae

Arthrophyllum jackianum (G.Don) Frodin: Frodin, World Checkl. & Bibliogr. Araliaceae: 85 (2004). – *Polyscias diversifolia* auct. non (Blume) Lowry & G.M.Plunkett: Lowry & Plunkett, Pl. Diversity Evol. 128(1-2): 69 (2010), p.p.; Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019). – *Arthrophyllum diversifolium* auct. non Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 59 (1898), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900); Philipson, Fl. Males., ser. 1, 9(1): 60 (1979), p.p.; Keng, Gard. Bull. Singapore 35(1): 101 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 131, fig. 109.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 302 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 518, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 108, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 29, 305 (2013); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 100 (2014). – *Arthrophyllum ovatifolium* Jungh. & de Vriese: Ridley, Fl. Malay Penins. 1: 885 (1922), as 'ovalifolium'; Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978), as 'ovalifolium'. – *Hedera jackiana* G.Don: Don, Gen. Hist. 3: 394 (1834). – *Panax jackianus* Wall., nom. nud.: Wallich, Numer. List no. 4931 (1831–1832), as 'jackianum'. **Native; LC** (Wong et al., 2013).

Centella asiatica (L.) Urb.: Buwalda, Fl. Males., ser. 1, 4(2): 117 (1949); Keng, Gard. Bull. Singapore 35(1): 103 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 132, fig. 110.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 222 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 104, 226 (2009); Neo et al., Nat. Singapore 6: 78 (2013); Hung et al., Nat. Singapore 10: 44 (2017). – *Hydrocotyle asiatica* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900); Ridley, Fl. Malay Penins. 1: 869 (1922); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 283, 776 (2006). **Native; LC** (Chong et al., 2009).

Eleutherococcus trifoliatus (L.) S.Y.Hu: Neo et al., Nat. Singapore 7: 62 (2014). **Non-native, casual** (Neo et al., 2014).

Heptapleurum actinophyllum (Endl.) Lowry & G.M.Plunkett: Lowry & Plunkett, Novon 28: 146 (2020). – *Schefflera actinophylla* (Endl.) Harms: Frodin in Stone, Tree Fl. Malaya 3: 31 (1978); Keng, Gard. Bull. Singapore 35(1): 102 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 131 (1990); Turner, Gard. Bull. Singapore 47: 134 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 108, 263 (2009); Lok et al., Cosmos 6: 74 (2010). – *Brassaia singaporenensis* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 38 (1917); Ridley, Fl. Malay Penins. 1: 883 (1922). – *Brassaia actinophylla* Endl.: Ridley, Fl. Malay Penins. 1: 883 (1922). **Non-native, casual** (Chong et al., 2009).

Heptapleurum cephalotes C.B.Clarke: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 49 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900); Lowry & Plunkett, Novon 28: 149 (2020). – *Schefflera cephalotes* (C.B.Clarke) Harms: Ridley, Fl. Malay Penins. 1: 875 (1922); Frodin in Stone, Tree Fl. Malaya 3: 31 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 35(1): 102 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 131 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 134 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 108, 197 (2009). **Native; NEx** (Chong et al., 2009).

Heptapleurum ellipticum (Blume) Seem.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 53 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900); Lowry & Plunkett, Novon 28: 151 (2020). – *Schefflera elliptica* (Blume) Harms: Frodin in Stone, Tree Fl. Malaya 3: 29 (1978); Keng, Gard. Bull. Singapore 35(1): 102 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 131 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 134 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 109, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019). – *Schefflera micrantha* (Miq.) Ridl., nom. illeg. hom.: Ridley, Fl. Malay Penins. 1: 881 (1922). **Native; VU** (Chong et al., 2009).

Heptapleurum hullettii King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 54 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900); Lowry & Plunkett, Novon 28: 155 (2020). – *Schefflera hullettii* (King) R.Vig.: Ridley, Fl. Malay Penins. 1: 877 (1922); Frodin in Stone, Tree Fl. Malaya 3: 32 (1978); Keng, Gard. Bull. Singapore 35(1): 102 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 131, fig. 109.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 134 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 109, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 223, 305 (2013). **Native; CR** (Wong et al., 2013).

Heptapleurum lanceolatum (Ridl.) Lowry & G.M.Plunkett: Lowry & Plunkett, Novon 28: 156 (2020). – *Schefflera lanceolata* Ridl.: Ridley, Fl. Malay Penins. 1: 875 (1922); Frodin in Stone, Tree Fl. Malaya 3: 28 (1978); Keng, Gard. Bull. Singapore 35(1): 102 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 131 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 134 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data

Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 109, 197 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019). – *Heptapleurum avene* auct. non (Miq.) Seem.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 47 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900). **Native; NEx** (Chong et al., 2009).

Heptapleurum oxyphyllum (Miq.) Seem.: Lowry & Plunkett, Novon 28: 161 (2020). – *Schefflera oxyphylla* (Miq.) R.Vig.: Keng, Gard. Bull. Singapore 35(1): 102 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 132 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 109, 197 (2009). – *Schefflera subulata* (Miq.) R.Vig.: Ridley, Fl. Malay Penins. 1: 878 (1922). – *Heptapleurum subulatum* (Miq.) Seem.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900). **Native; NEx** (Chong et al., 2009).

Heptapleurum ridleyi King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 54 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900); Lowry & Plunkett, Novon 28: 164 (2020). – *Schefflera ridleyi* (King) R.Vig.: Ridley, Fl. Malay Penins. 1: 879 (1922); Henderson, Malay. Wild Fls, Dicot.: 179 (1959); Frodin in Stone, Tree Fl. Malaya 3: 29 (1978); Keng, Gard. Bull. Singapore 35(1): 102 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 132 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 41 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 109, 197 (2009). – *Schefflera ridleyi* (King) R.Vig. var. *ridleyi*: Turner, Gard. Bull. Singapore 47: 135 (1997 ['1995']). **Native; NEx** (Chong et al., 2009).

Hydrocotyle sibthorpioides Lam.: Buwalda, Fl. Males., ser. 1, 4(2): 115 (1949); Keng, Gard. Bull. Singapore 35(1): 103 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 132, fig. 110.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 222 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner, Gard. Bull. Singapore 47: 491 (1997 ['1995']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 284, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 108, 228 (2009). – *Hydrocotyle rotundifolia* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900); Ridley, Fl. Malay Penins. 1: 870 (1922). **Native; LC** (Chong et al., 2009).

Hydrocotyle verticillata Thunb.: Lim et al., Nat. Singapore 7: 79–91 (2014); Kaw & Neo, Wayside Fls Singapore: 121 (2018). **Non-native, casual** (Lim et al., 2014).

Trevesia burckii Boerl.: Stone, Tree Fl. Malaya 3: 33 (1978); Philipson, Fl. Males., ser. 1, 9(1): 97 (1979); Keng, Gard. Bull. Singapore 35(1): 102 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 132, fig. 109.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 276 (1994); Turner, Gard. Bull. Singapore 47: 136 (1997 ['1995']); Jebb, Glasra n.s. 3: 94 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 109, 213 (2009). – *Trevesia cheirantha* (C.B.Clarke) Kuntze: Ridley, Fl. Malay Penins. 1: 882 (1922). **Native; NEx** (assessed here).

Arecaceae

Adonidia merrillii (Becc.) Becc.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 109, 232 (2009); Merklinger et al., Guide Exotic Palms Singapore: 90 (2017). – *Veitchia merrillii* (Becc.) H.E.Moore: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 36 (1998). **Non-native, casual** (assessed here).

Areca catechu L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 172 (1900); Keng, Gard. Bull. Singapore 40: 127 (1987), as ‘catecu’; Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 [‘1994’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 109, 262 (2009); Lok et al., Cosmos 6: 74 (2010); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 6: 13 (2013); Merklinger et al., Guide Exotic Palms Singapore: 96 (2017). – *Areca macrocarpa* Becc.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 109, 234 (2009). **Non-native, casual** (Chong et al., 2009).

Arenga pinnata (Wurmb) Merr.: Keng, Gard. Bull. Singapore 40: 127 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 109, 234 (2009); Merklinger et al., Guide Exotic Palms Singapore: 103 (2017). – *Arenga westerhoutii* auct. non Griff.: LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 109, 264 (2009); Lok et al., Cosmos 6: 67 (2010). – *Arenga saccharifera* Labill. ex DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900). **Non-native, naturalised** (assessed here).

Calamus crinitus (Blume) Miq.: Henderson, Phytotaxa 445: 130 (2020). – *Daemonorops crinita* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900).

Calamus crinitus (Blume) Miq. subsp. **sabut** (Becc.) A.J.Hend.: Henderson, Phytotaxa 445: 132 (2020). – *Daemonorops sabut* Becc.: Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 109 (1979); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner, Gard. Bull. Singapore 47: 627 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 75, 308 (2013); Loo et al., Guide Native Palms Singapore: 145 (2014); Loo et al., Palms 59: 110, 114 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 497, 806 [2015]. – *Calamus sabut* (Becc.) W.J.Baker: Baker, Phytotaxa 197: 148 (2015). – *Daemonorops pseudomirabilis* Becc. var. *malayanus* Furtado: Furtado, Gard. Bull. Straits Settlem. 8(4): 361 (1935). **Native; CR** (Loo et al., 2014).

Calamus densiflorus Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 196 (1907); Ridley, Fl. Malay Penins. 5: 53 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 398 (1935); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 244 (1979); Keng, Gard. Bull. Singapore 40: 127 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 621 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 109, 189 (2009); Loo et al., Palms 59: 115 (2015); Loo et al., Nat. Singapore 10: 1 (2017); Lim et al., Fl. Singapore 1: 88 (2019); Henderson, Phytotaxa 445: 140 (2020); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 8, 310 (2020). **Native; CR** (Loo et al., 2017).

Calamus diepenhorstii Miq.: Ridley, Fl. Malay Penins. 5: 55 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 246 (1979); Keng, Gard. Bull. Singapore 40: 127 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 621 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 109, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Loo et al., Guide Native Palms Singapore: 109 (2014); Loo et al., Palms 59: 115 (2015); Henderson, Phytotaxa 445: 145 (2020). – *Calamus singaporenensis* Becc.: Beccari & Hooker in Hooker, Fl. Brit. India 6, fasc. 19: 454 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 199 (1907). **Native; EN** (Loo et al., 2014).

Calamus erinaceus (Becc.) Becc.: Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 130 (1979); Keng, Gard. Bull. Singapore 40: 127 (1987), as ‘*erinaceous*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990), as ‘*erinaceous*'; Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994), as ‘*erinaceous*'; Ng & Wee (ed.), Singapore Red Data Book: 302 (1994), as ‘*erinaceous*'; Turner, Gard. Bull. Singapore 47: 621 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Lee et al., Gard. Bull. Singapore 55: 290 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 109, 220 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Loo et al., Guide Native Palms Singapore: 112 (2014); Loo et al., Palms 59: 111, 117 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 490, 806 [2015]; Henderson, Phytotaxa 445: 159 (2020); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 9, 310 (2020). – *Calamus aquatilis* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 41: 43 (1904); Ridley, Mat. Fl. Malay. Penins. 2: 210 (1907); Ridley, Fl. Malay Penins. 5: 63 (1925).

Calamus erinaceus (Becc.) Becc. subsp. **erinaceus**: Henderson, Phytotaxa 445: 160 (2020). **Native; VU** (assessed here).

Calamus gracilipes Miq.: Henderson, Phytotaxa 445: 186 (2020). – *Daemonorops didymophylla* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900), as ‘*didymophyllus*'; Ridley, Mat. Fl. Malay. Penins. 2: 180 (1907), as ‘*didymophyllus*'; Ridley, Fl. Malay Penins. 5: 41 (1925), as ‘*didymophyllus*'; Burkill, Dict. Econ. Prod. Malay Penins. 1: 750 (1935), as ‘*Daemonorhops didymophyllus*'; Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 90 (1979); Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 626 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 74, 306 (2013); Loo et al., Guide Native Palms Singapore: 130 (2014); Loo et al., Palms 59: 114, fig. 8B (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Calamus didymophyllus* (Becc.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 30: 221 (1897). **Native; VU** (Loo et al., 2014).

Calamus hirsutus (Blume) Miq.: Miquel, Verh. Kon. Akad. Wetensch., Afd. Natuurk. 11(5): 28 (1868); Henderson, Phytotaxa 445: 200 (2020). – *Daemonorops hirsuta* Blume: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 74,

307 (2013); Loo et al., Guide Native Palms Singapore: 136 (2014); Loo et al., Palms 59: 114, fig. 8A (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Daemonorops hystrix* (Griff.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 182 (1907); Ridley, Fl. Malay Penins. 5: 42 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 101 (1979); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011). – *Daemonorops hystrix* (Griff.) Mart. var. *hystrix*: Turner, Gard. Bull. Singapore 47: 626 (1997 ['1995']).

Calamus hirsutus (Blume) Miq. subsp. **hirsutus**: Henderson, Phytotaxa 445: 202 (2020). **Native; VU** (Loo et al., 2014, as *Daemonorops hirsuta*).

Calamus insignis Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 193 (1907); Ridley, Fl. Malay Penins. 5: 51 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 212 (1979); Keng, Gard. Bull. Singapore 40: 127 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 109, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Loo et al., Guide Native Palms Singapore: 115 (2014); Loo et al., Palms 59: 115 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019); Henderson, Phytotaxa 445: 213 (2020). **Native; CR** (Loo et al., 2014).

Calamus javensis Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Fl. Malay Penins. 5: 49 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 198 (1979); Keng, Gard. Bull. Singapore 40: 127 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 622 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30, fig. 66 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 216 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 109, 189 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Loo et al., Guide Native Palms Singapore: 118 (2014); Loo et al., Palms 59: 115, 117 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019); Lim et al., Fl. Singapore 1: 88 (2019); Henderson, Phytotaxa 445: 217 (2020); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 9, 310 (2020). – *Calamus penicillatus* auct. non Roxb.: Ridley, Mat. Fl. Malay. Penins. 2: 191 (1907), as ‘*pencillatus*’. **Native; EN** (assessed here).

Calamus leptopus Griff.: Henderson, Phytotaxa 445: 247 (2020). – *Daemonorops leptopus* (Griff.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 182 (1907); Ridley, Fl. Malay Penins. 5: 42 (1925); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 96 (1979); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard.

Bull. Singapore 46(2): 27 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 626 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 203 (2009); Loo et al., Palms 59: 114 (2015). – *Daemonorops congesta* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 179 (1907); Ridley, Fl. Malay Penins. 5: 40 (1925), as ‘*congestus*’. – *Daemonorops propinquus* auct. non Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900), as ‘*propinquus*’; Ridley, Mat. Fl. Malay. Penins. 2: 181 (1907), as ‘*propinquus*’; Ridley, Fl. Malay Penins. 5: 41 (1925), as ‘*propinquus*’. **Native; CR** (assessed here).

Calamus lobbianus Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 204 (1907); Ridley, Fl. Malay Penins. 5: 59 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 190 (1979); Keng, Gard. Bull. Singapore 40: 127 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 622 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 109, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 43, 306 (2013); Loo et al., Palms 59: 114 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019); Henderson, Phytotaxa 445: 250 (2020). **Native; CR** (Wong et al., 2013).

Calamus longipes Griff.: Henderson, Phytotaxa 445: 253 (2020). – *Daemonorops longipes* (Griff.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 184 (1907); Ridley, Fl. Malay Penins. 5: 44 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 117 (1979); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 626 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 75, 307 (2013); Loo et al., Guide Native Palms Singapore: 139 (2014); Loo et al., Palms 59: 110, 114 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Calamus exilis* auct. non Griff.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 43, 305 (2013). **Native; CR** (assessed here).

Calamus melanochaetes (Blume) Miq.: Henderson, Phytotaxa 445: 273 (2020). – *Daemonorops angustifolia* (Griff.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900), as ‘*angustifolius*’; Ridley, Mat. Fl. Malay. Penins. 2: 174 (1907); Ridley, Fl. Malay Penins. 5: 36 (1925), as ‘*angustifolius*’; Burkhill, Dict. Econ. Prod. Malay Penins. 1: 750 (1935), as ‘*Daemonorops angustifolius*’; Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 78 (1979); Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 626 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']);

Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 73, 306 (2013); Loo et al., Guide Native Palms Singapore: 127 (2014); Loo et al., Palms 59: 114 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72, 118 (2019). – *Daemonorops geniculata* auct. non (Griff.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900), as ‘*geniculatus*’; Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 215 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72, 118 (2019). – *Daemonorops grandis* (Griff.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 177 (1907); Ridley, Fl. Malay Penins. 5: 38 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 751 (1935), as ‘*Daemonorhops*’; Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 80 (1979); Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 626 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 74, 306 (2013); Loo et al., Guide Native Palms Singapore: 133 (2014); Loo et al., Palms 59: 114, fig. 7 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 497, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Daemonorops lewisiana* (Griff.) Mart.: Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 85 (1979); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 626 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Loo et al., Palms 59: 114 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Daemonorops sepal* Becc.: Lee et al., Gard. Bull. Singapore 55: 290 (2003). – *Daemonorops carcharodon* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 178 (1907); Ridley, Fl. Malay Penins. 5: 40 (1925). – *Daemonorops intermedia* (Griff.) Mart. var. *nudinervis* Becc., nom. nud.: Beccari, Rec. Bot. Surv. India 2: 220 (1902), as ‘*intermedius*’. – *Daemonorops hygrophila* (Griff.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900), as ‘*hygrophilus*’. – *Daemonorops intermedia* (Griff.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900), as ‘*intermedius*’ – *Calamus angustifolius* Griff.: Griffith, Calcutta J. Nat. Hist. 5: 69 (1845). – *Calamus grandis* Griff.: Griffith, Calcutta J. Nat. Hist. 5: 84 (1845). – *Calamus lewisiyanus* Griff.: Griffith, Calcutta J. Nat. Hist. 5: 87 (1845). **Native; VU** (Loo et al., 2014).

Calamus micracanthus Griff.: Henderson, Phytotaxa 445: 282 (2020). – *Daemonorops micracantha* (Griff.) Becc.: Ridley, Mat. Fl. Malay. Penins. 2: 180 (1907), as ‘*micracanthus*’; Ridley, Fl. Malay Penins. 5: 41 (1925), as ‘*micracanthus*’; Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 96 (1979); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990), as ‘*micrantha*’; Turner, Gard. Bull. Singapore 45: 183 (1993), as ‘*micrantha*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 627 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 203 (2009); Turner & Chua,

Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Loo et al., Palms 59: 114 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). **Native; CR** (Chong et al., 2009).

Calamus micranthus Blume: Henderson, Phytotaxa 445: 284 (2020). – *Calamus luridus* Becc.: Ridley, Mat. Fl. Malay. Penins. 2: 198 (1907); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 237 (1979); Keng, Gard. Bull. Singapore 40: 128 (1987), as ‘*luridus*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990), as ‘*luridus*’; Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 622 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 110, 189 (2009); Loo et al., Palms 59: 115 (2015). – *Calamus laxiflorus* Becc.: Beccari, Ann. Roy. Bot. Gard. (Calcutta) 11(Appendix): 13 (1913); Ridley, Fl. Malay Penins. 5: 56 (1925). **Native; NEx** (Chong et al., 2009).

Calamus oblongus Reinw. ex Blume: Henderson, Phytotaxa 445: 315 (2020).

Calamus oblongus Reinw. ex Blume subsp. **depressiusculus** (Miq. ex H. Wendl.) A.J. Hend.: Henderson, Phytotaxa 445: 317 (2020). – *Calamus kunstleri* auct. non (Becc.) W.J. Baker: Baker, Phytotaxa 197: 144 (2015), p.p. – *Daemonorops kunstleri* auct. non Becc.: Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 104 (1979), p.p.; Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 626 (1997 [‘1995’]), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 74, 307 (2013); Loo et al., Palms 59: 114 (2015). – *Daemonorops elongata* auct. non Blume: Ridley, Mat. Fl. Malay. Penins. 2: 185 (1907); Ridley, Fl. Malay Penins. 5: 43 (1925), as ‘*elongatus*’; Burkill, Dict. Econ. Prod. Malay Penins. 1: 750 (1935), as ‘*Daemonorops elongatus*’. **Native; CR** (Wong et al., 2013).

Calamus ornatus Blume: Ridley, Mat. Fl. Malay. Penins. 2: 195 (1907); Ridley, Fl. Malay Penins. 5: 53 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 201 (1979); Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 623 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 110, 189 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Loo et al., Palms 59: 115 (2015); Ho et al., Gard. Bull. Singapore 70: 41 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019); Henderson, Phytotaxa 445: 328 (2020). **Native; EN** (assessed here).

Calamus oxleyanus Teijsm. & Binn. ex Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 208 (1907); Ridley, Fl. Malay Penins. 5: 62 (1925); Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 [‘1994’]); Keng et al., Concise Fl. Singapore, vol. 2,

Monocot.: 30 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 110, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Loo et al., Guide Native Palms Singapore: 124 (2014); Loo et al., Palms 59: 115, 117, fig. 9 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 71 (2019); Henderson, Phytotaxa 445: 331 (2020). – *Calamus oxleyanus* Teijsm. & Binn. ex Miq. var. *oxleyanus*: Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 148 (1979); Turner, Gard. Bull. Singapore 47: 623 (1997 ['1995']). – *Calamus diffusus* Becc.: Beccari & Hooker in Hooker, Fl. Brit. India 6, fasc. 18: 447 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 209 (1907). **Native; CR** (Loo et al., 2014).

Calamus periacanthus (Miq.) Miq.: Henderson, Phytotaxa 445: 348 (2020). – *Daemonorops periacantha* Miq.: Ridley, Mat. Fl. Malay. Penins. 2: 185 (1907), as ‘*periacanthus*’; Ridley, Fl. Malay Penins. 5: 44 (1925), as ‘*periacanthus*’; Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 117 (1979); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 627 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 110, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Loo et al., Guide Native Palms Singapore: 142 (2014); Loo et al., Palms 59: 114 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Daemonorops dissitophylla* Becc.: Ridley, Mat. Fl. Malay. Penins. 2: 183 (1907), as ‘*dissitophyllus*’. **Native; EN** (assessed here).

Calamus plicatus Blume: Henderson, Taxon 64: 173 (2015); Applequist, Taxon 65: 1157 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019); Henderson, Phytotaxa 445: 353 (2020). – *Calamus laevigatus* Mart. ex Walp.: Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 138 (1979); Keng, Gard. Bull. Singapore 40: 127 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 622 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 109, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Loo et al., Guide Native Palms Singapore: 121 (2014); Loo et al., Palms 59: 115, 117 (2015). – *Calamus pallidulus* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 209 (1907); Ridley, Fl. Malay Penins. 5: 62 (1925). **Native; CR** (Loo et al., 2014).

Calamus ridleyanus Becc.: Beccari, Rec. Bot. Surv. India 2: 205 (1902); Ridley, Mat. Fl. Malay. Penins. 2: 197 (1907); Ridley, Fl. Malay Penins. 5: 54 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 246 (1979); Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 624 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 30 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 110, 202 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 43, 306 (2013);

Loo et al., Palms 59: 115 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72, 126 (2019); Henderson, Phytotaxa 445: 380 (2020). – *Calamus* aff. *radulosus* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 175 (1900), as ‘n. sp. near *radulosus*’. **Native; CR** (assessed here).

Caryota mitis Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 157 (1907); Ridley, Fl. Malay Penins. 5: 21 (1925); Whitmore, Palms Malaya: 44 (1973); Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 31, fig. 67 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 110, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 50, 306 (2013); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Loo et al., Guide Native Palms Singapore: 58 (2014); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Loo et al., Palms 59: 123, fig. 14 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 491, 806 [2015]; Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019); Yee et al., Fl. Singapore 1: 58 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 11, 310 (2020). **Native; LC** (Loo et al., 2014).

Cocos nucifera L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900); Burkill, Dict. Econ. Prod. Malay Penins. 1: 598 (1935); Whitmore, Palms Malaya: 48 (1973); Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 31, fig. 68 (1998); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 110, 265 (2009); Lok et al., Cosmos 6: 67 (2010); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 273 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Merklinger et al., Guide Exotic Palms Singapore: 113 (2017); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017). **Non-native, naturalised** (Chong et al., 2009).

Cyrtostachys renda Blume: Keng, Gard. Bull. Singapore 40: 128 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 182 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 31, fig. 69 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 252 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 110, 190 (2009); Neo et al., Nat. Singapore 6: 274 (2013); Loo et al., Guide Native Palms Singapore: 61 (2014); Loo et al., Palms 59: 112 (2015); Lim et al., Fl. Singapore 1: 106 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 17, 310 (2020). – *Cyrtostachys lakka* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 149 (1907); Ridley, Fl. Malay Penins. 5: 17 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 745 (1935); Whitmore, Palms Malaya: 53 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978). **Native; CR** (Loo et al., 2014).

Elaeis guineensis Jacq.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 879 (1935); Keng, Gard. Bull. Singapore 40: 129 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Chong

et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 111, 242 (2009); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Merklinger et al., Guide Exotic Palms Singapore: 122 (2017); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72, 126 (2019). **Non-native, casual** (assessed here).

Eleiodoxa conferta (Griff.) Burret: Uhl & Dransfield, Genera Palmarum: 249 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 111, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 97, 308 (2013); Loo et al., Guide Native Palms Singapore: 64 (2014); Loo et al., Palms 59: 110, 114, fig. 6 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 500, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72, 126 (2019); Yee et al., Fl. Singapore 1: 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 21, 310 (2020). – *Salacca conferta* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900), as ‘*Zalacca*’; Ridley, Mat. Fl. Malay. Penins. 2: 169 (1907), as ‘*Zalacca*’; Ridley, Fl. Malay Penins. 5: 32 (1925), as ‘*Zalacca*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 2282 (1935), as ‘*Zalacca*’; Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 40: 132 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 36 (1998). **Native; VU** (Loo et al., 2014).

Iguanura geonomiformis Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900), as ‘*geonomaeformis*’; Ridley, Mat. Fl. Malay. Penins. 2: 151 (1907), as ‘*geonomaeformis*’; Ridley, Fl. Malay Penins. 5: 13 (1925), as ‘*geonomaeformis*’; Whitmore, Palms Malaya: 63 (1973), as ‘*geonomaeformis*’; Keng, Gard. Bull. Singapore 40: 129 (1987), as ‘*geonomaeformis*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 146, 308 (2013); Loo et al., Guide Native Palms Singapore: 67 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 502, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 23, 310 (2020). – *Iguanura wallichiana* auct. non (Mart.) Benth. & Hook.f. ex Becc.: Beccari & Hooker in Hooker, Fl. Brit. India 6, fasc. 18: 416 (1892), p.p.; Kiew, Gard. Bull. Singapore 28(2): 216 (1976), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 183 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 259 (2004 ['2003']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 146, 308 (2013). – *Iguanura wallichiana* (Mart.) Benth. & Hook.f. ex Becc. var. *malaccensis* (Becc.) Kiew: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 111, 207 (2009). – *Iguanura polymorpha* auct. non Becc.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990). – *Iguanura ferruginea* auct. non Ridl.: Keng, Gard. Bull. Singapore 40: 129 (1987). – *Iguanura geonomiformis* Mart. subvar. *ramosa* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 150 (1907), as ‘*geonomaeformis*’; Ridley, Fl. Malay Penins. 5: 14 (1925), as ‘*geonomaeformis*’. – *Iguanura geonomiformis* Mart. var. *typica*, nom. inval.: Ridley, Mat. Fl. Malay. Penins. 2: 150 (1907), as ‘*geonomaeformis*’; Ridley, Fl. Malay Penins. 5: 14 (1925), as ‘*geonomaeformis*’. – *Iguanura malaccensis* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900). **Native; CR** (Loo et al., 2014).

Korthalsia echinometra Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 215 (1907); Ridley, Fl. Malay Penins. 5: 68 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1287 (1935); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 47 (1979); Dransfield, Kew Bull. 36: 188 (1981); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 628 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 111, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 154, 308 (2013); Loo et al., Guide Native Palms Singapore: 148 (2014); Loo et al., Palms 59: 117, fig. 12 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 504, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 25, 310 (2020). **Native; CR** (Loo et al., 2014).

Korthalsia flagellaris Miq.: Turner et al., Gard. Bull. Singapore 49(1): 2 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 111, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 154, 308 (2013); Loo et al., Guide Native Palms Singapore: 151 (2014); Loo et al., Palms 59: 110, fig. 13 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72, 126 (2019). **Native; CR** (Loo et al., 2014).

Korthalsia laciniosa (Griff.) Mart.: Dransfield, Kew Bull. 36: 179 (1981); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 629 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 111, 193 (2009). – *Korthalsia grandis* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 217 (1907); Ridley, Fl. Malay Penins. 5: 69 (1925); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 40 (1979); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990). – *Korthalsia wallichiiifolia* (Griff.) H.Wendl.: Ridley, Mat. Fl. Malay. Penins. 2: 217 (1907), as 'wallichiaeifolia'; Ridley, Fl. Malay Penins. 5: 69 (1925), as 'wallichiaeifolia'. **Native; NEx** (Chong et al., 2009).

Korthalsia rigida Blume: Dransfield, Kew Bull. 36: 172 (1981); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 629 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 111, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Loo et al., Guide Native Palms Singapore: 154 (2014); Loo et al., Palms 59: 121 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Korthalsia polystachya* Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900), as 'polystachys'; Ridley, Mat. Fl. Malay. Penins. 2: 218 (1907); Ridley, Fl. Malay Penins. 5: 69 (1925). **Native; CR** (Loo et al., 2014).

Korthalsia rostrata Blume: Dransfield, Kew Bull. 36: 184 (1981); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng

& Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 629 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 111, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Loo et al., Guide Native Palms Singapore: 157 (2014); Loo et al., Palms 59: 117 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Korthalsia scaphigera* Griff. ex Mart., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 216 (1907); Ridley, Fl. Malay Penins. 5: 68 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1287 (1935); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 47 (1979); Keng, Gard. Bull. Singapore 40: 129 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990). **Native; EN** (Loo et al., 2014).

Korthalsia scortechinii Becc.: Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 50 (1979); Dransfield, Kew Bull. 36: 189 (1981); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 629 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 111, 193 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 154, 309 (2013). – *Korthalsia flagellaris* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900); Loo et al., Palms 59: 121 (2015). **Native; NEx** (Wong et al., 2013).

Licuala ferruginea Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 162 (1907); Ridley, Fl. Malay Penins. 5: 26 (1925); Keng, Gard. Bull. Singapore 40: 130 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 629 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 484, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 111, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 161, 309 (2013); Loo et al., Guide Native Palms Singapore: 103 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Loo et al., Palms 59: 123, fig. 15, 16 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019); Yee et al., Fl. Singapore 1: 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 26, 310 (2020). – *Iguanura ferruginea* (Becc.) Ridl., nom. illeg. hom.: Ridley, Fl. Malay Penins. 5: 15 (1925). **Native; EN** (Loo et al., 2014).

Licuala spinosa Wurm: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 160 (1907); Ridley, Fl. Malay Penins. 5: 25 (1925); Whitmore, Palms Malaya: 70 (1973); Keng, Gard. Bull. Singapore 40: 130 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Lee et al., Gard. Bull. Singapore 55: 282, 290 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 265 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 111, 222 (2009); Loo et al., Guide Native Palms Singapore: 106 (2014); Loo et al., Palms 59: 111, 123 (2015); Hung et al., Nat. Singapore 10: 16, 23 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 28, 310 (2020). **Native; VU** (Loo et al., 2014).

Licuala triphylla Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 163 (1907); Ridley, Fl. Malay Penins. 5: 28 (1925); Keng, Gard. Bull. Singapore 40: 130 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 631 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 111, 194 (2009); Loo et al., Palms 59: 123 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 507, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 28, 310 (2020). **Native; NEx** (Chong et al., 2009).

Livistona saribus (Lour.) Merr. ex A.Chev.: Keng, Gard. Bull. Singapore 40: 130 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 112, 249 (2009). **Non-native, casual** (assessed here).

Metroxylon sagu Rottb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900), as 'sagus'; Ridley, Fl. Malay Penins. 5: 31 (1925); Keng, Gard. Bull. Singapore 40: 130 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 112, 267 (2009); Lok et al., Cosmos 6: 67 (2010); Merklinger et al., Guide Exotic Palms Singapore: 130 (2017). – *Metroxylon rumphii* (Willd.) Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900). **Non-native, naturalised** (Chong et al., 2009).

Myrialepis paradoxa (Kurz) J.Dransf.: Dransfield, Kew Bull. 37: 242 (1982); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 631 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 112, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 185, 309 (2013); Loo et al., Guide Native Palms Singapore: 160 (2014); Loo et al., Palms 59: 112, 117 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019). – *Myrialepis scortechinii* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900), as 'scortechini'; Whitmore, Palms Malaya: 79 (1973); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 68 (1979); Keng, Gard. Bull. Singapore 40: 130 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990). – *Plectocomiopsis scortechinii* (Becc.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 213 (1907); Ridley, Fl. Malay Penins. 5: 67 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1770 (1935). – *Plectocomiopsis annulata* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 213 (1907), as 'annulatus'; Ridley, Fl. Malay Penins. 5: 66 (1925), as 'annulatus'. **Native; CR** (Loo et al., 2014).

Nenga pumila H.Wendl. ex Schaedtler: Whitmore, Palms Malaya: 79 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 40: 130 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 186, 309 (2013); Loo et al., Palms 59: 111 (2015). – *Nenga wendlandiana* Scheff.: Ridley, Mat. Fl. Malay. Penins. 2: 144 (1907); Ridley, Fl. Malay Penins. 5: 12 (1925). – *Nenga wendlandiana* Scheff. var. *malaccensis* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900).

Nenga pumila H.Wendl. ex Schaedtler var. **pachystachya** (Blume) Fernando: Fernando, Principes 27: 61 (1983); Turner, Gard. Bull. Singapore 45: 184 (1993); Turner & Tan in Wee

& Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner, Gard. Bull. Singapore 47: 632 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 112, 209 (2009); Loo et al., Guide Native Palms Singapore: 70 (2014); Loo et al., Palms 59: 112, fig. 4A (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 510, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72, 126 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 31, 310 (2020). **Native; CR** (Loo et al., 2014).

Nypa fruticans Wurmb: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900), as '*Nipa*'; Ridley, Fl. Malay Penins. 5: 71 (1925), as '*Nipa*'; Whitmore, Palms Malaya: 81 (1973); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 42, 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Lee et al., Gard. Bull. Singapore 55: 290 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 491, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 32, 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 112, 222 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Loo et al., Guide Native Palms Singapore: 73 (2014); Loo et al., Palms 59: 111, 125, fig. 17, 18, 19 (2015); Hung et al., Nat. Singapore 10: 46 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 31, 310 (2020). **Native; VU** (Loo et al., 2014).

Oncosperma horridum (Griff.) Scheff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900), as '*horrida*'; Ridley, Mat. Fl. Malay. Penins. 2: 147 (1907), as '*horrida*'; Ridley, Fl. Malay Penins. 5: 16 (1925); Whitmore, Palms Malaya: 82 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']), as '*Onchosperma*'; Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 112, 223 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 190, 309 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Loo et al., Guide Native Palms Singapore: 76 (2014); Loo et al., Palms 59: 112, fig. 3 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 511, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 72 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 32, 311 (2020). **Native; LC** (assessed here).

Oncosperma tigillarium (Jack) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900), as '*tigillaria*'; Whitmore, Palms Malaya: 83 (1973); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Lee et al., Gard. Bull. Singapore 55: 290 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 112, 223 (2009), as '*tigillaria*'; Neo et al., Nat. Singapore 6: 13 (2013), as '*tigillaria*'; Loo et al., Guide Native Palms Singapore: 79 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Loo et al., Palms 59: 111, 112 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 511, 807 [2015]; Hung et al., Nat. Singapore 10: 34 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 32, 311 (2020). – *Oncosperma filamentosum* Blume, nom. illeg. superfl.: Ridley, Mat. Fl. Malay. Penins. 2: 146 (1907), as '*filamentosa*'; Ridley, Fl. Malay Penins. 5: 16 (1925), as '*filamentosa*'. – *Areca tigillaria* Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900). **Native; VU** (Loo et al., 2014).

Orania sylvicola (Griff.) H.E.Moore: Whitmore, Palms Malaya: 84 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 112, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 191, 309 (2013); Loo et al., Guide Native Palms Singapore: 82 (2014); Loo et al., Palms 59: 111, 114, 125 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019). – *Orania macrocladus* Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 145 (1907); Ridley, Fl. Malay Penins. 5: 17 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1587 (1935). **Native; CR** (Loo et al., 2014).

Pholidocarpus kingianus (Becc.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 167 (1907), as '*Pholidocarpa kingiana*'; Ridley, Fl. Malay Penins. 5: 24 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1714 (1935), as '*kingiana*'; Dransfield & Uhl, Kew Bull. 38: 198 (1983); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 112, 195 (2009); Loo et al., Guide Native Palms Singapore: 56 (2014); Loo et al., Palms 59: 112, 124, 125 (2015); Lim et al., Fl. Singapore 1: 89 (2019). – *Livistona kingiana* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900); Whitmore, Palms Malaya: 72 (1973); Keng, Gard. Bull. Singapore 40: 130 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990). **Native; NEx** (assessed here).

Pinanga auriculata Becc.

Pinanga auriculata Becc. var. **leucocarpa** C.K.Lim: Lim, Gard. Bull. Singapore 50: 93 (1998); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019). **Native; NEx** (assessed here).

Pinanga disticha (Roxb.) Blume ex H.Wendl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 172 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 139 (1907); Ridley, Fl. Malay Penins. 5: 7 (1925); Whitmore, Palms Malaya: 91 (1973); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 112, 195 (2009); Ang et al., Nat. Singapore 3: 84 (2010); Loo et al., Guide Native Palms Singapore: 85 (2014); Loo et al., Palms 59: 112 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 514, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 34, 311 (2020). **Native; NEx** (Loo et al., 2014).

Pinanga limosa Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 44: 201 (1905); Ridley, Mat. Fl. Malay. Penins. 2: 140 (1907); Ridley, Fl. Malay Penins. 5: 8 (1925); Whitmore, Palms Malaya: 91 (1973); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 633 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 112, 195 (2009); Ang et al., Nat. Singapore 3: 84 (2010); Turner & Chua, Checkl.

Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 200, 309 (2013); Loo et al., Guide Native Palms Singapore: 88 (2014); Loo et al., Palms 59: 112 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 514, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 34, 311 (2020). – *Pinanga paradoxa* auct. non (Griff.) Scheff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900). – *Pinanga coronata* auct. non (Blume ex Mart.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 172 (1900). **Native; NEx** (Loo et al., 2014).

Pinanga malaiana (Mart.) Scheff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 142 (1907); Ridley, Fl. Malay Penins. 5: 10 (1925); Whitmore, Palms Malaya: 91 (1973); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005), as '*malyana*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 112, 217 (2009); Ang et al., Nat. Singapore 3: 84 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 200, 309 (2013); Loo et al., Guide Native Palms Singapore: 91 (2014); Loo et al., Palms 59: 112, fig. 4B (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019). **Native; CR** (assessed here).

Pinanga simplicifrons (Miq.) Becc.: Whitmore, Palms Malaya: 93 (1973); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 112, 195 (2009); Ang et al., Nat. Singapore 3: 83 (2010); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 200, 310 (2013); Loo et al., Guide Native Palms Singapore: 94 (2014); Loo et al., Palms 59: 111, 112, 125, fig. 2 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 514, 807 [2015]; Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Lim et al., Fl. Singapore 1: 89 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 35, 311 (2020). **Native; CR** (Loo et al., 2014).

Pinanga singaporense Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 41: 38 (1904); Ridley, Mat. Fl. Malay. Penins. 2: 144 (1907); Ridley, Fl. Malay Penins. 5: 11 (1925); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Ang et al., Nat. Singapore 3: 84 (2010); Loo et al., Palms 59: 112 (2015). – *Pinanga pectinata* auct. non Becc.: Whitmore, Principes 14: 125 (1970); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 633 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 112, 195 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 119 (2019). **Native; NEx** (Chong et al., 2009).

Pinanga subruminata Becc.: Ridley, Mat. Fl. Malay. Penins. 2: 140 (1907); Ridley, Fl. Malay Penins. 5: 8 (1925); Whitmore, Palms Malaya: 94 (1973); Keng, Gard. Bull. Singapore 40: 131 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore

45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 112, 195 (2009); Loo et al., Palms 59: 112 (2015). **Native; NEx** (Chong et al., 2009).

Plectocomia elongata Mart. ex Blume: Madulid, Kalikasan 10: 45 (1981); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 185 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 634 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 34 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 112, 223 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 203, 310 (2013); Loo et al., Guide Native Palms Singapore: 163 (2014); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Loo et al., Palms 59: 111, 114, 117, fig. 11 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 515, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 127 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 35, 311 (2020). – *Plectocomia griffithii* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 220 (1907); Ridley, Fl. Malay Penins. 5: 70 (1925); Whitmore, Palms Malaya: 94 (1973); Dransfield, Man. Rattans Malay Penins. [Malayan Forest Rec. 29]: 55 (1979); Keng, Gard. Bull. Singapore 40: 131 (1987). **Native; VU** (Loo et al., 2014).

Plectocomiopsis cf. corneri Furtado: Niissalo & Choo, Gard. Bull. Singapore 73: 44, fig. 5 (2021). **Non-native, casual** (Niissalo & Choo, 2021).

Plectocomiopsis geminiflora (Griff.) Becc.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1770 (1935), as 'geminiflorus'; Tan et al., Nat. Singapore 4: 1 (2011); Loo et al., Guide Native Palms Singapore: 166 (2014); Loo et al., Palms 59: 112, 117, fig. 10 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 127 (2019); Lim et al., Fl. Singapore 1: 89 (2019). **Native; CR** (Loo et al., 2014).

Ptychosperma macarthurii (H.Wendl. ex H.J.Veitch) H.Wendl. ex Hook.f.: Keng, Gard. Bull. Singapore 40: 132 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 35, fig. 72 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 113, 268 (2009); Lok et al., Cosmos 6: 67 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Merklinger et al., Guide Exotic Palms Singapore: 142 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 127 (2019). **Non-native, naturalised** (Chong et al., 2009).

Rhopaloblaste singaporenensis (Becc.) Benth. & Hook.f.: Moore, Principes 14: 88 (1970); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 46, 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 634 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 35 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 282 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 34, 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 113, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 218, 310 (2013); Loo et al., Guide Native Palms Singapore: 97 (2014); Loo et al., Palms 59: 112,

fig. 5 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019); Lim et al., Fl. Singapore 1: 89 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 37, 311 (2020). – *Ptychoraphis singaporenensis* (Becc.) Becc.: Beccari, Ann. Jard. Bot. Buitenzorg 2: 90 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 173 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 148 (1907); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1837 (1935); Whitmore, Palms Malaya: 96 (1973); Keng, Gard. Bull. Singapore 40: 132 (1987). – *Ptychosperma singaporenensis* Becc.: Beccari, Malesia 1: 61 (1877); Ridley, Fl. Malay Penins. 5: 18 (1925). **Native; CR** (Loo et al., 2014).

Salacca affinis Griff.: Ridley, Mat. Fl. Malay. Penins. 2: 169 (1907), as ‘*Zalacca*’; Ridley, Fl. Malay Penins. 5: 32 (1925), as ‘*Zalacca*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 2282 (1935), as ‘*Zalacca*’; Whitmore, Palms Malaya: 105 (1973); Keng, Gard. Bull. Singapore 40: 132 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 35 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 113, 197 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 62 (2011); Loo, Nat. Singapore 4: 123 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 310 (2013); Loo et al., Guide Native Palms Singapore: 100 (2014); Loo et al., Palms 59: 112, 114 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 519, 807 [2015]; Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019); Lim et al., Fl. Singapore 1: 89 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 39, 311 (2020). **Native; CR** (Loo et al., 2014).

Saribus rotundifolius (Lam.) Blume: Merklinger et al., Guide Exotic Palms Singapore: 84 (2017). – *Livistona rotundifolia* (Lam.) Mart.: Keng, Gard. Bull. Singapore 40: 130 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 33 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 112, 249 (2009); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 7: 62 (2014). – *Livistona robinsoniana* Becc.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 112, 249 (2009). **Non-native, casual** (assessed here).

Aristolochiaceae

Aristolochia acuminata Lam.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 113, 234 (2009); Yao, Fl. Penins. Malaysia, ser. 2, 5: 9 (2015); Yao, Fl. Singapore 4 (in prep.). – *Aristolochia tagala* Cham.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 55, fig. 46.1b (1990). **Non-native, casual** (assessed here).

Aristolochia jackii Steud.: Ding Hou, Fl. Males., ser. 1, 10(1): 88 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 55, fig. 46.1a (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 136 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 113, 187 (2009); Yao, Fl. Penins. Malaysia, ser. 2, 5: 13 (2015); Yao, Fl. Singapore 4 (in prep.). – *Aristolochia unguifolia* Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 30 (1912); Ridley, Fl. Malay Penins. 3: 18 (1924); Henderson, Malay. Wild Fls, Dicot.: 422 (1959); Keng, Gard. Bull. Singapore 28(2): 254 (1976). **Native; NEx** (Chong et al., 2009).

Thottea grandiflora Rottb.: Miquel, Fl. Ned. Ind. 1(1), fasc. 7: 1068 (1858 [‘1855’]); Hooker, Fl. Brit. India 5, fasc. 13: 74 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); Gamble,

J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 27 (1912); Ridley, Fl. Malay Penins. 3: 16 (1924); Henderson, Malay. Wild Fls. Dicot.: 424 (1959), p.p.; Keng, Gard. Bull. Singapore 28(2): 254 (1976); Ding Hou, Fl. Males., ser. 1, 10(1): 75 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 55, fig. 46.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 137 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 432, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 113, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 310 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Yao, Fl. Penins. Malaysia, ser. 2, 5: 23 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 341, 382 (2020); Yao, Fl. Singapore 4 (in prep.). **Native; VU** (assessed here).

Thottea praetermissa T.L.Yao: Yao, Blumea 58: 252 (2013); Yao, Fl. Penins. Malaysia, ser. 2, 5: 34 (2015); Lim et al., Fl. Singapore 1: 89 (2019); Yao, Fl. Singapore 4 (in prep.). – *Thottea dependens* auct. non (Planch.) Klotzsch: Hooker, Fl. Brit. India 5, fasc. 13: 74 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 28 (1912), p.p.; Ridley, Fl. Malay Penins. 3: 16 (1924), p.p.; Burkill, Dict. Econ. Prod. Malay Penins. 2: 2156 (1935), p.p.; Keng, Gard. Bull. Singapore 28(2): 254 (1976); Ding Hou, Fl. Males., ser. 1, 10(1): 71 (1984), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 55 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 42 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 137 (1997 ['1995']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 113, 199 (2009). – *Lobbia dependens* auct. non Planch.: Miquel, Fl. Ned. Ind. 1(1), fasc. 7: 1068 (1858 ['1855']), p.p. **Native; CR** (assessed here).

Asparagaceae

Cordyline fruticosa (L.) A.Chev.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 143, 263 (2009); Lok et al., Cosmos 6: 75 (2010); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 127 (2019). – *Cordyline terminalis* Kunth, nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Keng, Gard. Bull. Singapore 40: 117 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 7, fig. 13 (1998). **Non-native, casual** (Chong et al., 2009).

Dracaena angustifolia (Medik.) Roxb.: Lee et al., Gard. Bull. Singapore 55: 288 (2003). – *Dracaena angustifolia* (Medik.) Roxb. var. *honoriae* F.M.Bailey: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 242 (2009). **Non-native, naturalised** (assessed here).

Dracaena aubryana Brongn. ex É.Morren: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 242 (2009). **Non-native, naturalised** (assessed here).

Dracaena brachystachys Hook.f.: Ridley, Mat. Fl. Malay. Penins. 2: 96 (1907), as '*brachystachis*'; Ridley, Fl. Malay Penins. 4: 336 (1924), as '*trachystachys*'; Keng, Gard. Bull. Singapore 40: 117 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Keng et al., Concise Fl. Singapore, vol. 2,

Monocot.: 8 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 191 (2009). **Native; CR** (assessed here).

Dracaena breviflora Ridl.: Niissalo & Leong-Škornicková, Gard. Bull. Singapore 72: 15–21 (2020); Niissalo & Leong-Škornicková, Gardenwise 55: 14–15 (2020). **Native; CR** (Niissalo & Leong-Škornicková, 2020).

Dracaena cantleyi Baker: Hooker, Fl. Brit. India 6, fasc. 18: 331 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 310 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 606, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 210, 382 (2020). – *Dracaena aurantiaca* (Baker) Wall. ex Hook.f., nom. illeg. hom.: Hooker, Fl. Brit. India 6, fasc. 18: 329 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 99 (1907); Ridley, Fl. Malay Penins. 4: 336 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 858 (1935); Keng, Gard. Bull. Singapore 40: 117 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']). – *Dracaena aurantiaca* Wall., nom. nud.: Wallich, Numer. List no. 5144 (1831–1832); Miquel, Fl. Ned. Ind. 3, fasc. 4: 555 (1859 ['1855']). **Native; VU** (Wong et al., 2013).

Dracaena elliptica Thunb.: Ridley, Mat. Fl. Malay. Penins. 2: 100 (1907); Ridley, Fl. Malay Penins. 4: 337 (1924); Keng, Gard. Bull. Singapore 40: 117 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 91, 310 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 127 (2019). – *Dracaena gracilis* Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900). **Native; CR** (Wong et al., 2013).

Dracaena fragrans (L.) Ker Gawl.: Keng, Gard. Bull. Singapore 40: 117 (1987); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 127 (2019). **Non-native, casual** (Chong et al., 2009).

Dracaena granulata Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 95 (1907); Ridley, Fl. Malay Penins. 4: 332 (1924); Keng, Gard. Bull. Singapore 40: 118 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 534 (1997 ['1995']);

Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019). **Native; EN** (assessed here).

Dracaena maingayi Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 98 (1907); Ridley, Fl. Malay Penins. 4: 335 (1924); Maxwell, Gard. Bull. Singapore 35(2): 191 (1983 ['1982']); Keng, Gard. Bull. Singapore 40: 118 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 23 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 31, 273 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 288 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 351 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 27, 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 91, 311 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 123, 310 (2020). **Native; EN** (assessed here).

Dracaena porteri Baker: Hooker, Fl. Brit. India 6, fasc. 18: 328 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 97 (1907); Ridley, Fl. Malay Penins. 4: 333 (1924); Keng, Gard. Bull. Singapore 40: 118 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 177, 227 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 91, 311 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 404, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 127 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 211, 382 (2020). **Native; LC** (Wong et al., 2013).

Dracaena sanderiana Mast.: Neo et al., Nat. Singapore 7: 62 (2014). – *Dracaena braunii* auct. non Engl.: Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014). **Non-native, naturalised** (assessed here).

Dracaena singapurensis Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 97 (1907); Ridley, Fl. Malay Penins. 4: 334 (1924); Keng, Gard. Bull. Singapore 40: 118 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 178, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 91, 311 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73 (2019). **Native; CR** (assessed here).

Dracaena surculosa Lindl.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 178, 242 (2009); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat.

Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Neo et al., Nat. Singapore 7: 62 (2014). – *Dracaena godseffiana* Sander ex Mast.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8 (1998). **Non-native, naturalised** (assessed here).

Dracaena trifasciata (Prain) Mabb.: WCSP. – *Sansevieria trifasciata* Prain: Keng, Gard. Bull. Singapore 40: 118 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 9 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 178, 263 (2009); Lok et al., Cosmos 6: 77 (2010); Neo et al., Nat. Singapore 6: 13 (2013). **Non-native, casual** (Chong et al., 2009).

Dracaena umbratica Ridl.: Ridley, Fl. Malay Penins. 4: 334 (1924); Keng, Gard. Bull. Singapore 40: 118 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 8, fig. 15 (1998); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 178, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 91, 311 (2013); Neo et al., Nat. Singapore 6: 274 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 406, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 213, 382 (2020). – *Dracaena terniflora* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 97 (1907). **Native; VU** (Wong et al., 2013).

Peliosanthes teta Andrews: Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 198, 311 (2013).

Peliosanthes teta Andrews subsp. **humilis** (Andrews) Jessop ex Gandhi: Jessop, Fl. Males., ser. 1, 9(1): 229 (1979); Keng, Gard. Bull. Singapore 40: 117 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 7, fig. 12 (1998); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 178, 223 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 198, 311 (2013). – *Peliosanthes violacea* Wall. ex Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 89 (1907); Ridley, Fl. Malay Penins. 4: 324 (1924). – *Peliosanthes viridis* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900), as 'viride'; Ridley, Mat. Fl. Malay. Penins. 2: 89 (1907); Ridley, Fl. Malay Penins. 4: 325 (1924). – *Peliosanthes grandifolia* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 90 (1907). **Native; EN** (assessed here).

Asphodelaceae

Dianella ensifolia (L.) Redouté: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 92 (1907); Ridley, Fl. Malay Penins. 4: 329 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Jessop, Fl. Males., ser. 1, 9(1): 207 (1979); Keng, Gard. Bull. Singapore 40: 116 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 6, fig. 10 (1998); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Lee et al., Gard.

Bull. Singapore 55: 290 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 108 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 139, 227 (2009); Neo et al., Nat. Singapore 6: 285 (2013); Hung et al., Nat. Singapore 10: 16, 19, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 204, 382 (2020). **Native; LC** (Chong et al., 2009).

Asteraceae

Acanthospermum australe (Loefl.) Kuntze: Keng, Gard. Bull. Singapore 38(2): 167 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 166 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner, Gard. Bull. Singapore 47: 168 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 114, 264 (2009); Lok et al., Cosmos 6: 68 (2010). – *Acanthospermum hispidum* auct. non DC.: Corlett, J. Biogeogr. 19: 426 (1992). – *Acanthospermum xanthioides* (Kunth) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 102 (1900). **Non-native, casual*** (assessed here).

Acmella ciliata (Kunth) Cass.: Middleton et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, casual** (assessed here).

Acmella paniculata (Wall. ex DC.) R.K.Jansen: Turner, Gard. Bull. Singapore 47: 168 (1997 ['1995']). – *Spilanthes acmella* (L.) L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 102 (1900); Ridley, Fl. Malay Penins. 2: 184 (1923); Keng, Gard. Bull. Singapore 38(2): 172 (1986 ['1985']); Corlett, J. Biogeogr. 19: 426 (1992). **Native; NEx** (assessed here).

Acmella uliginosa (Sw.) Cass.: Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 114, 269 (2009); Lok et al., Cosmos 6: 78 (2010); Kaw & Neo, Wayside Fls Singapore: 159 (2018). – *Spilanthes iabadicensis* A.H.Moore: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). **Non-native, naturalised** (assessed here).

Adenostemma viscosum J.R.Forst. & G.Forst.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); Ridley, Fl. Malay Penins. 2: 182 (1923); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 114, 269 (2009); Lok et al., Cosmos 6: 78 (2010). – *Adenostemma lavenia* auct. non (L.) Kuntze: Keng, Gard. Bull. Singapore 38(2): 168 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 166 (1990); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994). – *Adenostemma lavenia* (L.) Kuntze: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990). **Native; NEx** (assessed here).

Ageratum conyzoides L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); Ridley, Fl. Malay Penins. 2: 182 (1923); Keng, Gard. Bull. Singapore 38(2): 168 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 166, fig. 130.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 293 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 114, 264 (2009); Lok et al., Cosmos 6: 68 (2010); Kaw & Neo, Wayside Fls Singapore: 60 (2018). **Non-native, naturalised** (Chong et al., 2009).

Bidens pilosa L.: Ridley, Fl. Malay Penins. 2: 183 (1923); Keng, Gard. Bull. Singapore 38(2): 168 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 167 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 114, 265 (2009); Lok et al., Cosmos 6: 68 (2010); Yeo et al., Nat. Singapore 15-e2022015: 1, 3 (2022). **Non-native, naturalised** (Chong et al., 2009).

Blumea balsamifera (L.) DC.: Hooker, Fl. Brit. India 3, fasc. 8: 270 (1881); Henry, Hooker's Icon. Pl. 20(3) [ser. 3, 10(3)]: pl. 1957 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 33 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 192 (1923); Keng, Gard. Bull. Singapore 38(2): 168 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 167, fig. 130.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 114, 269 (2009); Lok et al., Cosmos 6: 78 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 35, 312 (2013). – *Blumea junghuhniana* (Miq.) Boerl.: Randeria, Blumea 10: 235 (1960); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 114, 188 (2009). – *Blumea balsamifera* (L.) DC. var. *angustifolia* King & Gamble: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 33 (1906 ['1905']). **Native; NEx** (assessed here).

Blumea lacera (Burm.f.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 35 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 193 (1923); Keng, Gard. Bull. Singapore 38(2): 168 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 167 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 114, 269 (2009); Lok et al., Cosmos 6: 78 (2010); Kaw & Neo, Wayside Fls Singapore: 158 (2018). **Native; LC** (assessed here).

Blumea riparia DC.: Randeria, Blumea 10: 213 (1960); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 114, 225 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 35, 312 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 119 (2019). – *Blumea chinensis* DC.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 32 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 192 (1923). – *Vernonia scandens* auct. non DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900). **Native; LC** (Wong et al., 2013).

Centipeda minima (L.) A.Braun & Asch.: Sinclair, Gard. Bull. Singapore 14(1): 39 (1953); Keng, Gard. Bull. Singapore 38(2): 168 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 167 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 114, 262 (2009); Lok et al., Cosmos 6: 74 (2010). – *Centipeda orbicularis* Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); Ridley, Fl. Malay Penins. 2: 195 (1923). **Non-native, casual*** (Chong et al., 2009).

Chromolaena odorata (L.) R.M.King & H.Rob.: Corlett, J. Biogeogr. 15: 661 (1988); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 114, 265 (2009); Lok et al., Cosmos 6: 68 (2010); Yee et al., Fl. Singapore 1: 66 (2019). – *Eupatorium odoratum* L.: Keng, Gard. Bull. Singapore 38(2): 170 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). **Non-native, naturalised** (Chong et al., 2009).

Conyza bonariensis (L.) Cronquist: Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 114, 270 (2009); Lok et al., Cosmos 6: 78 (2010). – *Erigeron sumatrensis* Retz.: Ridley, Fl. Malay Penins. 2: 196 (1923), as 'sumatrense'; Keng, Gard. Bull. Singapore 38(2): 170 (1986 ['1985']), as 'sumatrense'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168 (1990), as 'sumatrense'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). – *Conyza floribunda* Kunth: Grierson, Revis. Handb. Fl. Ceylon 1: 157 (1980). – *Erigeron linifolius* Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900). **Non-native, naturalised** (assessed here).

Crassocephalum crepidioides (Benth.) S.Moore: Keng, Gard. Bull. Singapore 38(2): 169 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 167 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']), as 'crepidioides'; Turner, Gard. Bull. Singapore 47: 170 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 114, 265 (2009); Lok et al., Cosmos 6: 68 (2010); Kaw & Neo, Wayside Fls Singapore: 80 (2018). **Non-native, naturalised** (Chong et al., 2009).

Eclipta prostrata (L.) L.: Keng, Gard. Bull. Singapore 38(2): 169 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168, fig. 130.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 114, 266 (2009); Lok et al., Cosmos 6: 68 (2010); Hung et al., Nat. Singapore 10: 45 (2017); Kaw & Neo, Wayside Fls Singapore: 138 (2018). – *Eclipta alba* (L.) Hassk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); Ridley, Fl. Malay Penins. 2: 185 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 1: 889 (1935). **Non-native, naturalised** (Chong et al., 2009).

Elephantopus mollis Kunth: Lee et al., Gard. Bull. Singapore 55: 293 (2003). **Non-native, naturalised** (assessed here).

Elephantopus scaber L.: Hooker, Fl. Brit. India 3, fasc. 8: 242 (1881); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); Ridley, Fl. Malay Penins. 2: 180 (1923); Keng, Gard. Bull. Singapore 38(2): 169 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168, fig. 130.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 235, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 114, 270 (2009); Lok et al., Cosmos 6: 78 (2010); Hung et al., Nat. Singapore 10: 45 (2017); Kaw & Neo, Wayside Fls Singapore: 57 (2018). **Non-native, naturalised** (assessed here).

Elephantopus spicatus Juss. ex Aubl.: Beentje, Fl. Singapore 14 (in prep.). – *Pseudelephantopus spicatus* (Juss. ex Aubl.) Rohr ex C.F.Baker: Chen et al., Gard. Bull. Singapore 70: 98 (2018). **Non-native, casual*** (assessed here).

Eleutheranthera ruderalis (Sw.) Sch.Bip.: Keng, Gard. Bull. Singapore 38(2): 169 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168, fig. 130.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner, Gard. Bull. Singapore 47: 170 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 114, 266 (2009); Lok et al., Cosmos 6: 68 (2010); Kaw & Neo, Wayside Fls Singapore: 163 (2018). **Non-native, naturalised** (Chong et al., 2009).

Emilia sonchifolia (L.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 102 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 38 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 191 (1923); Keng, Gard. Bull. Singapore 38(2): 169 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168, fig. 130.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 236, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 114, 270 (2009); Lok et al., Cosmos 6: 78 (2010); Hung et al., Nat. Singapore 10: 16, 20 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Kaw & Neo, Wayside Fls Singapore: 35 (2018). **Native; LC** (assessed here).

Enydra fluctuans Lour.: Ridley, Fl. Malay Penins. 2: 183 (1923); Keng, Gard. Bull. Singapore 38(2): 170 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 114, 270 (2009); Lok et al., Cosmos 6: 78 (2010). **Native; NEx** (assessed here).

Erechtites hieraciifolius (L.) Raf. ex DC.: Keng, Gard. Bull. Singapore 38(2): 170 (1986 ['1985']), as '*hieraciifolia*'; Corlett, J. Biogeogr. 15: 661 (1988), as '*hieraciifolia*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168 (1990), as '*hieraciifolia*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990), as '*hieraciifolia*'; Turner, Gard. Bull. Singapore 45: 55 (1993), as '*hieraciifolia*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), as '*hieraciifolia*'; Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']), as '*hieraciifolia*'; Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']), as '*hieraciifolia*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 114, 266 (2009), as '*hieraciifolius*'; Lok et al., Cosmos 6: 68 (2010), as '*hieraciifolius*'. – *Gynura malasica* (Ridl.) Ridl.: Ridley, Fl. Malay Penins. 2: 190 (1923). **Non-native, naturalised** (Chong et al., 2009).

Erechtites valerianifolius (Link ex Spreng.) DC.: Ridley, Fl. Malay Penins. 2: 191 (1923), as '*valerianifolia*'; Keng, Gard. Bull. Singapore 38(2): 170 (1986 ['1985']), as '*valerianifolia*'; Corlett, J. Biogeogr. 15: 661 (1988), as '*valerianifolia*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 168 (1990), as '*valerianifolia*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990), as '*valerianifolia*'; Turner, Gard. Bull. Singapore 45: 55 (1993), as '*valerianifolia*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), as '*valerianifolia*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 114, 266 (2009); Lok et al., Cosmos 6: 68 (2010); Neo et al., Nat. Singapore 7: 62 (2014). – *Gynura pseudochina* auct. non (L.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 102 (1900). **Non-native, naturalised** (Chong et al., 2009).

Erigeron belliooides DC.: Chen et al., Gard. Bull. Singapore 70: 94 (2018). **Non-native, naturalised** (Chen et al., 2018).

Gynura procumbens (Lour.) Merr.: Keng, Gard. Bull. Singapore 38(2): 170 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 169 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 114, 206 (2009); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 73, 119 (2019). – *Gynura sarmentosa* (Blume) DC.: Miquel, Fl. Ned. Ind. 2, fasc. 1: 97 (1856); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 102 (1900); Ridley, Fl. Malay Penins. 2: 189 (1923). **Native; CR** (Chong et al., 2009).

Mikania cordata (Burm.f.) B.L.Rob.: Ridley, Fl. Malay Penins. 2: 181 (1923); Keng, Gard. Bull. Singapore 38(2): 171 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 169 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 114, 272 (2009); Lok et al., Cosmos 6: 78 (2010). – *Mikania scandens* auct. non (L.) Willd.: Hooker, Fl. Brit. India 3, fasc. 8: 244 (1881); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900). **Native; NEx** (assessed here).

Mikania micrantha Kunth: Keng, Gard. Bull. Singapore 38(2): 171 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 169, fig. 130.9 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 55 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 171 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 114, 267 (2009); Lok et al., Cosmos 6: 68 (2010); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 78 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Hung et al., Nat. Singapore 10: 17, 20 (2017); Kaw & Neo, Wayside Fls Singapore: 106 (2018). **Non-native, naturalised** (Chong et al., 2009).

Pluchea indica (L.) Less.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 37 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 194 (1923); Keng, Gard. Bull. Singapore 38(2): 171 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 169 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Lee et al., Gard. Bull. Singapore 55: 282, 294 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 115, 230 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Hung et al., Nat. Singapore 10: 34 (2017). **Native; LC** (Chong et al., 2009).

Porophyllum ruderale (Jacq.) Cass.: Turner, Gard. Bull. Singapore 45: 56 (1993); Tan et al., Gard. Bull. Singapore 44: 129 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner, Gard. Bull. Singapore 47: 171 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 115, 268 (2009); Lok et al., Cosmos 6: 68 (2010); Hung et al., Nat. Singapore 10: 34 (2017). **Non-native, naturalised** (Chong et al., 2009).

Praxelis clematidea (Hieron. ex Kuntze) R.M.King & H.Rob.: Chen et al., Gard. Bull. Singapore 70: 97 (2018). **Non-native, naturalised** (Chen et al., 2018).

Sphaeranthus africanus L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900), as ‘*Sphoeranthus*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 38 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 180 (1923); Keng, Gard. Bull. Singapore 38(2): 172 (1986 [‘1985’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 115, 273 (2009); Lok et al., Cosmos 6: 78 (2010). **Native; NEx** (assessed here).

Sphagneticola trilobata (L.) Pruski: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 115, 268 (2009); Lok et al., Cosmos 6: 68 (2010); Neo et al., Nat. Singapore 6: 79 (2013); Hung et al., Nat. Singapore 10: 17, 20 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Kaw & Neo, Wayside Fls Singapore: 152 (2018). – *Complaya trilobata* (L.) Strother: Strother, Syst. Bot. Monogr. 33: 14 (1991); Turner, Gard. Bull. Singapore 47: 170 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 [‘1997’]). – *Wedelia trilobata* (L.) Hitchc.: Keng, Gard. Bull. Singapore 38(2): 173 (1986 [‘1985’]); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 171 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994). **Non-native, naturalised** (Chong et al., 2009).

Struchium sparganophorum (L.) Kuntze: Grierson, Revis. Handb. Fl. Ceylon 1: 120 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 115, 268 (2009); Lok et al., Cosmos 6: 68 (2010); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74, 127 (2019). – *Sparganophorus sparganophora* (L.) C.Jeffrey: Jeffrey, Kew Bull. 43: 272 (1988); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 [‘1994’]). – *Sparganophorus vaillantii* Crantz, nom. illeg. superfl.: Ridley, Fl. Malay Penins. 2: 179 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2060 (1935); Keng, Gard. Bull. Singapore 38(2): 172 (1986 [‘1985’]); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170, fig. 130.10 (1990). **Non-native, naturalised** (Chong et al., 2009).

Synedrella nodiflora (L.) Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 102 (1900); Ridley, Fl. Malay Penins. 2: 184 (1923); Keng, Gard. Bull. Singapore 38(2): 172 (1986 [‘1985’]), as ‘*Syndrella*’; Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 115, 269 (2009); Lok et al., Cosmos 6: 68 (2010); Hung et al., Nat. Singapore 10: 17, 20 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Kaw & Neo, Wayside Fls Singapore: 151 (2018). **Non-native, naturalised** (Chong et al., 2009).

Tagetes erecta L.: Keng, Gard. Bull. Singapore 38(2): 172 (1986 [‘1985’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170 (1990). **Non-native, casual** (assessed here).

Tilea baccata (L.) Pruski: Middleton et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, casual*** (Middleton et al., 2022).

Tithonia diversifolia (Hemsl.) A.Gray: Keng, Gard. Bull. Singapore 38(2): 173 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 115, 260 (2009). – *Urbanisol tagetifolius* Kuntze f. *grandiflorus* Kuntze: Kuntze, Revis. Gen. Pl. 1: 370 (1891). – *Urbanisol tagetifolius* Kuntze var. *flavus* Kuntze: Kuntze, Revis. Gen. Pl. 1: 371 (1891). **Non-native, casual** (assessed here).

Tridax procumbens L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 102 (1900); Ridley, Fl. Malay Penins. 2: 186 (1923); Keng, Gard. Bull. Singapore 38(2): 173 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 115, 269 (2009); Lok et al., Cosmos 6: 68 (2010); Teo et al., Nat. Singapore 4: 268 (2011); Hung et al., Nat. Singapore 10: 18, 21 (2017); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Kaw & Neo, Wayside Fls Singapore: 93 (2018). **Non-native, naturalised** (Chong et al., 2009).

Vernonia arborea Buch.-Ham.: Hooker, Fl. Brit. India 3, fasc. 8: 239 (1881); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 26 (1906 ['1905']); Keng, Gard. Bull. Singapore 38(2): 173 (1986 ['1985']); Keng, Tree Fl. Malaya 4: 70 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170, fig. 130.11 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 49, 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 36, 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 115, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 313 (2013); Hung et al., Nat. Singapore 10: 48 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Strobocalyx arboreus* (Buch.-Ham.) Sch.Bip.: Robinson et al., Proc. Biol. Soc. Washington 121(1): 30, fig. 1 (2008). – *Vernonia javanica* (Blume) DC.: Ridley, Fl. Malay Penins. 2: 187 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2227 (1935). – *Vernonia wallichii* Ridl.: Ridley, Fl. Malay Penins. 2: 186 (1923). **Native; CR** (assessed here).

Vernonia cinerea (L.) Less.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900); Ridley, Fl. Malay Penins. 2: 188 (1923); Keng, Gard. Bull. Singapore 38(2): 173 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 171 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 115, 273 (2009); Lok et al., Cosmos 6: 78 (2010); Teo et al., Nat. Singapore 4: 268 (2011). – *Cyanthillium cinereum* (L.) H.Rob.: Hung et al., Nat. Singapore 10: 16, 19 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 65 (2018). **Native; LC** (assessed here).

Vernonia elliptica DC.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 115, 264 (2009); Lok et al., Cosmos 6: 74 (2010). – *Tarlmounia elliptica* (DC.) H.Rob. et al.: Robinson et al., Proc. Biol. Soc. Washington 121(1): 32 (2008); Hung et al., Nat. Singapore 10: 48 (2017). – *Vernonia elaeagnifolia* DC.: Ridley, Fl. Malay Penins. 2: 187 (1923); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 171 (1990). **Non-native, casual** (Chong et al., 2009).

Vernonia patula (Aiton) Merr.: Keng, Gard. Bull. Singapore 38(2): 173 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 171 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 115, 273 (2009); Lok et al., Cosmos 6: 78 (2010). – *Vernonia chinensis* Less.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 26 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 188 (1923). **Native; NEx** (assessed here).

Wollastonia asperrima Decne.: Middleton et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, casual** (Middleton et al., 2022).

Wollastonia biflora (L.) DC.: Lee et al., Gard. Bull. Singapore 55: 294 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 448, 776 (2006); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Middleton et al., Gard. Bull. Singapore 74 (2022, in press). – *Melanthera biflora* (L.) Wild: Wild, Kirkia 5(1): 4 (1965); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 114, 229 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 6: 119 (2013); Yee et al., Fl. Singapore 1: 70 (2019). – *Wedelia biflora* (L.) DC.: Hooker, Fl. Brit. India 3, fasc. 8: 306 (1881); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); Ridley, Fl. Malay Penins. 2: 185 (1923); Keng, Gard. Bull. Singapore 38(2): 173 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 171 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994). – *Seruneum biflorum* (L.) Kuntze: Kuntze, Revis. Gen. Pl. 1: 365 (1891). **Native; LC** (Chong et al., 2009).

Xanthium strumarium L.: Ridley, Fl. Malay Penins. 2: 181 (1923). – *Xanthium inaequilaterum* DC.: Keng, Gard. Bull. Singapore 38(2): 173 (1986 ['1985']), as ‘*inequilaterum*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 171 (1990), as ‘*inequilaterum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990), as ‘*inequilaterum*’; Corlett, J. Biogeogr. 19: 426 (1992), as ‘*inequilaterum*’; Turner, Gard. Bull. Singapore 45: 56 (1993), as ‘*inequilaterum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), as ‘*inequilaterum*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 115, 264 (2009); Lok et al., Cosmos 6: 74 (2010). **Non-native, casual*** (Chong et al., 2009).

Youngia japonica (L.) DC.: Keng, Gard. Bull. Singapore 38(2): 174 (1986 ['1985']); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 171 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 115, 269 (2009); Lok et al., Cosmos 6: 68 (2010); Hung et al., Nat. Singapore 10: 18, 21 (2017); Hung et al., Nat. Singapore 10: 35 (2017); Kaw & Neo, Wayside Fls Singapore: 164 (2018). **Non-native, naturalised** (Chong et al., 2009).

Balsaminaceae

Hydrocera triflora (L.) Wight & Arn.: Turner, Gard. Bull. Singapore 45: 44 (1993); Tan et al., Gard. Bull. Singapore 44: 128 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 146 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 115, 266 (2009); Lok et al., Cosmos 6: 68 (2010). **Non-native, naturalised** (Chong et al., 2009).

Begoniaceae

Begonia hirtella Link: Ridley, Fl. Malay Penins. 1: 864 (1922). **Non-native, casual*** (assessed here).

Bignoniaceae

Deplanchea bancana (Scheff.) Steenis: Corner, Wayside Trees Malaya, ed. 2, 1: 163 (1952); Van Steenis, Fl. Males., ser. 1, 8(2): 137 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 39(1): 79 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 183 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 115, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 56 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). **Native; CR** (assessed here).

Dolichandrone spathacea (L.f.) K.Schum.: Van Steenis, Fl. Males., ser. 1, 8(2): 142 (1977); Keng, Gard. Bull. Singapore 39(1): 80 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 183, fig. 138.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 350 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 116, 204 (2009); Teo et al., Nat. Singapore 4: 268 (2011); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 123, 310 (2020). – *Dolichandrone rheedii* Seem.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 120 (1900); Ridley, Fl. Malay Penins. 2: 549 (1923). **Native; CR** (Chong et al., 2009).

Fernandoa adenophylla (Wall. ex G.Don) Steenis: Van Steenis, Fl. Males., ser. 1, 8(2): 158 (1977); Turner, Gard. Bull. Singapore 47: 150 (1997 ['1995']); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74, 119 (2019). **Native; NEx** (assessed here).

Jacaranda obtusifolia Bonpl.: Lok et al., Nat. Singapore 1: 143 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 116, 266 (2009); Lok et al., Cosmos 6: 60, 68 (2010). – *Jacaranda filicifolia* D.Don: Keng, Gard. Bull. Singapore 39(1): 80 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 183 (1990); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']). **Non-native, naturalised** (Lok et al., 2010).

Pajanelia longifolia (Willd.) K.Schum.: Van Steenis, Fl. Males., ser. 1, 8(2): 163 (1977); Keng, Gard. Bull. Singapore 39(1): 80 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 183 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 116, 195 (2009). – *Pajanelia multijuga* (Wall.) DC.: Ridley, Fl. Malay Penins. 2: 549 (1923). **Native; NEx** (Chong et al., 2009).

Radermachera quadripinnata (Blanco) Seem.: WCSP. – *Radermachera pinnata* Seem.: Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 215, 313 (2013). – *Radermachera*

gigantea auct. non (Blume) Miq.: Keng, Gard. Bull. Singapore 39(1): 80 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 184 (1990). – *Radermachera amoena* auct. non (Wall.) Wall.: Ridley, Fl. Malay Penins. 2: 551 (1923). – *Stereospermum hypostictum* auct. non Miq.: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 384 (1884), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 120 (1900), as ‘*hyposticta*’.

Radermachera quadripinnata (Blanco) Seem. subsp. **lobbii** (Teijsm. & Binn.) I.M.Turner: Turner, Reinwardtia 16(1): 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Radermachera pinnata* Seem. subsp. *acuminata* (Steenis) Steenis: Van Steenis, Fl. Males., ser. 1, 8(2): 154 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 116, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011), as ‘var. *acuminata*’; Neo et al., Nat. Singapore 6: 275 (2013). – *Radermachera quadripinnata* (Blanco) Seem. subsp. *acuminata* (Steenis) I.M.Turner: Turner, Phytotaxa 71: 34 (2012). **Native; CR** (Wong et al., 2013, as *Radermachera pinnata*).

Spathodea campanulata P.Beauv.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2060 (1935); Van Steenis, Fl. Males., ser. 1, 8(2): 185 (1977); Keng, Gard. Bull. Singapore 39(1): 80 (1986); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 184 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 151 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 709, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 116, 268 (2009); Lok et al., Cosmos 6: 68 (2010); Teo et al., Nat. Singapore 4: 268 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 13 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 119 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74, 127 (2019). – *Spathodea nilotica* Seem.: Corner, Wayside Trees Malaya, ed. 2, 1: 170 (1952). **Non-native, naturalised** (Chong et al., 2009).

Stereospermum tetragonum DC.: Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Stereospermum colais* (Buch.-Ham. ex Dillwyn) Mabb.: Mabberley, Taxon 27: 553 (1979 [‘1978’]); Turner, Gard. Bull. Singapore 47: 151 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 116, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 14 (2011). – *Stereospermum personatum* (Hassk.) Chatterjee: Van Steenis, Fl. Males., ser. 1, 8(2): 148 (1977); Kochummen, Tree Fl. Malaya 3: 44 (1978); Keng, Gard. Bull. Singapore 39(1): 80 (1986); Corner, Wayside Trees Malaya, ed. 3, 1: 184 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 184, fig. 138.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994). – *Stereospermum chelonoides* auct. non (L.f.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 120 (1900); Ridley, Fl. Malay Penins. 2: 550 (1923); Corner, Wayside Trees Malaya, ed. 2, 1: 172 (1952). **Native; NEx** (assessed here).

Tabebuia rosea (Bertol.) DC.: Van Steenis, Fl. Males., ser. 1, 8(2): 185 (1977); Keng, Gard. Bull. Singapore 39(1): 81 (1986); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 116, 264 (2009); Lok

et al., *Cosmos* 6: 74 (2010); Neo et al., *Nat. Singapore* 7: 62 (2014); Yong et al., *Guide Common Epiphytes & Mistletoes Singapore*: 225 (2014 [2015]); Yee et al., *Fl. Singapore* 1: 66 (2019). **Non-native, casual** (Chong et al., 2009).

Bixaceae

Bixa orellana L.: Keng, *Gard. Bull. Singapore* 28(2): 237 (1976); Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 40, fig. 29.1 (1990); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 19, 116, 235 (2009); Chen et al., *Nat. Singapore* 13: 29 (2020). **Non-native, casual** (assessed here).

Bonnetiaceae

Ploiarium elegans Korth.: Turner, *Taxon* 67: 624 (2018); Soh et al., 1001 *Gard. Pl. Singapore* (Trees etc.): 233, 311 (2020). – *Ploiarium alternifolium* (Szyszyl.) Melch.: Keng, *Gard. Bull. Singapore* 28(2): 247 (1976); Keng, *Tree Fl. Malaya* 3: 288 (1978); Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 50, fig. 41.3 (1990); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 63 (1990); Turner, *Gard. Bull. Singapore* 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 117 (1994); Turner et al., *Gard. Bull. Singapore* 46(2): 19 (1995 ['1994']); Wong et al., *Gard. Bull. Singapore* 46(2): 75 (1995 ['1994']); Chew et al., *Gard. Bull. Singapore* 49(2): 189 (1999 ['1997']); Boo et al., 1001 *Gard. Pl. Singapore* (print 3): 190 (2004 ['2003']); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 71, 116, 230 (2009); Hassan, *Fl. Penins. Malaysia*, ser. 2, 1: 84 (2010); Wong et al., *Checkl. Pl. Sp. Nee Soon Swamp For.*: 206, 314 (2013); Yong et al., *Guide Common Epiphytes & Mistletoes Singapore*: 225 (2014 [2015]); Hung et al., *Nat. Singapore* 10: 34 (2017); Yee et al., *Fl. Singapore* 1: 60 (2019). – *Archytaea vahlii* Choisy, nom. illeg. superfl.: Dyer in Hooker, *Fl. Brit. India* 1, fasc. 2: 294 (1874); Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 49 (1900), as 'Archytea'; Ridley, *Fl. Malay Penins.* 1: 208 (1922). **Native; LC** (Wong et al., 2013).

Boraginaceae

Cordia curassavica (Jacq.) Roem. & Schult.: Riedl, *Fl. Males.*, ser. 1, 13: 74 (1997); Lee et al., *Gard. Bull. Singapore* 55: 293 (2003). – *Cordia cylindrostachya* auct. non (Ruiz & Pav.) Roem. & Schult.: Corner, *Wayside Trees Malaya*, ed. 2, 1: 176 (1952); Henderson, *Malay. Wild Fls.* Dicot.: 311 (1959); Keng, *Gard. Bull. Singapore* 39(1): 71 (1986); Corlett, *J. Biogeogr.* 15: 661 (1988); Ng, *Tree Fl. Malaya* 4: 60 (1989); Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 175 (1990); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 63 (1990); Turner, *Gard. Bull. Singapore* 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 112 (1994); Turner et al., *Gard. Bull. Singapore* 46(2): 12 (1995 ['1994']); Chew et al., *Gard. Bull. Singapore* 49(2): 221 (1999 ['1997']); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 28, 116, 265 (2009); Lok et al., *Cosmos* 6: 68 (2010); Teo et al., *Nat. Singapore* 4: 269 (2011); Hung et al., *Nat. Singapore* 10: 44 (2017), as 'cylindrostachya'. **Non-native, naturalised** (Chong et al., 2009).

Cordia dichotoma G.Forst.: Keng, *Gard. Bull. Singapore* 39(1): 71 (1986); Ng, *Tree Fl. Malaya* 4: 60 (1989); Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 175, fig. 133.2 (1990); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 63 (1990); Turner, *Gard. Bull. Singapore* 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 112 (1994); Ng & Wee (ed.), *Singapore Red Data Book*: 277 (1994); Riedl, *Fl. Males.*, ser. 1, 13: 75 (1997); Turner, *Gard. Bull. Singapore* 47: 153 (1997 ['1995']); Tan et al. in Davison et al. (ed.), *Singapore Red Data Book*, ed. 2: 218 (2008); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 28, 116, 203 (2009); Wong et al., *Checkl. Pl. Sp. Nee Soon Swamp For.*: 65, 314 (2013); Neo et al., *Nat. Singapore* 6: 79 (2013); Chen et al., 1001 *Gard. Pl. Singapore*, ed. 3: 585, 806 [2015]; Soh et al., 1001 *Gard. Pl. Singapore* (Trees etc.): 103, 310 (2020). – *Cordia obliqua* Willd.: Ridley, *Fl. Malay Penins.* 2: 439 (1923). – *Cordia*

myxa auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 279 (1906 ['1905']). **Native; CR** (Wong et al., 2013).

Cordia subcordata Lam.: Sinclair, Gard. Bull. Singapore 14(1): 33 (1953); Keng, Gard. Bull. Singapore 39(1): 71 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 175 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990), as ‘*subsordata*’; Turner, Gard. Bull. Singapore 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Riedl, Fl. Males., ser. 1, 13: 78 (1997); Turner, Gard. Bull. Singapore 47: 153 (1997 ['1995']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 340 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 117, 203 (2009). **Native; CR** (Chong et al., 2009).

Ehretia microphylla Lam.: Hilger & Gottschling, Bot. Jahrb. Syst. 124(2): 149 (2002); Neo et al., Nat. Singapore 6: 119 (2013); Kaw & Neo, Wayside Fls Singapore: 97 (2018). – *Carmona retusa* (Vahl) Masam.: Keng, Gard. Bull. Singapore 39(1): 71 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 175, fig. 133.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Riedl, Fl. Males., ser. 1, 13: 65 (1997); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 116, 265 (2009); Lok et al., Cosmos 6: 68 (2010); Neo et al., Nat. Singapore 6: 13 (2013). **Non-native, naturalised** (Chong et al., 2009).

Heliotropium bibianum Craven: Craven, Blumea 50: 379 (2005). – *Tournefortia tetrandra* Blume: Keng, Gard. Bull. Singapore 39(1): 71 (1986); Ng, Tree Fl. Malaya 4: 65 (1989), as ‘*tetandra*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 175, fig. 133.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990), as ‘*tetrandra*’; Turner, Gard. Bull. Singapore 45: 46 (1993), as ‘*tetrandra*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994), as ‘*tetrandra*’; Ng & Wee (ed.), Singapore Red Data Book: 278 (1994), as ‘*tetrandra*’; Riedl, Fl. Males., ser. 1, 13: 123 (1997); Turner, Gard. Bull. Singapore 47: 153 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008), as ‘*tetrandra*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 117, 199 (2009). – *Tournefortia wallichii* DC.: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 147 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 280 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 441 (1923). – *Tetrandra wallichii* Miq.: Miquel, Fl. Ned. Ind. 2, fasc. 6: 928 (1858 ['1856']). **Native; NEx** (Chong et al., 2009).

Heliotropium indicum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 281 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 441 (1923); Keng, Gard. Bull. Singapore 39(1): 71 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 175, fig. 133.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Riedl, Fl. Males., ser. 1, 13: 105 (1997); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 117, 271 (2009); Lok et al., Cosmos 6: 78 (2010). **Non-native, naturalised** (assessed here).

Brassicaceae

Cardamine hirsuta L.: Jonsell, Fl. Males., ser. 1, 10(3): 554 (1988); Turner, Gard. Bull. Singapore 45: 61 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994). **Non-native, casual*** (assessed here).

Rorippa dubia (Pers.) H.Hara: POWO. – *Rorippa heterophylla* R.O.Williams: Jonsell, Fl. Males., ser. 1, 10(3): 559 (1988); Turner, Gard. Bull. Singapore 45: 61 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 117, 268 (2009); Julius, Fl. Penins. Malaysia, ser. 2, 1: 111 (2010); Lok et al., Cosmos 6: 68 (2010). – *Rorippa indica* auct. non (L.) Hiern: Keng, Gard. Bull. Singapore 27: 248 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 24, fig. 20.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). – *Nasturtium indicum* auct. non (L.) DC.: Ridley, Fl. Malay Penins. 1: 119 (1922). **Non-native, naturalised** (Chong et al., 2009).

Burmanniaceae

Burmannia championii Thwaites: Jonker, Fl. Males., ser. 1, 4(1): 17 (1948); Keng, Gard. Bull. Singapore 40: 123 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 21 (1998); Saunders, Gard. Bull. Singapore 48: 243 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 117, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Burmannia tuberosa* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 152 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 72 (1907); Ridley, Fl. Malay Penins. 4: 306 (1924). **Native; NEx** (assessed here).

Burmannia coelestis D.Don: Hooker, Fl. Brit. India 5, fasc. 15: 665 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 152 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 71 (1907); Ridley, Fl. Malay Penins. 4: 304 (1924); Jonker, Fl. Males., ser. 1, 4(1): 17 (1948); Keng, Gard. Bull. Singapore 40: 123 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 26, 278 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 21, fig. 47 (1998); Saunders, Gard. Bull. Singapore 48: 244 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 150, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 117, 225 (2009); Kaw & Neo, Wayside Fls Singapore: 74 (2018). **Native; EN** (assessed here).

Burmannia wallichii (Miers) Hook.f.: Ridley, Mat. Fl. Malay. Penins. 2: 71 (1907); Ridley, Fl. Malay Penins. 4: 305 (1924); Turner, Gard. Bull. Singapore 47: 514 (1997 ['1995']); Saunders, Gard. Bull. Singapore 48: 246 (1998 ['1996']). **Native; NEx** (assessed here).

Gymnosiphon aphyllus Blume: Ridley, Mat. Fl. Malay. Penins. 2: 73 (1907), as ‘aphyllum’; Ridley, Fl. Malay Penins. 4: 306 (1924), as ‘aphyllum’; Jonker, Fl. Males., ser. 1, 4(1): 20 (1948); Keng, Gard. Bull. Singapore 40: 123 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 21, fig. 48 (1998); Saunders, Gard. Bull. Singapore 48: 247 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 117, 193 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Gymnosiphon borneense* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900). **Native; NEx** (Chong et al., 2009).

Burseraceae

Canarium grandifolium (Ridl.) H.J.Lam: Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 12: 527 (1932); Leenhouts, Fl. Males., ser. 1, 5(2): 275 (1956); Leenhouts, Blumea 9(2): 386 (1959); Kochummen, Tree Fl. Malaya 1: 129 (1972); Keng, Gard. Bull. Singapore 33: 346 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 99 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Kochummen, Tree Fl. Sabah & Sarawak 1: 55 (1995); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 154 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 117, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Trigonochlamys grandifolia* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 31 (1910); Ridley, Fl. Malay Penins. 1: 381 (1922). **Native; CR** (Chong et al., 2009).

Canarium littorale Blume: Keng, Gard. Bull. Singapore 33: 346 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 99, fig. 89.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 64, 161 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 117, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 47, 314 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Canarium aff. littorale* Blume: Seah et al., Nat. Singapore 12: 17 (2019). – *Canarium purpurascens* A.W.Benn.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 245 (1894 ['1893']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 370 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 432 (1935). – *Canarium rufum* A.W.Benn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 372 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 432 (1935). – *Canarium secundum* A.W.Benn.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 250 (1894 ['1893']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 375 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 432 (1935). **Native; EN** (assessed here).

Canarium patentinervium Miq.: Keng, Gard. Bull. Singapore 33: 346 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 100 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 154 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 65, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 117, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 47, 315 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019); Seah et al., Nat. Singapore 12: 19 (2019). – *Canarium nitidum* A.W.Benn.: Bennett in Hooker, Fl. Brit. India 1, fasc. 3: 533 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 251 (1894 ['1893']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 373 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 431 (1935). – *Canarium parvifolium* A.W.Benn.: Ridley, Fl. Malay Penins. 1: 372 (1922). **Native; EN** (Wong et al., 2013).

Canarium pilosum A.W.Benn.: Bennett in Hooker, Fl. Brit. India 1, fasc. 3: 533 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 243 (1894 ['1893']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 372 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 33: 346 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 100 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 66, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 117, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 48, 315 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 82, 310 (2020). – *Canarium pilosum* A.W.Benn. subsp. *pilosum*: Seah et al., Nat. Singapore 12: 19 (2019). – *Canarium grandiflorum* A.W.Benn.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 242 (1894 ['1893']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 370 (1922). **Native; VU** (assessed here).

Dacryodes costata (A.W.Benn.) H.J.Lam: Kalkman, Blumea 7(3): 508 (1954); Leenhouts, Fl. Males., ser. 1, 5(2): 222 (1956); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 155 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 117, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 73, 316 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019); Seah et al., Nat. Singapore 12: 22 (2019). **Native; EN** (Wong et al., 2013).

Dacryodes incurvata (Engl.) H.J.Lam: Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']), as '*incravata*'; Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 59 (2018); Seah et al., Nat. Singapore 12: 22 (2019). **Native; CR** (assessed here).

Dacryodes laxa (A.W.Benn.) H.J.Lam: Kalkman, Blumea 7(3): 503 (1954); Keng, Gard. Bull. Singapore 33: 346 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 100 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 117, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Santiria laxa* (A.W.Benn.) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 377 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1957 (1935). **Native; EN** (Chong et al., 2009).

Dacryodes longifolia (King) H.J.Lam: Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 117, 203 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). **Native; CR** (Chong et al., 2009).

Dacryodes nervosa (H.J.Lam) Leenh.: Khoo et al., Gard. Bull. Singapore 70: 59 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74, 119 (2019). **Native; CR** (assessed here).

Dacryodes puberula (A.W.Benn.) H.J.Lam: Kalkman, Blumea 7(3): 512 (1954). **Native; NEx** (assessed here).

Dacryodes rostrata (Blume) H.J.Lam: Kalkman, Blumea 7(3): 519 (1954); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 33: 346 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 100 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 156 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 293 (2003); LaFrankie et al., Forest Trees Bukit Timah: 67, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 117, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 73, 316 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Dacryodes rostrata* (Blume) H.J.Lam aff. f. *rostrata*: Seah et al., Nat. Singapore 12: 24 (2019). – *Canarium kadondon* A.W.Benn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 373 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 430 (1935). **Native; VU** (Wong et al., 2013).

Dacryodes rugosa (Blume) H.J.Lam: Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 51 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 117, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019).

Dacryodes rugosa (Blume) H.J.Lam var. **rugosa**: Seah et al., Nat. Singapore 12: 26 (2019). **Native; CR** (Chong et al., 2009, as *Dacryodes rugosa*).

Santiria apiculata A.W.Benn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 378 (1922); Kalkman, Blumea 7(3): 538 (1954); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 33: 346 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 100 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 68, 165 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 117, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 316 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019); Yee et al., Fl. Singapore 1: 51 (2019). – *Dacryodes puberula* auct. non (A.W.Benn.) H.J.Lam: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 73, 316 (2013).

Santiria apiculata A.W.Benn. var. **apiculata**: Seah et al., Nat. Singapore 12: 28 (2019). **Native; LC** (Wong et al., 2013, as *Santiria apiculata*).

Santiria conferta A.W.Benn.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 117, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019). – *Santiria oblongifolia* auct. non Blume: Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011).

Native; CR (Chong et al., 2009).

Santiria griffithii (Hook.f.) Engl.: Kalkman, Blumea 7(3): 545 (1954); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 33: 347 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 100, fig. 89.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 69, 165 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 118, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 316 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019); Seah et al., Nat. Singapore 12: 29 (2019). – *Trigonocheilum griffithii* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 381 (1922). **Native; EN** (assessed here).

Santiria laevigata Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 378 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1957 (1935); Kalkman, Blumea 7(3): 535 (1954); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 33: 347 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 100 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 156 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 70, 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 118, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 316 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 74 (2019); Seah et al., Nat. Singapore 12: 30 (2019). **Native; VU** (Wong et al., 2013).

Santiria rubiginosa Blume: Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 71, 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 118, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 16 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 317 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019). – *Santiria rugosa* auct. non Blume: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 317 (2013). – *Icicaster planchonii* (Benn.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 15 (1917), as ‘*planchoni*’; Ridley, Fl. Malay Penins. 1: 381 (1922), as ‘*planchoni*’;

Burkill, Dict. Econ. Prod. Malay Penins. 2: 1221 (1935), as ‘*planchoni*’. – *Canarium planchonii* (Benn.) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900), as ‘*planchoni*’.

Santiria rubiginosa Blume var. **rubiginosa**: Turner, Gard. Bull. Singapore 47: 156 (1997 ['1995']); Seah et al., Nat. Singapore 12: 32 (2019). **Native; EN** (assessed here).

Santiria tomentosa Blume: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1957 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 157 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 118, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019); Seah et al., Nat. Singapore 12: 32 (2019). – *Santiria multiflora* A.W.Benn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900). **Native; CR** (assessed here).

Triomma malaccensis Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 58 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 86 (1901); Staph, Hooker's Icon. Pl. 29(1) [ser. 4, 9(1)]: pl. 2824, 2825 (1906); Ridley, Fl. Malay Penins. 1: 369 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2184 (1935); Kalkman, Blumea 7(3): 499 (1954); Keng, Gard. Bull. Singapore 33: 347 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 100, fig. 89.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 118, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 317 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019); Seah et al., Nat. Singapore 12: 34 (2019). **Native; CR** (assessed here).

Cabombaceae

Cabomba aquatica Aubl.: Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994]). **Non-native, casual** (assessed here).

Cactaceae

Hylocereus undatus (Haw.) Britton & Rose: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 118, 247 (2009). **Non-native, casual** (assessed here).

Calophyllaceae

Calophyllum biflorum M.R.Hend. & Wyatt-Sm.: Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 349 (1956); Whitmore, Tree Fl. Malaya 2: 176 (1973); Keng, Gard. Bull. Singapore 28(2): 244 (1976); Stevens, J. Arnold Arbor. 61: 472 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 256 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 189 (2009). **Native; NEx** (Chong et al., 2009).

Calophyllum calaba L.: Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']).

Calophyllum calaba L. var. **bracteatum** (Wight) P.F.Stevens: Stevens, J. Arnold Arbor. 61: 261 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 189 (2009). – *Calophyllum saigonense* Pierre: Keng, Gard. Bull. Singapore 28(2): 245 (1976). – *Calophyllum curtisii* King: Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 321 (1956). **Native; NEx** (Chong et al., 2009).

Calophyllum costulatum M.R.Hend. & Wyatt-Sm.: Keng, Gard. Bull. Singapore 28(2): 244 (1976); Stevens, J. Arnold Arbor. 61: 470 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 257 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 189 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019). **Native; NEx** (Chong et al., 2009).

Calophyllum dispar P.F.Stevens: Stevens, J. Arnold Arbor. 61: 524 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 257 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 202 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 44, 321 (2013); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Calophyllum molle* auct. non King: Keng, Gard. Bull. Singapore 28(2): 244 (1976). **Native; CR** (Wong et al., 2013).

Calophyllum ferrugineum Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 17 (1910); Ridley, Fl. Malay Penins. 1: 184 (1922); Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 328 (1956); Whitmore, Tree Fl. Malaya 2: 180 (1973); Keng, Gard. Bull. Singapore 28(2): 244 (1976); Stevens, J. Arnold Arbor. 61: 459 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 74, 161 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 45, 321 (2013); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019). – *Calophyllum retusum* Wall. ex Choisy: Anderson in Hooker, Fl. Brit. India 1, fasc. 2: 272 (1874), p.p.; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 59: 176 (1890), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 184 (1922); Keng, Gard. Bull. Singapore 28(2): 245 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978). – *Calophyllum spectabile* auct. non Willd.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat.

Hist. 59: 175 (1890), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 185 (1922), p.p. – *Calophyllum retusum* Wall., nom. nud.: Wallich, Numer. List no. 4848 (1831).

Calophyllum ferrugineum* Ridl.** var. ***ferrugineum: Turner, Gard. Bull. Singapore 47: 257 (1997 ['1995']); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; LC** (Wong et al., 2013, as *Calophyllum ferrugineum*).

***Calophyllum inophyllum* L.**: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900); Ridley, Fl. Malay Penins. 1: 186 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 408 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 311 (1952); Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 314 (1956); Keng, Gard. Bull. Singapore 28(2): 244 (1976); Stevens, J. Arnold Arbor. 61: 324 (1980); Corner, Wayside Trees Malaya, ed. 3, 1: 350 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48, fig. 40.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 257 (1997 ['1995']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 320 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 202 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 6: 68 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 222 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 78, 310 (2020). **Native; EN** (assessed here).

***Calophyllum lanigerum* Miq.**: Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']).

Calophyllum lanigerum* Miq.** var. ***austrocoriaceum (Whitmore) P.F.Stevens: Stevens, J. Arnold Arbor. 61: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 257 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 45, 321 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 559, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75, 127 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 78, 310 (2020); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Calophyllum austrocoriaceum* Whitmore: Keng, Gard. Bull. Singapore 28(2): 244 (1976). **Native; EN** (Wong et al., 2013).

***Calophyllum macrocarpum* Hook.f.**: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900); Ridley, Fl. Malay Penins. 1: 187 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 412 (1935); Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 317 (1956); Keng, Gard. Bull. Singapore 28(2): 244 (1976); Stevens, J. Arnold Arbor. 61: 452 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 258 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 202 (2009); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp

For.: 45, 321 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75, 127 (2019); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Wong et al., 2013).

Calophyllum pulcherrimum Wall. ex Choisy: Anderson in Hooker, Fl. Brit. India 1, fasc. 2: 271 (1874); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 59: 174 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 182 (1922); Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 334 (1956); Whitmore in Whitmore (ed.), Tree Fl. Malaya 2: 188 (1973); Keng, Gard. Bull. Singapore 28(2): 244 (1976); Stevens, J. Arnold Arbor. 61: 395 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 258 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 75, 161 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 537, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 45, 321 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 79, 310 (2020); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Calophyllum mesuifolium* Wall., nom. nud.: Wallich, Numer. List no. 4850 (1831), as ‘*mesuaefolium*’; Ridley, Fl. Malay Penins. 1: 183 (1922), as ‘*mesuaefolium*’. – *Calophyllum pulcherrimum* Wall., nom. nud.: Wallich, Numer. List no. 4848 (1831). **Native; LC** (Wong et al., 2013).

Calophyllum rigidum Miq.: Keng, Gard. Bull. Singapore 28(2): 245 (1976); Stevens, J. Arnold Arbor. 61: 294 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 258 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019). – *Calophyllum kunstleri* King: Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 320 (1956). – *Calophyllum canum* auct. non Hook.f. ex T.Anderson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 185 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 408 (1935). **Native; NEx** (assessed here).

Calophyllum rubiginosum M.R.Hend. & Wyatt-Sm.: Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 308 (1956); Whitmore, Tree Fl. Malaya 2: 189 (1973); Keng, Gard. Bull. Singapore 28(2): 245 (1976); Stevens, J. Arnold Arbor. 61: 638 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 258 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 45, 321 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Calophyllum wallichianum* auct. non Planch. & Triana: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900); Ridley, Fl. Malay Penins. 1: 187 (1922), p.p. **Native; EN** (Wong et al., 2013).

Calophyllum rufigemmatum M.R.Hend. & Wyatt-Sm. ex P.F.Stevens: Stevens, J. Arnold Arbor. 61: 350 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 104 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 258 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 45, 321 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Calophyllum wallichianum* auct. non Planch. & Triana: Anderson in Hooker, Fl. Brit. India 1, fasc. 2: 273 (1874), p.p.; Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 303 (1956), p.p.; Whitmore, Tree Fl. Malaya 2: 193 (1973), p.p.; Keng, Gard. Bull. Singapore 28(2): 245 (1976); LaFrankie et al., Forest Trees Bukit Timah: 76, 161 (2005). **Native; EN** (assessed here).

Calophyllum sundaicum P.F.Stevens: Stevens, J. Arnold Arbor. 61: 467 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 259 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 120, 202 (2009); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Calophyllum retusum* auct. non Wall. ex Choisy: Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 331 (1956); Keng, Gard. Bull. Singapore 28(2): 245 (1976). **Native; CR** (Chong et al., 2009).

Calophyllum tetrapterum Miq.: Keng, Gard. Bull. Singapore 28(2): 245 (1976); Stevens, J. Arnold Arbor. 61: 506 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 120, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 45, 321 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019). – *Calophyllum foetidum* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 18 (1910); Ridley, Fl. Malay Penins. 1: 186 (1922), p.p.; Byrne et al., Thai Forest Bull., Bot. 46(2): 180 (2018). – *Calophyllum floribundum* Hook.f.: Ridley, Fl. Malay Penins. 1: 184 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 408 (1935); Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 332 (1956); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978). – *Calophyllum prainianum* King: Ridley, Fl. Malay Penins. 1: 183 (1922).

Calophyllum tetrapterum Miq. var. **tetrapterum**: Turner, Gard. Bull. Singapore 47: 259 (1997 ['1995']); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; VU** (Wong et al., 2013, as *Calophyllum tetrapterum*).

Calophyllum teysmannii Miq.: Keng, Gard. Bull. Singapore 28(2): 245 (1976); Stevens, J. Arnold Arbor. 61: 432 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee

(ed.), Singapore Red Data Book: 288 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 120, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 45, 321 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019). – *Calophyllum inophylloide* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900); Ridley, Fl. Malay Penins. 1: 186 (1922), p.p.; Burkill, Dict. Econ. Prod. Malay Penins. 1: 408 (1935); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005). – *Calophyllum inophylloide* King var. *singapurensis* M.R.Hend. & Wyatt-Sm.: Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 316 (1956); Whitmore, Tree Fl. Malaya 2: 186 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978), as '*inophylloides*'.

Calophyllum teysmannii Miq. var. **teysmannii**: Turner, Gard. Bull. Singapore 47: 259 (1997 ['1995']); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; VU** (Wong et al., 2013, as *Calophyllum teysmannii*).

Calophyllum wallichianum Planch. & Triana: Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']).

Calophyllum wallichianum Planch. & Triana var. **incrassatum** (M.R.Hend. & Wyatt-Sm.) P.F.Stevens: Stevens, J. Arnold Arbor. 61: 345 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 260 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 120, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 46, 322 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019); Hung et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Calophyllum incrassatum* M.R.Hend. & Wyatt-Sm.: Henderson & Wyatt-Smith, Gard. Bull. Singapore 15: 302 (1956); Keng, Gard. Bull. Singapore 28(2): 244 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005). – *Calophyllum griffithii* auct. non T.Anderson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900); Ridley, Fl. Malay Penins. 1: 187 (1922), p.p. **Native; VU** (Wong et al., 2013).

Calophyllum sp. 151: Stevens, J. Arnold Arbor. 61: 626 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 260 (1997 ['1995']). **Native;** conservation assessments are generally not applicable to unnamed taxa.

Kayea elegans King: Byrne et al., Thai Forest Bull., Bot. 46(2): 185 (2018). – *Mesua elegans* (King) Kosterm.: Whitmore, Tree Fl. Malaya 2: 229 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 264 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 121, 208 (2009). **Native; CR** (Chong et al., 2009).

Kayea ferruginea Pierre: Ridley, Fl. Malay Penins. 1: 189 (1922); Byrne et al., Thai Forest Bull., Bot. 46(2): 185 (2018). – *Mesua ferruginea* (Pierre) Kosterm.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 121, 250 (2009). – *Kayea racemosa* auct. non Planch. & Triana: Anderson in Hooker, Fl. Brit. India 1, fasc. 2: 276 (1874), p.p. – *Mesua singapureana* Wall., nom. nud.: Wallich, Numer. List no. 4836 (1831). **Native; NEx** (assessed here).

Campanulaceae

Hippobroma longiflora (L.) G.Don: Skog in Nicolson et al., Smithsonian Contr. Bot. 77: 129 (1991); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 48 (1993); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 118, 266 (2009); Lok et al., Cosmos 6: 68 (2010); Kaw & Neo, Wayside Fls Singapore: 130 (2018). – *Laurentia longiflora* (L.) Peterm.: Moeliono & Tuyn, Fl. Males., ser. 1, 6(1): 140 (1960); Keng, Gard. Bull. Singapore 38(2): 166 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 164, fig. 127.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990), as ‘*longifolia*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994). – *Isotoma longiflora* (L.) C.Presl: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 53 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 201 (1923). **Non-native, naturalised** (assessed here).

Lobelia chinensis Lour.: Moeliono & Tuyn, Fl. Males., ser. 1, 6(1): 130 (1960); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 48 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner, Gard. Bull. Singapore 47: 158 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 118, 267 (2009); Lok et al., Cosmos 6: 68 (2010). **Non-native, naturalised** (assessed here).

Lobelia zeylanica L.: Moeliono & Tuyn, Fl. Males., ser. 1, 6(1): 128 (1960); Keng, Gard. Bull. Singapore 38(2): 166 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 164, fig. 127.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 158 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 118, 229 (2009). – *Lobelia affinis* Wall. ex G.Don: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 52 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 200 (1923); Henderson, Malay. Wild Fls, Dicot.: 255 (1959). – *Pratia begonifolia* auct. non (Wall.) Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 102 (1900). – *Lobelia affinis* Wall., nom. nud.: Wallich, Numer. List no. 1311 (1829). **Native; CR** (assessed here).

Cannabaceae

Gironniera hirta Ridl.: Soepadmo, Tree Fl. Malaya 2: 417 (1973); Soepadmo, Fl. Males., ser. 1, 8(2): 74 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 222 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 490 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 118, 192 (2009). **Native; NEx** (Chong et al., 2009).

Gironniera nervosa Planch.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900); Ridley, Fl. Malay Penins. 3: 320 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1071 (1935); Soepadmo, Fl. Males., ser. 1, 8(2): 74 (1977); Keng, Gard. Bull. Singapore 31: 90 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 66 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 222 (1993); Turner & Tan in Wee & Ng (ed.), First Look

Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 490 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 609, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 118, 228 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 127, 317 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75, 127 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 160, 310 (2020). **Native; LC** (Wong et al., 2013).

Gironniera parvifolia Planch.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900); Ridley, Fl. Malay Penins. 3: 321 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1071 (1935); Soepadmo, Fl. Males., ser. 1, 8(2): 75 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Gard. Bull. Singapore 31: 90 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 66, fig. 65.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 222 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 490 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 72, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 118, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Neo et al., Nat. Singapore 6: 275 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019). **Native; EN** (Chong et al., 2009).

Gironniera subaequalis Planch.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900); Ridley, Fl. Malay Penins. 3: 320 (1924); Soepadmo, Fl. Males., ser. 1, 8(2): 75 (1977); Keng, Gard. Bull. Singapore 31: 90 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 66 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 222 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 490 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 118, 215 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 127, 317 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019). **Native; EN** (Wong et al., 2013).

Trema angustifolium (Planch.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900), as 'angustifolia'; Ridley, Fl. Malay Penins. 3: 319 (1924), as 'angustifolia'; Soepadmo, Fl. Males., ser. 1, 8(2): 54 (1977), as 'angustifolia'; Keng, Gard. Bull. Singapore 31: 90 (1978), as 'angustifolia'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 66 (1990), as 'angustifolia'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990), as 'angustifolia'; Turner, Gard. Bull. Singapore 45: 222 (1993), as 'angustifolia'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994), as 'angustifolia'; Ng & Wee (ed.), Singapore Red Data Book: 311 (1994), as 'angustifolia'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008), as 'angustifolia'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 118, 199 (2009), as 'angustifolia'. **Native; CR** (assessed here).

Trema cannabina Lour.: Soepadmo, Fl. Males., ser. 1, 8(2): 50 (1977); Keng, Gard. Bull. Singapore 31: 91 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 66, fig. 65.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 222 (1993);

Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 118, 231 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 249, 318 (2013); Neo et al., Nat. Singapore 7: 62 (2014). – *Trema virgatum* (Planch.) Blume: Ridley, Fl. Malay Penins. 3: 319 (1924), as ‘*virgata*’. – *Trema timorense* (Decne.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900), as ‘*timorense*’. – *Sponia virgata* Planch.: Miquel, Fl. Ned. Ind. 1(2), fasc. 2: 216 (1859). **Native; LC** (Wong et al., 2013).

Trema tomentosum (Roxb.) H.Hara: Soepadmo, Fl. Males., ser. 1, 8(2): 53 (1977), as ‘*tomentosa*’; Keng, Gard. Bull. Singapore 31: 91 (1978), as ‘*tomentosa*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 66 (1990), as ‘*tomentosa*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990), as ‘*tomentosa*’; Turner, Gard. Bull. Singapore 45: 222 (1993), as ‘*tomentosa*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994), as ‘*tomentosa*’; Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']), as ‘*tomentosa*’; Turner, Gard. Bull. Singapore 47: 490 (1997 ['1995']), as ‘*tomentosa*’; Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']), as ‘*tomentosa*’; Lee et al., Gard. Bull. Singapore 55: 306 (2003), as ‘*tomentosa*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 118, 231 (2009), as ‘*tomentosa*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011), as ‘*tomentosa*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 249, 318 (2013), as ‘*tomentosa*’; Neo et al., Nat. Singapore 7: 101 (2014), as ‘*tomentosa*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 75 (2019), as ‘*tomentosa*’. – *Trema amboinense* (Willd.) Blume: Hooker, Fl. Brit. India 5, fasc. 15: 484 (1888), as ‘*amboinensis*’; Ridley, Fl. Malay Penins. 3: 319 (1924), as ‘*amboinensis*’ . – *Trema orientale* auct. non (L.) Blume: Hooker, Fl. Brit. India 5, fasc. 15: 484 (1888), as ‘*orientalis*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900), as ‘*orientalis*’ . – *Trema orientale* (L.) Blume var. *molle* auct. non (Humb. & Bonpl. ex Willd.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 634 (1891), as ‘*orientalis*’. **Native; VU** (assessed here).

Cannaceae

Canna indica L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Turner, Gard. Bull. Singapore 45: 49 (1993); Tan et al., Gard. Bull. Singapore 44: 128 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 59, fig. 122 (1998); Tanaka, Gard. Bull. Singapore 50: 35–37 (1998); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 118, 265 (2009); Lok et al., Cosmos 6: 68 (2010). – *Canna edulis* Ker Gawl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 59 (1998). – *Canna orientalis* Roscoe, nom. illeg. superfl.: Ridley, Fl. Malay Penins. 4: 291 (1924). – *Canna warszewiczii* A.Dietr.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 182 (1899), as ‘*warszewiczii*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900), as ‘*warcewiczzii*’; Ridley, Fl. Malay Penins. 4: 291 (1924). – *Canna indica* L. var. *orientalis* Baker, nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 182 (1899). **Non-native, naturalised** (Chong et al., 2009).

Capparaceae

Capparis micracantha DC.: Keng, Gard. Bull. Singapore 27: 247 (1974); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 118, 202 (2009); Neo et al., Nat. Singapore 6: 275 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 563, 806 [2015].

Capparis micracantha DC. subsp. *korthalsiana* (Miq.) M.Jacobs: Jacobs, Fl. Males., ser. 1, 6(1): 86 (1960); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 23 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994);

Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 158 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76, 119 (2019). – *Capparis finlaysoniana* Wall. ex Hook.f. & Thomson: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 179 (1872); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 58(4): 395 (1889); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 43 (1900); Ridley, Fl. Malay Penins. 1: 124 (1922). – *Capparis finlaysoniana* Wall., nom. nud.: Wallich, Numer. List no. 6992 (1832). **Native; CR** (assessed here).

Cardiopteridaceae

Gonocaryum gracile Miq.: Sleumer, Fl. Males., ser. 1, 7(1): 17 (1972 ['1971']); Keng, Gard. Bull. Singapore 35(1): 96 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 126 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 296 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 118, 215 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76, 127 (2019). – *Gonocaryum longeracemosum* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 120 (1895), as 'longeracemosum'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900); Ridley, Fl. Malay Penins. 1: 431 (1922), as 'longe-racemosum'; Burkill, Dict. Econ. Prod. Malay Penins. 1: 1099 (1935). **Native; CR** (assessed here).

Caricaceae

Carica papaya L.: Keng, Gard. Bull. Singapore 28(2): 240 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 43, fig. 34.1 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 118, 262 (2009); Lok et al., Cosmos 6: 74 (2010); Hung et al., Nat. Singapore 10: 44 (2017). **Non-native, casual** (Chong et al., 2009).

Caryophyllaceae

Drymaria cordata (L.) Willd. ex Schult.: Sinclair, Gard. Bull. Singapore 14(1): 31 (1953); Keng, Gard. Bull. Singapore 28(2): 255 (1976); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 56, fig. 48.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Larsen, Fl. Males., ser. 1, 16: 20 (2002); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 119, 266 (2009); Lok et al., Cosmos 6: 68 (2010). **Non-native, casual*** (assessed here).

Casuarinaceae

Casuarina equisetifolia L.: Kuntze, Revis. Gen. Pl. 2: 638 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900); Keng, Gard. Bull. Singapore 31: 87 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 63, fig. 60.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 326 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 119, 226 (2009); Nor-Ezzawanis, Fl. Penins. Malaysia, ser. 2, 1: 88 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017);

Yee et al., Fl. Singapore 1: 64, 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 87, 310 (2020). **Native; LC** (Chong et al., 2009).

Celastraceae

Celastrus monospermoides Loes.: Ding Hou, Ann. Missouri Bot. Gard. 42: 246 (1955). – *Celastrus championii* Benth. var. ?: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900), as ‘*championii*’. **Native; NE**.

Elaeodendron viburnifolium (Juss.) Merr.: POWO. – *Cassine viburnifolia* (Juss.) Ding Hou: Ding Hou, Fl. Males., ser. 1, 6(2): 286 (1962); Keng, Gard. Bull. Singapore 35(1): 84 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 115, fig. 95.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 161 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 119, 202 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 50, 318 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 567, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 86, 310 (2020). – *Elaeodendron subrotundum* King: Ridley, Fl. Malay Penins. 1: 453 (1922). **Native; CR** (Wong et al., 2013).

Euonymus indicus B.Heyne ex Wall.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 105, 318 (2013). – *Euonymus javanicus* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ding Hou, Fl. Males., ser. 1, 6(2): 248 (1962); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 35(1): 84 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 115, fig. 95.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990), as ‘*Evonymus*’; Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994), as ‘*Evonymus*’; Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner et al., Gard. Bull. Singapore 48: 142 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 119, 192 (2009). **Native; NEx** (Wong et al., 2013).

Glyptopetalum quadrangulare Prain ex King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ding Hou, Fl. Males., ser. 1, 6(2): 257 (1962); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 119, 193 (2009). **Native; NEx** (Chong et al., 2009).

Gymnosporia littoralis (Backer) Jordaan: Jordaan & Van Wyk, Telopea 10(1): 160 (2003). – *Maytenus emarginata* auct. non (Willd.) Ding Hou: Ding Hou, Fl. Males., ser. 1, 6(2): 241 (1962), p.p.; Turner, Gard. Bull. Singapore 45: 51 (1993); Tan et al., Gard. Bull. Singapore 44: 128 (1993 [‘1992’]); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner, Gard. Bull. Singapore 47: 163 (1997 [‘1995’]), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 119, 194 (2009). **Native; CR** (assessed here).

Kokoona littoralis M.A.Lawson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 346 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ding Hou, Fl. Males., ser. 1, 6(2): 261 (1962); Keng, Gard. Bull. Singapore 35(1): 84 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 115 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore:

112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 119, 193 (2009). – *Lophopetalum littorale* (M.A.Lawson) Kurz: Ridley, Fl. Malay Penins. 1: 450 (1922), as ‘*littoralis*’. **Native; NEx** (Chong et al., 2009).

Kokoona reflexa (M.A.Lawson) Ding Hou: Ding Hou, Fl. Males., ser. 1, 6(2): 262 (1962); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 115 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 162 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 119, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019). **Native; CR** (Chong et al., 2009).

Loeseneriella macrantha (Korth.) A.C.Sm.: Ding Hou, Fl. Males., ser. 1, 6(2): 398 (1962); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 162 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 119, 194 (2009); Lim et al., Gard. Bull. Singapore 70: 80 (2018). – *Hippocratea macrantha* Korth.: Ridley, Fl. Malay Penins. 1: 455 (1922). – *Hippocratea cumingii* auct. non M.A.Lawson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900), as ‘*cumingi*’. **Native; CR** (Lim et al., 2018).

Lophopetalum beccarianum Pierre: LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 119, 208 (2009). **Native; CR** (Chong et al., 2009).

Lophopetalum multinervium Ridl.: Ding Hou, Fl. Males., ser. 1, 6(2): 270 (1962); Kochummen & Whitmore, Tree Fl. Malaya 1: 168 (1972); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 [‘1994’]), as ‘*Lophopetalum*’; Turner, Gard. Bull. Singapore 47: 163 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 142 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 119, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 171, 319 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019); Wong & Ganesan, Fl. Singapore 1: 44 (2019). **Native; CR** (assessed here).

Lophopetalum pallidum M.A.Lawson: Ganesan, Nat. Singapore 2: 459 (2009); Lim et al., Fl. Singapore 1: 88 (2019). – *Lophopetalum curtisii* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900). **Native; CR** (Ganesan, 2009).

Lophopetalum wightianum Arn.: Ding Hou, Fl. Males., ser. 1, 6(2): 267 (1962); Keng, Gard. Bull. Singapore 35(1): 84 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 115 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 163 (1997 [‘1995’]); Turner et al., Gard. Bull.

Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 119, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 171, 319 (2013); Neo et al., Nat. Singapore 7: 101 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76, 127 (2019). – *Lophopetalum pachyphyllum* auct. non King: Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']). – *Lophopetalum fimbriatum* Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ridley, Fl. Malay Penins. 1: 448 (1922). **Native; EN** (assessed here).

Reissantia indica (Willd.) N.Hallé: Ding Hou, Fl. Males., ser. 1, 6(3): 401 (1964); Keng, Gard. Bull. Singapore 35(1): 84 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 115 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 164 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 119, 197 (2009). – *Hippocratea indica* Willd.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 359 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ridley, Fl. Malay Penins. 1: 455 (1922). **Native; NEx** (Chong et al., 2009).

Salacia chinensis L.: Ding Hou, Fl. Males., ser. 1, 6(3): 419 (1964); Keng, Gard. Bull. Singapore 35(1): 85 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Lee et al., Gard. Bull. Singapore 55: 282, 293 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 119, 223 (2009); Teo et al., Nat. Singapore 4: 269 (2011). – *Salacia latifolia* Wall. ex M.A.Lawson: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 629 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 366 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900); Ridley, Fl. Malay Penins. 1: 459 (1922). – *Salacia prinoides* (Willd.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900); Ridley, Fl. Malay Penins. 1: 459 (1922). – *Salacia latifolia* Wall., nom. nud.: Wallich, Numer. List no. 4222 (1831). **Native; CR** (assessed here).

Salacia exsculpta Korth.: Ding Hou, Fl. Males., ser. 1, 6(3): 417 (1964); Keng, Gard. Bull. Singapore 35(1): 85 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990), as ‘*exsculpata*’; Turner, Gard. Bull. Singapore 45: 51 (1993), as ‘*exsculpata*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994), as ‘*exsculpata*’; Ng & Wee (ed.), Singapore Red Data Book: 278 (1994), as ‘*exsculpata*’; Turner, Gard. Bull. Singapore 47: 164 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 119, 211 (2009). – *Salacia rubra* M.A.Lawson: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 19 (1917); Ridley, Fl. Malay Penins. 1: 460 (1922). **Native; CR** (Chong et al., 2009).

Salacia grandiflora Kurz: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 365 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900); Ridley, Fl. Malay Penins. 1: 458 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1943 (1935); Ding Hou, Fl. Males., ser. 1, 6(3): 413 (1964); Keng, Gard. Bull. Singapore 35(1): 85 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116, fig. 95.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 119, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Ho et al., Gard. Bull.

Singapore 71(Suppl. 1): 76 (2019). – *Salacia longifolia* Hook.f. ex M.A.Lawson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900), as ‘*longiflora*’. **Native; CR** (Chong et al., 2009).

Salacia korthalsiana Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 20 (1917); Ridley, Fl. Malay Penins. 1: 457 (1922); Ding Hou, Fl. Males., ser. 1, 6(3): 406 (1964); Keng, Gard. Bull. Singapore 35(1): 85 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 164 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 293 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 119, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 319 (2013). **Native; CR** (Wong et al., 2013).

Salacia macrophylla Blume: Ding Hou, Fl. Males., ser. 1, 6(3): 412 (1964); Keng, Gard. Bull. Singapore 35(1): 85 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 119, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019). – *Salacia miqueliana* auct. non Loes.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 319 (2013), p.p. – *Salacia flavescentia* Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900); Ridley, Fl. Malay Penins. 1: 459 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1942 (1935). – *Salacia cf. flavescentia* Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900), as ‘*Salacia* sp. near *flavescentia*’. **Native; VU** (Wong et al., 2013).

Salacia maingayi M.A.Lawson: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 47: 164 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 119, 197 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 319 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76, 127 (2019). – *Salacia lobbii* M.A.Lawson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 370 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900). **Native; CR** (assessed here).

Salacia viminea Wall. ex M.A.Lawson: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901); Ridley, Fl. Malay Penins. 1: 456 (1922); Ding Hou, Fl. Males., ser. 1, 6(3): 418 (1964); Keng, Gard. Bull. Singapore 35(1): 85 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 165 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 119, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 319 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76, 119 (2019). **Native; CR** (Wong et al., 2013).

Centroplacaceae

Bhesa paniculata Arn.: Ding Hou, Fl. Males., ser. 1, 6(2): 282 (1962); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 35(1): 84 (1982); Keng, Concise Fl.

Singapore, vol. 1, Gymn. Dicot.: 115, fig. 95.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 161 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Chong et al., Checkl. Vasc. Pl. Singapore: 18, 119, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 34, 318 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 101 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 551, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 72, 310 (2020). – *Kurrimia paniculata* (Arn.) Wall. ex Steud.: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 622 (1875); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ridley, Fl. Malay Penins. 1: 452 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1288 (1935). **Native; LC** (Wong et al., 2013).

Bhesa robusta (Roxb.) Ding Hou: Ding Hou, Fl. Males., ser. 1, 6(2): 283 (1962); Keng, Gard. Bull. Singapore 35(1): 84 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 115 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 161 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 119, 219 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 34, 318 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 551, 806 [2015]; Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 73, 310 (2020). – *Kurrimia robusta* (Roxb.) Kurz: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1288 (1935). – *Kurrimia pulcherrima* Wall. ex M.A.Lawson, nom. illeg. superfl.: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 622 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 354 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ridley, Fl. Malay Penins. 1: 452 (1922). **Native; VU** (Wong et al., 2013).

Chloranthaceae

Chloranthus officinalis Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 128 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 33 (1912); Ridley, Fl. Malay Penins. 3: 52 (1924). – *Chloranthus erectus* (Buch.-Ham.) Wall., nom. illeg. hom.: Verdcourt, Fl. Males., ser. 1, 10(2): 131 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 63, fig. 59.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner, Gard. Bull. Singapore 47: 165 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 119, 202 (2009); Rafidah, Fl. Penins. Malaysia, ser. 2, 1: 96 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019). – *Chloranthus elatior* auct. non R.Br.: Keng, Gard. Bull. Singapore 31: 87 (1978); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 55, 320 (2013). **Native; CR** (Wong et al., 2013).

Chrysobalanaceae

Angelesia splendens Korth.: Sothers & Prance, Blumea 59(2): 104 (2014). – *Licania splendens* (Korth.) Prance; Keng, Gard. Bull. Singapore 27: 250 (1974), as ‘*Licaria*’; Prance, Fl. Males., ser. 1, 10(4): 646 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27, fig. 26.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 293 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 119, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Prance, Fl. Penins. Malaysia, ser. 2, 3: 27 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 160, 320 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 7: 101 (2014). – *Coccomelia nitida* (Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 1: 671 (1922). – *Parinari nitida* Hook.f.: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 77 (1900), as ‘*Parinarium nitidum*’. **Native; VU** (assessed here).

Atuna excelsa (Jack) Kosterm.: Prance, Gard. Bull. Singapore 71: 87 (2019). – *Atuna racemosa* Raf.: Prance, Fl. Males., ser. 1, 10(4): 669 (1989); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 [‘1996’]), as ‘*Auna*’; Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 119, 201 (2009); Prance, Fl. Penins. Malaysia, ser. 2, 3: 19 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 32, 320 (2013). – *Atuna racemosa* Raf. subsp. *excelsa* (Jack) Prance: Prance, Fl. Penins. Malaysia, ser. 2, 3: 21 (2012). – *Parinari excelsa* (Jack) Kosterm.: Keng, Gard. Bull. Singapore 27: 250 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990). – *Parinari asperula* Miq.: Ridley, Fl. Malay Penins. 1: 670 (1922), as ‘*Parinarium asperulum*’.

Atuna excelsa (Jack) Kosterm. subsp. **excelsa**: Prance, Gard. Bull. Singapore 71: 88 (2019). **Native; CR** (assessed here).

Chrysobalanus icaco L.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 533 (1935); Prance, Fl. Males., ser. 1, 10(4): 643 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27, fig. 26.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 51 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner, Gard. Bull. Singapore 47: 165 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 119, 265 (2009); Lok et al., Cosmos 6: 68 (2010); Hung et al., Nat. Singapore 10: 44 (2017). **Non-native, naturalised** (assessed here).

Maranthes corymbosa Blume: Prance, Fl. Males., ser. 1, 10(4): 673 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 166 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 293 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 406 (2004 [‘2003’]); LaFrankie et al., Forest Trees Bukit Timah: 73, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 119, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Prance, Fl. Penins. Malaysia, ser. 2, 3: 30 (2012); Neo et al., Nat. Singapore 6: 68 (2013); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019); Soh et al., 1001 Gard. Pl.

Singapore (Trees etc.): 200, 310 (2020). – *Parinari corymbosa* (Blume) Miq.: Corner, Wayside Trees Malaya, ed. 2, 1: 527 (1952), as ‘*Parinarium corymbosum*’; Keng, Gard. Bull. Singapore 27: 250 (1974); Corner, Wayside Trees Malaya, ed. 3, 2: 618 (1988). – *Parinari griffithiana* Benth.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 283 (1897), as ‘*Parinarium griffithianum*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Parinarium griffithianum*’; Ridley, Fl. Malay Penins. 1: 670 (1922), as ‘*Parinarium griffithianum*’. **Native; EN** (assessed here).

Parastemon urophyllus (Wall. ex A.DC.) A.DC.: De Candolle, Ann. Sci. Nat., Bot., sér. 2, 18: 208 (1842); Miquel, Fl. Ned. Ind. 1(1), fasc. 3: 359 (1855); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900), as ‘*urophyllum*’; Ridley, Fl. Malay Penins. 1: 672 (1922), as ‘*urophyllum*’; Keng, Gard. Bull. Singapore 27: 250 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978), as ‘*urophyllum*’; Prance, Fl. Males., ser. 1, 10(4): 649 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27, fig. 26.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 119, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Prance, Fl. Penins. Malaysia, ser. 2, 3: 33 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 196, 320 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019). – *Parastemon spicatus* Ridl.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 119, 252 (2009), as ‘*spicatum*’ . – *Embelia urophylla* Wall. ex A.DC.: De Candolle, Trans. Linn. Soc. London 17(1): 131 (1834); Don, Gen. Hist. 4: 21 (1837–1838). – *Embelia urophylla* Wall., nom. nud.: Wallich, Numer. List no. 2309 (1830). **Native; CR** (assessed here).

Parinari costata (Korth.) Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 277 (1897), as ‘*Parinarium costatum*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Parinarium costatum*’; Ridley, Fl. Malay Penins. 1: 666 (1922), as ‘*Parinarium costatum*’; Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Prance, Fl. Males., ser. 1, 10(4): 663 (1989); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 119, 209 (2009); Prance, Fl. Penins. Malaysia, ser. 2, 3: 36 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 196, 320 (2013). – *Parinari sumatrana* (Jack) Benth.: Keng, Gard. Bull. Singapore 27: 251 (1974), as ‘*sumatranum*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27 (1990), as ‘*sumatranum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990), as ‘*sumatranum*’ . – *Elaeocarpus punctatus* Wall. ex Mast.: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 405 (1874). – *Elaeocarpus punctatus* Wall., nom. nud.: Wallich, Numer. List no. 2676 (1831), as ‘*punctata*’.

Parinari costata (Korth.) Blume subsp. **costata**: Prance, Fl. Penins. Malaysia, ser. 2, 3: 38 (2012). **Native; NEx** (assessed here).

Parinari elmeri Merr.: Prance, Fl. Males., ser. 1, 10(4): 657 (1989); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 119, 229 (2009); Prance, Fl. Penins. Malaysia, ser. 2, 3: 40 (2012). **Native; CR** (assessed here).

Parinari oblongifolia Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Parinarium oblongifolium*’; Ridley, Fl. Malay Penins. 1: 668 (1922), as ‘*Parinarium oblongifolium*’; Keng, Gard. Bull. Singapore 27: 251 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Prance, Fl. Males., ser. 1, 10(4): 659 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27

(1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 119, 209 (2009); Prance, Fl. Penins. Malaysia, ser. 2, 3: 41, fig. 6 (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76, 119 (2019). – *Parinari wallichiana* Hook.f.: Hooker, Fl. Brit. India 2, fasc. 5: 311 (1878), as ‘*Parinarius wallichianum*’. **Native; CR** (assessed here).

Cleomaceae

Arivela viscosa (L.) Raf.: Julius, Fl. Penins. Malaysia, ser. 2, 3: 49 (2012). – *Cleome viscosa* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 43 (1900); Ridley, Fl. Malay Penins. 1: 119 (1922); Jacobs, Fl. Males., ser. 1, 6(1): 103 (1960); Keng, Gard. Bull. Singapore 27: 247 (1974); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 23 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 120, 265 (2009); Lok et al., Cosmos 6: 68 (2010). **Non-native, casual** (assessed here).

Gynandropsis gynandra (L.) Briq.: Julius, Fl. Penins. Malaysia, ser. 2, 3: 55 (2012). – *Cleome gynandra* L.: Jacobs, Fl. Males., ser. 1, 6(1): 101 (1960); Keng, Gard. Bull. Singapore 27: 247 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 23 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 120, 265 (2009); Lok et al., Cosmos 6: 68 (2010); Kaw & Neo, Wayside Fls Singapore: 129 (2018). – *Gynandropsis pentaphylla* (L.) DC.: Ridley, Fl. Malay Penins. 1: 120 (1922). **Non-native, casual** (assessed here).

Sieruela rutidosperma (DC.) Roalson & J.C.Hall: Roalson & Hall, Syst. Bot. 42(4): 938 (2017). – *Cleome rutidosperma* DC.: Jacobs, Fl. Males., ser. 1, 6(1): 104 (1960); Keng, Gard. Bull. Singapore 27: 247 (1974); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 23, fig. 19.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 120, 265 (2009); Lok et al., Cosmos 6: 68 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Julius, Fl. Penins. Malaysia, ser. 2, 3: 53 (2012); Kaw & Neo, Wayside Fls Singapore: 59 (2018). **Non-native, naturalised** (Chong et al., 2009).

Tarenaya aculeata (L.) Soares Neto & Roalson: Soares Neto et al., Acta Botanica Brasil. 32(4): 541 (2018). – *Hemiscola aculeata* (L.) Raf.: Julius, Fl. Penins. Malaysia, ser. 2, 3: 49 (2012). – *Cleome aculeata* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 43 (1900), as ‘*aculeatum*'; Ridley, Fl. Malay Penins. 1: 120 (1922); Jacobs, Fl. Males., ser. 1, 6(1): 104 (1960); Keng, Gard. Bull. Singapore 27: 247 (1974); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 23 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner, Gard. Bull. Singapore 47: 159 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 120, 265 (2009); Lok et al., Cosmos 6: 68 (2010). – *Cleome hullettii* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 58(4): 392 (1889). **Non-native, casual*** (assessed here).

Clusiaceae

Garcinia atroviridis Griff. ex T.Anderson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 173 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1047 (1935); Keng, Gard. Bull. Singapore 28(2): 245 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 296 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 374 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 205 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76, 128 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 153, 310 (2020). **Native; CR** (Chong et al., 2009).

Garcinia bancana Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 174 (1922); Keng, Gard. Bull. Singapore 28(2): 245 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 125, 322 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019).

Garcinia bancana Miq. var. **bancana**: Turner, Gard. Bull. Singapore 47: 260 (1997 ['1995']). **Native; CR** (Wong et al., 2013, as *Garcinia bancana*).

Garcinia bancana Miq. var. **curtisii** (Ridl.) Whitmore: Whitmore, Tree Fl. Malaya 2: 206 (1973); Turner, Gard. Bull. Singapore 47: 261 (1997 ['1995']). **Native; DD** (assessed here).

Garcinia brevirostris Scheff.: Maheshwari, Bull. Bot. Surv. India 6(2–4): 120 (1964). – *Garcinia eugenifolia* Wall. ex T.Anderson: Anderson in Hooker, Fl. Brit. India 1, fasc. 2: 268 (1874), as ‘*eugeniaeefolia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900), as ‘*eugeniaeefolia*’; Ridley, Fl. Malay Penins. 1: 169 (1922), as ‘*eugeniaeefolia*’; Whitmore, Tree Fl. Malaya 2: 210 (1973), as ‘*eugeniaeefolia*’; Keng, Gard. Bull. Singapore 28(2): 245 (1976), as ‘*eugenifolia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990), as ‘*eugeniaeefolia*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as ‘*eugeniaeefolia*’; Turner, Gard. Bull. Singapore 45: 105 (1993), as ‘*eugeniaeefolia*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), as ‘*eugeniaeefolia*’; Ng & Wee (ed.), Singapore Red Data Book: 288 (1994), as ‘*eugeniaeefolia*’; Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']), as ‘*eugeniaeefolia*’; Turner, Gard. Bull. Singapore 47: 261 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 77, 162 (2005), as ‘*eugeniaeefolia*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013). – *Garcinia cuspidata* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900). **Native; VU** (Wong et al., 2013).

Garcinia celebica L.: Hung et al., Nat. Singapore 10: 45 (2017); Nazre et al., Phytotaxa 373: 17 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 154, 310 (2020). – *Garcinia hombroniana* Pierre: Ridley, J. Straits Branch Roy. Asiat.

Soc. 33: 46 (1900); Ridley, Fl. Malay Penins. 1: 171 (1922); Keng, Gard. Bull. Singapore 28(2): 245 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 49 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 296 (2003); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Teo et al., Nat. Singapore 4: 269 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 641, 806 [2015]. **Native; EN** (Wong et al., 2013).

Garcinia forbesii King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 175 (1922); Keng, Gard. Bull. Singapore 28(2): 245 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013); Neo et al., Nat. Singapore 7: 62 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019). **Native; VU** (assessed here).

Garcinia griffithii T. Anderson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 174 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1050 (1935); Keng, Gard. Bull. Singapore 28(2): 245 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 49 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 76 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 155, 310 (2020). **Native; EN** (Wong et al., 2013).

Garcinia maingayi Hook.f.: Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013).

Garcinia maingayi Hook.f. var. *stylosa* King: Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 205 (2009). **Native; CR** (Wong et al., 2013, as *Garcinia maingayi*).

Garcinia mangostana L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900); Keng, Gard. Bull. Singapore 28(2): 246 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 49, fig. 40.2 (1990); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Turner et al., Gard. Bull.

Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 263 (2009); Lok et al., Cosmos 6: 74 (2010); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]).

Garcinia mangostana L. var. **mangostana**: Nazre et al., Phytotaxa 373: 31 (2018). **Non-native, casual** (Chong et al., 2009, as *Garcinia mangostana*).

Garcinia mangostana L. var. **malaccensis** (Hook.f.) Nazre: Nazre et al., Phytotaxa 373: 33 (2018). – *Garcinia malaccensis* Hook.f.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 244 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013). **Native; CR** (assessed here).

Garcinia merguensis Wight: Ridley, Fl. Malay Penins. 1: 169 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1055 (1935). **Native; NEx** (assessed here).

Garcinia nervosa (Miq.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 179 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1055 (1935); Keng, Gard. Bull. Singapore 28(2): 246 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 49 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 642, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 157, 310 (2020). **Native; CR** (Wong et al., 2013).

Garcinia nigrolineata Planch. ex T. Anderson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900); Ridley, Fl. Malay Penins. 1: 176 (1922); Keng, Gard. Bull. Singapore 28(2): 246 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 49 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 78, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 643, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 157, 310 (2020). **Native; CR** (Wong et al., 2013).

Garcinia parvifolia (Miq.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 47 (1900), as '*parvifolium*'; Ridley, Fl. Malay Penins. 1: 177 (1922); Keng, Gard. Bull. Singapore 28(2): 246 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 49 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull.

Singapore 49(2): 189 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 296 (2003); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 607, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 158, 310 (2020). – *Garcinia globulosa* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 20 (1910); Ridley, Fl. Malay Penins. 1: 176 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1049 (1935). – *Garcinia morella* auct. non (Gaertn.) Desr.: Anderson in Hooker, Fl. Brit. India 1, fasc. 2: 264 (1874). **Native; LC** (Wong et al., 2013).

Garcinia pyrifera Ridl.: Whitmore, Tree Fl. Malaya 2: 220 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 263 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 192 (2009). **Native; NEx** (Chong et al., 2009).

Garcinia rostrata (Hassk.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900); Ridley, Fl. Malay Penins. 1: 169 (1922); Keng, Gard. Bull. Singapore 28(2): 246 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 49 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 126, 323 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77, 128 (2019). **Native; CR** (Wong et al., 2013).

Garcinia scorchedinii King: Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 49 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 79, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 120, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 127, 324 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). – *Garcinia gaudichaudii* Planch. & Triana: Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978). **Native; EN** (assessed here).

Garcinia urophylla Scort. ex King: Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']). **Native; NE**.

Colchicaceae

Gloriosa superba L.: Jessop, Fl. Males., ser. 1, 9(1): 193 (1979); Keng, Gard. Bull. Singapore 40: 116 (1987); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 6, fig. 11 (1998); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 121, 263 (2009); Lok et al., Cosmos 6: 74 (2010); Kaw & Neo, Wayside Fls Singapore: 155 (2018). **Non-native, casual** (Chong et al., 2009).

Combretaceae

Combretum indicum (L.) DeFilipps: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 324 (2013); Kaw & Neo, Wayside Fls Singapore: 79 (2018). – *Quisqualis indica* L.: Ridley, Fl. Malay Penins. 1: 711 (1922); Exell, Fl. Males., ser. 1, 4(5): 547 (1954); Keng, Gard. Bull. Singapore 31: 100 (1978); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 75, fig. 69.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 121, 263 (2009); Lok et al., Cosmos 6: 75 (2010). **Non-native, casual** (Chong et al., 2009).

Combretum sundaicum Miq.: Kuntze, Revis. Gen. Pl. 1: 235 (1891); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 337 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 80 (1900); Ridley, Fl. Malay Penins. 1: 708 (1922); Exell, Fl. Males., ser. 1, 4(5): 542 (1954); Keng, Gard. Bull. Singapore 31: 100 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 75 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 293 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 121, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 63, 324 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). **Native; VU** (Wong et al., 2013).

Combretum tetralophum C.B.Clarke: Turner et al., Gard. Bull. Singapore 49(1): 1 (1998 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 121, 203 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 63, 324 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77, 128 (2019). **Native; CR** (Wong et al., 2013).

Lumnitzera littorea (Jack) Voigt: Exell, Fl. Males., ser. 1, 4(5): 586 (1954); Keng, Gard. Bull. Singapore 31: 100 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 75, fig. 69.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Lee et al., Gard. Bull. Singapore 55: 293 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 121, 216 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 172, 324 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 679, 807 [2015]; Hung et al., Nat. Singapore 10: 46 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 192, 310 (2020). – *Lumnitzera coccinea* Wight & Arn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 707 (1922). **Native; EN** (Wong et al., 2013).

Lumnitzera racemosa Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Exell, Fl. Males., ser. 1, 4(5): 588 (1954); Keng, Gard. Bull. Singapore 31: 100 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 75 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 52 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 121, 216 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 679, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 193, 310 (2020). **Native; EN** (Chong et al., 2009).

Terminalia bellirica (Gaertn.) Roxb.: LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 121, 213 (2009). **Native; CR** (Chong et al., 2009).

Terminalia catappa L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 705 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2137 (1935); Exell, Fl. Males., ser. 1, 4(5): 566 (1954); Keng, Gard. Bull. Singapore 31: 100 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 75, fig. 69.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Lee et al., Gard. Bull. Singapore 55: 293 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 466 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 121, 231 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Hung et al., Nat. Singapore 10: 18, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Yee et al., Fl. Singapore 1: 58, 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 284, 311 (2020). **Native; LC** (Chong et al., 2009).

Terminalia citrina (Gaertn.) Roxb.: Khoo et al., Gard. Bull. Singapore 70: 64 (2018). **Native; CR** (assessed here).

Terminalia phellocarpa King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 330 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 705 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2141 (1935); Exell, Fl. Males., ser. 1, 4(5): 579 (1954); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Gard. Bull. Singapore 31: 100 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 75 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner, Gard. Bull. Singapore 47: 168 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 468 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 121, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 246, 325 (2013). **Native; NEx** (Wong et al., 2013).

Terminalia subspathulata King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 332 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 705 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2141 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 195 (1952); Exell, Fl. Males., ser. 1, 4(5): 558 (1954); Keng, Gard. Bull. Singapore 31: 100 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 218 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 75 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 121, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 769, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 285, 311 (2020). **Native; CR** (Chong et al., 2009).

Commelinaceae

Amischotolype gracilis (Ridl.) I.M.Turner: Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 23, fig. 51 (1998); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 121, 225 (2009); Duistermaat, Gard. Bull. Singapore 64: 72 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 20, 325 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77, 119 (2019). – *Forrestia gracilis* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 41: 37 (1904); Ridley, Mat. Fl. Malay. Penins. 2: 123 (1907); Ridley, Fl. Malay Penins. 4: 359 (1924); Keng, Gard. Bull. Singapore 40: 124 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990). – *Forrestia marginata* auct. non (Blume) Hassk.: Ridley, Mat. Fl. Malay. Penins. 2: 123 (1907), p.p.; Ridley, Fl. Malay Penins. 4: 360 (1924), p.p. – *Forrestia mollis* auct. non Hassk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900). **Native; LC** (Wong et al., 2013).

Amischotolype marginata (Blume) Hassk.: Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994), as 'Amischotolype'; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 23 (1998); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Duistermaat, Gard. Bull. Singapore 64: 93 (2012). – *Amischotolype mollissima* auct. non (Blume) Hassk.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 121, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 20, 325 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). – *Forrestia marginata* (Blume) Hassk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 123 (1907), p.p.; Ridley, Fl. Malay Penins. 4: 360 (1924), p.p.; Keng, Gard. Bull. Singapore 40: 124 (1987). **Native; CR** (Wong et al., 2013).

Commelina attenuata Vahl: Ridley, Mat. Fl. Malay. Penins. 2: 116 (1907); Ridley, Fl. Malay Penins. 4: 352 (1924); Keng, Gard. Bull. Singapore 40: 124 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner, Gard. Bull. Singapore 47: 516 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 23 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 121, 189 (2009). **Native; NEx** (Chong et al., 2009).

Commelina benghalensis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 116 (1907); Ridley, Fl. Malay Penins. 4: 353 (1924); Keng, Gard. Bull. Singapore 40: 124 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 23 (1998); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 121, 270 (2009); Lok et al., Cosmos 6: 78 (2010). **Cryptogenic** (Chong et al., 2009).

Commelina diffusa Burm.f.: Keng, Gard. Bull. Singapore 40: 124 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner et al., Gard. Bull. Singapore 46(2): 13 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 23, fig. 52 (1998);

Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 121, 270 (2009); Lok et al., Cosmos 6: 78 (2010); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Hung et al., Nat. Singapore 10: 16, 19 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 21 (2018). – *Commelina nudiflora* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 115 (1907), p.p. **Cryptogenic** (Chong et al., 2009).

Cyanotis cristata (L.) D.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Keng, Gard. Bull. Singapore 40: 124 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 23 (1998); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 211, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 121, 270 (2009); Lok et al., Cosmos 6: 78 (2010). – *Cyanotis barbata* D.Don: Ridley, Mat. Fl. Malay. Penins. 2: 121 (1907); Ridley, Fl. Malay Penins. 4: 358 (1924). **Cryptogenic** (Chong et al., 2009).

Floscopa scandens Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 122 (1907); Ridley, Fl. Malay Penins. 4: 359 (1924); Keng, Gard. Bull. Singapore 40: 124 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 53 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 24, fig. 53 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 121, 228 (2009). **Native; NEx** (assessed here).

Murdannia nudiflora (L.) Brenan: Keng, Gard. Bull. Singapore 40: 125 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 24, fig. 54 (1998); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 121, 272 (2009); Lok et al., Cosmos 6: 78 (2010); Kaw & Neo, Wayside Fls Singapore: 68 (2018). – *Aneilema nudiflorum* (L.) R.Br. ex Sweet: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 118 (1907); Ridley, Fl. Malay Penins. 4: 355 (1924). **Cryptogenic** (Chong et al., 2009).

Murdannia vaginata (L.) G.Brückn.: Keng, Gard. Bull. Singapore 40: 125 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 24 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 121, 229 (2009). – *Aneilema vaginatum* (L.) R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 119 (1907); Ridley, Fl. Malay Penins. 4: 356 (1924). **Native; NEx** (assessed here).

Pollia secundiflora (Blume) Bakh.f.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 24, fig. 55 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 122, 197 (2009). – *Pollia sorzogonensis* Endl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 114 (1907); Ridley, Fl. Malay Penins. 4: 351 (1924); Keng, Gard. Bull. Singapore 40: 125 (1987), as 'sorzogonesis'; Turner, Gard. Bull. Singapore 45: 54 (1993). – *Aclisia secundiflora* (Blume) Bakh.f.: Backer & Bakhuizen Van den Brink, Fl. Java (Spermatoph.) 3: 658 (1968); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990). **Native; NEx** (Chong et al., 2009).

Connaraceae

Agelaea borneensis (Hook.f.) Merr.: Leenhouts, Fl. Males., ser. 1, 5(4): 504 (1958); Keng, Gard. Bull. Singapore 27: 252 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 28, fig. 27.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 4 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 122, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 12, 325 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). – *Agelaea vestita* Hook.f.: Hooker, Fl. Brit. India 2, fasc. 4: 46 (1876); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 17 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 553 (1922). **Native; LC** (assessed here).

Agelaea macrophylla (Zoll.) Leenh.: Leenhouts, Fl. Males., ser. 1, 5(4): 502 (1958); Keng, Gard. Bull. Singapore 27: 252 (1974); Jongkind, Wageningen Agric. Univ. Pap. 89(6): 167 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 28 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 6 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 122, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 12, 325 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 275 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). – *Agelaea trinervis* (Llanos) Merr.: Leenhouts, Fl. Males., ser. 1, 5(4): 502 (1958); Keng, Gard. Bull. Singapore 27: 252 (1974); Kochummen, Tree Fl. Malaya 3: 48 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 28 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). – *Agelaea wallichii* Hook.f.: Hooker, Fl. Brit. India 2, fasc. 4: 47 (1876); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 18 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 553 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 71 (1935). – *Agelaea hullettii* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 19 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 553 (1922). **Native; VU** (assessed here).

Cnestis palala (Lour.) Merr.: Leenhouts, Fl. Males., ser. 1, 5(4): 499 (1958); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Lemmens, Wageningen Agric. Univ. Pap. 89(6): 215 (1989); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 173 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 8 (2000); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 122, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 18 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 61, 326 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). – *Cnestis platantha* Griff.: Leenhouts, Fl. Males., ser. 1, 5(4): 499 (1958); Keng, Gard. Bull. Singapore 27: 252 (1974); Keng, Concise Fl. Singapore, vol.

1, Gymn. Dicot.: 28, fig. 27.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). – *Cnestis ramiflora* Griff.: Hooker, Fl. Brit. India 2, fasc. 4: 54 (1876); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 554 (1922). **Native; VU** (assessed here).

Connarus ferrugineus Jack: Hooker, Fl. Brit. India 2, fasc. 4: 51 (1876); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 68 (1900); Ridley, Fl. Malay Penins. 1: 545 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 649 (1935); Leenhouts, Fl. Males., ser. 1, 5(4): 530 (1958); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 28 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 11 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 122, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 63, 326 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). **Native; CR** (Wong et al., 2013).

Connarus grandis Jack: Hooker, Fl. Brit. India 2, fasc. 4: 53 (1876); Ridley, Fl. Malay Penins. 1: 547 (1922); Leenhouts, Fl. Males., ser. 1, 5(4): 529 (1958); Keng, Gard. Bull. Singapore 27: 252 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 29 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 12 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 122, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 63, 326 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77, 128 (2019). – *Connarus ellipticus* (Zoll.) King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 7 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 547 (1922). **Native; CR** (Wong et al., 2013).

Connarus monocarpus L.: Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 122, 203 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77, 128 (2019). – *Connarus monocarpus* L. subsp. *malayensis* Leen.: Leenhouts, Fl. Males., ser. 1, 5(4): 538 (1958); Keng, Gard. Bull. Singapore 27: 252 (1974); Kochummen, Tree Fl. Malaya 3: 50 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978), as ‘*malayanus*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 29 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']), as ‘*malayanus*’; Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 13 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 64, 327 (2013). – *Connarus oligophyllus* Wall. ex Planch.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 5 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 546 (1922). **Native; CR** (Wong et al., 2013).

Connarus paniculatus Roxb.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 64, 327 (2013). – *Connarus planchonianus* auct. non G.Schellenb.: Lee et al., Gardenwise 24: 12 (2005). **Native; CR** (Wong et al., 2013).

Connarus semidecandrus Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 546 (1922); Leenhouts, Fl. Males., ser. 1, 5(4): 534 (1958); Keng, Gard. Bull.

Singapore 27: 252 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 29, fig. 27.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 15 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 122, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 64, 327 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77, 128 (2019). – *Connarus gibbosus* Wall. ex Hook.f.: Hooker, Fl. Brit. India 2, fasc. 4: 52 (1876). – *Connarus wallichii* Planch.: Miquel, Fl. Ned. Ind. 1(2), fasc. 4: 665 (1859). **Native; CR** (Wong et al., 2013).

Ellianthus tomentosus Kurz: Leenhouts, Fl. Males., ser. 1, 5(4): 521 (1958); Keng, Gard. Bull. Singapore 27: 252 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 29 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 122, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 97, 328 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). – *Ellianthus griffithii* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 548 (1922).

Ellianthus tomentosus Kurz var. **tomentosus**: Leenhouts, Fl. Males., ser. 1, 5(4): 521 (1958); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 18 (2000). **Native; CR** (Wong et al., 2013, as *Ellianthus tomentosus*).

Rourea acutipetala Miq.: POWO. – *Rourea acutipetala* Miq. subsp. *acutipetala*: Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 21 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 122, 197 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 219, 329 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77, 128 (2019). **Native; CR** (assessed here).

Rourea asplenifolia (G.Schellenb.) Jongkind: Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 22 (2000), as ‘*asplenifolia*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008), as ‘*asplenifolia*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 122, 211 (2009), as ‘*asplenifolia*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 219, 329 (2013), as ‘*asplenifolia*’; Neo et al., Nat. Singapore 7: 102 (2014), as ‘*asplenifolia*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77, 128 (2019), as ‘*asplenifolia*’. **Native; LC** (assessed here).

Rourea fulgens Planch.: Miquel, Fl. Ned. Ind. 1(2), fasc. 4: 661 (1859); Hooker, Fl. Brit. India 2, fasc. 4: 49 (1876); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 15 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 551 (1922); Leenhouts, Fl. Males., ser. 1, 5(4): 519 (1958); Keng, Gard. Bull. Singapore 27: 252 (1974); Kochummen, Tree Fl. Malaya 3: 51 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 29, fig. 27.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 174 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']);

Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 24 (2000); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 122, 223 (2009); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78, 119 (2019). – *Santalodes fulgens* (Planch.) Kuntze: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1951 (1935), as ‘*Santaloides*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 330 (2013), as ‘*Santaloides filgens*’. **Native; EN** (assessed here).

Rourea mimosoides (Vahl) Planch.: Leenhouts, Fl. Males., ser. 1, 5(4): 517 (1958); Keng, Gard. Bull. Singapore 27: 253 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 29 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 [‘1997’]); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 25 (2000); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 122, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 219, 329 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78, 128 (2019). – *Rourea concolor* Blume: Hooker, Fl. Brit. India 2, fasc. 4: 49 (1876); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 15 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 551 (1922). – *Rourea similis* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901); Ridley, Fl. Malay Penins. 1: 551 (1922). – *Rourea parallela* Planch.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 14 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900). – *Rourea parvifolia* Planch.: Miquel, Fl. Ned. Ind. 1(2), fasc. 4: 659 (1859). **Native; VU** (assessed here).

Rourea minor (Gaertn.) Merr.: Leenhouts, Fl. Males., ser. 1, 5(4): 514 (1958); Keng, Gard. Bull. Singapore 27: 253 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 29 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner et al., Gard. Bull. Singapore 48: 143 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 [‘1997’]); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 26 (2000); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 122, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 220, 329 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). – *Rourea acuminata* Hook.f.: Hooker, Fl. Brit. India 2, fasc. 4: 48 (1876); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 12 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 550 (1922). – *Rourea pulchella* Planch.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 13 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 550 (1922). – *Rourea humilis* Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 13 (1897). **Native; EN** (assessed here).

Rourea rugosa Planch.: Miquel, Fl. Ned. Ind. 1(2), fasc. 4: 661 (1859); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 14 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900); Ridley, Fl. Malay Penins. 1: 550 (1922); Leenhouts, Fl. Males., ser. 1, 5(4): 514 (1958); Keng, Gard. Bull. Singapore 27: 253 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 29 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Goh & Tan, Angiosp. Fl. Singapore Connaraceae: 27 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 122, 197 (2009). **Native; NEx** (Chong et al., 2009).

Convolvulaceae

Aniseia martinicensis (Jacq.) Choisy: Van Ooststroom, Fl. Males., ser. 1, 4(4): 435 (1953); Keng, Gard. Bull. Singapore 39(1): 67 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 172 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 122, 264 (2009); Lok et al., Cosmos 6: 69 (2010). **Non-native, naturalised** (Chong et al., 2009).

Argyreia ridleyi (Prain) Prain ex Ooststr.: Van Ooststroom & Hoogland, Fl. Males., ser. 1, 4(4): 503 (1953); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 172 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 175 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 122, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 29, 330 (2013); Staples, Fl. Penins. Malaysia, ser. 2, 5: 85 (2015); Lim et al., Fl. Singapore 1: 88 (2019). – *Ipomoea ridleyi* (Prain) J.R.I. Wood & Scotland: Muñoz-Rodríguez et al., Nat. Plants 5(11): 1136–1144 (Suppl. Info.: 30) (2019). – *Lettsomia ridleyi* Prain: Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(1): 324 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 451 (1923). – *Lettsomia ridleyi* Prain var. *velutina* Prain: Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 63: 99 (1894); Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(1): 324 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 451 (1923). – *Lettsomia tomentosa* Ridl., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 116 (1900). **Native; CR** (Wong et al., 2013).

Bonamia semidigyna (Roxb.) Hallier f.: Van Ooststroom, Fl. Males., ser. 1, 4(4): 398 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 172 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 122, 269 (2009); Lok et al., Cosmos 6: 78 (2010); Staples, Fl. Penins. Malaysia, ser. 2, 5: 93 (2015). **Native; NEx** (assessed here).

Camonea pilosa (Houtt.) A.R.Simões & Staples: Staples & Syahida-Emiza, Fl. Singapore 14 (in prep.). – *Merremia umbellata* auct. non (L.) Hallier f.: Ridley, Fl. Malay Penins. 2: 459 (1923); Keng, Gard. Bull. Singapore 39(1): 70 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 174 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 123, 272 (2009); Lok et al., Cosmos 6: 78 (2010); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Staples, Fl. Penins. Malaysia, ser. 2, 5: 178 (2015); Kaw & Neo, Wayside Fls Singapore: 178 (2018). **Native; CR** (assessed here).

Camonea vitifolia (Burm.f.) A.R.Simões & Staples: WCSP. – *Merremia vitifolia* (Burm.f.) Hallier f.: Neo et al., Nat. Singapore 6: 120 (2013). **Non-native, naturalised** (assessed here).

Cuscuta australis R.Br.: Van Ooststroom, Fl. Males., ser. 1, 4(4): 392 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 172 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 122, 270 (2009); Lok et al., Cosmos 6: 78 (2010); Staples, Fl. Penins. Malaysia, ser. 2, 5: 96 (2015). – *Cuscuta hygrophilae* H.Pearson: Ridley, Fl. Malay Penins. 2: 444 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 1: 715 (1935). **Native; NEx** (assessed here).

Cuscuta campestris Yunck.: Staples, Fl. Penins. Malaysia, ser. 2, 5: 99 (2015); Chen et al., Gard. Bull. Singapore 70: 91 (2018). **Non-native, naturalised** (Chen et al., 2018).

Decalobanthus peltatus (L.) A.R.Simões & Staples: Chen et al., Gard. Bull. Singapore 70: 92 (2018). **Non-native, naturalised** (Chen et al., 2018).

Erycibe festiva Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 63: 87 (1894); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 292 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 447 (1923); Hoogland, Fl. Males., ser. 1, 4(4): 417 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Ng, Tree Fl. Malaya 4: 76 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 172 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner, Gard. Bull. Singapore 47: 176 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 122, 192 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 109 (2015). **Native; CR** (assessed here).

Erycibe griffithii C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), p.p.; Ridley, Fl. Malay Penins. 2: 447 (1923), p.p.; Hoogland, Fl. Males., ser. 1, 4(4): 411 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Ng, Tree Fl. Malaya 4: 75 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173, fig. 131.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner, Gard. Bull. Singapore 47: 176 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 122, 205 (2009); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 110 (2015). **Native; CR** (Chong et al., 2009).

Erycibe leucoxyloides King ex Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(1): 16 (1904); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 292 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 446 (1923); Hoogland, Fl. Males., ser. 1, 4(4): 415 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Ng, Tree Fl. Malaya 4: 74 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner, Gard. Bull. Singapore 47: 176 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 122, 271 (2009); Lok et al., Cosmos 6: 78 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 102, 330 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 112 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). **Native; VU** (assessed here).

Erycibe maingayi C.B.Clarke: Hoogland, Fl. Males., ser. 1, 4(4): 417 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Ng, Tree Fl. Malaya 4: 76 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner, Gard. Bull. Singapore 47: 176 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 122, 192 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 102, 330 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 116 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78, 119 (2019). – *Erycibe griffithii* auct. non C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), p.p.; Ridley, Fl. Malay Penins. 2: 447 (1923), p.p. **Native; NEx** (Wong et al., 2013).

Erycibe malaccensis C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900); Ridley, Fl. Malay Penins. 2: 446 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 944 (1935); Hoogland, Fl. Males., ser. 1, 4(4): 428 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Ng, Tree Fl. Malaya 4: 76 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 176 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 122, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 102, 330 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 118 (2015). **Native; CR** (Wong et al., 2013).

Erycibe tomentosa Blume: Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 122, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011); Neo et al., Nat. Singapore 5: 280 (2012); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 126 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). – *Erycibe tomentosa* Blume var. *hirsuta* (Hallier f.) Hoogland: Hoogland, Fl. Males., ser. 1, 4(4): 428 (1953); Ng, Tree Fl. Malaya 4: 75 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner, Gard. Bull. Singapore 47: 177 (1997 ['1995']); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 127 (2015). – *Erycibe tomentosa* Blume var. *tomentosa*: Hoogland, Fl. Males., ser. 1, 4(4): 426 (1953); Ng, Tree Fl. Malaya 4: 76 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 177 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 102, 330 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 129 (2015). – *Erycibe princii* Wall. ex Choisy: Don, Gen. Hist. 4: 392 (1837–1838), as ‘*Erysibe princei*’; Miquel, Fl. Ned. Ind. 2, fasc. 7: 1033 (1859 ['1856']), as ‘*princei*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as ‘*princei*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 290 (1906 ['1905']), as ‘*princei*’; Ridley, Fl. Malay Penins. 2: 446 (1923), as ‘*princei*’. – *Erycibe princii* Wall., nom. nud.: Wallich, Numer. List no. 1335 (1829). **Native; LC** (Wong et al., 2013).

Evolvulus alsinoides (L.) L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 298 (1906 ['1905']); Ridley,

Fl. Malay Penins. 2: 454 (1923); Van Ooststroom, Fl. Males., ser. 1, 4(4): 395 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173, fig. 131.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 122, 227 (2009); Staples, Fl. Penins. Malaysia, ser. 2, 5: 133 (2015). **Native; NEx** (assessed here).

Evolvulus nummularius (L.) L.: Van Ooststroom, Fl. Males., ser. 1, 5(4): 558 (1958); Staples, Fl. Penins. Malaysia, ser. 2, 5: 133 (2015); Chua, Singapore Biodivers. Rec. 2016: 161 (2016); Kaw & Neo, Wayside Fls Singapore: 118 (2018). **Non-native, naturalised** (assessed here).

Hewittia malabarica (L.) Suresh: Staples, Fl. Penins. Malaysia, ser. 2, 5: 136 (2015); Lim et al., Gard. Bull. Singapore 70: 73 (2018). **Cryptogenic** (assessed here).

Ipomoea aquatica Forssk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900), as ‘*Ipomea*'; Van Ooststroom, Fl. Males., ser. 1, 4(4): 473 (1953); Keng, Gard. Bull. Singapore 39(1): 68 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 271 (2009); Lok et al., Cosmos 6: 78 (2010); Staples, Fl. Penins. Malaysia, ser. 2, 5: 142 (2015); Kaw & Neo, Wayside Fls Singapore: 136 (2018); Yee et al., Fl. Singapore 1: 62 (2019). – *Ipomoea reptans* auct. non (L.) Poir. ex G.Don: Kuntze, Revis. Gen. Pl. 2: 446 (1891); Ridley, Fl. Malay Penins. 2: 462 (1923). **Native; LC** (assessed here).

Ipomoea batatas (L.) Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900), as ‘*Ipomea*'; Van Ooststroom, Fl. Males., ser. 1, 4(4): 469 (1953); Keng, Gard. Bull. Singapore 39(1): 69 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 263 (2009); Lok et al., Cosmos 6: 75 (2010). **Non-native, casual** (Chong et al., 2009).

Ipomoea cairica (L.) Sweet: Van Ooststroom, Fl. Males., ser. 1, 4(4): 478 (1953); Keng, Gard. Bull. Singapore 39(1): 69 (1986); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173, fig. 131.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 266 (2009); Lok et al., Cosmos 6: 69 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Staples, Fl. Penins. Malaysia, ser. 2, 5: 143 (2015); Kaw & Neo, Wayside Fls Singapore: 67 (2018). – *Ipomoea pulchella* Roth: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 312 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 460 (1923). – *Ipomoea palmata* Forsk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as ‘*Ipomea*'. – *Ipomoea cairica* (L.) Sweet f. *albiflora* Kuntze: Kuntze, Revis. Gen. Pl. 2: 443 (1891). **Non-native, naturalised** (Chong et al., 2009).

Ipomoea campanulata L.: Austin, Revis. Handb. Fl. Ceylon 1: 327 (1980); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Staples, Fl. Penins. Malaysia, ser. 2, 5: 145 (2015). – *Ipomoea illustris* (C.B.Clarke) Prain: Van Ooststroom, Fl. Males., ser. 1, 4(4): 467 (1953); Sinclair, Gard. Bull. Singapore 14(1): 34 (1953); Keng, Gard. Bull. Singapore 39(1): 69 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994). **Non-native, casual*** (assessed here).

Ipomoea carnea Jacq.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 247 (2009); Staples, Fl. Penins. Malaysia, ser. 2, 5: 146 (2015).

Ipomoea carnea Jacq. subsp. **fistulosa** (Mart. ex Choisy) D.F.Austin: Van Steenis, Fl. Males., ser. 1, 9(3), addenda, corrig. & emend.: 558 (1983 ['1982']); Staples, Fl. Penins. Malaysia, ser. 2, 5: 147 (2015); Chen et al., Nat. Singapore 11: 70 (2018). – *Ipomoea fistulosa* Mart. ex Choisy: Van Steenis et al., Fl. Males., ser. 1, 4(5), addenda, corrig. & emend.: 599 (1954). – *Ipomoea crassicaulis* (Benth.) B.L.Rob.: Van Ooststroom, Fl. Males., ser. 1, 4(4): 469 (1953). **Non-native, casual** (Chen et al., 2018).

Ipomoea indica (Burm.) Merr.: Staples, Fl. Penins. Malaysia, ser. 2, 5: 151 (2015). – *Ipomoea congesta* R.Br.: Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']). **Non-native, naturalised** (Middleton et al., 2022).

Ipomoea littoralis Blume: Ridley, Fl. Malay Penins. 2: 461 (1923); Van Ooststroom, Fl. Males., ser. 1, 6(6): 941 (1972); Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 228 (2009); Staples, Fl. Penins. Malaysia, ser. 2, 5: 152 (2015). – *Ipomoea denticulata* (Desr.) Choisy: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as '*Ipomea*'. – *Ipomoea gracilis* auct. non R.Br.: Keng, Gard. Bull. Singapore 39(1): 69 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). **Native; DD** (assessed here).

Ipomoea mauritiana Jacq.: Turner, Gard. Bull. Singapore 45: 59 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 228 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 146, 330 (2013); Staples, Fl. Penins. Malaysia, ser. 2, 5: 153 (2015). – *Ipomoea digitata* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as '*Ipomea*'; Ridley, Fl. Malay Penins. 2: 460 (1923); Van Ooststroom, Fl. Males., ser. 1, 4(4): 483 (1953); Keng, Gard. Bull. Singapore 39(1): 69 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). – *Ipomoea paniculata* (L.) R.Br., nom. illeg. hom.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 313 (1906 ['1905']). **Native; LC** (Wong et al., 2013).

Ipomoea obscura (L.) Ker Gawl.: Ridley, Fl. Malay Penins. 2: 461 (1923); Van Ooststroom, Fl. Males., ser. 1, 4(4): 471 (1953); Turner, Gard. Bull. Singapore 45: 59 (1993); Tan et al., Gard. Bull. Singapore 44: 129 (1993 ['1992']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 228 (2009); Staples, Fl. Penins. Malaysia, ser. 2, 5: 155 (2015); Kaw & Neo, Wayside Fls Singapore: 109 (2018). **Native; LC** (Chong et al., 2009).

Ipomoea pes-caprae (L.) R.Br.: Ridley, Fl. Malay Penins. 2: 460 (1923); Van Ooststroom, Fl. Males., ser. 1, 4(4): 475 (1953); Turner, Gard. Bull. Singapore 45: 59 (1993); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 18 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 228 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Staples, Fl. Penins. Malaysia, ser. 2, 5: 156 (2015); Hung et al., Nat. Singapore 10: 16, 20 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 49 (2018); Yee et al., Fl. Singapore 1: 64 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 47, 382 (2020). – *Ipomoea pes-caprae* (L.) R.Br. subsp. *brasiliensis* (L.) Ooststr.: Keng, Gard. Bull. Singapore 39(1): 69 (1986), as '*braziliensis*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 173 (1990), as '*braziliensis*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995).

[‘1994’]). – *Ipomoea biloba* Forssk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as ‘*Ipomea*’. **Native; LC** (Chong et al., 2009).

Ipomoea pes-tigridis L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 311 (1906 [‘1905’]); Van Ooststroom, Fl. Males., ser. 1, 4(4): 467 (1953); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 60 (1993); Tan et al., Gard. Bull. Singapore 44: 129 (1993 [‘1992’]); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 228 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Staples, Fl. Penins. Malaysia, ser. 2, 5: 158 (2015). **Native; CR** (assessed here).

Ipomoea quamoclit L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900), as ‘*Ipomea*’; Van Ooststroom, Fl. Males., ser. 1, 4(4): 482 (1953); Keng, Gard. Bull. Singapore 39(1): 69 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 174 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 266 (2009); Lok et al., Cosmos 6: 69 (2010). **Non-native, naturalised** (Lok et al., 2010).

Ipomoea sagittifolia Burm.f.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 317 (1906 [‘1905’]), as ‘*sagittaefolia*’; Ridley, Fl. Malay Penins. 2: 461 (1923), as ‘*sagittaefolia*’; Staples in Staples & Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 5: 160, fig. 26A, map 33, pl. 34A,B (2015). – *Ipomoea marginata* (Desr.) Manitz: Verdcourt, Kew Bull. 42: 658 (1987); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 122, 228 (2009). – *Ipomoea sepiaria* J.Koenig ex Roxb., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900), as ‘*Ipomea*’; Van Ooststroom, Fl. Males., ser. 1, 6(6): 941 (1972); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994). – *Ipomoea maxima* auct. non (L.f.) Sweet: Van Ooststroom, Fl. Males., ser. 1, 4(4): 472 (1953); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). **Native; NEx** (assessed here).

Ipomoea triloba L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 315 (1906 [‘1905’]); Van Ooststroom, Fl. Males., ser. 1, 4(4): 468 (1953); Keng, Gard. Bull. Singapore 39(1): 70 (1986); Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 174 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Corlett, J. Biogeogr. 19: 426 (1992); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 123, 266 (2009); Lok et al., Cosmos 6: 69 (2010); Staples, Fl. Penins. Malaysia, ser. 2, 5: 163 (2015); Kaw & Neo, Wayside Fls Singapore: 41 (2018). **Non-native, naturalised** (Chong et al., 2009).

Ipomoea violacea L.: Manitz, Feddes Repert. 88: 265 (1977); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner, Gard. Bull. Singapore 47: 178 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 123, 228 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Staples, Fl. Penins. Malaysia, ser. 2, 5: 164 (2015). – *Ipomoea macrantha* Roem. & Schult.: Van Steenis, Fl. Males., ser. 1, 9(3), addenda, corrug. & emend.: 558 (1983 [‘1982’]); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994). – *Ipomoea tuba* (Schltrld.) G.Don: Van Ooststroom, Fl. Males., ser. 1, 4(4): 487 (1953); Sinclair, Gard. Bull. Singapore 14(1): 33 (1953); Keng, Gard. Bull. Singapore 39(1): 70 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 174 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990). **Native; DD** (assessed here).

Lepistemon cf. binectarifer (Wall.) Kuntze: Staples & Syahida-Emiza, Fl. Singapore 14 (in prep.). – *Ipomoea cf. binectarifera* (Wall.) J.R.I.Wood & Scotland: Muñoz-Rodríguez et al., Nat. Plants 5(11): 1136–1144 (Suppl. Info.: 33) (2019). **Native; NE**.

Merremia gemella (Burm.f.) Hallier f.: Middleton et al., Gard. Bull. Singapore 74 (2022, in press).
Non-native, casual (Middleton et al., 2022).

Merremia hederacea (Burm.f.) Hallier f.: Van Ooststroom, Fl. Males., ser. 1, 4(4): 441 (1953); Keng, Gard. Bull. Singapore 39(1): 70 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 174 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 123, 229 (2009); Staples, Fl. Penins. Malaysia, ser. 2, 5: 175 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78, 119 (2019). – *Merremia convolvulacea* Dennst.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 305 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 458 (1923). – *Ipomoea chrysoides* Ker Gawl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as ‘*Ipomea*’. **Native; LC** (Chong et al., 2009).

Merremia hirta (L.) Merr.: Van Ooststroom, Fl. Males., ser. 1, 4(4): 442 (1953); Keng, Gard. Bull. Singapore 39(1): 70 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 174 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 123, 272 (2009); Lok et al., Cosmos 6: 78 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 179, 330 (2013); Staples, Fl. Penins. Malaysia, ser. 2, 5: 176 (2015); Kaw & Neo, Wayside Fls Singapore: 157 (2018). – *Merremia caespitosa* Hallier f.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 304 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 458 (1923). – *Ipomoea linifolia* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as ‘*Ipomea*’. **Native; LC** (assessed here).

Neuropeltis cf. racemosa Wall.: Staples & Syahida-Emiza, Fl. Singapore 14 (in prep.). – *Neuropeltis racemosa* Wall.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 297 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 453 (1923); Turner, Gard. Bull. Singapore 45: 60 (1993); Tan et al., Gard. Bull. Singapore 44: 129 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner, Gard. Bull. Singapore 47: 179 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 123, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011); Staples, Fl. Penins. Malaysia, ser. 2, 5: 185 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). **Native; CR** (Chong et al., 2009).

Operculina turpethum (L.) Silva Manso: Ridley, Fl. Malay Penins. 2: 463 (1923); Van Ooststroom, Fl. Males., ser. 1, 4(4): 456 (1953); Staples, Fl. Penins. Malaysia, ser. 2, 5: 188 (2015); Chen et al., Nat. Singapore 11: 70 (2018). **Non-native, casual*** (Chen et al., 2018).

Xenostegia tridentata (L.) D.F.Austin & Staples: Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Staples, Fl. Penins. Malaysia, ser. 2, 5: 196 (2015). – *Merremia tridentata* (L.) Hallier f.: Ridley, Fl. Malay Penins. 2: 458 (1923); Van Ooststroom, Fl. Males., ser. 1, 4(4): 445 (1953); Keng, Gard. Bull. Singapore 39(1): 70 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 174, fig. 131.4 (subsp. *hastata* (Hallier f.) Ooststr.) (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Kaw & Neo, Wayside Fls Singapore: 84 (2018). – *Xenostegia tridentata* (L.) D.F.Austin & Staples subsp. *tridentata*: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 123, 231 (2009). – *Merremia hastata* Hallier f.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 303 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 457 (1923). – *Ipomoea*

angustifolia Jacq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as ‘*Ipomea*’. – *Ipomoea tridentata* (L.) Roth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900), as ‘*Ipomea*’. **Native; LC** (Chong et al., 2009).

Cornaceae

Alangium denudatum (Bloemb.) W.J.de Wilde & Duyfjes: De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 21, fig. 6 (2020). **Native; NEx** (assessed here).

Alangium frutescens Zoll. & Moritzi: De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 25, fig. 12c–e (2020). – *Alangium salviifolium* auct. non (L.f.) Wangerin: Burkill, Dict. Econ. Prod. Malay Penins. 1: 81 (1935); Kochummen, Tree Fl. Malaya 1: 57 (1972); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner, Gard. Bull. Singapore 47: 99 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 123, 200 (2009). – *Alangium lamarckii* auct. non Thwaites: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 71: 76 (1902); Ridley, Fl. Malay Penins. 1: 892 (1922).

Alangium frutescens Zoll. & Moritzi var. **frutescens**: De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 25, fig. 12c–e (2020). **Native; CR** (assessed here).

Alangium griffithii (C.B.Clarke) Harms: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 27, fig. 8, pl. 1d (2020). – *Alangium uniloculare* auct. non (Griff.) King: Ridley, Fl. Malay Penins. 1: 894 (1922); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 123, 200 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). – *Marlea griffithii* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900). **Native; EN** (assessed here).

Alangium longiflorum Merr.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 16, 331 (2013).

Alangium longiflorum Merr. var. **hirsutum** (Bloemb.) W.J.de Wilde & Duyfjes: De Wilde & Duyfjes, Gard. Bull. Singapore 72: 133 (2020); De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 41, fig. 13, pl. 1e,f (2020). – *Alangium hirsutum* Bloemb.: De Wilde & Duyfjes, Thai Forest Bull., Bot. 44(1): 80 (2016). **Native; CR** (assessed here).

Alangium meyeri Merr.: De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 44 (2020). – *Alangium javanicum* (Blume) Wangerin var. *ebenaceum* auct. non (C.B.Clarke) Berhaman: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 123, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 16, 331 (2013), p.p.; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). – *Alangium ebenaceum* auct. non (C.B.Clarke) Harms: Burkill, Dict. Econ. Prod. Malay Penins. 1: 81 (1935); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 80, 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008). – *Alangium javanicum* auct. non (Blume) Wangerin: Lee et al., Gard. Bull. Singapore 55: 291 (2003). – *Alangium ebenaceum* (C.B.Clarke) Harms var. *tutela* (Ridl.) Kochummen: Kochummen, Tree Fl. Malaya 1: 57 (1972); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Gard. Bull. Singapore 35(1): 101 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 130 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look

Biodivers. Singapore: 110 (1994); Turner, Gard. Bull. Singapore 47: 99 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']). – *Alangium ebenaceum* auct. non (C.B.Clarke) Harms var. *ebenaceum*: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994). – *Alangium tutela* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 61: 10 (1912); Ridley, Fl. Malay Penins. 1: 894 (1922). – *Marlea* sp. (vernacular name *Kayu Tas*): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900). – *Marlea ebenacea* auct. non C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900).

Alangium meyeri Merr. var. **meyeri**: De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 45 (2020). **Native; NEx** (assessed here).

Alangium nobile (C.B.Clarke) Harms: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 71: 79 (1902); Ridley, Fl. Malay Penins. 1: 892 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 81 (1935); Keng, Gard. Bull. Singapore 35(1): 101 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 130 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 140 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 123, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 16, 331 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019); De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 48, fig. 15 (2020). – *Marlea nobilis* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 743 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900). **Native; CR** (assessed here).

Alangium ridleyi King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 71: 78 (1902); Ridley, Fl. Malay Penins. 1: 893 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 81 (1935); Keng, Gard. Bull. Singapore 35(1): 101 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 130, fig. 108.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Chew et al., Gard. Bull. Singapore 49(2): 168 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 507, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 123, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 6 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 17, 331 (2013); Wijedasa et al., Gard. Bull. Singapore 66: 233 (2014); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 59 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019); Lim et al., Fl. Singapore 1: 88 (2019); De Wilde & Duyfjes, Fl. Males., ser. 1, 24: 57, fig. 19, pl. 1g,h (2020). **Native; CR** (assessed here).

Costaceae

Cheilocostus globosus (Blume) C.D.Specht: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 123, 189 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 295, 806 [2015]; Niissalo et al., Amer. J. Bot. 104: 185, 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019); Lim et al., Fl. Singapore 1: 88, 101, fig. 8 (2019). – *Costus globosus* Blume var. *ridleyi* (K.Schum.) Holttum: Turner, Gard. Bull. Singapore 47: 518 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011). – *Costus globosus* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 125 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 25

(1907); Ridley, Fl. Malay Penins. 4: 256 (1924); Holttum, Gard. Bull. Singapore 13(1): 243 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 55 (1998); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']). **Native; CR** (Niissalo et al., 2017).

Cheilocostus speciosus (J.Koenig) C.D.Specht: Neo et al., Nat. Singapore 6: 276 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 295, 806 [2015]; Niissalo et al., Amer. J. Bot. 104: 185–187 (2017); Kaw & Neo, Wayside Fls Singapore: 90 (2018); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 179, 382 (2020). – *Costus speciosus* (J.Koenig) Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 123 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 24 (1907); Ridley, Fl. Malay Penins. 4: 256 (1924); Holttum, Gard. Bull. Singapore 13(1): 242 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 56, fig. 116 (1998); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 98 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 123, 226 (2009); Neo et al., Nat. Singapore 6: 14 (2013). – *Costus speciosus* (J.Koenig) Sm. var. *argyrophyllus* Wall. ex Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 124 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900). **Native; CR** (Niissalo et al., 2017).

Costus lucanusianus J.Braun & K.Schum.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner et al., Gard. Bull. Singapore 46(2): 14 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 56, fig. 115 (1998); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 123, 263 (2009); Lok et al., Cosmos 6: 75 (2010); Kaw & Neo, Wayside Fls Singapore: 75 (2018). **Non-native, naturalised** (assessed here).

Crassulaceae

Bryophyllum × houghtonii (D.B.Ward) P.I.Forst.: Chen et al., Nat. Singapore 11: 67 (2018). **Non-native, casual** (Chen et al., 2018).

Bryophyllum tubiflorum Harv.: Chen et al., Nat. Singapore 13: 31 (2020). **Non-native, casual** (Chen et al., 2020).

Kalanchoe pinnata (Lam.) Pers.: Backer, Fl. Males., ser. 1, 4(3): 199 (1951); Keng, Gard. Bull. Singapore 27: 249 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 25, fig. 22.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 61 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 123, 263 (2009); Lok et al., Cosmos 6: 75 (2010). – *Bryophyllum pinnatum* (Lam.) Oken: Burkill, Dict. Econ. Prod. Malay Penins. 1: 376 (1935). **Non-native, casual** (Chong et al., 2009).

Crypteroniaceae

Crypteronia griffithii C.B.Clarke: Burkill, Dict. Econ. Prod. Malay Penins. 1: 693 (1935); Van Beusekom-Osinga, Fl. Males., ser. 1, 8(2): 196 (1977); Ng, Tree Fl. Malaya 4: 80 (1989); Turner et

al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 61 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 181 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 123, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 331 (2013); Rafidah, Fl. Penins. Malaysia, ser. 2, 4: 34 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). – *Crypteronia cumingii* (Planch.) Planch. ex Endl. var. *griffithii* (C.B.Clarke) Osinga, ined.: Keng, Gard. Bull. Singapore 31: 111 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 83 (1990). **Native; CR** (Wong et al., 2013).

Ctenolophonaceae

Ctenolophon parvifolius Oliv.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 423 (1922); Van Hooren & Nooteboom, Fl. Males., ser. 1, 10(3): 631 (1988); Turner, Gard. Bull. Singapore 45: 61 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 181 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 123, 203 (2009); Ummul-Nazrah, Fl. Penins. Malaysia, ser. 2, 1: 116 (2010); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). **Native; CR** (Chong et al., 2009).

Cucurbitaceae

Coccinia grandis (L.) Voigt: Lee et al., Gard. Bull. Singapore 55: 294 (2003), as ‘*Coccinea*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 124, 265 (2009); Lok et al., Cosmos 6: 69 (2010); De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 51 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 73 (2012); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 99, 806 [2015]; Hung et al., Nat. Singapore 10: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 101 (2018). – *Cephalandra indica* Naudin: Ridley, Fl. Malay Penins. 1: 849 (1922). **Non-native, naturalised** (Chong et al., 2009).

Cucumis sativus L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900), as ‘*satica*’; Keng, Gard. Bull. Singapore 28(2): 240 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 44, fig. 35.1 (1990). **Non-native, casual*** (assessed here).

Gymnopetalum chinense (Lour.) Merr.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 124, 271 (2009); De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 71 (2010); Lok et al., Cosmos 6: 79 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 76 (2012). – *Gymnopetalum cochininchinense* (Lour.) Kurz: Keng, Gard. Bull. Singapore 28(2): 241 (1976), as ‘*cochininchinensis*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 44 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 61 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994). – *Gymnopetalum quinquelobum* Miq.: Ridley, Fl. Malay Penins. 1: 847 (1922). **Cryptogenic** (assessed here).

Gymnopetalum scabrum (Lour.) W.J.de Wilde & Duyfjes: De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 74 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 79 (2012). – *Trichosanthes*

scabra Lour.: Kaw & Neo, Wayside Fls Singapore: 142 (2018). – *Gymnopetalum integrifolium* (Roxb.) Kurz: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 51 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']). **Native; LC** (assessed here).

Melothria pendula L.: De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 74 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 94 (2012); Kaw & Neo, Wayside Fls Singapore: 156 (2018). **Non-native, naturalised** (assessed here).

Momordica charantia L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900); Keng, Gard. Bull. Singapore 28(2): 241 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 44, fig. 35.2 (1990); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 124, 263 (2009); De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 109 (2010); Lok et al., Cosmos 6: 75 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 97 (2012).

Momordica charantia L. f. **abbreviata** (Ser.) W.J.de Wilde & Duyfjes: De Wilde & Duyfjes, Fl. Singapore 9 (in prep.). **Cryptogenic** (assessed here).

Momordica cochinchinensis (Lour.) Spreng.: Middleton et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, casual** (Middleton et al., 2022).

Mukia maderaspatana (L.) M.Roem.: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 51 (1998 ['1997']); De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 124 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 107 (2012); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 148 (2018). – *Cucumis maderaspatanus* L.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 124, 266 (2009); Lok et al., Cosmos 6: 69 (2010); Neo et al., Nat. Singapore 6: 14 (2013). **Cryptogenic** (assessed here).

Trichosanthes borneensis Cogn.: De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 258 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 131 (2012). – *Trichosanthes wallichiana* auct. non (Ser.) Wight: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 29 (1898), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900), p.p.; Ridley, Fl. Malay Penins. 1: 845 (1922), p.p.; Keng, Gard. Bull. Singapore 28(2): 241 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 44 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 61 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 280 (1994), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 124, 224 (2009), p.p. **Native; NEx** (assessed here).

Trichosanthes elmeri Merr.: De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 268 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 132 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 250, 332 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 147, 807 [2015]. – *Trichosanthes celebica* auct. non Cogn.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 30 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900); Ridley, Fl. Malay Penins. 1: 845 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2178 (1935); Keng, Gard. Bull. Singapore 28(2): 241 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 44 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 61 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 124, 224 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 250, 331 (2013). **Native; EN** (assessed here).

Trichosanthes quinquangulata A.Gray: De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 302 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). – *Trichosanthes wallichiana* auct. non (Ser.) Wight: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 29 (1898), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900), p.p.; Ridley, Fl. Malay Penins. 1: 845 (1922), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 44 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 61 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 280 (1994), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 124, 224 (2009), p.p. **Native; EN** (assessed here).

Trichosanthes tricuspidata Lour.

Trichosanthes tricuspidata Lour. subsp. **javanica** Duyfjes & Pruesapan: De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 308 (2010); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 140 (2012). – *Trichosanthes wallichiana* auct. non (Ser.) Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900), p.p.; Ridley, Fl. Malay Penins. 1: 845 (1922), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 44 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 61 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 280 (1994), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 124, 224 (2009), p.p. **Native; EN** (assessed here).

Trichosanthes wawrae Cogn.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 30 (1898), as ‘*wawraei*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900), as ‘*wawraei*’; Ridley, Fl. Malay Penins. 1: 845 (1922), as ‘*wawraei*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 2179 (1935), as ‘*wawraei*’; Keng, Gard. Bull. Singapore 28(2): 241 (1976), as ‘*wawraei*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 44 (1990), as ‘*wawraei*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990), as ‘*wawraei*’; Turner, Gard. Bull. Singapore 45: 61 (1993), as ‘*wawraei*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), as ‘*wawraei*’; Ng & Wee (ed.), Singapore Red Data Book: 280 (1994), as ‘*wawraei*’; Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']), as ‘*wawraei*’; Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']), as ‘*wawraei*’; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 75, 776 (2006), as ‘*wawraei*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008), as ‘*wawraei*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 124, 224 (2009), as ‘*wawraei*’; De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 316 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 142 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 250, 332 (2013), as ‘*wawraei*’. – *Trichosanthes wawrae* Cogn. f. *wawrae*: De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 317 (2010). **Native; EN** (assessed here).

Cymodoceaceae

Cymodocea rotundata Asch. & Schweinf.: Sinclair, Gard. Bull. Singapore 15: 25 (1956); Keng, Gard. Bull. Singapore 40: 115 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 519 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 4 (1998); Den Hartog, Fl. Males., ser. 1, 16: 204 (2002); Lee et al., Gard. Bull. Singapore 55: 287 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 203 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013). **Native; CR** (Chong et al., 2009).

Cymodocea serrulata (R.Br.) Asch. & Magnus: Sinclair, Gard. Bull. Singapore 15: 27 (1956); Keng, Gard. Bull. Singapore 40: 115 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 519 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 4 (1998); Den Hartog, Fl. Males., ser. 1, 16: 205 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 190 (2009); Yaakub et al., Nat. Singapore 6: 107 (2013). **Native; EN** (assessed here).

Halodule uninervis (Forssk.) Asch.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 519 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 4 (1998); Den Hartog, Fl. Males., ser. 1, 16: 209 (2002); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 124, 193 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013). – *Halodule pinifolia* auct. non (Miki) Hartog: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 519 (1997 ['1995']); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 124, 193 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013). – *Halodule tridentata* (Steinh.) Endl. ex Unger: Keng, Gard. Bull. Singapore 40: 115 (1987). **Native; VU** (assessed here).

Syringodium isoetifolium (Asch.) Dandy: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 519 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 4 (1998); Den Hartog, Fl. Males., ser. 1, 16: 211 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 124, 212 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013). – *Cymodocea isoetifolia* Asch.: Sinclair, Gard. Bull. Singapore 15: 25 (1956); Keng, Gard. Bull. Singapore 40: 115 (1987). **Native; EN** (assessed here).

Cyperaceae

Actinoscirpus grossus (L.f.) Goethg. & D.A.Simpson: Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 124, 225 (2009); Simpson, Fl. Singapore 7: 46, fig. 2 (2019). – *Scirpus grossus* L.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Fl. Malay Penins. 5: 162 (1925); Kern, Fl. Males., ser. 1, 7(3): 498 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 139 (1998). **Native; CR** (assessed here).

Bulbostylis barbata (Rottb.) C.B.Clarke: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 651 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 77 (1907); Ridley, Fl. Malay Penins. 5: 160 (1925); Kern, Fl. Males., ser. 1, 7(3): 539 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 61 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 114 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 124, 225 (2009); Simpson, Fl. Singapore 7: 48, fig. 3 (2019). **Native; CR** (assessed here).

Bulbostylis thouarsii (Roem. & Schult.) Lye ex Veldkamp & Verloove: Veldkamp & Verloove, Blumea 59(1): 10 (2014); Simpson, Fl. Singapore 7: 50, fig. 4 (2019). – *Bulbostylis puberula* (Kunth) C.B.Clarke, nom. illeg. superfl.: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 652 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 78 (1907); Ridley, Fl. Malay Penins. 5: 160 (1925); Kern, Fl. Males., ser. 1, 7(3): 540 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 115, fig. 216 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 124, 225 (2009). **Native; VU** (Simpson, 2019).

Carex cryptostachys Brongn.: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 714 (1894), as ‘*cyrtostachys*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900), as ‘*cyrtostachys*’; Ridley, Mat. Fl. Malay. Penins. 3: 116 (1907); Ridley, Fl. Malay Penins. 5: 181 (1925); Kern & Nooteboom, Fl. Males., ser. 1, 9(1): 148 (1979); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner, Gard. Bull. Singapore 47: 520 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 115, fig. 217 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 124, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Simpson, Fl. Singapore 7: 53, fig. 5 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). **Native; CR** (Simpson, 2019).

Cyperus albescens (Steud.) Larridon & Govaerts: Simpson, Fl. Singapore 7: 60, fig. 6 (2019). – *Lipocarpha chinensis* (Osbeck) J.Kern: Kern, Fl. Males., ser. 1, 7(3): 521 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 134, fig. 243 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 125, 228 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 163, 336 (2013). – *Lipocarpha argentea* R.Br. ex Nees: Kuntze, Revis. Gen. Pl. 2: 754 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 81 (1907); Ridley, Fl. Malay Penins. 5: 163 (1925). **Native; NEx** (Simpson, 2019).

Cyperus aromaticus (Ridl.) Mattf. & Kük.: Kern, Fl. Males., ser. 1, 7(3): 656 (1974); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 116, fig. 218 (1998); Simpson, Fl. Singapore 7: 62, fig. 7, 8 (2019). – *Kyllinga polypylla* Willd. ex Kunth: Turner, Gard. Bull. Singapore 47: 526 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 125, 266 (2009); Lok et al., Cosmos 6: 69 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 7: 63 (2014); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017). **Non-native, naturalised** (Chong et al., 2009).

Cyperus brevifolius (Rottb.) Hassk.: Kern, Fl. Males., ser. 1, 7(3): 656 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 116, fig. 219 (1998); Simpson, Fl. Singapore 7: 65, fig. 9 (2019). – *Kyllinga brevifolia* Rottb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 58 (1907); Ridley, Fl. Malay Penins. 5: 138 (1925); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 [‘1997’]), as ‘*brevifolius*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010). **Native; VU** (Simpson, 2019).

Cyperus compactus Retz.: Kern, Fl. Males., ser. 1, 7(3): 638 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 117 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 226 (2009); Simpson, Fl. Singapore 7: 67, fig. 10 (2019). – *Mariscus microcephalus* J.Presl & C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 74 (1907); Ridley, Fl. Malay Penins. 5: 149 (1925). **Native; LC** (Simpson, 2019).

Cyperus compressus L.: Kuntze, Revis. Gen. Pl. 2: 748 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 67 (1907); Kern, Fl. Males., ser. 1, 7(3): 617 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 117, fig. 220 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 69, fig. 11 (2019). **Native; VU** (Simpson, 2019).

Cyperus cuspidatus Kunth: Kern, Fl. Males., ser. 1, 7(3): 629 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 117 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 71 (2019). – *Cyperus uncinatus* auct. non Poir.: Ridley, Mat. Fl. Malay. Penins. 3: 64 (1907); Ridley, Fl. Malay Penins. 5: 141 (1925). **Native; NEx** (Simpson, 2019).

Cyperus cyperinus (Retz.) Valck.Sur.: Kern, Fl. Males., ser. 1, 7(3): 641 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 117, fig. 221 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 71 (2019). – *Mariscus cyperinus* (Retz.) Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 73 (1907). **Native; EN** (Simpson, 2019).

Cyperus cyperoides (L.) Kuntze: Kern, Fl. Males., ser. 1, 7(3): 642 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 118 (1998); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 73 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78 (2019). – *Mariscus sieberianus* Nees ex C.B.Clarke, nom. illeg. hom. & nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 72 (1907); Ridley, Fl. Malay Penins. 5: 148 (1925). **Native; NEx** (Simpson, 2019).

Cyperus difformis L.: Turner et al., Gard. Bull. Singapore 46(2): 132 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 118 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 74, fig. 12 (2019). **Native; LC** (Simpson, 2019).

Cyperus diffusus Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 65 (1907); Ridley, Fl. Malay Penins. 5: 142 (1925); Kern, Fl. Males., ser. 1, 7(3): 619 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113

(1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 118 (1998); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Simpson, Fl. Singapore 7: 76 (2019). – *Cyperus laxus* auct. non Lam.: Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 226 (2009). **Native; CR** (Simpson, 2019).

Cyperus digitatus Roxb.: Kern, Fl. Males., ser. 1, 7(3): 601 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 118 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 226 (2009); Simpson, Fl. Singapore 7: 77 (2019). **Native; LC** (Simpson, 2019).

Cyperus distans L.f.: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 607 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 69 (1907); Ridley, Fl. Malay Penins. 5: 145 (1925); Kern, Fl. Males., ser. 1, 7(3): 610 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 62 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 119, fig. 222 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 78 (2019). – *Cyperus distans* L.f. var. *pseudonutans* Kük.: Kern, Fl. Males., ser. 1, 7(3): 610 (1974). **Native; CR** (Simpson, 2019).

Cyperus dubius Rottb.: Kern, Fl. Males., ser. 1, 7(3): 643 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 119 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 226 (2009); Simpson, Fl. Singapore 7: 79 (2019). – *Mariscus dregianus* Kunth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900), as ‘*dregeanus*'; Ridley, Mat. Fl. Malay. Penins. 3: 72 (1907), as ‘*dregeanus*'; Ridley, Fl. Malay Penins. 5: 148 (1925), as ‘*dregeanus*'. **Native; NEx** (Simpson, 2019).

Cyperus elatus L.: Kern, Fl. Males., ser. 1, 7(3): 601 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 119 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 79 (2019). **Native; CR** (assessed here).

Cyperus flavidus Retz.: Simpson, Fl. Singapore 7: 80 (2019). **Native; CR** (Simpson, 2019).

Cyperus haspan L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 64 (1907); Ridley, Fl. Malay Penins. 5: 142 (1925); Kern, Fl. Males., ser. 1, 7(3): 624 (1974), as ‘*halpan*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990), as ‘*halpan*'; Turner, Gard. Bull. Singapore 45: 63 (1993), as ‘*halpan*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), as ‘*halpan*'; Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']), as ‘*halpan*'; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 120, fig. 223 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 81 (2019). – *Cyperus haspan* L. subsp. *haspan*: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 71, 332 (2013). **Native; LC** (Simpson, 2019).

Cyperus imbricatus Retz.: Kern, Fl. Males., ser. 1, 7(3): 603 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 120 (1998); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 82 (2019). **Native; LC** (Simpson, 2019).

Cyperus iria L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 66 (1907); Ridley, Fl. Malay Penins. 5: 143 (1925); Kern, Fl. Males., ser. 1, 7(3): 616 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 120, fig. 224 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 83, fig. 13 (2019). **Native; LC** (Simpson, 2019).

Cyperus javanicus Houtt.: Kern, Fl. Males., ser. 1, 7(3): 635 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 120, fig. 225 (1998); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 226 (2009); Simpson, Fl. Singapore 7: 85 (2019). – *Mariscus albescens* Gaudich.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 74 (1907); Ridley, Fl. Malay Penins. 5: 149 (1925). **Native; LC** (Simpson, 2019).

Cyperus leptocarpus (F.Muell.) Bauters: Simpson, Fl. Singapore 7: 86 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78, 119 (2019). – *Lipocarpha microcephala* (R.Br.) Kunth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 82 (1907); Ridley, Fl. Malay Penins. 5: 163 (1925); Kern, Fl. Males., ser. 1, 7(3): 522 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 527 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 134 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 125, 272 (2009); Lok et al., Cosmos 6: 79 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 164, 336 (2013). **Native; NEx** (Simpson, 2019).

Cyperus malaccensis Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 70 (1907); Ridley, Fl. Malay Penins. 5: 147 (1925); Kern, Fl. Males., ser. 1, 7(3): 613 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 122 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 226 (2009); Simpson, Fl. Singapore 7: 86 (2019). **Native; CR** (assessed here).

Cyperus mindorensis (Steud.) Huygh: Simpson, Fl. Singapore 7: 87 (2019). – *Kyllinga nemoralis* (J.R.Forst. & G.Forst.) Dandy ex Hutch. & Dalziel: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Hung et al., Nat. Singapore 10: 16, 20, 23 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 139 (2018). – *Rhynchospora colorata* auct. non (L.) H.Pfeiff.: Hung et al., Nat. Singapore 10: 17, 20 (2017). – *Cyperus kyllingia* Endl.: Kern, Fl. Males., ser. 1, 7(3): 659 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee

& Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 121, fig. 226 (1998). – *Kyllinga monocephala* Rottb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 58 (1907). **Native; LC** (Simpson, 2019).

Cyperus neochinensis (Tang & F.T.Wang) Bauters: Simpson, Fl. Singapore 7: 88, fig. 14 (2019). – *Lipocarpha squarrosa* (L.) Goetgh.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 527 (1997 [1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 125, 229 (2009). – *Scirpus squarrosum* L.: Kern, Fl. Males., ser. 1, 7(3): 516 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 140 (1998). **Native; LC** (Simpson, 2019).

Cyperus odoratus L.: Kern, Fl. Males., ser. 1, 7(3): 646 (1974); Simpson & Koyama, Fl. Thailand 6(4): 385 (1998); Simpson, Fl. Singapore 7: 89 (2019). – *Mariscus sieberianus* Nees ex C.B.Clarke var. *subcompositus* auct. non C.B.Clarke: Ridley, Fl. Malay Penins. 5: 149 (1925), p.p., as ‘*subcomposita*’. **Non-native, naturalised** (Simpson, 2019).

Cyperus pedunculatus (R.Br.) J.Kern: Kern, Fl. Males., ser. 1, 7(3): 644 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 122, fig. 228 (1998); Simpson, Fl. Singapore 7: 91 (2019). – *Remirea maritima* Aubl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 99 (1907); Ridley, Fl. Malay Penins. 5: 169 (1925); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 126, 230 (2009); Teo et al., Nat. Singapore 4: 269 (2011). **Native; VU** (assessed here).

Cyperus pilosus Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 67 (1907); Ridley, Fl. Malay Penins. 5: 144 (1925); Kern, Fl. Males., ser. 1, 7(3): 611 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 123 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 71, 332 (2013); Simpson, Fl. Singapore 7: 92 (2019). – *Cyperus pilosus* Vahl f. *badius* Kuntze: Kuntze, Revis. Gen. Pl. 2: 750 (1891). **Native; NEx** (Simpson, 2019).

Cyperus polystachyos Rottb.: Kern, Fl. Males., ser. 1, 7(3): 649 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 123, fig. 229 (1998); Simpson, Fl. Singapore 7: 93, fig. 15 (2019). – *Pycreus polystachyos* (Rottb.) P.Beauv.: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 592 (1893), as ‘*polystachyus*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900), as ‘*polystachyus*’; Ridley, Mat. Fl. Malay. Penins. 3: 60 (1907), as ‘*polystachyus*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 126, 230 (2009). – *Pycreus polystachyos* (Rottb.) P.Beauv. var. *laxiflorus* (Benth.) C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900), as ‘*polystachyus*’; Ridley, Mat. Fl. Malay. Penins. 3: 61 (1907), as ‘*polystachyus*’ var. *laxiflora*; Ridley, Fl. Malay Penins. 5: 139 (1925), as ‘*polystachyus*’ var. *laxiflora*. **Native; LC** (Simpson, 2019).

Cyperus procerus Rottb.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 226 (2009); Simpson, Fl. Singapore 7: 95 (2019). – *Cyperus procerus* Rottb. var. *lasiorrhachis* C.B.Clarke: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 123 (1998). **Native; NEx** (Simpson, 2019).

Cyperus pumilus L.: Kern, Fl. Males., ser. 1, 7(3): 650 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 124 (1998); Simpson, Fl. Singapore 7: 96 (2019). – *Pycreus pumilus* (L.) Nees: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 126, 230 (2009). – *Pycreus nitens* (Retz.) Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 61 (1907); Ridley, Fl. Malay Penins. 5: 140 (1925). **Native; CR** (Simpson, 2019).

Cyperus radians Nees & Meyen ex Kunth: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 605 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 66 (1907); Ridley, Fl. Malay Penins. 5: 143 (1925); Kern, Fl. Males., ser. 1, 7(3): 623 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 124 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 226 (2009); Simpson, Fl. Singapore 7: 97 (2019). **Native; CR** (Simpson, 2019).

Cyperus rotundus L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 68 (1907); Ridley, Fl. Malay Penins. 5: 145 (1925); Kern, Fl. Males., ser. 1, 7(3): 604 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 124, fig. 230 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 125, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Simpson, Fl. Singapore 7: 98, fig. 16 (2019). **Native; LC** (Simpson, 2019).

Cyperus sanguinolentus Vahl: Simpson, Fl. Singapore 7: 100 (2019). – *Pycreus sanguinolentus* (Vahl) Nees subsp. *cyrtostachys* (Miq.) Karthik.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010). – *Cyperus sanguinolentus* Vahl subsp. *cyrtostachys* (Miq.) J.Kern: Sinclair, Gard. Bull. Singapore 15: 28 (1956); Kern, Fl. Males., ser. 1, 7(3): 647 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 124 (1998). – *Pycreus sanguinolentus* (Vahl) Nees: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 590 (1893). **Native; CR** (assessed here).

Cyperus sphacelatus Rottb.: Kern, Fl. Males., ser. 1, 7(3): 609 (1974); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Turner, Gard. Bull. Singapore 47: 522 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 124 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 125, 266 (2009); Lok et al., Cosmos 6: 69 (2010); Simpson, Fl. Singapore 7: 100, fig. 17 (2019). **Non-native, naturalised** (Chong et al., 2009).

Cyperus stolonifer Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900), as ‘*stoloniferus*’; Ridley, Mat. Fl. Malay. Penins. 3: 69 (1907), as ‘*stoloniferus*’; Ridley, Fl. Malay Penins. 5: 145 (1925), as ‘*stoloniferus*’; Kern, Fl. Males., ser. 1, 7(3): 606 (1974), as ‘*stoloniferus*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990), as ‘*stoloniferus*’; Turner, Gard. Bull. Singapore 45: 64 (1993), as ‘*stoloniferus*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994), as ‘*stoloniferus*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 125, fig. 231 (1998),

as ‘*stoloniferus*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 125, 226 (2009), as ‘*stoloniferus*’; Teo et al., Nat. Singapore 4: 269 (2011), as ‘*stoloniferus*’; Hung et al., Nat. Singapore 10: 45 (2017), as ‘*stoloniferus*’; Simpson, Fl. Singapore 7: 101 (2019). **Native; LC** (Simpson, 2019).

Cyperus surinamensis Rottb.: Simpson, Fl. Singapore 7: 103 (2019). **Non-native, naturalised** (Simpson, 2019).

Cyperus tenuiculmis Boeckeler: Kern, Fl. Males., ser. 1, 7(3): 608 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 125 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 125, 226 (2009); Simpson, Fl. Singapore 7: 104 (2019). – *Cyperus zollingeri* auct. non Steud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 68 (1907); Ridley, Fl. Malay Penins. 5: 144 (1925). **Native; NEx** (Simpson, 2019).

Cyperus tenuifolius (Steud.) Dandy: Simpson, Fl. Singapore 7: 105 (2019). – *Cyperus triceps* auct. non Endl.: Kern, Fl. Males., ser. 1, 7(3): 659 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 126 (1998). – *Kyllinga triceps* auct. non Rottb.: Simpson & Koyama, Fl. Thailand 6(4): 397 (1998), p.p. – *Kyllinga cylindrica* auct. non Nees: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 588 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 59 (1907); Ridley, Fl. Malay Penins. 5: 138 (1925). **Native; NEx** (Simpson, 2019).

Cyperus tenuispica Steud.: Simpson, Fl. Singapore 7: 106, fig. 18 (2019). **Native; DD** (Simpson, 2019).

Cyperus trialatus (Boeckeler) J.Kern: Kern, Fl. Males., ser. 1, 7(3): 621 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 523 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 125 (1998); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 125, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 106 (2019). – *Cyperus bancanus* Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900). **Native; LC** (Simpson, 2019).

Diplacrum caricinum R.Br.: Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 125, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 89, 333 (2013); Simpson, Fl. Singapore 7: 108, fig. 19, 20 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 78, 119 (2019). – *Scleria caricina* (R.Br.) Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 111 (1907); Ridley, Fl. Malay Penins. 5: 178 (1925); Kern, Fl. Males., ser. 1, 7(3): 749 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 141, fig. 248 (1998). **Native; VU** (Simpson, 2019).

Eleocharis dulcis (Burm.f.) Trin. ex Hensch.: Kern, Fl. Males., ser. 1, 7(3): 529 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 126 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 [‘1997’]); Chong et al., Checkl. Vasc.

Pl. Fl. Singapore: 38, 125, 227 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 163, 806 [2015]; Simpson, Fl. Singapore 7: 113, fig. 21 (2019). – *Eleocharis plantaginea* Roem. & Schult.: Ridley, Mat. Fl. Malay. Penins. 3: 75 (1907); Ridley, Fl. Malay Penins. 5: 150 (1925). **Native; VU** (Simpson, 2019).

Eleocharis geniculata (L.) Roem. & Schult.: Kern, Fl. Males., ser. 1, 7(3): 536 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 523 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 126 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 125, 270 (2009); Simpson, Fl. Singapore 7: 115, fig. 22, 23 (2019). – *Eleocharis capitata* R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 77 (1907); Ridley, Fl. Malay Penins. 5: 151 (1925). **Native; LC** (Simpson, 2019).

Eleocharis ochrostachys Steud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 76 (1907); Ridley, Fl. Malay Penins. 5: 151 (1925); Kern, Fl. Males., ser. 1, 7(3): 528 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 126, fig. 232 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 125, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 97, 333 (2013); Simpson, Fl. Singapore 7: 118, fig. 24 (2019). – *Eleocharis variegata* (Poir.) C.Presl var. *laxiflora* (Thwaites) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 76 (1907); Ridley, Fl. Malay Penins. 5: 151 (1925). **Native; LC** (Simpson, 2019).

Eleocharis retroflexa (Poir.) Urb.: Kern, Fl. Males., ser. 1, 7(3): 534 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 126 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 125, 270 (2009); Lok et al., Cosmos 6: 79 (2010).

Eleocharis retroflexa (Poir.) Urb. subsp. **chaetaria** (Roem. & Schult.) T.Koyama: Simpson, Fl. Singapore 7: 120 (2019). – *Eleocharis chaetaria* Roem. & Schult.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 77 (1907); Ridley, Fl. Malay Penins. 5: 151 (1925). **Native; CR** (Simpson, 2019).

Eleocharis spiralis (Rottb.) Roem. & Schult.: Kern, Fl. Males., ser. 1, 7(3): 527 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 523 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 127 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 125, 227 (2009); Simpson, Fl. Singapore 7: 121 (2019). **Native; NEx** (Simpson, 2019).

Fimbristylis acuminata Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 89 (1907); Ridley, Fl. Malay Penins. 5: 153 (1925); Kern, Fl. Males., ser. 1, 7(3): 588 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 127, fig. 233 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010), as ‘*acuminata*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 119, 333 (2013); Simpson, Fl. Singapore 7: 124, fig. 25 (2019); Ho et al., Gard.

Bull. Singapore 71(Suppl. 1): 79, 119 (2019). – *Fimbristylis setacea* auct. non Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 89 (1907); Ridley, Fl. Malay Penins. 5: 153 (1925). – *Iria acuminata* (Vahl) Kuntze: Kuntze, Revis. Gen. Pl. 2: 751 (1891). **Native; LC** (Simpson, 2019).

Fimbristylis complanata (Retz.) Link: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 96 (1907); Ridley, Fl. Malay Penins. 5: 158 (1925); Kern, Fl. Males., ser. 1, 7(3): 548 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 524 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 128 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 227 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 120, 333 (2013); Simpson, Fl. Singapore 7: 126 (2019). **Native; VU** (Simpson, 2019).

Fimbristylis cymosa R.Br.: Kern, Fl. Males., ser. 1, 7(3): 557 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 128 (1998); Hung et al., Nat. Singapore 10: 33 (2017); Simpson, Fl. Singapore 7: 127, fig. 26 (2019). – *Fimbristylis cymosa* R.Br. subsp. *cymosa*: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 228 (2009). – *Fimbristylis cymosa* R.Br. var. *spathacea* (Roth) T.Koyama: Walker, J. Jap. Bot. 46: 66 (1971). – *Fimbristylis cymosa* R.Br. subsp. *spathacea* (Roth) T.Koyama: Koyama, Micronesica 1: 83 (1964). – *Fimbristylis spathacea* Roth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 93 (1907); Ridley, Fl. Malay Penins. 5: 156 (1925). **Native; LC** (Simpson, 2019).

Fimbristylis dichotoma (L.) Vahl: Kern, Fl. Males., ser. 1, 7(3): 575 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 128, fig. 234 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 120, 334 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Simpson, Fl. Singapore 7: 128, fig. 27, 28 (2019). – *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma*: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 119 (2019). – *Fimbristylis diphylla* (Retz.) Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 91 (1907); Ridley, Fl. Malay Penins. 5: 155 (1925). – *Fimbristylis diphylla* (Retz.) Vahl var. *pluristriata* auct. non C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 92 (1907). **Native; LC** (Simpson, 2019).

Fimbristylis dura (Zoll. & Moritzi) Merr.: Kern, Fl. Males., ser. 1, 7(3): 554 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 128 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 205 (2009); Simpson, Fl. Singapore 7: 132 (2019). – *Fimbristylis asperrima* Boeckeler: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 96 (1907); Ridley, Fl. Malay Penins. 5: 158 (1925). **Native; CR** (Simpson, 2019).

Fimbristylis ferruginea (L.) Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 92 (1907); Ridley, Fl. Malay Penins. 5: 156 (1925); Kern, Fl. Males., ser. 1, 7(3): 572 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull.

Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 129 (1998); Lee et al., Gard. Bull. Singapore 55: 282, 288 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 228 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 120, 334 (2013); Simpson, Fl. Singapore 7: 133 (2019). **Native; LC** (Simpson, 2019).

Fimbristylis fusca (Nees) Benth. ex C.B.Clarke: Ridley, Mat. Fl. Malay. Penins. 3: 97 (1907); Ridley, Fl. Malay Penins. 5: 160 (1925); Kern, Fl. Males., ser. 1, 7(3): 567 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 524 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 129 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 133 (2019). **Native; NEx** (Simpson, 2019).

Fimbristylis griffithii Boeckeler: Kern, Fl. Males., ser. 1, 7(3): 584 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 524 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 129 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 134 (2019). – *Fimbristylis aestivalis* auct. non (Retz.) Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 92 (1907); Ridley, Fl. Malay Penins. 5: 155 (1925). **Native; CR** (Simpson, 2019).

Fimbristylis leptoclada Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 96 (1907); Ridley, Fl. Malay Penins. 5: 159 (1925); Kern, Fl. Males., ser. 1, 7(3): 560 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 524 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 130 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 125, 228 (2009); Simpson, Fl. Singapore 7: 135 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). **Native; NEx** (Simpson, 2019).

Fimbristylis littoralis Gaudich.: Kern, Fl. Males., ser. 1, 7(3): 551 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 130 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 136, fig. 29 (2019). – *Fimbristylis miliacea* (L.) Vahl, nom. rej.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 95 (1907); Ridley, Fl. Malay Penins. 5: 158 (1925). **Native; LC** (Simpson, 2019).

Fimbristylis nutans (Retz.) Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 89 (1907); Ridley, Fl. Malay Penins. 5: 154 (1925); Kern, Fl. Males., ser. 1, 7(3): 589 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 525 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 130 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 192 (2009); Simpson, Fl. Singapore 7: 138 (2019). **Native; NEx** (Simpson, 2019).

Fimbristylis obtusata (C.B.Clarke) Ridl.: Ridley, Fl. Malay Penins. 5: 157 (1925); Kern, Fl. Males., ser. 1, 7(3): 559 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 525 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 130 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 139 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). – *Fimbristylis tenera* Roem. & Schult. var. *obtusata* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 642 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 94 (1907). **Native; CR** (Simpson, 2019).

Fimbristylis ovata (Burm.f.) J.Kern: Kern, Fl. Males., ser. 1, 7(3): 565 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 525 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 130, fig. 235 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 139, fig. 30 (2019). **Native; LC** (Simpson, 2019).

Fimbristylis pauciflora R.Br.: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 633 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 90 (1907); Ridley, Fl. Malay Penins. 5: 154 (1925); Kern, Fl. Males., ser. 1, 7(3): 564 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 130, fig. 236 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 120, 334 (2013); Simpson, Fl. Singapore 7: 141 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). – *Iria pauciflora* (R.Br.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 752 (1891). – *Fimbristylis filiformis* (Nees) Kunth: Miquel, Fl. Ned. Ind. 3, fasc. 2: 314 (1856 ['1855']). **Native; LC** (Simpson, 2019).

Fimbristylis polytrichoides (Retz.) Vahl: Ridley, Mat. Fl. Malay. Penins. 3: 90 (1907); Ridley, Fl. Malay Penins. 5: 154 (1925); Kern, Fl. Males., ser. 1, 7(3): 586 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 130 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 221 (2009); Simpson, Fl. Singapore 7: 142 (2019). **Native; VU** (Simpson, 2019).

Fimbristylis schoenoides (Retz.) Vahl: Ridley, Mat. Fl. Malay. Penins. 3: 90 (1907); Kern, Fl. Males., ser. 1, 7(3): 573 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 131, fig. 237 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 143, fig. 31 (2019). **Native; LC** (Simpson, 2019).

Fimbristylis tetragona R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 88 (1907); Ridley, Fl. Malay Penins. 5: 153 (1925); Kern, Fl. Males., ser.

1, 7(3): 590 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 525 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 132, fig. 238 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 143 (2019). **Native; LC** (Simpson, 2019).

Fimbristylis tristachya R.Br.: Kern, Fl. Males., ser. 1, 7(3): 573 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 525 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 132 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 145, fig. 32 (2019). **Native; LC** (Simpson, 2019).

Fimbristylis umbellaris (Lam.) Vahl: Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 120, 334 (2013); Simpson, Fl. Singapore 7: 147 (2019). – *Fimbristylis globulosa* (Retz.) Kunth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 95 (1907); Ridley, Fl. Malay Penins. 5: 158 (1925); Kern, Fl. Males., ser. 1, 7(3): 551 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 65 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 129 (1998). – *Iria globulosa* (Retz.) Kuntze var. *efoliata* (Steud.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 752 (1891). **Native; VU** (Simpson, 2019).

Fuirena ciliaris (L.) Roxb.: Simpson, Fl. Singapore 7: 149 (2019). **Native; CR** (Simpson, 2019).

Fuirena umbellata Rottb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 80 (1907), as ‘*Furirena*'; Ridley, Fl. Malay Penins. 5: 162 (1925); Kern, Fl. Males., ser. 1, 7(3): 518 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 132, fig. 239 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 123, 335 (2013); Simpson, Fl. Singapore 7: 150, fig. 33, 34 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). **Native; LC** (Simpson, 2019).

Gahnia tristis Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 98 (1907); Ridley, Fl. Malay Penins. 5: 168 (1925); Henderson, Malay. Wild Fls, Monocot.: 285 (1954); Kern, Fl. Males., ser. 1, 7(3): 710 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 526 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 132, fig. 240 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 125, 228 (2009); Hung et al., Nat. Singapore 10: 45 (2017); Simpson, Fl. Singapore 7: 153, fig. 35 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). **Native; LC** (Simpson, 2019).

Hypolytrum nemorum (Vahl) P.Beauv.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner et al., Gard. Bull. Singapore

46(2): 15 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 125, 228 (2009); Neo et al., Nat. Singapore 5: 280 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 145, 335 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 128 (2019). – *Hypolytrum latifolium* Rich.: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 678 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 100 (1907); Ridley, Fl. Malay Penins. 5: 170 (1925).

Hypolytrum nemorum (Vahl) P.Beauv. var. **nemorum**: Kern, Fl. Males., ser. 1, 7(3): 491 (1974); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 133, fig. 241 (1998); Simpson, Fl. Singapore 7: 158, fig. 36 (2019). **Native; LC** (Simpson, 2019).

Hypolytrum nemorum (Vahl) P.Beauv. var. **proliferum** (Boeckeler) J.Kern: Kern, Fl. Males., ser. 1, 7(3): 492 (1974); Turner, Gard. Bull. Singapore 45: 66 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner, Gard. Bull. Singapore 47: 526 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 133 (1998); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 145, 336 (2013); Simpson, Fl. Singapore 7: 158, fig. 37 (2019). – *Hypolytrum proliferum* Boeckeler: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 679 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 101 (1907); Ridley, Fl. Malay Penins. 5: 170 (1925). **Native; VU** (Simpson, 2019).

Lepironia articulata (Retz.) Domin: Kern, Fl. Males., ser. 1, 7(3): 462 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 527 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 134, fig. 242 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 125, 194 (2009); Ooi & Ang, Nat. Singapore 8: 65 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 166, 807 [2015]; Simpson, Fl. Singapore 7: 161, fig. 38 (2019); Lim et al., Fl. Singapore 1: 88 (2019). – *Lepironia mucronata* Rich.: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 684 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 107 (1907); Ridley, Fl. Malay Penins. 5: 175 (1925). **Native; CR** (Simpson, 2019).

Machaerina rubiginosa (Biehler) T.Koyama: Kern, Fl. Males., ser. 1, 7(3): 700 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 527 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 135 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 125, 194 (2009); Simpson, Fl. Singapore 7: 163, fig. 39 (2019). – *Cladium glomeratum* R.Br.: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 675 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 85 (1907); Ridley, Fl. Malay Penins. 5: 166 (1925). **Native; NEx** (Simpson, 2019).

Mapania bancana (Miq.) Ridl.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner, Gard. Bull. Singapore 47: 527 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 125, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 337 (2013); Simpson, Fl. Singapore 7: 167 (2019). –

Thoracostachyum bancanum (Miq.) Kurz: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 680 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 102 (1907); Ridley, Fl. Malay Penins. 5: 171 (1925); Kern, Fl. Males., ser. 1, 7(3): 465 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 144, fig. 251 (1998); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); — *Thoracostachyum bancanum* (Miq.) Kurz var. *longispica* (C.B.Clarke) Ridl.: Ridley, Mat. Fl. Malay. Penins. 3: 102 (1907). **Native; NEx** (Simpson, 2019).

Mapania cuspidata (Miq.) Uittien: Kern, Fl. Males., ser. 1, 7(3): 473 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 527 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 322, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 125, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 337 (2013); Simpson, Fl. Singapore 7: 168, fig. 40, 41 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 267, 382 (2020). — *Mapania cuspidata* (Miq.) Uittien var. *petiolata* (C.B.Clarke) Uittien: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 135 (1998); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011). — *Mapania humilis* (Hassk.) Fern.-Vill.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 105 (1907); Ridley, Fl. Malay Penins. 5: 174 (1925). — *Mapania humilis* (Hassk.) Fern.-Vill. var. *petiolata* (C.B.Clarke) Ridl.: Ridley, Fl. Malay Penins. 5: 174 (1925). **Native; VU** (Simpson, 2019).

Mapania enodis (Miq.) C.B.Clarke: Kern, Fl. Males., ser. 1, 7(3): 480 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 527 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 136 (1998); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 125, 208 (2009); Simpson, Fl. Singapore 7: 171 (2019). — *Mapania longa* Ridl. ex C.B.Clarke: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 683 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 105 (1907); Ridley, Fl. Malay Penins. 5: 173 (1925). **Native; NEx** (Simpson, 2019).

Mapania kurzii C.B.Clarke: Kern, Fl. Males., ser. 1, 7(3): 478 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 528 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 136 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 125, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Simpson, Fl. Singapore 7: 172 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79 (2019). — *Mapania valida* Ridl.: Ridley, Mat. Fl. Malay. Penins. 3: 104 (1907); Ridley, Fl. Malay Penins. 5: 172 (1925). — *Mapania multispicata* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900). **Native; EN** (Simpson, 2019).

Mapania longiflora C.B.Clarke: Kern, Fl. Males., ser. 1, 7(3): 475 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 136 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 126, 194 (2009); Simpson, Fl. Singapore 7: 173 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). **Non-native, casual*** (assessed here).

Mapania lorea Uittien: Kern, Fl. Males., ser. 1, 7(3): 480 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994), as ‘lor’; Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 528 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 136 (1998); Turner et al., Gard. Bull. Singapore 48: 143 (1998 [‘1996’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 126, 194 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Simpson, Fl. Singapore 7: 174 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79 (2019). **Native; CR** (Simpson, 2019).

Mapania palustris (Hassk. ex Steud.) Fern.-Vill.: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 681 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 103 (1907); Ridley, Fl. Malay Penins. 5: 172 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1423 (1935); Kern, Fl. Males., ser. 1, 7(3): 477 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 126, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 337 (2013); Simpson, Fl. Singapore 7: 175 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79 (2019).

Mapania palustris (Hassk. ex Steud.) Fern.-Vill. var. **palustris**: Turner, Gard. Bull. Singapore 47: 528 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 137, fig. 244 (1998). **Native; CR** (assessed here).

Mapania squamata (Kurz) C.B.Clarke: Kern, Fl. Males., ser. 1, 7(3): 479 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 528 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 137 (1998); Turner et al., Gard. Bull. Singapore 48: 143 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 126, 194 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 337 (2013); Lim et al., Gard. Bull. Singapore 70: 81 (2018); Simpson, Fl. Singapore 7: 176, fig. 42 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79 (2019). **Native; CR** (Simpson, 2019).

Mapania wallichii C.B.Clarke: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 682 (1894); Ridley, Mat. Fl. Malay. Penins. 3: 105 (1907); Ridley, Fl. Malay Penins. 5: 173 (1925); Kern, Fl. Males., ser. 1, 7(3): 479 (1974); Turner, Gard. Bull. Singapore 45: 67 (1993); Turner & Tan in Wee & Ng

(ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 528 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 137 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 126, 194 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 20 (2011); Simpson, Fl. Singapore 7: 178 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79 (2019). **Native; NEx** (Simpson, 2019).

Rhynchospora corymbosa (L.) Britton: Kern, Fl. Males., ser. 1, 7(3): 713 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 138 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010), as 'Rhynchospora'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 218, 337 (2013); Simpson, Fl. Singapore 7: 180, fig. 43, 44 (2019). – *Rhynchospora aurea* Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 83 (1907), as 'Rynchospora'; Ridley, Fl. Malay Penins. 5: 164 (1925). **Native; LC** (Simpson, 2019).

Rhynchospora malasica C.B.Clarke: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 670 (1893), as 'Rynchospora'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 83 (1907), as 'Rynchospora'; Ridley, Fl. Malay Penins. 5: 164 (1925); Kern, Fl. Males., ser. 1, 7(3): 715 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 138 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 126, 197 (2009); Simpson, Fl. Singapore 7: 183 (2019). **Native; NEx** (Simpson, 2019).

Rhynchospora rubra (Lour.) Makino: Kern, Fl. Males., ser. 1, 7(3): 715 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 138, fig. 245 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 184 (2019). – *Rhynchospora wallichiana* Kunth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 82 (1907), as 'Rynchospora'; Ridley, Fl. Malay Penins. 5: 164 (1925). **Native; VU** (Simpson, 2019).

Rhynchospora rugosa (Vahl) Gale: Kern, Fl. Males., ser. 1, 7(3): 720 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Simpson, Fl. Singapore 7: 184 (2019).

Rhynchospora rugosa (Vahl) Gale subsp. **brownii** (Roem. & Schult.) T.Koyama: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 126, 230 (2009); Simpson, Fl. Singapore 7: 185 (2019). – *Rhynchospora brownii* Roem. & Schult.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 138 (1998). – *Rhynchospora glauca* Vahl var. *chinensis* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 84 (1907), as 'Rynchospora'; Ridley, Fl. Malay Penins. 5: 165 (1925). **Native; NEx** (Simpson, 2019).

Schoenoplectiella mucronata (L.) J.Jung & H.K.Choi: Simpson, Fl. Singapore 7: 186, fig. 45 (2019). – *Schoenoplectus mucronatus* (L.) Palla: Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010). – *Scirpus mucronatus* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 182 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 79 (1907); Ridley, Fl. Malay Penins. 5: 161 (1925); Kern, Fl. Males., ser. 1, 7(3): 510 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 140, fig. 247 (1998). **Native; NEx** (Simpson, 2019).

Schoenus calostachyus (R.Br.) Roem. & Schult.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 85 (1907); Ridley, Fl. Malay Penins. 5: 166 (1925); Kern, Fl. Males., ser. 1, 7(3): 675 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 530 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 138, fig. 246 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 189, fig. 46 (2019). **Native; NEx** (Simpson, 2019).

Scirpodendron ghaeri (Gaertn.) Merr.: Kern, Fl. Males., ser. 1, 7(3): 456 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 113, 139 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 198 (2009); Simpson, Fl. Singapore 7: 191, fig. 47 (2019). – *Scirpodendron costatum* Kurz: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 684 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 106 (1907); Ridley, Fl. Malay Penins. 5: 175 (1925). **Native; NEx** (Simpson, 2019).

Scleria biflora Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 114 (1907); Ridley, Fl. Malay Penins. 5: 180 (1925); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 140 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Simpson, Fl. Singapore 7: 195 (2019). – *Scleria biflora* Roxb. subsp. *biflora*: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79 (2019). **Native; NEx** (Simpson, 2019).

Scleria ciliaris Nees: Kern, Fl. Males., ser. 1, 7(3): 734 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 68 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 141, fig. 249 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 230 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 225, 338 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Hung et al., Nat. Singapore 10: 47 (2017); Simpson, Fl. Singapore 7: 196, fig. 48, 49 (2019). – *Scleria bancana* Miq.: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 693 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 112 (1907); Ridley, Fl. Malay Penins. 5: 178 (1925). – *Scleria chinensis* Kunth: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 690 (1894). **Native; LC** (Simpson, 2019).

Scleria corymbosa Roxb.: Ridley, Mat. Fl. Malay. Penins. 3: 109 (1907); Ridley, Fl. Malay Penins. 5: 176 (1925); Kern, Fl. Males., ser. 1, 7(3): 740 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 142 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 198 (2009); Simpson, Fl. Singapore 7: 199 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). – *Scleria ridleyi* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 686 (1894); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 183 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 109 (1907); Ridley, Fl. Malay Penins. 5: 177 (1925). **Native; NEx** (Simpson, 2019).

Scleria levis Retz.: Kern, Fl. Males., ser. 1, 7(3): 732 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 142, fig. 250 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 7: 63 (2014); Hung et al., Nat. Singapore 10: 17, 20 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Simpson, Fl. Singapore 7: 200, fig. 50 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 128 (2019). – *Scleria hebecarpa* Nees: Ridley, Mat. Fl. Malay. Penins. 3: 113 (1907); Ridley, Fl. Malay Penins. 5: 179 (1925). **Native; LC** (Simpson, 2019).

Scleria oblata S.T.Blake ex J.Kern: Kern, Fl. Males., ser. 1, 7(3): 733 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 142 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010); Neo et al., Nat. Singapore 6: 276 (2013); Hung et al., Nat. Singapore 10: 47 (2017); Simpson, Fl. Singapore 7: 202, fig. 51 (2019). – *Scleria levis* auct. non Retz.: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 111 (1907); Ridley, Fl. Malay Penins. 5: 177 (1925). **Native; LC** (Simpson, 2019).

Scleria poiformis Retz.: Kern, Fl. Males., ser. 1, 7(3): 736 (1974), as ‘*pooeformis*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990), as ‘*pooeformis*’; Turner, Gard. Bull. Singapore 45: 69 (1993), as ‘*pooeformis*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994), as ‘*pooeformis*’; Ng & Wee (ed.), Singapore Red Data Book: 282 (1994), as ‘*pooeformis*’; Turner, Gard. Bull. Singapore 47: 531 (1997 ['1995']), as ‘*pooeformis*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 143 (1998), as ‘*pooeformis*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 230 (2009); Simpson, Fl. Singapore 7: 204 (2019). – *Scleria oryzoides* J.Presl & C.Presl: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 110 (1907); Ridley, Fl. Malay Penins. 5: 177 (1925). **Native; NEx** (Simpson, 2019).

Scleria purpurascens Steud.: Kern, Fl. Males., ser. 1, 7(3): 739 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 143 (1998); Chew et al., Gard. Bull. Singapore 49(2): 179 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 230 (2009); Simpson, Fl. Singapore 7: 205, fig. 52 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). – *Scleria multifoliata* Boeckeler: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 693 (1894); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 112 (1907); Ridley, Fl. Malay Penins. 5: 178 (1925). **Native; CR** (Simpson, 2019).

Scleria rugosa R.Br.: Kern, Fl. Males., ser. 1, 7(3): 749 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 143 (1998); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 273 (2009); Lok et al., Cosmos 6: 79 (2010); Simpson, Fl. Singapore 7: 207 (2019). – *Scleria zeylanica* auct. non Poir.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 110 (1907); Ridley, Fl. Malay Penins. 5: 177 (1925). – *Scleria lateriflora* Boeckeler: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900). **Native; CR** (Simpson, 2019).

Scleria sumatrensis Retz.: Clarke in Hooker, Fl. Brit. India 6, fasc. 20: 693 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 113 (1907); Ridley, Fl. Malay Penins. 5: 179 (1925); Kern, Fl. Males., ser. 1, 7(3): 736 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 143 (1998); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 224 (2009); Simpson, Fl. Singapore 7: 208, fig. 53 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). **Native; LC** (Simpson, 2019).

Scleria terrestris (L.) Fassett: Kern, Fl. Males., ser. 1, 7(3): 733 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 144 (1998); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 126, 218 (2009); Simpson, Fl. Singapore 7: 210 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79, 120 (2019). – *Scleria radula* Hance: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 183 (1900). **Native; EN** (Simpson, 2019).

Daphniphyllaceae

Daphniphyllum griffithianum (Wight) Noltie: WCSP. – *Daphniphyllum laurinum* (Benth.) Baill.: Baillon, Étude Euphorb.: 565, t. 21 (1858); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900); Ridley, Fl. Malay Penins. 3: 234 (1924); Keng, Gard. Bull. Singapore 33: 367 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 114, fig. 93.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Balu Perumal, Tree Fl. Sabah & Sarawak 2: 156 (1996); Huang, Fl. Males., ser. 1, 13: 162 (1997); Turner, Gard. Bull. Singapore 47: 183 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 126, 203 (2009); Rafidah, Fl. Penins. Malaysia, ser. 2, 1: 122 (2010). – *Goughia laurina* Benth.: Bentham, Hooker's J. Bot. Kew Gard. Misc. 6: 9 (1854). **Native; CR** (Chong et al., 2009).

Dichapetalaceae

Dichapetalum sordidum (Hook.f.) Leen.: Leenhouts, Fl. Males., ser. 1, 5(3): 309 (1957); Keng, Gard. Bull. Singapore 27: 250 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 26, fig. 25.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull.

Singapore 45: 69 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Turner, Gard. Bull. Singapore 47: 183 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 126, 191 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 82, 338 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). – *Chailletia sordida* (Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 1: 418 (1922). – *Chailletia deflexifolia* auct. non Turcz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900). – *Chailletia deflexifolia* Turcz. var. *sordida* Hook.f.: Hooker, Fl. Brit. India 1, fasc. 3: 571 (1875). **Native; CR** (assessed here).

Dilleniaceae

Dillenia excelsa (Jack) Gilg: Hoogland, Fl. Males., ser. 1, 4(3): 169 (1951); Hoogland, Blumea 7(1): 86 (1952); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 45 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 126, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 84, 338 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 595, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 79 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 113, 310 (2020). – *Wormia excelsa* Jack: Hooker & Thomson, Fl. Ind. 1: 67 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 10 (1858 ['1859']); Keng, Gard. Bull. Singapore 28(2): 243 (1976).

Dillenia excelsa (Jack) Gilg var. **excelsa**: Tan & Latiff, Malayan Nat. J. 66(3): 342 (2014). **Native; CR** (assessed here).

Dillenia excelsa (Jack) Gilg var. **tomentella** (Martelli) Masam.: Hoogland, Blumea 7(1): 91 (1952); Tan & Latiff, Malayan Nat. J. 66(3): 343 (2014). – *Wormia tomentella* (Martelli) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 5 (1910); Ridley, Fl. Malay Penins. 1: 10 (1922). **Native; CR** (assessed here).

Dillenia grandifolia Wall. ex Hook.f. & Thomson: Keng, Gard. Bull. Singapore 28(2): 242 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 45 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 184 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 565, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 126, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Neo et al., Nat. Singapore 6: 276 (2013); Tan & Latiff, Malayan Nat. J. 66(3): 348 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 114, 310 (2020). – *Dillenia ovata* auct. non Wall. ex Hook.f. & Thomson: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 84, 339 (2013). – *Dillenia eximia* Miq.: Hoogland, Blumea 7(1): 75 (1952). – *Dillenia scortechinii* (King) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 7 (1910); Ridley, Fl. Malay Penins. 1: 12 (1922). – *Wormia scortechinii* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900). **Native; EN** (Chong et al., 2009).

Dillenia ovata Wall. ex Hook.f. & Thomson: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 126, 241 (2009). **Non-native, casual** (assessed here).

Dillenia pulchella (Jack) Gilg: Hoogland, Fl. Males., ser. 1, 4(3): 171 (1951); Hoogland, Blumea 7(1): 113 (1952); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 231 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 126, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Tan & Latiff, Malayan Nat. J. 66(3): 343 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019). – *Wormia pulchella* Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900); Ridley, Fl. Malay Penins. 1: 9 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 206 (1952); Keng, Gard. Bull. Singapore 28(2): 243 (1976). **Native; NEx** (assessed here).

Dillenia reticulata King: Hoogland, Fl. Males., ser. 1, 4(3): 168 (1951); Keng, Gard. Bull. Singapore 28(2): 242 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 568, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 126, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 84, 339 (2013); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 115, 310 (2020). **Native; CR** (Wong et al., 2013).

Dillenia suffruticosa (Griff. ex Hook.f. & Thomson) Martelli: Hoogland, Fl. Males., ser. 1, 4(3): 162 (1951); Hoogland, Blumea 7(1): 70 (1952); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46, fig. 37.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 112 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 126, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 84, 339 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Tan & Latiff, Malayan Nat. J. 66(3): 345 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Hung et al., Nat. Singapore 10: 45 (2017); Kaw & Neo, Wayside Fls Singapore: 169 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019); Yee et al., Fl. Singapore 1: 52, 60, 62 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 115, 310 (2020). – *Wormia suffruticosa* Griff. ex Hook.f. & Thomson: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 35 (1872); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 58(4): 364 (1889); Kuntze, Revis. Gen. Pl. 1: 5 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 5 (1910); Ridley, Fl. Malay Penins. 1: 8 (1922); Keng, Gard. Bull. Singapore 28(2): 243 (1976). – *Wormia subsessilis* Miq.: Ridley, Fl. Malay Penins. 1: 7 (1922). **Native; LC** (Wong et al., 2013).

Tetracera akara (Burm.f.) Merr.: Hoogland, Fl. Males., ser. 1, 4(3): 146 (1951); Hoogland, Reinwardtia 2(2): 208 (1953); Keng, Gard. Bull. Singapore 28(2): 242 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee

(ed.), Singapore Red Data Book: 282 (1994); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 126, 224 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 339 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80, 128 (2019). — *Tetracera sylvestris* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 8 (1910); Ridley, Fl. Malay Penins. 1: 5 (1922). — *Tetracera assa* DC. var.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900). **Native; VU** (Wong et al., 2013).

Tetracera arborescens Jack: Hoogland, Fl. Males., ser. 1, 4(3): 148 (1951); Hoogland, Reinwardtia 2(2): 217 (1953); Keng, Gard. Bull. Singapore 28(2): 242 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 127, 218 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 339 (2013). — *Tetracera lucida* Wall. ex Ridl.: Ridley, Fl. Malay Penins. 1: 5 (1922). — *Tetracera euryandra* auct. non Vahl: Hooker & Thomson, Fl. Ind. 1: 63 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 8 (1858 ['1859']); Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 32 (1872); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900). — *Tetracera lucida* Wall., nom. nud.: Wallich, Numer. List no. 6631 (1832). **Native; EN** (Wong et al., 2013).

Tetracera fagifolia Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 10 (1910); Ridley, Fl. Malay Penins. 1: 6 (1922); Hoogland, Fl. Males., ser. 1, 4(3): 148 (1951); Keng, Gard. Bull. Singapore 28(2): 242 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 127, 224 (2009); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 339 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80, 128 (2019). — *Tetracera sumatrana* Miq.: Ridley, Fl. Malay Penins. 1: 6 (1922).

Tetracera fagifolia Blume var. **borneensis** (Miq.) Hoogland: Hoogland, Fl. Males., ser. 1, 4(3): 148 (1951); Hoogland, Reinwardtia 2(2): 221 (1953); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 339 (2013). **Native; VU** (Wong et al., 2013).

Tetracera indica (Christm. & Panz.) Merr.: Hoogland, Fl. Males., ser. 1, 4(3): 146 (1951); Keng, Gard. Bull. Singapore 28(2): 243 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46, fig. 37.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 127, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 339 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120

(2013); Neo et al., Nat. Singapore 6: 276 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 142, 807 [2015]; Hung et al., Nat. Singapore 10: 18, 20, 23 (2017); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Kaw & Neo, Wayside Fls Singapore: 119 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 81, 382 (2020). – *Tetracera assa* DC., nom. illeg. superfl.: Hooker & Thomson, Fl. Ind. 1: 63 (1855); Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 31 (1872); Kuntze, Revis. Gen. Pl. 1: 5 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900). **Native; LC** (Wong et al., 2013).

Tetracera macrophylla Wall. ex Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 63 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 8 (1858 ['1859']); Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 32 (1872); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 37 (1900); Ridley, Fl. Malay Penins. 1: 4 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 2143 (1935); Hoogland, Fl. Males., ser. 1, 4(3): 147 (1951); Hoogland, Reinwardtia 2(2): 215 (1953); Keng, Gard. Bull. Singapore 28(2): 243 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 294 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 127, 224 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 339 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80, 128 (2019). – *Tetracera macrocarpa* Wall., nom. nud.: Wallich, Numer. List no. 6628 (1832). **Native; VU** (Wong et al., 2013).

Tetracera maingayi Hoogland: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 339 (2013). **Native; CR** (Wong et al., 2013).

Tetracera scandens (L.) Merr.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 340 (2013). **Native; EN** (assessed here).

Dioscoreaceae

Dioscorea bulbifera L.: Ridley, Fl. Malay Penins. 4: 315 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 816 (1935); Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 111, pl. 49–51, 82 (1936); Burkhill, Fl. Males., ser. 1, 4(3): 311 (1951); Keng, Gard. Bull. Singapore 40: 121 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 16, fig. 37 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 270 (2009); Lok et al., Cosmos 6: 79 (2010); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80, 129 (2019); Phang, Gard. Bull. Singapore 73: 279 (2021). – *Dioscorea sativa* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 84 (1907). **Cryptogenic** (Chong et al., 2009).

Dioscorea hispida Dennst.: Burkhill, Dict. Econ. Prod. Malay Penins. 1: 818 (1935); Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 188, pl. 77–78, 85d (1936); Burkhill, Fl. Males., ser. 1, 4(3): 318, fig 5k–n, 6e (1951); Keng, Gard. Bull. Singapore 40: 121 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 17 (1998); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book,

ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 204 (2009); Phang, Gard. Bull. Singapore 73: 281 (2021). – *Dioscorea triphylla* auct. non L.: Ridley, Fl. Malay Penins. 4: 314 (1924). – *Dioscorea daemona* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 167 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 80 (1907). **Native; CR** (Chong et al., 2009).

Dioscorea kingii R.Knuth: Ho et al., Gard. Bull. Singapore 70: 46 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80, 120 (2019); Phang, Gard. Bull. Singapore 73: 282 (2021). – *Dioscorea porteri* Prain & Burkhill ex Ridl. var. *andersonii* Prain & Burkhill ex Ridl., nom. inval.: Ridley, Fl. Malay Penins. 4: 318 (1924); Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 383 (1938). **Native; CR** (Ho et al., 2018).

Dioscorea laurifolia Wall. ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 167 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 83 (1907); Ridley, Fl. Malay Penins. 4: 319 (1924); Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 222, pl. 88 (1938); Burkhill, Fl. Males., ser. 1, 4(3): 323 (1951); Keng, Gard. Bull. Singapore 40: 122 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner et al., Gard. Bull. Singapore 46(2): 15 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 17, fig. 40 (1998); Chew et al., Gard. Bull. Singapore 49(2): 180 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 86, 340 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019); Phang, Gard. Bull. Singapore 73: 283 (2021). **Native; LC** (Wong et al., 2013).

Dioscorea polyclades Hook.f.: Hooker, Fl. Brit. India 6, fasc. 18: 294 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 81 (1907); Ridley, Fl. Malay Penins. 4: 315 (1924); Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 407, pl. 144 (1938); Burkhill, Fl. Males., ser. 1, 4(3): 334 (1951); Keng, Gard. Bull. Singapore 40: 122 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 18 (1998); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 204 (2009), as ‘*polyclados*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 86, 340 (2013), as ‘*polyclados*’; Neo et al., Nat. Singapore 6: 276 (2013), as ‘*polyclados*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019), as ‘*polyclados*’; Phang, Gard. Bull. Singapore 73: 284 (2021). **Native; CR** (Wong et al., 2013).

Dioscorea brainiana R.Knuth: Burkhill, Dict. Econ. Prod. Malay Penins. 1: 824 (1935); Burkhill, Fl. Males., ser. 1, 4(3): 324 (1951); Keng, Gard. Bull. Singapore 40: 122 (1987), p.p.; Turner, Gard. Bull. Singapore 45: 71 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994), p.p.; Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 282 (1994), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 18 (1998), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 204 (2009), p.p. – *Dioscorea zollingeriana* auct. non Kunth: Ridley, Fl. Malay Penins. 4: 317 (1924), p.p. – *Dioscorea deflexa* Hook.f., nom. illeg. hom.: Hooker, Fl. Brit. India 6, fasc. 18: 293 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 83 (1907). **Native; NEx** (assessed here).

Dioscorea pyrifolia Kunth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 167 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 82 (1907); Ridley, Fl. Malay Penins. 4: 316 (1924); Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 384, pl. 137–138 (1938); Burkhill, Fl. Males., ser. 1, 4(3): 332 (1951); Keng, Gard. Bull. Singapore 40: 122 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 18, fig. 41 (1998); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 86, 340 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019); Phang, Gard. Bull. Singapore 73: 285 (2021). – *Dioscorea pyrifolia* Kunth var. *ferruginea* Prain & Burkhill: Knuth in Engler, Pflanzenr., IV, fam. 43 (Heft 87): 278 (1924); Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 386 (1938). – *Dioscorea cornifolia* auct. non Kunth: Ridley, Mat. Fl. Malay. Penins. 2: 81 (1907). – *Dioscorea oppositifolia* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 167 (1900). **Native; LC** (Wong et al., 2013).

Dioscorea sansibarensis Pax: Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 18 (1998); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 266 (2009); Lok et al., Cosmos 6: 69 (2010); Neo et al., Nat. Singapore 5: 281 (2012); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 276 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80, 129 (2019); Phang, Gard. Bull. Singapore 73: 287 (2021). **Non-native, naturalised** (Chong et al., 2009).

Dioscorea stenomeriflora Prain & Burkhill: Prain & Burkhill, J. Proc. Asiat. Soc. Bengal 10: 40 (1914); Ridley, Fl. Malay Penins. 4: 319 (1924); Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 72, pl. 30–31 (1936); Burkhill, Fl. Males., ser. 1, 4(3): 306 (1951); Keng, Gard. Bull. Singapore 40: 122 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 18 (1998); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 191 (2009); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 57 (2018); Phang, Gard. Bull. Singapore 73: 288 (2021). – *Peripetasma polyanthum* Ridl.: Ridley, Fl. Malay Penins. 5: 340 (1925). **Native; CR** (assessed here).

Dioscorea tenuifolia Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 41: 34 (1904), as '*tennifolia*'; Prain & Burkhill, Ann. Roy. Bot. Gard. (Calcutta) 14: 414, pl. 146 (1938); Burkhill, Fl. Males., ser. 1, 4(3): 326 (1951); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994), as '*tennifolia*'; Ng & Wee (ed.), Singapore Red Data Book: 282 (1994), as '*tennifolia*'; Turner, Gard. Bull. Singapore 47: 533 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 18 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 127, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Phang, Gard. Bull. Singapore 73: 288 (2021). – *Dioscorea prainiana* auct. non R. Knuth: Keng, Gard. Bull. Singapore 40: 122 (1987), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard.

Bull. Singapore 45: 71 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 282 (1994), p.p.; Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 18 (1998), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 204 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 22 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 86, 340 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019); Phang, Gard. Bull. Singapore 73: 285 (2021). – *Dioscorea orbiculata* Hook.f. var. *tenuifolia* (Ridl.) Thapyai: Thapyai, Thai Forest Bull., Bot. 33: 197 (2005); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 86, 340 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019). – *Dioscorea glabra* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 83 (1907); Ridley, Fl. Malay Penins. 4: 318 (1924); Burkill, Fl. Males., ser. 1, 4(3): 331 (1951); Keng, Gard. Bull. Singapore 40: 121 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 71 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 17, fig. 39 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 127, 204 (2009). – *Dioscorea zollingeriana* auct. non Kunth: Ridley, Mat. Fl. Malay. Penins. 2: 82 (1907); Ridley, Fl. Malay Penins. 4: 317 (1924), p.p. **Native; VU** (assessed here).

Dipterocarpaceae

Anisoptera laevis Ridl.: Ridley, Fl. Malay Penins. 1: 219 (1922); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 205 (1943); Ashton, Fl. Males., ser. 1, 9(2): 335 (1982); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Ashton, Tree Fl. Sabah & Sarawak 5: 75, fig. 1 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 127, 200 (2009). – *Anisoptera glabra* auct. non Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 49 (1900). **Native; CR** (Chong et al., 2009).

Anisoptera marginata Korth.: Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Wong & Ganesan, Fl. Singapore 1: 42 (2019). **Native; NEx** (assessed here).

Anisoptera megistocarpa Slooten: Burkill, Dict. Econ. Prod. Malay Penins. 1: 164 (1935); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 207 (1943); Keng, Gard. Bull. Singapore 28(2): 249 (1976); Ashton, Fl. Males., ser. 1, 9(2): 332 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 51, fig. 42.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 127, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019). – *Anisoptera costata* auct. non Korth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 49 (1900); Ridley, Fl. Malay Penins. 1: 218 (1922), p.p.; Symington, Foresters' Man. Dipt.

[Malayan Forest Rec. 16]: 204 (1943); Keng, Gard. Bull. Singapore 28(2): 249 (1976), p.p.; Ashton, Fl. Males., ser. 1, 9(2): 330 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 51 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 127, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). **Native; CR** (Chong et al., 2009).

Cotylelobium lanceolatum Craib: Ashton, Fl. Males., ser. 1, 9(2): 343 (1982); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 127, 203 (2009); Wong & Ganesan, Fl. Singapore 1: 43 (2019). – *Cotylelobium melanoxyylon* auct. non (Hook.f.) Pierre: Ashton, Fl. Males., ser. 1, 9(2): 341 (1982), p.p.; Turner, Gard. Bull. Singapore 47: 186 (1997 ['1995']), p.p. – *Cotylelobium malayanum* Slooten: Burkill, Dict. Econ. Prod. Malay Penins. 1: 673 (1935); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 349 (1943). – *Cotylelobium flavum* auct. non Pierre: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 239 (1922). **Native; CR** (Chong et al., 2009).

Dipterocarpus chartaceus Symington: Lim et al., Gard. Bull. Singapore 70: 72 (2018). **Native; CR** (Lim et al., 2018).

Dipterocarpus condorensis Pierre

Dipterocarpus condorensis Pierre subsp. **penangianus** (Foxw.) P.S.Ashton & Luu: Ashton, Gard. Bull. Singapore 67: 358 (2015). – *Dipterocarpus caudatus* Foxw. subsp. *penangianus* (Foxw.) P.S.Ashton: Ashton, Fl. Males., ser. 1, 9(2): 305 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 51 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Turner, Gard. Bull. Singapore 47: 186 (1997 ['1995']); Ashton, Tree Fl. Sabah & Sarawak 5: 97 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 127, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019); Yee et al., Fl. Singapore 1: 51 (2019). – *Dipterocarpus caudatus* auct. non Foxw.: Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Ashton, Tree Fl. Sabah & Sarawak 5: 94 (2004); LaFrankie et al., Forest Trees Bukit Timah: 81, 162 (2005). – *Dipterocarpus penangianus* Foxw.: Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 185 (1943); Keng, Gard. Bull. Singapore 28(2): 249 (1976). **Native; EN** (assessed here).

Dipterocarpus cornutus Dyer: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(2): 93 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 49 (1900); Ridley, Fl. Malay Penins. 1: 215 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 842 (1935); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 172 (1943); Keng, Gard. Bull. Singapore 28(2): 249 (1976); Ashton, Fl. Males., ser. 1, 9(2): 312 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 51 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Chew et al., Gard. Bull. Singapore

49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 127, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Neo et al., Nat. Singapore 6: 277 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). **Native; CR** (Chong et al., 2009).

Dipterocarpus elongatus Korth.: Ashton, Fl. Males., ser. 1, 9(2): 312 (1982); Turner, Gard. Bull. Singapore 47: 186 (1997 ['1995']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 51 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 127, 204 (2009). – *Dipterocarpus apodus* Foxw.: Wong et al., Gard. Bull. Singapore 46(2): 50, 69 (1995 ['1994']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 127, 241 (2009). **Native; CR** (Chong et al., 2009).

Dipterocarpus grandiflorus (Blanco) Blanco: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 49 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 843 (1935); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 178 (1943); Ashton, Fl. Males., ser. 1, 9(2): 317 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 51 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 30, 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 572, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 27, 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 127, 220 (2009); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 120, 310 (2020). **Native; EN** (assessed here).

Dipterocarpus kerrii King: Ridley, Fl. Malay Penins. 1: 215 (1922); Keng, Gard. Bull. Singapore 28(2): 249 (1976); Ashton, Fl. Males., ser. 1, 9(2): 305 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52, fig. 42.2 (1990); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 127, 220 (2009). **Native; DD** (assessed here).

Dipterocarpus kunstleri King: Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 127, 204 (2009); Neo et al., Nat. Singapore 7: 102 (2014); Chong et al., Plant Ecol. Diversity: 484 (2016); Yee et al., Fl. Singapore 1: 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 120, 310 (2020). – *Dipterocarpus costulatus* auct. non Slooten: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 127, 220 (2009). **Native; CR** (Chong et al., 2009).

Dipterocarpus palembanicus Slooten: Ashton, Fl. Males., ser. 1, 9(2): 318 (1982); Turner, Gard. Bull. Singapore 47: 187 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Ashton, Tree Fl. Sabah & Sarawak 5: 119 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 127, 204 (2009). – *Dipterocarpus palembanicus* Slooten subsp. *palembanicus*: Ashton, Fl. Males., ser. 1, 9(2): 318 (1982); Ashton, Tree Fl. Sabah & Sarawak 5: 120 (2004). **Native; CR** (Chong et al., 2009).

Dipterocarpus sublamellatus Foxw.: Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 92 (1943); Ashton, Fl. Males., ser. 1, 9(2): 322 (1982); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Tan et al., Gard. Bull. Singapore 44: 129 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest.

Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 127, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 341 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 605, 806 [2015]; Chong et al., Plant Ecol. Diversity: 484 (2016); Yee et al., Fl. Singapore 1: 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 121, 310 (2020). **Native; EN** (assessed here).

Dipterocarpus tempehes Slooten: Ashton, Fl. Males., ser. 1, 9(2): 297 (1982); Lee & Aidi Abdul Ghani, Gard. Bull. Singapore 57: 285–287 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 127, 204 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 605, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 122, 310 (2020). **Native; CR** (Chong et al., 2009).

Hopea ferruginea Parijs: Ashton, Fl. Males., ser. 1, 9(2): 404 (1982); Neo et al., Nat. Singapore 6: 277 (2013); Khoo et al., Gard. Bull. Singapore 70: 61 (2018); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 59 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81, 120 (2019); Lim et al., Fl. Singapore 1: 88 (2019). **Native; CR** (assessed here).

Hopea griffithii Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 127 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Ashton, Fl. Males., ser. 1, 9(2): 406 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 82, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 127, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). – *Hopea pierrei* auct. non Hance: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 238 (1922), p.p. **Native; CR** (Chong et al., 2009).

Hopea mengarawan Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 238 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1190 (1935); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 132 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Ashton, Fl. Males., ser. 1, 9(2): 400 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 72 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']), as 'mangarawan'; Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']), as 'mengerawan'; Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Ashton, Tree Fl. Sabah & Sarawak 5: 164 (2004); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 619, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 127, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011), as 'mengerawan'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 142, 341 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). **Native; EN** (Wong et al., 2013).

Hopea sangal Korth.: Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 141 (1943); Ashton, Fl. Males., ser. 1, 9(2): 420 (1982); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner &

Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 621, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 128, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 142, 341 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81, 129 (2019); Lim et al., Fl. Singapore 1: 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 171, 310 (2020). – *Hopea lowii* Dyer ex Brandis: Ridley, Fl. Malay Penins. 1: 237 (1922). **Native; CR** (Wong et al., 2013).

Neobalanocarpus heimii (King) P.S. Ashton: Ashton, Fl. Males., ser. 1, 9(2): 388 (1982); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 128, 195 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 700, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 216, 310 (2020). – *Balanocarpus heimii* King: Keng, Gard. Bull. Singapore 28(2): 249 (1976); Corner, Wayside Trees Malaya, ed. 3, 1: 236 (1988); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 523, 776 (2006). **Native; NEx** (Chong et al., 2009).

Shorea bracteolata Dyer: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 50 (1900); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2007 (1935); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 34 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Ashton, Fl. Males., ser. 1, 9(2): 496 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 190 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Ashton, Tree Fl. Sabah & Sarawak 5: 236 (2004); Boo et al., 1001 Gard. Pl. Singapore (print 3): 445 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 128, 211 (2009); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 253, 311 (2020). **Native; CR** (Chong et al., 2009).

Shorea curtisii Dyer ex King: Ridley, Fl. Malay Penins. 1: 223 (1922); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 38 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Ashton, Fl. Males., ser. 1, 9(2): 541 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52, fig. 42.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 83, 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Yee et al., Fl. Singapore 1: 51, fig. 3 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 254, 311 (2020).

Shorea curtisii Dyer ex King subsp. **curtisii**: Ashton, Fl. Males., ser. 1, 9(2): 541 (1982); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 128, 224 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). **Native; EN** (assessed here).

Shorea gibbosa Brandis: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 229 (1922); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 51 (1943);

Keng, Gard. Bull. Singapore 28(2): 250 (1976); Ashton, Fl. Males., ser. 1, 9(2): 482 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 191 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Ashton, Tree Fl. Sabah & Sarawak 5: 262 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 128, 211 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81, 129 (2019). **Native; CR** (Chong et al., 2009).

Shorea gratissima (Wall. ex Kurz) Dyer: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 62(2): 115 (1893); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 226 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2011 (1935); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 36 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Ashton, Fl. Males., ser. 1, 9(2): 487 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 191 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan & Lai, Gardenwise 55: 2–3 (2000); Ashton, Tree Fl. Sabah & Sarawak 5: 263 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 128, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 228, 341 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). – *Hopea gratissima* Wall. ex Kurz: Kurz, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 42(2): 61 (1873). – *Hopea gratissima* Wall., nom. nud.: Wallich, Numer. List no. 960 (1829). **Native; CR** (Wong et al., 2013).

Shorea johorensis Foxw.: Ashton, Fl. Males., ser. 1, 9(2): 513 (1982); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 737, 807 [2015]; Ganesan et al., Gard. Bull. Singapore 70: 20 (2018). **Native; CR** (Ganesan et al., 2018).

Shorea leprosula Miq.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 222 (1922); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 75 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Ashton, Fl. Males., ser. 1, 9(2): 540 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 192 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 446 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 128, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 341 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019); Yee et al., Fl. Singapore 1: 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 254, 311 (2020). **Native; VU** (Wong et al., 2013).

Shorea macroptera Dyer: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 62(2): 113 (1893); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 225 (1922); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 78 (1943); Keng, Gard. Bull. Singapore 28(2): 250

(1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Ashton, Fl. Males., ser. 1, 9(2): 532 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 192 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 738, 807 [2015]; Chong et al., Plant Ecol. Diversity: 484 (2016); Yee et al., Fl. Singapore 1: 51 (2019); Wong & Ganesan, Fl. Singapore 1: 43 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 255, 311 (2020).

Shorea macroptera Dyer subsp. **macroptera**: Ashton, Fl. Males., ser. 1, 9(2): 532 (1982); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 128, 224 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 341 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019); Wong & Ganesan, Fl. Singapore 1: 43 (2019). **Native; VU** (Wong et al., 2013).

Shorea ochrophyloia Strugnell ex Symington: Ashton, Fl. Males., ser. 1, 9(2): 447 (1982); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 50 (1995 ['1994']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 51 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 84, 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 128, 211 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). **Native; CR** (Chong et al., 2009).

Shorea ovalis (Korth.) Blume: Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 80 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Ashton, Fl. Males., ser. 1, 9(2): 548 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']). – *Shorea rigida* Brandis: Brandis, Hooker's Icon. Pl. 25(1) [ser. 4, 5(1)]: pl. 2402 (1895); Brandis, J. Linn. Soc., Bot. 31: 102 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 223 (1922). – *Shorea sericea* Dyer: Ridley, Fl. Malay Penins. 1: 224 (1922).

Shorea ovalis (Korth.) Blume subsp. **ovalis**: Ashton, Fl. Males., ser. 1, 9(2): 548 (1982); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Turner, Gard. Bull. Singapore 47: 193 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 128, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 341 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 102 (2014). **Native; CR** (Wong et al., 2013).

Shorea parvifolia Dyer: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 224 (1922); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 137 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Ashton, Fl. Males., ser. 1, 9(2): 546 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Chew et al., Gard. Bull. Singapore

49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 128, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 341 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). – *Shorea parvifolia* Dyer subsp. *parvifolia*: Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Turner, Gard. Bull. Singapore 47: 193 (1997 ['1995']). **Native; CR** (assessed here).

Shorea pauciflora King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 228 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2020 (1935); Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 87 (1943); Keng, Gard. Bull. Singapore 28(2): 250 (1976); Ashton, Fl. Males., ser. 1, 9(2): 511 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 128, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 341 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Chong et al., Plant Ecol. Diversity: 484 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). **Native; EN** (assessed here).

Shorea platycarpa F. Heim: Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 88 (1943); Keng, Gard. Bull. Singapore 28(2): 252 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Ashton, Fl. Males., ser. 1, 9(2): 541 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 193 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 128, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 342 (2013); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 255, 311 (2020). – *Shorea palustris* Ridl.: Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2019 (1935). **Native; CR** (Wong et al., 2013).

Shorea sumatrana (Slooten ex Thorenaar) Desch: Ganesan & Ali Ibrahim, Gard. Bull. Singapore 70: 262, fig. 1, 2 (2018); Wong & Ganesan, Fl. Singapore 1: 43 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 256, 311 (2020). **Native; CR** (Ganesan & Ali Ibrahim, 2018).

Vatica maingayi Dyer: Symington, Foresters' Man. Dipt. [Malayan Forest Rec. 16]: 223 (1943); Keng, Gard. Bull. Singapore 28(2): 252 (1976); Ashton, Fl. Males., ser. 1, 9(2): 369 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 128, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). **Native; CR** (Chong et al., 2009).

Vatica odorata (Griff.) Symington: POWO. – *Sunaptea dyeri* (Pierre) Pierre: Ridley, Fl. Malay Penins. 1: 240 (1922), as ‘*Synaptea*’.

Vatica odorata (Griff.) Symington subsp. **odorata**: Khoo et al., Gard. Bull. Singapore 70: 64 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81, 120 (2019). **Native; CR** (assessed here).

Vatica pauciflora (Korth.) Blume: Ashton, Fl. Males., ser. 1, 9(2): 351 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52, fig. 42.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Turner et al., Gard. Bull. Singapore 48: 144 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 128, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 257, 342 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). – *Vatica stapfiana* auct. non (King) Slooten: Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 [‘1997’]); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 24 (2011). – *Vatica wallichii* Dyer: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2225 (1935); Symington, Foresters’ Man. Dipt. [Malayan Forest Rec. 16]: 230 (1943); Keng, Gard. Bull. Singapore 28(2): 252 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978). – *Pachynocarpus ridleyanus* auct. non (Brandis) J.W.Anderson: Ridley, Fl. Malay Penins. 1: 250 (1922), p.p. – *Pachynocarpus umbonatus* auct. non Hook.f.: Ridley, Fl. Malay Penins. 1: 249 (1922), p.p. – *Pachynocarpus wallichii* (Dyer) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900), p.p. – *Vatica ridleyana* auct. non Brandis: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900), p.p. **Native; CR** (Wong et al., 2013).

Vatica ridleyana Brandis: Brandis, Hooker’s Icon. Pl. 25(1) [ser. 4, 5(1)]: pl. 2401 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900), p.p.; Symington, Foresters’ Man. Dipt. [Malayan Forest Rec. 16]: 227 (1943); Keng, Gard. Bull. Singapore 28(2): 252 (1976); Ashton, Fl. Males., ser. 1, 9(2): 352 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 52 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Newman et al., Man. Dipt. Forest. Singapore: 38 (1995); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 195 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 128, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 23 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 257, 342 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). – *Pachynocarpus ridleyanus* (Brandis) J.W.Anderson: Ridley, Fl. Malay Penins. 1: 250 (1922), p.p. **Native; CR** (Wong et al., 2013).

Ebenaceae

Diospyros argentea Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 221 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 289 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 1: 827 (1935); Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 159 (1937); Ng, Malaysian Forester 40: 213 (1977); Keng, Gard. Bull. Singapore 36(1): 106 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner,

Gard. Bull. Singapore 47: 196 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 128, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 87, 342 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). **Native; CR** (assessed here).

Diospyros buxifolia (Blume) Hiern: Burkill, Dict. Econ. Prod. Malay Penins. 1: 828 (1935); Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 97 (1937); Ng, Malaysian Forester 40: 215 (1977); Keng, Gard. Bull. Singapore 36(1): 106 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 85, 161 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 570, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 128, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 87, 342 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 117, 310 (2020). – *Diospyros microphylla* Bedd.: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 559 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 210 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 283 (1923). – *Diospyros vaccinoides* auct. non Lindl.: Don, Gen. Hist. 4: 41 (1837–1838), p.p., as ‘*vaccinoides*’. **Native; CR** (assessed here).

Diospyros clavigera C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900), as ‘*clavigera*’; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 215 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 288 (1923); Ng, Malaysian Forester 40: 216 (1977); Keng, Gard. Bull. Singapore 36(1): 106 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner, Gard. Bull. Singapore 47: 197 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 128, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81 (2019). **Native; CR** (Chong et al., 2009).

Diospyros coriacea Hiern: Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 346 (1937); Ng, Malaysian Forester 40: 217 (1977); Ng, Tree Fl. Malaya 3: 67 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner, Gard. Bull. Singapore 47: 197 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Ng, Tree Fl. Sabah & Sarawak 4: 51, fig. 1C (2002); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 128, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 87, 342 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). **Native; CR** (Wong et al., 2013).

Diospyros diepenhorstii Miq.: Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 142 (1937); Ng, Tree Fl. Malaya 3: 68 (1978); Keng, Gard. Bull. Singapore 36(1): 106 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner, Gard. Bull. Singapore 47: 197 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 86, 162 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 570, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 128, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 117, 310 (2020). – *Diospyros pyrifera* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 117 (1908), as ‘*pyriferus*’; Ridley, Fl. Malay Penins. 2: 294 (1923). – *Diospyros* sp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900). **Native; CR** (Chong et al., 2009).

Diospyros ferrea (Willd.) Bakh.: Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 50 (1937); Ng, Malaysian Forester 40: 220 (1977); Keng, Gard. Bull. Singapore 36(1): 106 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Lee et al., Gard. Bull. Singapore 55: 295 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 570, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 204 (2009); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 117, 310 (2020). – *Maba buxifolia* (Rottb.) Pers.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900); Ridley, Fl. Malay Penins. 2: 281 (1923). **Native; NEx** (assessed here).

Diospyros lanceifolia Roxb.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 214 (1906 ['1905']), as ‘*lanceaefolia*’; Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 273 (1937); Ng, Malaysian Forester 40: 230 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Gard. Bull. Singapore 36(1): 107 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 295 (2003); LaFrankie et al., Forest Trees Bukit Timah: 87, 162 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 227 (2009), as ‘*lanceaefolia*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 87, 342 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 601, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 118, 310 (2020). – *Diospyros clavigera* C.B.Clarke var. *pachyphylla* (C.B.Clarke) Ridl.: Ridley, Fl. Malay Penins. 2: 288 (1923). – *Diospyros lucida* Wall. ex A.DC., nom. illeg. hom.: Miquel, Fl. Ned. Ind. 2, fasc. 7: 1047 (1859 ['1856']); Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 568 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 217 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 286 (1923). – *Diospyros pachyphylla* C.B.Clarke: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 214 (1906 ['1905']). – *Diospyros lucida* Wall., nom. nud.: Wallich, Numer. List no. 4127 (1831). **Native; LC** (Wong et al., 2013).

Diospyros latisepala Ridl.: Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 179 (1937); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 191 (2009). **Native; NEx** (Chong et al., 2009).

Diospyros maingayi (Hiern) Bakh.: Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 94 (1937); Ng, Malaysian Forester 40: 230 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Keng, Gard. Bull. Singapore 36(1): 107 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 198 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 87, 343 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Diospyros bilocularis* Oliv.: Oliver, Hooker's Icon. Pl. 24(2) [ser. 4, 4(2)]: pl. 2336 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 215 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 288 (1923). – *Maba maingayi* Hiern: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900). **Native; CR** (Wong et al., 2013).

Diospyros oblonga Wall. ex G.Don: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 569 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 217 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 291 (1923); Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 251 (1937); Ng, Malaysian Forester 40: 237 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 241 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 87, 343 (2013). – *Diospyros pilosanthera* Blanco var. *oblonga* (Wall. ex G.Don) Ng: Ng, Tree Fl. Malaya 3: 81 (1978); Keng, Gard. Bull. Singapore 36(1): 107 (1983), as '*pilosauthera*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136, fig. 114.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 199 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Neo et al., Nat. Singapore 7: 102 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Diospyros pilosanthera* Blanco: Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 88, 343 (2013). – *Diospyros pilosanthera* auct. non Blanco: Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 88, 162 (2005). – *Diospyros sapotoides* Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900). **Native; EN** (assessed here).

Diospyros siamang Bakh.: Ng, Malaysian Forester 40: 240 (1977); Ng, Tree Fl. Malaya 3: 86 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283

(1994); Turner, Gard. Bull. Singapore 47: 199 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 191 (2009). **Native; NEx** (Chong et al., 2009).

Diospyros styraciformis King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 216 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 288 (1923); Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 287 (1937); Ng, Malaysian Forester 40: 241 (1977); Ng, Tree Fl. Malaya 3: 87 (1978); Keng, Gard. Bull. Singapore 36(1): 107 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 199 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Ng, Tree Fl. Sabah & Sarawak 4: 92, fig. 21 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 88, 343 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). **Native; CR** (assessed here).

Diospyros subrhomboidea King & Gamble: Ng, Tree Fl. Sabah & Sarawak 4: 93, fig. 6M (2002); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 25 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 88, 344 (2013). – *Diospyros confusa* Bakh.: Bakhuizen van den Brink, Gard. Bull. Straits Settlem. 7(2): 167 (1933); Ng, Tree Fl. Malaya 3: 67 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner, Gard. Bull. Singapore 47: 197 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 128, 204 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 81, 129 (2019). **Native; CR** (Wong et al., 2013).

Diospyros sumatrana Miq.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 88, 344 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82, 129 (2019). **Native; CR** (Wong et al., 2013).

Diospyros venosa Wall. ex A.DC.: Ng, Malaysian Forester 40: 246 (1977); Keng, Gard. Bull. Singapore 36(1): 107 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 129, 204 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82, 129 (2019). – *Diospyros hermaphroditica* (Zoll.) Bakh. f. *venosa* (Wall. ex A.DC.) Bakh.: Bakhuizen van den Brink, Bull. Jard. Bot. Buitenzorg, sér. 3, 15: 84 (1937). – *Maba venosa* (Wall. ex A.DC.) King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 203 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 279 (1923). **Native; CR** (Chong et al., 2009).

Elaeocarpaceae

Elaeocarpus acmosepalus Stapf ex Ridl.: Maxwell, Gard. Bull. Singapore 36(2): 229 (1984 ['1983']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 95, 344 (2013); Coode, Fl. Penins. Malaysia, ser. 2, 7: 52 (2018). **Native; CR** (Wong et al., 2013).

Elaeocarpus ferrugineus (Jack) Steud.: Keng, Gard. Bull. Singapore 33: 331 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 96, 344 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 613, 806 [2015]; Coode, Fl. Penins. Malaysia, ser. 2, 7: 64 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 128, 310 (2020). – *Elaeocarpus jackianus* Wall. ex King: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 409 (1874); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 60: 137 (1891); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 318 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 902 (1935). – *Monocera ferruginea* Jack: Jack, Malayan Misc. 1(5): 44 (1820); Miquel, Fl. Ned. Ind. 1(2), fasc. 2: 213 (1859). – *Elaeocarpus jackianus* Wall., nom. nud.: Wallich, Numer. List no. 2679 (1831), as ‘*jackiana*’.

Elaeocarpus ferrugineus (Jack) Steud. subsp. **ferrugineus**: Coode, Fl. Penins. Malaysia, ser. 2, 7: 65 (2018). **Native; VU** (assessed here).

Elaeocarpus floribundus Blume: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 401 (1874); Ridley, Fl. Malay Penins. 1: 313 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 901 (1935); Keng, Gard. Bull. Singapore 33: 331 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 75 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 96, 344 (2013); Hung et al., Nat. Singapore 10: 45 (2017); Coode, Fl. Penins. Malaysia, ser. 2, 7: 67 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Elaeocarpus aff. polystachyus* Wall. ex Müll.Berol.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 55 (1900). **Native; CR** (assessed here).

Elaeocarpus griffithii (Wight) A.Gray: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 316 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978);

Keng, Gard. Bull. Singapore 33: 331 (1980); Ng, Tree Fl. Malaya 4: 89 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner, Gard. Bull. Singapore 47: 202 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 191 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 96, 345 (2013); Coode, Fl. Penins. Malaysia, ser. 2, 7: 72 (2018); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 58 (2018). – *Elaeocarpus paniculatus* Wall. ex Müll.Berol., nom. illeg. superfl.: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 407 (1874); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 129 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 315 (1922); Keng, Gard. Bull. Singapore 33: 332 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990). – *Elaeocarpus paniculatus* Wall., nom. nud.: Wallich, Numer. List no. 2663 (1831), as ‘*paniculata*’.

Native; CR (assessed here).

Elaeocarpus macrocerus (Turcz.) Merr.: Keng, Gard. Bull. Singapore 33: 331 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Coode, Fl. Penins. Malaysia, ser. 2, 7: 77 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Elaeocarpus obtusus* auct. non Blume: Ridley, Fl. Malay Penins. 1: 317 (1922).

Elaeocarpus macrocerus (Turcz.) Merr. subsp. **macrocerus**: Coode, Fl. Penins. Malaysia, ser. 2, 7: 77 (2018). **Native; NEx** (assessed here).

Elaeocarpus mastersii King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 140 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900), as ‘*masterii*’; Ridley, Fl. Malay Penins. 1: 319 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 331 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 354 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 96, 345 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Coode, Fl. Penins. Malaysia, ser. 2, 7: 78 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 130, 310 (2020). **Native; LC** (Wong et al., 2013).

Elaeocarpus nitidus Jack: Keng, Gard. Bull. Singapore 33: 331 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 96, 345 (2013); Coode, Fl. Penins. Malaysia, ser. 2, 7: 85 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl.

1): 82 (2019). – *Elaeocarpus parvifolius* Wall. ex Müll.Berol.: Müller, Annot. Elaeocarp.: 12, 24 (1849); Masters in Hooker, Fl. Brit. India 1, fasc. 2: 401 (1874); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 123 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 310 (1922). – *Elaeocarpus parvifolius* Wall., nom. nud.: Wallich, Numer. List no. 2662 (1831).

Elaeocarpus nitidus Jack var. **nitidus**: Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Coode, Fl. Penins. Malaysia, ser. 2, 7: 86 (2018). **Native; VU** (Wong et al., 2013, as *Elaeocarpus nitidus*).

Elaeocarpus obtusus Blume: Keng, Gard. Bull. Singapore 33: 332 (1980); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005).

Elaeocarpus obtusus Blume subsp. **apiculatus** (Mast.) Coode: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 96, 345 (2013); Coode, Fl. Penins. Malaysia, ser. 2, 7: 88 (2018). – *Elaeocarpus apiculatus* Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 242 (2009). – *Elaeocarpus rugosus* auct. non Roxb.: Ng, Tree Fl. Malaya 4: 94 (1989), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 203 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 204 (2009). – *Elaeocarpus rugosus* Roxb. var. *singaporenensis* Ridl.: Ridley, Fl. Malay Penins. 1: 318 (1922); Corner, Gard. Bull. Straits Settlem. 10: 326 (1939). **Native; CR** (Chong et al., 2009).

Elaeocarpus palembanicus (Miq.) Corner: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 204 (2009); Coode, Fl. Penins. Malaysia, ser. 2, 7: 90 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82, 120 (2019). – *Elaeocarpus hullettii* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 132 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 316 (1922); Keng, Gard. Bull. Singapore 33: 331 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990). **Native; CR** (Chong et al., 2009).

Elaeocarpus pedunculatus Wall. ex Mast.: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 408 (1874); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 132 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 316 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 903 (1935); Keng, Gard. Bull. Singapore 33: 332 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88, fig. 79.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Lee et al., Gard. Bull. Singapore 55: 295 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 227 (2009); Neo et al., Nat. Singapore 6: 277 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 615, 806 [2015]; Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Coode, Fl. Penins. Malaysia, ser. 2, 7: 92 (2018); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 131, 310 (2020). – *Elaeocarpus pedunculatus* Wall., nom. nud.: Wallich, Numer. List no. 2678 (1831), as ‘*peduncul*’. **Native; LC** (Chong et al., 2009).

Elaeocarpus petiolatus (Jack) Wall.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 130 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 315 (1922); Keng, Gard. Bull. Singapore 33: 332 (1980); Ng, Tree Fl. Malaya 4: 92 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 580, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 97, 345 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Coode, Fl. Penins. Malaysia, ser. 2, 7: 93 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 131, 310 (2020). **Native; LC** (Wong et al., 2013).

Elaeocarpus polystachyus Wall. ex Müll.Berol.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 137 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 319 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 332 (1980); Ng, Tree Fl. Malaya 4: 92 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 203 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 89, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 97, 345 (2013); Hung et al., Nat. Singapore 10: 45 (2017); Coode, Fl. Penins. Malaysia, ser. 2, 7: 95 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Elaeocarpus polystachyus* Wall., nom. nud.: Wallich, Numer. List no. 2671 (1831), as ‘*polystachya*’. **Native; VU** (Wong et al., 2013).

Elaeocarpus salicifolius King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 125 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 313 (1922); Keng, Gard. Bull. Singapore 33: 332 (1980); Corner, Wayside Trees Malaya, ed. 3, 1: 250 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 97, 345 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 616, 806 [2015]; Coode, Fl. Penins. Malaysia, ser. 2, 7: 106 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Elaeocarpus nitidus* Jack var. *salicifolius* (King) Ng: Ng, Tree Fl. Malaya 4: 91 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 202 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 580, 777 (2006). **Native; VU** (assessed here).

Elaeocarpus stipularis Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 123 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 311 (1922); Keng, Gard. Bull. Singapore 33: 332 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990);

Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 580, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 129, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 97, 346 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Elaeocarpus stipularis* Blume var. *latifolius* auct. non King: Coode, Fl. Penins. Malaysia, ser. 2, 7: 110 (2018), p.p.

***Elaeocarpus stipularis* Blume var. *stipularis*:** Coode, Fl. Penins. Malaysia, ser. 2, 7: 111 (2018). **Native; VU** (Wong et al., 2013, as *Elaeocarpus stipularis*).

***Sloanea javanica* (Miq.) Szyszyl. ex K.Schum.:** Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 84 (1901); Ridley, Fl. Malay Penins. 1: 308 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2035 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 59 (1978); Keng, Gard. Bull. Singapore 33: 333 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88, fig. 79.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 77 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 129, 211 (2009); Coode, Fl. Penins. Malaysia, ser. 2, 7: 121 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Echinocarpus* sp. (Mat 6174): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900). **Native; CR** (Chong et al., 2009).

Ericaceae

***Rhododendron longiflorum* Lindl.:** Ridley, J. Straits Branch Roy. Asiat. Soc. 23: 145 (1891); Ridley, Fl. Malay Penins. 2: 219 (1923); Henderson, Malay. Wild Fls. Dicot.: 262 (1959); Sleumer, Fl. Males., ser. 1, 6(4): 640 (1966); Keng, Gard. Bull. Singapore 36(1): 103 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 133, fig. 111.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 77 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner, Gard. Bull. Singapore 47: 205 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 129, 197 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 26 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019). – *Rhododendron javanicum* auct. non (Blume) Benn.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 74 (1906 ['1905']), p.p. – *Rhododendron javanicum* (Blume) Benn. var. *tubiflorum* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 23: 144 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900). – *Rhododendron lamppongum* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900). **Native; NEx** (Chong et al., 2009).

***Styphelia malayana* (Jack) J.J.Sm.:** Sleumer, Fl. Males., ser. 1, 6(3): 426 (1964); Keng, Gard. Bull. Singapore 36(1): 103 (1983); Corner, Wayside Trees Malaya, ed. 3, 1: 252 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 133, fig. 112.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 77 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Lim, Tree Fl. Sabah & Sarawak 2: 161 (1996); Tan et al. in Davison et al. (ed.),

Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 129, 198 (2009). – *Leucopogon malayanus* Jack: Jack, Malayan Misc. 1(5): 20 (1820), as ‘malayanum’; Wallich in Roxburgh, Fl. Ind. 2: 301 (1824); Don, Gen. Hist. 3: 777 (1834); Miquel, Fl. Ned. Ind. 2, fasc. 7: 1052 (1859 [‘1856’]); Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 477 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 23: 146 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 83 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 223 (1923); Corner, Wayside Trees Malaya, ed. 2, 1: 218 (1952). **Native; NEx** (Chong et al., 2009).

Vaccinium acuminatissimum Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 66 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 210 (1923); Sleumer, Fl. Males., ser. 1, 6(5): 761 (1967); Ng, Tree Fl. Malaya 3: 105 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 77 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner, Gard. Bull. Singapore 47: 206 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 129, 199 (2009). **Native; NEx** (Chong et al., 2009).

Vaccinium bracteatum Thunb.: Sleumer, Fl. Males., ser. 1, 6(5): 801 (1967); Ng, Tree Fl. Malaya 3: 105 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 254 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 77 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 129, 199 (2009). – *Vaccinium malaccense* Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 23: 146 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 67 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 211 (1923); Corner, Wayside Trees Malaya, ed. 2, 1: 219 (1952). **Native; NEx** (Chong et al., 2009).

Vaccinium littoreum Miq.: Sleumer, Fl. Males., ser. 1, 6(5): 854 (1967); Ng, Tree Fl. Malaya 3: 107 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 77 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Turner, Gard. Bull. Singapore 47: 207 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 129, 199 (2009). – *Vaccinium bancanum* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994). – *Vaccinium hasseltii* Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 66 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 209 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2217 (1935). **Native; NEx** (Chong et al., 2009).

Eriocaulaceae

Eriocaulon truncatum Buch.-Ham. ex Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 54 (1907); Ridley, Fl. Malay Penins. 5: 135 (1925); Keng, Gard. Bull. Singapore 40: 126 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 77 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 27, fig. 62 (1998); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 129, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 102, 346 (2013); Tan, Fl. Singapore 7: 20, fig. 1, 2 (2019).

Eriocaulon truncatum Buch.-Ham. ex Mart. var. **truncatum**: Tan, Fl. Singapore 7: 21, fig. 1, 2 (2019). **Native; LC** (Tan, 2019).

Eriocaulon truncatum Buch.-Ham. ex Mart. var. **florensense** Z.X.Zhang: Tan, Fl. Singapore 7: 24, fig. 3 (2019). **Native; CR** (Tan, 2019).

Eriocaulon willdenovianum Moldenke: Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 129, 271 (2009), as ‘*willdenovianum*’; Lok et al., Cosmos 6: 79 (2010), as ‘*willdenovianum*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 102, 346 (2013); Tan, Fl. Singapore 7: 26, fig. 4 (2019). – *Eriocaulon longifolium* Nees ex Kunth, nom. illeg. hom.: Keng, Gard. Bull. Singapore 40: 126 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 77 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 27, fig. 61 (1998). – *Eriocaulon sexangulare* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 54 (1907); Ridley, Fl. Malay Penins. 5: 133 (1925). – *Eriocaulon wallichianum* auct. non Mart.: Kuntze, Revis. Gen. Pl. 2: 746 (1891). **Native; VU** (Tan, 2019).

Erythroxylaceae

Erythroxylum cuneatum (Miq.) Kurz: Burkill, Dict. Econ. Prod. Malay Penins. 1: 950 (1935), as ‘*Erythroxylon*’; Corner, Wayside Trees Malaya, ed. 2, 1: 220 (1952), as ‘*Erythroxylon*’; Payens, Fl. Males., ser. 1, 5(4): 548 (1958); Keng, Gard. Bull. Singapore 33: 340 (1980); Corner, Wayside Trees Malaya, ed. 3, 1: 255 (1988), as ‘*Erythroxylon*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 94 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Lee et al., Gard. Bull. Singapore 55: 295 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 584, 777 (2006); Chung & Tan, Angiosperm Fl. Singapore: Erythroxylaceae: 2, fig. 1 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 129, 227 (2009); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 134, 310 (2020). – *Erythroxylum cuneatum* (Miq.) Kurz f. *cuneatum*: Chung, Tree Fl. Sabah & Sarawak 2: 170, fig. 1A–C,F (1996); Chung, Fl. Penins. Malaysia, ser. 2, 1: 133 (2010). – *Erythroxylum burmanicum* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900), as ‘*Erythroxylon*’; Ridley, Fl. Malay Penins. 1: 324 (1922), as ‘*Erythroxylon*’. **Native; LC** (Chong et al., 2009).

Escalloniaceae

Polyosma fragrans (Wall.) Benn.: Miquel, Fl. Ned. Ind. 1(1), fasc. 5: 724 (1856 ['1855']); Clarke in Hooker, Fl. Brit. India 2, fasc. 5: 408 (1878); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 302 (1897), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 31 (1917), p.p.; Ridley, Fl. Malay Penins. 1: 684 (1922), p.p.; Keng, Gard. Bull. Singapore 27: 249 (1974); Saw, Gard. Bull. Singapore 72: 216, 220 (2020). – *Polyosma conocarpa* Ridl., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 31 (1917); Ridley, Fl. Malay Penins. 1: 684 (1922); Keng, Gard. Bull. Singapore 27: 249 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 212 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 172, 197 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Polyosma integrifolia* Blume var. *mutabilis* Schulze-Menz, nom. inval.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 25 (1990). – *Itea fragrans* Wall.: Wallich in Roxburgh, Fl. Ind. 2: 420 (1824); Don, Gen. Hist. 3: 196 (1834). **Native; NEx** (assessed here).

Polyosma kingiana Schltr.: Saw, Tree Fl. Malaya 4: 466 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 25, fig. 23.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 212 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 208 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 172, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 27 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82 (2019); Saw, Gard. Bull. Singapore 72: 216, 224 (2020). **Native; CR** (Chong et al., 2009).

Polyosma ridleyi King: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 304 (1897); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 78 (1900); Ridley, Fl. Malay Penins. 1: 686 (1922); Keng, Gard. Bull. Singapore 27: 249 (1974); Saw, Tree Fl. Malaya 4: 468 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 212 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 208 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 172, 197 (2009); Saw, Gard. Bull. Singapore 72: 216, 227 (2020). **Native; NEx** (Chong et al., 2009).

Euphorbiaceae

Acalypha arvensis Poepp.: Van Welzen et al., Gard. Bull. Singapore 72: 156 (2020). – *Acalypha alopecuroides* auct. non Jacq.: Kaw & Neo, Wayside Fls Singapore: 26 (2018). **Non-native, naturalised** (Van Welzen et al., 2020).

Acalypha hispida Burm.f.: Keng, Gard. Bull. Singapore 33: 354 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 105 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 130, 232 (2009); Neo et al., Nat. Singapore 7: 63 (2014); Chen et al., Nat. Singapore 13: 27 (2020). **Non-native, casual** (assessed here).

Acalypha indica L.: Hooker, Fl. Brit. India 5, fasc. 14: 416 (1887); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 140 (1900); Ridley, Fl. Malay Penins. 3: 274 (1924); Keng, Gard. Bull. Singapore 33: 354 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 105, fig. 92.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 130, 269 (2009); Lok et al., Cosmos 6: 79 (2010); Kaw & Neo, Wayside Fls Singapore: 100 (2018). **Cryptogenic** (Chong et al., 2009).

Acalypha lanceolata Willd.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 130, 269 (2009); Lok et al., Cosmos 6: 79 (2010). – *Acalypha boehmerioides* Miq.: Sinclair, Gard. Bull. Singapore 14(1): 35 (1953); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994). – *Ricinocarpus fallax* (Müll.Arg.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 616 (1891). **Cryptogenic** (Chong et al., 2009).

Acalypha siamensis Oliv. ex Gage: Keng, Gard. Bull. Singapore 33: 355 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 105 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 130, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Teo et al., Nat. Singapore 4: 227 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 8, 346 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat.

Singapore 7: 63 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 82, 129 (2019). **Non-native, naturalised** (Teo et al., 2011).

Agrostistachys gaudichaudii Müll.Arg.: Ridley, Fl. Malay Penins. 3: 268 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner, Gard. Bull. Singapore 47: 209 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 130, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Agrostistachys filipendula* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 407 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900). **Native; NEx** (assessed here).

Agrostistachys sessilifolia (Kurz) Pax & K.Hoffm.: Ridley, Fl. Malay Penins. 3: 267 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Sevilla & van Welzen, Blumea 46: 85, map 5 (2001). – *Agrostistachys borneensis* auct. non Becc.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 130, 225 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 15, 346 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 371, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019); Yee et al., Fl. Singapore 1: 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 123, 382 (2020). – *Agrostistachys indica* auct. non Dalzell: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 15, 347 (2013). – *Agrostistachys longifolia* auct. non (Wight) Benth. ex Hook.f.: Keng, Gard. Bull. Singapore 33: 355 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 144 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 113, 776 (2006). – *Agrostistachys longifolia* (Wight) Trimen var. *malayana* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 407 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900). **Native; LC** (assessed here).

Alchornea rugosa (Lour.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900); Keng, Gard. Bull. Singapore 33: 355 (1980), as ‘*Alchornia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 130, 187 (2009). – *Alchornea javanensis* (Blume) Müll.Arg.: Ridley, Fl. Malay Penins. 3: 278 (1924), as ‘*javensis*’. **Native; NEx** (Chong et al., 2009).

Alchornea tiliifolia (Benth.) Müll.Arg.: Van Welzen & Bulalacao, Syst. Bot. 32: 814 (2007); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 17, 347 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). – *Alchornea villosa* (Benth.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900); Ridley, Fl. Malay Penins. 3: 277 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 355 (1980), as ‘*Alchornia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 130, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 27 (2011); Neo et al., Nat. Singapore 7: 103 (2014). **Native; CR** (Wong et al., 2013).

Aleurites moluccanus (L.) Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900), as ‘*moluccana*’; Ridley, Fl. Malay Penins. 3: 253 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 231 (1952); Keng, Gard. Bull. Singapore 33: 355 (1980), as ‘*moluccana*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106, fig. 92.2 (1990), as ‘*moluccana*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 130, 262 (2009), as ‘*moluccana*’; Lok et al., Cosmos 6: 75 (2010), as ‘*moluccana*’.

Non-native, casual (Chong et al., 2009).

Blumeodendron kurzii (Hook.f.) J.J.Sm.: Van Welzen et al., Gard. Bull. Singapore 72: 143, fig. 1 (2020). – *Blumeodendron tokbrai* auct. non (Blume) Kurz: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 81 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 130, 219 (2009), p.p. **Native; CR** (Van Welzen et al., 2020).

Blumeodendron subrotundifolium (Elmer) Merr.: Van Welzen et al., Gard. Bull. Singapore 72: 146, fig. 2 (2020). – *Blumeodendron tokbrai* auct. non (Blume) Kurz: Keng, Gard. Bull. Singapore 33: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 81 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 130, 219 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011), p.p.; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). **Native; VU** (Van Welzen et al., 2020).

Blumeodendron tokbrai (Blume) Kurz: Airy Shaw, Euphorb. Borneo: 60 (1975); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), p.p.; Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 215 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 145 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 90, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 130, 219 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 35, 347 (2013); Neo et al., Nat. Singapore 7: 103 (2014). – *Blumeodendron vernicosum* (Hook.f.) Gage: Ridley, Fl. Malay Penins. 3: 282 (1924). – *Mallotus vernicosus* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 443 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900). **Native; NEx** (assessed here).

Cheilosa montana Blume: Turner, Gard. Bull. Singapore 47: 216 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 130, 189 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83, 129 (2019). – *Cheilosa malayana* (Hook.f.) Corner ex Airy Shaw: Whitmore, Tree Fl. Malaya 2: 77 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 [‘1994’]). – *Baccaurea malayana* auct. non (Jack) King ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900). **Native; CR** (assessed here).

Claoxylon indicum (Reinw. ex Blume) Hassk.: Hooker, Fl. Brit. India 5, fasc. 14: 410 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900); Ridley, Fl. Malay Penins. 3: 271 (1924); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 552, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 130, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 57, 348 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83, 129 (2019); Yee et al., Fl. Singapore 1: 58 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 95, 310 (2020). **Native; LC** (Wong et al., 2013).

Claoxylon longifolium (Blume) Endl. ex Hassk.: Ridley, Fl. Malay Penins. 3: 272 (1924); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 130, 189 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 58, 348 (2013); Ho et al., Gard. Bull. Singapore 70: 41 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). – *Claoxylon longifolium* (Blume) Endl. ex Hassk. var. *brachystachys* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 411 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900); Ridley, Fl. Malay Penins. 3: 272 (1924). **Native; CR** (Ho et al., 2018).

Codiaeum variegatum (L.) A.Juss.: Keng, Gard. Bull. Singapore 33: 360 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 130, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Neo et al., Nat. Singapore 5: 281 (2012). **Non-native, casual** (Chong et al., 2009).

Croton adumbratus Croizat: Esser & Veldkamp, Fl. Males. Bull. 14: 167 (2008). – *Croton argyratus* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900); Ridley, Fl. Malay Penins. 3: 260 (1924), p.p., as ‘*argyratum*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 130, 190 (2009). – *Croton argyratus* Blume: Keng, Gard. Bull. Singapore 33: 360 (1980). **Native; NEx** (Chong et al., 2009).

Croton bonplandianus Baill.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner, Gard. Bull. Singapore 47: 219 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 130, 265 (2009); Lok et al., Cosmos 6: 69 (2010). – *Croton sparsiflorus* Morong: Corlett, J. Biogeogr. 15: 661 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990). **Non-native, naturalised** (Chong et al., 2009).

Croton caudatus Geiseler: Hooker, Fl. Brit. India 5, fasc. 14: 388 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900); Ridley, Fl. Malay Penins. 3: 259 (1924), as ‘*caudatum*’; Keng, Gard. Bull. Singapore 33: 360 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 130, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 69, 348 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). **Native; VU** (assessed here).

Croton griffithii Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 392 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900); Ridley, Fl. Malay Penins. 3: 261 (1924). – *Croton confusus* Gage: Ridley, Fl. Malay Penins. 3: 261 (1924), as ‘*confusum*’. **Native; CR** (assessed here).

Croton heterocarpus Müll.Arg.: Ridley, Fl. Malay Penins. 3: 262 (1924), as ‘*heteropetalum*’; Whitmore, Tree Fl. Malaya 2: 85 (1973); Keng, Gard. Bull. Singapore 33: 360 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 219 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 130, 203 (2009). – *Oxydectes ardisioides* (Hook.f.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 614 (1891). **Native; NEx** (assessed here).

Croton hirtus L'Hér.: Corlett, J. Biogeogr. 15: 661 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Lee et al., Gard. Bull. Singapore 55: 295 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 130, 265 (2009); Lok et al., Cosmos 6: 69 (2010). **Non-native, naturalised** (Chong et al., 2009).

Croton laevifolius Blume: Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 360 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 145 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 95, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008). – *Croton oblongus* auct. non Burm.f.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 130, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 69, 349 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). – *Croton oblongifolius* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900), as ‘*oblongifolium*’. **Native; EN** (Wong et al., 2013).

Elateriospermum tapos Blume: Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 130, 242 (2009). **Non-native, casual** (assessed here).

Endospermum diadenum (Miq.) Airy Shaw: Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 83 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 285 (1994), p.p.; Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 130, 221 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 99, 349 (2013). – *Endospermum ovalifolium* Pax & K.Hoffm.: Ridley, Fl. Malay Penins. 3: 305 (1924). – *Endospermum chinense* auct. non Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Ridley, Fl. Malay Penins. 3: 305 (1924). – *Endospermum malaccense* Benth. ex Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 458 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900). **Native; VU** (Wong et al., 2013).

Endospermum peltatum Merr.: Van Welzen et al., Gard. Bull. Singapore 72: 149 (2020). – *Endospermum diadenum* auct. non (Miq.) Airy Shaw: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 83 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 285 (1994), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 130, 221 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011), p.p.; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). **Native; VU** (Van Welzen et al., 2020).

Endospermum quadriloculare Pax & K.Hoffm.: Van Welzen et al., Gard. Bull. Singapore 72: 151, fig. 3 (2020). **Native; NEX** (Van Welzen et al., 2020).

Euphorbia atoto G.Forst.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Ridley, Fl. Malay Penins. 3: 181 (1924); Keng, Gard. Bull. Singapore 33: 360 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 83 (1993); Turner & Tan in Wee & Ng (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 130, 221 (2009); Teo et al., Nat. Singapore 4: 269 (2011). **Native; VU** (Chong et al., 2009).

Euphorbia cyathophora Murray: Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 51: 100 (1999). – *Euphorbia heterophylla* auct. non L.: Ridley, Fl. Malay Penins. 3: 181 (1924). **Non-native, naturalised** (assessed here).

Euphorbia heterophylla L.: Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109 (1990); Huft, Man. Fl. PI. Hawaii 1: 619 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 83 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner, Gard. Bull. Singapore 51: 101 (1999); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 130, 266 (2009); Lok et al., Cosmos 6: 69 (2010). **Non-native, naturalised** (Chong et al., 2009).

Euphorbia hirta L.: Ridley, Fl. Malay Penins. 3: 181 (1924); Keng, Gard. Bull. Singapore 33: 360 (1980); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109, fig. 92.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 83 (1993); Turner & Tan in Wee & Ng

(ed.), First Look Biodivers. Singapore: 115 (1994); Hung et al., Nat. Singapore 10: 16, 20 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Kaw & Neo, Wayside Fls Singapore: 28 (2018). – *Chamaesyce hirta* (L.) Millsp.: Huft, Man. Fl. PI. Hawaii 1: 609 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 130, 265 (2009); Lok et al., Cosmos 6: 69 (2010). – *Euphorbia pilulifera* auct. non L.: Hooker, Fl. Brit. India 5, fasc. 14: 251 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900). **Non-native, naturalised** (Chong et al., 2009).

Euphorbia ophthalmica Pers.: Chen et al., Nat. Singapore 14-e2021090: 6 (2021). **Non-native, naturalised** (Chen et al., 2021).

Euphorbia parviflora L.: H.-J. Eßer, pers. comm. – *Euphorbia hypericifolia* auct. non L.: Kaw & Neo, Wayside Fls Singapore: 98 (2018). – *Chamaesyce hypericifolia* auct. non (L.) Millsp.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 130, 265 (2009); Lok et al., Cosmos 6: 69 (2010). **Cryptogenic** (assessed here).

Euphorbia thymifolia L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Ridley, Fl. Malay Penins. 3: 182 (1924); Keng, Gard. Bull. Singapore 33: 361 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 83 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Kaw & Neo, Wayside Fls Singapore: 83 (2018). – *Chamaesyce thymifolia* (L.) Millsp.: Huft, Man. Fl. PI. Hawaii 1: 615 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 130, 270 (2009); Lok et al., Cosmos 6: 79 (2010). **Non-native, naturalised** (assessed here).

Excoecaria agallocha L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900); Ridley, Fl. Malay Penins. 3: 314 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 254 (1952); Keng, Gard. Bull. Singapore 33: 361 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109, fig. 92.7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 83 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Lee et al., Gard. Bull. Singapore 55: 295 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 590, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 130, 227 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 137, 310 (2020). **Native; LC** (Chong et al., 2009).

Gymnanthes borneensis (Pax & K.Hoffm.) Eßer: Eßer, Blumea 44: 170, map 3 (1999). **Native; NEx** (assessed here).

Hancea penangensis (Müll.Arg.) S.E.C.Sierra et al.: Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). – *Mallotus penangensis* Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900); Ridley, Fl. Malay Penins. 3: 293 (1924); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 131, 208 (2009). – *Mallotus penangensis* Müll.Arg. var. *grandifolia* Ridl.: Ridley, Fl. Malay Penins. 3: 293 (1924). **Native; CR** (Chong et al., 2009).

Hevea brasiliensis (Willd. ex A.Juss.) Müll.Arg.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 1159 (1935); Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol.

1, Gymn. Dicot.: 110, fig. 92.9 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']), as '*brasiliensis*'; Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 130, 266 (2009); Lok et al., Cosmos 6: 69 (2010); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 140, 349 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83, 129 (2019); Yee et al., Fl. Singapore 1: 56 (2019). **Non-native, naturalised** (Chong et al., 2009).

Jatropha curcas L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900); Keng, Gard. Bull. Singapore 33: 363 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 130, 247 (2009); Hung et al., Nat. Singapore 10: 16, 20 (2017). **Non-native, casual** (assessed here).

Jatropha gossypiifolia L.: Hooker, Fl. Brit. India 5, fasc. 14: 383 (1887), as '*gossypifolia*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900), as '*gossypifolia*'; Ridley, Fl. Malay Penins. 3: 254 (1924), as '*gossypifolia*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 130, 247 (2009), as '*gossypifolia*'. **Non-native, casual** (assessed here).

Koilodepas longifolium Hook.f.: Whitmore, Tree Fl. Malaya 2: 104 (1973); Keng, Gard. Bull. Singapore 33: 363 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 224 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 91, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 131, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 351 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). – *Coelodepas glanduligerum* Pax & K.Hoffm.: Ridley, Fl. Malay Penins. 3: 275 (1924). – *Koilodepas ferrugineum* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900), as '*Coelodepas*'. **Native; VU** (Wong et al., 2013).

Macaranga bancana (Miq.) Müll.Arg.: Boo et al., 1001 Gard. Pl. Singapore (print 3): 402 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 172, 351 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 193, 310 (2020). – *Macaranga triloba* auct. non (Thunb.) Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 452 (1887), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Ridley, Fl. Malay Penins. 3: 298 (1924), p.p.; Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1385 (1935), p.p.; Keng, Gard. Bull. Singapore 33: 364 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner

et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 131, 229 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 174, 352 (2013); Neo et al., Nat. Singapore 6: 14 (2013). **Native; LC** (Wong et al., 2013).

Macaranga conifera (Rchb.f. & Zoll.) Müll.Arg.: Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 363 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 172, 351 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). – *Homalanthus populneus* auct. non (Geiseler) Pax: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 141, 350 (2013). – *Macaranga populifolia* (Miq.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Ridley, Fl. Malay Penins. 3: 304 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1383 (1935). – *Homalanthus populifolius* auct. non Graham: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900). **Native; LC** (Wong et al., 2013).

Macaranga gigantea (Rchb.f. & Zoll.) Müll.Arg.: Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 363 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 173, 351 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 680, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 193, 310 (2020). – *Macaranga megalophylla* (Müll.Arg.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900). **Native; LC** (Wong et al., 2013).

Macaranga griffithiana Müll.Arg.: Ridley, Fl. Malay Penins. 3: 299 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1383 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 363 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 173, 351 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 680, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl.

1): 83 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 194, 310 (2020). – *Macaranga motleyana* (Müll.Arg.) Müll.Arg. subsp. *griffithiana* (Müll.Arg.) Whitmore: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008). – *Macaranga motleyana* auct. non (Müll. Arg.) Müll.Arg.: Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']). **Native; VU** (Wong et al., 2013).

Macaranga heynei I.M.Johnst.: Keng, Gard. Bull. Singapore 33: 363 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 225 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 295 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 173, 352 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Hung et al., Nat. Singapore 10: 16, 23 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019); Yee et al., Fl. Singapore 1: 54 (2019). – *Macaranga rubiginosa* Ridl.: Ridley, Fl. Malay Penins. 3: 303 (1924), as ‘*robiginosa*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 1384 (1935), as ‘*robiginosa*’. – *Macaranga javanica* auct. non (Blume) Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 451 (1887), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900). **Native; LC** (Wong et al., 2013).

Macaranga hullettii King ex Hook.f.: Keng, Gard. Bull. Singapore 33: 364 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 225 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 208 (2009); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83, 129 (2019). **Native; CR** (Chong et al., 2009).

Macaranga hypoleuca (Rchb.f. & Zoll.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900); Ridley, Fl. Malay Penins. 3: 300 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 364 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 295 (2003); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). **Native; LC** (Chong et al., 2009).

Macaranga lowii King ex Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 453 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Ridley, Fl. Malay Penins. 3: 304 (1924); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Wong

et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 296 (2003); LaFrankie et al., Forest Trees Bukit Timah: 92, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 173, 352 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83 (2019). **Native; VU** (Wong et al., 2013).

Macaranga puncticulata Gage: Whitmore, Tree Fl. Malaya 2: 111 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 364 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']), as '*puncticulata*'; Turner, Gard. Bull. Singapore 47: 225 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']), as '*puncticulata*'; Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']). **Native; NEx** (assessed here).

Macaranga recurvata Gage: Gage, Rec. Bot. Surv. India 9: 246 (1922); Ridley, Fl. Malay Penins. 3: 301 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 364 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 226 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 174, 352 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 83, 129 (2019). **Native; CR** (Wong et al., 2013).

Macaranga trichocarpa (Zoll.) Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 450 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Ridley, Fl. Malay Penins. 3: 303 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 364 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 226 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 131, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 174, 352 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). **Native; CR** (assessed here).

Mallotus barbatus Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 428 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900); Van Welzen et al., Gard. Bull. Singapore 72: 153, fig. 4 (2020). **Cryptogenic** (Van Welzen et al., 2020).

Mallotus macrostachyus (Miq.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900); Ridley, Fl. Malay Penins. 3: 288 (1924); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Sierra & van Welzen, Blumea 50: 254 (2005); Tan et al. in Davison et

al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 131, 194 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Mallotus albus* auct. non (Roxb. ex Jack) Müll. Arg.: Keng, Gard. Bull. Singapore 33: 364 (1980). **Native; NEx** (Chong et al., 2009).

Mallotus paniculatus (Lam.) Müll.Arg.: Keng, Gard. Bull. Singapore 33: 364 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112, fig. 92.10 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 131, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 176, 353 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 683, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 196, 310 (2020). – *Mallotus cochinchinensis* Lour.: Hooker, Fl. Brit. India 5, fasc. 14: 430 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 141 (1900); Ridley, Fl. Malay Penins. 3: 289 (1924). **Native; LC** (Wong et al., 2013).

Manihot carthagenensis (Jacq.) Müll.Arg.

Manihot carthagenensis (Jacq.) Müll.Arg. subsp. **glaziovii** (Müll.Arg.) Allem: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 131, 267 (2009), as ‘*carthagenensis*’; Lok et al., Cosmos 6: 69 (2010), as ‘*carthagenensis*’; Teo et al., Nat. Singapore 4: 269 (2011), as ‘*carthagenensis*’; Neo et al., Nat. Singapore 5: 281 (2012), as ‘*carthagenensis* subsp. *glaziovii*’; Neo et al., Nat. Singapore 6: 14 (2013), as ‘*carthagenensis* subsp. *glaziovii*’; Neo et al., Nat. Singapore 6: 120 (2013), as ‘*carthagenensis* subsp. *glaziovii*’; Neo et al., Nat. Singapore 6: 277 (2013), as ‘*carthaginiensis* subsp. *glaziovii*’; Neo et al., Nat. Singapore 7: 63 (2014), as ‘*carthagenesis*’; Kaw & Neo, Wayside Fls Singapore: 37 (2018), as ‘*carthaginiensis*’. – *Manihot glaziovii* Müll.Arg.: Keng, Gard. Bull. Singapore 33: 365 (1980), as ‘*glaziorii*’; Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']). **Non-native, naturalised** (Chong et al., 2009).

Manihot esculenta Crantz: Keng, Gard. Bull. Singapore 33: 365 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 131, 267 (2009); Lok et al., Cosmos 6: 69 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 277 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Yee et al., Fl. Singapore 1: 56 (2019). **Non-native, naturalised** (Chong et al., 2009).

Megistostigma glabratum (Kurz) Govaerts: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 131, 195 (2009). – *Megistostigma malaccense* Hook.f.: Hooker, Hooker’s Icon. Pl. 16(4) [ser. 3, 6(4)]: pl. 1592 (1887); Hooker, Fl. Brit. India 5, fasc. 15: 467 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Keng, Gard. Bull. Singapore 33: 365 (1980), as ‘*Megistostigma*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee

& Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008). – *Sphaerostylis malaccensis* (Hook.f.) Pax & K.Hoffm.: Ridley, Fl. Malay Penins. 3: 308 (1924). **Native; NEx** (Chong et al., 2009).

Micrococca mercurialis (L.) Benth.: Ridley, Fl. Malay Penins. 3: 273 (1924); Whitmore, Tree Fl. Malaya 2: 118 (1973); Keng, Gard. Bull. Singapore 33: 365 (1980), as ‘*Micrococca*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 228 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 131, 229 (2009). **Native; CR** (assessed here).

Microstachys chamaelea (L.) Müll.Arg.: Esser, Blumea 44: 176, fig. 4, map 4 (1999); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 131, 272 (2009); Lok et al., Cosmos 6: 79 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 181, 353 (2013); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 25 (2018). – *Sebastiania chamaelea* (L.) Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 15: 475 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900); Ridley, Fl. Malay Penins. 3: 317 (1924); Keng, Gard. Bull. Singapore 33: 367 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113, fig. 92.13 (1990), as ‘*chamalaea*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990), as ‘*chamalaea*’; Turner, Gard. Bull. Singapore 45: 87 (1993), as ‘*chamalaea*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994), as ‘*chamalaea*’. **Cryptogenic** (Wong et al., 2013).

Neoscortechinia kingii (Hook.f.) Pax & K.Hoffm.: Maxwell, Gard. Bull. Singapore 35(2): 192 (1983 [‘1982’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 228 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 145 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 131, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 187, 353 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). **Native; CR** (Wong et al., 2013).

Neoscortechinia philippinensis (Merr.) Welzen: Khoo et al., Gard. Bull. Singapore 70: 63 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84, 120 (2019). **Native; CR** (assessed here).

Neoscortechinia sumatrensis S.Moore: van Welzen, Blumea 39: 318 (1994); Turner, Gard. Bull. Singapore 47: 228 (1997 [‘1995’]); Ang et al., Nat. Singapore 3: 333 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 187, 353 (2013); Neo et al., Nat. Singapore 7: 63 (2014). **Native; CR** (Wong et al., 2013).

Paracroton pendulus (Hassk.) Miq.: Turner, Gard. Bull. Singapore 47: 229 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 131, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Fahrenheitia pendula* (Hassk.) Airy Shaw: Keng, Gard. Bull. Singapore 33: 361 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 83

(1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']). – *Ostodes macrophylla* (Müll.Arg.) Benth. ex Pax & K.Hoffm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900), as '*macrophyllus*'; Ridley, Fl. Malay Penins. 3: 269 (1924). **Native; CR** (Chong et al., 2009).

Pimelodendron griffithianum (Müll.Arg.) Benth. ex Hook.f.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1727 (1935), as '*Pimeleodendron*'; Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978), as '*Pimeleodendron*'; Keng, Gard. Bull. Singapore 33: 366 (1980), as '*Pimeleodendron*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990), as '*Pimeleodendron*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990), as '*Pimeleodendron*'; Turner, Gard. Bull. Singapore 45: 87 (1993), as '*Pimeleodendron*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as '*Pimeleodendron*'; Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']), as '*Pimeleodendron*'; Turner, Gard. Bull. Singapore 47: 230 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 93, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008), as '*Pimeleodendron*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 131, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 200, 353 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019); Yee et al., Fl. Singapore 1: 51 (2019). **Native; VU** (Wong et al., 2013).

Plukenetia corniculata Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 90 (1901); Choo et al., Nat. Singapore 15-e2022001: 1 (2022). – *Pterococcus corniculatus* (Sm.) Pax & K.Hoffm.: Whitmore, Tree Fl. Malaya 2: 84 (1973); Keng, Gard. Bull. Singapore 33: 366 (1980), as '*Pterococcus*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 230 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 131, 197 (2009). – *Pterococcus glaberrimus* Hassk.: Ridley, Fl. Malay Penins. 3: 309 (1924). **Native; CR** (Choo et al., 2022).

Ptychopyxis bacciformis Croizat: Van Welzen et al., Gard. Bull. Singapore 72: 155 (2020). **Native; NEx** (Van Welzen et al., 2020).

Ptychopyxis caput-medusae (Hook.f.) Ridl.: Whitmore, Tree Fl. Malaya 2: 127 (1973); Keng, Gard. Bull. Singapore 33: 366 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 230 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 94, 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 131, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 353 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). **Native; CR** (Wong et al., 2013).

Ptychopyxis costata Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Ridley, Fl. Malay Penins. 3: 295 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1837 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']).

Ptychopyxis costata Miq. var. **oblanceolata** Airy Shaw: Whitmore, Tree Fl. Malaya 2: 127 (1973); Keng, Gard. Bull. Singapore 33: 366 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 231 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 131, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 354 (2013). **Native; CR** (Wong et al., 2013).

Ricinus communis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Ridley, Fl. Malay Penins. 3: 309 (1924); Keng, Gard. Bull. Singapore 33: 366 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 131, 268 (2009); Lok et al., Cosmos 6: 69 (2010). **Non-native, naturalised** (Chong et al., 2009).

Shirakiopsis indica (Willd.) Esser: Esser, Blumea 44: 185, map 5 (1999); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 131, 198 (2009). – *Excoecaria indica* (Willd.) Müll.Arg.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 130, 244 (2009). – *Sapium indicum* Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900); Ridley, Fl. Malay Penins. 3: 317 (1924); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994). **Native; CR** (assessed here).

Suregada glomerulata (Blume) Baill.: H.-J. Esser, pers. comm. – *Suregada multiflora* auct. non (A.Juss.) Baill.: Keng, Gard. Bull. Singapore 33: 367 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Lee et al., Gard. Bull. Singapore 55: 282, 296 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 454 (2004 ['2003']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 719, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 131, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 749, 807 [2015]; Hung et al., Nat. Singapore 10: 47 (2017). – *Gelonium bifarium* auct. non Roxb. ex Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900); Ridley, Fl. Malay Penins. 3: 311 (1924). – *Gelonium glomerulatum* (Blume) Hassk.: Ridley, Fl. Malay Penins. 3: 311 (1924). – *Gelonium multiflorum* auct. non A.Juss.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 142 (1900). **Native; CR** (Chong et al., 2009).

Triadica cochinchinensis Lour.: Esser, Blumea 44: 201, fig. 7, map 7 (1999); Lee et al., Gard. Bull. Singapore 55: 296 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 131, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 250, 354 (2013); Neo et al., Nat. Singapore 7: 63 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 287, 311 (2020). – *Sapium discolor* (Champ. ex Benth.) Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 15: 469 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900); Ridley, Fl. Malay Penins. 3: 316 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1960 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 366 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al.,

Gard. Bull. Singapore 49(2): 185 (1999 ['1997']). – *Sapium baccatum* auct. non Roxb.: Hooker, Fl. Brit. India 5, fasc. 15: 470 (1888), p.p. **Native; LC** (Wong et al., 2013).

Trigonostemon longifolius Baill. ex Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 140 (1900); Ridley, Fl. Malay Penins. 3: 264 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2184 (1935); Keng, Gard. Bull. Singapore 33: 367 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 114 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Yu & Van Welzen, Blumea 62(3): 197, fig. 6, map 6 (2018). – *Trigonostemon heteranthus* auct. non Wight: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 131, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 354 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). **Native; CR** (Wong et al., 2013).

Trigonostemon scopulatus R.Y.Yu & Welzen: Yu & Van Welzen, Blumea 62(3): 210, fig. 114, map 10 (2018). – *Trigonostemon villosus* auct. non Hook.f.: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 131, 213 (2009). **Native; CR** (Chong et al., 2009).

Fabaceae

Abrus precatorius L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900); Ridley, Fl. Malay Penins. 1: 558 (1922); Keng, Gard. Bull. Singapore 27: 254 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 131, 264 (2009); Lok et al., Cosmos 6: 69 (2010). **Non-native, naturalised** (Chong et al., 2009).

Acacia auriculiformis A.Cunn. ex Benth.: Keng, Gard. Bull. Singapore 27: 254 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31, fig. 28.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 58 (1992); Turner, Gard. Bull. Singapore 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 131, 264 (2009); Lok et al., Cosmos 6: 69 (2010); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 222 (2014 [2015]); Maslin, Gard. Bull. Singapore 67: 242 (2015); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Maslin et al., Pl. Diversity 41: 462 (2019); Yee et al., Fl. Singapore 1: 48, 58, 66 (2019). **Non-native, naturalised** (Chong et al., 2009).

Acacia mangium Willd.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 59 (1992); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 132, 264 (2009); Lok et al., Cosmos 6: 69 (2010); Maslin, Gard. Bull. Singapore 67: 242 (2015); Maslin et al., Pl. Diversity 41: 470 (2019). **Non-native, naturalised** (Lok et al., 2010).

Acacia × mangiformis Maslin & L.A.J.Thomson: Maslin et al., Telopea 22: 163 (2019). **Non-native, casual** (assessed here).

Adenanthera malayana Kosterm.: Kostermans, Ceylon J. Sci., Biol. Sci. 12: 130 (1977); Nielsen, Fl. Males., ser. 1, 11(1): 170 (1992); Nielsen & Guinet, Nordic J. Bot. 12: 94 (1992); Turner, Gard. Bull. Singapore 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 297 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 132, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 9, 354 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Adenanthera bicolor* auct. non Moon: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 243 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 76 (1900); Ridley, Fl. Malay Penins. 1: 654 (1922); Keng, Gard. Bull. Singapore 27: 255 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005).

Adenanthera malayana Kosterm. subsp. **malayana**: Nielsen, Fl. Males., ser. 1, 11(1): 170 (1992); Nielsen & Guinet, Nordic J. Bot. 12: 94 (1992). **Native; EN** (assessed here).

Adenanthera pavonina L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 76 (1900); Ridley, Fl. Malay Penins. 1: 653 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 46 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 407 (1952); Keng, Gard. Bull. Singapore 27: 255 (1974); Corner, Wayside Trees Malaya, ed. 3, 1: 450 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31, fig. 28.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 173 (1992); Nielsen & Guinet, Nordic J. Bot. 12: 110 (1992); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 132, 264 (2009); Lok et al., Cosmos 6: 69 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Teo et al., Nat. Singapore 4: 269 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Hung et al., Nat. Singapore 10: 15, 22 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019).

Non-native, naturalised (Chong et al., 2009).

Adinobotrys atropurpureus (Wall.) Dunn: Ridley, Fl. Malay Penins. 1: 587 (1922); Compton et al., PhytoKeys 125: 50 (2019). – *Callerya atropurpurea* (Wall.) Schot: Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 133, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Millettia atropurpurea* (Wall.) Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 89 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Keng, Gard. Bull. Singapore 27: 262 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36, fig. 28.16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']), as '*Millettia*'; LaFrankie et al., Forest Trees Bukit Timah: 164 (2005). **Non-native, naturalised** (assessed here).

Aeschynomene americana L.: Turner, Gard. Bull. Singapore 45: 117 (1993); Tan et al., Gard. Bull. Singapore 44: 130 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 290 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 132, 264 (2009); Lok et al., Cosmos 6: 69 (2010). **Non-native, naturalised** (Chong et al., 2009).

Aeschynomene indica L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Ridley, Fl. Malay Penins. 1: 602 (1922); Keng, Gard. Bull. Singapore 27: 255 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 132, 264 (2009); Lok et al., Cosmos 6: 69 (2010); Kaw & Neo, Wayside Fls Singapore: 149 (2018). **Non-native, naturalised** (Chong et al., 2009).

Aganope heptaphylla (L.) Polhill: Polhill, Kew Bull. 25: 268 (1971); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 132, 200 (2009); Teo et al., Nat. Singapore 4: 269 (2011). – *Derris heptaphylla* (L.) Merr.: Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994). – *Derris sinuata* Benth. ex Thwaites: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Ridley, Fl. Malay Penins. 1: 594 (1922). **Native; CR** (Chong et al., 2009).

Aganope thyrsiflora (Benth.) Polhill: Polhill, Kew Bull. 25: 268 (1971); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 297 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 132, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Derris thyrsiflora* (Benth.) Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 99 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Ridley, Fl. Malay Penins. 1: 594 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 791 (1935); Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994). **Native; EN** (assessed here).

Albizia pedicellata Baker ex Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 258 (1897), as ‘*Albizzia*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 512 (1897), as ‘*Albizzia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 76 (1900), as ‘*Albizzia*’; Ridley, Fl. Malay Penins. 1: 659 (1922), as ‘*Albizzia*’; Burkill, Dict. Econ. Prod. Malay Penins. 1: 88 (1935), as ‘*Albizzia*’; Keng, Gard. Bull. Singapore 27: 255 (1974), as ‘*Albizzia*’; Nielsen, Opera Bot. 81: 44 (1985); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 78 (1992); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 132, 200 (2009). **Native; CR** (Chong et al., 2009).

Albizia retusa Benth.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 88 (1935), as ‘*Albizzia*’; Whitmore, Tree Fl. Malaya 1: 280 (1972); Keng, Gard. Bull. Singapore 27: 255 (1974), as ‘*Albizzia*’; Nielsen, Opera Bot. 81: 30 (1985); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 80 (1992); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 291 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 132, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012).

Albizia retusa Benth. subsp. **retusa**: Nielsen, Opera Bot. 81: 30 (1985); Nielsen, Fl. Males., ser. 1, 11(1): 80 (1992). – *Albizia littoralis* Teijsm. & Binn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 76 (1900), as ‘*Albizzia*’; Ridley, Fl. Malay Penins. 1: 659 (1922), as ‘*Albizzia*’. **Native; CR** (assessed here).

Albizia splendens Miq.: Nielsen, Opera Bot. 81: 46 (1985); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 83 (1992); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 147 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 132, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Archidendron bubalinum* auct. non (Jack) I.C.Nielsen: Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 132, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011). – *Pithecellobium confertum* Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Pithecellobium*’; Ridley, Fl. Malay Penins. 1: 661 (1922), as ‘*Pithecellobium*’; Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978). – *Pithecellobium splendens* (Miq.) Prain: Keng, Gard. Bull. Singapore 27: 264 (1974). – *Serialbizzia splendens* (Miq.) Kosterm.: Kostermans, Bull. Org. Sci. Res. Indonesia 20: 17 (1954). **Native; EN** (assessed here).

Alysicarpus vaginalis (L.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Ridley, Fl. Malay Penins. 1: 604 (1922); Keng, Gard. Bull. Singapore 27: 255 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 132, 269 (2009); Lok et al., Cosmos 6: 80 (2010); Hung et al., Nat. Singapore 10: 15, 22 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 47 (2018); Ho et al., Gard. Bull. Singapore 73: 70 (2021). – *Alysicarpus nummulariifolius* DC.: Ridley, Fl. Malay Penins. 1: 604 (1922), as ‘*nummulariifolius*’. – *Alysicarpus vaginalis* (L.) DC. var. *nummulariifolius* (DC.) Miq.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 133 (1897), as ‘*nummularifolia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900), as ‘*nummularifolia*’. – *Alysicarpus vaginalis* (L.) DC. var. *typica*, nom. inval.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 133 (1897). **Native; LC** (assessed here).

Andira inermis (W.Wright) Kunth ex DC.: Keng, Gard. Bull. Singapore 27: 255 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32, fig. 28.3 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 132, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 120 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]). **Non-native, casual** (Chong et al., 2009).

Archidendron clypearia (Jack) I.C.Nielsen: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 97 (1992); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 147 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); LaFrankie

et al., Forest Trees Bukit Timah: 160 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 515, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 132, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 25, 354 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 60, 310 (2020). – *Pithecellobium clypearia* (Jack) Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 273 (1897), as ‘*Pithecolobium*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Pithecolobium*’; Ridley, Fl. Malay Penins. 1: 664 (1922), as ‘*Pithecolobium*’; Keng, Gard. Bull. Singapore 27: 264 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990). – *Abarema angulata* (Benth.) Kosterm.: Kostermans, Bull. Org. Sci. Res. Indonesia 20: 47 (1954). – *Pithecellobium angulatum* Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 274 (1897), as ‘*Pithecolobium*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Pithecolobium*’; Ridley, Fl. Malay Penins. 1: 664 (1922), as ‘*Pithecolobium*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 1759 (1935).

Archidendron clypearia (Jack) I.C.Nielsen var. **clypearia**: Nielsen et al., Opera Bot. 76: 54, 114 (1985 [‘1984’]); Nielsen, Fl. Males., ser. 1, 11(1): 98 (1992). – *Abarema clypearia* (Jack) Kosterm. f. **clypearia**: Kostermans, Bull. Org. Sci. Res. Indonesia 20: 44 (1954). **Native; LC** (Wong et al., 2013, as *Archidendron clypearia*).

Archidendron contortum (Mart.) I.C.Nielsen: Nielsen et al., Opera Bot. 76: 58, 114 (1985 [‘1984’]); Nielsen, Fl. Males., ser. 1, 11(1): 100 (1992); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 297 (2003); LaFrankie et al., Forest Trees Bukit Timah: 96, 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 132, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 26, 355 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Pithecellobium contortum* Mart.: Miquel, Fl. Ned. Ind. 1(1), fasc. 1: 37 (1855), as ‘*Pithecolobium*’; Baker in Hooker, Fl. Brit. India 2, fasc. 5: 305 (1878), as ‘*Pithecolobium*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 272 (1897), as ‘*Pithecolobium*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Pithecolobium*’; Ridley, Fl. Malay Penins. 1: 664 (1922), as ‘*Pithecolobium*’; Keng, Gard. Bull. Singapore 27: 264 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). – *Abarema contorta* (Mart.) Kosterm.: Kostermans, Bull. Org. Sci. Res. Indonesia 20: 49 (1954). **Native; EN** (assessed here).

Archidendron ellipticum (Blume) I.C.Nielsen: Nielsen, Fl. Males., ser. 1, 11(1): 100 (1992); Turner, Gard. Bull. Singapore 45: 117 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 147 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 297 (2003); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 132, 219 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 26, 355 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Pithecellobium ellipticum* (Blume) Hassk.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 270 (1897), as ‘*Pithecolobium*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Pithecolobium*’; Ridley, Fl. Malay Penins. 1: 662 (1922), as ‘*Pithecolobium*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 1761 (1935); Keng, Gard. Bull. Singapore 27: 264 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). – *Abarema elliptica* (Blume) Kosterm.: Kostermans, Bull. Org. Sci. Res.

Indonesia 20: 53 (1954). – *Pithecellobium fasciculatum* Benth.: Baker in Hooker, Fl. Brit. India 2, fasc. 5: 304 (1878), as ‘*Pithecolobium*’.

Archidendron ellipticum (Blume) I.C.Nielsen subsp. **ellipticum**: Nielsen et al., Opera Bot. 76: 68, 114 (1985 [‘1984’]); Nielsen, Fl. Males., ser. 1, 11(1): 101 (1992). **Native; EN** (assessed here).

Archidendron globosum (Blume) I.C.Nielsen: Nielsen, Adansonia, sér. 2, 19(1): 18 (1979); Nielsen et al., Opera Bot. 76: 70, 114 (1985 [‘1984’]); Nielsen, Fl. Males., ser. 1, 11(1): 104 (1992); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 132, 201 (2009). – *Pithecellobium globosum* (Blume) Kosterm.: Whitmore, Tree Fl. Malaya 1: 286 (1972); Keng, Gard. Bull. Singapore 27: 264 (1974); Corner, Wayside Trees Malaya, ed. 3, 1: 464 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). – *Abarema globosa* (Blume) Kosterm.: Kostermans, Bull. Org. Sci. Res. Indonesia 20: 36 (1954). – *Pithecellobium affine* Baker ex Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 269 (1897), as ‘*Pithecolobium*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 515 (1897), as ‘*Pithecolobium*’; Ridley, Fl. Malay Penins. 1: 662 (1922), as ‘*Pithecolobium*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 1759 (1935). **Native; CR** (Chong et al., 2009).

Archidendron jiringa (Jack) I.C.Nielsen: Nielsen et al., Opera Bot. 76: 50, 114 (1985 [‘1984’]); Nielsen, Fl. Males., ser. 1, 11(1): 106 (1992); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 297 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 516, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 132, 219 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84, 129 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 60, 310 (2020). – *Pithecellobium jiringa* (Jack) Prain: Keng, Gard. Bull. Singapore 27: 264 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 [‘1994’]). – *Zygia jiringa* (Jack) Kosterm.: Kostermans, Bull. Org. Sci. Res. Indonesia 20: 27 (1954). – *Pithecellobium lobatum* Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 265 (1897), as ‘*Pithecolobium*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 517 (1897), as ‘*Pithecolobium*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Pithecolobium*’; Ridley, Fl. Malay Penins. 1: 661 (1922), as ‘*Pithecolobium*’. **Native; VU** (Chong et al., 2009).

Archidendron microcarpum (Benth.) I.C.Nielsen: Nielsen, Adansonia, sér. 2, 19(1): 17 (1979); Nielsen et al., Opera Bot. 76: 51, 114 (1985 [‘1984’]); Nielsen, Fl. Males., ser. 1, 11(1): 109 (1992); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner et al., Gard. Bull. Singapore 48: 147 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 132, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 26, 355 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 84 (2019). – *Pithecellobium microcarpum* Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 268 (1897), as ‘*Pithecolobium*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 516 (1897), as ‘*Pithecolobium*’; Ridley, J. Straits Branch Roy. Asiat.

Soc. 33: 77 (1900), as ‘*Pithecolobium*’; Ridley, Fl. Malay Penins. 1: 663 (1922), as ‘*Pithecolobium*’; Keng, Gard. Bull. Singapore 27: 264 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). – *Abarema microcarpa* (Benth.) Kosterm.: Kostermans, Bull. Org. Sci. Res. Indonesia 20: 67 (1954). – *Cylindrokelupha bubalina* auct. non (Jack) Kosterm.: Kostermans, Bull. Org. Sci. Res. Indonesia 20: 20 (1954), p.p. – *Pithecellobium bubalinum* auct. non (Jack) Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Pithecolobium*’; Ridley, Fl. Malay Penins. 1: 661 (1922), p.p., as ‘*Pithecolobium*’. **Native; EN** (Wong et al., 2013).

Baphia nitida G.Lodd.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 132, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 44 (2017). **Non-native, casual** (Chong et al., 2009).

Bauhinia purpurea L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 180 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 634 (1922); Keng, Gard. Bull. Singapore 27: 256 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32 (1990); Larsen & Larsen, Fl. Males., ser. 1, 12(2): 452 (1996); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 132, 235 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 222 (2014 [2015]); Hung et al., Nat. Singapore 10: 44 (2017). – *Bauhinia purpurea* L. var. *corneri* de Wit: De Wit, Reinwardtia 3(4): 409 (1956). – *Bauhinia purpurea* L. var. *violacea* de Wit: De Wit, Reinwardtia 3(4): 409 (1956). **Non-native, casual*** (assessed here).

Brachypterum scandens (Roxb.) Benth. ex Miq.: Miquel, Fl. Ned. Ind. 1(1), fasc. 1: 138 (1855). – *Soloria scandens* (Roxb.) Sirich. & Adema: Sirichamorn et al., Taxon 63: 533 (2014). – *Derris scandens* (Roxb.) Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Ridley, Fl. Malay Penins. 1: 595 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 791 (1935); Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 301 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 204 (2009); Teo et al., Nat. Singapore 4: 270 (2011). **Native; CR** (Chong et al., 2009).

Caesalpinia crista L.: Sinclair, Gard. Bull. Singapore 14(1): 32 (1953); Hattink, Reinwardtia 9(1): 20 (1974); Keng, Gard. Bull. Singapore 27: 256 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Ding Hou, Fl. Males., ser. 1, 12(2): 542 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 63 (1998 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 133, 219 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 17 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 89, 806 [2015]; Hung et al., Nat. Singapore 10: 33 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 11, 382 (2020). – *Caesalpinia nuga* Aiton: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900), as ‘*Cesalpinia*’; Ridley, Fl. Malay Penins. 1: 650 (1922). **Native; LC** (assessed here).

Calopogonium mucunoides Desv.: Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 296 (1997 ['1995']); Chong et

al., Checkl. Vasc. Pl. Fl. Singapore: 23, 133, 265 (2009); Lok et al., Cosmos 6: 69 (2010); Kaw & Neo, Wayside Fls Singapore: 53 (2018). **Non-native, naturalised** (Chong et al., 2009).

Canavalia cathartica Thouars: Keng, Gard. Bull. Singapore 27: 257 (1974), as ‘*cathartica*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Lee et al., Gard. Bull. Singapore 55: 297 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 133, 226 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Hung et al., Nat. Singapore 10: 44 (2017); Yee et al., Fl. Singapore 1: 64 (2019). – *Canavalia turgida* Graham ex A.Gray: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 417 (1897); Ridley, Fl. Malay Penins. 1: 573 (1922). – *Canavalia obtusifolia* auct. non DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900). **Native; LC** (Chong et al., 2009).

Canavalia rosea (Sw.) DC.: Maxwell, Revis. Handb. Fl. Ceylon 7: 274 (1991); Lee et al., Gard. Bull. Singapore 55: 297 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 133, 226 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 91, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 13, 382 (2020). – *Canavalia maritima* Thouars: Keng, Gard. Bull. Singapore 27: 257 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994). – *Canavalia obtusifolia* DC., nom. illeg. superfl.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 63 (1897); Ridley, Fl. Malay Penins. 1: 572 (1922). – *Canavalia lineata* auct. non (Thunb.) DC.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 63 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900). **Native; LC** (Chong et al., 2009).

Cassia fistula L.: Corner, Wayside Trees Malaya, ed. 2, 1: 388 (1952); Keng, Gard. Bull. Singapore 27: 257 (1974); Corner, Wayside Trees Malaya, ed. 3, 1: 429 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Larsen & Ding Hou, Fl. Males., ser. 1, 12(2): 557 (1996); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 133, 238 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Choo et al., Nat. Singapore 13: 39 (2020). **Non-native, casual** (Choo et al., 2020).

Centrosema molle Mart. ex Benth.: Kaw & Neo, Wayside Fls Singapore: 52 (2018). – *Centrosema pubescens* auct. non Benth.: Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 296 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 133, 265 (2009); Lok et al., Cosmos 6: 69 (2010); Neo et al., Nat. Singapore 6: 69 (2013); Hung et al., Nat. Singapore 10: 33 (2017). – *Clitoria pubescens* auct. non (Benth.) Krause: Lee et al., Gard. Bull. Singapore 55: 297 (2003). **Non-native, naturalised** (Chong et al., 2009).

Centrosema plumieri (Turpin ex Pers.) Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 57 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900); Ridley, Fl. Malay Penins. 1: 615 (1922); Keng, Gard. Bull. Singapore 27: 258 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 296 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']). **Non-native, casual** (assessed here).

Chamaecrista leschenaultiana (DC.) O.Deg.: Larsen & Ding Hou, Fl. Males., ser. 1, 12(2): 566 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 69 (1998 ['1997']); Chong et al., Checkl. Vasc. Pl.

Fl. Singapore: 25, 133, 265 (2009); Lok et al., *Cosmos* 6: 69 (2010). – *Chamaecrista nictitans* auct. non (L.) Moench: Turner, *Gard. Bull. Singapore* 45: 119 (1993), as ‘*nictinans*’; Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 118 (1994), as ‘*nictinans*’. – *Cassia aescinomene* DC. ex Collad.: Rudd, *Revis. Handb. Fl. Ceylon* 7: 88 (1991). – *Cassia lechenaultiana* DC.: Prain, *J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist.* 66(1): 165 (1897); Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 74 (1900); Ridley, *Fl. Malay Penins.* 1: 619 (1922); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 72 (1990), as ‘*lechenaultiana*’. **Non-native, naturalised** (Chong et al., 2009).

Chamaecrista mimosoides (L.) Greene: Turner, *Gard. Bull. Singapore* 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 118 (1994); Turner et al., *Gard. Bull. Singapore* 46(2): 21 (1995 [‘1994’]); Larsen & Ding Hou, *Fl. Males.*, ser. 1, 12(2): 567 (1996); Loo & Tan, *Gard. Bull. Singapore* 49(1): 71 (1998 [‘1997’]); Chew et al., *Gard. Bull. Singapore* 49(2): 220 (1999 [‘1997’]); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 25, 133, 265 (2009); Lok et al., *Cosmos* 6: 69 (2010); Wong et al., *Checkl. Pl. Sp. Nee Soon Swamp For.*: 53, 356 (2013); Kaw & Neo, *Wayside Fls Singapore*: 154 (2018). – *Cassia mimosoides* L.: Keng, *Gard. Bull. Singapore* 27: 258 (1974); Corlett, *J. Biogeogr.* 15: 662 (1988); Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 72 (1990). **Non-native, naturalised** (Chong et al., 2009).

Clitoria laurifolia Poir.: Burkill, *Dict. Econ. Prod. Malay Penins.* 1: 588 (1935), as ‘*Clitore'a*'; Henderson, *Malay. Wild Fls, Dicot.*: 72 (1959), as ‘*Clitore'a*'; Keng, *Gard. Bull. Singapore* 27: 258 (1974); Corlett, *J. Biogeogr.* 15: 662 (1988), as ‘*Clitore'a*'; Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 72 (1990); Turner, *Gard. Bull. Singapore* 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 118 (1994); Turner et al., *Gard. Bull. Singapore* 46(2): 21 (1995 [‘1994’]); Fantz & Predeep, *Bull. Bot. Surv. India* 37: 19 (1995); Chew et al., *Gard. Bull. Singapore* 49(2): 221 (1999 [‘1997’]), as ‘*Clitore'a*'; Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 27, 133, 265 (2009); Lok et al., *Cosmos* 6: 69 (2010); Wong et al., *Checkl. Pl. Sp. Nee Soon Swamp For.*: 61, 356 (2013). – *Clitoria cajanifolia* (C.Presl) Benth.: Baker in Hooker, *Fl. Brit. India* 2, fasc. 4: 209 (1876), as ‘*cajanaefolia*'; Prain, *J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist.* 66(1): 57 (1897); Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 70 (1900), as ‘*Clitore'a*'; Ridley, *Fl. Malay Penins.* 1: 569 (1922). – *Ternatea laurifolia* (Poir.) Kuntze: Kuntze, *Revis. Gen. Pl.* 1: 210 (1891). **Non-native, naturalised** (Chong et al., 2009).

Clitoria ternatea L.: Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 70 (1900), as ‘*Clitore'a*'; Ridley, *Fl. Malay Penins.* 1: 569 (1922); Keng, *Gard. Bull. Singapore* 27: 258 (1974); Corlett, *J. Biogeogr.* 15: 662 (1988), as ‘*Clitore'a*'; Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 33, fig. 28.7 (1990); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 72 (1990); Turner, *Gard. Bull. Singapore* 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 118 (1994); Fantz & Predeep, *Bull. Bot. Surv. India* 37: 12 (1995); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 27, 133, 265 (2009); Lok et al., *Cosmos* 6: 70 (2010); Neo et al., *Nat. Singapore* 7: 64 (2014); Kaw & Neo, *Wayside Fls Singapore*: 20 (2018). **Non-native, naturalised** (Chong et al., 2009).

Crotalaria alata Buch.-Ham.: Prain, *J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist.* 66(2): 36 (1897); Prain, *J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist.* 66(1): 349 (1897); Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 70 (1900); Ridley, *Fl. Malay Penins.* 1: 560 (1922); Burkill, *Dict. Econ. Prod. Malay Penins.* 1: 684 (1935); Henderson, *Malay. Wild Fls, Dicot.*: 67 (1959); De Munk, *Reinwardtia* 6(3): 200 (1962); Turner, *Gard. Bull. Singapore* 47: 297 (1997 [‘1995’]); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 29, 133, 265 (2009); Lok et al., *Cosmos* 6: 70 (2010); Ninkaew et al., *Phytotaxa* 320: 8 (2017). – *Crotalaria bialata* Roxb., nom. illeg. hom.: Keng, *Gard. Bull. Singapore* 27: 258 (1974), as ‘*bialata Schrank*'; Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 33 (1990), as ‘*bialata Schrank*'; Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 72 (1990), as ‘*bialata Schrank*';

Turner, Gard. Bull. Singapore 45: 119 (1993), as ‘*bialata Schrank*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994), as ‘*bialata Schrank*’. **Cryptogenic** (assessed here).

Crotalaria incana L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900); Sinclair, Gard. Bull. Singapore 14(1): 31 (1953); De Munk, Reinwardtia 6(3): 205 (1962); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 297 (1997 [‘1995’]); Adema, Blumea 51: 331 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 133, 265 (2009); Lok et al., Cosmos 6: 70 (2010); Ninkaew et al., Phytotaxa 320: 27 (2017). **Non-native, casual*** (assessed here).

Crotalaria laburnifolia L.: Ninkaew et al., Phytotaxa 320: 31 (2017). **Cryptogenic** (assessed here).

Crotalaria pallida Aiton: Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Adema, Blumea 51: 329, 331 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 134, 265 (2009); Lok et al., Cosmos 6: 70 (2010); Ninkaew et al., Phytotaxa 320: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 172 (2018). – *Crotalaria saltiana* auct. non Andrew: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 41 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900); Ridley, Fl. Malay Penins. 1: 562 (1922); Hung et al., Nat. Singapore 10: 44 (2017). – *Crotalaria mucronata* Desv.: De Munk, Reinwardtia 6(3): 209 (1962); Keng, Gard. Bull. Singapore 27: 258 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990). **Non-native, naturalised** (Chong et al., 2009).

Crotalaria quinquefolia L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 42 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 354 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900); Ridley, Fl. Malay Penins. 1: 563 (1922); De Munk, Reinwardtia 6(3): 212 (1962); Keng, Gard. Bull. Singapore 27: 258 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 134, 270 (2009); Lok et al., Cosmos 6: 80 (2010); Ninkaew et al., Phytotaxa 320: 47 (2017). **Native; NEx** (assessed here).

Crotalaria retusa L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900); Ridley, Fl. Malay Penins. 1: 561 (1922); Henderson, Malay. Wild Fls, Dicot.: 68 (1959); De Munk, Reinwardtia 6(3): 212 (1962); Polhill, Kew Bull. 22: 310 (1968); Keng, Gard. Bull. Singapore 27: 258 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34, fig. 28.8 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 205, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 134, 270 (2009); Lok et al., Cosmos 6: 80 (2010); Ninkaew et al., Phytotaxa 320: 49 (2017). **Cryptogenic** (Chong et al., 2009).

Crotalaria uncinella Lam.: Ridley, Fl. Malay Penins. 1: 562 (1922); Ninkaew et al., Phytotaxa 320: 58 (2017). – *Crotalaria uncinella* Lam. subsp. *elliptica* (Roxb.) Polhill: Adema, Blumea 51: 330 (2006). **Native; NEx** (assessed here).

Cullen corylifolium (L.) Medik.: Grimes, Austral. Syst. Bot. 10: 637 (1997). – *Psoralea corylifolia* L.: Ridley, Fl. Malay Penins. 1: 583 (1922); Van Meeuwen, Reinwardtia 6(1): 104 (1961); Keng,

Gard. Bull. Singapore 27: 265 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990). **Non-native, casual*** (assessed here).

Cynometra ramiflora L.: Ridley, Fl. Malay Penins. 1: 635 (1922); Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Ding Hou, Fl. Males., ser. 1, 12(2): 606 (1996); Boo et al., 1001 Gard. Pl. Singapore (print 3): 343 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 134, 203 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 109, 310 (2020). – *Cynometra ramiflora* L. var. *ramiflora*: Loo & Tan, Gard. Bull. Singapore 49(1): 73 (1998 ['1997']). – *Cynometra ramiflora* L. var. *heterophylla* Thwaites: Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 198 (1897); Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 478 (1897); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 75 (1900). **Native; CR** (Chong et al., 2009).

Dalbergia candenatensis (Dennst.) Prain: Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Lee et al., Gard. Bull. Singapore 55: 298 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 134, 226 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 75, 356 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Adema et al., Blumea 61: 193 (2016); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017). – *Dalbergia torta* Graham ex Prain, nom. illeg. superfl.: Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 120 (1897); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 73 (1900); Ridley, Fl. Malay Penins. 1: 591 (1922). – *Dalbergia monosperma* Dalzell: Miquel, Fl. Ned. Ind. 1(1), fasc. 1: 132 (1855). **Native; LC** (Wong et al., 2013).

Dalbergia havilandii Prain: Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 75, 357 (2013); Adema et al., Blumea 61: 194 (2016). – *Derris* sp. (Ridley 6087): Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 72 (1900). **Native; NEx** (Wong et al., 2013).

Dalbergia hullettii Prain: Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 119 (1897); Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 443 (1897); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 73 (1900); Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 45 (1901); Ridley, Fl. Malay Penins. 1: 590 (1922); Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 299 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 134, 190 (2009); Adema et al., Blumea 61: 195 (2016). **Native; NEx** (Chong et al., 2009).

Dalbergia junghuhnii Benth.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 72 (1900); Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999

[‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 134, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 75, 357 (2013); Adema et al., Blumea 61: 195 (2016); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019). – *Dalbergia scorchedii* (Prain) Prain: Ridley, Fl. Malay Penins. 1: 589 (1922). – *Dalbergia stercoracea* Maingay ex Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 58 (1901); Ridley, Fl. Malay Penins. 1: 589 (1922). – *Dalbergia junghuhnii* Benth. var. *scorchedii* Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 115 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 444 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900). – *Dalbergia junghuhnii* Benth. var. *typica*, nom. inval.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 115 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 444 (1897). – *Dalbergia subsympathetica* Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 446 (1897). **Native; CR** (Wong et al., 2013).

Dalbergia parviflora Roxb.: Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 134, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 75, 357 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019). **Native; CR** (assessed here).

Dalbergia rostrata Hassk.: Ridley, Fl. Malay Penins. 1: 590 (1922); Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 134, 226 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 76, 357 (2013); Adema et al., Blumea 61: 200 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019). – *Dalbergia pseudosisssoo* Miq.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 118 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Turner, Gard. Bull. Singapore 47: 300 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 147 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 298 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 31, 776 (2006); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 76, 357 (2013); Hung et al., Nat. Singapore 10: 45 (2017), as ‘pseudo-sisssoo’. **Native; LC** (Wong et al., 2013).

Dalbergia velutina Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 298 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 134, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 76, 357 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85, 129 (2019).

Dalbergia velutina Benth. var. **maingayi** Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 117 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 445 (1897); Ridley, Fl.

Malay Penins. 1: 592 (1922); Adema et al., Blumea 61: 201 (2016). – *Derris oblonga* auct. non Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900). **Native; EN** (assessed here).

Dendrolobium umbellatum (L.) Benth.: Ohashi, Ginkgoana 1: 82 (1973); Lee et al., Gard. Bull. Singapore 55: 298 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 226 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 594, 806 [2015]; Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 112, 310 (2020). – *Desmodium umbellatum* (L.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Ridley, Fl. Malay Penins. 1: 607 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 795 (1935); Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994). **Native; LC** (Chong et al., 2009).

Derris amoena Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 105 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Sirichamorn et al., Taxon 63: 537 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019). – *Derris maingayana* Baker: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 80, 357 (2013). – *Derris amoena* Benth. var. *maingayana* (Baker) Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 106 (1897); Ridley, Fl. Malay Penins. 1: 597 (1922); Maxwell, Gard. Bull. Singapore 36(2): 231 (1984 ['1983']), as ‘*maingayi*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 278 (2013). – *Derris amoena* Benth. var. *amoena*: Lee et al., Gard. Bull. Singapore 55: 298 (2003). **Native; LC** (assessed here).

Derris elliptica (Roxb.) Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 784 (1935); Keng, Gard. Bull. Singapore 27: 259 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Sirichamorn et al., Taxon 63: 534 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85, 129 (2019). – *Paraderris elliptica* (Roxb.) Adema: Adema, Blumea 48: 137 (2003); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 57, 64 (2014). **Non-native, naturalised** (assessed here).

Derris montana Benth.: Sirichamorn et al., Taxon 63: 534 (2014). – *Derris malaccensis* (Benth.) Prain: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Ridley, Fl. Malay Penins. 1: 598 (1922); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 80, 357 (2013). – *Paraderris montana* (Benth.) Adema: Adema, Blumea 48: 139 (2003); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 194, 359 (2013). – *Derris malaccensis* (Benth.) Prain var. *typica*, nom. inval.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 107 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 459 (1897). **Native; NEx** (assessed here).

Derris trifoliata Lour.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34, fig. 28.10 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Lee et al., Gard. Bull. Singapore 55: 282, 298 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 227 (2009); Teo et al., Nat.

Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 80, 357 (2013); Neo et al., Nat. Singapore 6: 17 (2013); Hung et al., Nat. Singapore 10: 16, 19, 22 (2017); Hung et al., Nat. Singapore 10: 45 (2017). – *Derris heterophylla* (Willd.) Backer ex K.Heyne: Keng, Gard. Bull. Singapore 27: 260 (1974). – *Derris uliginosa* (Roxb. ex Willd.) Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Ridley, Fl. Malay Penins. 1: 595 (1922). **Native; LC** (Wong et al., 2013).

Desmanthus virgatus (L.) Willd.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 213 (1992); Turner, Gard. Bull. Singapore 45: 120 (1993); Lucknow, Syst. Bot. Monogr. 38: 134 (1993); Tan et al., Gard. Bull. Singapore 44: 130 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 301 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 266 (2009); Lok et al., Cosmos 6: 70 (2010). **Non-native, naturalised** (Chong et al., 2009).

Desmodium scorpiurus (Sw.) Poir.: Ho et al., Gard. Bull. Singapore 73: 52 (2021). **Non-native, casual** (Ho et al., 2021).

Dialium indum L.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990), as ‘*indium*'; Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Rojo, Fl. Males., ser. 1, 12(2): 609 (1996); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Ding Hou, Tree Fl. Sabah & Sarawak 3: 145 (2000); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Yee et al., Fl. Singapore 1: 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 113, 310 (2020). – *Dialium patens* Baker: Whitmore, Tree Fl. Malaya 1: 260 (1972); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']). – *Dialium laurinum* Baker: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 170 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 484 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 622 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 800 (1935); Whitmore, Tree Fl. Malaya 1: 260 (1972); Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35, fig. 28.12 (1990).

Dialium indum L. var. **indum**: Loo & Tan, Gard. Bull. Singapore 49(1): 77 (1998 ['1997']); Ding Hou, Tree Fl. Sabah & Sarawak 3: 146 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 82, 359 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019). **Native; CR** (Wong et al., 2013).

Dialium indum L. var. **bursa** (de Wit) Rojo ex Kessler & Sidiy.: Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Rojo, Fl. Males., ser. 1, 12(2): 612 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 77 (1998 ['1997']); Ding Hou, Tree Fl. Sabah & Sarawak 3: 146 (2000). **Native; NEx** (assessed here).

Dialium platysepalum Baker: Burkill, Dict. Econ. Prod. Malay Penins. 1: 800 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Rojo, Fl. Males., ser. 1, 12(2): 612 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 78 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Ding Hou, Tree Fl. Sabah & Sarawak 3: 147 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223

(2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 82, 359 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019). – *Dialium wallichii* (Baker) Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 174 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 623 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 800 (1935); Keng, Gard. Bull. Singapore 27: 261 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35 (1990); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005). – *Dialium maingayi* Baker: Baker in Hooker, Fl. Brit. India 2, fasc. 5: 269 (1878); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 171 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 622 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 800 (1935); Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994). – *Dialium platysepalum* Baker var. *wallichii* Baker: Baker in Hooker, Fl. Brit. India 2, fasc. 5: 270 (1878). **Native; CR** (Wong et al., 2013).

Entada spiralis Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900); Ridley, Fl. Malay Penins. 1: 655 (1922); Keng, Gard. Bull. Singapore 27: 261 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35, fig. 28.13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 180 (1992); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 298 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 34, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 134, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 99, 359 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019). – *Entada rheedei* auct. non Spreng.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 134, 205 (2009). **Native; VU** (assessed here).

Falcataria falcata (L.) Greuter & R. Rankin: POWO. – *Falcataria moluccana* (Miq.) Barneby & J.W. Grimes: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 135, 266 (2009); Lok et al., Cosmos 6: 70 (2010); Neo et al., Nat. Singapore 5: 281 (2012); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 79 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019); Yee et al., Fl. Singapore 1: 48, 58, fig. 12 (2019). – *Albizia falcataria* (L.) Fosberg: Keng, Gard. Bull. Singapore 27: 255 (1974), as ‘*Albizzia*’; Corlett, J. Biogeogr. 15: 662 (1988); Corner, Wayside Trees Malaya, ed. 3, 1: 452 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005). – *Paraserianthes falcataria* (L.) I.C. Nielsen: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 151 (1992); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 307 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']). – *Albizia falcata* (L.) Backer: Corner, Wayside Trees Malaya, ed. 2, 1: 409 (1952), as ‘*Albizzia*’; Whitmore, Tree Fl. Malaya 1: 277 (1972). – *Albizia moluccana* Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 76 (1900), as ‘*Albizzia*’; Ridley, Fl. Malay Penins. 1: 659 (1922), as ‘*Albizzia*’. **Non-native, naturalised** (Chong et al., 2009).

Flemingia strobilifera (L.) W.T.Aiton: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 437 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900); Ridley, Fl. Malay Penins. 1: 565 (1922); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 128 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 135, 271 (2009); Lok et al., Cosmos 6: 80 (2010). – *Maughania strobilifera* (L.) J.St.-Hil. ex Kuntze: Keng, Gard. Bull. Singapore 27: 263 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990), as ‘*Moghania*’. **Native; CR** (assessed here).

Gliricidia sepium (Jacq.) Kunth ex Walp.: Keng, Gard. Bull. Singapore 27: 261 (1974), as ‘*Gliricida*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 135, 263 (2009); Lok et al., Cosmos 6: 75 (2010); Neo et al., Nat. Singapore 7: 64 (2014). **Non-native, casual** (Chong et al., 2009).

Grona heterocarpus (L.) H.Ohashi & K.Ohashi: Ho et al., Gard. Bull. Singapore 73: 56 (2021). – *Desmodium heterocarpon* (L.) DC.: Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 270 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 80, 358 (2013); Hung et al., Nat. Singapore 10: 45 (2017).

Grona heterocarpus (L.) H.Ohashi & K.Ohashi var. **heterocarpus**: Ho et al., Gard. Bull. Singapore 73: 57 (2021). **Native; CR** (Ho et al., 2021).

Grona heterocarpus (L.) H.Ohashi & K.Ohashi var. **strigosa** (Meeuwen) H.Ohashi & K.Ohashi: Ho et al., Gard. Bull. Singapore 73: 59 (2021). – *Desmodium ovalifolium* auct. non (Prain) Wall. ex Ridl.: Ridley, Fl. Malay Penins. 1: 610 (1922), p.p. – *Desmodium polycarpon* (Poir.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900), as ‘*polycarpum*’; Ridley, Fl. Malay Penins. 1: 609 (1922), as ‘*polycarpum*’. – *Desmodium polycarpon* (Poir.) DC. var. *ovalifolium* auct. non Prain: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900), as ‘*polycarpum* var. *ovalifolia*’. **Native; VU** (Ho et al., 2021).

Grona heterophylla (Willd.) H.Ohashi & K.Ohashi: Ho et al., Gard. Bull. Singapore 73: 66 (2021). – *Desmodium heterophyllum* (Willd.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Ridley, Fl. Malay Penins. 1: 606 (1922); Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35, fig. 28.11 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 216, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 270 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 81, 359 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Kaw & Neo, Wayside Fls Singapore: 61 (2018). – *Meibomia heterophylla* (Willd.) Kuntze: Kuntze, Revis. Gen. Pl. 1: 196 (1891). **Native; LC** (assessed here).

Grona ovalifolia (Prain) H.Ohashi et al.: Ohashi et al., J. Jap. Bot. 96: 270 (2021). – *Grona heterocarpus* (L.) H.Ohashi & K.Ohashi subsp. *ovalifolia* (Prain) H.Ohashi & K.Ohashi: Ho et al., Gard. Bull. Singapore 73: 63 (2021). **Native; CR** (Ho et al., 2021).

Grona triflora (L.) H.Ohashi & K.Ohashi: Ho et al., Gard. Bull. Singapore 73: 68 (2021). – *Desmodium triflorum* (L.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Ridley, Fl. Malay Penins. 1: 606 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 795 (1935); Keng, Gard. Bull. Singapore 27: 260 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 134, 270 (2009); Lok et al., Cosmos 6: 80 (2010); Neo et al., Nat. Singapore 6: 79 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Kaw & Neo, Wayside Fls Singapore: 64 (2018). – *Meibomia triflora* (L.) Kuntze var. *pilosa* Kuntze: Kuntze, Revis. Gen. Pl. 1: 197 (1891). **Native; LC** (assessed here).

Guilandina bonduc L.: Gagnon et al., S. African J. Bot. 89: 122 (2013); Gagnon et al., Phytokeys 71: 61 (2016); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 37, 382 (2020). – *Caesalpinia bonduc* (L.) Roxb.: Hattink, Reinwardtia 9(1): 17 (1974); Keng, Gard. Bull. Singapore 27: 256 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Ding Hou, Fl. Males., ser. 1, 12(2): 542 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 62 (1998 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 133, 202 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 89, 806 [2015]. **Native; CR** (Chong et al., 2009).

Indigofera hendecaphylla Jacq.: Du Puy et al., Kew Bull. 48: 731 (1993). – *Indigofera spicata* auct. non Forssk.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 135, 266 (2009); Lok et al., Cosmos 6: 70 (2010). – *Indigofera spicata* auct. non Forssk. var. *spicata*: De Kort & Thijssse, Blumea 30(1): 132 (1984).

Indigofera hendecaphylla Jacq. var. **hendecaphylla**: Mattapha & Chantaranothai, Trop. Nat. Hist. 12: 224 (2012). **Non-native, naturalised** (Chong et al., 2009, as *Indigofera spicata*).

Indigofera hirsuta L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 81 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 356 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900); Ridley, Fl. Malay Penins. 1: 580 (1922); Keng, Gard. Bull. Singapore 27: 261 (1974); De Kort & Thijssse, Blumea 30(1): 120 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 135, 266 (2009); Lok et al., Cosmos 6: 70 (2010); Kaw & Neo, Wayside Fls Singapore: 39 (2018). **Non-native, naturalised** (Chong et al., 2009).

Indigofera suffruticosa Mill.: Sinclair, Gard. Bull. Singapore 14(1): 32 (1953); De Kort & Thijssse, Blumea 30(1): 134 (1984); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 35 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 135, 266 (2009); Lok et al., Cosmos 6: 70 (2010). **Non-native, naturalised** (Chong et al., 2009).

Indigofera tinctoria L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 81 (1897); Ridley, Fl. Malay Penins. 1: 581 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1239 (1935); Keng, Gard. Bull. Singapore 27: 261 (1974); De Kort & Thijssse, Blumea 30(1): 136 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 135, 266 (2009); Lok et al., Cosmos 6: 70 (2010). **Non-native, naturalised** (Chong et al., 2009).

Indigofera zollingeriana Miq.: De Kort & Thijssse, Blumea 30(1): 142 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 135, 207 (2009). **Native; CR** (Chong et al., 2009).

Intsia bijuga (Colebr.) Kuntze: Keng, Gard. Bull. Singapore 27: 262 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36, fig. 28.15 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Ding Hou, Fl. Males., ser. 1, 12(2): 623 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 81 (1998 ['1997']); Lee et al., Gard. Bull. Singapore 55: 298 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 390 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 135, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 175, 310 (2020). – *Afzelia bijuga* (Colebr.) A. Gray, nom. illeg. hom.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 208 (1897); Ridley, Fl. Malay Penins. 1: 639 (1922). – *Afzelia retusa* Kurz: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 207 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900); Ridley, Fl. Malay Penins. 1: 639 (1922). **Native; CR** (Chong et al., 2009).

Intsia palembanica Miq.: Ding Hou, Fl. Males., ser. 1, 12(2): 623 (1996); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 135, 207 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 663, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85, 120 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 176, 310 (2020). **Native; CR** (Chong et al., 2009).

Koompassia malaccensis Maingay ex Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 166 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 486 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900), as ‘*Kumpassia*’; Ridley, Fl. Malay Penins. 1: 620 (1922); De Wit, Bull. Jard. Bot. Buitenzorg, sér. 3, 17: 317 (1947); Keng, Gard. Bull. Singapore 27: 262 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Ding Hou, Fl. Males., ser. 1, 12(2): 634 (1996); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Loo & Tan, Gard. Bull. Singapore 49(1): 84 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Ding Hou, Tree Fl. Sabah & Sarawak 3: 154, fig. 8C (2000); Boo et al., 1001 Gard. Pl. Singapore (print 3): 395 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 97, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 135, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Wong et al., Checkl. Pl. Sp.

Nee Soon Swamp For.: 154, 359 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Noreen & Webb, PLoS ONE 8(12): e82632 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Noreen et al., Heredity 117: 472 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019); Yee et al., Fl. Singapore 1: 50, 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 181, 310 (2020). **Native; EN** (Wong et al., 2013).

Kunstleria ridleyi Prain: Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 111 (1897); Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 465 (1897); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 72 (1900); Ridley, Fl. Malay Penins. 1: 600 (1922); Keng, Gard. Bull. Singapore 27: 262 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 305 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 135, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 154, 359 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019). **Native; EN** (Wong et al., 2013).

Leucaena leucocephala (Lam.) de Wit: Keng, Gard. Bull. Singapore 27: 262 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990), as ‘*Luecaena*'; Nielsen, Fl. Males., ser. 1, 11(1): 182 (1992); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010); Hung et al., Nat. Singapore 10: 46 (2017); Yee et al., Fl. Singapore 1: 58, 66, 68 (2019). – *Leucaena glauca* auct. non (L.) Benth.: Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 246 (1897); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 76 (1900); Ridley, Fl. Malay Penins. 1: 655 (1922).

Leucaena leucocephala (Lam.) de Wit subsp. **leucocephala**: Hughes, Syst. Bot. Monogr. 55: 110 (1998). **Non-native, naturalised** (Chong et al., 2009, as *Leucaena leucocephala*).

Macropsychanthus hexander (Ralph) L.P.Queiroz & Snak: Queiroz & Snak, Phytokeys 164: 97 (2020). – *Dioclea hexandra* (Ralph) Mabb. var. *javanica* (Benth.) Den Hengst, ined.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 121 (1993); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 134, 270 (2009); Lok et al., Cosmos 6: 80 (2010). – *Dioclea hexandra* (Ralph) Mabb.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Adema, Blumea 43: 234 (1998). – *Dioclea reflexa* auct. non Hook.f.: Baker in Hooker, Fl. Brit. India 2, fasc. 4: 196 (1876); Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 59 (1897); Ridley, J. Straits Branch Roy. Asiatic Soc. 35: 87 (1901); Ridley, Fl. Malay Penins. 1: 571 (1922). **Cryptogenic** (Chong et al., 2009).

Macroptilium atropurpureum (DC.) Urb.: Turner et al., Gard. Bull. Singapore 49(1): 3 (1998 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010). **Non-native, naturalised** (Chong et al., 2009).

Macroptilium lathyroides (L.) Urb.: Turner et al., Gard. Bull. Singapore 46(2): 132 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 305 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010); Kaw & Neo, Wayside Fls Singapore: 78 (2018). **Non-native, naturalised** (Chong et al., 2009).

Mezoneuron andamanicum Prain: Clark, Phytotaxa 274: 12, 57 (2016). **Native; NEx** (assessed here).

Mezoneuron sumatranum (Roxb.) Wight & Arn. ex Voigt: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 235 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900); Ridley, Fl. Malay Penins. 1: 647 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1463 (1935); Keng, Gard. Bull. Singapore 27: 262 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Gagnon et al., Phytokeys 71: 77 (2016); Clark, Phytotaxa 274: 18 (2016). – *Caesalpinia sumatrana* Roxb.: Hattink, Reinwardtia 9(1): 56 (1974); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Ding Hou, Fl. Males., ser. 1, 12(2): 553 (1996); Turner, Gard. Bull. Singapore 47: 295 (1997 ['1995']); Loo & Tan, Gard. Bull. Singapore 49(1): 66 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 133, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011); Neo et al., Nat. Singapore 6: 278 (2013). **Native; CR** (Chong et al., 2009).

Millettia borneensis Adema: Adema, Blumea 45: 407 (2000). **Native; NEx** (assessed here).

Millettia pinnata (L.) Panigrahi: Adema, Blumea 45: 411 (2000); Lee et al., Gard. Bull. Singapore 55: 298 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 431 (2004 ['2003']); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 207, 310 (2020). – *Pongamia pinnata* (L.) Pierre: Keng, Gard. Bull. Singapore 27: 264 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 1): 431 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 136, 217 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 47 (2017). – *Pongamia pinnata* (L.) Pierre var. *xerocarpa* (Hassk.) Alston: Turner, Gard. Bull. Singapore 47: 308 (1997 ['1995']). – *Pongamia glabra* Vent.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Ridley, Fl. Malay Penins. 1: 593 (1922). **Native; EN** (Chong et al., 2009).

Millettia sericea (Vent.) Wight & Arn. ex Hassk.: Miquel, Fl. Ned. Ind. 1(1), fasc. 1: 153 (1855); Adema, Blumea 45: 405 (2000). – *Millettia sericea* (Vent.) Wight & Arn. ex Hassk. var. *malaccensis* Prain: Ridley, Fl. Malay Penins. 1: 583 (1922). – *Millettia sericea* (Vent.) Wight & Arn. ex Hassk. var. *typica*, nom. inval.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 88 (1897). **Cryptogenic** (assessed here).

Millettia xylocarpa Miq.: Adema, Blumea 45: 415 (2000). **Native; NEx** (assessed here).

Mimosa bimucronata (DC.) Kuntze: Kuntze, Revis. Gen. Pl. 1: 198 (1891); Nielsen, Fl. Males., ser. 1, 11(1): 184 (1992); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 305 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010). – *Mimosa sepiaria* Benth.: Baker in Hooker, Fl. Brit. India 2, fasc. 5: 291 (1878); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 247 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 76 (1900); Ridley, Fl. Malay Penins. 1: 656 (1922); Henderson, Malay. Wild Fls. Dicot.: 103 (1959); Keng, Gard. Bull. Singapore 27: 263 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). **Non-native, naturalised** (Chong et al., 2009).

Mimosa diplotricha C.Wright: Nielsen, Fl. Males., ser. 1, 11(1): 184 (1992); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010); Neo et al., Nat. Singapore 6: 79 (2013); Kaw & Neo, Wayside Fls Singapore: 38 (2018). – *Mimosa invisa* auct. non Mart. ex Colla: Keng, Gard. Bull. Singapore 27: 262 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990).

Mimosa diplotricha C.Wright var. **diplotricha**: Barneby, Mem. New York Bot. Gard. 65: 201 (1991); Nielsen, Fl. Males., ser. 1, 11(1): 184 (1992). **Non-native, naturalised** (Chong et al., 2009, as *Mimosa diplotricha*).

Mimosa pigra L.: Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 185 (1992); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010); Neo et al., Nat. Singapore 6: 80 (2013); Yee et al., Fl. Singapore 1: 58, 66 (2019). **Non-native, naturalised** (Chong et al., 2009).

Mimosa pudica L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 247 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 76 (1900); Ridley, Fl. Malay Penins. 1: 656 (1922); Keng, Gard. Bull. Singapore 27: 262 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 185 (1992); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 46 (2018). **Non-native, naturalised** (Chong et al., 2009).

Mucuna acuminata Graham ex Baker: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 67 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 408 (1897); Ridley, Fl. Malay Penins. 1: 577 (1922); Wilmot-Dear, Kew Bull. 47: 214 (1992); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 306 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 135, 195 (2009); Wiradinata et al., Blumea 61: 103 (2016); Ho & Lua, Gard. Bull. Singapore 74 (2022, in press). – *Mucuna biplicata* auct. non Teijsm. & Binn. ex Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900). **Native; NEx** (Ho & Lua, 2022).

Mucuna biplicata Teijsm. & Binn. ex Kurz: Ho & Lua, Gard. Bull. Singapore 74 (2022, in press). **Native; CR** (Ho & Lua, 2022).

Mucuna gigantea (Willd.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900); Ridley, Fl. Malay Penins. 1: 577 (1922); Keng, Gard. Bull. Singapore 27: 263 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Wilmot-Dear, Kew Bull. 47: 213 (1992); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 306 (1997 ['1995']); Tan

et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 135, 195 (2009); Wiriadinata et al., Blumea 61: 108 (2016); Ho & Lua, Gard. Bull. Singapore 74 (2022, in press).

Mucuna gigantea (Willd.) DC. subsp. **gigantea**: Wilmot-Dear, Kew Bull. 47: 213 (1992); Wiriadinata et al., Blumea 61: 108 (2016); Ho & Lua, Gard. Bull. Singapore 74 (2022, in press). **Native; CR** (Ho & Lua, 2022).

Mucuna pruriens (L.) DC.: Ho & Lua, Gard. Bull. Singapore 74 (2022, in press).

Mucuna pruriens (L.) DC. var. **pruriens**: Ho & Lua, Gard. Bull. Singapore 74 (2022, in press). **Non-native, naturalised** (Ho & Lua, 2022).

Neptunia plena (L.) Benth.: Maxwell, Gard. Bull. Singapore 36(2): 231 (1984 ['1983']); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 214 (1992); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 306 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010); Kaw & Neo, Wayside Fls Singapore: 173 (2018). **Non-native, naturalised** (Chong et al., 2009).

Neustanthus phaseoloides (Roxb.) Benth.: Egan & Pan, Phytotaxa 218: 203 (2015). – *Pueraria phaseoloides* (Roxb.) Benth.: Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 136, 268 (2009); Lok et al., Cosmos 6: 70 (2010); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Kaw & Neo, Wayside Fls Singapore: 70 (2018). **Non-native, naturalised** (Chong et al., 2009).

Ohwia caudata (Thunb.) H.Ohashi: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010); Ho et al., Gard. Bull. Singapore 73: 74 (2021). – *Desmodium heterocarpon* (L.) DC. subsp. *heterocarpon*: Lee et al., Gard. Bull. Singapore 55: 298 (2003). – *Desmodium caudatum* (Thunb.) DC.: Knaap-Van Meeuwen, Reinwardtia 6(3): 248 (1962); Ohashi, Ginkgoana 1: 91 (1973); Turner, Gard. Bull. Singapore 45: 120 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994). – *Desmodium laburnifolium* (Poir.) DC.: Sinclair, Gard. Bull. Singapore 15: 23 (1956); Corlett, J. Biogeogr. 15: 662 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990). **Non-native, naturalised** (Chong et al., 2009).

Ormocarpum cochinchinense (Lour.) Merr.: Rudd, Revis. Handb. Fl. Ceylon 7: 169 (1991); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 306 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 135, 195 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Lim et al., Fl. Singapore 1: 89, 90, fig. 3 (2019). – *Ormocarpum glabrum* Teijsm. & Binn.: Sinclair, Gard. Bull. Singapore 14(1): 32 (1953); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). **Native; CR** (assessed here).

Ormosia bancana (Miq.) Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 149 (1897); Whitmore, Tree Fl. Malaya 1: 300 (1972); Keng, Gard. Bull. Singapore 27: 263 (1974); Corner, Wayside Trees Malaya, ed. 3, 1: 414 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng

& Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 306 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 135, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 191, 359 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 703, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 219, 311 (2020). – *Ormosia parvifolia* Baker: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 469 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 149 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 614 (1922). **Native; CR** (assessed here).

Ormosia macrodisca Baker: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 148 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 467 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 613 (1922); Whitmore, Tree Fl. Malaya 1: 301 (1972); Keng, Gard. Bull. Singapore 27: 263 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 307 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 135, 209 (2009). **Native; CR** (Chong et al., 2009).

Ormosia sumatrana (Miq.) Prain: Whitmore, Tree Fl. Malaya 1: 301 (1972); Keng, Gard. Bull. Singapore 27: 263 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 307 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 135, 195 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 704, 807 [2015]. – *Ormosia microsperma* Baker: Ridley, Fl. Malay Penins. 1: 614 (1922). – *Ormosia microsperma* Baker var. *ridleyi* Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 151 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 468 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 615 (1922). **Native; CR** (assessed here).

Padbruggea dasypylla Miq.: Compton et al., PhytoKeys 125: 82 (2019). – *Callerya dasypylla* (Miq.) Schot: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 133, 189 (2009); Lim et al., Gard. Bull. Singapore 70: 77 (2018). – *Millettia maingayi* Baker: Baker in Hooker, Fl. Brit. India 2, fasc. 4: 110 (1876); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 91 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 72 (1900); Keng, Gard. Bull. Singapore 27: 262 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994). – *Padbruggea maingayi* (Baker) Dunn: Ridley, Fl. Malay Penins. 1: 587 (1922), as ‘*Padebruggea*’. **Native; CR** (Lim et al., 2018).

Parkia speciosa Hassk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900); Ridley, Fl. Malay Penins. 1: 652 (1922); Keng, Gard. Bull. Singapore 27: 263 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Fortune-Hopkins, Fl. Males., ser. 1, 11(1): 198 (1992); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look

Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Fortune-Hopkins, Kew Bull. 49: 204 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 669, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 135, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 196, 359 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 223, 311 (2020). – *Caesalpinia tortuosa* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900), p.p., as ‘*Cesalpinia*’; Ridley, Fl. Malay Penins. 1: 651 (1922), p.p.; Hattink, Reinwardtia 9(1): 57 (1974), p.p.; Turner, Gard. Bull. Singapore 45: 118 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 291 (1994), p.p.; Ding Hou, Fl. Males., ser. 1, 12(2): 555 (1996), p.p.; Turner, Gard. Bull. Singapore 47: 295 (1997 ['1995']), p.p.; Loo & Tan, Gard. Bull. Singapore 49(1): 67 (1998 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 133, 189 (2009), p.p. **Native; VU** (Wong et al., 2013).

Peltophorum pterocarpum (DC.) Backer ex K.Heyne: Keng, Gard. Bull. Singapore 27: 263 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37, fig. 28.19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Ding Hou, Fl. Males., ser. 1, 12(2): 651 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 86 (1998 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 421 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 136, 210 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 225 (2014 [2015]); Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Yee et al., Fl. Singapore 1: 66, 68 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 225, 311 (2020). – *Caesalpinia tortuosa* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900), p.p., as ‘*Cesalpinia*’; Ridley, Fl. Malay Penins. 1: 651 (1922), p.p.; Hattink, Reinwardtia 9(1): 57 (1974), p.p.; Turner, Gard. Bull. Singapore 45: 118 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 291 (1994), p.p.; Ding Hou, Fl. Males., ser. 1, 12(2): 555 (1996), p.p.; Turner, Gard. Bull. Singapore 47: 295 (1997 ['1995']), p.p.; Loo & Tan, Gard. Bull. Singapore 49(1): 67 (1998 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 133, 189 (2009), p.p. – *Peltophorum ferrugineum* (Decne.) Benth.: Baker in Hooker, Fl. Brit. India 2, fasc. 5: 257 (1878); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 224 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900); Ridley, Fl. Malay Penins. 1: 646 (1922). **Native; CR** (Chong et al., 2009).

Phanera ferruginea (Roxb.) Benth.: Mackinder & Clark, Phytotaxa 166: 55 (2014). – *Bauhinia ferruginea* Roxb.: Baker in Hooker, Fl. Brit. India 2, fasc. 5: 283 (1878); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']). – *Phanera hullettii* (Prain) de Wit: De Wit, Reinwardtia 3(4): 457 (1956).

Phanera ferruginea (Roxb.) Benth. var. **griffithiana** (Benth.) Bandyop. et al.: Mackinder & Clark, Phytotaxa 166: 55 (2014); Choo et al., Gard. Bull. Singapore 73: 256 (2021). – *Bauhinia ferruginea* Roxb. var. *griffithiana* (Benth.) Baker: Loo & Tan, Gard. Bull.

Singapore 49(1): 58 (1998 ['1997']). – *Bauhinia griffithiana* (Benth.) Prain: Keng, Gard. Bull. Singapore 27: 256 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994). **Non-native, naturalised** (Choo et al., 2021).

Phanera semibifida (Roxb.) Benth.: Mackinder & Clark, Phytotaxa 166: 62 (2014). – *Bauhinia semibifida* Roxb.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 182 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 499 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900); Ridley, Fl. Malay Penins. 1: 627 (1922); Keng, Gard. Bull. Singapore 27: 256 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 118 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Larsen & Larsen, Fl. Males., ser. 1, 12(2): 490 (1996); Turner, Gard. Bull. Singapore 47: 294 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 40 (2011).

Phanera semibifida (Roxb.) Benth. var. **semibifida**: De Wit, Reinwardtia 3(4): 465 (1956); Mackinder & Clark, Phytotaxa 166: 62 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 65, 382 (2020). – *Bauhinia semibifida* Roxb. var. *semibifida*: Larsen & Larsen, Fl. Males., ser. 1, 12(2): 492 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 58 (1998 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 13, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 132, 219 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 34, 355 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014). **Native; VU** (Wong et al., 2013).

Pithecellobium dulce (Roxb.) Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 263 (1897), as ‘*Pithecolobium*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 77 (1900), as ‘*Pithecolobium*'; Ridley, Fl. Malay Penins. 1: 660 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 419 (1952); Kostermans, Bull. Org. Sci. Res. Indonesia 20: 8 (1954); Keng, Gard. Bull. Singapore 27: 264 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37 (1990); Nielsen, Fl. Males., ser. 1, 11(1): 155 (1992); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 136, 263 (2009); Lok et al., Cosmos 6: 75 (2010); Hung et al., Nat. Singapore 10: 47 (2017). **Non-native, casual** (Chong et al., 2009).

Pleurolobus gangeticus (L.) J.St.-Hil. ex H.Ohashi & K.Ohashi: Ho et al., Gard. Bull. Singapore 73: 54 (2021). **Non-native, casual** (Ho et al., 2021).

Pseudarthria viscida (L.) Wight & Arn.: Sinclair, Gard. Bull. Singapore 14(1): 32 (1953); Van Meeuwen, Reinwardtia 6(1): 105 (1961); Corlett, J. Biogeogr. 15: 662 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 308 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 136, 268 (2009); Lok et al., Cosmos 6: 70 (2010); Ho et al., Gard. Bull. Singapore 73: 76 (2021). **Non-native, casual*** (assessed here).

Pterocarpus indicus Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Corner, Wayside Trees Malaya, ed. 2, 1: 375 (1952); Whitmore, Tree Fl. Malaya 1: 303 (1972); Keng, Gard. Bull. Singapore 27: 265 (1974); Corner, Wayside Trees Malaya, ed. 3, 1: 416 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73,

136, 263 (2009); Lok et al., *Cosmos* 6: 75 (2010); Neo et al., *Nat. Singapore* 6: 14 (2013); Neo et al., *Nat. Singapore* 6: 69 (2013); Neo et al., *Nat. Singapore* 6: 278 (2013); Neo et al., *Nat. Singapore* 7: 64 (2014); Yong et al., *Guide Common Epiphytes & Mistletoes Singapore*: 225 (2014 [2015]); Hung et al., *Nat. Singapore* 10: 47 (2017); Yee et al., *Fl. Singapore* 1: 66 (2019). **Non-native, casual** (Chong et al., 2009).

Samanea saman (Jacq.) Merr.: Keng, *Gard. Bull. Singapore* 27: 265 (1974); Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 38 (1990); Nielsen, *Fl. Males.*, ser. 1, 11(1): 156 (1992); Yong et al., *Guide Common Epiphytes & Mistletoes Singapore*: 223 (2014 [2015]); Yee et al., *Fl. Singapore* 1: 66, 68 (2019). – *Albizia saman* (Jacq.) F.Muell.: Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 12, 132, 262 (2009); Lok et al., *Cosmos* 6: 75 (2010); Neo et al., *Nat. Singapore* 6: 14 (2013); Neo et al., *Nat. Singapore* 6: 79 (2013). **Non-native, casual** (Chong et al., 2009).

Senegalia kekapur (I.C.Nielsen) Maslin et al.: Maslin, *Gard. Bull. Singapore* 67: 244 (2015); Ho et al., *Gard. Bull. Singapore* 70: 50 (2018); Ho et al., *Gard. Bull. Singapore* 71(Suppl. 1): 85 (2019). – *Senegalia pseudointsa* auct. non (Miq.) Maslin et al.: Maslin et al., *Blumea* 58: 41 (2013), p.p. – *Acacia concinna* auct. non (Willd.) DC.: Nielsen, *Opera Bot.* 81: 12 (1985), p.p.; Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 72 (1990); Nielsen, *Fl. Males.*, ser. 1, 11(1): 48 (1992), p.p.; Turner, *Gard. Bull. Singapore* 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 118 (1994); Ng & Wee (ed.), *Singapore Red Data Book*: 291 (1994); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 9, 131, 187 (2009); Neo et al., *Nat. Singapore* 6: 120 (2013). – *Acacia kekapur* I.C.Nielsen: Nielsen, *Opera Bot.* 81: 13 (1985); Keng, *Concise Fl. Singapore*, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 72 (1990); Nielsen, *Fl. Males.*, ser. 1, 11(1): 50 (1992); Turner, *Gard. Bull. Singapore* 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 118 (1994); Ng & Wee (ed.), *Singapore Red Data Book*: 291 (1994); Turner, *Gard. Bull. Singapore* 47: 290 (1997 ['1995']); Chew et al., *Gard. Bull. Singapore* 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), *Singapore Red Data Book*, ed. 2: 223 (2008); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 9, 132, 187 (2009); Turner & Chua, *Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.*: 39 (2011); Chong et al., *Biodivers. Conserv.* 21: 2594, table S1 (suppl. mat., online) (2012). – *Acacia pseudointsa* auct. non Miq.: Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 76 (1900), as ‘*pseudo-intsia*’; Ridley, *Fl. Malay Penins.* 1: 657 (1922), p.p., as ‘*pseudo-intsia*’; Keng, *Gard. Bull. Singapore* 27: 255 (1974), as ‘*pseudo-intsia*’. – *Acacia pseudointsa* auct. non Miq. var. *typica*: Prain, *J. Asiat. Soc. Bengal*, Pt. 2, *Nat. Hist.* 66(1): 249 (1897), as ‘*pseudo-intsia*’; Prain, *J. Asiat. Soc. Bengal*, Pt. 2, *Nat. Hist.* 66(2): 511 (1897), as ‘*pseudo-intsia*’. **Native; CR** (Ho et al., 2018).

Senegalia pennata (L.) Maslin: Maslin, *Gard. Bull. Singapore* 67: 245 (2015). – *Acacia pennata* (L.) Willd.: Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 76 (1900).

Senegalia pennata (L.) Maslin subsp. **insuavis** (Lace) Maslin et al.: Maslin, *Gard. Bull. Singapore* 67: 245 (2015); Maslin et al., *Pl. Diversity* 41: 422 (2019). **Non-native, casual** (Maslin, 2015).

Senegalia rugata (Lam.) Britton & Rose: Maslin et al., *Blumea* 58: 41 (2013); Maslin, *Gard. Bull. Singapore* 67: 246 (2015); Maslin et al., *Pl. Diversity* 41: 437 (2019). **Cryptogenic** (assessed here).

Senna alata (L.) Roxb.: Turner, *Gard. Bull. Singapore* 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 118 (1994); Turner et al., *Gard. Bull. Singapore* 46(2): 21 (1995 ['1994']); Larsen & Ding Hou, *Fl. Males.*, ser. 1, 12(2): 675 (1996); Loo & Tan, *Gard. Bull. Singapore* 49(1): 91 (1998 ['1997']); Chew et al., *Gard. Bull. Singapore* 49(2): 222 (1999 ['1997']); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 79, 136, 268 (2009); Lok et al., *Cosmos* 6: 70 (2010). – *Cassia alata* L.: Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 74 (1900); Ridley, *Fl. Malay Penins.* 1: 619 (1922); Keng, *Gard. Bull. Singapore* 27: 257 (1974); Corlett, *J. Biogeogr.* 15: 662 (1988);

Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33, fig. 28.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990). **Non-native, naturalised** (Chong et al., 2009).

Senna hirsuta (L.) H.S.Irwin & Barneby: Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Larsen & Ding Hou, Fl. Males., ser. 1, 12(2): 679 (1996); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 136, 268 (2009); Lok et al., Cosmos 6: 70 (2010). – *Cassia hirsuta* L.: Kuntze, Revis. Gen. Pl. 1: 170 (1891); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 159 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 474 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 618 (1922); Keng, Gard. Bull. Singapore 27: 258 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Corlett, J. Biogeogr. 19: 427 (1992).

Senna hirsuta (L.) H.S.Irwin & Barneby var. **hirsuta**: Loo & Tan, Gard. Bull. Singapore 49(1): 92 (1998 ['1997']). **Non-native, naturalised** (Chong et al., 2009, as *Senna hirsuta*).

Senna obtusifolia (L.) H.S.Irwin & Barneby: Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Larsen & Ding Hou, Fl. Males., ser. 1, 12(2): 681 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 93 (1998 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 136, 268 (2009); Lok et al., Cosmos 6: 70 (2010). – *Cassia obtusifolia* L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 159 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 475 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 618 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 478 (1935); Keng, Gard. Bull. Singapore 27: 258 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990). **Non-native, naturalised** (Chong et al., 2009).

Senna occidentalis (L.) Link: Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Larsen & Ding Hou, Fl. Males., ser. 1, 12(2): 681 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 94 (1998 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 136, 268 (2009); Lok et al., Cosmos 6: 70 (2010). – *Cassia occidentalis* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 74 (1900); Ridley, Fl. Malay Penins. 1: 618 (1922); Keng, Gard. Bull. Singapore 27: 258 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Corlett, J. Biogeogr. 19: 427 (1992). **Non-native, naturalised** (Chong et al., 2009).

Senna spectabilis (DC.) H.S.Irwin & Barneby: Larsen & Ding Hou, Fl. Males., ser. 1, 12(2): 686 (1996); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 136, 264 (2009); Lok et al., Cosmos 6: 75 (2010). **Non-native, casual*** (Chong et al., 2009).

Senna surattensis (Burm.f.) H.S.Irwin & Barneby: Larsen & Ding Hou, Fl. Males., ser. 1, 12(2): 688 (1996); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 136, 264 (2009); Chong et al., Nat. Singapore 3: 171 (2010). – *Cassia biflora* auct. non Mill.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990). **Non-native, casual** (Chong et al., 2010).

Senna tora (L.) Roxb.: Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Larsen & Ding Hou, Fl. Males., ser. 1, 12(2): 689 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 96 (1998 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 136, 268 (2009); Lok et al., Cosmos 6: 70 (2010). – *Cassia tora* L.: Kuntze, Revis. Gen. Pl. 1: 170 (1891); Keng, Gard. Bull. Singapore 27: 258 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 33 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Corlett, J. Biogeogr. 19: 427 (1992). **Non-native, casual*** (assessed here).

Serianthes grandiflora Benth.: Miquel, Fl. Ned. Ind. 1(1), fasc. 1: 40 (1855); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 251 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 76 (1900); Ridley, Fl. Malay Penins. 1: 657 (1922); Sinclair, Gard. Bull. Singapore 14(1): 39 (1953); Nielsen et al., Bull. Mus. Natl Hist. Nat., B, Adansonia 6(1): 93 (1984); Nielsen, Fl. Thailand 4: 220 (1985); Nielsen, Fl. Males., ser. 1, 11(1): 160 (1992); Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner, Gard. Bull. Singapore 47: 309 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 136, 211 (2009); Teo et al., Nat. Singapore 4: 270 (2011). – *Serianthes dilmyi* Fosberg, nom. illeg. superfl.: Fosberg, Taxon 8: 65 (1959); Fosberg, Reinwardtia 5: 300 (1960); Whitmore, Tree Fl. Malaya 1: 289 (1972); Keng, Gard. Bull. Singapore 27: 265 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 38 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). **Native; CR** (Chong et al., 2009).

Sesbania cannabina (Retz.) Poir.: Burbidge, Austral. J. Bot. 13: 118 (1965); Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 46(2): 133 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 309 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 136, 268 (2009); Lok et al., Cosmos 6: 70 (2010). – *Sesbania sesban* auct. non (L.) Merr.: Kaw & Neo, Wayside Fls Singapore: 153 (2018). **Non-native, naturalised** (Chong et al., 2009).

Sesbania javanica Miq.: Backer, Blumea 5(3): 512 (1945). – *Sesbania paludosa* (Roxb.) Prain, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900). **Non-native, casual*** (assessed here).

Sindora × changiensis L.M.Choo et al.: Choo et al., Phytokeys 190: 87 (2022). **Native hybrid** (Choo et al., 2022).

Sindora coriacea (Baker) Prain: Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Ding Hou, Fl. Males., ser. 1, 12(2): 697 (1996); Loo & Tan, Gard. Bull. Singapore 49(1): 99 (1998 ['1997']); Turner et al., Gard. Bull. Singapore 49(1): 4 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Ding Hou, Tree Fl. Sabah & Sarawak 3: 169 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 136, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 360 (2013); Choo & Ngo, Gard. Bull. Singapore 72: 238, fig. 1C,3 (2020). **Native; CR** (Choo & Ngo, 2020).

Sindora echinocalyx Prain: Ding Hou, Fl. Males., ser. 1, 12(2): 698 (1996); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 136, 258 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 360 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Khoo et al., Gard. Bull. Singapore 70: 63 (2018); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 59 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85, 120 (2019); Choo & Ngo, Gard. Bull. Singapore 72: 241, fig. 3 (2020). **Native; CR** (Choo & Ngo, 2020).

Sindora velutina Baker: Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 360 (2013); Choo & Ngo, Gard. Bull. Singapore 72: 248, fig. 1D–E,3 (2020). **Native; CR** (Choo & Ngo, 2020).

Sindora wallichii Benth.: Bentham, Hooker's Icon. Pl. 11 [ser. 3, 1], fasc. 1: 11, pl. 1018 (excl. pl. 1017) (1867); Baker in Hooker, Fl. Brit. India 2, fasc. 5: 268 (1878), p.p.; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 203 (1897), as 'wallichiana'; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 481 (1897), as 'wallichiana'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900), as 'wallichiana'; Ridley, Fl. Malay Penins. 1: 637 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2:

2034 (1935); Symington, Bull. Misc. Inform. Kew 1938: 75, 77, fig. A (1938); De Wit, Bull. Jard. Bot. Buitenzorg, sér. 3, 18: 76 (1949); Keng, Gard. Bull. Singapore 27: 265 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Ding Hou in Ding Hou et al., Fl. Males., ser. 1, 12(2): 708 (1996); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Loo & Tan, Gard. Bull. Singapore 49(1): 99 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Ding Hou, Tree Fl. Sabah & Sarawak 3: 173, fig. 12 (2000); Boo et al., 1001 Gard. Pl. Singapore (print 3): 446 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 136, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85 (2019); Choo & Ngo, Gard. Bull. Singapore 72: 250, fig. 1A–B, 3 (2020); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 257, 311 (2020). – *Sindora intermedia* (Baker) Prain: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 75 (1900); Ridley, Fl. Malay Penins. 1: 638 (1922). – *Galedupa wallichiana* Prain, nom. inval.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 481 (1897). – *Guilandina wallichiana* Graham, nom. nud.: Wallich, Numer. List no. 5805 (1831–1832). **Native; CR** (Choo & Ngo, 2020).

Sophora tomentosa L.: Turner et al., Gard. Bull. Singapore 46(2): 134 (1995 ['1994']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 136, 211 (2009). **Native; CR** (Chong et al., 2009).

Spatholobus acuminatus Benth.: Ridder-Numan, Blumea, Suppl. 10: 63 (1996). **Native; NEx** (assessed here).

Spatholobus dubius Prain: Ridder-Numan, Blumea, Suppl. 10: 63 (1996). **Native; NEx** (assessed here).

Spatholobus ferrugineus (Zoll. & Moritzi) Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 75 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 413 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900); Ridley, Fl. Malay Penins. 1: 574 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2061 (1935); Keng, Gard. Bull. Singapore 27: 265 (1974); Ridder-Numan & Wiradinata, Reinwardtia 10(2): 170 (1985); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Ridder-Numan, Blumea, Suppl. 10: 63 (1996); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 136, 230 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 360 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019).

Spatholobus ferrugineus (Zoll. & Moritzi) Benth. var. **ferrugineus**: Lock & Ford, Legumes Malesia: 216 (2004). **Native; LC** (assessed here).

Spatholobus ferrugineus (Zoll. & Moritzi) Benth. var. **sericophyllus** Ridl.: Ridley, Fl. Malay Penins. 1: 574 (1922); Ridder-Numan & Wiradinata, Reinwardtia 10(2): 172 (1985); Turner, Gard. Bull. Singapore 47: 310 (1997 ['1995']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011). **Native; NE**.

Spatholobus maingayi Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 79 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 416 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900); Ridley, Fl. Malay Penins. 1: 575 (1922); Keng, Gard. Bull. Singapore 27: 266 (1974); Ridder-Numan & Wiriadinata, Reinwardtia 10(2): 180 (1985); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 136, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Lim et al., Gard. Bull. Singapore 70: 86 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). **Native; DD** (Lim et al., 2018).

Spatholobus ridleyi Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 80 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 417 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900); Ridley, Fl. Malay Penins. 1: 575 (1922); Keng, Gard. Bull. Singapore 27: 266 (1974); Ridder-Numan & Wiriadinata, Reinwardtia 10(2): 194 (1985); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Ridder-Numan, Blumea, Suppl. 10: 64 (1996); Turner, Gard. Bull. Singapore 47: 311 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 136, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 360 (2013); Lim et al., Fl. Singapore 1: 89 (2019). **Native; CR** (Wong et al., 2013).

Stylosanthes guianensis (Aubl.) Sw.: Corlett, J. Biogeogr. 15: 662 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner, Gard. Bull. Singapore 47: 311 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 136, 269 (2009); Lok et al., Cosmos 6: 70 (2010). **Non-native, naturalised** (Chong et al., 2009).

Stylosanthes humilis Kunth: Rudd, Revis. Handb. Fl. Ceylon 7: 180 (1991); Turner, Gard. Bull. Singapore 45: 124 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner, Gard. Bull. Singapore 47: 311 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 136, 269 (2009); Lok et al., Cosmos 6: 70 (2010). – *Stylosanthes hamata* auct. non (L.) Taub.: Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 150 (2018). – *Stylosanthes sundaica* Taub.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). **Non-native, naturalised** (Chong et al., 2009).

Tamarindus indica L.: Ridley, Fl. Malay Penins. 1: 636 (1922); Keng, Gard. Bull. Singapore 27: 266 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Ding Hou, Fl. Males., ser. 1, 12(2): 729 (1996); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 136, 264 (2009); Lok et al., Cosmos 6: 75 (2010); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 278 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 225 (2014 [2015]); Hung et al., Nat. Singapore 10: 18, 20 (2017); Hung et al., Nat. Singapore 10: 48 (2017). **Non-native, casual** (Chong et al., 2009).

Tephrosia noctiflora Bojer ex Baker: Keng, Gard. Bull. Singapore 27: 266 (1974); Bosman & De Haas, Blumea 28(2): 458 (1983); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore,

vol. 1, Gymn. Dicot.: 39 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 137, 269 (2009); Lok et al., Cosmos 6: 70 (2010); Hung et al., Nat. Singapore 10: 48 (2017). – *Tephrosia subamoena* Prain, nom. inval.: Ridley, Fl. Malay Penins. 1: 581 (1922). – *Tephrosia hookeriana* auct. non Wight & Arn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900). **Non-native, naturalised** (Chong et al., 2009).

Uraria crinita (L.) Desv. ex DC.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 130 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Ridley, Fl. Malay Penins. 1: 602 (1922); Keng, Gard. Bull. Singapore 27: 266 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 137, 269 (2009); Lok et al., Cosmos 6: 70 (2010); Ho et al., Gard. Bull. Singapore 73: 77 (2021). **Non-native, naturalised** (Chong et al., 2009).

Vigna marina (Burm.) Merr.: Keng, Gard. Bull. Singapore 27: 266 (1974), as ‘*marima*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39, fig. 28.23 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 137, 231 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Hung et al., Nat. Singapore 10: 35 (2017). – *Vigna retusa* (E.Mey.) Walp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900); Ridley, Fl. Malay Penins. 1: 568 (1922). **Native; LC** (Chong et al., 2009).

Vigna unguiculata (L.) Walp.: Keng, Gard. Bull. Singapore 27: 266 (1974), as ‘*unquiculata*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 137, 269 (2009); Lok et al., Cosmos 6: 70 (2010). – *Vigna catjang* (Burm.f.) Walp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 70 (1900), as ‘*catiang*’. **Non-native, casual** (assessed here).

Whitfordiodendron erianthum (Benth.) Dunn: Compton et al., PhytoKeys 125: 76 (2019). – *Callerya eriantha* (Benth.) Schot: Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 133, 202 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 44, 355 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 85, 129 (2019). – *Millettia eriantha* Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 88 (1897); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(2): 363 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 71 (1900); Keng, Gard. Bull. Singapore 27: 262 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 36 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 122 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 291 (1994); Turner et al., Gard. Bull. Singapore 48: 148 (1998 [‘1996’]), as ‘*Milletia*’. – *Adinobotrys erianthus* (Benth.) Dunn: Ridley, Fl. Malay Penins. 1: 586 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978). **Native; CR** (Wong et al., 2013).

Zornia gibbosa Span.: Mohlenbrock, Webbia 16: 112 (1961). – *Zornia diphylla* auct. non (L.) Pers.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 126 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 73 (1900); Ridley, Fl. Malay Penins. 1: 601 (1922); Keng, Gard. Bull. Singapore 27: 266 (1974); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 39 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119

(1994); Turner, Gard. Bull. Singapore 47: 312 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 137, 269 (2009); Lok et al., Cosmos 6: 70 (2010). – *Zornia cantoniensis* Mohlenbr.: Mohlenbrock, Webbia 16: 124 (1961). **Non-native, naturalised** (Chong et al., 2009).

Fagaceae

Castanopsis inermis (Lindl.) Benth. & Hook.f.: Soepadmo, Fl. Males., ser. 1, 7(2): 315 (1973 ['1972']); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 31: 88 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 64 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 234 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 544, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 137, 202 (2009); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 86, 310 (2020). – *Castanopsis sumatrana* (Miq.) A.DC.: Hooker, Fl. Brit. India 5, fasc. 15: 623 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 460 (1915). **Native; CR** (Chong et al., 2009).

Castanopsis javanica (Blume) A.DC.: Hooker, Fl. Brit. India 5, fasc. 15: 620 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900); Soepadmo, Fl. Males., ser. 1, 7(2): 306 (1973 ['1972']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 137, 189 (2009). **Native; NEx** (Chong et al., 2009).

Castanopsis lucida (Nees) Soepadmo: Soepadmo, Fl. Males., ser. 1, 7(2): 318 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 88 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 64 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 234 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 20 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 137, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 50, 360 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). – *Castanopsis hullettii* King ex Hook.f.: Hooker, Fl. Brit. India 5, fasc. 15: 623 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 459 (1915); Ridley, Fl. Malay Penins. 3: 389 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 487 (1935). – *Alseodaphne lucida* Nees: Nees in Wallich, Pl. Asiat. Rar. 2, fasc. 8: 72 (1831); Hooker, Fl. Brit. India 5, fasc. 13: 147 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 96 (1912); Ridley, Fl. Malay Penins. 3: 100 (1924). – *Laurus lucida* Wall., nom. nud.: Wallich, Numer. List no. 2590 (1830). **Native; CR** (Wong et al., 2013).

Castanopsis malaccensis Gamble: Ridley, Fl. Malay Penins. 3: 388 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 488 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 293 (1952); Cockburn, Tree Fl. Malaya 1: 206 (1972); Soepadmo, Fl. Males., ser. 1, 7(2): 303 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 88 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 330 (1988); Keng, Concise

Fl. Singapore, vol. 1, Gymn. Dicot.: 64 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner, Gard. Bull. Singapore 47: 234 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 137, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 51, 360 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). **Native; CR** (Wong et al., 2013).

Castanopsis megacarpa Gamble: Gamble, Bull. Misc. Inform. Kew 1914: 180 (1914); Ridley, Fl. Malay Penins. 3: 390 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 488 (1935); Soepadmo, Fl. Males., ser. 1, 7(2): 305 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 88 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 64 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 234 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 22 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 137, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). **Native; CR** (Chong et al., 2009).

Castanopsis nepheliooides King ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 464 (1915); Ridley, Fl. Malay Penins. 3: 391 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 489 (1935); Cockburn, Tree Fl. Malaya 1: 207 (1972); Soepadmo, Fl. Males., ser. 1, 7(2): 298 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 88 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 64 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 234 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 137, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 51, 360 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). **Native; CR** (Wong et al., 2013).

Castanopsis schefferiana Hance: Cockburn, Tree Fl. Malaya 1: 207 (1972); Soepadmo, Fl. Males., ser. 1, 7(2): 310 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 88 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 235 (1997 ['1995']), as 'schefferiana'; Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']), as 'schefferiana'; LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 137, 202 (2009). – *Castanopsis andersonii* Gamble: Gamble, Bull. Misc. Inform. Kew 1914: 179 (1914); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 458 (1915), as 'andersonii'; Ridley, Fl. Malay Penins. 3: 389 (1924), as 'andersonii'. **Native; CR** (Chong et al., 2009).

Castanopsis wallichii King ex Hook.f.: Hooker, Fl. Brit. India 5, fasc. 15: 624 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 464 (1915); Ridley, Fl. Malay Penins. 3: 391 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 489 (1935); Cockburn, Tree Fl. Malaya 1: 208 (1972); Soepadmo, Fl. Males., ser. 1, 7(2): 300 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 88 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65, fig. 62.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 89 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 235 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 137, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 51, 361 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). **Native; CR** (Wong et al., 2013).

Lithocarpus bennettii (Miq.) Rehder: Soepadmo, Fl. Males., ser. 1, 7(2): 356 (1973 ['1972']); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 89 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 235 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 39 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 164, 361 (2013). – *Quercus bennettii* Miq.: Hooker, Fl. Brit. India 5, fasc. 15: 613 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1854 (1935). – *Pasania bennettii* (Miq.) Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 433 (1915); Ridley, Fl. Malay Penins. 3: 381 (1924). **Native; CR** (Wong et al., 2013).

Lithocarpus cantleyanus (King ex Hook.f.) Rehder: Cockburn, Tree Fl. Malaya 1: 216 (1972); Soepadmo, Fl. Males., ser. 1, 7(2): 352 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 89 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 235 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 44 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 165, 361 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). – *Pasania cantleyana* (King ex Hook.f.) Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 434 (1915); Ridley, Fl. Malay Penins. 3: 381 (1924). – *Quercus cantleyana* King ex Hook.f.: Hooker, Fl. Brit. India 5, fasc. 15: 613 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900). **Native; CR** (Wong et al., 2013).

Lithocarpus conocarpus (Oudem.) Rehder: Cockburn, Tree Fl. Malaya 1: 217 (1972); Soepadmo, Fl. Males., ser. 1, 7(2): 349 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 89 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 340 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore

45: 89 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 235 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 48 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 165, 361 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). – *Quercus conocarpa* Oudem.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 149 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1854 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 302 (1952). – *Pasania conocarpa* (Oudem.) Oerst. ex Schottky: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 430 (1915); Ridley, Fl. Malay Penins. 3: 380 (1924). **Native; CR** (Wong et al., 2013).

Lithocarpus cyclophorus (Endl.) A.Camus: Soepadmo, Fl. Males., ser. 1, 7(2): 345 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 89 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 194 (2009). – *Quercus cyclophora* Endl.: Hooker, Fl. Brit. India 5, fasc. 15: 615 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1855 (1935). – *Pasania cyclophora* (Endl.) Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 442 (1915); Ridley, Fl. Malay Penins. 3: 384 (1924). **Native; NEx** (Chong et al., 2009).

Lithocarpus elegans (Blume) Hatus. ex Soepadmo: Soepadmo, Fl. Males., ser. 1, 7(2): 366 (1973 ['1972']); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65, fig. 62.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 89 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 55 (2000); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 642, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 165, 361 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). – *Pasania spicata* Oerst. var. *gracipiles* (Miq.) Ridl.: Ridley, Fl. Malay Penins. 3: 377 (1924). – *Quercus spicata* Sm. var. *gracilipes* (Miq.) A.DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 149 (1900), as 'graci ipes'. **Native; CR** (Wong et al., 2013).

Lithocarpus encleisacarpus (Korth.) A.Camus: Soepadmo, Fl. Males., ser. 1, 7(2): 338 (1973 ['1972']); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 89 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 56 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 207 (2009), as 'encleisocarpus'; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.:

32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 167, 363 (2013), as '*encleisocarpus*'. – *Quercus encleisacarpa* Korth.: Hooker, Fl. Brit. India 5, fasc. 15: 617 (1888), as '*encleisocarpa*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900), as '*encleisocarpa*'; Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1856 (1935), as '*encleisocarpa*'. – *Pasania encleisacarpa* (Korth.) Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 449 (1915); Ridley, Fl. Malay Penins. 3: 386 (1924). **Native; CR** (Wong et al., 2013).

Lithocarpus ewyckii (Korth.) Rehder: Soepadmo, Fl. Males., ser. 1, 7(2): 351 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65, fig. 62.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 89 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 236 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 57 (2000); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 167, 363 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). – *Quercus ewyckii* Korth.: Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1856 (1935). – *Pasania ewyckii* (Korth.) Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 431 (1915); Ridley, Fl. Malay Penins. 3: 380 (1924). – *Pasania lamponga* (Miq.) Gamble var. *ewyckiooides* Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 425 (1915); Ridley, Fl. Malay Penins. 3: 378 (1924). – *Pasania ewyckii* (Korth.) Gamble var. *latifolia* (King) Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 432 (1915); Ridley, Fl. Malay Penins. 3: 381 (1924). **Native; EN** (Wong et al., 2013).

Lithocarpus gracilis (Korth.) Soepadmo: Soepadmo, Fl. Males., ser. 1, 7(2): 362 (1973 ['1972']); Turner, Gard. Bull. Singapore 45: 90 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner, Gard. Bull. Singapore 47: 236 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 194 (2009). **Native; CR** (assessed here).

Lithocarpus hystrix (Korth.) Rehder: Soepadmo, Fl. Males., ser. 1, 7(2): 384 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990); Turner, Gard. Bull. Singapore 45: 90 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner, Gard. Bull. Singapore 47: 236 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 62 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 167, 364 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). – *Quercus hystrix* Korth.: Hooker, Fl. Brit. India 5, fasc. 15: 611 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 149 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1856 (1935). – *Pasania hystrix* (Korth.) Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 428 (1915); Ridley, Fl. Malay Penins. 3: 379 (1924). **Native; CR** (assessed here).

Lithocarpus lucidus (Roxb.) Rehder: Soepadmo, Fl. Males., ser. 1, 7(2): 341 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore

45: 90 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 70, fig. 12 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 168, 364 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). – *Quercus lucida* Roxb.: Hooker, Fl. Brit. India 5, fasc. 15: 614 (1888); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 150 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1857 (1935). – *Pasania lucida* (Roxb.) Gamble: Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 75(4): 440 (1915); Ridley, Fl. Malay Penins. 3: 383 (1924). **Native; CR** (assessed here).

Lithocarpus sundaeicus (Blume) Rehder: Soepadmo, Fl. Males., ser. 1, 7(2): 375 (1973 ['1972']); Corner, Wayside Trees Malaya, ed. 3, 1: 342 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 90 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 88 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 168, 364 (2013). – *Quercus sundaeica* Blume: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 149 (1900); Sinclair, Gard. Bull. Singapore 15: 25 (1956). – *Quercus lamponga* Miq.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 149 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1857 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 303 (1952). – *Pasania lamponga* (Miq.) Gamble: Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 75(4): 423 (1915); Ridley, Fl. Malay Penins. 3: 378 (1924). **Native; CR** (Wong et al., 2013).

Lithocarpus wallichianus (Lindl. ex Hance) Rehder: Soepadmo, Fl. Males., ser. 1, 7(2): 368 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 89 (1978), as '*wallichiana*'; Maxwell, Gard. Bull. Singapore 35(2): 192 (1983 ['1982']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65 (1990), as '*wallichiana*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 90 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 94 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 137, 207 (2009). – *Quercus wallichiana* Lindl. ex Hance: Hooker, Fl. Brit. India 5, fasc. 15: 611 (1888); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 149 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1859 (1935). – *Pasania wallichiana* (Lindl. ex Hance) Gamble: Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 75(4): 425 (1915); Ridley, Fl. Malay Penins. 3: 378 (1924). **Native; CR** (Chong et al., 2009).

Quercus argentata Korth.: Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 75(4): 408 (1915); Ridley, Fl. Malay Penins. 3: 373 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1854 (1935); Cockburn, Tree Fl. Malaya 1: 228 (1972); Soepadmo, Fl. Males., ser. 1, 7(2): 389 (1973 ['1972']); Keng, Gard. Bull. Singapore 31: 89 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65, fig. 62.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 90 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner, Gard. Bull. Singapore 47: 238 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 99 (2000); LaFrankie

et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 137, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). **Native; CR** (Chong et al., 2009).

Flagellariaceae

Flagellaria indica L.: Kuntze, Revis. Gen. Pl. 2: 722 (1891); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 130 (1907); Ridley, Fl. Malay Penins. 4: 368 (1924); Backer, Fl. Males., ser. 1, 4(3): 246 (1951); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 40: 125 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 25, fig. 57 (1998); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 288 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 16 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 137, 228 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 121, 365 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Leong-Škorničková, Fl. Singapore 7: 215, fig. 1, 2 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86, 130 (2019). – *Flagellaria indica* L. var. *minor* (Blume ex Schultes & Schultes f.) Hook.f.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 130 (1907); Ridley, Fl. Malay Penins. 4: 368 (1924). – *Flagellaria minor* Blume ex Schultes & Schultes f.: Miquel, Fl. Ned. Ind. 3, fasc. 2: 249 (1856 ['1855']). **Native; LC** (Leong-Škorničková, 2019).

Gelsemiaceae

Pteleocarpa lamponga (Miq.) Bakh. ex K. Heyne: Ng, Tree Fl. Malaya 4: 64 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 175 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Riedl, Fl. Males., ser. 1, 13: 142 (1997); Turner, Gard. Bull. Singapore 47: 153 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 218 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 117, 197 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 725, 807 [2015]; Rafidah, Fl. Penins. Malaysia, ser. 2, 6: 4 (2017); Middleton, Fl. Singapore 13: 416, fig. 1, 2 (2019); Lim et al., Fl. Singapore 1: 106 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 242, 311 (2020). – *Pteleocarpa malaccensis* Oliv.: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 64: 131 (1895); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 61 (1900); Ridley, Fl. Malay Penins. 2: 464 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1823 (1935). **Native; NEx** (Middleton, 2019).

Gentianaceae

Cyrtophyllum fragrans (Roxb.) DC.: Wong & Sugumaran, Gard. Bull. Singapore 64: 501 (2012); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 103 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 592, 806 [2015]; Wong & Sugumaran, Fl. Singapore 13: 362, fig. 1 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86, 130 (2019); Yee et al., Fl. Singapore 1: 52 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 110, 310 (2020). – *Fagraea fragrans* Roxb.: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 85 (1883);

Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 114 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 611 (1908 ['1907']); Corner, Wayside Trees Malaya, ed. 2, 1: 424 (1952); Leenhouts, Fl. Males., ser. 1, 6(2): 304 (1962), p.p.; Kochummen, Tree Fl. Malaya 2: 273 (1973); Keng, Gard. Bull. Singapore 36(1): 111 (1983), p.p.; Corner, Wayside Trees Malaya, ed. 3, 1: 468 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140, fig. 120.1 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 127 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 298 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 227 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 107, 366 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Hung et al., Nat. Singapore 10: 16, 20, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Boo et al., 1001 Gard. Pl. Singapore (print 3): 362 (2004 ['2003']). – *Cyrtophyllum peregrinum* Reinw.: Ridley, Fl. Malay Penins. 2: 421 (1923). **Native; LC** (Wong & Sugumaran, 2019).

Cyrtophyllum giganteum (Ridl.) Ridl.: Ridley, Fl. Malay Penins. 2: 421 (1923); Wong & Sugumaran, Gard. Bull. Singapore 64: 505 (2012); Wong & Sugumaran, Fl. Singapore 13: 365 (2019). – *Fagraea gigantea* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 79: 98 (1918); Burkill, Dict. Econ. Prod. Malay Penins. 1: 995 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 425 (1952); Kochummen, Tree Fl. Malaya 2: 273 (1973); Corner, Wayside Trees Malaya, ed. 3, 1: 469 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 127 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Wong & Sugau, Tree Fl. Sabah & Sarawak 2: 208 (1996); Turner, Gard. Bull. Singapore 47: 314 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 192 (2009). – *Fagraea fragrans* auct. non Roxb.: Leenhouts, Fl. Males., ser. 1, 6(2): 304 (1962), p.p.; Keng, Gard. Bull. Singapore 36(1): 111 (1983), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140 (1990), p.p. – *Fagraea speciosa* auct. non (Blume) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 114 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 122 (1908). **Native; CR** (assessed here).

Fagraea auriculata Jack: Wallich in Roxburgh, Fl. Ind. 2: 34, [573] (1824); Don, Gen. Hist. 4: 68 (1837–1838); Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 83 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 114 (1900); Ridley, Fl. Malay Penins. 2: 416 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 1: 993 (1935); Sinclair, Gard. Bull. Singapore 14(1): 39 (1953); Leenhouts, Fl. Males., ser. 1, 6(2): 326 (1962); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 36(1): 111 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 127 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 205 (2009); Hung et al., Nat. Singapore 10: 16, 20 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Wong & Sugumaran, Fl. Singapore 13: 368, fig. 2 (2019); Yee et al., Fl. Singapore 1: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 137, 310 (2020). **Native; CR** (Wong & Sugumaran, 2019).

Fagraea ridleyi King & Gamble: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 612 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 417 (1923); Leenhouts, Fl. Males., ser. 1, 6(2): 320 (1962); Keng, Gard. Bull. Singapore 36(1): 111 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19:

73 (1990); Turner, Gard. Bull. Singapore 45: 127 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 192 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Wong & Sugumaran, Fl. Singapore 13: 371 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). – *Fagraea carnosa* auct. non Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 114 (1900). **Native; CR** (Wong & Sugumaran, 2019).

Fagraea splendens Blume: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 108, 366 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 623, 806 [2015]; Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Lim et al., Nat. Singapore 11: 7 (2018); Wong & Sugumaran, Fl. Singapore 13: 372, fig. 3 (2019); Lim et al., Fl. Singapore 1: 87, 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 138, 310 (2020). – *Fagraea ceilanica* auct. non Thunb.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 192 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 107, 366 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 411, 806 [2015]. – *Fagraea acuminatissima* Merr.: Leenhouts, Fl. Males., ser. 1, 6(2): 319 (1962); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 192 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Fagraea obovata* auct. non Wall.: Wallich in Roxburgh, Fl. Ind. 2: 33 (1824), p.p.; Don, Gen. Hist. 4: 68 (1837–1838), p.p.; Miquel, Fl. Ned. Ind. 2, fasc. 3: 369 (1857 ['1856']); Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 83 (1883), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 114 (1900); Ridley, Fl. Malay Penins. 2: 418 (1923), p.p. **Native; CR** (Wong & Sugumaran, 2019).

Limahlania crenulata (Maingay ex C.B.Clarke) K.M.Wong & Sugumaran: Wong & Sugumaran, Gard. Bull. Singapore 64: 492 (2012); Wong & Sugumaran, Fl. Singapore 13: 375, fig. 4 (2019). – *Fagraea crenulata* Maingay ex C.B.Clarke: Keng, Gard. Bull. Singapore 36(1): 111 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 244 (2009); Teo et al., Nat. Singapore 4: 128 (2011). – *Fagraea fastigiata* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 30: 167 (1897), p.p. **Native; NEx** (Wong & Sugumaran, 2019).

Utania austromalayensis Sugumaran: Sugumaran & Wong, Pl. Ecol. Evol. 147: 215 (2014); Wong & Sugumaran, Fl. Singapore 13: 379, fig. 5 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). – *Fagraea racemosa* auct. non Jack ex Wall.: Leenhouts, Fl. Males., ser. 1, 6(2): 311 (1962), p.p.; Keng, Gard. Bull. Singapore 36(1): 111 (1983), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 127 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 292 (1994), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 215 (2009), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 107, 366 (2013), p.p. – *Fagraea ligustrina* auct. non Blume: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 85 (1883), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 114 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 609 (1908 ['1907']), p.p.; Ridley, Fl. Malay Penins. 2: 420 (1923), p.p. **Native; NEx** (Wong & Sugumaran, 2019).

Utania nervosa K.M.Wong & Sugumaran: Sugumaran & Wong, Pl. Ecol. Evol. 147: 217 (2014); Wong & Sugumaran, Fl. Singapore 13: 381, fig. 6, 7, 8 (2019); Lim et al., Fl. Singapore 1: 89 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 289, 311 (2020). – *Fagraea racemosa* auct. non Jack ex Wall.: Ridley, J. Straits Branch Roy.

Asiat. Soc. 33: 114 (1900); Ridley, Fl. Malay Penins. 2: 418 (1923), p.p.; Burkill, Dict. Econ. Prod. Malay Penins. 1: 996 (1935); Leenhouts, Fl. Males., ser. 1, 6(2): 311 (1962), p.p.; Keng, Gard. Bull. Singapore 36(1): 111 (1983), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 127 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 292 (1994), p.p.; Lee et al., Gard. Bull. Singapore 55: 282, 298 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 215 (2009), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 107, 366 (2013), p.p. **Native; VU** (Wong & Sugumaran, 2019).

Utania racemosa (Jack ex Wall.) Sugumaran: Sugumaran & Wong, Pl. Ecol. Evol. 147: 220 (2014); Wong & Sugumaran, Fl. Singapore 13: 386 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 290, 311 (2020). **Native; CR** (Wong & Sugumaran, 2019).

Utania volubilis (Wall.) Sugumaran: Wong & Sugumaran, Fl. Singapore 13: 387 (2019). – *Fagraea racemosa* auct. non Jack ex Wall.: Leenhouts, Fl. Males., ser. 1, 6(2): 311 (1962), p.p.; Keng, Gard. Bull. Singapore 36(1): 111 (1983), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 127 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 292 (1994), p.p.; Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 137, 215 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 107, 366 (2013), p.p. – *Fagraea volubilis* Wall.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 108, 367 (2013). – *Fagraea pauciflora* (King & Gamble) Ridl.: Ridley, Fl. Malay Penins. 2: 419 (1923). – *Fagraea racemosa* (Jack ex Wall.) Sugumaran var. *pauciflora* King & Gamble: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 609 (1908 ['1907']). – *Fagraea morindifolia* (Reinw.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 114 (1900), as '*morindaefolia*'.

Utania volubilis (Wall.) Sugumaran var. **volubilis**: Sugumaran & Wong, Pl. Ecol. Evol. 147: 221 (2014); Wong & Sugumaran, Fl. Singapore 13: 387, 390, fig. 9 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 86 (2019). **Native; EN** (Wong & Sugumaran, 2019).

Gesneriaceae

Aeschynanthus albidus (Blume) Steud.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 243 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Lok & Tan, Nat. Singapore 1: 5 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 138, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 11, 367 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 170 (2014 [2015]); Middleton, Gard. Bull. Singapore 68: 7 (2016); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Lim et al., Fl. Singapore 1: 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 2, 382 (2020). – *Aeschynanthus purpurascens* Hassk.: Ridley, Fl. Malay Penins. 2: 497 (1923); Keng, Gard. Bull. Singapore 39(1): 78 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 182 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993). – *Aeschynanthus motleyi* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Ridley, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 732 (1909 ['1908']). **Native; CR** (assessed here).

Aeschynanthus pulcher (Blume) G.Don: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 11, 367 (2013); Williams, Gardenwise 43: 11 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 171 (2014 [2015]); Middleton, Gard. Bull. Singapore 68: 34 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019); Lim et al., Fl. Singapore 1: 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 3, 382 (2020). – *Aeschynanthus parvifolius* R.Br.: Ridley, Fl. Malay Penins. 2: 500 (1923), as ‘*parvifolia*’; Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 39(1): 78 (1986), as ‘*parvifolia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 182 (1990), as ‘*parvifolia*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990), as ‘*parvifolia*’; Turner, Gard. Bull. Singapore 45: 92 (1993), as ‘*parvifolia*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994), as ‘*parvifolia*’; Ng & Wee (ed.), Singapore Red Data Book: 286 (1994), as ‘*parvifolia*’; Turner et al., Gard. Bull. Singapore 48: 146 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008), as ‘*parvifolia*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 138, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Aeschynanthus lobbiana* Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900), as ‘*lobbiana*’; Ridley, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 735 (1909 [‘1908’]), as ‘*lobbiana*’; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 2, 776 (2006), as ‘*lobbiana*’. **Native; CR** (assessed here).

Aeschynanthus radicans Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 120 (1900); Ridley, Fl. Malay Penins. 2: 500 (1923); Keng, Gard. Bull. Singapore 39(1): 78 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 182, fig. 137.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 138, 187 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 11, 367 (2013); Middleton, Gard. Bull. Singapore 68: 42 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 120 (2019). **Native; NEx** (assessed here).

Aeschynanthus wallichii R.Br.: Miquel, Fl. Ned. Ind. 2, fasc. 5: 722 (1858 [‘1856’]); Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 343 (1884); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 120 (1900); Ridley, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 736 (1909 [‘1908’]); Ridley, Fl. Malay Penins. 2: 500 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Maxwell, Gard. Bull. Singapore 35(2): 195 (1983 [‘1982’]); Keng, Gard. Bull. Singapore 39(1): 78 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 182 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 22, 286 (1994); Turner et al., Gard. Bull. Singapore 48: 146 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 24, 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 138, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 11, 368 (2013); Middleton, Gard. Bull. Singapore 68: 55 (2016). **Native; CR** (assessed here).

Codonoboea platypus (C.B.Clarke) C.L.Lim: Kiew & Lim, Gard. Bull. Singapore 62(2): 267 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019). – *Henckelia platypus* (C.B.Clarke) A.Weber: Weber & Burtt, Beitr. Biol. Pflanzen: 352 (1998 [‘1997’]); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 140, 368 (2013). – *Didymocarpus platypus* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 120 (1900); Ridley, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 757 (1909 [‘1908’]); Ridley, Fl. Malay Penins. 2: 517 (1923); Keng, Gard. Bull. Singapore 39(1): 78

(1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 182, fig. 137.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 138, 204 (2009). – *Didymocarpus crinitus* auct. non Jack: Miquel, Fl. Ned. Ind. 2, fasc. 5: 725 (1858 ['1856']); Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 351 (1884), p.p., as ‘*crinita*’; Ridley, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(4): 759 (1909 ['1908']), p.p., as ‘*crinita*’. – *Didymocarpus* sp.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 120 (1900). **Native; CR** (assessed here).

Codonoboea puncticulata (Ridl.) C.L.Lim: Kiew & Lim, Gard. Bull. Singapore 62(2): 268 (2011). – *Didymocarpus puncticulatus* Ridl.: Kiew, Malayan Nat. J. 41(2&3): 220 (1987); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner, Gard. Bull. Singapore 47: 251 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 138, 191 (2009). – *Henckelia puncticulata* (Ridl.) A.Weber: Weber & Burtt, Beitr. Biol. Pflanzen: 353 (1998 ['1997']). – *Didymocarpus perditus* Ridl.: Ridley, J. Straits Branch Roy. Asiatic Soc. 44: 54 (1905), as ‘*perdita*’; Ridley, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(4): 763 (1909 ['1908']), as ‘*perdita*’; Ridley, Fl. Malay Penins. 2: 522 (1923), as ‘*perdita*’; Keng, Gard. Bull. Singapore 39(1): 78 (1986), as ‘*perdita*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 182 (1990), as ‘*perdita*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990), as ‘*perdita*’. **Native; NEx** (assessed here).

Cyrtandra pendula Blume: Ridley, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(4): 792 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 544 (1923); Keng, Gard. Bull. Singapore 39(1): 78 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 182 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 138, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019). – *Cyrtandra bicolor* auct. non Jack: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 120 (1900). – *Cyrtandra humilis* auct. non Blume: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 120 (1900). **Native; CR** (assessed here).

Goodeniaceae

Scaevola taccada (Gaertn.) Roxb.: Keng, Gard. Bull. Singapore 38(2): 167 (1986 ['1985']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Lee et al., Gard. Bull. Singapore 55: 296 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 138, 230 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Rafidah, Fl. Penins. Malaysia, ser. 2, 4: 42 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 471, 807 [2015]; Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Yee et al., Fl. Singapore 1: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 251, 311 (2020). – *Scaevola sericea* Vahl: Leenhousts, Fl. Males., ser. 1, 5(3): 339 (1957); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 165, fig. 128.1 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 403, 776 (2006). – *Scaevola frutescens* (Mill.) K.Krause: Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1970 (1935). – *Scaevola koenigii* Vahl: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 102 (1900); Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(1): 50 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 199 (1923). **Native; LC** (Chong et al., 2009).

Haloragaceae

Gonocarpus chinensis (Lour.) Orchard: Turner, Gard. Bull. Singapore 47: 265 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 138, 271 (2009); Lok et al., Cosmos 6: 80 (2010). – *Haloragis chinensis* (Lour.) Merr.: Keng, Malayan Nat. J. 23(2&3): 123 (1970); Van der Meijden & Caspers, Fl. Males., ser. 1, 7(1): 243 (1972 ['1971']); Keng, Gard. Bull. Singapore 31: 112 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 85, fig. 76.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 106 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994). **Cryptogenic** (Chong et al., 2009).

Hanguanaceae

Hanguana corneri Škorničk. & P.C.Boyce: Leong-Škorničková & Boyce, Gard. Bull. Singapore 67: 20 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 120 (2019). **Non-native, casual** (Leong-Škorničková & Boyce, 2015).

Hanguana neglecta Škorničk. & Niissalo: Niissalo et al., Phytotaxa 188: 15 (2014); Leong-Škorničková & Boyce, Gard. Bull. Singapore 67: 6 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 121 (2019); Lim et al., Fl. Singapore 1: 88, 104, fig. 10 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). – *Hanguana malayana* auct. non (Jack) Merr.: Backer, Fl. Males., ser. 1, 4(3): 249 (1951), p.p.; Keng, Gard. Bull. Singapore 40: 125 (1987), p.p.; Turner, Gard. Bull. Singapore 45: 107 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 288 (1994), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 25, fig. 58 (1998), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 138, 221 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011), p.p. – *Susum anthelminticum* auct. non Blume ex Schult. & Schult.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900), p.p., as ‘anthelminticum’. **Native; EN** (Niissalo et al., 2014).

Hanguana nitens Siti Nurfazilah et al.: Leong-Škorničková & Boyce, Gard. Bull. Singapore 67: 8 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019); Lim et al., Fl. Singapore 1: 88 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). – *Hanguana malayana* auct. non (Jack) Merr.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']), p.p. – *Susum anthelminticum* auct. non Blume ex Schult. & Schult.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900), p.p., as ‘anthelminticum’. **Native; CR** (Leong-Škorničková & Boyce, 2015).

Hanguana podzolicola Siti Nurfazilah et al.: Niissalo & Leong-Škorničková, Gard. Bull. Singapore 69: 159 (2017). – *Hanguana malayana* auct. non (Jack) Merr.: Backer, Fl. Males., ser. 1, 4(3): 249 (1951), p.p.; Keng, Gard. Bull. Singapore 40: 125 (1987), p.p.; Turner, Gard. Bull. Singapore 45: 107 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 288 (1994), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 25, fig. 58 (1998), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 138, 221 (2009), p.p. **Native; CR** (Niissalo & Leong-Škorničková, 2017).

Hanguana rubinea Škorničk. & P.C.Boyce: Leong-Škorničková & Boyce, Gard. Bull. Singapore 67: 12 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 121 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). – *Hanguana malayana* auct. non (Jack) Merr.: Backer, Fl. Males., ser.

1, 4(3): 249 (1951), p.p.; Keng, Gard. Bull. Singapore 40: 125 (1987), p.p.; Turner, Gard. Bull. Singapore 45: 107 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 288 (1994), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 25, fig. 58 (1998), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 138, 221 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011), p.p. – *Susum malayanum* auct. non (Jack) Planch. ex Hook.f.: Ridley, Mat. Fl. Malay. Penins. 2: 132 (1907), p.p. – *Susum anthelminticum* auct. non Blume ex Schult. & Schult.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900), p.p., as ‘*anthelminticum*’. **Native; CR** (Leong-Škorničková & Boyce, 2015).

Hanguana triangulata Škorničk. & P.C.Boyce: Leong-Škorničková & Boyce, Gard. Bull. Singapore 67: 16 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 121 (2019); Lim et al., Fl. Singapore 1: 88, 104 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). – *Hanguana malayana* auct. non (Jack) Merr.: Backer, Fl. Males., ser. 1, 4(3): 249 (1951), p.p.; Keng, Gard. Bull. Singapore 40: 125 (1987), p.p.; Turner, Gard. Bull. Singapore 45: 107 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 288 (1994), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 25, fig. 58 (1998), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 138, 221 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011), p.p. – *Susum malayanum* auct. non (Jack) Planch. ex Hook.f.: Ridley, Mat. Fl. Malay. Penins. 2: 132 (1907), p.p. – *Susum anthelminticum* auct. non Blume ex Schult. & Schult.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900), p.p., as ‘*anthelminticum*’. **Native; CR** (Leong-Škorničková & Boyce, 2015).

Heliconiaceae

Heliconia latispatha Benth.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 138, 246 (2009). **Non-native, casual** (assessed here).

Heliconia psittacorum L.f.: Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 139, 263 (2009); Lok et al., Cosmos 6: 75 (2010); Neo et al., Nat. Singapore 5: 281 (2012); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 130 (2019). – *Heliconia humilis* (Aubl.) Jacq.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 52, fig. 108 (1998). **Non-native, casual** (Chong et al., 2009).

Heliconia rostrata Ruiz & Pav.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 52, fig. 109 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 139, 246 (2009). **Non-native, casual** (assessed here).

Hernandiaceae

Hernandia nymphaeifolia (C.Presl) Kubitzki: Keng, Gard. Bull. Singapore 27: 81 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 20, fig. 14.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 107 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Duyfjes, Fl. Males., ser. 1, 12(2): 747 (1996); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 139, 193 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Chen

et al., 1001 Gard. Pl. Singapore, ed. 3: 656, 806 [2015]; Chen et al., Gard. Bull. Singapore 71: 403 (2019); Lim et al., Fl. Singapore 1: 106 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 169, 310 (2020); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Hernandia ovigera* L.: Duyfjes, Fl. Males., ser. 1, 12(2): 749 (1996). – *Hernandia peltata* Meisn.: Hooker, Fl. Brit. India 5, fasc. 13: 188 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 204 (1912); Ridley, Fl. Malay Penins. 3: 138 (1924). **Native; NEx** (assessed here).

Illigera trifoliata (Griff.) Dunn: Keng, Gard. Bull. Singapore 27: 81 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 20 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 107 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Duyfjes, Fl. Males., ser. 1, 12(2): 760 (1996); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 139, 193 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 36 (2011); Chen et al., Gard. Bull. Singapore 71: 403 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Illigera appendiculata* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 80 (1900); Ridley, Fl. Malay Penins. 3: 139 (1924). **Native; NEx** (assessed here).

Hydrocharitaceae

Blyxa aubertii Rich.: Den Hartog, Fl. Males., ser. 1, 5(4): 390 (1958 ['1957']); Keng, Gard. Bull. Singapore 40: 114 (1987), as ‘*auberti*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990), as ‘*auberti*’; Turner, Gard. Bull. Singapore 45: 107 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 2, fig. 2 (1998). – *Blyxa aubertii* Rich. var. *aubertii*: Turner, Gard. Bull. Singapore 47: 554 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 139, 269 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 35, 368 (2013). – *Blyxa malayana* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 152 (1900), as ‘*malaccensis*’; Ridley, Mat. Fl. Malay. Penins. 1: 4 (1907); Ridley, Fl. Malay Penins. 4: 3 (1924). **Cryptogenic** (Wong et al., 2013).

Blyxa japonica (Miq.) Maxim. ex Asch. & Gürke: Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']).

Blyxa japonica (Miq.) Maxim. ex Asch. & Gürke var. **japonica**: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 36, 369 (2013). **Native; CR** (Wong et al., 2013).

Blyxa japonica (Miq.) Maxim. ex Asch. & Gürke var. **alternifolia** (Miq.) C.D.K.Cook & Lüönd: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 554 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 139, 269 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 36, 369 (2013). – *Blyxa alternifolia* (Miq.) Hartog: Den Hartog, Fl. Males., ser. 1, 5(4): 392 (1958 ['1957']); Keng, Gard. Bull. Singapore 40: 114 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 107 (1993); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 2 (1998). – *Enhydrias angustipetala* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 196 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 4 (1907); Ridley, Fl. Malay Penins. 4: 2 (1924). **Cryptogenic** (Wong et al., 2013).

Enhalus acoroides (L.f.) Royle: Den Hartog, Fl. Males., ser. 1, 5(4): 402 (1958 ['1957']); Keng, Gard. Bull. Singapore 40: 114 (1987), as ‘*acrocoides*’; Turner et al., J. Singapore Natl Acad. Sci.

18 & 19: 71 (1990), as ‘*acrocoides*’; Turner, Gard. Bull. Singapore 45: 107 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 32, 289 (1994); Turner, Gard. Bull. Singapore 47: 555 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 2, fig. 3 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 28, 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 139, 205 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013); Yee et al., Fl. Singapore 1: 66 (2019). – *Enhalus koenigii* Rich.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 152 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 6 (1907); Ridley, Fl. Malay Penins. 4: 4 (1924). **Native; VU** (assessed here).

Halophila beccarii Asch.: Den Hartog, Fl. Males., ser. 1, 5(4): 411 (1958 [‘1957’]); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990), as ‘*beccarii*’; Turner, Gard. Bull. Singapore 45: 107 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 555 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 3 (1998); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 139, 216 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013); Yee et al., Fl. Singapore 1: 66 (2019). **Native; EN** (Chong et al., 2009).

Halophila decipiens Ostenf.: Yaakub et al., Nat. Singapore 6: 106 (2013). **Native; VU** (assessed here).

Halophila minor (Zoll.) Hartog: Den Hartog, Fl. Males., ser. 1, 5(4): 410 (1958 [‘1957’]); Sachet & Fosberg, Taxon 22: 441 (1973); Keng, Gard. Bull. Singapore 40: 114 (1987); Turner, Gard. Bull. Singapore 45: 107 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 555 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 3 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 139, 206 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013). – *Halophila ovata* Gaudich., nom. illeg. superfl.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990). **Native; CR** (assessed here).

Halophila ovalis (R.Br.) Hook.f.: Den Hartog, Fl. Males., ser. 1, 5(4): 408 (1958 [‘1957’]); Keng, Gard. Bull. Singapore 40: 114 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 555 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 3, fig. 4 (1998); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 139, 206 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Yee et al., Fl. Singapore 1: 66 (2019). – *Halophila ovata* auct. non Gaudich.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 152 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 6 (1907); Ridley, Fl. Malay Penins. 4: 4 (1924). **Native; LC** (assessed here).

Halophila spinulosa (R.Br.) Asch.: Sinclair, Gard. Bull. Singapore 15: 30 (1956); Den Hartog, Fl. Males., ser. 1, 5(4): 412 (1958 [‘1957’]); Keng, Gard. Bull. Singapore 40: 114 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 555 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 3 (1998); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 139, 206 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013). **Native; CR** (Chong et al., 2009).

Hydrilla verticillata (L.f.) Royle: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 152 (1900); Den Hartog, Fl. Males., ser. 1, 5(4): 385 (1958 ['1957']); Cook & Lüönd, Aquatic Bot. 13: 485 (1982); Keng, Gard. Bull. Singapore 40: 114 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 3 (1998); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 139, 271 (2009); Lok et al., Cosmos 6: 80 (2010); Yee et al., Fl. Singapore 1: 60 (2019). **Cryptogenic** (Chong et al., 2009).

Najas indica (Willd.) Cham.: De Wilde, Fl. Males., ser. 1, 6(2): 166 (1962); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 156 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 3 (1998); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 139, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 186, 430 (2013). – *Najas kingii* Rendle: Ridley, Mat. Fl. Malay. Penins. 2: 129 (1907); Ridley, Fl. Malay Penins. 4: 366 (1924); Keng, Gard. Bull. Singapore 40: 115 (1987). **Cryptogenic** (assessed here).

Najas malesiana W.J.de Wilde: De Wilde, Fl. Males., ser. 1, 6(2): 169 (1962); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 156 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 3, fig. 5 (1998); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 139, 272 (2009); Lok et al., Cosmos 6: 80 (2010). – *Najas graminea* auct. non Delile: Keng, Gard. Bull. Singapore 40: 115 (1987). – *Najas graminea* Delile var. *angustifolia* Rendle: Rendle, Trans. Linn. Soc. London, Bot. 5: 427 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 90 (1901), as ‘*Naias*’; Ridley, Mat. Fl. Malay. Penins. 2: 128 (1907), as ‘*Naias*’; Ridley, Fl. Malay Penins. 4: 366 (1924). – *Najas minor* auct. non All.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900), as ‘*Naias*’. **Cryptogenic** (Chong et al., 2009).

Thalassia hemprichii (Ehrenb.) Asch.: Sinclair, Gard. Bull. Singapore 14(1): 35 (1953); Den Hartog, Fl. Males., ser. 1, 5(4): 406 (1958 ['1957']); Keng, Gard. Bull. Singapore 40: 114 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 555 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 3 (1998); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 224 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 139, 213 (2009); Yaakub et al., Nat. Singapore 6: 106 (2013); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017). **Native; VU** (assessed here).

Hydroleaceae

Hydrolea zeylanica (L.) Vahl: Ridley, Fl. Malay Penins. 2: 438 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1213 (1935); Backer, Fl. Males., ser. 1, 4(3): 207 (1951); Keng, Gard. Bull. Singapore 39(1): 70 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 174, fig. 132.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 139, 271 (2009); Lok et al., Cosmos 6: 80 (2010). **Native; NEx** (assessed here).

Hypericaceae

Cratoxylum arborescens (Vahl) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900), as ‘*Cratoxylon*’; Ridley, Fl. Malay Penins. 1: 153 (1922), as ‘*Cratoxylon*’; Gogelein, Blume 15(2): 471 (1968 [‘1967’]); Robson, Fl. Males., ser. 1, 8(1): 11 (1974); Keng, Gard. Bull. Singapore 28(2): 243 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978), as ‘*Cratoxylon*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 47 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 260 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 146 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 139, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 68, 369 (2013); Neo et al., Nat. Singapore 9: 30 (2016); Byrne et al., Thai Forest Bull., Bot. 46(2): 202 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019). – *Ancistrolobus glaucescens* Turcz.: Turczaninow, Bull. Soc. Imp. Naturalistes Moscou 31: 383 (1858). **Native; EN** (assessed here).

Cratoxylum cochinchinense (Lour.) Blume: Gogelein, Blume 15(2): 463 (1968 [‘1967’]); Robson, Fl. Males., ser. 1, 8(1): 7 (1974); Keng, Gard. Bull. Singapore 28(2): 244 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 47 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 260 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 146 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 341 (2004 [‘2003’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 139, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 68, 369 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Neo et al., Nat. Singapore 9: 33 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 105, 310 (2020). – *Ancistrolobus brevipes* Turcz.: Turczaninow, Bull. Soc. Imp. Naturalistes Moscou 31: 383 (1858); Byrne et al., Thai Forest Bull., Bot. 46(2): 205 (2018). – *Cratoxylum ligustrinum* (Spach) Blume: Corner, Wayside Trees Malaya, ed. 2, 1: 327 (1952); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978), as ‘*Cratoxylon*’. – *Cratoxylum polyanthum* Korth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900), as ‘*Cratoxylon*’; Ridley, Fl. Malay Penins. 1: 152 (1922), as ‘*Cratoxylon*’. **Native; EN** (Wong et al., 2013).

Cratoxylum formosum (Jack) Benth. & Hook.f. ex Dyer: Dyer in Hooker, Fl. Brit. India 1, fasc. 2: 258 (1874), as ‘*Cratoxylon*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900), as ‘*Cratoxylon*’; Ridley, Fl. Malay Penins. 1: 153 (1922), as ‘*Cratoxylon*’; Corner, Wayside Trees Malaya, ed. 2, 1: 326 (1952); Gogelein, Blume 15(2): 467 (1968 [‘1967’]); Robson, Fl. Males., ser. 1, 8(1): 9 (1974); Keng, Gard. Bull. Singapore 28(2): 243 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978), as ‘*Cratoxylon*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 47, fig. 39.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 146 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 342 (2004 [‘2003’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 139, 215 (2009); Turner & Chua, Checkl. Vasc. Pl.

Sp. Bukit Timah Nat. Res.: 35 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 68, 370 (2013); Neo et al., Nat. Singapore 6: 278 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 9: 35 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 105, 310 (2020). **Native; EN** (Wong et al., 2013).

Cratoxylum maingayi Dyer: Gogelein, Blume 15(2): 470 (1968 ['1967']); Robson, Fl. Males., ser. 1, 8(1): 9 (1974); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 139, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 68, 370 (2013); Neo et al., Nat. Singapore 7: 103 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 590, 806 [2015]; Neo et al., Nat. Singapore 9: 37 (2016); Byrne et al., Thai Forest Bull., Bot. 46(2): 211 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 130 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 106, 310 (2020). **Native; CR** (Wong et al., 2013).

Hypericum japonicum Thunb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900); Ridley, Fl. Malay Penins. 1: 152 (1922); Robson, Fl. Males., ser. 1, 8(1): 27 (1974); Keng, Gard. Bull. Singapore 28(2): 244 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 47 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 108 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 139, 271 (2009); Lok et al., Cosmos 6: 80 (2010); Byrne et al., Thai Forest Bull., Bot. 46(2): 197 (2018). **Cryptogenic** (Chong et al., 2009).

Hypoxidaceae

Curculigo capitulata (Lour.) Kuntze: Geerinck, Fl. Males., ser. 1, 11(2): 367 (1993); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 15 (1998). – *Molineria capitulata* (Lour.) Herb.: Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 328, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 139, 209 (2009). – *Curculigo recurvata* Dryand.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 65 (1907); Ridley, Fl. Malay Penins. 4: 299 (1924); Keng, Gard. Bull. Singapore 40: 121 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990). **Native; CR** (Chong et al., 2009).

Curculigo latifolia W.T.Aiton: Hooker, Fl. Brit. India 6, fasc. 18: 280 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 66 (1907); Ridley, Fl. Malay Penins. 4: 300 (1924); Geerinck, Fl. Males., ser. 1, 11(2): 369 (1993); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 15, fig. 33 (1998); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Boo et al., 1001 Gard. Pl. Singapore (print 1): 104 (2004 ['2003']). – *Molineria latifolia* (W.T.Aiton) Kurz var. *latifolia*: Lee et al., Gard. Bull. Singapore 55: 289 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 139, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 182, 370 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Ho

et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019). – *Molineria latifolia* (W.T.Aiton) Kurz: Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 104 (2004 ['2003']). – *Curculigo villosa* (Kurz) Wall. ex Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 66 (1907); Ridley, Fl. Malay Penins. 4: 300 (1924); Keng, Gard. Bull. Singapore 40: 121 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990). – *Curculigo latifolia* W.T.Aiton var. *glabrescens* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 67 (1907). – *Curculigo villosa* Wall., nom. nud.: Wallich, Numer. List no. 5163 (1831–1832); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900). – *Curculigo latifolia* W.T.Aiton var. *villosa* (Kurz) Baker: Baker, J. Linn. Soc., Bot. 17(99): 125 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Hooker, Fl. Brit. India 6, fasc. 18: 280 (1892). – *Molineria villosa* Kurz: Kurz, Ann. Mus. Bot. Lugduno-Batavi 4, fasc. 6: 176 (1869). **Native; VU** (Neo et al., 2014).

Icacinaceae

Iodes cirrhosa Turcz.: Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 46(2): 132 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 268 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 140, 207 (2009); Utteridge & Schori, Gard. Bull. Singapore 63: 110 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 146, 370 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 130 (2019). **Native; CR** (Wong et al., 2013).

Iodes ovalis Blume: Sleumer, Fl. Males., ser. 1, 7(1): 68 (1972 ['1971']); Keng, Gard. Bull. Singapore 35(1): 96 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 126, fig. 103.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 268 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 140, 216 (2009); Utteridge & Schori, Gard. Bull. Singapore 63: 110 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 146, 370 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87, 130 (2019). – *Iodes oblonga* Planch.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 129 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900); Ridley, Fl. Malay Penins. 1: 435 (1922). **Native; VU** (assessed here).

Iodes velutina King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900); Ridley, Fl. Malay Penins. 1: 434 (1922); Sleumer, Fl. Males., ser. 1, 7(1): 72 (1972 ['1971']); Keng, Gard. Bull. Singapore 35(1): 96 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 126 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 268 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 140, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 146, 370 (2013). – *Iodes velutina* King var. *velutina*: Utteridge & Schori, Gard. Bull. Singapore 63: 110 (2011). **Native; CR** (assessed here).

Phytocrene bracteata Wall.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 122 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900); Ridley, Fl. Malay Penins. 1: 432 (1922); Sleumer, Fl. Males., ser. 1, 7(1): 85 (1972 ['1971']); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Gard. Bull. Singapore 35(1): 96 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 126,

fig. 103.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 140, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 371 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019). **Native; VU** (Wong et al., 2013).

Phytocrene oblonga Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900). **Native; CR** (assessed here).

Iridaceae

Trimezia martinicensis (Jacq.) Herb.: Geerinck, Fl. Males., ser. 1, 8(2): 84 (1977); Keng, Gard. Bull. Singapore 40: 123 (1987); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 110 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 20, fig. 45 (1998); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 140, 269 (2009); Lok et al., Cosmos 6: 71 (2010). **Non-native, casual** (assessed here).

Irvingiaceae

Irvingia malayana Oliv. ex A.W.Benn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900), as '*Irringia*'; Ridley, Fl. Malay Penins. 1: 364 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1252 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 604 (1952); Nooteboom, Fl. Males., ser. 1, 6(2): 225 (1962); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 33: 345 (1980); Corner, Wayside Trees Malaya, ed. 3, 2: 699 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 99, fig. 88.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 270 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 140, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019). **Native; CR** (Chong et al., 2009).

Ixonanthaceae

Ixonanthes icosandra Jack: Hooker, Fl. Brit. India 1, fasc. 2: 416 (1874); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 325 (1922); Keng, Gard. Bull. Singapore 33: 340 (1980); Kool, Fl. Males., ser. 1, 10(3): 625 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 94 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 110 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull.

Singapore 49(2): 190 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 296 (2003); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 626, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 140, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 149, 371 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 87 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 176, 310 (2020). **Native; VU** (Wong et al., 2013).

Ixonanthes reticulata Jack: Miquel, Fl. Ned. Ind. 1(2), fasc. 3: 495 (1859), as '*Ixonanthes*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 326 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 221 (1952); Keng, Gard. Bull. Singapore 33: 340 (1980); Kool, Fl. Males., ser. 1, 10(3): 626 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 94, fig. 83.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 110 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 98, 163 (2005), as '*reticulata*' (p. 163); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 140, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 149, 371 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 664, 807 [2015]; Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 176, 310 (2020). **Native; LC** (Wong et al., 2013).

Juglandaceae

Engelhardia serrata Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 149 (1900), as '*Engelhardtia*'; Jacobs, Fl. Males., ser. 1, 6(1): 150 (1960); Ng, Tree Fl. Malaya 1: 236 (1972), as '*Engelhardtia*'; Keng, Gard. Bull. Singapore 31: 90 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 66, fig. 64.1 (1990), as '*Engelhardtia*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990), as '*Engelhardtia*'; Turner, Gard. Bull. Singapore 45: 110 (1993), as '*Engelhardtia*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), as '*Engelhardtia*'; Ng & Wee (ed.), Singapore Red Data Book: 289 (1994), as '*Engelhardtia*'; Turner, Gard. Bull. Singapore 47: 270 (1997 ['1995']), as '*Engelhardtia*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008), as '*Engelhardtia*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 140, 191 (2009), as '*Engelhardtia*'; Phoon, Fl. Penins. Malaysia, ser. 2, 3: 167 (2012), as '*Engelhardtia*'. – *Engelhardia nudiflora* Hook.f.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 401 (1915), as '*Engelhardtia*'; Ridley, Fl. Malay Penins. 3: 369 (1924), as '*Engelhardtia*'. – *Engelhardia wallichiana* auct. non Lindl. ex C.D.C.: Hooker, Fl. Brit. India 5, fasc. 15: 596 (1888), as '*Engelhardtia*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 149 (1900), as '*Engelhardtia*'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(4): 402 (1915), as '*Engelhardtia*'. **Native; NEx** (Chong et al., 2009).

Lamiaceae

Anisomeles indica (L.) Kuntze: Keng, Fl. Males., ser. 1, 8(3): 328 (1978); Keng, Gard. Bull. Singapore 39(1): 93 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 196 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990), as '*Anisomeless*'; Turner, Gard. Bull. Singapore 45: 110 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 271 (1997 ['1995']); Lee et al., Gardenwise 24: 12 (2005); Chong et al., Checkl. Vasc. Pl. Fl.

Singapore: 13, 140, 269 (2009); Lok et al., *Cosmos* 6: 80 (2010); Bramley, Fl. Males., ser. 1, 23: 24 (2019). – *Anisomeles ovata* R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Ridley, Fl. Malay Penins. 2: 649 (1923). **Native; CR** (assessed here).

Callicarpa longifolia Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 807 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 616 (1923); Keng, Gard. Bull. Singapore 39(1): 88 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 192, fig. 141.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 140, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 44, 371 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 386, 806 [2015]; Bramley, Fl. Males., ser. 1, 23: 63 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88, 121 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 167, 382 (2020). **Native; VU** (assessed here).

Callicarpa pentandra Roxb.: De Kok et al., Gard. Bull. Singapore 68: 191 (2016); Bramley, Fl. Males., ser. 1, 23: 71 (2019). – *Geunsia farinosa* Blume: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 566 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 800 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 614 (1923). **Native; NEx** (assessed here).

Clerodendrum chinense (Osbeck) Mabb.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 239 (2009); Wearn et al., Fl. Males., ser. 1, 23: 105 (2019). – *Clerodendrum philippinum* Schauer: Keng, Gard. Bull. Singapore 39(1): 89 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990). – *Clerodendrum fragrans* (Vent.) R.Br., nom. illeg. hom.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 826 (1909 ['1908']), as '*Clerodendron*'. – *Clerodendrum fragrans* Vent., nom. inval. in syn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900), as '*Clerodendron*'. – *Clerodendrum fragrans* (Vent.) R.Br. var. *pleniflorum* Schauer: Kuntze, Revis. Gen. Pl. 2: 505 (1891), as '*Clerodendron*'. **Non-native, naturalised** (assessed here).

Clerodendrum deflexum Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900), as '*Clerodendron*'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 828 (1909 ['1908']), as '*Clerodendron*'; Ridley, Fl. Malay Penins. 2: 624 (1923), as '*Clerodendron*'; Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978), as '*Clerodendron*'; Keng, Gard. Bull. Singapore 39(1): 89 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 192, fig. 141.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 180, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 60, 371 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Wearn et al., Fl. Males., ser. 1, 23: 110 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 183, 382 (2020). – *Clerodendrum deflexum* Wall. var. *bracteatum* Ridl.: Ridley, Fl. Malay Penins. 2: 625 (1923), as '*Clerodendron*'. **Native; LC** (assessed here).

Clerodendrum disparifolium Blume: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 589 (1885), as ‘*Clerodendron*’; Kuntze, Revis. Gen. Pl. 2: 505 (1891), as ‘*Clerodendron*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900), as ‘*Clerodendron*’; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 829 (1909 [‘1908’]), as ‘*Clerodendron*’; Ridley, Fl. Malay Penins. 2: 625 (1923), as ‘*Clerodendron*’; Bramley et al., Tree Fl. Sabah & Sarawak 7: 36 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 60, 372 (2013); Wearn et al., Fl. Males., ser. 1, 23: 111 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 97, 310 (2020). – *Clerodendrum laevifolium* auct. non Blume: Keng, Gard. Bull. Singapore 39(1): 89 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193, fig. 141.4a (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 [‘1994’]), as ‘*Clerodendron*’; Turner et al., Gard. Bull. Singapore 48: 157 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 307 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 335 (2004 [‘2003’]); LaFrankie et al., Forest Trees Bukit Timah: 155, 161 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 553, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 60, 372 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 579, 806 [2015]. – *Clerodendrum acuminatum* Wall. ex Schauer: Schauer in De Candolle, Prodr. 11: 662 (1847), as ‘*Clerodendron*’; Miquel, Fl. Ned. Ind. 2, fasc. 5: 869 (1858 [‘1856’]), as ‘*Clerodendron*’. – *Clerodendrum acuminatum* Wall., nom. nud.: Wallich, Numer. List no. 1792 (1829), as ‘*Clerodendron*’. **Native; LC** (assessed here).

Clerodendrum indicum (L.) Kuntze: Keng, Gard. Bull. Singapore 39(1): 89 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 192 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 239 (2009); Wearn et al., Fl. Males., ser. 1, 23: 117 (2019). – *Clerodendrum siphonanthus* R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900), as ‘*Clerodendron*’; Ridley, Fl. Malay Penins. 2: 628 (1923), as ‘*Clerodendron*’. **Non-native, casual*** (assessed here).

Clerodendrum myrmecophilum Ridl.: Ridley, J. Bot. 33: 42 (1895), as ‘*Clerodendron myrmecophila*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900), as ‘*Clerodendron*’; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 832 (1909 [‘1908’]), as ‘*Clerodendron*’; Ridley, Fl. Malay Penins. 2: 627 (1923), as ‘*Clerodendron*’; Wearn et al., Fl. Males., ser. 1, 23: 137 (2019). – *Clerodendrum phyllomega* Steud. var. *myrmecophilum* (Ridl.) Moldenke: Keng, Gard. Bull. Singapore 39(1): 89 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 494 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 189 (2009). – *Clerodendrum phyllomega* auct. non Steud.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990). **Native; NEx** (assessed here).

Clerodendrum nutans Wall. ex Jack: Keng, Gard. Bull. Singapore 39(1): 89 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990); Wearn et al., Fl. Males., ser. 1, 23: 138 (2019). – *Clerodendrum wallichii* auct. non Merr.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 239 (2009). **Non-native, casual** (assessed here).

Clerodendrum paniculatum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900), as ‘*Clerodendron*’; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 838 (1909 [‘1908’]), as ‘*Clerodendron*’; Keng, Gard. Bull. Singapore 39(1): 89 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 157 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 60, 372 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Kaw & Neo, Wayside Fls Singapore: 77 (2018); Wearn et al., Fl. Males., ser. 1, 23: 139 (2019). **Non-native, naturalised** (assessed here).

Clerodendrum speciosissimum Jacob-Makoy: Wearn et al., Fl. Males., ser. 1, 23: 148 (2019). – *Clerodendrum fallax* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900), as ‘*Clerodendron*’. **Non-native, casual*** (assessed here).

Clerodendrum thomsoniae Balf.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 827 (1909 [‘1908’]), as ‘*Clerodendron thomsonae*’; Keng, Gard. Bull. Singapore 39(1): 89 (1986), as ‘*thomsonae*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990), as ‘*thomsonae*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Wearn et al., Fl. Males., ser. 1, 23: 157 (2019). **Non-native, casual** (Chong et al., 2009).

Clerodendrum villosum Blume: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 595 (1885), as ‘*Clerodendron*’; Kuntze, Revis. Gen. Pl. 2: 506 (1891), as ‘*Clerodendron*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900), as ‘*Clerodendron*’; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 836 (1909 [‘1908’]), as ‘*Clerodendron*’; Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978), as ‘*Clerodendron*’; Keng, Gard. Bull. Singapore 39(1): 90 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 157 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 183, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 60, 372 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Wearn et al., Fl. Males., ser. 1, 23: 153 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 97, 310 (2020). **Native; VU** (assessed here).

Coleus monostachyus (P.Beauv.) A.J.Paton: Paton et al., PhytoKeys 129: 76 (2019). – *Plectranthus monostachyus* (P.Beauv.) B.J.Pollard: Chung et al., Nat. Singapore 8: 3 (2015); Kaw & Neo, Wayside Fls Singapore: 66 (2018). **Non-native, naturalised** (assessed here).

Coleus scutellarioides (L.) Benth.: Paton et al., PhytoKeys 129: 93 (2019). – *Plectranthus scutellarioides* (L.) R.Br.: Keng, Fl. Males., ser. 1, 8(3): 389 (1978); Keng, Gard. Bull. Singapore 39(1): 95 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197, fig. 142.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 203,

372 (2013); Chung et al., Nat. Singapore 8: 3 (2015); Bramley, Fl. Males., ser. 1, 23: 296 (2019). – *Solenostemon scutellarioides* (L.) Codd: Turner, Gard. Bull. Singapore 47: 273 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 141, 258 (2009). – *Coleus atropurpureus* Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900); Ridley, Fl. Malay Penins. 2: 646 (1923). – *Coleus blumei* Benth.: Ridley, Fl. Malay Penins. 2: 646 (1923). **Native; CR** (assessed here).

Congea tomentosa Roxb.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 140, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Kaw & Neo, Wayside Fls Singapore: 144 (2018). **Non-native, casual** (assessed here).

Gmelina asiatica L.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 823 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 622 (1923); Keng, Gard. Bull. Singapore 39(1): 90 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 141, 228 (2009); De Kok, Fl. Males., ser. 1, 23: 180 (2019). **Non-native, naturalised** (assessed here).

Gmelina elliptica Sm.: Keng, Gard. Bull. Singapore 39(1): 90 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 380 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 141, 215 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 132, 372 (2013); De Kok, Fl. Males., ser. 1, 23: 182 (2019). – *Gmelina villosa* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 824 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 623 (1923). **Native; EN** (assessed here).

Gmelina philippensis Cham.: Keng, Gard. Bull. Singapore 39(1): 90 (1986), as '*philippinensis*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990), as '*philippinensis*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990), as '*philippinensis*'; Turner, Gard. Bull. Singapore 45: 224 (1993), as '*philippinensis*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994), as '*philippinensis*'; Ng & Wee (ed.), Singapore Red Data Book: 311 (1994), as '*philippinensis*'; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 255, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008), as '*philippinensis*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 141, 193 (2009); De Kok, Fl. Males., ser. 1, 23: 189 (2019), as '*philippinensis*'. – *Gmelina hystrix* Schult. ex Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 823 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 623 (1923). **Non-native, casual** (assessed here).

Hyptis brevipes Poit.: Hooker, Fl. Brit. India 4, fasc. 12: 630 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 704 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 645 (1923); Keng, Fl. Males., ser. 1, 8(3): 369 (1978); Keng, Gard. Bull. Singapore 39(1): 93 (1986); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 196 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 110 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 271 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 296 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 141, 266 (2009); Lok et al., Cosmos 6: 71 (2010); Bramley, Fl. Males., ser. 1, 23: 209 (2019). **Non-native, naturalised** (assessed here).

Hyptis capitata Jacq.: Henderson, Malay. Wild Fls. Dicot.: 391 (1959); Keng, Fl. Males., ser. 1, 8(3): 369 (1978); Keng, Gard. Bull. Singapore 39(1): 93 (1986); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 196, fig. 142.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 110 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 271 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 141, 266 (2009); Lok et al., Cosmos 6: 71 (2010); Neo et al., Nat. Singapore 6: 121 (2013); Bramley, Fl. Males., ser. 1, 23: 212 (2019). **Non-native, naturalised** (assessed here).

Leonotis nepetifolia (L.) W.T.Aiton: Hooker, Fl. Brit. India 4, fasc. 12: 691 (1885), as ‘*nepetaefolia*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900), as ‘*nepetaefolia*'; Sinclair, Gard. Bull. Singapore 14(1): 34 (1953); Keng, Fl. Males., ser. 1, 8(3): 335 (1978), as ‘*nepetaefolia*'; Keng, Gard. Bull. Singapore 39(1): 94 (1986), as ‘*nepetaefolia*'; Corlett, J. Biogeogr. 15: 662 (1988), as ‘*Leonotis nepetaefolia*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197 (1990), as ‘*nepetaefolia*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990), as ‘*nepetaefolia*'; Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), as ‘*nepetaefolia*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 141, 266 (2009); Lok et al., Cosmos 6: 71 (2010); Bramley, Fl. Males., ser. 1, 23: 224 (2019). **Non-native, naturalised** (assessed here).

Leonurus japonicus Houtt.: Bramley, Fl. Males., ser. 1, 23: 226 (2019). – *Leonurus sibiricus* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Ridley, Fl. Malay Penins. 2: 651 (1923); Keng, Fl. Males., ser. 1, 8(3): 336 (1978); Keng, Gard. Bull. Singapore 39(1): 94 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197, fig. 142.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 271 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 141, 267 (2009); Lok et al., Cosmos 6: 71 (2010). – *Leonurus japonicus* Houtt. f. *albiflorus* (Migo) Y.C.Zhu: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 141, 248 (2009), as ‘var. *albiflorus*'. **Non-native, naturalised** (assessed here).

Leucas lavandulifolia Sm.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 719 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 650 (1923); Keng, Fl. Males., ser. 1, 8(3): 338 (1978); Keng, Gard. Bull. Singapore 39(1): 94 (1986); Turner, Gard. Bull. Singapore 47: 272 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 141, 271 (2009); Lok et al., Cosmos 6: 80 (2010); Bramley, Fl. Males., ser. 1, 23: 231 (2019). – *Leucas linifolia* (Roth.) Spreng.: Hooker, Fl. Brit. India 4, fasc. 12: 690 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994). **Non-native, naturalised** (assessed here).

Leucas zeylanica (L.) W.T.Aiton: Hooker, Fl. Brit. India 4, fasc. 12: 689 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 718 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 650 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1338 (1935); Keng, Fl. Males., ser. 1, 8(3): 336 (1978); Keng, Gard. Bull. Singapore 39(1): 94 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197, fig. 142.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 272 (1997).

[‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 141, 271 (2009); Lok et al., Cosmos 6: 80 (2010); Bramley, Fl. Males., ser. 1, 23: 233 (2019). – *Leucas malayana* Hance ex Walp.: Walpers, Ann. Bot. Syst. 3, fasc. 2: 269 (1852 [‘1852–1853’]); Miquel, Fl. Ned. Ind. 2, fasc. 7: 984 (1859 [‘1856’]). **Non-native, naturalised** (assessed here).

Mesosphaerum suaveolens (L.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 525 (1891); Bramley, Fl. Males., ser. 1, 23: 242 (2019). – *Hyptis suaveolens* (L.) Poit.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900); Ridley, Fl. Malay Penins. 2: 645 (1923); Keng, Fl. Males., ser. 1, 8(3): 371 (1978); Keng, Gard. Bull. Singapore 39(1): 94 (1986); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197, fig. 142.1a (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 271 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 141, 266 (2009); Lok et al., Cosmos 6: 71 (2010); Kaw & Neo, Wayside Fls Singapore: 69 (2018). **Non-native, naturalised** (assessed here).

Ocimum americanum L.: Keng, Fl. Males., ser. 1, 8(3): 376 (1978); Keng, Gard. Bull. Singapore 39(1): 94 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 272 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 141, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Bramley, Fl. Males., ser. 1, 23: 249 (2019). – *Ocimum canum* Sims: Ridley, Fl. Malay Penins. 2: 644 (1923). **Non-native, naturalised** (assessed here).

Ocimum basilicum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Keng, Fl. Males., ser. 1, 8(3): 377 (1978); Keng, Gard. Bull. Singapore 39(1): 94 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 272 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 141, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Kaw & Neo, Wayside Fls Singapore: 131 (2018); Bramley, Fl. Males., ser. 1, 23: 250 (2019). **Non-native, naturalised** (assessed here).

Ocimum tenuiflorum L.: Keng, Fl. Males., ser. 1, 8(3): 378 (1978); Keng, Gard. Bull. Singapore 39(1): 94 (1986); Press & Sivarajan, Bull. Brit. Mus. Nat. Hist. (Bot.) 19: 116 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197, fig. 142.3a (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 272 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 141, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Bramley, Fl. Males., ser. 1, 23: 253 (2019). – *Ocimum sanctum* L.: Ridley, Fl. Malay Penins. 2: 643 (1923). **Cryptogenic** (assessed here).

Orthosiphon aristatus (Blume) Miq.: Keng, Gard. Bull. Singapore 39(1): 95 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 197, fig. 142.4 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 141, 252 (2009); Kaw & Neo, Wayside Fls Singapore: 54 (2018); Bramley, Fl. Males., ser. 1, 23: 256 (2019). – *Orthosiphon stamineus* Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 703 (1908 [‘1907’]). **Non-native, casual** (assessed here).

Peronema canescens Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 89 (1901); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 857 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 636 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1696 (1935); Keng, Gard. Bull. Singapore 39(1): 90 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Lee et al., Gardenwise 24: 12 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 141, 195 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Neo et al., Nat. Singapore 6: 279 (2013); Bramley, Fl. Males., ser. 1, 23: 270 (2019). **Native; NEx** (assessed here).

Pogostemon auricularius (L.) Hassk.: Kuntze, Revis. Gen. Pl. 2: 529 (1891), as 'auricularia'; Keng, Fl. Males., ser. 1, 8(3): 356 (1978); Keng, Gard. Bull. Singapore 39(1): 95 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 198, fig. 142.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 111 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner, Gard. Bull. Singapore 47: 272 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 141, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 206, 375 (2013); Bongcheewin & Bramley, Fl. Males., ser. 1, 23: 304 (2019). – *Dysophylla auricularia* (L.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Ridley, Fl. Malay Penins. 2: 648 (1923). **Cryptogenic** (assessed here).

Premna serratifolia L.: Lee et al., Gard. Bull. Singapore 55: 282, 307 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 141, 223 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 209, 375 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 454, 807 [2015]; Hung et al., Nat. Singapore 10: 17, 20 (2017); Hung et al., Nat. Singapore 10: 47 (2017); De Kok, Fl. Males., ser. 1, 23: 327 (2019); Yee et al., Fl. Singapore 1: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 306, 382 (2020). – *Premna corymbosa* auct. non Rottler & Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Keng, Gard. Bull. Singapore 39(1): 91 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 184, 255 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 209, 375 (2013). – *Premna foetida* Reinw. ex Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 814 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 619 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1806 (1935); Kochummen, Tree Fl. Malaya 3: 307 (1978); Keng, Gard. Bull. Singapore 39(1): 91 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 496 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 141, 230 (2009). – *Premna punctulata* C.B.Clarke: Ridley, Fl. Malay Penins. 2: 620 (1923); Kochummen, Tree Fl. Malaya 3: 307 (1978); Keng, Gard. Bull. Singapore 39(1): 91 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 496 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 141, 197 (2009). – *Premna divaricata* Wall. ex Schauer: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4):

815 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 619 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1806 (1935). – *Premna integrifolia* L., nom. illeg. superfl.: Ridley, Fl. Malay Penins. 2: 619 (1923). – *Premna cordifolia* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 818 (1909 ['1908']), p.p. – *Premna integrifolia* L. var. *angustior* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 813 (1909 ['1908']). **Native; LC** (assessed here).

Premna trichostoma Miq.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 816 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 620 (1923); De Kok, Fl. Males., ser. 1, 23: 333 (2019). – *Premna parasitica* Blume: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 575 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Kochummen, Tree Fl. Malaya 3: 307 (1978); Keng, Gard. Bull. Singapore 39(1): 91 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 496 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 141, 197 (2009). – *Premna ridleyi* King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 820 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 621 (1923); Kochummen, Tree Fl. Malaya 3: 307 (1978); Keng, Gard. Bull. Singapore 39(1): 91 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 496 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 141, 197 (2009). – *Premna flavescens* Buch.Ham. ex C.B.Clarke var. *rubens* auct. non C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900). **Native; NEx** (assessed here).

Rothea serrata (L.) Steane & Mabb.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 141, 256 (2009); Wearn & Mabberley, Fl. Males., ser. 1, 23: 337 (2019). **Non-native, casual*** (assessed here).

Sphenodesme pentandra Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 124 (1900), as '*Sphenodesma*'; Ridley, Fl. Malay Penins. 2: 639 (1923); Munir, Gard. Bull. Singapore 21(3): 357 (1966); Keng, Gard. Bull. Singapore 39(1): 91 (1986), as '*Sphenodesma*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 141, 198 (2009); Walsingham & Suddee, Fl. Males., ser. 1, 23: 356 (2019).

Sphenodesme pentandra Jack var. **pentandra**: Turner, Gard. Bull. Singapore 47: 496 (1997 ['1995']); Walsingham & Suddee, Fl. Males., ser. 1, 23: 357 (2019). **Native; CR** (assessed here).

Teijsmanniodendron coriaceum (C.B.Clarke) Kosterm.: Keng, Gard. Bull. Singapore 39(1): 92 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 497 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 141, 212

(2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); De Kok, Fl. Males., ser. 1, 23: 376 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019). – *Vitex coriacea* C.B.Clarke: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 846 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 632 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2238 (1935). **Native; CR** (assessed here).

Teijsmanniodendron pteropodum (Miq.) Bakh.: Keng, Gard. Bull. Singapore 39(1): 92 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 497 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 141, 198 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); De Kok, Fl. Males., ser. 1, 23: 382 (2019). – *Vitex peralata* King: Ridley, Fl. Malay Penins. 2: 634 (1923). – *Vitex pteropoda* Miq.: Ridley, Fl. Malay Penins. 2: 633 (1923). **Native; CR** (assessed here).

Vitex gamosepala Griff.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 855 (1909 ['1908']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 141, 213 (2009); De Kok, Fl. Males., ser. 1, 23: 403 (2019). – *Vitex gamosepala* Griff. var.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900). **Native; NEx** (assessed here).

Vitex negundo L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 843 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 631 (1923); Keng, Gard. Bull. Singapore 39(1): 92 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 141, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 376 (2013); De Kok, Fl. Males., ser. 1, 23: 407 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88, 121 (2019). **Non-native, casual** (assessed here).

Vitex pinnata L.: Keng, Gard. Bull. Singapore 39(1): 92 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 307 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 141, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 259, 377 (2013); Neo et al., Nat. Singapore 6: 69 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Hung et al., Nat. Singapore 10: 18, 21, 24 (2017); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); De Kok, Fl. Males., ser. 1, 23: 410 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 292, 311 (2020). – *Vitex*

pubescens Vahl, nom. illeg. superfl.: Miquel, Fl. Ned. Ind. 2, fasc. 5: 861 (1858 ['1856']); Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 585 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 848 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 632 (1923). – *Vitex pubescens* Vahl var. *lilacina* Kuntze: Kuntze, Revis. Gen. Pl. 2: 511 (1891). **Native; LC** (assessed here).

Vitex rotundifolia L.f.: De Kok et al., Gard. Bull. Singapore 68: 195 (2016); De Kok, Fl. Males., ser. 1, 23: 413 (2019). – *Vitex ovata* Thunb.: Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 446, 776 (2006). **Native; NEx** (assessed here).

Vitex trifolia L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 842 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 630 (1923); Keng, Gard. Bull. Singapore 39(1): 93 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195, fig. 141.8 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 230 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 141, 264 (2009); Lok et al., Cosmos 6: 75 (2010); De Kok, Fl. Males., ser. 1, 23: 416 (2019). **Native; CR** (assessed here).

Vitex vestita Wall. ex Walp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 854 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 635 (1923); Keng, Gard. Bull. Singapore 39(1): 93 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 141, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 260, 378 (2013); De Kok, Fl. Males., ser. 1, 23: 419 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019). – *Vitex longisepala* auct. non King & Gamble: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 376 (2013). **Native; CR** (assessed here).

Volkameria inermis L.: Yuan et al., Taxon 59: 132 (2010); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 482, 807 [2015]; Hung et al., Nat. Singapore 10: 48 (2017); Wearne & Mabberley, Fl. Males., ser. 1, 23: 422 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 352, 382 (2020). – *Clerodendrum inerme* (L.) Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900), as '*Clerodendron*'; Ridley, Fl. Malay Penins. 2: 624 (1923), as '*Clerodendron*'; Keng, Gard. Bull. Singapore 39(1): 89 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 193 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Lee et al., Gard. Bull. Singapore 55: 282, 307 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 181, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 140, 226 (2009); Teo et al., Nat. Singapore 4: 270 (2011). – *Clerodendrum neriifolium* (Roxb.) Wall. ex Steud.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 827 (1909 ['1908']), as '*Clerodendron*'. **Native; LC** (assessed here).

Lauraceae

Actinodaphne glomerata (Blume) Nees: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 116 (1912); Ridley, Fl. Malay Penins. 3: 108 (1924); Keng, Gard.

Bull. Singapore 27: 78 (1974); Kochummen, Tree Fl. Malaya 4: 104 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 273 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 141, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019). **Native; CR** (Chong et al., 2009).

Actinodaphne maingayi Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 114 (1912); Ridley, Fl. Malay Penins. 3: 108 (1924); Keng, Gard. Bull. Singapore 27: 78 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978). — *Actinodaphne macrophylla* auct. non (Blume) Nees: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 141, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 9, 378 (2013); Chong et al., Nat. Singapore 9: 5 (2016); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). **Native; CR** (assessed here).

Actinodaphne malaccensis Hook.f.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 118 (1912); Ridley, Fl. Malay Penins. 3: 109 (1924); Keng, Gard. Bull. Singapore 27: 78 (1974); Kochummen, Tree Fl. Malaya 4: 105 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18, fig. 13.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 273 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 99, 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 141, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 9, 378 (2013); Chong et al., Nat. Singapore 9: 7 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019). — *Actinodaphne hullettii* Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 314 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 120 (1912); Ridley, Fl. Malay Penins. 3: 110 (1924); Keng, Gard. Bull. Singapore 27: 78 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990). **Native; EN** (Wong et al., 2013).

Actinodaphne pruinosa Nees: Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 967 (1858 ['1855']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 119 (1912); Ridley, Fl. Malay Penins. 3: 110 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 43 (1935); Keng, Gard. Bull. Singapore 27: 78 (1974); Kochummen, Tree Fl. Malaya 4: 106 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 274 (1997 ['1995']); Chew et al., Gard. Bull. Singapore

49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 142, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 9, 378 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88, 130 (2019). **Native; EN** (Wong et al., 2013).

Alseodaphne bancana Miq.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 91 (1912); Ridley, Fl. Malay Penins. 3: 98 (1924); Keng, Gard. Bull. Singapore 27: 78 (1974); Kochummen, Tree Fl. Malaya 4: 111 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18, fig. 13.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 274 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 142, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 18, 379 (2013); Chong et al., Nat. Singapore 9: 7 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019). – *Alseodaphne decipiens* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 145 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900). **Native; CR** (Wong et al., 2013).

Alseodaphne intermedia Kosterm.: Kostermans, Candollea 28: 113 (1973); Kochummen, Tree Fl. Malaya 4: 113 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 275 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 142, 200 (2009). – *Alseodaphne ob lanceolata* auct. non (Merr.) Kosterm.: Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']). **Native; CR** (Chong et al., 2009).

Alseodaphne nigrescens (Gamble) Kosterm.: Kochummen, Tree Fl. Malaya 4: 114 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 275 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 142, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88, 130 (2019). – *Dehaasia nigrescens* Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 64 (1912); Ridley, Fl. Malay Penins. 3: 88 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990). **Native; CR** (assessed here).

Beilschmiedia kunstleri Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 147 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 54 (1912); Ridley, Fl. Malay Penins. 3: 83 (1924); Keng, Gard. Bull. Singapore 27: 78 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 142, 201 (2009); Turner & Chua, Checkl. Vasc. Pl.

Sp. Bukit Timah Nat. Res.: 38 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 34, 379 (2013); Chong et al., Nat. Singapore 9: 9 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Beilschmiedia madang (Blume) Blume: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 100, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 142, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 34, 379 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Chong et al., Nat. Singapore 9: 10 (2016); De Kok, Fl. Singapore 4 (in prep.). – *Beilschmiedia malaccensis* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 54 (1912); Ridley, Fl. Malay Penins. 3: 83 (1924); Keng, Gard. Bull. Singapore 27: 78 (1974). – *Beilschmiedia curtisii* Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 148 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 55 (1912). **Native; VU** (assessed here).

Cassytha filiformis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 202 (1912); Ridley, Fl. Malay Penins. 3: 137 (1924); Keng, Gard. Bull. Singapore 27: 78 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18, fig. 13.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 142, 226 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Hung et al., Nat. Singapore 10: 15, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017). **Native; LC** (Chong et al., 2009).

Cinnamomum iners (Reinw. ex Nees & T.Nees) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 76 (1912); Ridley, Fl. Malay Penins. 3: 92 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18, fig. 13.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 297 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 333 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 142, 226 (2009); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 56, 379 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Chong et al., Nat. Singapore 9: 11 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88, 130 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 92, 310 (2020); De Kok, Fl. Singapore 4 (in prep.). – *Cinnamomum nitidum* Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900). **Native; LC** (assessed here).

Cinnamomum javanicum Blume: Hooker, Fl. Brit. India 5, fasc. 13: 130 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc.

Asiat. Soc. Bengal] 75(1): 81 (1912); Ridley, Fl. Malay Penins. 3: 94 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 112 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 142, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 57, 379 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 575, 806 [2015]; Chong et al., Nat. Singapore 9: 11 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88, 121 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 93, 310 (2020); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Cinnamomum subavenium Miq.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 556 (1935); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 278 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 142, 189 (2009); De Kok, Fl. Singapore 4 (in prep.). – *Cinnamomum ridleyi* Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 218 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 77 (1912); Ridley, Fl. Malay Penins. 3: 93 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974). **Native; NEx** (assessed here).

Cryptocarya ferrea Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 45 (1912); Ridley, Fl. Malay Penins. 3: 79 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18, fig. 13.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 142, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 380 (2013); Chong et al., Nat. Singapore 9: 11 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); De Kok, Fl. Singapore 4 (in prep.). **Native; EN** (assessed here).

Cryptocarya griffithiana Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 40 (1912); Ridley, Fl. Malay Penins. 3: 77 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Kochummen, Tree Fl. Malaya 4: 134 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 279 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 142, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 380 (2013); Chong et al., Nat. Singapore 9: 12 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); De Kok, Fl. Singapore 4 (in prep.). **Native; EN** (assessed here).

Cryptocarya impressa Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 42 (1912); Ridley, Fl. Malay Penins. 3: 78 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 142, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 88 (2019); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Cryptocarya kurzii Hook.f.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 48 (1912); Ridley, Fl. Malay Penins. 3: 80 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 142, 190 (2009); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Cryptocarya malayana De Kok: De Kok, Fl. Singapore 4 (in prep.). – *Cryptocarya caesia* auct. non Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 49 (1912); Ridley, Fl. Malay Penins. 3: 81 (1924); Keng, Gard. Bull. Singapore 27: 79 (1974); Kochummen, Tree Fl. Malaya 4: 133 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 278 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 142, 190 (2009). **Native; NEx** (assessed here).

Cryptocarya nitens (Blume) Koord. & Valeton: Neo et al., Nat. Singapore 7: 64 (2014); De Kok, Gard. Bull. Singapore 67: 253 (2015); Chong et al., Nat. Singapore 9: 14 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89, 121 (2019); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Cryptocarya rugulosa Hook.f.: Kochummen, Tree Fl. Malaya 4: 136 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 279 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 142, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Dehaasia cuneata (Blume) Blume: Khoo et al., Gard. Bull. Singapore 70: 60 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89, 121 (2019). **Native; CR** (assessed here).

Dehaasia incrassata (Jack) Nees: Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 930 (1858 ['1855']); Keng, Gard. Bull. Singapore 27: 79 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19, fig. 13.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull.

Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 142, 203 (2009); Neo et al., Nat. Singapore 7: 104 (2014). – *Dehaasia microcarpa* Blume: Hooker, Fl. Brit. India 5, fasc. 13: 126 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 62 (1912); Ridley, Fl. Malay Penins. 3: 87 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 776 (1935). **Native; CR** (Chong et al., 2009).

Endiandra maingayi Hook.f.: Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Khoo et al., Gard. Bull. Singapore 70: 61 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89, 121 (2019). **Native; CR** (assessed here).

Lindera lucida (Blume) Boerl.: Corner, Wayside Trees Malaya, ed. 2, 1: 346 (1952); Keng, Gard. Bull. Singapore 27: 79 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 383 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19, fig. 13.7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 142, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 161, 380 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Chong et al., Nat. Singapore 9: 14 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); De Kok, Fl. Singapore 4 (in prep.). – *Lindera malaccensis* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 183 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 194 (1912); Ridley, Fl. Malay Penins. 3: 133 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1349 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 162, 380 (2013). **Native; VU** (assessed here).

Litsea accedens (Blume) Boerl.: Keng, Gard. Bull. Singapore 27: 80 (1974); Kochummen, Tree Fl. Malaya 4: 151 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 281 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 101, 163 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 642, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); De Kok, Gard. Bull. Singapore 73: 90, fig. 1, 2 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea costata* (Blume) Boerl.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book,

ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019). – *Litsea perakensis* Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 359 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 160 (1912); Ridley, Fl. Malay Penins. 3: 122 (1924); Keng, Gard. Bull. Singapore 27: 80 (1974). – *Litsea singaporenensis* Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 358 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 159 (1912); Ridley, Fl. Malay Penins. 3: 122 (1924). – *Litsea penangiana* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900). **Native; VU** (assessed here).

Litsea aff. maingayi Hook.f.: De Kok, Gard. Bull. Singapore 73: 176 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea maingayi* auct. non Hook.f.: Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']). **Native; DD** (assessed here).

Litsea castanea Hook.f.: Kostermans, Reinwardtia 8(1): 89 (1970); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 169, 380 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Chong et al., Nat. Singapore 9: 16 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); De Kok, Gard. Bull. Singapore 73: 100, fig. 4, 5 (2021); De Kok, Fl. Singapore 4 (in prep.). **Native; EN** (assessed here).

Litsea cordata (Jack) Hook.f.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 144 (1912); Ridley, Fl. Malay Penins. 3: 118 (1924); Keng, Gard. Bull. Singapore 27: 80 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 207 (2009); Chong et al., Nat. Singapore 9: 17 (2016); De Kok, Gard. Bull. Singapore 73: 106, fig. 6 (2021); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Litsea costalis (Nees) Kosterm.: Keng, Gard. Bull. Singapore 27: 80 (1974); Kochummen, Tree Fl. Malaya 4: 154 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 113 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 282 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 169, 380 (2013); Chong et al., Nat. Singapore 9: 19 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89, 130 (2019); De Kok, Gard. Bull. Singapore 73: 109, fig. 7, 8 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea megacarpa* Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 364 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 175 (1912); Ridley, Fl. Malay Penins. 3: 127 (1924). – *Alseodaphne costalis* Nees: Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 916 (1858 ['1855']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Ridley, Fl. Malay Penins. 3: 100 (1924). **Native; CR** (assessed here).

Litsea elliptica Blume: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 282 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 297 (2003); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 38 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 169, 380 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 677, 807 [2015]; Chong et al., Nat. Singapore 9: 19 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 190, 310 (2020); De Kok, Gard. Bull. Singapore 73: 114, fig. 9 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea petiolata* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 147 (1912); Ridley, Fl. Malay Penins. 3: 119 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1356 (1935); Keng, Gard. Bull. Singapore 27: 80 (1974). **Native; LC** (assessed here).

Litsea erectinervia Kosterm.: Keng, Gard. Bull. Singapore 27: 80 (1974); Kochummen, Tree Fl. Malaya 4: 156 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990), as ‘erectinervia’; Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 282 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 169, 380 (2013); Chong et al., Nat. Singapore 9: 21 (2016); De Kok, Gard. Bull. Singapore 73: 118, fig. 10, 11 (2021); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Litsea ferruginea (Blume) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 186 (1912); Ridley, Fl. Malay Penins. 3: 129 (1924); Keng, Gard. Bull. Singapore 27: 80 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 169, 380 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); De Kok, Gard. Bull. Singapore 73: 122, fig. 10, 11 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea griffithii* Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 187 (1912); Ridley, Fl. Malay Penins. 3: 129 (1924). **Native; NEx** (assessed here).

Litsea gracilipes Hook.f.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1354 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71

(1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 194 (2009); De Kok, Gard. Bull. Singapore 73: 127, fig. 12 (2021); De Kok, Fl. Singapore 4 (in prep.). **Native; NEx** (assessed here).

Litsea grandis (Nees) Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 162 (1886), as '*Litsaea*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 136 (1912); Ridley, Fl. Malay Penins. 3: 115 (1924); Keng, Gard. Bull. Singapore 27: 80 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 381 (2013); Chong et al., Nat. Singapore 9: 22 (2016); De Kok, Gard. Bull. Singapore 73: 128, fig. 13, 14 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea polyantha* auct. non Juss.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900). **Native; EN** (assessed here).

Litsea lanceolata (Blume) Kosterm.: Keng, Gard. Bull. Singapore 27: 80 (1974); Kochummen, Tree Fl. Malaya 4: 159 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 283 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 194 (2009); De Kok, Gard. Bull. Singapore 73: 137, fig. 15 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea sarawacensis* Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 365 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 182 (1912); Ridley, Fl. Malay Penins. 3: 130 (1924). **Native; NEx** (assessed here).

Litsea lancifolia (Roxb. ex Nees) Fern.-Vill.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 182 (1912); Ridley, Fl. Malay Penins. 3: 130 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1355 (1935); Keng, Gard. Bull. Singapore 27: 80 (1974), as '*lanceifolia*'; Maxwell, Gard. Bull. Singapore 35(2): 195 (1983 ['1982']); Kochummen, Tree Fl. Malaya 4: 160 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 381 (2013); Chong et al., Nat. Singapore 9: 22 (2016); De Kok, Gard. Bull. Singapore 73: 138, fig. 16 (2021); De Kok, Fl. Singapore 4 (in prep.).

Litsea lancifolia (Roxb. ex Nees) Fern.-Vill. var. **lancifolia**: Turner, Gard. Bull. Singapore 47: 283 (1997 ['1995']); De Kok, Gard. Bull. Singapore 73: 138, fig. 16 (2021). **Native; EN** (assessed here).

Litsea machilifolia Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 171 (1912); Ridley, Fl. Malay Penins. 3: 126 (1924); Keng, Gard. Bull. Singapore 27: 80 (1974); Kochummen, Tree Fl. Malaya 4: 160 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 284 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 381 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); De Kok, Gard. Bull. Singapore 73: 142, fig. 17 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea machilifolia* Gamble var. *angustifolia* Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 172 (1912). – *Litsea panamanja* auct. non (Buch.-Ham. ex Nees) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900), as ‘*panamonja*’. **Native; CR** (assessed here).

Litsea myristicifolia (Wall. ex Nees) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900), as ‘*myristicaefolia*’; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 169 (1912), as ‘*myristicaefolia*’; Ridley, Fl. Malay Penins. 3: 125 (1924), as ‘*myristicaefolia*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 1355 (1935); Keng, Gard. Bull. Singapore 27: 80 (1974), as ‘*myristicaefolia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990), as ‘*myristicaefolia*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990), as ‘*myristicaefolia*’; Turner, Gard. Bull. Singapore 45: 114 (1993), as ‘*myristicaefolia*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994), as ‘*myristicaefolia*’; Ng & Wee (ed.), Singapore Red Data Book: 290 (1994), as ‘*myristicaefolia*’; Turner, Gard. Bull. Singapore 47: 284 (1997 ['1995']); Lee et al., Gard. Bull. Singapore 55: 297 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 401 (2004 ['2003']), as ‘*myristicaefolia*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 208 (2009); De Kok, Gard. Bull. Singapore 73: 149, fig. 18 (2021); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Litsea resinosa Blume: Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 678, 807 [2015]; Chong et al., Nat. Singapore 9: 24 (2016); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 191, 310 (2020); De Kok, Gard. Bull. Singapore 73: 154, fig. 19, 20 (2021); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Litsea ridleyi Gamble: Gamble, Bull. Misc. Inform. Kew 1910: 317 (1910); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 153 (1912); Ridley, Fl. Malay Penins. 3: 120 (1924); Keng, Gard. Bull. Singapore 27: 81 (1974); Maxwell, Gard. Bull. Singapore 35(2): 195 (1983 ['1982']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 284 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 381 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); De Kok, Gard. Bull. Singapore 73: 157, fig. 21, 22 (2021); De Kok, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Litsea robusta Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 180 (1912); Ridley, Fl. Malay Penins. 3: 129 (1924); Keng, Gard. Bull. Singapore 27: 81 (1974); Kochummen, Tree Fl. Malaya 4: 163 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 284 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 381 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89, 130 (2019); De Kok, Gard. Bull. Singapore 73: 160 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea sebifera* auct. non Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 176 (1912); Ridley, Fl. Malay Penins. 3: 128 (1924). – *Litsea longipes* auct. non (Meisn.) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900). **Native; NEx** (assessed here).

Litsea sphaerocarpa Blume: De Kok, Gard. Bull. Singapore 73: 165, fig. 23 (2021). – *Litsea spathacea* Gamble: De Kok, Gard. Bull. Singapore 69: 168 (2017); De Kok, Fl. Singapore 4 (in prep.). **Native; DD** (assessed here).

Litsea tomentosa Blume: De Kok, Gard. Bull. Singapore 69: 169 (2017); De Kok, Gard. Bull. Singapore 73: 168, fig. 23 (2021); De Kok, Fl. Singapore 4 (in prep.). **Native; NEx** (assessed here).

Litsea umbellata (Lour.) Merr.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Lee et al., Gard. Bull. Singapore 55: 297 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 381 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); De Kok, Gard. Bull. Singapore 73: 169, fig. 24, 25 (2021); De Kok, Fl. Singapore 4 (in prep.). – *Litsea firma* (Blume) Hook.f.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 138 (1912); Ridley, Fl. Malay Penins. 3: 116 (1924); Keng, Gard. Bull. Singapore 27: 80 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Kochummen, Tree Fl. Malaya 4: 156 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 114 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 282 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 642, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 142, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Nee Soon Swamp For.: 39 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 381 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Chong et al., Nat. Singapore 9: 21 (2016). – *Litsea amara* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 140 (1912); Ridley, Fl. Malay Penins. 3: 117 (1924). – *Litsea salicifolia* auct. non (Roxb. ex Nees) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900). **Native; VU** (assessed here).

Machilus declinata (Blume) De Kok: De Kok, Gard. Bull. Singapore 71: 150 (2019). – *Persea declinata* (Blume) Kosterm.: Kochummen, Tree Fl. Malaya 4: 173 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 286 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 143, 210 (2009). – *Phoebe declinata* (Blume) Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 105 (1912); Ridley, Fl. Malay Penins. 3: 104 (1924); Keng, Gard. Bull. Singapore 27: 81 (1974). – *Machilus rimososa* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900), as ‘*rimosus*’. – *Phoebe sumatrana* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900). – *Phoebe ligustrina* Nees: Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 907 (1858 ['1855']). **Native; NEx** (assessed here).

Machilus rimososa (Blume) Blume: De Kok, Fl. Singapore 4 (in prep.). – *Machilus odoratissima* auct. non Nees: Hooker, Fl. Brit. India 5, fasc. 13: 139 (1886), p.p. – *Machilus odoratissima* Nees var. *glabrata* Meisn.: Meisner in De Candolle, Prodr. 15(1): 41 (1864). – *Machilus odoratissima* Nees var. B: Nees in Wallich, Pl. Asiat. Rar. 2, fasc. 8: 70 (1831), as ‘*odoratissimus*’. – *Laurus odoratissima* Wall., nom. nud.: Wallich, Numer. List no. 2607 (1831). **Native; NEx** (assessed here).

Neolitsea cassia (L.) Kosterm.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 142, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 186, 381 (2013); Chong et al., Nat. Singapore 9: 24 (2017). – *Neolitsea zeylanica* Merr., nom. illeg. superfl.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 189 (1912); Ridley, Fl. Malay Penins. 3: 132 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 297 (2003); LaFrankie et al., Forest Trees Bukit Timah: 102, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 701, 807 [2015]; De Kok, Fl. Singapore 4 (in prep.). – *Tetradenia furfuracea* Nees: Nees in Wallich, Pl. Asiat. Rar. 2, fasc. 8: 64 (1831); De Kok, Gard. Bull. Singapore 71: 141 (2019). – *Litsea zeylanica* Nees & T.Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900). – *Litsea furfuracea* (Nees) Nees: Nees, Syst. Laur.: 625 (1836); Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 975 (1858 ['1855']). – *Tetranthera furfuracea* Wall., nom. nud.: Wallich, Numer. List no. 2568 (1830). **Native; VU** (assessed here).

Nothaphoebe coriacea (Kosterm.) Kosterm.: Keng, Gard. Bull. Singapore 27: 81 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990), as ‘*coriaceae*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 142, 195 (2009). **Native; NEx** (Chong et al., 2009).

Nothaphoebe umbelliflora (Blume) Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 97 (1912); Ridley, Fl. Malay Penins. 3: 101 (1924); Keng, Gard. Bull. Singapore 27: 81 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 286 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 103, 164 (2005); Chong et

al., Checkl. Vasc. Pl. Fl. Singapore: 64, 142, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 381 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Chong et al., Nat. Singapore 9: 26 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019). – *Alseodaphne umbelliflora* (Blume) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900). **Native; LC** (Wong et al., 2013).

Phoebe grandis (Nees) Merr.: Keng, Gard. Bull. Singapore 27: 81 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 19 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 143, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 381 (2013). – *Phoebe cuneata* Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 109 (1912); Ridley, Fl. Malay Penins. 3: 106 (1924); Keng, Gard. Bull. Singapore 27: 81 (1974). – *Phoebe opaca* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 131 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 108 (1912); Ridley, Fl. Malay Penins. 3: 105 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1712 (1935); Keng, Gard. Bull. Singapore 27: 81 (1974). – *Phoebe kunstleri* Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 107 (1912). **Native; CR** (Wong et al., 2013).

Phoebe macrophylla (Nees) Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 106 (1912); Ridley, Fl. Malay Penins. 3: 105 (1924). **Native; NEx** (assessed here).

Lecythidaceae

Barringtonia asiatica (L.) Kurz: Keng, Gard. Bull. Singapore 31: 106 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79, fig. 71.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 308 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 143, 201 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Prance, Fl. Penins. Malaysia, ser. 2, 3: 183 (2012); Prance, Fl. Males., ser. 1, 21: 25 (2013); Hung et al., Nat. Singapore 10: 15, 22 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 70, 310 (2020). – *Barringtonia speciosa* J.R.Forst. & G.Forst.: Clarke in Duthie in Hooker, Fl. Brit. India 2, fasc. 6: 507 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900); Ridley, Fl. Malay Penins. 1: 756 (1922). – *Michelia asiatica* (L.) Kuntze: Kuntze, Revis. Gen. Pl. 1: 240 (1891). **Native; CR** (assessed here).

Barringtonia conoidea Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900); Ridley, Fl. Malay Penins. 1: 757 (1922); Keng, Gard. Bull. Singapore 31: 106 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 143, 188 (2009); Prance, Fl. Penins. Malaysia, ser. 2, 3: 187 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 34, 382 (2013); Prance, Fl. Males., ser. 1, 21: 39 (2013). **Native; NEx** (assessed here).

Barringtonia macrostachya (Jack) Kurz: Ridley, Fl. Malay Penins. 1: 758 (1922); Keng, Gard. Bull. Singapore 31: 106 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 143, 201 (2009); Prance, Fl. Penins. Malaysia, ser. 2, 3: 197 (2012); Prance, Fl. Males., ser. 1, 21: 57 (2013). – *Barringtonia cylindristachya* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900). – *Barringtonia pendula* auct. non (Griff.) Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900), as ‘pendulum’. **Native; CR** (assessed here).

Barringtonia racemosa (L.) Spreng.: Ridley, Fl. Malay Penins. 1: 757 (1922); Keng, Gard. Bull. Singapore 31: 106 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 80, fig. 71.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 309 (2004 [‘2003’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 143, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Prance, Fl. Penins. Malaysia, ser. 2, 3: 203 (2012); Prance, Fl. Males., ser. 1, 21: 71 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 71, 310 (2020). – *Barringtonia inclyta* Miers: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900). **Native; CR** (assessed here).

Barringtonia reticulata (Blume) Miq.: Whitmore, Tree Fl. Malaya 2: 260 (1973); Keng, Gard. Bull. Singapore 31: 106 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 392 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 80 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 115 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 288 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 143, 201 (2009); Prance, Fl. Penins. Malaysia, ser. 2, 3: 205 (2012); Prance, Fl. Males., ser. 1, 21: 75 (2013); Lim et al., Fl. Singapore 1: 88 (2019). – *Barringtonia sumatrana* Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 139 (1901); Ridley, Fl. Malay Penins. 1: 758 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 307 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 356 (1952). **Native; CR** (assessed here).

Planchonia grandis Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 61: 9 (1912); Ridley, Fl. Malay Penins. 1: 760 (1922); Whitmore, Tree Fl. Malaya 2: 264 (1973); Keng, Gard. Bull. Singapore 31: 107 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 80, fig. 71.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 289 (1997 [‘1995’]); Pinard, Tree Fl. Sabah & Sarawak 4: 127 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 143, 197 (2009); Nura Abdul Karim & Md Fadli bin Baharudin, Gardenwise 37: 26 (2011); Prance, Fl. Penins. Malaysia, ser. 2, 3: 214 (2012); Kartawinata, Fl. Males., ser. 1, 21: 104 (2013); Lim et al., Fl. Singapore 1: 89 (2019). – *Careya* sp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900), as ‘*Careya n. sp.*’. **Native; CR** (assessed here).

Lentibulariaceae

Utricularia aurea Lour.: Taylor, Fl. Males., ser. 1, 8(2): 296 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 143, 273 (2009); Lok et al., Cosmos 6: 80 (2010); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89, 121 (2019). – *Utricularia flexuosa* Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 368 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 491 (1923). – *Utricularia flexuosa* Vahl var. *gracilis* (Oliv.) Ridl.: Ridley, Fl. Malay Penins. 2: 491 (1923). – *Utricularia flexuosa* Vahl f. *gracilis* Oliv.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 369 (1906 ['1905']). **Cryptogenic** (Chong et al., 2009).

Utricularia bifida L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 370 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 492 (1923); Taylor, Fl. Males., ser. 1, 8(2): 281 (1977); Keng, Gard. Bull. Singapore 39(1): 77 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 181 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 125 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 143, 273 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 253, 382 (2013); Kaw & Neo, Wayside Fls Singapore: 147 (2018). **Cryptogenic** (Wong et al., 2013).

Utricularia caerulea L.: Taylor, Fl. Males., ser. 1, 8(2): 287 (1977); Keng, Gard. Bull. Singapore 39(1): 77 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 181 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 143, 273 (2009); Lok et al., Cosmos 6: 80 (2010), as 'caerulea'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 254, 382 (2013). – *Utricularia albina* Ridl.: Ridley, Fl. Malay Penins. 2: 493 (1923). – *Utricularia racemosa* Wall. ex Walp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 373 (1906 ['1905']). **Cryptogenic** (Wong et al., 2013).

Utricularia gibba L.: Taylor, Gen. Utricularia: 572 (1989); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 143, 273 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 255, 383 (2013). – *Utricularia exoleta* R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 368 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 491 (1923); Taylor, Fl. Males., ser. 1, 8(2): 294 (1977); Keng, Gard. Bull. Singapore 39(1): 77 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 181, fig. 136.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). **Cryptogenic** (Wong et al., 2013).

Utricularia minutissima Vahl: Taylor, Fl. Males., ser. 1, 8(2): 286 (1977); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 143, 273 (2009); Lok et al., Cosmos 6: 80 (2010). **Cryptogenic** (Lok et al., 2010).

Utricularia punctata Wall. ex A.DC.: Taylor, Fl. Males., ser. 1, 8(2): 293 (1977); Keng, Gard. Bull. Singapore 39(1): 77 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 181 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner, Gard. Bull. Singapore 47: 313 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 143, 199 (2009). **Native; NEx** (Chong et al., 2009).

Utricularia uliginosa Vahl: Taylor, Fl. Males., ser. 1, 8(2): 282 (1977); Keng, Gard. Bull. Singapore 39(1): 77 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 181 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner, Gard. Bull. Singapore 47: 313 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 143, 199 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 256, 385 (2013). – *Utricularia griffithii* Wight: Ridley, Fl. Malay Penins. 2: 492 (1923). – *Utricularia affinis* Wight var. *griffithii* (Wight) Oliv.: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 331 (1884); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 370 (1906 ['1905']). **Native; CR** (assessed here).

Linaceae

Indorouchera griffithiana (Planch.) Hallier f.: Cockburn, Tree Fl. Malaya 1: 306 (1972); Keng, Gard. Bull. Singapore 33: 340 (1980); Van Hooren & Nooteboom, Fl. Males., ser. 1, 10(3): 617 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93, fig. 83.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 126 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 192 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 298 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 43, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 143, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 41 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 146, 385 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89 (2019). – *Roucheria griffithiana* Planch.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 323 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978). **Native; LC** (Wong et al., 2013).

Linderniaceae

Artanema longifolium (L.) Vatke: Turner, Gard. Bull. Singapore 47: 469 (1997 ['1995']). – *Artanema angustifolium* Benth.: Bentham, Scroph. Ind.: 39 (1835); Don, Gen. Hist. 4: 550 (1837–1838), as ‘*angustifolia*’; Miquel, Fl. Ned. Ind. 2, fasc. 4: 685 (1857 ['1856']); Hooker, Fl. Brit. India 4, fasc. 11: 275 (1884); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900); Ridley, Fl. Malay Penins. 2: 484 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 243 (1935). **Native; NEx** (assessed here).

Legazpia polygonoides (Benth.) T.Yamaz.: Yamazaki, J. Jap. Bot. 30: 359 (1955); Turner, Gard. Bull. Singapore 45: 212 (1993); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 158, 385 (2013); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 105 (2018).

– *Torenia polygonoides* Benth.: Don, Gen. Hist. 4: 550 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 4: 688 (1857 ['1856']); Kuntze, Revis. Gen. Pl. 2: 468 (1891), as ‘*polygonodes*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 352 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 482 (1923); Keng, Gard. Bull. Singapore 39(1): 77 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180, fig. 135.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 144, 273 (2009); Lok et al., Cosmos 6: 80 (2010); Neo et al., Nat. Singapore 6: 279 (2013). – *Torenia mucronulata* Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900). **Cryptogenic** (assessed here).

Lindernia anagallis (Burm.f.) Pennell: Philcox, Kew Bull. 22: 45 (1968); Keng, Gard. Bull. Singapore 39(1): 76 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner, Gard. Bull. Singapore 47: 470 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 143, 228 (2009). – *Vandellia pedunculata* Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 357 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 481 (1923). **Native; CR** (assessed here).

Lindernia antipoda (L.) Alston: Philcox, Kew Bull. 22: 57 (1968); Keng, Gard. Bull. Singapore 39(1): 76 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 470 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 143, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 162, 385 (2013); Kaw & Neo, Wayside Fls Singapore: 22 (2018). – *Bonnaya veronicaefolia* (Retz.) Spreng.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900), as ‘*veronicaefolia*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 361 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 486 (1923), as ‘*veronicaefolia*’. **Cryptogenic** (assessed here).

Lindernia ciliata (Colsm.) Pennell: Philcox, Kew Bull. 22: 51 (1968); Keng, Gard. Bull. Singapore 39(1): 76 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 471 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 143, 272 (2009); Lok et al., Cosmos 6: 80 (2010). – *Bonnaya brachiata* Link & Otto: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 360 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 485 (1923). – *Bonnaya pusilla* Benth.: Bentham, Scroph. Ind.: 33 (1835); Don, Gen. Hist. 4: 537 (1837–1838). **Cryptogenic** (assessed here).

Lindernia crustacea (L.) F.Muell.: Philcox, Kew Bull. 22: 17 (1968); Keng, Gard. Bull. Singapore 39(1): 76 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 143, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 162, 386 (2013); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 73 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 89, 121 (2019). – *Vandellia crustacea* (L.) Benth.: Ridley, J. Straits Branch Roy. Asiat.

Soc. 33: 118 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 355 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 479 (1923). **Cryptogenic** (assessed here).

Lindernia elata (Benth.) Wettst.: Yamazaki, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13(1): 20 (1981); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 143, 272 (2009); Lok et al., Cosmos 6: 80 (2010). – *Vandellia elata* Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 357 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 481 (1923). – *Vandellia scabra* auct. non Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 357 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 480 (1923). **Cryptogenic** (assessed here).

Lindernia pusilla (Willd.) Bold.: Philcox, Kew Bull. 22: 41 (1968); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994). – *Lindernia caespitosa* (Blume) Panigrahi: Turner, Gard. Bull. Singapore 47: 471 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 143, 194 (2009). **Cryptogenic** (assessed here).

Lindernia ruelliooides (Colsm.) Pennell: Philcox, Kew Bull. 22: 54 (1968), as ‘ruelliooides’; Keng, Gard. Bull. Singapore 39(1): 76 (1986), as ‘ruelliooides’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180 (1990), as ‘ruelliooides’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990), as ‘ruelliooides’; Turner, Gard. Bull. Singapore 45: 213 (1993), as ‘ruellioides’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘ruelliooides’; Ng & Wee (ed.), Singapore Red Data Book: 309 (1994), as ‘ruelliooides’; Turner, Gard. Bull. Singapore 47: 471 (1997 ['1995']), as ‘ruelliooides’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 144, 272 (2009), as ‘ruelliooides’; Lok et al., Cosmos 6: 80 (2010), as ‘ruelliooides’; Hung et al., Nat. Singapore 10: 16, 23 (2017), as ‘ruelliooides’. – *Bonnaya reptans* (Roxb.) Spreng.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 360 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 485 (1923). **Native; NEx** (assessed here).

Lindernia sessiliflora (Benth.) Wettst.: Sinclair, Gard. Bull. Singapore 15: 24 (1956); Philcox, Kew Bull. 22: 10 (1968); Keng, Gard. Bull. Singapore 39(1): 76 (1986); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180, fig. 135.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994). – *Lindernia nummulariifolia* auct. non (D.Don) Wettst.: Turner, Gard. Bull. Singapore 47: 471 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 143, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Hung et al., Nat. Singapore 10: 46 (2017). **Cryptogenic** (assessed here).

Lindernia viscosa (Hornem.) Bold.: Philcox, Kew Bull. 22: 38 (1968); Yamazaki, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13(1): 14 (1981); Keng, Gard. Bull. Singapore 39(1): 76 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 471 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 144, 272 (2009); Lok et al., Cosmos 6: 80 (2010). – *Vandellia hirsuta* Buch.-Ham. ex Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 356 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 480 (1923). **Cryptogenic** (assessed here).

Torenia fournieri Linden ex E.Fourn.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 144, 260 (2009); Chen et al., Nat. Singapore 11: 73 (2018). **Non-native, casual** (assessed here).

Loganiaceae

Mitrasacme pygmaea R.Br.: Leenhouts, Fl. Males., ser. 1, 6(2): 382 (1962); Kaw & Neo, Wayside Fls Singapore: 116 (2018); Puglisi, Fl. Singapore 13: 393 (2019).

Mitrasacme pygmaea R.Br. var. **pygmaea**: Leenhouts, Bull. Jard. Bot. État Bruxelles 32: 452 (1962); Leenhouts, Fl. Males., ser. 1, 6(2): 383 (1962); Puglisi, Fl. Singapore 13: 394, fig. 1 (2019). **Native; CR** (Puglisi, 2019).

Norrisia major Soler.: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(2): 602 (1908 ['1907']); Leenhouts, Fl. Males., ser. 1, 6(2): 341 (1962), as ‘*maior*’; Keng, Gard. Bull. Singapore 36(1): 111 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 141, fig. 120.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990), as ‘*maior*’; Turner, Gard. Bull. Singapore 45: 127 (1993), as ‘*maior*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), as ‘*maior*’; Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']), as ‘*maior*’; Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']), as ‘*maior*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008), as ‘*maior*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 144, 209 (2009), as ‘*maior*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 386 (2013), as ‘*maior*’; Puglisi, Fl. Singapore 13: 397, fig. 2 (2019). – *Norrisia malaccensis* auct. non Gardner: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 114 (1900); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1561 (1935), p.p.; Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']). – *Norrisia malaccensis* Gardner var. *major* (Soler.) Ridl.: Ridley, Fl. Malay Penins. 2: 414 (1923). **Native; CR** (Puglisi, 2019).

Spigelia anthelmia L.: Leenhouts, Fl. Males., ser. 1, 6(2): 378 (1962); Chen et al., Gard. Bull. Singapore 70: 98 (2018); Kaw & Neo, Wayside Fls Singapore: 113 (2018); Puglisi, Fl. Singapore 13: 400, fig. 3 (2019). **Non-native, naturalised** (Chen et al., 2018).

Strychnos cf. axillaris Colebr.: Puglisi, Fl. Singapore 13: 412 (2019). – *Strychnos malaccensis* Benth.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 115 (1900); Hill, Bull. Misc. Inform. Kew 1917: 177 (1917); Ridley, Fl. Malay Penins. 2: 425 (1923). **Native; DD** (assessed here).

Strychnos ignatii P.J.Bergius: Leenhouts, Fl. Males., ser. 1, 6(2): 347 (1962); Keng, Gard. Bull. Singapore 36(1): 112 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 141, fig. 120.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 127 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 144, 224 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 386 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Puglisi, Fl. Singapore 13: 404, fig. 4 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90, 130 (2019). – *Strychnos ovalifolia* Wall. ex G.Don, nom. illeg. hom.: Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(2): 616 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 425 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2097 (1935). – *Strychnos pseudotieute* A.W.Hill: Hill, Bull. Misc. Inform. Kew 1911: 287 (1911), as ‘*pseudo-tieute*’. – *Strychnos tieute* Lesch.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 115 (1900); Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(2): 621 (1908 ['1907']), as ‘*tieuté*’. **Native; VU** (Puglisi, 2019).

Strychnos maingayi C.B.Clarke: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 614 (1908 ['1907']); Leenhouts, Fl. Males., ser. 1, 6(2): 350 (1962); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 141 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 127 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner, Gard. Bull. Singapore 47: 316 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 144, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Neo et al., Nat. Singapore 7: 104 (2014); Puglisi, Fl. Singapore 13: 408 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). – *Strychnos laurina* Wall. ex A.DC.: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 88 (1883). **Native; CR** (Puglisi, 2019).

Strychnos pubescens C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 620 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 424 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2098 (1935); Puglisi, Fl. Singapore 13: 409, fig. 5 (2019). – *Strychnos axillaris* auct. non Colebr.: Leenhouts, Fl. Males., ser. 1, 6(2): 358 (1962), p.p.; Keng, Gard. Bull. Singapore 36(1): 112 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 141 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 127 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 144, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 386 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). **Native; CR** (Puglisi, 2019).

Strychnos ridleyi King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 621 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 424 (1923); Leenhouts, Fl. Males., ser. 1, 6(2): 360 (1962); Keng, Gard. Bull. Singapore 36(1): 112 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 141 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 127 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner, Gard. Bull. Singapore 47: 316 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 144, 187 (2009); Puglisi, Fl. Singapore 13: 411 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). **Native; EX** (Puglisi, 2019).

Loranthaceae

Amylotheca duthieana (King) Danser: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 244 (1931); Keng, Gard. Bull. Singapore 35(1): 99 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 129 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Barlow, Fl. Males., ser. 1, 13: 278 (1997); Turner, Gard. Bull. Singapore 47: 316 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 144, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 42 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 226 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). – *Loranthus*

duthieanus King: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 367 (1914); Ridley, Fl. Malay Penins. 3: 156 (1924). **Native; NEx** (Chong et al., 2009).

Barathranthus axanthus (Korth.) Miq.: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 393 (1931); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990), as ‘*ascanthus*’; Turner, Gard. Bull. Singapore 45: 128 (1993), as ‘*axsanthus*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Barlow, Fl. Males., ser. 1, 13: 281 (1997); Turner, Gard. Bull. Singapore 47: 316 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 144, 188 (2009), as ‘*Barathranthus axsanthus*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 228 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). – *Loranthus lobpii* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 358 (1914); Ridley, Fl. Malay Penins. 3: 153 (1924). **Native; NEx** (Chong et al., 2009).

Dendrophthoe curvata (Blume) Miq.: Barlow, Fl. Males., ser. 1, 13: 311 (1997). – *Dendrophthoe falcata* auct. non (L.f.) Ettingsh.: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 403 (1931); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 144, 191 (2009). – *Loranthus longiflorus* Desr.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900). **Native; NEx** (Chong et al., 2009).

Dendrophthoe pentandra (L.) Miq.: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 417 (1931); Keng, Gard. Bull. Singapore 35(1): 99 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 129, fig. 107.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 [‘1994’]); Barlow, Fl. Males., ser. 1, 13: 318 (1997); Turner, Gard. Bull. Singapore 47: 317 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 144, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 194 (2014 [2015]); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). – *Loranthus crassus* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 217 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 363 (1914); Ridley, Fl. Malay Penins. 3: 155 (1924). – *Loranthus pentandrus* L.: Hooker, Fl. Brit. India 5, fasc. 13: 216 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 364 (1914); Ridley, Fl. Malay Penins. 3: 155 (1924). – *Henslowia umbellata* auct. non Blume: Ridley, Fl. Malay Penins. 3: 167 (1924). – *Dendrophthoe farinosa* (Desr.) Mart.: Miquel, Fl. Ned. Ind. 1(1), fasc. 5: 819 (1856 [‘1855’]). – *Elytranthe farinosa* (Desr.) G.Don: Don, Gen. Hist. 3: 427 (1834). – *Loranthus farinosus* Desr.: Wallich in Roxburgh, Fl. Ind. 2: 221 (1824). **Native; LC** (Chong et al., 2009).

Elytranthe albida (Blume) Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 371 (1914); Ridley, Fl. Malay Penins. 3: 158 (1924); Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 305 (1931); Keng, Gard. Bull. Singapore 35(1): 100 (1982), as ‘*albide*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 129 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data

Book: 292 (1994); Barlow, Fl. Males., ser. 1, 13: 326 (1997); Turner, Gard. Bull. Singapore 47: 317 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 144, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 230 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). – *Loranthus albidus* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900). **Native; NEx** (Chong et al., 2009).

Elytranthe arnottiana (Korth.) Miq.: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 307 (1931); Keng, Gard. Bull. Singapore 35(1): 100 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 129 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Barlow, Fl. Males., ser. 1, 13: 328 (1997); Turner, Gard. Bull. Singapore 47: 317 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 144, 191 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 231 (2014 [2015]). – *Elytranthe maingayi* (Hook.f.) Tiegh.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 372 (1914); Ridley, Fl. Malay Penins. 3: 158 (1924). – *Loranthus maingayi* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900). **Native; NEx** (Chong et al., 2009).

Helixanthera coccinea (Jack) Danser: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 374 (1931); Keng, Gard. Bull. Singapore 35(1): 100 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 129 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Barlow, Fl. Males., ser. 1, 13: 330 (1997); Turner, Gard. Bull. Singapore 47: 317 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 144, 193 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 232 (2014 [2015]). – *Loranthus coccineus* Jack: Jack, Malayan Misc. 1(1): 8 (1820); Wallich in Roxburgh, Fl. Ind. 2: 215 (1824); Hooker, Fl. Brit. India 5, fasc. 13: 206 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 356 (1914); Ridley, Fl. Malay Penins. 3: 152 (1924). – *Phoenicanthemum coccineum* (Jack) Miq.: Miquel, Fl. Ned. Ind. 1(1), fasc. 5: 825 (1856 ['1855']). – *Dendrophthoe coccinea* (Jack) G.Don: Don, Gen. Hist. 3: 419 (1834), as ‘*coccinea*’. **Native; NEx** (Chong et al., 2009).

Helixanthera parasitica Lour.: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 381 (1931); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Barlow, Fl. Males., ser. 1, 13: 334 (1997); Turner, Gard. Bull. Singapore 47: 317 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 144, 193 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 233 (2014 [2015]). – *Loranthus pentapetalus* Roxb.: Hooker, Fl. Brit. India 5, fasc. 13: 206 (1886); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 355 (1914). **Native; NEx** (Chong et al., 2009).

Macrosolen cochinchinensis (Lour.) Tiegh.: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 279 (1931); Keng, Gard. Bull. Singapore 35(1): 100 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 129, fig. 107.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Barlow, Fl. Males., ser. 1, 13: 366 (1997); Turner, Gard. Bull. Singapore 47: 318 (1997 ['1995']); Turner et al.,

Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 144, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 174, 387 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 198, 225 (2014 [2015]); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). – *Elytranthe globosa* (Roxb.) G.Don: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 377 (1914); Ridley, Fl. Malay Penins. 3: 161 (1924); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 98, 387 (2013). – *Elytranthe globosa* (Roxb.) G.Don var. *puberula* Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 378 (1914); Ridley, Fl. Malay Penins. 3: 161 (1924). – *Loranthus ampullaceus* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900). **Native; LC** (Wong et al., 2013).

Macrosolen papillosum (Gamble) Danser: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 293 (1931); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Barlow, Fl. Males., ser. 1, 13: 373 (1997); Turner, Gard. Bull. Singapore 47: 318 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 144, 194 (2009). – *Elytranthe papillosa* Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 375 (1914); Ridley, Fl. Malay Penins. 3: 160 (1924). **Native; NEx** (Chong et al., 2009).

Macrosolen retusus (Jack) Miq.: Miquel, Fl. Ned. Ind. 1(1), fasc. 5: 828 (1856 ['1855']); Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 296 (1931); Keng, Gard. Bull. Singapore 35(1): 100 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 129 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 128 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Barlow, Fl. Males., ser. 1, 13: 376 (1997); Turner, Gard. Bull. Singapore 47: 318 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 144, 229 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 201 (2014 [2015]); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 46 (2017). – *Elytranthe retusa* (Jack) G.Don: Don, Gen. Hist. 3: 425 (1834); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 376 (1914); Ridley, Fl. Malay Penins. 3: 160 (1924). – *Loranthus retusus* Jack: Wallich in Roxburgh, Fl. Ind. 2: 212 (1824); Hooker, Fl. Brit. India 5, fasc. 13: 219 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900). **Native; CR** (assessed here).

Scurrula ferruginea (Roxb. ex Jack) Danser: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 432 (1931); Keng, Gard. Bull. Singapore 35(1): 100 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 129, fig. 107.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 129 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull. Singapore 46(2): 21 (1995 ['1994']); Barlow, Fl. Males., ser. 1, 13: 385 (1997); Turner, Gard. Bull. Singapore 47: 318 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 144, 230 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 204 (2014 [2015]). – *Loranthus ferrugineus* Roxb. ex Jack: Roxburgh, Fl. Ind. 2: 207 (1824); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 360 (1914); Ridley, Fl. Malay Penins. 3: 153 (1924). – *Dendrophthoe ferruginea* (Roxb. ex Jack) G.Don: Don, Gen. Hist. 3: 420 (1834), as ‘*ferruginea*’. **Native; VU** (assessed here).

Scurrula parasitica L.: Turner, Gard. Bull. Singapore 45: 129 (1993); Tan et al., Gard. Bull. Singapore 44: 130 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers.

Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Barlow, Fl. Males., ser. 1, 13: 387 (1997); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 144, 211 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 208 (2014 [2015]). – *Loranthus scurrula* L.: Hooker, Fl. Brit. India 5, fasc. 13: 208 (1886). **Native; CR** (Chong et al., 2009).

Taxillus chinensis (DC.) Danser: Barlow, Fl. Males., ser. 1, 13: 392 (1997); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 144, 212 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 211 (2014 [2015]). **Native; CR** (Chong et al., 2009).

Lythraceae

Ammannia baccifera L.: Turner, Gard. Bull. Singapore 45: 129 (1993); Tan et al., Gard. Bull. Singapore 44: 131 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), as 'Ammania'; Turner, Gard. Bull. Singapore 47: 319 (1997 ['1995']), as 'Ammania'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 144, 264 (2009); Lok et al., Cosmos 6: 71 (2010); De Wilde & Duyfjes, Fl. Males., ser. 1, 22: 11 (2016). **Non-native, naturalised** (assessed here).

Ammannia crassicaulis Guill. & Perr.: Chen et al., Gard. Bull. Singapore 71: 402 (2019). **Non-native, naturalised** (assessed here).

Cuphea carthagenensis (Jacq.) J.F.Macbr.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 144, 266 (2009); Lok et al., Cosmos 6: 71 (2010), as 'carthogenesis'; De Wilde & Duyfjes, Fl. Males., ser. 1, 22: 19 (2016). **Non-native, naturalised** (assessed here).

Lawsonia inermis L.: Keng, Gard. Bull. Singapore 31: 111 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 83 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 144, 263 (2009); Lok et al., Cosmos 6: 75 (2010); De Wilde & Duyfjes, Fl. Males., ser. 1, 22: 50 (2016). **Non-native, naturalised** (assessed here).

Pemphis acidula J.R.Forst. & G.Forst.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 4 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); Ridley, Fl. Malay Penins. 1: 821 (1922); Henderson, Malay. Wild Fls, Dicot.: 146 (1959); Everett & Whitmore, Tree Fl. Malaya 2: 276 (1973); Keng, Gard. Bull. Singapore 31: 111 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 475 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 83, fig. 73.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 129 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 186 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 144, 210 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 225 (2014 [2015]); De Wilde & Duyfjes, Fl. Males., ser. 1, 22: 51 (2016); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 225, 311 (2020). **Native; CR** (assessed here).

Sonneratia alba Sm.: Backer & Van Steenis, Fl. Males., ser. 1, 4(3): 285 (1951); Keng, Gard. Bull. Singapore 31: 111 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 83 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Lee et al., Gard. Bull. Singapore 55: 306 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 144, 230 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 17 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 740, 807 [2015]; Hung et al., Nat. Singapore 10: 47 (2017); Yee et al., Fl. Singapore 1: 64 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 258, 311 (2020). –

Sonneratia griffithii auct. non Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); Ridley, Fl. Malay Penins. 1: 825 (1922), p.p.; Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 120 (1928); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2053 (1935). **Native; LC** (assessed here).

Sonneratia caseolaris (L.) Engl.: Backer & Van Steenis, Fl. Males., ser. 1, 4(3): 283 (1951); Keng, Gard. Bull. Singapore 31: 111 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 83 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 144, 211 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 740, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 258, 311 (2020). – *Sonneratia acida* L.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 121 (1928). **Native; CR** (assessed here).

Sonneratia ovata Backer: Backer & Van Steenis, Fl. Males., ser. 1, 4(3): 285 (1951); Sinclair, Gard. Bull. Singapore 14(1): 37 (1953); Corner, Wayside Trees Malaya, ed. 3, 1: 476 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 84, fig. 73.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Lee et al., Gard. Bull. Singapore 55: 306 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 226 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 144, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 387 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 741, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 259, 311 (2020). – *Sonneratia alba* auct. non Sm.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 11 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); Ridley, Fl. Malay Penins. 1: 825 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 120 (1928). **Native; CR** (assessed here).

Magnoliaceae

Magnolia elegans (Blume) H.Keng: Nooteboom, Fl. Males., ser. 1, 10(3): 577 (1988); Turner, Gard. Bull. Singapore 45: 129 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 320 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 145, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011); Nooteboom, Fl. Penins. Malaysia, ser. 2, 3: 229 (2012); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019); Chen, Fl. Singapore 4 (in prep.). – *Talauma elegans* (Blume) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900); Turner, Gard. Bull. Singapore 45: 129 (1993). – *Aromadendron elegans* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900); Ridley, Fl. Malay Penins. 1: 17 (1922), as '*Aromadendrum*'; Keng, Tree Fl. Malaya 2: 283 (1973); Keng, Gard. Bull. Singapore 27: 67 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 8, fig. 8.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). **Native; CR** (Chong et al., 2009).

Magnolia macklottii (Korth.) Dandy

Magnolia macklottii (Korth.) Dandy var. **beccariana** (A.Agostini) Noot.: Nooteboom, Fl. Males., ser. 1, 10(3): 571 (1988); Nooteboom, Fl. Penins. Malaysia, ser. 2, 3: 235 (2012);

Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019); Chen, Fl. Singapore 4 (in prep.). – *Magnolia maingayi* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 84 (1901); Ridley, Fl. Malay Penins. 1: 13 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1393 (1935); Keng, Tree Fl. Malaya 2: 285 (1973); Keng, Gard. Bull. Singapore 27: 67 (1974); Nooteboom, Fl. Males., ser. 1, 10(3): 573 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 9, fig. 8.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 129 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner, Gard. Bull. Singapore 47: 320 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 145, 194 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011). **Native; NEx** (Chong et al., 2009).

Magnolia singapurensis (Ridl.) H.Keng: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 145, 217 (2009); Nooteboom, Fl. Penins. Malaysia, ser. 2, 3: 243 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 176, 388 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019); Chen, Fl. Singapore 4 (in prep.). – *Magnolia liliifera* (L.) Baill. var. *singapurensis* (Ridl.) Govaerts: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011). – *Magnolia candollei* (Blume) Noot. var. *singapurensis* (Ridl.) Noot.: Nooteboom, Fl. Males., ser. 1, 10(3): 581 (1988), as ‘*candollii*’; Turner, Gard. Bull. Singapore 45: 129 (1993), as ‘*candollii*’; Ng & Wee (ed.), Singapore Red Data Book: 38, 292 (1994), as ‘*candollii*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), as ‘*candollii*’; Turner, Gard. Bull. Singapore 47: 320 (1997 ['1995']), as ‘*candollii*’; Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']), as ‘*candollii*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 30, 227 (2008), as ‘*candollii*’. – *Magnolia candollei* auct. non (Blume) Noot.: Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']), as ‘*candolii*’; Chew et al., Gard. Bull. Singapore 49(2): 193 (1999 ['1997']), as ‘*candollii*’. – *Talauma singapurensis* Ridl.: Ridley, Fl. Malay Penins. 1: 16 (1922); Keng, Tree Fl. Malaya 2: 293 (1973); Keng, Gard. Bull. Singapore 27: 68 (1974), as ‘*singaporense*’; Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 9, fig. 8.5 (1990), as ‘*singaporense*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). – *Talauma lanigera* auct. non Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900). **Native; CR** (assessed here).

Magnolia villosa (Miq.) H.Keng: Nooteboom, Fl. Males., ser. 1, 10(3): 588 (1988); Turner, Gard. Bull. Singapore 45: 129 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 292 (1994); Turner, Gard. Bull. Singapore 47: 321 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 145, 208 (2009); Nooteboom, Fl. Penins. Malaysia, ser. 2, 3: 245 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 176, 388 (2013); Chen, Fl. Singapore 4 (in prep.). – *Talauma villosa* Miq.: Keng, Tree Fl. Malaya 2: 293 (1973); Keng, Gard. Bull. Singapore 27: 68 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 9, fig. 8.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990). **Native; CR** (Wong et al., 2013).

Malpighiaceae

Aspidopterys concava (Wall.) A.Juss.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 329 (1922); Jacobs, Fl. Males., ser. 1, 5(2): 129 (1956 ['1955']); Keng, Gard. Bull. Singapore 36(1): 122 (1983), as ‘*Aspidoptreys*’; Maxwell, Gard. Bull. Singapore 35(2): 195 (1983 ['1982']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 95 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990), as ‘*Aspidopteris*’; Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng

& Wee (ed.), Singapore Red Data Book: 293 (1994), as ‘*Aspidopteris*’; Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 145, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 32, 388 (2013); Lim, Fl. Penins. Malaysia, ser. 2, 6: 9 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90, 121 (2019). **Native; EN** (Wong et al., 2013).

Hiptage sericea Hook.f.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 194 (1894 [‘1893’]); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900); Ridley, Fl. Malay Penins. 1: 328 (1922); Jacobs, Fl. Males., ser. 1, 5(2): 131 (1956 [‘1955’]); Keng, Gard. Bull. Singapore 36(1): 123 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 95, fig. 85.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 321 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 145, 206 (2009); Lim, Fl. Penins. Malaysia, ser. 2, 6: 21 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90, 130 (2019); Lim et al., Fl. Singapore 1: 88 (2019). **Native; CR** (Chong et al., 2009).

Malpighia coccigera L.: Keng, Gard. Bull. Singapore 36(1): 123 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 95 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 145, 263 (2009); Lok et al., Cosmos 6: 75 (2010); Neo et al., Nat. Singapore 7: 104 (2014). **Non-native, casual** (Chong et al., 2009).

Tristellateia australasiae A.Rich.: Hooker, Fl. Brit. India 1, fasc. 2: 418 (1874), as ‘*australasia*’; Kuntze, Revis. Gen. Pl. 1: 89 (1891), as ‘*australisica*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 193 (1894 [‘1893’]), as ‘*australasia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 55 (1900), as ‘*australasia*’; Ridley, Fl. Malay Penins. 1: 327 (1922), as ‘*australasia*’; Jacobs, Fl. Males., ser. 1, 5(2): 136 (1956 [‘1955’]); Keng, Gard. Bull. Singapore 36(1): 123 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 95, fig. 85.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 33 (2004 [‘2003’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 145, 218 (2009); Lim, Fl. Penins. Malaysia, ser. 2, 6: 22 (2017); Yee et al., Fl. Singapore 1: 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 84, 382 (2020). **Native; VU** (assessed here).

Malvaceae

Abelmoschus moschatus Medik.: Keng, Gard. Bull. Singapore 33: 334 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 89, fig. 80.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 145, 262 (2009); Lok et al., Cosmos 6: 75 (2010). – *Hibiscus abelmoschus* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Ridley, Fl. Malay Penins. 1: 258 (1922). **Non-native, casual** (Chong et al., 2009).

Abroma augustum (L.) L.f.: Chen et al., Nat. Singapore 11: 63 (2018), as ‘*Ambroma*’. **Non-native, casual** (Chen et al., 2018).

Abutilon indicum (L.) Sweet: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 42 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Ridley, Fl. Malay Penins. 1: 256 (1922); Burkhill,

Dict. Econ. Prod. Malay Penins. 1: 10 (1935); Keng, Gard. Bull. Singapore 33: 334 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 89 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 145, 269 (2009); Lok et al., Cosmos 6: 80 (2010). **Native; NEx** (assessed here).

Brownlowia argentata Kurz: Keng, Gard. Bull. Singapore 33: 330 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 145, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). – *Brownlowia riedelii* Hemsl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 84 (1901); Ridley, Fl. Malay Penins. 1: 292 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 77 (1928). – *Brownlowia lepidota* Warb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 84 (1901). **Native; NEx** (Chong et al., 2009).

Brownlowia teresa (L.) Kosterm.: Keng, Gard. Bull. Singapore 33: 330 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87, fig. 79.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 145, 214 (2009). – *Brownlowia lanceolata* Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 84 (1901); Ridley, Fl. Malay Penins. 1: 291 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 77 (1928); Sinclair, Gard. Bull. Singapore 14(1): 38 (1953); Sinclair, Gard. Bull. Singapore 15: 29 (1956). **Native; CR** (assessed here).

Byttneria maingayi Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900), as ‘*Buttneria*’; Ridley, Fl. Malay Penins. 1: 286 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 386 (1935); Keng, Gard. Bull. Singapore 33: 338 (1980); Maxwell, Gard. Bull. Singapore 35(2): 198 (1983 [‘1982’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner et al., Gard. Bull. Singapore 48: 156 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 145, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 43, 388 (2013), as ‘maingrayi’; Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). **Native; EN** (assessed here).

Ceiba pentandra (L.) Gaertn.: Corner, Wayside Trees Malaya, ed. 2, 1: 436 (1952); Keng, Gard. Bull. Singapore 33: 336 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 91 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 145, 262 (2009); Lok et al., Cosmos 6: 75 (2010); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]). – *Eriodendron anfractuosum* DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900). **Non-native, casual** (Chong et al., 2009).

Coelostegia griffithii Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 52 (1900); Ridley, Fl. Malay Penins. 1: 266 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 619 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 33: 336 (1980); Keng, Concise

Fl. Singapore, vol. 1, Gymn. Dicot.: 91 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 145, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 388 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). **Native; CR** (Wong et al., 2013).

Commersonia bartramia (L.) Merr.: Keng, Gard. Bull. Singapore 33: 338 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92, fig. 82.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 145, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Wilkie & Berhaman, Tree Fl. Sabah & Sarawak 7: 336, fig. 1 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 63, 388 (2013); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 102, 310 (2020). – *Commersonia platyphylla* Andrews: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 288 (1922). – *Restiarria echinata* (J.R.Forst. & G.Forst.) Kuntze var. *platyphylla* (Andrews) Kuntze: Kuntze, Revis. Gen. Pl. 1: 81 (1891). **Native; LC** (Wong et al., 2013).

Corchorus aestuans L.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 87, fig. 79.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 145, 265 (2009); Lok et al., Cosmos 6: 71 (2010). – *Corchorus olitorius* auct. non L.: Kaw & Neo, Wayside Fls Singapore: 162 (2018). – *Corchorus acutangulus* Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 306 (1922); Keng, Gard. Bull. Singapore 33: 331 (1980); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990). **Non-native, naturalised** (Chong et al., 2009).

Corchorus capsularis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 65, 389 (2013). **Non-native, naturalised** (assessed here).

Durio griffithii (Mast.) Bakh.: Keng, Gard. Bull. Singapore 33: 336 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 91 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 152 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 145, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 609, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 125, 310 (2020). – *Boschia griffithii* Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 52 (1900); Ridley, Fl. Malay Penins. 1: 265 (1922). **Native; EN** (Chong et al., 2009).

Durio singaporensis Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 73: 143 (1916); Ridley, Fl. Malay Penins. 1: 263 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 873 (1935); Corner, Gard.

Bull. Singapore, Suppl. 1: 73 (1978), as ‘*singapurensis*’; Keng, Gard. Bull. Singapore 33: 336 (1980); Corner, Wayside Trees Malaya, ed. 3, 1: 195 (1988), as ‘*singapurensis*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 91 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 45 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 152 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 142 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 146, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 93, 389 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 610, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 126, 310 (2020). – *Durio oblongus* auct. non Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900). **Native; EN** (assessed here).

Durio zibethinus L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900), as ‘*zibethiaus*’; Keng, Gard. Bull. Singapore 33: 337 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 91, fig. 81.1 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 146, 263 (2009); Lok et al., Cosmos 6: 75 (2010); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 93, 389 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 64 (2014); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90, 130 (2019); Yee et al., Fl. Singapore 1: 56 (2019). **Non-native, casual** (Chong et al., 2009).

Grewia laevigata Vahl: Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 39, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 146, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 136, 389 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90, 131 (2019). – *Grewia acuminata* Juss.: Keng, Gard. Bull. Singapore 33: 333 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 156 (1998 [‘1996’]). – *Grewia umbellata* Roxb.: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 385 (1874); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 300 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978). – *Grewia multiflora* auct. non Juss.: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 388 (1874), p.p. **Native; VU** (Wong et al., 2013).

Heritiera borneensis (Merr.) Kosterm.: Keng, Gard. Bull. Singapore 33: 338 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 146, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 90 (2019). **Native; CR** (Chong et al., 2009).

Heritiera elata Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 112 (1908); Ridley, Fl. Malay Penins. 1: 280 (1922); Kochummen, Tree Fl. Malaya 2: 361 (1973); Corner, Gard. Bull. Singapore,

Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 33: 338 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 475 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 383 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 146, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Wilkie & Berhaman, Tree Fl. Sabah & Sarawak 7: 346 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 140, 389 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 168, 310 (2020). – *Heritiera* sp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900). **Native; EN** (Wong et al., 2013).

Heritiera littoralis Aiton: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 279 (1922); Keng, Gard. Bull. Singapore 33: 338 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92, fig. 82.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Lee et al., Gard. Bull. Singapore 55: 306 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 384 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 146, 216 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Hung et al., Nat. Singapore 10: 46 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 168, 310 (2020). – *Heritiera fomes* auct. non Banks: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900). **Native; EN** (Chong et al., 2009).

Heritiera simplicifolia (Mast.) Kosterm.: Keng, Gard. Bull. Singapore 33: 338 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 475 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 146, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Tarrietia simplicifolia* Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 278 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2126 (1935). **Native; EN** (Chong et al., 2009).

Hibiscus rosa-sinensis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Keng, Gard. Bull. Singapore 33: 335 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 89 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 146, 263 (2009); Lok et al., Cosmos 6: 75 (2010). **Non-native, casual** (Chong et al., 2009).

Hibiscus surattensis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Ridley, Fl. Malay Penins. 1: 258 (1922); Keng, Gard. Bull. Singapore 33: 335 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 90 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 146, 271 (2009); Lok et al., Cosmos 6: 80 (2010). **Non-native, naturalised** (assessed here).

Hibiscus tiliaceus L.: Kuntze, Revis. Gen. Pl. 1: 69 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Ridley, Fl. Malay Penins. 1: 259 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1172 (1935); Keng, Gard. Bull. Singapore 33: 335 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 90, fig. 80.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 1): 385 (2004 ['2003']); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 170, 310 (2020). – *Talipariti tiliaceum* (L.) Fryxell: Boo et al., 1001 Gard. Pl. Singapore (print 3): 385 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 147, 231 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 17 (2013); Hung et al., Nat. Singapore 10: 18, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Yee et al., Fl. Singapore 1: 64, 66 (2019). **Native; LC** (Chong et al., 2009).

Kleinhovia hospita L.: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 364 (1874); Ridley, Fl. Malay Penins. 1: 280 (1922); Keng, Gard. Bull. Singapore 33: 338 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92, fig. 82.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 394 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 146, 193 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Lim et al., Fl. Singapore 1: 106 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 179, 310 (2020). – *Cattimarus hospitus* (L.) Kuntze: Kuntze, Revis. Gen. Pl. 1: 77 (1891). **Native; NEx** (Chong et al., 2009).

Melochia corchorifolia L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 284 (1922); Keng, Gard. Bull. Singapore 33: 338 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92, fig. 82.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 146, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Kaw & Neo, Wayside Fls Singapore: 92 (2018). **Native; LC** (assessed here).

Melochia umbellata (Houtt.) Stapf: Ganesan et al., Gard. Bull. Singapore 70: 26 (2018). **Native; CR** (Ganesan et al., 2018).

Microcos antidesmifolia (King) Burret

Microcos antidesmifolia (King) Burret var. **antidesmifolia**: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 179, 389 (2013); Ganesan et al., Gard. Bull. Singapore 72: 159–164, fig. 1 (2020). **Native; CR** (Ganesan et al., 2020).

Microcos globulifera (Mast.) Burret: Turner et al., Gard. Bull. Singapore 49(1): 3 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 146, 195 (2009); Chung & Soepadmo, Blumea 56: 281, fig. 6, map 4 (2011); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Grewia globulifera* Mast.: Ridley, Fl. Malay Penins. 1: 302 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1112 (1935). **Native; NEx** (Chong et al., 2009).

Microcos hirsuta (Korth.) Burret: Burret, Notizbl. Bot. Gart. Berlin-Dahlem 9: 782 (1926); Turner, Gard. Bull. Singapore 45: 221 (1993), as ‘*hirsutus*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘*hirsutus*’; Ng & Wee (ed.), Singapore Red Data Book: 311 (1994), as ‘*hirsutus*’; Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008), as ‘*hirsutus*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 146, 209 (2009), as ‘*hirsutus*’; Chung & Soepadmo, Blumea 56: 284, fig. 7, map 5 (2011); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Grewia hirsuta* (Korth.) Kochummen, nom. illeg. hom.: Keng, Gard. Bull. Singapore 33: 333 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990). – *Grewia omphacarpa* Miq.: Ridley, Fl. Malay Penins. 1: 301 (1922). – *Grewia fibrocarpa* auct. non Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900). **Native; CR** (Chong et al., 2009).

Microcos latifolia Burret: Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 [‘1997’]); Chung & Soepadmo, Blumea 56: 289, fig. 9, map 7 (2011); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 179, 389 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Microcos blattifolia* (Corner) R.S.Rao: Rao, J. Bombay Nat. Hist. Soc. 48(2): 300 (1949), as ‘*blattaefolia*’; Turner, Gard. Bull. Singapore 45: 221 (1993), as ‘*blattaefolia*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘*blattaefolia*’; Ng & Wee (ed.), Singapore Red Data Book: 311 (1994), as ‘*blattaefolia*’; Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 [‘1994’]), as ‘*blattaefolia*’; Turner et al., Gard. Bull. Singapore 48: 156 (1998 [‘1996’]); LaFrankie et al., Forest Trees Bukit Timah: 104, 164 (2005), as ‘*blattaefolia*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008), as ‘*blattaefolia*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 146, 217 (2009), as ‘*blattaefolia*’. – *Grewia blattifolia* Corner: Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978), as ‘*blattaefolia*’; Keng, Gard. Bull. Singapore 33: 332 (1980), as ‘*blattaefolia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990), as ‘*blattaefolia*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990), as ‘*blattaefolia*’; Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 [‘1994’]), as ‘*blattaefolia*’. – *Grewia latifolia* Mast., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 300 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1112 (1935). **Native; EN** (assessed here).

Microcos tomentosa Sm.: Chung & Soepadmo, Blumea 56: 295, fig. 13, map 9 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 179, 390 (2013). – *Microcos paniculata* auct. non L.: Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 692, 807 [2015]. – *Grewia paniculata* Roxb. ex DC.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 110 (1891). **Native; CR** (assessed here).

Neesia altissima (Blume) Blume: Kochummen, Tree Fl. Malaya 1: 118 (1972); Keng, Gard. Bull. Singapore 33: 337 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 91 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull. Singapore 47: 152 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 146, 195 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 700, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 215, 310 (2020). **Native; NEx** (Chong et al., 2009).

Neesia malayana Bakh.: Kochummen, Tree Fl. Malaya 1: 118 (1972); Corner, Gard. Bull. Singapore, Suppl. 1: 73 (1978); Keng, Gard. Bull. Singapore 33: 337 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 91 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994); Turner, Gard. Bull.

Singapore 47: 152 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 146, 195 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 186, 390 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Lim et al., Fl. Singapore 1: 89 (2019). **Native; CR** (assessed here).

Neesia synandra Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Ridley, Fl. Malay Penins. 1: 265 (1922); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 91, fig. 81.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 46 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 40, 277 (1994); Turner et al., Gard. Bull. Singapore 46(2): 12 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 174 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 31, 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 146, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 186, 390 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). **Native; CR** (assessed here).

Pentace triptera Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 293 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1689 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Gard. Bull. Singapore 33: 333 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 221 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 488 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 422 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 146, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 390 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 226, 311 (2020). **Native; EN** (Wong et al., 2013).

Pentapetes phoenicea L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 284 (1922). **Non-native, casual*** (assessed here).

Pterocymbium tubulatum (Mast.) Pierre: Maxwell, Gard. Bull. Singapore 36(2): 232 (1984 ['1983']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 476 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 146, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). **Native; CR** (Chong et al., 2009).

Pterospermum diversifolium Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 282 (1922); Keng, Gard. Bull. Singapore 33: 338 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First

Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 146, 197 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ganesan, Nat. Singapore 6: 149 (2013); Lim et al., Fl. Singapore 1: 89 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 244, 311 (2020). **Native; CR** (assessed here).

Pterospermum sumatranum Miq.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 390 (2013). – *Pterospermum javanicum* auct. non Jungh.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1836 (1935); Keng, Gard. Bull. Singapore 33: 339 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 476 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 146, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Pterospermum blumeanum* auct. non Korth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900); Ridley, Fl. Malay Penins. 1: 283 (1922). **Native; CR** (assessed here).

Scaphium affine (Mast.) Pierre: Ridley, Fl. Malay Penins. 1: 275 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1971 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 617 (1952); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 223, 390 (2013). – *Scaphium macropodum* auct. non (Miq.) Beumée ex K. Heyne: Keng, Gard. Bull. Singapore 33: 339 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 477 (1997 ['1995']), p.p.; Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 306 (2003); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 146, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 223, 390 (2013); Neo et al., Nat. Singapore 7: 104 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 734, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 251, 311 (2020). – *Sterculia scaphigera* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 52 (1900). **Native; EN** (assessed here).

Scaphium linearicarpum (Mast.) Pierre: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1971 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 618 (1952); Keng, Gard. Bull. Singapore 33: 339 (1980); Corner, Wayside Trees Malaya, ed. 3, 2: 714 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 92 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 477 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 146, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 223, 390 (2013); Neo et al., Nat. Singapore 7: 65 (2014). **Native; CR** (Wong et al., 2013).

Sida acuta Burm.f.: Keng, Gard. Bull. Singapore 33: 335 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 90 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner,

Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 146, 273 (2009); Lok et al., Cosmos 6: 80 (2010); Hung et al., Nat. Singapore 10: 17, 20 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 170 (2018). – *Sida carpinifolia* L.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Ridley, Fl. Malay Penins. 1: 255 (1922). **Non-native, naturalised** (assessed here).

Sida cordata (Burm.f.) Borss.Waalk.: Borssum Waalkes, Blumea 14(1): 182 (1966). – *Sida mysorensis* auct. non Wight & Arn.: Hung et al., Nat. Singapore 10: 23 (2017). **Cryptogenic** (assessed here).

Sida cordifolia L.: Ridley, Fl. Malay Penins. 1: 254 (1922); Keng, Gard. Bull. Singapore 33: 335 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 90, fig. 80.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 146, 230 (2009); Hung et al., Nat. Singapore 10: 17 (2017). **Native; LC** (Chong et al., 2009).

Sida rhombifolia L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Ridley, Fl. Malay Penins. 1: 254 (1922); Keng, Gard. Bull. Singapore 33: 335 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 90 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 147, 273 (2009); Lok et al., Cosmos 6: 80 (2010); Teo et al., Nat. Singapore 4: 270 (2011); Hung et al., Nat. Singapore 10: 17, 23 (2017).

Sida rhombifolia L. subsp. **rhombifolia**: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 391 (2013). **Native; LC** (assessed here).

Sterculia coccinea Jack: Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 33: 339 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93, fig. 82.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 711, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Wilkie & Berhaman, Tree Fl. Sabah & Sarawak 7: 389, pl. 10G (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 512 (2013). – *Sterculia lanceolata* Cav. var. *coccinea* (Jack) Phengklai: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 147, 258 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 391 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Sterculia elongata* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 28 (1910); Ridley, Fl. Malay Penins. 1: 270 (1922); Kochummen, Tree Fl. Malaya 2: 377 (1973); Keng, Gard. Bull. Singapore 33: 339 (1980), as ‘*elongate*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93 (1990), as ‘*elongate*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 513 (2013). – *Sterculia coccinea* Jack var. *coccinea*: Wilkie & Berhaman, Tree Fl. Sabah & Sarawak 7: 389 (2011). – *Sterculia hamiltonii* (Kuntze)

Adelb.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 147, 224 (2009). — *Sterculia laevis* Wall.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 63 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 52 (1900); Ridley, Fl. Malay Penins. 1: 269 (1922). — *Sterculia laevis* Wall. var.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 52 (1900). **Native; EN** (assessed here).

Sterculia cordata Blume: Keng, Gard. Bull. Singapore 33: 339 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 147, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 513 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91, 121 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 261, 311 (2020). **Native; CR** (Wong et al., 2013).

Sterculia gilva Miq.: Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 147, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 513 (2013). — *Sterculia bicolor* Mast.: Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 33: 339 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994). **Native; CR** (Wong et al., 2013).

Sterculia macrophylla Vent.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 52 (1900); Ridley, Fl. Malay Penins. 1: 268 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 620 (1952); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 33: 339 (1980); Corner, Wayside Trees Malaya, ed. 3, 2: 716 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 477 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 147, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 513 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 744, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 262, 311 (2020). **Native; CR** (Wong et al., 2013).

Sterculia parviflora Roxb. ex G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 52 (1900); Ridley, Fl. Malay Penins. 1: 271 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2081 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 620 (1952); Kochummen, Tree Fl. Malaya 2: 382 (1973); Keng, Gard. Bull. Singapore 33: 340 (1980); Corner, Wayside Trees Malaya, ed. 3, 2: 716 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 478 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 715, 777 (2006), as '*parvifolia*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 147, 212 (2009), as '*parvifolia*'; Wilkie & Berhaman, Tree Fl. Sabah & Sarawak 7: 398 (2011);

Neo et al., Nat. Singapore 6: 121 (2013), as ‘*parvifolia*’; Neo et al., Nat. Singapore 6: 279 (2013), as ‘*parvifolia*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91, 131 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 264, 311 (2020). **Native; CR** (Chong et al., 2009).

Sterculia rubiginosa Vent.: Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 175 (1858 [‘1859’]); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 52 (1900); Ridley, Fl. Malay Penins. 1: 271 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2081 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 621 (1952); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 33: 340 (1980); Corner, Wayside Trees Malaya, ed. 3, 2: 717 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 93 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 156 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 450 (2004 [‘2003’]); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 147, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Wilkie & Berhaman, Tree Fl. Sabah & Sarawak 7: 402 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 232, 513 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 265, 311 (2020). – *Sterculia rubiginosa* Vent. var. *rubiginosa*: Wilkie & Berhaman, Tree Fl. Sabah & Sarawak 7: 403 (2011). **Native; VU** (Wong et al., 2013).

Thespesia populnea (L.) Sol. ex Corrêa: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Ridley, Fl. Malay Penins. 1: 260 (1922); Keng, Gard. Bull. Singapore 33: 336 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 90, fig. 80.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 741, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 147, 231 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Hung et al., Nat. Singapore 10: 18, 24 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 286, 311 (2020). **Native; LC** (Chong et al., 2009).

Triumfetta rhomboidea Jacq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900); Ridley, Fl. Malay Penins. 1: 303 (1922); Keng, Gard. Bull. Singapore 33: 333 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 221 (1993); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 147, 269 (2009); Lok et al., Cosmos 6: 71 (2010). **Non-native, naturalised** (Chong et al., 2009).

Triumfetta tomentosa Bojer ex Bouton: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 147, 269 (2009); Lok et al., Cosmos 6: 71 (2010). – *Triumfetta pseudocana* Sprague & Craib: Ridley, Fl. Malay Penins. 1: 304 (1922), as ‘*pseudo-cana*’; Keng, Gard. Bull. Singapore 33: 333 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88 (1990), as ‘*pseudo-cana*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990), as ‘*pseudo-cana*’; Turner, Gard. Bull. Singapore 45: 221 (1993), as ‘*pseudo-cana*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘*pseudo-cana*’. **Non-native, naturalised** (Chong et al., 2009).

Urena lobata L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 51 (1900); Ridley, Fl. Malay Penins. 1: 256 (1922); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 90 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 130 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull.

Singapore 46(2): 22 (1994); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 147, 273 (2009); Lok et al., Cosmos 6: 80 (2010); Kaw & Neo, Wayside Fls Singapore: 33 (2018). **Non-native, naturalised** (assessed here).

Waltheria indica L.: Sinclair, Gard. Bull. Singapore 15: 23 (1956); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 478 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 147, 273 (2009); Lok et al., Cosmos 6: 80 (2010). **Non-native, naturalised** (assessed here).

Marantaceae

Donax canniformis (G.Forst.) K.Schum.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 147, 215 (2009); Niissalo et al., Phytotaxa 289: 203 (2016); Niissalo et al., Amer. J. Bot. 104: 185, 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Donax grandis* (Miq.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 176 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 56 (1907); Ridley, Fl. Malay Penins. 4: 286 (1924); Holttum, Gard. Bull. Singapore 13(2): 268 (1951); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 61, fig. 125 (1998); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 223, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011). **Native; CR** (Niissalo et al., 2017).

Phrynum hirtum Ridl.: Niissalo et al., Phytotaxa 289: 206 (2016); Niissalo et al., Amer. J. Bot. 104: 185–187 (2017). **Native; CR** (Niissalo et al., 2017).

Phrynum villosulum Miq.: Kennedy, Kew Bull. 41: 728 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 558 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 61 (1998); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 148, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011); Niissalo et al., Phytotaxa 289: 214 (2016); Niissalo et al., Amer. J. Bot. 104: 185 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Phrynum basiflorum* Ridl.: Holttum, Gard. Bull. Singapore 13(2): 292 (1951). **Non-native, casual** (Niissalo et al., 2016).

Stachyphrynum latifolium (Blume) K.Schum.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 148, 218 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 231, 391 (2013); Niissalo et al., Phytotaxa 289: 209 (2016); Niissalo et al., Amer. J. Bot. 104: 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). – *Stachyphrynum griffithii* (Baker) K.Schum.: Ridley, Mat. Fl. Malay. Penins. 2: 57 (1907); Ridley, Fl. Malay Penins. 4: 287 (1924); Holttum, Gard. Bull. Singapore 13(2): 276 (1951); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 61, fig. 126 (1998); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Boo et al., 1001 Gard. Pl.

Singapore, ed. 2 (print 1): 420, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 43 (2011). – *Phrynum griffithii* Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 178 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900). – *Hitchenia musacea* Baker: Baker in Hooker, Fl. Brit. India 6, fasc. 18: 225 (1892). **Native; EN** (Niissalo et al., 2017).

Stachyphrynum parvum Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 54: 60 (1910); Ridley, Fl. Malay Penins. 4: 288 (1924); Niissalo et al., Phytotaxa 289: 209 (2016); Niissalo et al., Amer. J. Bot. 104: 186, 187 (2017); Lim et al., Fl. Singapore 1: 89 (2019). – *Phrynum parvum* (Ridl.) Holttum: Holttum, Gard. Bull. Singapore 13(2): 283 (1951); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Turner, Gard. Bull. Singapore 47: 557 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 147, 217 (2009). – *Stachyphrynum minus* auct. non (K.Schum.) K.Schum.: Ridley, Mat. Fl. Malay. Penins. 2: 59 (1907). **Native; CR** (Niissalo et al., 2016).

Thaumatococcus daniellii (Benn.) Benth. ex Eichler: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2146 (1935); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 148, 264 (2009); Lok et al., Cosmos 6: 75 (2010); Niissalo et al., Phytotaxa 289: 216 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91, 121 (2019). **Non-native, naturalised** (Niissalo et al., 2016).

Mayacaceae

Mayaca fluviatilis Aubl.: Niissalo & Leong-Škorničková, Fl. Singapore 7: 33, fig. 1 (2019); Niissalo & Leong-Škorničková, Nat. Singapore 12: 7 (2019). **Non-native, naturalised** (Niissalo & Leong-Škorničková, 2019).

Mazaceae

Mazus pumilus (Burm.f.) Steenis: Cramer, Revis. Handb. Fl. Ceylon 3: 445 (1981); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 471 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 181, 272 (2009); Lok et al., Cosmos 6: 82 (2010); Kaw & Neo, Wayside Fls Singapore: 102 (2018). – *Mazus rugosus* Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 343 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 473 (1923); Keng, Gard. Bull. Singapore 39(1): 76 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990).

Mazus pumilus (Burm.f.) Steenis var. **pumilus**: De Kok, Fl. Singapore 14 (in prep.).
Cryptogenic (Chong et al., 2009, as *Mazus pumilus*).

Melastomataceae

Diplectria divaricata (Willd.) Kuntze: Veldkamp et al., Blumea 24(2): 417 (1979 ['1978']); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 324 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 148, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 89, 391 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl.

1): 91, 121 (2019). – *Dissochaeta divaricata* (Willd.) G.Don: Kartonegoro et al., PhytoKeys 107: 66 (2018). – *Diplectria glauca* (Jack) Veldkamp ex Keng, nom. inval.: Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990). – *Anplectrum glaucum* (Jack) Triana: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); Ridley, Fl. Malay Penins. 1: 799 (1922). **Native; CR** (Wong et al., 2013).

Diplectria stipularis (Blume) Kuntze: Veldkamp et al., Blumea 24(2): 424 (1979 ['1978']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 324 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 148, 191 (2009). – *Dissochaeta stipularis* (Blume) Backer ex Clauzing: Kartonegoro et al., PhytoKeys 107: 146 (2018). – *Anplectrum annulatum* Triana ex C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900), as 'annulata'; Burkill, Dict. Econ. Prod. Malay Penins. 1: 171 (1935). **Native; NEx** (Chong et al., 2009).

Diplectria viminalis (Jack) Kuntze: Keng, Gard. Bull. Singapore 31: 108 (1978); Veldkamp et al., Blumea 24(2): 427 (1979 ['1978']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 324 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 148, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 89, 391 (2013). – *Dissochaeta viminalis* (Jack) Clauzing: Neo et al., Nat. Singapore 7: 65 (2014); Kartonegoro et al., Phytokeys 107: 152 (2018). – *Anplectrum pallens* (Blume) Triana: Ridley, Fl. Malay Penins. 1: 800 (1922). – *Diplectria pallens* (Blume) Kuntze: Kuntze, Revis. Gen. Pl. 1: 246 (1891). **Native; EN** (assessed here).

Dissochaeta annulata Hook.f. ex Triana: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 50 (1900); Ridley, Fl. Malay Penins. 1: 796 (1922); Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 148, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Kartonegoro et al., PhytoKeys 107: 32 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019). **Native; CR** (assessed here).

Dissochaeta biligulata Korth.: Kartonegoro et al., PhytoKeys 107: 46 (2018). – *Dissochaeta monticola* auct. non Blume: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 392 (2013); Neo et al., Nat. Singapore 7: 105 (2014). – *Dissochaeta celebica* auct. non Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 544 (1879), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); Ridley, Fl. Malay Penins. 1: 798 (1922); Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']);

Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 148, 220 (2009). – *Dissochaeta intermedia* auct. non Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 544 (1879), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); Ridley, Fl. Malay Penins. 1: 798 (1922); Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 148, 191 (2009). – *Dissochaeta intermedia* auct. non Blume var. *intermedia*: Turner, Gard. Bull. Singapore 47: 325 (1997 ['1995']). – *Dissochaeta microcarpa* Naudin: Naudin, Ann. Sci. Nat., Bot., sér. 3, 15: 72 (1851); Miquel, Fl. Ned. Ind. 1(1), fasc. 4: 523 (1856 ['1855']). – *Melastoma rubiginosum* Wall., nom. nud.: Wallich, Numer. List no. 4052 (1831). **Native; CR** (Wong et al., 2013).

Dissochaeta gracilis (Jack) Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 544 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); Ridley, Fl. Malay Penins. 1: 797 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 848 (1935); Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 148, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 392 (2013); Kartonegoro et al., PhytoKeys 107: 87 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). **Native; VU** (Wong et al., 2013).

Dissochaeta pallida (Jack) Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 544 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); Ridley, Fl. Malay Penins. 1: 797 (1922); Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 148, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 392 (2013); Kartonegoro et al., PhytoKeys 107: 117 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). **Native; EN** (Wong et al., 2013).

Dissochaeta punctulata Hook.f. ex Triana: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 543 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 51 (1900); Ridley, Fl. Malay Penins. 1: 796 (1922); Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 325 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 148, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 392 (2013); Kartonegoro et al., PhytoKeys 107: 132 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). **Native; EN** (assessed here).

Lijndenia laurina Zoll. & Moritzi: Bremer, Nordic J. Bot. 2: 122 (1982); Turner, Gard. Bull. Singapore 47: 326 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 148, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 271 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). – *Memecylon oligoneurum* Blume: Maxwell, Gard. Bull. Singapore 33: 99 (1980); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), as ‘*oligoneuron*’; Ng & Wee (ed.), Singapore Red Data Book: 293 (1994), as ‘*oligoneuron*’; LaFrankie et al., Forest Trees Bukit Timah: 110, 164 (2005), as ‘*oligoneuron*’. **Native; CR** (Chong et al., 2009).

Macrolenes echinulata (Naudin) Bakh.f.: Keng, Gard. Bull. Singapore 31: 108 (1978), as ‘*echinata*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990), as ‘*echinata*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990), listed twice on p. 74, once as ‘*echinata*’; Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 148, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 174, 392 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019); Kartonegoro et al., Gard. Bull. Singapore 71: 204, fig. 6 (2019). – *Dissochaeta echinulata* (Naudin) Clauzing: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 90, 391 (2013). – *Macrolenes echinulata* (Naudin) Bakh.f. var. *echinulata*: Maxwell, Malayan Nat. J. 35: 161 (1982); Turner, Gard. Bull. Singapore 47: 326 (1997 ['1995']). – *Marumia rhodocarpa* Cogn., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 48 (1900); Ridley, Fl. Malay Penins. 1: 795 (1922). – *Marumia rhodocarpa* Cogn. var. *subglabrata* (C.B.Clarke) Cogn.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 49 (1900), as ‘*sub-glabrata*’. – *Marumia zeylanica* Blume var. *subglabrata* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 542 (1879). – *Marumia zeylanica* auct. non Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 542 (1879). – *Marumia echinulata* Naudin: Naudin, Ann. Sci. Nat., Bot., sér. 3, 15: 280 (1851); Miquel, Fl. Ned. Ind. 1(1), fasc. 4: 534 (1856 ['1855']). **Native; CR** (Wong et al., 2013).

Medinilla crassifolia (Reinw. ex Blume) Blume: Maxwell, Gard. Bull. Singapore 31: 157 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 327 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 148, 194 (2009). – *Medinilla hasseltii* Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 547 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 62 (1900); Ridley, Fl. Malay Penins. 1: 802 (1922). **Native; NEx** (Chong et al., 2009).

Medinilla radicans (Blume) Blume: Maxwell, Gard. Bull. Singapore 31: 169 (1978); Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 327 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 148, 195 (2009). – *Medinilla crassinervia* auct. non Blume:

King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 64 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901); Ridley, Fl. Malay Penins. 1: 804 (1922). – *Medinilla macrocarpa* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900). **Native; NEx** (Chong et al., 2009).

Medinilla rubicunda (Jack) Blume: Maxwell, Gard. Bull. Singapore 31: 174 (1978). – *Melastoma rubicundum* Jack: Jack, Trans. Linn. Soc. London 14(1): 18 (1823). **Native; NEx** (assessed here).

Melastoma malabathricum L.: Keng, Gard. Bull. Singapore 31: 108 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81, fig. 72.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Meyer, Blumea 46: 364 (2001); Boo et al., 1001 Gard. Pl. Singapore (print 3): 169 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 392 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 45 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019); Yee et al., Fl. Singapore 1: 58 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 269, 382 (2020). – *Melastoma polyanthum* Blume: Triana, Trans. Linn. Soc. London 28(1): 59 (1871); Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 523 (1879); Cogniaux in de Candolle, Monogr. Phan. 7: 354 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900); Ridley, Fl. Malay Penins. 1: 765 (1922). – *Melastoma malabathricum* L. var. *perakense* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 7 (1900), p.p., as ‘*perakensis*’. – *Melastoma malabathricum* L. var. *polyanthum* (Blume) Benth.: Kuntze, Revis. Gen. Pl. 1: 247 (1891), as ‘*polyanthemum*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 7 (1900), as ‘*polyantha*’. – *Melastoma longifolium* Naudin, nom. illeg. hom.: Naudin, Ann. Sci. Nat., Bot., sér. 3, 13: 293 (1850 ['1849']); Miquel, Fl. Ned. Ind. 1(1), fasc. 3: 510 (1855); Triana, Trans. Linn. Soc. London 28(1): 60 (1871); Cogniaux in de Candolle, Monogr. Phan. 7: 355 (1891). – *Melastoma malabathricum* L. var. *adpressum* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 523 (1879). – *Melastoma oliganthum* Naudin: Miquel, Fl. Ned. Ind. 1(1), fasc. 3: 510 (1855). **Native; LC** (Wong et al., 2013).

Melastoma molle (C.B.Clarke) Wall. ex Cogn.: Cogniaux in De Candolle & De Candolle, Monogr. Phan. 7: 346 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900); Ridley, Fl. Malay Penins. 1: 764 (1922); Neo et al., Phytotaxa 436(2): 197 (2020). – *Melastoma crinitum* auct. non Naudin: Meyer, Blumea 46: 358 (2001), p.p. – *Melastoma decemfidium* Roxb. var. *molle* (C.B.Clarke) King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 5 (1900), as ‘*mollis*’. – *Melastoma sanguineum* Sims var. *molle* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 524 (1879). **Native; NEx** (assessed here).

Memecylon acuminatissimum Blume: Hughes, Gard. Bull. Singapore 74 (2022, in press). **Native; CR** (assessed here).

Memecylon acuminatum Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as ‘*Memeaplan*’; Maxwell, Gard. Bull. Singapore 33: 57 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 282 (2013).

Memecylon acuminatum Sm. var. **acuminatum**: Maxwell, Tree Fl. Malaya 4: 187 (1989); Turner, Gard. Bull. Singapore 47: 328 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 195 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92, 121 (2019). **Native; CR** (assessed here).

Memecylon amplexicaule Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as 'Memeaplan'; Ridley, Fl. Malay Penins. 1: 815 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1451 (1935); Keng, Gard. Bull. Singapore 31: 109 (1978); Maxwell, Gard. Bull. Singapore 33: 58 (1980); Maxwell, Tree Fl. Malaya 4: 187 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 328 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 299 (2003); LaFrankie et al., Forest Trees Bukit Timah: 108, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 284 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). – *Memecylon microstomum* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as 'Memeaplan'. **Native; CR** (Chong et al., 2009).

Memecylon campanulatum C.B.Clarke: Maxwell, Gard. Bull. Singapore 33: 63 (1980); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 328 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). **Native; CR** (Chong et al., 2009).

Memecylon cantleyi Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 79: 72 (1918); Ridley, Fl. Malay Penins. 1: 818 (1922); Keng, Gard. Bull. Singapore 31: 109 (1978); Maxwell, Gard. Bull. Singapore 33: 64 (1980); Maxwell, Gard. Bull. Singapore 35(2): 196 (1983 ['1982']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 39, 293 (1994); Turner, Gard. Bull. Singapore 47: 328 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 31, 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 286 (2013); Leong et al., Gardenwise 44: 10 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 689, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92, 131 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 203, 310 (2020). – *Memecylon* sp. (Ridley 4436): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900). **Native; CR** (Chong et al., 2009).

Memecylon coeruleum Jack: Keng, Gard. Bull. Singapore 31: 109 (1978), as 'caeruleum'; Maxwell, Gard. Bull. Singapore 33: 61 (1980), as 'caeruleum'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81, fig. 72.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990), as 'caeruleum'; Turner, Gard. Bull. Singapore 45: 132 (1993), as 'caeruleum'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), as 'caeruleum'; Ng & Wee (ed.), Singapore Red Data Book: 293 (1994), as 'caeruleum'; Turner, Gard. Bull. Singapore 47: 328 (1997 ['1995']), as 'caeruleum'; Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']), as 'caeruleum'; Boo

et al., 1001 Gard. Pl. Singapore (print 3): 408 (2004 ['2003']), as '*caeruleum*'; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 325, 776 (2006), as '*caeruleum*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008), as '*caeruleum*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009), as '*caeruleum*'; Hughes, Fl. Penins. Malaysia, ser. 2, 4: 287 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 441, 807 [2015], as '*caeruleum*'; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 203, 310 (2020), as '*caeruleum*'. **Non-native, casual** (assessed here).

Memecylon durum Cogn.: Hughes, Fl. Penins. Malaysia, ser. 2, 4: 293 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). – *Memecylon globosum* Bakh.f.: Maxwell, Gard. Bull. Singapore 33: 82 (1980); Maxwell, Tree Fl. Malaya 4: 186 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 329 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011). – *Memecylon* sp. (*Ridley* 6788): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900). **Native; NEx** (Chong et al., 2009).

Memecylon edule Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as '*Memeaplan*'; Ridley, Fl. Malay Penins. 1: 819 (1922); Keng, Gard. Bull. Singapore 31: 109 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 392 (2013); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 294 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 689, 807 [2015]; Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 204, 310 (2020).

Memecylon edule Roxb. var. **edule**: Maxwell, Gard. Bull. Singapore 33: 72 (1980); Maxwell, Tree Fl. Malaya 4: 189 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner, Gard. Bull. Singapore 47: 328 (1997 ['1995']); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008). – *Memecylon edule* Roxb. var. *typica*, nom. inval.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 86 (1900). **Native; EN** (Wong et al., 2013, as *Memecylon edule*).

Memecylon excelsum Blume: Maxwell, Gard. Bull. Singapore 33: 76 (1980); Maxwell, Gard. Bull. Singapore 35(2): 196 (1983 ['1982']); Maxwell, Tree Fl. Malaya 4: 190 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Chew et al., Gard. Bull. Singapore 49(2): 194 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 296 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92, 131 (2019). – *Memecylon heteropleurum* Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 557 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 78 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as '*Memeaplan*'; Ridley, Fl. Malay Penins. 1: 813 (1922). **Native; CR** (Chong et al., 2009).

Memecylon floridum Ridl.: Maxwell, Gard. Bull. Singapore 33: 78 (1980); Maxwell, Tree Fl. Malaya 4: 190 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 329 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 297 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). **Native; NEx** (assessed here).

Memecylon fruticosum King: Keng, Gard. Bull. Singapore 31: 109 (1978); Maxwell, Gard. Bull. Singapore 33: 79 (1980); Maxwell, Tree Fl. Malaya 4: 187 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 329 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 298 (2013). – *Memecylon campanulatum* auct. non C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as ‘*Memeaplan*’. – *Memecylon* sp. (*Ridley* 5753): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900). **Native; CR** (Chong et al., 2009).

Memecylon garcinoides Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 85 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as ‘*Memeaplan*’; Ridley, Fl. Malay Penins. 1: 818 (1922); Keng, Gard. Bull. Singapore 31: 109 (1978); Maxwell, Gard. Bull. Singapore 33: 81 (1980); Maxwell, Tree Fl. Malaya 4: 191 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 329 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 392 (2013); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 299 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 690, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 204, 310 (2020). **Native; CR** (Wong et al., 2013).

Memecylon lancifolium Ridl.: Ridley, Fl. Malay Penins. 5: 311 (1925); Maxwell, Gard. Bull. Singapore 33: 107 (1980); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 195 (2009); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 306 (2013). – *Memecylon* sp. (*Ridley* 3840): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900). **Native; NEx** (Chong et al., 2009).

Memecylon lilacinum Zoll. & Moritz: Maxwell, Gard. Bull. Singapore 33: 87 (1980); Maxwell, Tree Fl. Malaya 4: 190 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990), as ‘*lilacinum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009);

Hughes, Fl. Penins. Malaysia, ser. 2, 4: 307 (2013); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 179, 392 (2013); Neo et al., Nat. Singapore 7: 105 (2014). – *Memecylon pauciflorum* auct. non Blume: Maxwell, Gard. Bull. Singapore 33: 102 (1980), p.p.; Turner, Gard. Bull. Singapore 45: 134 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 293 (1994), p.p.; Turner, Gard. Bull. Singapore 47: 330 (1997 ['1995']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 149, 195 (2009), p.p.; Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012), p.p. – *Memecylon cinereum* King: Maxwell, Gard. Bull. Singapore 33: 66 (1980); Maxwell, Tree Fl. Malaya 4: 187 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 328 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 195 (2009). – *Memecylon laevigatum* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 82 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as '*Memeaplan*'; Ridley, Fl. Malay Penins. 1: 817 (1922). – *Memecylon myrsinoides* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); Ridley, Fl. Malay Penins. 1: 817 (1922). – *Memecylon myrsinoides* Blume var. *lilacinum* (Zoll. & Moritz) King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 81 (1900), as '*lilacina*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as '*Memeaplan*'. **Native; CR** (Wong et al., 2013).

Memecylon minutiflorum Miq.: Maxwell, Gard. Bull. Singapore 33: 93 (1980); Maxwell, Tree Fl. Malaya 4: 193 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 329 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 309 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). **Native; CR** (Chong et al., 2009).

Memecylon oleifolium Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 82 (1900), as '*oleafolium*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as '*Memeaplan oleafolium*'; Ridley, Fl. Malay Penins. 1: 814 (1922), as '*oleafolium*'; Keng, Gard. Bull. Singapore 31: 109 (1978), as '*oleafolium*'; Maxwell, Gard. Bull. Singapore 33: 95 (1980); Maxwell, Tree Fl. Malaya 4: 193 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990), as '*oleafolium*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 329 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 149, 208 (2009); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 310 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 690, 807 [2015]. – *Memecylon grande* auct. non Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900). **Native; CR** (Chong et al., 2009).

Memecylon ovatum Sm.: Hughes, Fl. Penins. Malaysia, ser. 2, 4: 311 (2013); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 205, 310 (2020). – *Memecylon edule* Roxb. var. *ovatum* (Sm.) C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901), as '*Memeaplan*'; Keng, Gard. Bull. Singapore 31: 109 (1978); Maxwell, Gard. Bull. Singapore 33: 74 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner, Gard. Bull. Singapore

47: 328 (1997 ['1995']); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008). – *Memecylon laxiflorum* Wall. ex Ridl., nom. illeg. hom.: Ridley, Fl. Malay Penins. 1: 815 (1922). – *Memecylon laxiflorum* Benth., nom. nud.: Wallich, Numer. List no. 4472 (1831). **Native; EN** (assessed here).

Memecylon paniculatum Jack: Maxwell, Gard. Bull. Singapore 33: 101 (1980); Maxwell, Tree Fl. Malaya 4: 194 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 330 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 149, 208 (2009); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 314 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92, 131 (2019). **Native; CR** (Chong et al., 2009).

Memecylon pseudomegacarpum M.Hughes: Hughes, Eur. J. Taxon. 56: 3 (2013); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 317 (2013). – *Memecylon megacarpum* auct. non Furtado: Maxwell, Gard. Bull. Singapore 33: 91 (1980); Maxwell, Tree Fl. Malaya 4: 193 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']), as '*Memecylon*'; Turner, Gard. Bull. Singapore 47: 329 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 179, 393 (2013). **Native; CR** (assessed here).

Memecylon pubescens (C.B.Clarke) King: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 74 (1900); Ridley, J. Straits Branch Roy. Asiatic Soc. 35: 88 (1901), as '*Memeaplan*'; Ridley, Fl. Malay Penins. 1: 814 (1922); Maxwell, Gard. Bull. Singapore 33: 104 (1980); Maxwell, Tree Fl. Malaya 4: 195 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 330 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 149, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Hughes, Fl. Penins. Malaysia, ser. 2, 4: 319 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). **Native; CR** (assessed here).

Miconia crenata (Vahl) Michelang.: Judd et al., J. Bot. Res. Inst. Texas 12(2): 524 (2018). – *Clidemia hirta* (L.) D.Don: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 85 (1900), as '*Clidema*'; Ridley, Fl. Malay Penins. 1: 807 (1922); Henderson, Malay. Wild Fls, Dicot.: 128 (1959); Keng, Gard. Bull. Singapore 31: 107 (1978); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81, fig. 72.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 148, 265 (2009); Lok et al., Cosmos 6: 71 (2010); Turner & Chua,

Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 44 (2011); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 60, 391 (2013); Neo et al., Nat. Singapore 6: 14 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Hung et al., Nat. Singapore 10: 16, 19 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 99 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 91 (2019); Yee et al., Fl. Singapore 1: 55 (2019). **Non-native, naturalised** (Chong et al., 2009).

Miconia dependens (Pav. ex D.Don) Judd & Majure: Judd et al., J. Bot. Res. Inst. Texas 12(2): 526 (2018). – *Clidemia capitellata* (Bonpl.) D.Don: Chen et al., Gard. Bull. Singapore 70: 92 (2018). **Non-native, naturalised** (Chen et al., 2018).

Ochthocharis bornensis Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900), as ‘*borneensis*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 14 (1900), as ‘*borneensis*’; Ridley, Fl. Malay Penins. 1: 775 (1922), as ‘*borneensis*’; Henderson, Malay. Wild Fls, Dicot.: 144 (1959), as ‘*borneensis*’; Keng, Gard. Bull. Singapore 31: 109 (1978), as ‘*borneensis*’; Hansen & Wickens, Kew Bull. 36: 16 (1981); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990), as ‘*borneensis*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990), as ‘*borneensis*’; Turner, Gard. Bull. Singapore 45: 134 (1993), as ‘*borneensis*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), as ‘*borneensis*’; Ng & Wee (ed.), Singapore Red Data Book: 293 (1994), as ‘*borneensis*’; Turner, Gard. Bull. Singapore 47: 330 (1997 [‘1995’]), as ‘*borneensis*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008), as ‘*borneensis*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 149, 195 (2009), as ‘*borneensis*’. **Native; NEx** (Chong et al., 2009).

Ochthocharis javanica Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 528 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 14 (1900); Ridley, Fl. Malay Penins. 1: 775 (1922); Keng, Gard. Bull. Singapore 31: 109 (1978); Hansen & Wickens, Kew Bull. 36: 16 (1981); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 330 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 149, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). **Native; NEx** (Chong et al., 2009).

Ochthocharis paniculata Korth.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 528 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 13 (1900); Ridley, Fl. Malay Penins. 1: 774 (1922); Keng, Gard. Bull. Singapore 31: 109 (1978); Hansen & Wickens, Kew Bull. 36: 20 (1981); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Turner, Gard. Bull. Singapore 47: 330 (1997 [‘1995’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 149, 195 (2009). **Native; NEx** (Chong et al., 2009).

Pachycentria constricta (Blume) Blume: Maxwell, Gard. Bull. Singapore 31: 202 (1978); Keng, Gard. Bull. Singapore 31: 109 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 134 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119

(1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Turner, Gard. Bull. Singapore 47: 331 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Clausing, Blumea 45: 351 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 149, 209 (2009). – *Pachycentria tuberculata* Korth.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 565 (1879), as ‘*tuberculosa*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 66 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901); Ridley, Fl. Malay Penins. 1: 805 (1922). – *Pachycentria macrorhiza* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900), as ‘*macrorrhiza*’. **Native; NEx** (assessed here).

Pachycentria maingayi (C.B.Clarke) J.F.Maxwell: Maxwell, Gard. Bull. Singapore 31: 203 (1978); Keng, Gard. Bull. Singapore 31: 109 (1978); Maxwell, Gard. Bull. Singapore 35(2): 196 (1983 ['1982']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 135 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Turner, Gard. Bull. Singapore 47: 331 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 149, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 192, 393 (2013). – *Pachycentria glauca* Triana subsp. *maingayi* (C.B.Clarke) Clausing: Clausing, Blumea 45: 356 (2000); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011). – *Medinilla maingayi* C.B.Clarke: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 63 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901); Ridley, Fl. Malay Penins. 1: 803 (1922). – *Pachycentria glauca* auct. non Triana: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900). **Native; CR** (Wong et al., 2013).

Pachycentria pulverulenta (Jack) Clausing: Clausing, Blumea 45: 362 (2000); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019). – *Pogonanthera pulverulenta* (Jack) Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 550 (1879); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 65 (1900); Ridley, Fl. Malay Penins. 1: 805 (1922); Maxwell, Gard. Bull. Singapore 31: 209 (1978); Keng, Gard. Bull. Singapore 31: 110 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 135 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 149, 210 (2009). – *Pogonanthera reflexa* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900). – *Melastoma pulverulentum* Jack: Jack, Trans. Linn. Soc. London 14(1): 19 (1823). **Native; CR** (Chong et al., 2009).

Plethiandra sessiliflora (Cogn.) Merr.: Ridley, Fl. Malay Penins. 1: 806 (1922); Nayar, Reinwardtia 9(1): 149 (1974); Keng, Gard. Bull. Singapore 31: 110 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 135 (1993); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner, Gard. Bull. Singapore 47: 332 (1997 ['1995']); Kadereit, Edinburgh J. Bot. 62: 139 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 149, 197 (2009). – *Medinillopsis sessiliflora* Cogn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900). **Native; NEx** (Chong et al., 2009).

Pternandra coerulescens Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900); Ridley, Fl. Malay Penins. 1: 808 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard.

Bull. Singapore 31: 110 (1978); Maxwell, Gard. Bull. Singapore 34: 26 (1981); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 135 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 332 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 689, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 149, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 393 (2013), as ‘*caeruleascens*’; Neo et al., Nat. Singapore 6: 280 (2013), as ‘*caeruleascens*’; Neo et al., Nat. Singapore 7: 65 (2014), as ‘*caeruleascens*’; Neo et al., Nat. Singapore 7: 105 (2014), as ‘*caeruleascens*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 92 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 242, 311 (2020). – *Pternandra jackiana* (C.B.Clarke) Ridl.: Ridley, Fl. Malay Penins. 1: 808 (1922). – *Pternandra coeruleascens* Jack var. *jackiana* (Walp.) C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901). – *Pternandra coeruleascens* Jack var. *capitellata* (Jack) King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 69 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901). – *Pternandra capitellata* Jack: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 551 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900). **Native; VU** (Wong et al., 2013).

Pternandra echinata Jack: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 69 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901); Ridley, Fl. Malay Penins. 1: 809 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 110 (1978); Maxwell, Gard. Bull. Singapore 34: 42 (1981); Maxwell, Tree Fl. Malaya 4: 197 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82, fig. 72.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 135 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 332 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 105, 165 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 689, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 149, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 393 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 243, 311 (2020). – *Pternandra echinata* Jack var. *bracteata* Ridl.: Ridley, Fl. Malay Penins. 1: 809 (1922). – *Kibessia acuminata* Decne.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 552 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900), as ‘*Kibessa*’. – *Kibessia echinata* (Jack) Cogn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900), as ‘*Kibessa*’. – *Kibessia simplex* auct. non Korth.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 552 (1879). **Native; LC** (assessed here).

Pternandra tuberculata (Korth.) M.P.Nayar: Keng, Gard. Bull. Singapore 31: 110 (1978); Maxwell, Gard. Bull. Singapore 34: 73 (1981); Maxwell, Tree Fl. Malaya 4: 198 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 135 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Turner, Gard. Bull. Singapore 47: 332 (1997 ['1995']);

Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 149, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 393 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Pternandra paniculata* auct. non Benth. ex C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 85 (1900); Ridley, Fl. Malay Penins. 1: 809 (1922). – *Pternandra coerulescens* Jack var. *paniculata* auct. non (Miq.) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901), p.p. **Native; NE** (assessed here).

Sonerila moluccana Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 135 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 149, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 393 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Sonerila begoniifolia* Blume: Staph, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 41 (1900), as '*begoniaefolia*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901), as '*begoniaefolia*'; Ridley, Fl. Malay Penins. 1: 790 (1922), as '*begoniaefolia*'; Burkill, Dict. Econ. Prod. Malay Penins. 2: 2050 (1935); Henderson, Malay. Wild Fls. Dicot.: 123 (1959), as '*begoniaefolia*'; Keng, Gard. Bull. Singapore 31: 110 (1978). – *Sonerila heterophylla* auct. non Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900). – *Sonerila paradoxa* Naudin: Staph, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 40 (1900). **Native; CR** (Wong et al., 2013).

Sonerila obliqua Korth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 84 (1900); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Sonerila heterostema* Naudin: Staph, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 69(1): 33 (1900), as '*heterostemonia*'; Ridley, Fl. Malay Penins. 1: 787 (1922), as '*heterostemon*'; Burkill, Dict. Econ. Prod. Malay Penins. 2: 2050 (1935), as '*heterostemon*'; Keng, Gard. Bull. Singapore 31: 110 (1978), as '*heterostemon*'; Maxwell, Gard. Bull. Singapore 35(2): 196 (1983 ['1982']), as '*heterostemon*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 82 (1990), as '*heterostemon*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990), as '*heterostemon*'; Turner, Gard. Bull. Singapore 45: 135 (1993), as '*heterostemon*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), as '*heterostemon*'; Ng & Wee (ed.), Singapore Red Data Book: 47, 294 (1994), as '*heterostemon*'; Turner et al., Gard. Bull. Singapore 46(2): 22 (1994), as '*heterostemon*'; Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']), as '*heterostemon*'; Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']), as '*heterostemon*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 35, 228 (2008), as '*heterostemon*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 149, 211 (2009), as '*heterostemon*'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 393 (2013), as '*heterostemon*'. **Native; CR** (Wong et al., 2013).

Meliaceae

Aglaia crassinervia Kurz ex Hiern: Pannell, Fl. Males., ser. 1, 12(1): 267 (1995); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 71 (2013); Khoo et al., Gard. Bull. Singapore 70: 58 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93, 121 (2019). **Native; CR** (assessed here).

Aglaia cucullata (Roxb.) Pellegr.: Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 214 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Pannell, Kew Bull. Add. Ser. 16: 58 (1992); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng

& Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Fl. Males., ser. 1, 12(1): 213 (1995); Turner, Gard. Bull. Singapore 47: 336 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Pannell, Tree Fl. Sabah & Sarawak 6: 44 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 73 (2013). – *Amoora cucullata* Roxb.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 55 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 399 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 138 (1935); Keng, Gard. Bull. Singapore 33: 349 (1980). **Native; CR** (Chong et al., 2009).

Aglaia edulis (Roxb.) Wall.: Pannell, Fl. Males., ser. 1, 12(1): 272 (1995); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 76 (2013). **Native; CR** (assessed here).

Aglaia elliptica Blume: Pannell, Kew Bull. Add. Ser. 16: 275 (1992); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Pannell, Fl. Males., ser. 1, 12(1): 288 (1995); Turner, Gard. Bull. Singapore 47: 336 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 80 (2013).

Aglaia elliptica Blume subsp. **elliptica**: Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). **Native; CR** (assessed here).

Aglaia erythrosperma Pannell: Pannell, Fl. Males., ser. 1, 12(1): 219 (1995); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 82 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 59 (2018). – *Aglaia spectabilis* auct. non (Miq.) S.S.Jain & Bennet: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner, Gard. Bull. Singapore 47: 339 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 141 (2013). – *Aglaia ridleyi* auct. non (King) Pannell: Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 223 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005). **Native; CR** (assessed here).

Aglaia exstipulata (Griff.) W.Theob.: Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 215 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Pannell, Kew Bull. Add. Ser. 16: 320 (1992); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Fl. Males., ser. 1, 12(1): 303 (1995); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 336 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Pannell, Kew Bull. 59: 92 (2004); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Pannell, Tree Fl. Sabah & Sarawak 6: 54 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 45 (2011); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 85 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Aglaia exstipulata* (Griff.) W.Theob. subsp. *exstipulata*: Pannell, Tree Fl. Sabah & Sarawak 6: 54 (2007). **Native; CR** (Chong et al., 2009).

Aglaia glabriiflora Hiern: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 63 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 404 (1922); Keng, Gard. Bull. Singapore 33: 348 (1980); Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 217 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101, fig. 90.1 (1990); Turner et al., J. Singapore

Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 92 (2013). – *Aglaia leptantha* auct. non Miq.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Pannell, Fl. Males., ser. 1, 12(1): 261 (1995), p.p.; Turner, Gard. Bull. Singapore 47: 337 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Pannell, Tree Fl. Sabah & Sarawak 6: 70 auct. p.p. (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 12, 393 (2013); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 102 (2013), p.p.; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). **Native; CR** (Wong et al., 2013).

***Aglaia lawii* (Wight) C.J.Saldanha**

***Aglaia lawii* (Wight) C.J.Saldanha subsp. *oligocarpa* (Miq.) Pannell:** Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 12, 393 (2013). – *Aglaia yzermannii* auct. non Boerl. & Koord.: Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 59 (2018). – *Aglaia maingayi* (Hiern) King: Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']). **Native; CR** (assessed here).

***Aglaia macrocarpa* (Miq.) Pannell:** Pannell, Kew Bull. Add. Ser. 16: 65 (1992); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Pannell, Fl. Males., ser. 1, 12(1): 215 (1995); Turner, Gard. Bull. Singapore 47: 337 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Pannell, Tree Fl. Sabah & Sarawak 6: 72 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 104 (2013). – *Aglaia tenuicaulis* auct. non Hiern: Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 56 (2018). – *Aglaia leucophylla* auct. non King: Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009). – *Aglaia rubescens* (Hiern) Pannell: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994). – *Amoora rubescens* Hiern: Hiern in Hooker, Fl. Brit. India 1, fasc. 3: 561 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 57 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 399 (1922); Keng, Gard. Bull. Singapore 33: 349 (1980). **Native; CR** (assessed here).

***Aglaia meliosmoides* Craib:** Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 219 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Kew Bull. 59: 87 (2004); Pannell, Tree Fl. Sabah & Sarawak 6: 75, fig. 7A–G, pl. 3D (2007); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 110 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Aglaia simplicifolia* auct. non (Bedd.) Harms: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner, Gard. Bull. Singapore 47: 338 (1997 ['1995']), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 13, 394 (2013). **Native; CR** (Wong et al., 2013).

Aglaia multinervis Pannell: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Fl. Males., ser. 1, 12(1): 222 (1995); Turner, Gard. Bull. Singapore 47: 338 (1997 ['1995']); Pannell, Tree Fl. Sabah & Sarawak 6: 77 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 187 (2009); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 114 (2013); Ng et al., Nat. Singapore 14-e2021049: 1 (2021). – *Aglaia malaccensis* auct. non (Ridl.) Pannell: Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Aglaia* sp. 3: Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 228 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993). **Native; CR** (Ng et al., 2021).

Aglaia odoratissima Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 67 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 404 (1922); Keng, Gard. Bull. Singapore 33: 348 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Fl. Males., ser. 1, 12(1): 276 (1995); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 106, 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 12, 393 (2013); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 115 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). **Native; CR** (Wong et al., 2013).

Aglaia oligophylla Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 63 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 403 (1922); Keng, Gard. Bull. Singapore 33: 348 (1980); Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 222 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Fl. Males., ser. 1, 12(1): 297 (1995); Turner, Gard. Bull. Singapore 47: 338 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 13, 394 (2013); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). **Native; CR** (assessed here).

Aglaia palembanica Miq.: Ridley, Fl. Malay Penins. 1: 409 (1922); Keng, Gard. Bull. Singapore 33: 348 (1980); Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 223 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Pannell, Kew Bull. Add. Ser. 16: 323 (1992); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Fl. Males., ser. 1, 12(1): 304 (1995); Turner, Gard. Bull. Singapore 47: 338 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data

Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 187 (2009); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 120 (2013); Ho et al., Gard. Bull. Singapore 70: 38 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93, 121 (2019). **Native; CR** (Ho et al., 2018).

Aglaia rubiginosa (Hiern) Pannell: Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 225 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Pannell, Kew Bull. Add. Ser. 16: 92 (1992); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Fl. Males., ser. 1, 12(1): 225 (1995); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 338 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Pannell, Tree Fl. Sabah & Sarawak 6: 85, fig. 4E–G (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 13, 394 (2013); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 123 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Amoora rubiginosa* Hiern: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 55 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 398 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 33: 349 (1980). **Native; CR** (Wong et al., 2013).

Aglaia rufinervis (Blume) Bentv.: Pannell, Kew Bull. Add. Ser. 16: 317 (1992); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Pannell, Fl. Males., ser. 1, 12(1): 302 (1995); Turner, Gard. Bull. Singapore 47: 338 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Pannell, Tree Fl. Sabah & Sarawak 6: 87 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 127 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Aglaia cf. trichostemon* DC.: LaFrankie et al., Forest Trees Bukit Timah: 160 (2005). – *Aglaia trichostemon* DC.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 77 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 407 (1922); Keng, Gard. Bull. Singapore 33: 348 (1980); Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 227 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994). **Native; CR** (Chong et al., 2009).

Aglaia sexipetala Griff.: Pannell, Fl. Males., ser. 1, 12(1): 268 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 200 (2009); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 132 (2013). – *Aglaia aspera* Teijsm. & Binn.: Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 211 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 135 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994). **Native; CR** (Chong et al., 2009).

Aglaia teysmanniana (Miq.) Miq.: Pannell, Fl. Males., ser. 1, 12(1): 231 (1995); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 148 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93, 131 (2019). **Native; NE**.

Aglaia tomentosa Teijsm. & Binn.: Pannell, Kew Bull. Add. Ser. 16: 331 (1992); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Pannell, Fl. Males., ser. 1, 12(1): 306 (1995); Turner, Gard. Bull. Singapore 47: 339 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Pannell, Tree Fl. Sabah & Sarawak 6: 103 (2007); Tan et al. in Davison et

al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 149 (2013).

Aglaia tomentosa Teijsm. & Binn. subsp. **cordata** (Hiern) Pannell: Pannell, Kew Bull. 59: 91 (2004); Pannell, Tree Fl. Sabah & Sarawak 6: 106 (2007); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 150 (2013). – *Aglaia cordata* Hiern: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 64: 73 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 409 (1922); Keng, Gard. Bull. Singapore 33: 348 (1980); Pannell in Mabberley & Pannell, Tree Fl. Malaya 4: 213 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 188 (1995); Turner, Gard. Bull. Singapore 47: 339 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 298 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 149, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 23, 395 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 156 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 56, 310 (2020). – *Aphanamixis rohituka* (Roxb.) Pierre: Ridley, Fl. Malay Penins. 1: 401 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 33: 349 (1980). – *Amoora aphanamixis* Schult.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900). – *Dysoxylum cuneatum* Hiern: Hiern in Hooker, Fl. Brit. India 1, fasc. 3: 549 (1875). **Native; CR** (assessed here).

Aphanamixis polystachya (Wall.) R.Parker: Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 230 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101, fig. 90.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 188 (1995); Turner, Gard. Bull. Singapore 47: 339 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 298 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 149, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 23, 395 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 156 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 56, 310 (2020). – *Aphanamixis rohituka* (Roxb.) Pierre: Ridley, Fl. Malay Penins. 1: 401 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 33: 349 (1980). – *Amoora aphanamixis* Schult.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900). – *Dysoxylum cuneatum* Hiern: Hiern in Hooker, Fl. Brit. India 1, fasc. 3: 549 (1875). **Native; LC** (assessed here).

Aphanamixis sumatrana (Miq.) Harms: Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 231 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 194 (1995); Turner, Gard. Bull. Singapore 47: 339 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 149, 187 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 396 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 158 (2013). **Native; NEx** (Wong et al., 2013).

Azadirachta indica A.Juss.: Keng, Gard. Bull. Singapore 33: 349 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101, fig. 90.3 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 149, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 44 (2017);. – *Melia indica* (A.Juss.) Brandis: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 150, 250 (2009). **Non-native, casual** (Chong et al., 2009).

Chisocheton erythrocarpus Hiern: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 388 (1922); Keng, Gard. Bull. Singapore 33: 349 (1980); Mabberley in

Mabberley & Pannell, Tree Fl. Malaya 4: 235 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 101 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 183 (1995); Turner, Gard. Bull. Singapore 47: 339 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 149, 202 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 55, 396 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 167 (2013). **Native; CR** (Wong et al., 2013).

Chisocheton macrophyllus King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 32 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 389 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 527 (1935); Keng, Gard. Bull. Singapore 33: 349 (1980), as '*macrophyllum*'; Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 235 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 175 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 149, 189 (2009); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 168 (2013).

Chisocheton macrophyllus King subsp. **macrophyllus**: Mabberley et al., Fl. Males., ser. 1, 12(1): 178 (1995); Turner, Gard. Bull. Singapore 47: 340 (1997 ['1995']); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 169 (2013). **Native; NEx** (Chong et al., 2009, as *Chisocheton macrophyllus*).

Chisocheton patens Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 34 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Keng, Gard. Bull. Singapore 33: 349 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102, fig. 90.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 167 (1995); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 340 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 195 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 150, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 171 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Chisocheton holocalyx* Hiern: Hiern in Hooker, Fl. Brit. India 1, fasc. 3: 551 (1875). **Native; CR** (Chong et al., 2009).

Chisocheton pauciflorus King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 387 (1922); Keng, Gard. Bull. Singapore 33: 349 (1980); Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 237 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 173 (1995); Turner, Gard. Bull. Singapore 47: 340 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 150, 189 (2009); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 173 (2013). **Native; NEx** (Chong et al., 2009).

Chisocheton pentandrus (Blanco) Merr.: Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']).

Chisocheton pentandrus (Blanco) Merr. subsp. **paucijugus** (Miq.) Mabb.: Keng, Gard. Bull. Singapore 33: 349 (1980); Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 238 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 183 (1995); Turner, Gard. Bull. Singapore 47: 340 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 150, 202 (2009); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 176 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93, 122 (2019). – *Chisocheton spicatus* Hiern: Ridley, Fl. Malay Penins. 1: 387 (1922). **Native; NEx** (assessed here).

Chisocheton sarawakanus (C.DC.) Harms: Mabberley et al., Fl. Males., ser. 1, 12(1): 161 (1995); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 150, 202 (2009); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 179 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93, 131 (2019). **Native; CR** (Chong et al., 2009).

Dysoxylum acutangulum Miq.: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 64: 44 (1895); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 393 (1922); Keng, Gard. Bull. Singapore 33: 350 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 129 (1995); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 150, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 192 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). **Native; CR** (assessed here).

Dysoxylum carolinae Mabb.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 131 (1995); Turner, Gard. Bull. Singapore 47: 341 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Mabberley et al., Tree Fl. Sabah & Sarawak 6: 155 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 150, 191 (2009); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 200 (2013). – *Dysoxylum* sp. 1: Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 246 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993). **Native; NEx** (Chong et al., 2009).

Dysoxylum cyrtobotryum Miq.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 123 (1995); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 150, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 93, 396 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 205 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). **Native; CR** (assessed here).

Dysoxylum flavescens Hiern: Ridley, Fl. Malay Penins. 1: 396 (1922); Keng, Gard. Bull. Singapore 33: 350 (1980); Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 244 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 128 (1995); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 341 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 150, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 95, 398 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 211 (2013). **Native; NEx** (assessed here).

Dysoxylum grande Hiern: Mabberley et al., Fl. Males., ser. 1, 12(1): 117 (1995); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 212 (2013); Khoo et al., Gard. Bull. Singapore 70: 60 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94, 122 (2019). **Native; CR** (assessed here).

Epicharis cuneata (Hiern) Harms: Holzmeyer et al., Taxon 70: 1265 (2021). – *Dysoxylum cauliniflorum* Hiern: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 45 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 396 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 885 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 462 (1952), as ‘*Dysoxylon*’; Keng, Gard. Bull. Singapore 33: 350 (1980); Corner, Wayside Trees Malaya, ed. 3, 2: 501 (1988), as ‘*Dysoxylon*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102, fig. 90.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 86 (1995); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 577, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 150, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 93, 396 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 202 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 127, 310 (2020). **Native; VU** (Wong et al., 2013).

Epicharis densiflora Blume: Holzmeyer et al., Taxon 70: 1265 (2021). – *Dysoxylum densiflorum* (Blume) Miq.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 81 (1995); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 150, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 94, 397 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 207 (2013). **Native; CR** (Wong et al., 2013).

Lansium domesticum Corrêa: Keng, Gard. Bull. Singapore 33: 350 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Mabberley et al., Fl. Males., ser. 1, 12(1): 315 (1995); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53,

150, 248 (2009); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 154, 398 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 227 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). – *Lansium domesticum* Jack, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900). **Non-native, casual** (assessed here).

Munronia breviflora (Ridl.) Mabb. & Muellner: Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 230 (2013). – *Turraea breviflora* Ridl.: Ridley, Fl. Malay Penins. 1: 383 (1922); Keng, Gard. Bull. Singapore 33: 351 (1980); Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 252 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 103 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 29 (1995); Turner, Gard. Bull. Singapore 47: 342 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 150, 199 (2009). **Native; NEx** (Chong et al., 2009).

Prasoxylon alliaceum (Blume) M.Roem.: Holzmeyer et al., Taxon 70: 1266 (2021). – *Dysoxylum alliaceum* (Blume) Blume: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 106 (1995); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 150, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 46 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 193 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 93 (2019). – *Dysoxylum costulatum* Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 43 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 394 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 885 (1935); Keng, Gard. Bull. Singapore 33: 350 (1980). – *Dysoxylum thyrsoideum* Griff.: Keng, Gard. Bull. Singapore 33: 350 (1980). **Native; CR** (assessed here).

Prasoxylon excelsum (Spreng.) Mabb.: Holzmeyer et al., Taxon 70: 1266 (2021). – *Dysoxylum excelsum* Blume: Burkill, Dict. Econ. Prod. Malay Penins. 1: 886 (1935); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 109 (1995); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 150, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 94, 397 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 210 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94, 122 (2019). – *Dysoxylum macrothyrsrum* Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 394 (1922); Keng, Gard. Bull. Singapore 33: 350 (1980). – *Dysoxylum turbinatum* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 394 (1922); Keng, Gard. Bull. Singapore 33: 350 (1980), as ‘*tubinatum*’. **Native; CR** (Wong et al., 2013).

Pseudoclausena chrysogyna (Miq.) T.P.Clark: Clark, Fl. Males., ser. 1, 12(1): 55 (1995); Turner, Gard. Bull. Singapore 47: 342 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 148 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); LaFrankie et al., Forest

Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 150, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 398 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 234 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). – *Walsura chrysogyne* (Miq.) Bakh.f.: Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005). **Native; CR** (Wong et al., 2013).

Sandoricum beccarianum Baill.: Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 249 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 137 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 353 (1995); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 342 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 150, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 399 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 242 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). – *Sandoricum emarginatum* Hiern: Ridley, Fl. Malay Penins. 1: 385 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1946 (1935). **Native; EN** (assessed here).

Sandoricum koetjape (Burm.f.) Merr.: Corner, Wayside Trees Malaya, ed. 2, 1: 466 (1952); Keng, Gard. Bull. Singapore 33: 351 (1980); Corner, Wayside Trees Malaya, ed. 3, 2: 504 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102, fig. 90.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 345 (1995); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 439 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 107, 165 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 697, 777 (2006), as 'koetjape'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 150, 217 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 222, 399 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 244 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 249, 311 (2020). – *Sandoricum indicum* Cav.: Hiern in Hooker, Fl. Brit. India 1, fasc. 3: 553 (1875); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900); Ridley, Fl. Malay Penins. 1: 385 (1922). – *Sandoricum radiatum* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 21 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 59 (1900). **Native; EN** (Wong et al., 2013).

Swietenia macrophylla King: Corner, Wayside Trees Malaya, ed. 2, 1: 469 (1952); Keng, Gard. Bull. Singapore 33: 351 (1980); Corner, Wayside Trees Malaya, ed. 3, 2: 507 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 102 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 150, 264 (2009); Lok et al., Cosmos 6: 76 (2010); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Hung et al., Nat. Singapore 10: 48 (2017); Yee et al., Fl. Singapore 1: 48 (2019). **Non-native, casual** (Chong et al., 2009).

Xylocarpus granatum J.Koenig: Keng, Gard. Bull. Singapore 33: 351 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 103 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994);

Mabberley et al., Fl. Males., ser. 1, 12(1): 378 (1995); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 150, 231 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 399 (2013); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 263 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 776, 807 [2015]; Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Yee et al., Fl. Singapore 1: fig. 17 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 295, 311 (2020). – *Carapa obovata* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 73 (1928). – *Carapa moluccensis* auct. non Lam.: Ridley, Fl. Malay Penins. 1: 414 (1922), p.p. **Native; LC** (Wong et al., 2013).

Xylocarpus moluccensis (Lam.) M.Roem.: Keng, Gard. Bull. Singapore 33: 351 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 103, fig. 90.7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 376 (1995); Lee et al., Gard. Bull. Singapore 55: 299 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 150, 219 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 265 (2013). – *Carapa moluccensis* Lam.: Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 70 (1928). – *Carapa obovata* auct. non Blume: Ridley, Fl. Malay Penins. 1: 414 (1922). **Native; EN** (Chong et al., 2009).

Xylocarpus rumphii (Kostel.) Mabb.: Mabberley in Mabberley & Pannell, Tree Fl. Malaya 4: 260 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 103 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Mabberley et al., Fl. Males., ser. 1, 12(1): 375 (1995); Turner, Gard. Bull. Singapore 47: 343 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 150, 213 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Mabberley, Fl. Penins. Malaysia, ser. 2, 4: 266 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 776, 807 [2015]; Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 295, 311 (2020). **Native; CR** (Chong et al., 2009).

Menispermaceae

Albertisia crassa Forman: Forman, Fl. Males., ser. 1, 10(2): 181 (1986); Lim et al., Gard. Bull. Singapore 70: 68 (2018). **Native; EN** (Lim et al., 2018).

Arcangelisia flava (L.) Merr.: Forman, Fl. Males., ser. 1, 10(2): 210 (1986); Lim et al., Gard. Bull. Singapore 70: 68 (2018). **Native; CR** (Lim et al., 2018).

Coscinium fenestratum (Gaertn.) Colebr.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900); Forman, Fl. Males., ser. 1, 10(2): 215 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 150, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 67, 399 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). – *Coscinium wallichianum* Miers: Ridley, Fl. Malay Penins. 1: 106 (1922); Keng, Gard. Bull. Singapore 27: 82 (1974). – *Coscinium blumeanum* auct. non Miers ex Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 179 (1855),

p.p.; Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 77 (1858 ['1859']). **Native; EN** (Wong et al., 2013).

Cyclea laxiflora Miers: Ridley, Fl. Malay Penins. 1: 114 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 722 (1935); Keng, Gard. Bull. Singapore 27: 82 (1974); Forman, Fl. Males., ser. 1, 10(2): 241 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21, fig. 16.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 150, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 71, 399 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). – *Cyclea peltata* (Lam.) Hook.f. & Thomson var. *arnottii* auct. non (Miers) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 43 (1900), as ‘*arnotti*’. – *Cyclea peltata* auct. non (Lam) Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 201 (1855), p.p. **Native; CR** (Wong et al., 2013).

Fibraurea tinctoria Lour.: Forman, Fl. Males., ser. 1, 10(2): 207 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21, fig. 16.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 299 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 37, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 150, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 108, 399 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). – *Fibraurea chloroleuca* Miers: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900); Ridley, Fl. Malay Penins. 1: 105 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1000 (1935); Keng, Gard. Bull. Singapore 27: 82 (1974). **Native; LC** (Wong et al., 2013).

Hypserpa nitida Miers: Forman, Fl. Males., ser. 1, 10(2): 219 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 150, 193 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 145, 399 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). – *Hypserpa cuspidata* (Hook.f. & Thomson) Miers: Ridley, Fl. Malay Penins. 1: 111 (1922); Keng, Gard. Bull. Singapore 27: 82 (1974). – *Limacia triandra* auct. non (Colebr.) Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 84 (1901). – *Hypserpa triflora* auct. non Miers: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900). **Native; EN** (assessed here).

Limacia scandens Lour.: Forman, Fl. Males., ser. 1, 10(2): 223 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21, fig. 16.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Turner, Gard. Bull. Singapore 47: 344 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore

49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 150, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 161, 400 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). – *Limacia velutina* A.Gray: Hooker & Thomson, Fl. Ind. 1: 189 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 80 (1858 ['1859']); Kuntze, Revis. Gen. Pl. 1: 9 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900); Ridley, Fl. Malay Penins. 1: 109 (1922); Keng, Gard. Bull. Singapore 27: 83 (1974). **Native; VU** (Wong et al., 2013).

Nephroia orbiculata (L.) Lian Lian & Wei Wang: Lian et al., Molec. Phylogenetic Evol. 148–106825: 7 (2020). – *Cocculus orbiculatus* (L.) DC.: Forman, Fl. Males., ser. 1, 10(2): 231 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21, fig. 16.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 138 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 150, 189 (2009); Lim et al., Gard. Bull. Singapore 70: 79 (2018); Lim et al., Fl. Singapore 1: 87, 88, fig. 1 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 21, 382 (2020). – *Cocculus trilobus* (Thunb.) DC.: Keng, Gard. Bull. Singapore 27: 82 (1974). – *Cocculus ovalifolius* (Vahl ex Pers.) DC.: Ridley, Fl. Malay Penins. 1: 110 (1922). – *Limacia kunstleri* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 58(4): 383 (1889); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900). **Native; CR** (Lim et al., 2018).

Stephania capitata (Blume) Spreng.: Maxwell, Gard. Bull. Singapore 35(2): 197 (1983 ['1982']); Forman, Fl. Males., ser. 1, 10(2): 252 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 150, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 231, 400 (2013). – *Stephania hernandifolia* auct. non (Willd.) Walp.: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 103 (1872), p.p., as '*hernandifolia*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900), as '*hernandifolia*'. **Native; CR** (Wong et al., 2013).

Tinomiscium petiolare Miers ex Hook.f. & Thomson: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 97 (1872); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900); Ridley, Fl. Malay Penins. 1: 105 (1922); Keng, Gard. Bull. Singapore 27: 83 (1974); Forman, Fl. Males., ser. 1, 10(2): 205 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21, fig. 16.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 150, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 249, 400 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). **Native; VU** (assessed here).

Tinospora crispa (L.) Hook.f. & Thomson: Ridley, Fl. Malay Penins. 1: 103 (1922); Keng, Gard. Bull. Singapore 27: 83 (1974); Forman, Fl. Males., ser. 1, 10(2): 194 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look

Biodivers. Singapore: 120 (1994); Lee et al., Gard. Bull. Singapore 55: 282, 300 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 150, 264 (2009); Lok et al., Cosmos 6: 76 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 249, 400 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 7: 65 (2014). – *Tinospora cordifolia* auct. non (Willd.) Miers ex Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 42 (1900). **Non-native, casual** (Chong et al., 2009).

Tinospora macrocarpa Diels: Forman, Fl. Males., ser. 1, 10(2): 198 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 22 (1994); Turner, Gard. Bull. Singapore 47: 345 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 150, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 249, 400 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94, 131 (2019). – *Tinospora uliginosa* auct. non Miers: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 97 (1872), p.p. **Native; VU** (assessed here).

Menyanthaceae

Nymphoides indica (L.) Kuntze: Keng, Gard. Bull. Singapore 36(1): 112 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 141, fig. 121.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 345, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 150, 217 (2009); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 140, 317 (2020). – *Limnanthemum indicum* (L.) Griseb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900); Ridley, Fl. Malay Penins. 2: 436 (1923). **Cryptogenic** (assessed here).

Metteniusaceae

Platea latifolia Blume: Sleumer, Fl. Males., ser. 1, 7(1): 11 (1972 ['1971']); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Gard. Bull. Singapore 35(1): 97 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 126 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 140, 197 (2009); Utteridge & Schori, Gard. Bull. Singapore 63: 112 (2011). **Native; CR** (assessed here).

Molluginaceae

Mollugo pentaphylla L.: Ridley, Fl. Malay Penins. 1: 867 (1922); Backer, Fl. Males., ser. 1, 4(3): 268 (1951); Keng, Gard. Bull. Singapore 28(2): 256 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 58, fig. 51.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 24 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 150, 272 (2009); Lok et al., Cosmos 6: 80 (2010). – *Mollugo stricta* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900). **Cryptogenic** (Chong et al., 2009).

Monimiaceae

Kibara coriacea (Blume) Hook.f. & Thomson: Philipson, Fl. Males., ser. 1, 10(2): 298 (1986); Ng, Tree Fl. Malaya 4: 261 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 346 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 151, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 152, 400 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 6: 29 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). **Cryptogenic** (assessed here).

Matthaea sancta Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900), as '*Matthea*'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 251 (1912); Ridley, Fl. Malay Penins. 3: 73 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1428 (1935); Keng, Gard. Bull. Singapore 27: 77 (1974); Philipson, Fl. Males., ser. 1, 10(2): 323 (1986); Ng, Tree Fl. Malaya 4: 263 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 17, fig. 12.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 346 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 151, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 400 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 6: 32 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). **Native; EN** (Wong et al., 2013).

Moraceae

Antiaris toxicaria (Pers.) Lesch.: Keng, Gard. Bull. Singapore 31: 92 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 510 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 68, fig. 67.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Berg et al., Fl. Males., ser. 1, 17(1): 141 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 151, 200 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 533, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94, 122 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 55, 310 (2020). **Native; CR** (Chong et al., 2009).

Artocarpus altilis (Parkinson) Fosberg: Keng, Gard. Bull. Singapore 31: 92 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 68 (1990); Berg et al., Fl. Males., ser. 1, 17(1): 82 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 29, 400 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 328 (2021). – *Artocarpus incisus* (Thunb.) L.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900), as '*incisa*'. **Non-native, casual** (Chong et al., 2009).

Artocarpus anisophyllus Miq.: Sinclair, Gard. Bull. Singapore 14(1): 38 (1953); Sinclair, Gard. Bull. Singapore 15: 30 (1956); Jarrett, J. Arnold Arbor. 40: 138 (1959); Kochummen, Tree Fl. Malaya 3: 123 (1978); Keng, Gard. Bull. Singapore 31: 93 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 68 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 347 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg et al., Fl. Males., ser. 1, 17(1): 86 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 30, 401 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94, 131 (2019); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 350, fig. 15H (2021). – *Artocarpus superbus* Becc.: Ridley, Fl. Malay Penins. 3: 356 (1924), as ‘superba’; Burkill, Dict. Econ. Prod. Malay Penins. 1: 258 (1935), as ‘superba’. **Native; EN** (Wong et al., 2013).

Artocarpus dadah Miq.: Jarrett, J. Arnold Arbor. 41: 91 (1960); Keng, Gard. Bull. Singapore 31: 93 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 300 (2003); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Berg et al., Fl. Males., ser. 1, 17(1): 114 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 30, 401 (2013); Gardner & Zerega, Gard. Bull. Singapore 72: 175, 182, 196, fig. 9 (2020); Gardner & Zerega, Gard. Bull. Singapore 73: 311 (2021). – *Artocarpus lacucha* auct. non Roxb. ex Buch.-Ham.: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019). – *Artocarpus lakoocha* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 355 (1924). **Native; EN** (Wong et al., 2013).

Artocarpus elasticus Reinw. ex Blume: Jarrett, J. Arnold Arbor. 40: 346 (1959); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 93 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 303 (2004 ['2003']); Berg et al., Fl. Males., ser. 1, 17(1): 88 (2006), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 225 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 30, 401 (2013), p.p.; Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019), p.p.; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 62, 310 (2020); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 335, 371 (2021). – *Artocarpus kunstleri* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 353 (1924). **Native; LC** (Wong et al., 2013).

Artocarpus fulvicortex F.M.Jarrett: Jarrett, J. Arnold Arbor. 41: 116 (1960); Kochummen, Tree Fl. Malaya 3: 126 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 517 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner,

Gard. Bull. Singapore 47: 347 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg et al., Fl. Males., ser. 1, 17(1): 112 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 31, 401 (2013); Gardner & Zerega, Gard. Bull. Singapore 72: 175, 212 (2020); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 372 (2021). – *Artocarpus* sp.: Corner, Wayside Trees Malaya, ed. 2, 1: 658 (1952). **Native; CR** (Wong et al., 2013).

Artocarpus gomezianus Wall. ex Trécul: Corner, Wayside Trees Malaya, ed. 2, 1: 654 (1952); Jarrett, J. Arnold Arbor. 41: 88 (1960); Berg et al., Fl. Males., ser. 1, 17(1): 113 (2006); Gardner & Zerega, Gard. Bull. Singapore 72: 175, 181, 207, fig. 14 (2020); Gardner & Zerega, Gard. Bull. Singapore 73: 311 (2021). **Native; NEx** (assessed here).

Artocarpus griffithii (King) Merr.: Gardner & Zerega, Gard. Bull. Singapore 72: 175, 182, 186, fig. 3 (2020); Gardner & Zerega, Gard. Bull. Singapore 73: 311 (2021). – *Artocarpus nitidus* Trécul subsp. *griffithii* (King) F.M.Jarrett: Jarrett, J. Arnold Arbor. 41: 128 (1960); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 201 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95, 131 (2019). – *Artocarpus gomezianus* auct. non Wall. ex Trécul: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900), as '*gomeziana*'; Ridley, Fl. Malay Penins. 3: 355 (1924), as '*gomeziana*'; Keng, Gard. Bull. Singapore 31: 93 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 347 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 201 (2009). – *Artocarpus nitidus* auct. non Trécul: Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg et al., Fl. Males., ser. 1, 17(1): 121 (2006), p.p. **Native; CR** (Chong et al., 2009).

Artocarpus heterophyllus Lam.: Keng, Gard. Bull. Singapore 31: 93 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69, fig. 67.2 (1990); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Berg et al., Fl. Males., ser. 1, 17(1): 91 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 5: 281 (2012); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 222 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94, 131 (2019); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 362 (2021). – *Artocarpus integrifolius* auct. non L.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900), as '*integrifolia*'. **Non-native, casual** (Chong et al., 2009).

Artocarpus hispidus F.M.Jarrett: Jarrett, J. Arnold Arbor. 40: 149 (1959); Kochummen, Tree Fl. Malaya 3: 126 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner, Gard. Bull. Singapore 47: 347 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Berg et al., Fl. Males., ser. 1, 17(1): 92 (2006); Tan et

al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 31, 402 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 356, fig. 18 (2021). **Native; CR** (Wong et al., 2013).

Artocarpus integer (Thunb.) Merr.: Keng, Gard. Bull. Singapore 31: 93 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Berg et al., Fl. Males., ser. 1, 17(1): 94 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 31, 402 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 364 (2021). – *Artocarpus polyphemus* Pers.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900), as ‘*polyphema*’.

Artocarpus integer (Thunb.) Merr. var. **integer**: Gardner & Zerega, Gard. Bull. Singapore 73: 365 (2021). **Cryptogenic** (assessed here).

Artocarpus kemando Miq.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 256 (1935); Jarrett, J. Arnold Arbor. 40: 352 (1959); Kochummen, Tree Fl. Malaya 3: 129 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 347 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Kochummen, Tree Fl. Sabah & Sarawak 3: 200 (2000); Berg et al., Fl. Males., ser. 1, 17(1): 96 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 31, 402 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 64, 310 (2020); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 338 (2021). – *Artocarpus maingayi* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 354 (1924), p.p.; Keng, Gard. Bull. Singapore 31: 93 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 188 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). **Native; CR** (assessed here).

Artocarpus lanceifolius Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900), as ‘*lanceaefolia*’; Ridley, Fl. Malay Penins. 3: 354 (1924), as ‘*lanceaefolia*’; Burkill, Dict. Econ. Prod. Malay Penins. 1: 256 (1935), as ‘*lanceifolia*’; Jarrett, J. Arnold Arbor. 40: 140 (1959); Keng, Gard. Bull. Singapore 31: 93 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); LaFrankie et al., Forest

Trees Bukit Timah: 111, 160 (2005); Berg et al., Fl. Males., ser. 1, 17(1): 97 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 357, fig. 20B–D,I (2021). **Native; EN** (assessed here).

Artocarpus lowii King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 353 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 656 (1952); Jarrett, J. Arnold Arbor. 40: 339 (1959); Corner, Wayside Trees Malaya, ed. 3, 2: 519 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 140 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 112, 160 (2005); Berg et al., Fl. Males., ser. 1, 17(1): 98 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 31, 402 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 341 (2021). **Native; CR** (Wong et al., 2013).

Artocarpus rigidus Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900), as ‘*rigida*'; Ridley, Fl. Malay Penins. 3: 352 (1924), as ‘*rigida*'; Burkill, Dict. Econ. Prod. Malay Penins. 1: 258 (1935), as ‘*rigida*'; Jarrett, J. Arnold Arbor. 40: 150 (1959); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Berg et al., Fl. Males., ser. 1, 17(1): 100 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 219 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 31, 402 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 541, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 64, 310 (2020); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 360, fig. 19H (2021). – *Artocarpus rotundus* (Houtt.) Panz., nom. rej. prop.: Keng, Gard. Bull. Singapore 31: 93 (1978). **Native; EN** (assessed here).

Artocarpus scortechinii King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 355 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 258 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 657 (1952); Jarrett, J. Arnold Arbor. 40: 344 (1959); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 94 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 521 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 113, 161 (2005); Gardner & Zerega, Gard. Bull. Singapore 73: 311, 346, 373, fig. 14 (2021). – *Artocarpus elasticus* auct. non Reinw. ex Blume: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 151, 225 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 30, 401 (2013), p.p.; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 94 (2019), p.p. **Native; VU** (assessed here).

Castilla elastica Cerv.: Berg et al., Fl. Males., ser. 1, 17(1): 139 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 151, 262 (2009); Lok et al., Cosmos 6: 76 (2010). **Non-native, casual** (Chong et al., 2009).

Fatoua villosa (Thunb.) Nakai: Choo et al., Nat. Singapore 13: 41 (2020). – *Fatoua pilosa* Gaudich.: Kaw & Neo, Wayside Fls Singapore: 31 (2018). **Non-native, naturalised** (Choo et al., 2020).

Ficus albipila (Miq.) King: Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Berg & Corner, Fl. Males., ser. 1, 17(2): 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 192 (2009). **Native; NEx** (Chong et al., 2009).

Ficus annulata Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 333 (1924); Keng, Gard. Bull. Singapore 31: 94 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 625 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 192 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). **Native; NEx** (Chong et al., 2009).

Ficus apiocarpa (Miq.) Miq.: Hooker, Fl. Brit. India 5, fasc. 15: 518 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Ridley, Fl. Malay Penins. 3: 338 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 94 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 348 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 493 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 215 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 108, 402 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95, 131 (2019). **Native; EN** (Wong et al., 2013).

Ficus aurata (Miq.) Miq.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 127 (2005); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 623, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 138, 310 (2020). – *Ficus aurata* (Miq.) Miq. var. *aurata*: Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 348 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 221 (2009); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 108, 403 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al.,

Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 80 (2013). – *Ficus aurata* (Miq.) Miq. var. *longipilosa* Corner: Corner, Gard. Bull. Singapore 17(3): 437 (1960); Kochummen, Tree Fl. Malaya 3: 141 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 348 (1997 ['1995']). – *Ficus aurata* (Miq.) Miq. var. *pedunculata* Corner: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990). – *Ficus fulva* auct. non Reinw. ex Blume: Keng, Gard. Bull. Singapore 31: 95 (1978). – *Ficus chrysocarpa* auct. non Reinw. ex Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 348 (1924). **Native; LC** (assessed here).

Ficus benghalensis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 144 (1900), as '*benghalensis*'; Ridley, Fl. Malay Penins. 3: 330 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 675 (1952), as '*bengalensis*'; Keng, Gard. Bull. Singapore 31: 94 (1978), as '*bengalensis*'; Corner, Wayside Trees Malaya, ed. 3, 2: 538 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990), as '*bengalensis*'; Berg & Corner, Fl. Males., ser. 1, 17(2): 630 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 263 (2009); Lok et al., Cosmos 6: 76 (2010). **Non-native, casual** (Chong et al., 2009).

Ficus benjamina L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 336 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1004 (1935); Keng, Gard. Bull. Singapore 31: 94 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 631 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 271 (2009); Lok et al., Cosmos 6: 80 (2010); Neo et al., Nat. Singapore 5: 281 (2012); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017). **Cryptogenic** (Chong et al., 2009).

Ficus binnendijkii (Miq.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900), as '*Ficus binnendykii*'; Ridley, Fl. Malay Penins. 3: 336 (1924); Kochummen, Tree Fl. Malaya 3: 141 (1978), as '*binnendykii*'; Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 94 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990), as '*binnendykii*'; Ng & Wee (ed.), Singapore Red Data Book: 295 (1994), as '*binnendykii*'; Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']), as '*binnendykii*'; Berg & Corner, Fl. Males., ser. 1, 17(2): 633 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 205 (2009), as '*binnendykii*'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 109, 403 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 625, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 140, 310 (2020). – *Ficus binnendijkii* (Miq.) Miq. var. *binnendijkii*: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990), as '*binnendykii*'; Turner, Gard. Bull. Singapore 45: 141 (1993), as '*binnendykii*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994), as '*binnendykii*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008), as '*binnendykii*'. **Native; CR** (Wong et al., 2013).

Ficus bracteata (Miq.) Wall. ex Miq.: Hooker, Fl. Brit. India 5, fasc. 15: 501 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 331 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1005 (1935); Kochummen, Tree Fl. Malaya 3: 141 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 94 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295

(1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 349 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 635 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 205 (2009). **Native; NEx** (assessed here).

Ficus callophylla Blume: Berg & Corner, Fl. Males., ser. 1, 17(2): 493 (2005). – *Ficus obtusifolia* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900). **Native; NEx** (assessed here).

Ficus caulocarpa (Miq.) Miq.: Corner, Wayside Trees Malaya, ed. 2, 1: 675 (1952); Keng, Gard. Bull. Singapore 31: 94 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 539 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 604 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 227 (2009); Neo et al., Nat. Singapore 6: 80 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 626, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 141, 310 (2020). **Native; EN** (assessed here).

Ficus chartacea (Kurz) Wall. ex King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 350 (1924); Keng, Gard. Bull. Singapore 31: 95 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 547 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 105 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 109, 403 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). **Native; VU** (Wong et al., 2013).

Ficus consociata Blume: Ridley, Fl. Malay Penins. 3: 331 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 641 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 109, 403 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 142, 310 (2020). – *Ficus consociata* Blume var. *murtonii* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900), as ‘*murtonii*’; Keng, Gard. Bull. Singapore 31: 95 (1978), as ‘*murtonii*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990), as ‘*murtonii*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990), as ‘*murtonii*’; Turner, Gard. Bull. Singapore 45: 142 (1993), as ‘*murtonii*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994), as ‘*murtonii*’; Ng & Wee (ed.), Singapore Red Data Book: 295 (1994), as ‘*murtonii*’; Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994]), as ‘*murtonii*’; Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']), as ‘*murtonii*’; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 38, 776 (2006), as ‘*murtonii*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008), as ‘*murtonii*’; Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 627, 807 [2015], as ‘*murtonii*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). **Native; CR** (Wong et al., 2013).

Ficus crassiramea (Miq.) Miq.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Berg & Corner, Fl. Males., ser. 1, 17(2): 643 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 628, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 143, 310 (2020). – *Ficus subgeldereri* Corner var. *rigida* (Miq.) Corner: Kochummen, Tree Fl. Malaya 3: 157 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner, Gard. Bull. Singapore 47: 354 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009). – *Ficus stupenda* Miq. var. *minor* Corner: Corner, Gard. Bull. Singapore 17(3): 384 (1960); Kochummen, Tree Fl. Malaya 3: 157 (1978); Turner, Gard. Bull. Singapore 47: 354 (1997 ['1995']). – *Ficus subtecta* Corner: Keng, Gard. Bull. Singapore 31: 97 (1978). – *Ficus procera* Reinw. ex Blume, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 332 (1924). – *Ficus rigida* (Miq.) Miq.: Ridley, Fl. Malay Penins. 3: 332 (1924).

Ficus crassiramea (Miq.) Miq. subsp. **crassiramea**: Berg & Corner, Fl. Males., ser. 1, 17(2): 644 (2005). – *Ficus crassiramea* (Miq.) Miq. subsp. *stupenda* auct. non (Miq.) C.C.Berg: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 109, 403 (2013). – *Ficus stupenda* auct. non Miq.: Kochummen, Tree Fl. Sabah & Sarawak 3: 229 (2000), p.p. **Native; CR** (Chong et al., 2009, as *Ficus crassiramea*).

Ficus delosyce Corner: Kochummen, Tree Fl. Malaya 3: 144 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner, Gard. Bull. Singapore 47: 349 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 649 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 192 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 109, 403 (2013); Ang et al., Nat. Singapore 7: 167 (2014); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Lim et al., Fl. Singapore 1: 88 (2019). **Native; CR** (Ang et al., 2014).

Ficus deltoidea Jack: Keng, Gard. Bull. Singapore 31: 95 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 90 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 247, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 48 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 219, 382 (2020). – *Ficus diversifolia* Blume var. *deltoidea* (Jack) Ridl.: Ridley, Fl. Malay Penins. 3: 346 (1924). – *Ficus diversifolia* Blume: Hooker, Fl. Brit. India 5, fasc. 15: 529 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900). – *Ficus diversifolia* Blume var. *ovoidea* (Jack) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900). – *Ficus ovoidea* Jack: Jack, Malayan Misc. 2(7): 71 (1822). **Native; CR** (Chong et al., 2009).

Ficus elastica Roxb. ex Hornem.: Kuntze, Revis. Gen. Pl. 2: 626 (1891); Keng, Gard. Bull. Singapore 31: 95 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Berg & Corner, Fl. Males., ser. 1, 17(2): 691 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 7: 65 (2014). **Non-native, casual** (Chong et al., 2009).

Ficus excavata King: Kochummen, Tree Fl. Malaya 3: 146 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 95 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner, Gard. Bull. Singapore 47: 350 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 528 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 192 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 109, 403 (2013). **Native; NEx** (assessed here).

Ficus fistulosa Reinw. ex Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 95 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 418 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 109, 403 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 80 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 629, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 144, 310 (2020). – *Ficus fistulosa* Reinw. ex Blume var. *fistulosa*: Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']). **Native; LC** (Wong et al., 2013).

Ficus glandulifera (Miq.) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Ridley, Fl. Malay Penins. 3: 347 (1924); Keng, Gard. Bull. Singapore 31: 95 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 351 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 109 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 110, 404 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). **Native; CR** (Wong et al., 2013).

Ficus globosa Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 333 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 95 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee

(ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 657 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 110, 404 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). **Native; VU** (assessed here).

Ficus grossularioides Burm.f.: Keng, Gard. Bull. Singapore 31: 95 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71, fig. 67.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Berg & Corner, Fl. Males., ser. 1, 17(2): 110 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 598, 777 (2006); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 110, 404 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 144, 310 (2020). – *Ficus alba* Reinw. ex Blume: Hooker, Fl. Brit. India 5, fasc. 15: 530 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 347 (1924). – *Ficus gossypina* Wall. ex Miq.: Miquel, Fl. Ned. Ind. 1(2), fasc. 2: 294 (1859).

Ficus grossularioides Burm.f. var. **grossularioides**: Berg & Corner, Fl. Males., ser. 1, 17(2): 111 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 227 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). **Native; LC** (Wong et al., 2013, as *Ficus grossularioides*).

Ficus heteropleura Blume: Keng, Gard. Bull. Singapore 31: 96 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Berg & Corner, Fl. Males., ser. 1, 17(2): 274 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 227 (2009); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 111, 405 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 630, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95, 122 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 145, 310 (2020). – *Ficus radicans* Roxb., nom. illeg. hom.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 244 (2009). – *Ficus urophylla* Wall. ex Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 144 (1900); Ridley, Fl. Malay Penins. 3: 330 (1924). **Native; LC** (Wong et al., 2013).

Ficus hispida L.f.: Lee et al., Nat. Singapore 6: 85 (2013). **Non-native, casual** (Lee et al., 2013).

Ficus kerkhovenii Koord. & Valeton: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore

45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 351 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 300 (2003); Berg & Corner, Fl. Males., ser. 1, 17(2): 659 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Neo et al., Nat. Singapore 6: 81 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 630, 806 [2015]; Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 145, 310 (2020). **Native; EN** (assessed here).

Ficus kochummeniana C.C.Berg: Berg, Blumea 49: 468 (2004). — *Ficus retusa* auct. non L.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009). **Native; CR** (Chong et al., 2009).

Ficus laevis Blume: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 146 (1900); Ridley, Fl. Malay Penins. 3: 344 (1924); Kochummen, Tree Fl. Malaya 3: 149 (1978); Keng, Gard. Bull. Singapore 31: 96 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 519 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 111, 405 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). — *Ficus laevis* Blume var. *laevis*: Turner, Gard. Bull. Singapore 47: 351 (1997 ['1995']). **Native; CR** (assessed here).

Ficus lamponga Miq.: Kochummen, Tree Fl. Malaya 3: 150 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 351 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 116 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). — *Ficus lepidosa* Wall. ex Kurz: Ridley, Fl. Malay Penins. 3: 350 (1924). **Native; CR** (Chong et al., 2009).

Ficus lindsayana Beentje: Beentje, Gard. Bull. Singapore 73: 307 (2021). — *Ficus dubia* Wall. ex King, nom. illeg. hom.: Ridley, Fl. Malay Penins. 3: 333 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 676 (1952); Keng, Gard. Bull. Singapore 31: 95 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 541 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 142 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Berg & Corner, Fl. Males., ser. 1, 17(2): 653 (2005); Tan

et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). **Native; NEx** (assessed here).

Ficus microcarpa L.f.: Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 542 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 369 (2004 ['2003']); Berg & Corner, Fl. Males., ser. 1, 17(2): 666 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 222 (2014 [2015]); Hung et al., Nat. Singapore 10: 16, 20, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 147, 310 (2020). – *Ficus retusa* auct. non L.: Ridley, Fl. Malay Penins. 3: 335 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1014 (1935); Keng, Gard. Bull. Singapore 31: 96 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990). – *Ficus retusa* L. var. *nitida* auct. non (Thunb.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900). **Native; LC** (Chong et al., 2009).

Ficus microsyce Ridl.: Ridley, Fl. Malay Penins. 3: 335 (1924); Kochummen, Tree Fl. Malaya 3: 151 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 96 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner, Gard. Bull. Singapore 47: 352 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 670 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 112, 406 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 632, 806 [2015]; Wong & Ganesan, Fl. Singapore 1: 42 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 147, 310 (2020). **Native; CR** (Wong et al., 2013).

Ficus pallescens (Weiblen) C.C.Berg: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95 (2019). – *Ficus binnendijkii* (Miq.) Miq. var. *coriacea* Corner: Kochummen, Tree Fl. Malaya 3: 141 (1978), as ‘*binnendykii*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990), as ‘*binnendykii*’; Turner, Gard. Bull. Singapore 45: 141 (1993), as ‘*binnendykii*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994), as ‘*binnendykii*’; Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']), as ‘*binnendykii*’; Turner, Gard. Bull. Singapore 47: 349 (1997 ['1995']), as ‘*binnendykii*’; Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']), as ‘*binnendykii*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008), as ‘*binnendykii*’. **Native; CR** (assessed here).

Ficus pellucidopunctata Griff.: Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978), as ‘*pellucidopunctata*’; Keng, Gard. Bull. Singapore 31: 96 (1978), as ‘*pellucidopunctata*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990), as ‘*pellucidopunctata*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990), as ‘*pellucidopunctata*’; Turner, Gard. Bull. Singapore 45: 143 (1993), as ‘*pellucidopunctata*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994), as ‘*pellucidopunctata*’; Ng & Wee (ed.), Singapore Red Data Book: 295 (1994), as

‘pellucido-punctata’; Turner et al., Gard. Bull. Singapore 48: 149 (1998 [‘1996’]), as ‘pellucido-punctata’; Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 [‘1997’]); Berg & Corner, Fl. Males., ser. 1, 17(2): 674 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 192 (2009). – *Ficus indica* L. var. *gelderi* (Miq.) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900). **Native; NEx** (assessed here).

Ficus pisocarpa Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Kochummen, Tree Fl. Malaya 3: 153 (1978); Keng, Gard. Bull. Singapore 31: 96 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 353 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 149 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 [‘1997’]); Berg & Corner, Fl. Males., ser. 1, 17(2): 674 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 113, 407 (2013). – *Ficus microstoma* Wall. ex King: Hooker, Fl. Brit. India 5, fasc. 15: 506 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 334 (1924). – *Ficus microstoma* Wall., nom. nud.: Wallich, Numer. List no. 4566 (1831). **Native; CR** (Wong et al., 2013).

Ficus pumila L.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Berg & Corner, Fl. Males., ser. 1, 17(2): 518 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 113, 407 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 95, 131 (2019). – *Ficus pumila* L. var. *awkeotsang* (Makino) Corner: Keng, Gard. Bull. Singapore 31: 96 (1978). **Non-native, casual** (Chong et al., 2009).

Ficus punctata Thunb.: Hooker, Fl. Brit. India 5, fasc. 15: 517 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Ridley, Fl. Malay Penins. 3: 338 (1924); Berg & Corner, Fl. Males., ser. 1, 17(2): 506 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 38, 776 (2006); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 113, 407 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). – *Ficus aurantiacea* Griff. var. *aurantiacea*: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 227 (2009), as ‘*aurantiaca*’. – *Ficus aurantiacea* Griff.: Keng, Gard. Bull. Singapore 31: 94 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 69 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 197 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 4): 38, 776 (2006), as ‘*aurantiaca*’. – *Ficus kallicarpa* Miq.: Hooker, Fl. Brit. India 5, fasc. 15: 518 (1888), as ‘*callicarpa*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900), as ‘*callicarpa*’; Ridley, Fl. Malay Penins. 3: 338 (1924), as ‘*callicarpa*’. **Native; LC** (Chong et al., 2009).

Ficus recurva Blume: Hooker, Fl. Brit. India 5, fasc. 15: 527 (1888); Ridley, Fl. Malay Penins. 3: 345 (1924); Keng, Gard. Bull. Singapore 31: 96 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 537 (2005).

Ficus recurva Blume var. *ribesoides* (Miq.) King: King, Ann. Roy. Bot. Gard. (Calcutta) 1: 132 (1888), as ‘*ribesoides*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Kochummen, Tree Fl. Malaya 3: 154 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990), as ‘*ribesoides*’; Turner, Gard. Bull. Singapore 45: 143 (1993), as ‘*ribesoides*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994), as ‘*ribesoides*’; Ng & Wee (ed.), Singapore Red Data Book: 295 (1994), as ‘*ribesoides*’; Turner, Gard. Bull. Singapore 47: 353 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008), as ‘*ribesoides*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009), as ‘*ribesoides*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 114, 408 (2013), as ‘*ribesoides*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019), as ‘*ribesoides*’. – *Pogonotrophe ribesoides* Miq.: Miquel, London J. Bot. 7: 78 (1848). – *Ficus ribesoides* Wall., nom. nud.: Wallich, Numer. List no. 4522 (1831). **Native; EN** (assessed here).

Ficus religiosa L.: Kuntze, Revis. Gen. Pl. 2: 627 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 337 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 683 (1952); Keng, Gard. Bull. Singapore 31: 96 (1978); Corlett, J. Biogeogr. 15: 662 (1988); Corner, Wayside Trees Malaya, ed. 3, 2: 548 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71, fig. 67.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 608 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 266 (2009); Lok et al., Cosmos 6: 71 (2010); Neo et al., Nat. Singapore 6: 15 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017). **Non-native, naturalised** (Chong et al., 2009).

Ficus rosulata C.C.Berg: Berg, Blumea 55: 115, 117 (2010); Ho et al., Gard. Bull. Singapore 70: 47 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). – *Ficus schwarzii* auct. non Koord.: Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 450 (2005), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011). – *Ficus botryocarpa* auct. non Miq.: Keng, Gard. Bull. Singapore 31: 94 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 70 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 141 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 151, 192 (2009). – *Ficus miquelii* auct. non King: Hooker, Fl. Brit. India 5, fasc. 15: 524 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Ridley, Fl. Malay Penins. 3: 341 (1924). **Native; CR** (Ho et al., 2018).

Ficus ruginervia Corner: Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner, Gard. Bull. Singapore 47: 353 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 509 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230

(2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 192 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). **Native; CR** (assessed here).

Ficus sagittata Vahl: Keng, Gard. Bull. Singapore 31: 97 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 543 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 114, 408 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). – *Ficus ramentacea* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Ridley, Fl. Malay Penins. 3: 345 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1013 (1935). **Native; EN** (assessed here).

Ficus scaberrima Blume: Hochreutiner, Candollea 2: 327 (1925). – *Ficus obscura* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900); Ridley, Fl. Malay Penins. 3: 339 (1924); Keng, Gard. Bull. Singapore 31: 96 (1978); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 112, 406 (2013). – *Ficus pisifera* Wall. ex Voigt: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 144 (1900); Ridley, Fl. Malay Penins. 3: 329 (1924); Berg & Corner, Fl. Males., ser. 1, 17(2): 284 (2005); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 112, 406 (2013). – *Ficus obscura* Blume var. *borneensis* (Miq.) Corner: Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 71 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 143 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 451 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 115, 409 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). **Native; CR** (Wong et al., 2013).

Ficus scorchedini King: Corner, Wayside Trees Malaya, ed. 3, 2: 553 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 451 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 115, 409 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). **Native; CR** (Wong et al., 2013).

Ficus sinuata Thunb.: Keng, Gard. Bull. Singapore 31: 97 (1978), as ‘*sinnata*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 288 (2005); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al.

in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 115, 409 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). – *Ficus rostrata* Lam.: Ridley, Fl. Malay Penins. 3: 340 (1924). **Native; CR** (Wong et al., 2013).

Ficus stricta (Miq.) Miq.: Berg & Corner, Fl. Males., ser. 1, 17(2): 679 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 244 (2009); Yeo et al., Nat. Singapore 5: 351 (2012); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 633, 806 [2015]; Lim et al., Fl. Singapore 1: 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 149, 310 (2020). **Native; CR** (Yeo et al., 2012).

Ficus subgelderri Corner: Kochummen, Tree Fl. Malaya 3: 157 (1978); Keng, Gard. Bull. Singapore 31: 97 (1978); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Kochummen, Tree Fl. Sabah & Sarawak 3: 222 (2000); Berg & Corner, Fl. Males., ser. 1, 17(2): 681 (2005); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). – *Ficus subgelderri* Corner var. *subgelderri*: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner, Gard. Bull. Singapore 47: 354 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009). **Native; CR** (assessed here).

Ficus subpisocarpa Gagnep.: Hung et al., Nat. Singapore 10: 45 (2017). **Native; CR** (assessed here).

Ficus subulata Blume: Leong & Lua, Gard. Bull. Singapore 73: 246 (2021). **Native; CR** (Leong & Lua, 2021).

Ficus sumatrana (Miq.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 2, 17(2): 682 (2005). – *Ficus acamptophylla* auct. non (Miq.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900). **Native; NE**.

Ficus sundaica Blume: Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 684 (2005); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011). – *Ficus sundaica* Blume var. *sundaica*: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 115, 410 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). – *Ficus indica* auct. non L.: Ridley, Fl. Malay Penins. 3: 334 (1924). **Native; CR** (Wong et al., 2013).

Ficus superba (Miq.) Miq.: Corner, Wayside Trees Malaya, ed. 2, 1: 679 (1952); Corner, Wayside Trees Malaya, ed. 3, 2: 544 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Boo et al., 1001 Gard. Pl. Singapore

(print 3): 371 (2004 ['2003']); Berg & Corner, Fl. Males., ser. 1, 17(2): 612 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 215 (2009); Hung et al., Nat. Singapore 10: 16, 20, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 149, 310 (2020). **Native; EN** (Chong et al., 2009).

Ficus trichocarpa Blume: Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Turner et al., Gard. Bull. Singapore 46(2): 23 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 556 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 115, 410 (2013). **Native; CR** (Wong et al., 2013).

Ficus variegata Blume: Corner, Wayside Trees Malaya, ed. 2, 1: 686 (1952); Keng, Gard. Bull. Singapore 31: 97 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 300 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 372 (2004 ['2003']); Berg & Corner, Fl. Males., ser. 1, 17(2): 347 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 227 (2009); Neo et al., Nat. Singapore 5: 281 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 116, 410 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 280 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 150, 310 (2020). – *Ficus cf. variegata* Blume: LaFrankie et al., Forest Trees Bukit Timah: 162 (2005). – *Ficus polysyce* Ridl.: Ridley, Fl. Malay Penins. 3: 342 (1924). **Native; LC** (Wong et al., 2013).

Ficus vasculosa Wall. ex Miq.: Ridley, Fl. Malay Penins. 3: 337 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1016 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 684 (1952); Keng, Gard. Bull. Singapore 31: 97 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 549 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Berg & Corner, Fl. Males., ser. 1, 17(2): 167 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 117, 411 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 635, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 150, 310 (2020). **Native; VU** (assessed here).

Ficus villosa Blume: Hooker, Fl. Brit. India 5, fasc. 15: 529 (1888); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 146 (1900); Ridley, Fl. Malay Penins. 3: 345 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 97 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 300 (2003); Berg & Corner, Fl. Males., ser. 1, 17(2): 547 (2005); Tan et al. in

Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 117, 412 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 106, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 35, 382 (2020). **Native; EN** (assessed here).

Ficus virens Aiton: Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 614 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 118, 412 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 636, 806 [2015]; Hung et al., Nat. Singapore 10: 16, 20 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 150, 310 (2020). – *Ficus virens* Aiton var. *glabella* (Blume) Corner: Keng, Gard. Bull. Singapore 31: 97 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008). – *Ficus glabella* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 336 (1924). – *Ficus infectoria* Roxb., nom. illeg. hom.: Ridley, Fl. Malay Penins. 3: 337 (1924). **Native; EN** (assessed here).

Ficus xylophylla (Miq.) Wall. ex Miq.: Hooker, Fl. Brit. India 5, fasc. 15: 503 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900); Ridley, Fl. Malay Penins. 3: 332 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1016 (1935); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 97 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg & Corner, Fl. Males., ser. 1, 17(2): 687 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 42, 152, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 636, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 151, 310 (2020). – *Urostigma xylophyllum* Miq.: Miquel, Fl. Ned. Ind. 1(2), fasc. 2: 352 (1859). **Native; CR** (Chong et al., 2009).

Parartocarpus bracteatus (King) Becc.: Jarrett, J. Arnold Arbor. 41: 324 (1960); Kochummen, Tree Fl. Malaya 3: 164 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 356 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 149 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); Berg et al., Fl. Males., ser. 1, 17(1): 129 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 152, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 196, 414 (2013). **Native; CR** (Wong et al., 2013).

Parartocarpus venenosus (Zoll. & Moritzi) Becc.: Berg et al., Fl. Males., ser. 1, 17(1): 130 (2006). – *Parartocarpus venenosus* (Zoll. & Moritzi) Becc. subsp. *forbesii* (King) F.M.Jarrett: Jarrett, J. Arnold Arbor. 41: 137 (1960); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull.

Singapore 31: 97 (1978), as ‘*venebisus*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 144 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 356 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 149 (1998 [‘1996’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 152, 195 (2009), as ‘*venenosa*’. **Native; NEx** (Chong et al., 2009).

Sloetia elongata (Miq.) Koord.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2035 (1935); Clement & Weiblen, Syst. Bot. 34: 544 (2009). – *Streblus elongatus* (Miq.) Corner: Corner, Gard. Bull. Singapore 19: 227 (1962); Corner, Gard. Bull. Singapore, Suppl. 1: 77 (1978); Keng, Gard. Bull. Singapore 31: 97 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 556 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 72, fig. 67.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 145 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 356 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 149 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 [‘1997’]); Go, Tree Fl. Sabah & Sarawak 3: 330 (2000); Boo et al., 1001 Gard. Pl. Singapore (print 3): 452 (2004 [‘2003’]); LaFrankie et al., Forest Trees Bukit Timah: 114, 165 (2005); Berg et al., Fl. Males., ser. 1, 17(1): 52 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 152, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Hung et al., Nat. Singapore 10: 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); Yee et al., Fl. Singapore 1: 51 (2019). – *Sloetia sideroxylon* Teijsm. & Binn. ex Kurz: Hooker, Fl. Brit. India 5, fasc. 15: 493 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900); Ridley, Fl. Malay Penins. 3: 324 (1924). – *Sloetia penangiana* Oliv.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 144 (1900). – *Sloetia sideroxylon* Teijsm. & Binn. ex Kurz var. *penangiana* (Oliv.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 144 (1900). – *Sloetia wallichii* King ex Hook.f.: Hooker, Fl. Brit. India 5, fasc. 15: 493 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 144 (1900). **Native; LC** (assessed here).

Muntingiaceae

Muntingia calabura L.: Keng, Gard. Bull. Singapore 33: 333 (1980); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 88, fig. 79.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 76 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 146, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96, 122 (2019). **Non-native, naturalised** (Chong et al., 2009).

Myricaceae

Morella esculenta (Buch.-Ham. ex D.Don) I.M.Turner: Boo et al., 1001 Gard. Pl. Singapore (print 3): 414 (2004 [‘2003’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 153, 229 (2009); Phoon, Fl. Penins. Malaysia, ser. 2, 1: 146 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 183, 414 (2013); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 211, 310 (2020). – *Myrica esculenta* Buch.-Ham. ex D.Don: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal]

75(4): 404 (1915), as ‘*aesculenta*’; Backer, Fl. Males., ser. 1, 4(3): 278 (1951); Whitmore, Tree Fl. Malaya 2: 295 (1973); Keng, Gard. Bull. Singapore 31: 90 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 559 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 65, fig. 63.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 145 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 1): 414 (2004 [‘2003’]); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 46 (2017). – *Myrica farquhariana* Wall.: Ridley, Fl. Malay Penins. 3: 370 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 471 (1952). – *Myrica nagi* auct. non Thunb.: Hooker, Fl. Brit. India 5, fasc. 15: 597 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 149 (1900). **Native; LC** (Wong et al., 2013).

Myristicaceae

Endocomia canarioides (King) W.J.de Wilde: De Wilde, Blumea 30(1): 190, fig. 3e–h (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 145 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 357 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 149 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 [‘1997’]); De Wilde, Fl. Males., ser. 1, 14: 30 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 153, 191 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 132 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Embelia ridleyi* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 112 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 234 (1923); Keng, Gard. Bull. Singapore 36(1): 110 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139 (1990). – *Horsfieldia macrocoma* (Miq.) Warb. var. *canarioides* (King) J.Sinclair: Sinclair, Gard. Bull. Singapore 16: 389 (1958); Whitmore, Tree Fl. Malaya 1: 327 (1972); Keng, Gard. Bull. Singapore 27: 75 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990). – *Horsfieldia racemosa* (King) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 222 (1912); Ridley, Fl. Malay Penins. 3: 60 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1199 (1935). – *Horsfieldia canarioides* (King) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 208 (1912); Ridley, Fl. Malay Penins. 3: 55 (1924). **Native; CR** (assessed here).

Gymnananthera bancana (Miq.) J.Sinclair: Sinclair, Gard. Bull. Singapore 16: 436 (1958); Whitmore, Tree Fl. Malaya 1: 319 (1972); Keng, Gard. Bull. Singapore 27: 75 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Schouten, Blumea 31(2): 463 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 15, fig. 11.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 145 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 357 (1997 [‘1995’]), as ‘*Gymnananthera*’; Turner et al., Gard. Bull. Singapore 48: 150 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 [‘1997’]); De Wilde, Fl. Males., ser. 1, 14: 41 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 345, fig. 2A–F (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 153, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 136, 414 (2013); Lim et al.,

Nat. Singapore 9: 72 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 137 (2018); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Gymnacranthera murtonii* (Hook.f.) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 223 (1912), as ‘*murtoni*’; Ridley, Fl. Malay Penins. 3: 61 (1924), as ‘*murtoni*’. – *Myristica ferruginea* Wall. ex King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). – *Myristica murtonii* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 105 (1886), as ‘*murtoni*’ . – *Myristica ferruginea* Wall., nom. nud.: Wallich, Numer. List no. 6803 (1832). **Native; CR** (Wong et al., 2013).

Gymnacranthera farquhariana (Wall. ex Hook.f. & Thomson) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 225 (1912); Ridley, Fl. Malay Penins. 3: 62 (1924), p.p.; Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1117 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 150 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 [‘1997’]); De Wilde, Tree Fl. Sabah & Sarawak 3: 348 (2000); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 136, 414 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Lim et al., Nat. Singapore 9: 75 (2016). – *Gymnacranthera farquhariana* (Wall. ex Hook.f. & Thomson) Warb. var. *zippeliana* (Miq.) R.T.A.Schouten: Schouten, Blumea 31(2): 482 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 15 (1990); Turner, Gard. Bull. Singapore 45: 145 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner, Gard. Bull. Singapore 47: 358 (1997 [‘1995’]); De Wilde, Fl. Males., ser. 1, 14: 47 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 349 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 153, 206 (2009); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 142 (2018). – *Gymnacranthera eugenifolia* (A.DC.) J.Sinclair var. *griffithii* (Hook.f.) J.Sinclair: Sinclair, Gard. Bull. Singapore 16: 447 (1958); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978). – *Gymnacranthera farquhariana* (Wall. ex Hook.f. & Thomson) Warb. var. *major* (King) Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 226 (1912); Ridley, Fl. Malay Penins. 3: 62 (1924). – *Myristica farquhariana* Wall. ex Hook.f. & Thomson: Hooker, Fl. Brit. India 5, fasc. 13: 108 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900), p.p. – *Myristica griffithii* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 109 (1886). – *Myristica farquhariana* Wall., nom. nud.: Wallich, Numer. List no. 6795 (1832).

Gymnacranthera farquhariana (Wall. ex Hook.f. & Thomson) Warb. var. **farquhariana**: Schouten, Blumea 31(2): 477 (1986); Turner, Gard. Bull. Singapore 45: 145 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner, Gard. Bull. Singapore 47: 358 (1997 [‘1995’]); De Wilde, Fl. Males., ser. 1, 14: 45 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 349 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 153, 206 (2009); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 142 (2018); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; EN** (assessed here).

Gymnacranthera farquhariana (Wall. ex Hook.f. & Thomson) Warb. var. **eugenifolia** (A.DC.) R.T.A.Schouten: Schouten, Blumea 31(2): 480 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 15 (1990); Turner, Gard. Bull. Singapore 45: 145 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner, Gard. Bull. Singapore 47: 357 (1997 [‘1995’]); De Wilde, Tree Fl. Sabah & Sarawak 3: 349 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 153, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 137, 414 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Gymnacranthera forbesii* auct. non (King) Warb.: Sinclair, Gard.

Bull. Singapore 16: 441 (1958), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 15 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 146 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994), p.p.; LaFrankie et al., Forest Trees Bukit Timah: 115, 163 (2005), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 153, 206 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 50 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019). – *Gymnacranthera eugenifolia* (A.DC.) J.Sinclair var. *eugenifolia*: Sinclair, Gard. Bull. Singapore 16: 444 (1958); De Wilde, Fl. Males., ser. 1, 14: 46 (2000); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 141 (2018). – *Gymnacranthera eugenifolia* (A.DC.) J.Sinclair: Keng, Gard. Bull. Singapore 27: 75 (1974), as ‘*eugenifolia*’; LaFrankie et al., Forest Trees Bukit Timah: 163 (2005). **Native; CR** (assessed here).

Gymnacranthera forbesii (King) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 224 (1912); Ridley, Fl. Malay Penins. 3: 61 (1924); Sinclair, Gard. Bull. Singapore 16: 441 (1958), p.p.; Keng, Gard. Bull. Singapore 27: 75 (1974); Schouten, Blumea 31(2): 472 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 15 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 146 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 358 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 48 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 350 (2000); LaFrankie et al., Forest Trees Bukit Timah: 115, 163 (2005), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 153, 206 (2009), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 137, 414 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 7: 105 (2014); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 143 (2018). – *Myristica forbesii* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900).

Gymnacranthera forbesii (King) Warb. var. **forbesii**: De Wilde, Fl. Males., ser. 1, 14: 49 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 351 (2000); Lim et al., Nat. Singapore 9: 77 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 144 (2018); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; NEx** (assessed here).

Horsfieldia crassifolia (Hook.f. & Thomson) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 217 (1912); Ridley, Fl. Malay Penins. 3: 59 (1924); Sinclair, Gard. Bull. Singapore 16: 386 (1958); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); De Wilde, Gard. Bull. Singapore 38(2): 219 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 15 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 146 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 358 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 107 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 366 (2000); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 622, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 142, 414 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Lim et al., Nat. Singapore 9: 79 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 152 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 172, 310 (2020); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Horsfieldia bracteosa* auct. non M.R.Hend.: Sinclair, Gard. Bull. Singapore 16: 419 (1958),

p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990). – *Horsfieldia fulva* (King) Warb. var. *paludicola* (King) Warb.: Ridley, Fl. Malay Penins. 3: 56 (1924). – *Myristica crassifolia* Hook.f. & Thomson: Hooker, Fl. Brit. India 5, fasc. 13: 108 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; CR** (assessed here).

Horsfieldia grandis (Hook.f.) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 211 (1912); Ridley, Fl. Malay Penins. 3: 56 (1924); Sinclair, Gard. Bull. Singapore 16: 400 (1958); Whitmore, Tree Fl. Malaya 1: 323 (1972); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); De Wilde, Gard. Bull. Singapore 38(2): 203 (1986 ['1985']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 146 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 358 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 123 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 372 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 206 (2009); Lim et al., Nat. Singapore 9: 82 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 159 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 96, 131 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica rubiginosa* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; CR** (assessed here).

Horsfieldia irya (Gaertn.) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 215 (1912); Ridley, Fl. Malay Penins. 3: 58 (1924); Sinclair, Gard. Bull. Singapore 16: 382 (1958); Keng, Gard. Bull. Singapore 27: 75 (1974); De Wilde, Gard. Bull. Singapore 38(1): 55 (1985); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 15, fig. 11.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 146 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 358 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 132 (2000); Boo et al., 1001 Gard. Pl. Singapore (print 3): 388 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 206 (2009); Neo et al., Nat. Singapore 6: 281 (2013); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 160 (2018); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 172, 310 (2020); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Horsfieldia lemanniana* (A.DC.) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 219 (1912); Ridley, Fl. Malay Penins. 3: 59 (1924), as '*lemanniana*'; Burkill, Dict. Econ. Prod. Malay Penins. 1: 1198 (1935), as '*lemanniana*'. – *Myristica irya* Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; CR** (assessed here).

Horsfieldia parviflora (Roxb.) J.Sinclair: De Wilde, Gard. Bull. Singapore 38(1): 69 (1985); Turner, Gard. Bull. Singapore 45: 146 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner, Gard. Bull. Singapore 47: 358 (1997 ['1995']); De Wilde, Fl. Males., ser. 1, 14: 161 (2000); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 266 (2009); Lok et al., Cosmos 6: 71 (2010); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Horsfieldia bivalvis* (Hook.f.) Merr.: Sinclair, Gard. Bull. Singapore 16: 379 (1958). – *Horsfieldia globularia* Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 207 (1912); Ridley, Fl. Malay Penins. 3: 54 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1198 (1935). – *Myristica bivalvis* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 107 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Non-native, naturalised** (assessed here).

Horsfieldia polyspherula (Hook.f.) J.Sinclair: Sinclair, Gard. Bull. Singapore 16: 422 (1958); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull.

Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011). – *Horsfieldia polyspherula* (Hook.f.) J.Sinclair var. *sumatrana* auct. non (Miq.) W.J.de Wilde: De Wilde, Gard. Bull. Singapore 39(1): 20 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner, Gard. Bull. Singapore 45: 146 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 359 (1997 ['1995']); De Wilde, Fl. Males., ser. 1, 14: 170 (2000), p.p.; De Wilde, Tree Fl. Sabah & Sarawak 3: 384 (2000), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 415 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Lim et al., Nat. Singapore 9: 86 (2016). – *Horsfieldia subglobosa* auct. non Warb.: Sinclair, Gard. Bull. Singapore 16: 425 (1958), p.p.; Keng, Gard. Bull. Singapore 27: 76 (1974). – *Horsfieldia majuscula* auct. non (King) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 215 (1912), p.p.; Ridley, Fl. Malay Penins. 3: 57 (1924), p.p. – *Myristica majuscula* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). – *Myristica polyspherula* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 108 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900), as '*polysphaerula*'. – *Myristica glabra* auct. non Blume: Hooker & Thomson, Fl. Ind. 1: 161 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 65 (1858 ['1859']), p.p.; Hooker, Fl. Brit. India 5, fasc. 13: 107 (1886).

Horsfieldia polyspherula (Hook.f.) J.Sinclair var. **polyspherula**: De Wilde, Gard. Bull. Singapore 39(1): 19 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner, Gard. Bull. Singapore 45: 146 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Turner, Gard. Bull. Singapore 47: 359 (1997 ['1995']); De Wilde, Fl. Males., ser. 1, 14: 169 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 142, 414 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Lim et al., Nat. Singapore 9: 84 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 168 (2018); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; VU** (assessed here).

Horsfieldia punctatifolia J.Sinclair: Sinclair, Gard. Bull. Singapore 16: 413 (1958); Whitmore, Tree Fl. Malaya 1: 327 (1972); De Wilde, Gard. Bull. Singapore 39(1): 54 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 146 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 359 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 175 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 384 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 415 (2013); Lim et al., Nat. Singapore 9: 88 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 172 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Horsfieldia amygdalina* auct. non (Wall.) Warb.: Ridley, Fl. Malay Penins. 3: 57 (1924). **Native; EN** (assessed here).

Horsfieldia sparsa W.J.de Wilde: De Wilde, Gard. Bull. Singapore 38(2): 194, fig. 1B(50) (1986 ['1985']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 146 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 359 (1997 ['1995']); De Wilde, Fl. Males., ser. 1, 14: 189 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153,

193 (2009); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 175 (2018); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Horsfieldia sucosa* auct. non (King) Warb. subsp. *sucosa*: Lim et al., Nat. Singapore 9: 90 (2016). – *Horsfieldia sucosa* auct. non (King) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 217 (1912); Ridley, Fl. Malay Penins. 3: 58 (1924), p.p.; Burkill, Dict. Econ. Prod. Malay Penins. 1: 1199 (1935); Sinclair, Gard. Bull. Singapore 16: 416 (1958), p.p.; Keng, Gard. Bull. Singapore 27: 76 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 359 (1997 ['1995']), p.p.; Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 622, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 415 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 659, 806 [2015]. – *Myristica sucosa* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; EN** (assessed here).

Horsfieldia superba (Hook.f. & Thomson) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 209 (1912); Ridley, Fl. Malay Penins. 3: 55 (1924); Sinclair, Gard. Bull. Singapore 16: 393 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); De Wilde, Gard. Bull. Singapore 38(2): 200 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 203 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 660, 806 [2015]; Lim et al., Nat. Singapore 9: 94 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 179 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 173, 310 (2020); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica superba* Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; CR** (assessed here).

Horsfieldia tomentosa (Kuntze) Warb.: Ridley, Fl. Malay Penins. 3: 56 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1199 (1935); Sinclair, Gard. Bull. Singapore 16: 403 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); De Wilde, Gard. Bull. Singapore 38(2): 210 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 359 (1997 ['1995']); De Wilde, Fl. Males., ser. 1, 14: 210 (2000); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 415 (2013); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 181 (2018); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; NEx** (assessed here).

Horsfieldia wallichii (Hook.f. & Thomson) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 213 (1912); Ridley, Fl. Malay Penins. 3: 57 (1924); Sinclair, Gard. Bull. Singapore 16: 405 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); De Wilde, Gard.

Bull. Singapore 38(2): 204 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 359 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 219 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 396 (2000); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 143, 415 (2013); Lim et al., Nat. Singapore 9: 96 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 182 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica wallichii* Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 161 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 67 (1858 ['1859']); Hooker, Fl. Brit. India 5, fasc. 13: 105 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; CR** (assessed here).

Knema communis J. Sinclair: Sinclair, Gard. Bull. Singapore 16: 297 (1958); De Wilde, Blumea 25: 461 (1979); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 359 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 250 (2000); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 153, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 152, 415 (2013); Lim et al., Nat. Singapore 9: 98 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 192 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; VU** (assessed here).

Knema conferta (King) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 243 (1912); Ridley, Fl. Malay Penins. 3: 70 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1282 (1935); Sinclair, Gard. Bull. Singapore 16: 286 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); De Wilde, Blumea 25: 472 (1979); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 360 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 251 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 406 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 153, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 152, 415 (2013); Lim et al., Nat. Singapore 9: 101 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 193 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica conferta* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; EN** (assessed here).

Knema corticosa Lour.: De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Knema globularia* (Lam.) Warb.: Sinclair, Gard. Bull. Singapore 16: 325 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); De Wilde, Blumea 25: 411 (1979); Corner, Wayside Trees Malaya, ed. 3, 2: 564 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad.

Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 360 (1997 ['1995']); De Wilde, Fl. Males., ser. 1, 14: 265 (2000); Lee et al., Gard. Bull. Singapore 55: 301 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 631, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 153, 207 (2009); Hung et al., Nat. Singapore 10: 46 (2017); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 202 (2018); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 180, 310 (2020). – *Knema missionis* (Wall. ex King) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 247 (1912); Ridley, Fl. Malay Penins. 3: 71 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1283 (1935).

Native; VU (assessed here).

Knema curtisii (King) Warb.: Ridley, Fl. Malay Penins. 3: 69 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1282 (1935); Sinclair, Gard. Bull. Singapore 16: 281 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 68 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 152, 415 (2013); Hung et al., Nat. Singapore 10: 46 (2017); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 194 (2018).

Knema curtisii (King) Warb. var. **paludosa** J.Sinclair: Sinclair, Gard. Bull. Singapore 18(3): 201 (1961); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); De Wilde, Blumea 25: 420 (1979); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 360 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); De Wilde, Fl. Males., ser. 1, 14: 256 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 408 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 153, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 415 (2013); Lim et al., Nat. Singapore 9: 107 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 196 (2018); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Knema furfuracea (Hook.f. & Thomson) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 245 (1912); Ridley, Fl. Malay Penins. 3: 70 (1924); Sinclair, Gard. Bull. Singapore 16: 275 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); De Wilde, Blumea 25: 387 (1979); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 360 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 258 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 153, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 415 (2013); Lim et al., Nat. Singapore 9: 109 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 198 (2018); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 179, 310 (2020); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica longifolia* auct. non Wall. ex Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900). – *Myristica furfuracea* Hook.f. & Thomson: Hooker, Fl. Brit. India 5, fasc. 13: 112 (1886). **Native; CR** (assessed here).

Knema hookeriana (Wall. ex Hook.f. & Thomson) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 237 (1912); Ridley, Fl. Malay Penins. 3: 67 (1924);

Sinclair, Gard. Bull. Singapore 16: 272 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); De Wilde, Blumea 25: 387 (1979); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16, fig. 11.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994), as ‘hookerana’; Ng & Wee (ed.), Singapore Red Data Book: 296 (1994), as ‘hookerana’; Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 360 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 150 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 [‘1997’]); De Wilde, Fl. Males., ser. 1, 14: 270 (2000); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 153, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 416 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Lim et al., Nat. Singapore 9: 113 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 204 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica hookeriana* Wall. ex Hook.f. & Thomson: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900). – *Myristica hookeriana* Wall., nom. nud.: Wallich, Numer. List no. 6802 (1832). **Native; CR** (assessed here).

Knema intermedia (Blume) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 239 (1912); Ridley, Fl. Malay Penins. 3: 68 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1283 (1935); Sinclair, Gard. Bull. Singapore 16: 315 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); De Wilde, Blumea 25: 427 (1979); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 360 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 150 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 [‘1997’]); De Wilde, Fl. Males., ser. 1, 14: 271 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 153, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 416 (2013); Lim et al., Nat. Singapore 9: 116 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 205 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica intermedia* Blume: Hooker & Thomson, Fl. Ind. 1: 158 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 70 (1858 [‘1859’]); Hooker, Fl. Brit. India 5, fasc. 13: 112 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; EN** (assessed here).

Knema latericia Elmer: Sinclair, Gard. Bull. Singapore 16: 278 (1958); Whitmore, Tree Fl. Malaya 1: 332 (1972); Keng, Gard. Bull. Singapore 27: 76 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 150 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 [‘1997’]); De Wilde, Fl. Males., ser. 1, 14: 284 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 419 (2000); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 416 (2013); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 209 (2018).

Knema latericia Elmer subsp. **ridleyi** (Gand.) W.J.de Wilde: De Wilde, Blumea 25: 396 (1979); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner, Gard. Bull. Singapore 47: 360 (1997 [‘1995’]); De Wilde, Fl. Males., ser. 1, 14: 289 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 420 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed.

2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 153, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 416 (2013); Neo et al., Nat. Singapore 7: 105 (2014); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 209 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Knema latericia* Elmer f. *ridleyi* W.J.de Wilde, nom. inval.: Lim et al., Nat. Singapore 9: 117 (2016). – *Knema meridionalis* J.Sinclair: Sinclair, Gard. Bull. Singapore 13(2): 297–299 (1951). – *Knema oblongifolia* auct. non (King) Warb.: Ridley, Fl. Malay Penins. 3: 71 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1284 (1935). – *Myristica oblongifolia* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; EN** (assessed here).

Knema laurina (Blume) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 248 (1912); Ridley, Fl. Malay Penins. 3: 72 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1283 (1935); Sinclair, Gard. Bull. Singapore 16: 379 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); De Wilde, Blumea 25: 379 (1979); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 293 (2000); LaFrankie et al., Forest Trees Bukit Timah: 117, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 153, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 416 (2013); Neo et al., Nat. Singapore 7: 105 (2014); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 210 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019). – *Knema cantleyi* (Hook.f.) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 238 (1912), p.p.; Ridley, Fl. Malay Penins. 3: 68 (1924), p.p. – *Myristica cantleyi* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 110 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 130 (1900). – *Myristica laurina* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900).

Knema laurina (Blume) Warb. var. **laurina**: Turner, Gard. Bull. Singapore 47: 360 (1997 ['1995']); Lim et al., Nat. Singapore 9: 121 (2016); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; EN** (assessed here).

Knema malayana Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 242 (1912); Ridley, Fl. Malay Penins. 3: 69 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1283 (1935); Sinclair, Gard. Bull. Singapore 16: 293 (1958); Keng, Gard. Bull. Singapore 27: 76 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); De Wilde, Blumea 25: 456 (1979); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 361 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 302 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 153, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 416 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 668, 807 [2015]; Lim et al., Nat. Singapore 9: 123 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 213 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97, 131 (2019); Soh et al., 1001 Gard. Pl.

Singapore (Trees etc.): 180, 310 (2020); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica glaucescens* (Jack) Hook.f. & Thomson: Hooker, Fl. Brit. India 5, fasc. 13: 111 (1886), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; EN** (assessed here).

Knema rubens (J.Sinclair) W.J.de Wilde: De Wilde, Blumea 25: 379 (1979); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 361 (1997 ['1995']); De Wilde, Fl. Males., ser. 1, 14: 337 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 154, 193 (2009); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 228 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Knema glaucescens* Jack var. *rubens* (J.Sinclair) J.Sinclair: Whitmore, Tree Fl. Malaya 1: 334 (1972), as ‘*Knema cinerea* var. *rubens*’. – *Knema glaucescens* Jack f. *rubens* J.Sinclair: Sinclair, Gard. Bull. Singapore 16: 307, fig. 13B (1958). **Native; NEx** (assessed here).

Knema sumatrana (Blume) W.J.de Wilde: De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Knema glaucescens* auct. non Jack: Sinclair, Gard. Bull. Singapore 16: 302 (1958), p.p.; Keng, Gard. Bull. Singapore 27: 76 (1974); De Wilde, Blumea 25: 411 (1979), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 147 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 360 (1997 ['1995']), p.p.; Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 264 (2000), p.p.; De Wilde, Tree Fl. Sabah & Sarawak 3: 411 (2000), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 153, 193 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 153, 415 (2013); Lim et al., Nat. Singapore 9: 111 (2016); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). – *Knema patentinervia* auct. non (J.Sinclair) W.J.de Wilde: Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 319 (2000), p.p.; LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 153, 207 (2009); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 218 (2018), p.p. – *Knema cinerea* auct. non (Poir.) Warb.: LaFrankie et al., Forest Trees Bukit Timah: 116, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 153, 207 (2009). – *Knema cinerea* (Poir.) Warb. var. *sumatrana* (Miq.) J.Sinclair: Sinclair, Gard. Bull. Singapore 18(3): 185 (1961), p.p.; Whitmore, Tree Fl. Malaya 1: 334 (1972). – *Knema glaucescens* auct. non Jack var. *glaucescens*: Sinclair, Gard. Bull. Singapore 16: 304 (1958), p.p. – *Knema wrayi* (King) Warb.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 243 (1912); Ridley, Fl. Malay Penins. 3: 70 (1924). – *Myristica glauca* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). – *Myristica wrayi* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900). **Native; CR** (assessed here).

Myristica cinnamomea King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 128 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 232 (1912); Ridley, Fl. Malay Penins. 3: 65 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1523 (1935); Sinclair, Gard. Bull. Singapore 16: 358 (1958); Sinclair, Gard. Bull. Singapore 23: 210 (1968); Keng, Gard. Bull. Singapore 27: 77 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19:

75 (1990); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 431 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 456 (2000); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 154, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 51 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 185, 416 (2013); Lim et al., Nat. Singapore 9: 125 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 236 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Myristica crassa King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 128 (1900); Ridley, Fl. Malay Penins. 3: 66 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1523 (1935); Sinclair, Gard. Bull. Singapore 16: 366 (1958); Sinclair, Gard. Bull. Singapore 23: 435 (1968); Whitmore, Tree Fl. Malaya 1: 341 (1972); Keng, Gard. Bull. Singapore 27: 77 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 148 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 362 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 440 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 458 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 154, 209 (2009); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 238 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97, 131 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; DD** (assessed here).

Myristica elliptica Wall. ex Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 162 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 58 (1858 ['1859']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 128 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 231 (1912); Ridley, Fl. Malay Penins. 3: 65 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1534 (1935); Sinclair, Gard. Bull. Singapore 16: 353 (1958); Sinclair, Gard. Bull. Singapore 23: 188 (1968); Keng, Gard. Bull. Singapore 27: 77 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 454 (2000); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 154, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 185, 416 (2013); Lim et al., Nat. Singapore 9: 128 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 241 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). — *Myristica elliptica* Wall., nom. nud.: Wallich, Numer. List no. 6798 (1832). **Native; CR** (assessed here).

Myristica iners Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 129 (1900); Sinclair, Gard. Bull. Singapore 16: 363 (1958); Sinclair, Gard. Bull. Singapore 23: 177 (1968); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong

et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 493 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 154, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 185, 416 (2013); Lim et al., Nat. Singapore 9: 131 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 247 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97, 131 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Myristica lowiana King: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 128 (1900); Sinclair, Gard. Bull. Singapore 16: 345 (1958); Sinclair, Gard. Bull. Singapore 23: 164 (1968); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 517 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 465 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 154, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 186, 416 (2013); Lim et al., Nat. Singapore 9: 133 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 248 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; NEx** (assessed here).

Myristica maingayi Hook.f.: Sinclair, Gard. Bull. Singapore 16: 348 (1958); Sinclair, Gard. Bull. Singapore 23: 166 (1968); Keng, Gard. Bull. Singapore 27: 77 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16, fig. 11.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 518 (2000); LaFrankie et al., Forest Trees Bukit Timah: 118, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 154, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 249 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). **Native; DD** (assessed here).

Myristica maxima Warb.: Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 75(2): 228 (1912); Ridley, Fl. Malay Penins. 3: 63 (1924); Sinclair, Gard. Bull. Singapore 16: 339 (1958); Sinclair, Gard. Bull. Singapore 23: 131 (1968); Keng, Gard. Bull. Singapore 27: 77 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 16 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); De Wilde, Fl. Males., ser. 1, 14: 523 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 467 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 154, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 186, 416 (2013); Lim et al., Nat. Singapore 9: 136 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 252 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 97 (2019); De Wilde & Duyfjes, Fl. Singapore 4 (in prep.). – *Myristica bracteata* King: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 128 (1900). **Native; CR** (assessed here).

Myrtaceae

Decaspermum parviflorum (Lam.) A.J.Scott: Scott, Kew Bull. 35: 409 (1980); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019). – *Decaspermum fruticosum* auct. non J.R.Forst. & G.Forst.: Keng, Gard. Bull. Singapore 31: 102 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 76 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 155, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 77, 420 (2013). – *Decaspermum paniculatum* (Lindl.) Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); Ridley, Fl. Malay Penins. 1: 717 (1922).

Decaspermum parviflorum (Lam.) A.J.Scott subsp. **parviflorum**: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 77, 420 (2013). **Native; VU** (assessed here).

Decaspermum parviflorum (Lam.) A.J.Scott subsp. **quadripartitum** J.Parn. & NicLugh.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 77, 420 (2013). **Native; CR** (Wong et al., 2013).

Eugenia sp. 8 [of Kochummen, Tree Fl. Malaya 3: 225 (1978)]: Turner, Gard. Bull. Singapore 45: 155 (1993); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner, Gard. Bull. Singapore 47: 385 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011). **Native**; conservation assessments are generally not applicable to unnamed taxa.

Eugenia sp. 39: Kochummen, Tree Fl. Malaya 3: 237 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 155 (1993); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner, Gard. Bull. Singapore 47: 387 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']). **Native**; conservation assessments are generally not applicable to unnamed taxa.

Melaleuca cajuputi Maton & Sm. ex R.Powell: Keng, Gard. Bull. Singapore 31: 105 (1978), as ‘*cazuputi*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78, fig. 70.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 156 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 406 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 155, 195 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 225 (2014 [2015]); Yee et al., Fl. Singapore 1: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 201, 310 (2020). **Native; NEx** (Chong et al., 2009).

Psidium cattleyanum Sabine: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1814 (1935); Lee et al., Gard. Bull. Singapore 55: 301 (2003), as ‘*cattleianum*’. **Non-native, casual** (assessed here).

Psidium guajava L.: Keng, Gard. Bull. Singapore 31: 105 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79, fig. 70.5 (1990); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 155, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 6: 15 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]). **Non-native, casual** (Chong et al., 2009).

Rhodamnia cinerea Jack: Ridley, Fl. Malay Penins. 1: 716 (1922); Keng, Gard. Bull. Singapore 31: 105 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 596 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 156 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 301 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 437 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 155, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 218, 421 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019); Yee et al., Fl. Singapore 1: 54 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 247, 311 (2020). – *Rhodamnia trinervia* auct. non Blume: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 468 (1878); Corner, Wayside Trees Malaya, ed. 2, 1: 507 (1952); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005). – *Rhodamnia trinervia* Blume var. *concolor* (Blume) Kurz: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 468 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 80 (1900), as '*trinervia*'. – *Rhodamnia trinervia* Blume var. *spectabilis* (Blume) Kurz: Kuntze, Revis. Gen. Pl. 1: 243 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 80 (1900), as '*trinervia*'. **Native; LC** (Wong et al., 2013).

Rhodomyrtus tomentosa (Aiton) Hassk.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 469 (1878); Kuntze, Revis. Gen. Pl. 1: 243 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 80 (1900); Ridley, Fl. Malay Penins. 1: 717 (1922); Keng, Gard. Bull. Singapore 31: 105 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 156 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']), as '*Rhodomyrtus*'; Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 200 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 155, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019); Yee et al., Fl. Singapore 1: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 311, 382 (2020). **Native; VU** (assessed here).

Syzygium acuminatissimum (Blume) DC.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 155, 218 (2009), as '*accuminatissimum*'; Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 234, 421 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98, 131 (2019). – *Acmena acuminatissima* (Blume) Merr. & L.M.Perry: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']). – *Eugenia cumingiana* S.Vidal: Henderson, Gard. Bull. Singapore 12: 260 (1949); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 102 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']). – *Eugenia acuminatissima* (Blume) Kurz, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); Ridley, Fl. Malay Penins. 1: 747 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 960 (1935). **Native; EN** (Wong et al., 2013).

Syzygium attenuatum (Miq.) Merr. & L.M.Perry: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011). – *Eugenia attenuata* (Miq.) Koord. & Valeton: Henderson, Gard. Bull. Singapore 12: 238 (1949); Kochummen, Tree Fl. Malaya 3: 183 (1978); Keng, Gard. Bull. Singapore 31: 102 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 582 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). – *Eugenia penangiana* auct. non Duthie: Corner, Wayside Trees Malaya, ed. 2, 1: 501 (1952), p.p.

Syzygium attenuatum (Miq.) Merr. & L.M.Perry var. **attenuatum**: Turner, Gard. Bull. Singapore 47: 371 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 155, 198 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019). **Native; CR** (assessed here).

Syzygium avene Miq.: Turner, Gard. Bull. Singapore 47: 372 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009). – *Eugenia avenis* (Miq.) M.R.Hend.: Henderson, Gard. Bull. Singapore 12: 171 (1949); Kochummen, Tree Fl. Malaya 3: 184 (1978); Keng, Gard. Bull. Singapore 31: 102 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). – *Eugenia scoparia* Duthie: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 489 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 125 (1901); Ridley, Fl. Malay Penins. 1: 748 (1922). **Native; NEx** (Chong et al., 2009).

Syzygium borneense (Miq.) Miq.: Turner, Gard. Bull. Singapore 47: 372 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 234, 422 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Soh & Parnell, Adansonia, ser. 3, 37(2): 204 (2015); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 752, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 270, 311 (2020). – *Eugenia microcalyx* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 124 (1901); Kochummen, Tree Fl. Malaya 3: 202 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']). – *Eugenia pseudosubtilis* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 123 (1901), as ‘pseudo-subtilis’; Ridley, Fl. Malay Penins. 1: 746 (1922); Henderson, Gard. Bull. Singapore 12: 202 (1949); Kochummen, Tree Fl. Malaya 3: 212 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Eugenia microcalyx* Duthie var. *irregularis* (Craib) M.R.Hend.: Henderson, Gard. Bull. Singapore 12: 207 (1949); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994). – *Eugenia microcalyx* Duthie

var. *microcalyx*: Ridley, Fl. Malay Penins. 1: 745 (1922); Henderson, Gard. Bull. Singapore 12: 205 (1949); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994). – *Eugenia pseudosubtilis* King var. *platyphylla* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 124 (1901), as ‘pseudo-subtilis’. **Native; LC** (Wong et al., 2013).

Syzygium cerasiforme (Blume) Merr. & L.M.Perry: WCSP. – *Syzygium lineatum* (DC.) Merr. & L.M.Perry: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 301 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 459 (2004 [‘2003’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 238, 426 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 48 (2017). – *Syzygium longiflorum* C.Presl: Ashton, Tree Fl. Sabah & Sarawak 7: 237 (2011). – *Eugenia longiflora* (C.Presl) Fern.-Vill.: Henderson, Gard. Bull. Singapore 12: 159 (1949); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 150 (1998 [‘1996’]). – *Eugenia lineata* (DC.) Duthie, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); Ridley, Fl. Malay Penins. 1: 738 (1922). **Native; LC** (Wong et al., 2013).

Syzygium chloranthum (Duthie) Merr. & L.M.Perry: Turner, Gard. Bull. Singapore 47: 373 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Ashton, Tree Fl. Sabah & Sarawak 7: 190 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 235, 422 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019). – *Eugenia chlorantha* Duthie: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 487 (1878), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 97 (1901), p.p.; Ridley, Fl. Malay Penins. 1: 734 (1922); Henderson, Gard. Bull. Singapore 12: 107 (1949); Kochummen, Tree Fl. Malaya 3: 186 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 150 (1998 [‘1996’]). **Native; EN** (assessed here).

Syzygium cinereum (Kurz) Chantar. & J.Parn.: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 235, 422 (2013). **Native; CR** (Wong et al., 2013).

Syzygium claviflorum (Roxb.) Wall. ex Steud.: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 235, 422 (2013); Hung et al., Nat. Singapore 10: 18, 23 (2017). – *Eugenia claviflora* Roxb.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 484 (1878);

Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); Ridley, Fl. Malay Penins. 1: 742 (1922); Henderson, Gard. Bull. Singapore 12: 252 (1949); Kochummen, Tree Fl. Malaya 3: 186 (1978); Keng, Gard. Bull. Singapore 31: 102 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). – *Eugenia leptantha* Wight, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); Ridley, Fl. Malay Penins. 1: 741 (1922).

Syzygium claviflorum (Roxb.) Wall. ex Steud. var. **claviflorum**: Turner, Gard. Bull. Singapore 47: 373 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 212 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98, 132 (2019). **Native; CR** (assessed here).

Syzygium claviflorum (Roxb.) Wall. ex Steud. var. **maingayi** (Duthie) Chantar. & J.Parn.: Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 60 (2018). **Native; EN** (assessed here).

Syzygium conglomeratum (Duthie) I.M.Turner: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008). – *Eugenia conglomerata* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 101 (1901); Ridley, Fl. Malay Penins. 1: 742 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 965 (1935); Henderson, Gard. Bull. Singapore 12: 198 (1949); Kochummen, Tree Fl. Malaya 3: 188 (1978); Keng, Gard. Bull. Singapore 31: 102 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994).

Syzygium conglomeratum (Duthie) I.M.Turner var. **conglomeratum**: Turner, Gard. Bull. Singapore 47: 374 (1997 ['1995']), as 'var. *conglomerata*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). **Native; CR** (assessed here).

Syzygium cumini (L.) Skeels: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 269 (2009); Lok et al., Cosmos 6: 71 (2010); Teo et al., Nat. Singapore 4: 271 (2011); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 48 (2017). – *Eugenia cumini* (L.) Druce: Keng, Gard. Bull. Singapore 31: 102 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990). – *Eugenia jambolana* Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900); Ridley, Fl. Malay Penins. 1: 754 (1922). **Non-native, naturalised** (Lok et al., 2010).

Syzygium duthieanum (King) Masam.: Turner, Gard. Bull. Singapore 47: 374 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 236, 424 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019). – *Eugenia duthieana* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 103 (1901); Ridley, Fl. Malay Penins. 1: 731 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 967 (1935); Henderson, Gard. Bull. Singapore 12: 118 (1949); Kochummen, Tree Fl. Malaya 3: 190 (1978); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']). **Native; CR** (Wong et al., 2013).

Syzygium filiforme Chantar. & J.Parn.: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Ashton, Tree Fl. Sabah & Sarawak 7: 206, pl. 6A (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 237, 424 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 753, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 271, 311 (2020). – *Syzygium filiforme* Chantar. & J.Parn. var. *filiforme*: Turner, Gard. Bull. Singapore 47: 375 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 218 (2009); Neo et al., Nat. Singapore 7: 105 (2014). – *Syzygium filiforme* Chantar. & J.Parn. subsp. *filiforme*: Ashton, Tree Fl. Sabah & Sarawak 7: 207 (2011). – *Eugenia filiformis* Wall. ex Duthie, nom. illeg. hom.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 478 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 105 (1901); Ridley, Fl. Malay Penins. 1: 740 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 967 (1935); Henderson, Gard. Bull. Singapore 12: 145 (1949); Kochummen, Tree Fl. Malaya 3: 191 (1978); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). – *Eugenia filiformis* Wall. ex Duthie var. *filiformis*: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']). – *Syzygium filiforme* Wall., nom. nud.: Wallich, Numer. List no. 3580 (1831). **Native; EN** (Wong et al., 2013).

Syzygium flosculiferum (M.R.Hend.) Sreek.: Turner, Gard. Bull. Singapore 47: 375 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 237, 424 (2013). – *Eugenia flosculifera* M.R.Hend.: Henderson, Gard. Bull. Singapore 11(4): 329 (1947); Henderson, Gard. Bull. Singapore 12: 237 (1949); Kochummen, Tree Fl. Malaya 3: 191 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). **Native; NEx** (Wong et al., 2013).

Syzygium formosum (Wall.) Mason: WCSP. – *Syzygium pseudoformosum* (King) Merr. & L.M.Perry: Turner, Gard. Bull. Singapore 47: 381 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 241, 428 (2013). – *Eugenia pseudoformosa* King: Ridley, Fl. Malay Penins. 1: 725 (1922); Henderson, Gard. Bull. Singapore 12: 69 (1949); Kochummen, Tree Fl. Malaya 3: 211 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). **Native; CR** (Wong et al., 2013).

Syzygium glabratum (DC.) Veldkamp: Veldkamp, Blumea 48: 489 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 57 (2018). – *Syzygium gracile* (Korth.) Amshoff, nom. illeg. superfl.: Turner, Gard. Bull. Singapore 47: 376 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']). – *Eugenia filiformis* Wall. ex Duthie var. *clavimyrtus* (Koord. & Valeton) M.R.Hend.: Henderson, Gard. Bull. Singapore 12: 147 (1949); Kochummen, Tree Fl. Malaya 3: 191 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993), as ‘*Eugenis*’; Turner & Tan in Wee & Ng

(ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']), as '*clavimyrtus*'; Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']). – *Syzygium filiforme* Chantar. & J.Parn. var. *clavimyrtus* (Koord. & Valeton) I.M.Turner: Turner, J. Singapore Natl Acad. Sci. 22–24: 18 (1997); Turner, Gard. Bull. Singapore 47: 375 (1997 ['1995']). – *Eugenia virens* (Blume) Koord. & Valeton: Henderson, Gard. Bull. Singapore 12: 249 (1949); Kochummen, Tree Fl. Malaya 3: 222 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 155 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994). **Native; CR** (assessed here).

Syzygium glaucum (King) Chantar. & J.Parn.: Turner, Gard. Bull. Singapore 47: 376 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 121, 165 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 724, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 272, 311 (2020). – *Eugenia glauca* King: Henderson, Gard. Bull. Singapore 12: 112 (1949); Kochummen, Tree Fl. Malaya 3: 193 (1978); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']). **Native; VU** (Chong et al., 2009).

Syzygium grande (Wight) Walp.: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 458 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Ashton, Tree Fl. Sabah & Sarawak 7: 216 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 237, 424 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 272, 311 (2020). – *Eugenia grandis* Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 91 (1901); Ridley, Fl. Malay Penins. 1: 729 (1922); Henderson, Gard. Bull. Singapore 12: 87 (1949); Corner, Wayside Trees Malaya, ed. 2, 1: 498 (1952); Kochummen, Tree Fl. Malaya 3: 195 (1978); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']). **Native; LC** (Wong et al., 2013).

Syzygium griffithii (Duthie) Merr. & L.M.Perry: Turner, Gard. Bull. Singapore 47: 376 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Eugenia griffithii* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 92 (1901); Ridley, Fl. Malay Penins. 1: 731 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 968 (1935); Henderson, Gard. Bull. Singapore 12: 120 (1949); Kochummen, Tree Fl. Malaya 3: 195 (1978); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad.

Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). – *Eugenia subrufa* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 102 (1901); Ridley, Fl. Malay Penins. 1: 733 (1922). **Native; CR** (assessed here).

Syzygium incarnatum (Elmer) Merr. & L.M.Perry: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 218 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 238, 425 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 273, 311 (2020). – *Syzygium cerinum* (M.R.Hend.) I.M.Turner: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 53 (2011). – *Syzygium cerinum* (M.R.Hend.) I.M.Turner var. *cerinum*: Turner, Gard. Bull. Singapore 47: 373 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008). – *Syzygium cerinum* (M.R.Hend.) I.M.Turner var. *turbinatum* (M.R.Hend.) I.M.Turner: Turner, Gard. Bull. Singapore 47: 373 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008). – *Eugenia cerina* M.R.Hend.: Kochummen, Tree Fl. Malaya 3: 185 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 102 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']). – *Eugenia cerina* M.R.Hend. var. *cerina*: Henderson, Gard. Bull. Singapore 12: 168 (1949); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994). – *Eugenia cerina* M.R.Hend. var. *turbinata* M.R.Hend.: Henderson, Gard. Bull. Singapore 12: 170 (1949); Kochummen, Tree Fl. Malaya 3: 186 (1978); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994). – *Eugenia punctulata* King, nom. illeg. hom.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 122 (1901); Ridley, Fl. Malay Penins. 1: 747 (1922). **Native; EN** (Wong et al., 2013).

Syzygium inophyllum DC.: Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 212 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019). – *Syzygium inophyllum* DC. var. *inophyllum*: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011). – *Syzygium inophyllum* DC. var. *bernardii* (King) I.M.Turner: LaFrankie et al., Forest Trees Bukit Timah: 165 (2005), as ‘*bernardi*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008). – *Eugenia inophylla* (DC.) Roxb.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 480 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); Henderson, Gard. Bull. Singapore 12: 141 (1949); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). **Native; NEx** (assessed here).

Syzygium jambos (L.) Alston: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 264 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 7: 65 (2014). – *Eugenia jambos* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77, fig. 70.2 (1990). **Non-native, casual** (Chong et al., 2009).

Syzygium kunstleri (King) Bahadur & R.C.Gaur: Turner, Gard. Bull. Singapore 47: 377 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009); Ashton, Tree Fl. Sabah & Sarawak 7: 233 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.:

238, 425 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). – *Eugenia kunstleri* King: Henderson, Gard. Bull. Singapore 12: 209 (1949); Kochummen, Tree Fl. Malaya 3: 199 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']). **Native; CR** (assessed here).

Syzygium leptostemon (Korth.) Merr. & L.M.Perry: Turner, Gard. Bull. Singapore 47: 377 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 238, 425 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 57 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019). – *Eugenia leptostemon* (Korth.) Miq.: Henderson, Gard. Bull. Singapore 12: 201 (1949); Kochummen, Tree Fl. Malaya 3: 199 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']). – *Eugenia urceolata* auct. non (Korth.) King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 101 (1901); Ridley, Fl. Malay Penins. 1: 742 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 975 (1935). **Native; CR** (assessed here).

Syzygium leucoxylon Korth.: Turner, Gard. Bull. Singapore 47: 378 (1997 ['1995']), as 'leucoxylum'; Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']), as 'leucoxylum'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 755, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 273, 311 (2020). – *Eugenia leucoxylon* (Korth.) Miq.: Henderson, Gard. Bull. Singapore 12: 235 (1949); Kochummen, Tree Fl. Malaya 3: 199 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). – *Eugenia verecunda* Duthie: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 125 (1901); Ridley, Fl. Malay Penins. 1: 748 (1922). **Native; NEx** (Chong et al., 2009).

Syzygium linoceroideum (King) I.M.Turner: Turner, Gard. Bull. Singapore 47: 378 (1997 ['1995']), as 'linoceroides'; Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']), as 'linoceroides'; LaFrankie et al., Forest Trees Bukit Timah: 165 (2005), as 'linoceroides'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 212 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019). – *Eugenia linoceroidea* King: Henderson, Gard. Bull. Singapore 12: 163 (1949); Kochummen, Tree Fl. Malaya 3: 201 (1978); Keng, Gard. Bull. Singapore 31: 103 (1978), as 'linoceroides'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). **Native; CR** (Chong et al., 2009).

Syzygium maingayi Chantar. & J.Parn.: Turner, Gard. Bull. Singapore 47: 378 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 239, 426 (2013). – *Eugenia oblongifolia* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 111 (1901); Ridley, Fl. Malay Penins. 1: 744 (1922); Henderson, Gard. Bull. Singapore 12: 184 (1949); Kochummen, Tree Fl. Malaya 3: 204 (1978); Keng, Gard.

Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). **Native; CR** (Wong et al., 2013).

Syzygium malaccense (L.) Merr. & L.M.Perry: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 264 (2009); Lok et al., Cosmos 6: 76 (2010); Teo et al., Nat. Singapore 4: 271 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 239, 426 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 281 (2013). – *Eugenia malaccensis* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990). **Non-native, casual** (Chong et al., 2009).

Syzygium muelleri (Miq.) Miq.: Turner, Gard. Bull. Singapore 47: 378 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 212 (2009); Ashton, Tree Fl. Sabah & Sarawak 7: 243 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 240, 427 (2013). – *Eugenia muelleri* Miq.: Henderson, Gard. Bull. Singapore 12: 186 (1949); Kochummen, Tree Fl. Malaya 3: 202 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Eugenia venulosa* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 123 (1901); Ridley, Fl. Malay Penins. 1: 746 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 975 (1935). **Native; CR** (Wong et al., 2013).

Syzygium myrtifolium Walp.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 198 (2009); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Lim et al., Fl. Singapore 1: 106 (2019); Yee et al., Fl. Singapore 1: 70 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 275, 311 (2020). – *Syzygium campanulatum* Korth.: Turner, Gard. Bull. Singapore 47: 372 (1997 ['1995']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 457 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 156, 198 (2009). – *Eugenia oleina* Wight: Henderson, Gard. Bull. Singapore 12: 150 (1949); Kochummen, Tree Fl. Malaya 3: 205 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Eugenia myrtifolia* Roxb., nom. illeg. hom.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 483 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 118 (1901); Ridley, Fl. Malay Penins. 1: 750 (1922). **Native; CR** (assessed here).

Syzygium ngadimanianum (M.R.Hend.) I.M.Turner: Turner, Gard. Bull. Singapore 47: 378 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 218 (2009), as ‘ngadimaniana’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Ho et al., Gard. Bull.

Singapore 71(Suppl. 1): 98 (2019). – *Eugenia ngadimaniana* M.R.Hend.: Henderson, Gard. Bull. Singapore 11(4): 305 (1947); Henderson, Gard. Bull. Singapore 12: 108 (1949); Kochummen, Tree Fl. Malaya 3: 203 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']). **Native; EN** (Chong et al., 2009).

Syzygium nigricans (King) Merr. & L.M.Perry: Turner, Gard. Bull. Singapore 47: 378 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 240, 427 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 98 (2019). – *Eugenia nigricans* King: Henderson, Gard. Bull. Singapore 12: 194 (1949); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']). **Native; EN** (Wong et al., 2013).

Syzygium oblatum (Roxb.) Wall. ex A.M.Cowan & Cowan: Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 757, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 275, 311 (2020). – *Eugenia oblata* Roxb.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 492 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); Henderson, Gard. Bull. Singapore 12: 136 (1949); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). – *Eugenia laevicaulis* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900).

Syzygium oblatum (Roxb.) Wall. ex A.M.Cowan & Cowan var. **oblatum**: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 212 (2009). **Native; CR** (Chong et al., 2009).

Syzygium pachyphyllum (Kurz) Merr. & L.M.Perry: Turner, Gard. Bull. Singapore 47: 379 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 240, 427 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 758, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 276, 311 (2020). – *Eugenia pachyphylla* Kurz: Henderson, Gard. Bull. Singapore 12: 90 (1949); Kochummen, Tree Fl. Malaya 3: 206 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). **Native; CR** (Wong et al., 2013).

Syzygium palembanicum Miq.: Turner, Gard. Bull. Singapore 47: 379 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Teo et al., Nat.

Singapore 4: 271 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 240, 427 (2013); Hung et al., Nat. Singapore 10: 18, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019). – *Syzygium urceolatum* (Korth.) Merr. & L.M.Perry subsp. *palembanicum* (Miq.) P.S.Ashton: Ashton, Tree Fl. Sabah & Sarawak 7: 296 (2011). – *Eugenia palembanica* (Miq.) Merr.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 972 (1935); Henderson, Gard. Bull. Singapore 12: 85 (1949); Kochummen, Tree Fl. Malaya 3: 206 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). – *Eugenia selangorensis* Ridl.: Henderson, Gard. Bull. Singapore 12: 84 (1949). – *Eugenia lepidocarpa* (Kurz) Wall. ex Duthie, nom. illeg. superfl.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 476 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 89 (1901); Ridley, Fl. Malay Penins. 1: 730 (1922). **Native; VU** (Wong et al., 2013).

Syzygium papillosum (Duthie) Merr. & L.M.Perry: Turner, Gard. Bull. Singapore 47: 379 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 240, 428 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019); Yee et al., Fl. Singapore 1: 60 (2019). – *Eugenia papillosa* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 84 (1901); Ridley, Fl. Malay Penins. 1: 730 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 972 (1935); Henderson, Gard. Bull. Singapore 12: 77 (1949); Corner, Wayside Trees Malaya, ed. 2, 1: 501 (1952); Kochummen, Tree Fl. Malaya 3: 207 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 589 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). **Native; CR** (assessed here).

Syzygium pauper (Ridl.) I.M.Turner: Turner, Gard. Bull. Singapore 47: 380 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 122, 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 54 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019). – *Eugenia pauper* Ridl.: Henderson, Gard. Bull. Singapore 12: 178 (1949); Kochummen, Tree Fl. Malaya 3: 207 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']). – *Eugenia variolosa* auct. non King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 107 (1901), p.p.; Ridley, Fl. Malay Penins. 1: 736 (1922), p.p. **Native; CR** (assessed here).

Syzygium pendens (Duthie) I.M.Turner: Turner, Gard. Bull. Singapore 47: 380 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019). – *Eugenia pendens* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 94 (1901); Henderson, Gard. Bull. Singapore 12: 71 (1949);

Kochummen, Tree Fl. Malaya 3: 209 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']). **Native; CR** (Chong et al., 2009).

Syzygium polyanthum (Wight) Walp.: Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 460 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Neo et al., Nat. Singapore 7: 105 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Hung et al., Nat. Singapore 10: 18, 20, 23 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 276, 311 (2020). – *Syzygium polyanthum* (Wight) Walp. var. *polyanthum*: Turner, Gard. Bull. Singapore 47: 380 (1997 ['1995']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 240, 428 (2013). – *Eugenia polyantha* Wight: Ridley, Fl. Malay Penins. 1: 742 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 972 (1935); Henderson, Gard. Bull. Singapore 12: 211 (1949); Kochummen, Tree Fl. Malaya 3: 210 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78, fig. 70.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Eugenia nitida* Duthie: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 83 (1900). **Native; LC** (assessed here).

Syzygium prainianum (King) Chantar. & J.Parn.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 241, 428 (2013), as '*praineanum*'. **Native; CR** (Wong et al., 2013).

Syzygium pustulatum (Duthie) Merr.: Turner, Gard. Bull. Singapore 47: 381 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 212 (2009); Ashton, Tree Fl. Sabah & Sarawak 7: 268 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 241, 428 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99, 132 (2019). – *Eugenia pustulata* Duthie: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 127 (1901); Ridley, Fl. Malay Penins. 1: 736 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 973 (1935); Henderson, Gard. Bull. Singapore 12: 188 (1949); Kochummen, Tree Fl. Malaya 3: 212 (1978); Keng, Gard. Bull. Singapore 31: 105 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). **Native; CR** (Wong et al., 2013).

Syzygium pycnanthum Merr. & L.M.Perry: Turner, Gard. Bull. Singapore 47: 381 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 460 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 241, 428 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019); Soh et al.,

1001 Gard. Pl. Singapore (Trees etc.): 277, 311 (2020). – *Syzygium densiflorum* auct. non Wall. ex Wight & Arn.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 236, 424 (2013). – *Syzygium foxworthianum* (Ridl.) Merr. & L.M.Perry: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 237, 424 (2013). – *Eugenia densiflora* (Blume) Miq.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 473 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 84 (1901); Ridley, Fl. Malay Penins. 1: 728 (1922); Henderson, Gard. Bull. Singapore 12: 78 (1949); Kochummen, Tree Fl. Malaya 3: 189 (1978); Keng, Gard. Bull. Singapore 31: 103 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 77 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 152 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994). **Native; CR** (Wong et al., 2013).

Syzygium pyrifolium (Blume) DC.: Turner, Gard. Bull. Singapore 47: 381 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 241, 428 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 759, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 277, 311 (2020). – *Eugenia tumida* Duthie: Henderson, Gard. Bull. Singapore 12: 161 (1949); Kochummen, Tree Fl. Malaya 3: 221 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 105 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 155 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Eugenia pyrifolia* (Blume) Duthie, nom. illeg. hom.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 487 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); Ridley, Fl. Malay Penins. 1: 738 (1922). **Native; EN** (assessed here).

Syzygium ridleyi (King) Chantar. & J.Parn.: Turner, Gard. Bull. Singapore 47: 382 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 241, 428 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 278, 311 (2020). – *Eugenia ridleyi* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 98 (1901); Ridley, Fl. Malay Penins. 1: 735 (1922); Henderson, Gard. Bull. Singapore 12: 125 (1949); Corner, Wayside Trees Malaya, ed. 2, 1: 503 (1952); Kochummen, Tree Fl. Malaya 3: 214 (1978); Keng, Gard. Bull. Singapore 31: 105 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 591 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 155 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). **Native; CR** (assessed here).

Syzygium rugosum Korth.: Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 241, 429 (2013). – *Eugenia rugosa* (Korth.) Merr.: Henderson, Gard. Bull. Singapore 12: 244 (1949); Keng, Gard. Bull. Singapore 31: 105 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull.

Singapore 45: 155 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Eugenia goodenovii* auct. non King: Ridley, Fl. Malay Penins. 1: 731 (1922), p.p. – *Syzygium rigidum* Wall., nom. nud.: Wallich, Numer. List no. 3581 (1831).

Syzygium rugosum Korth. var. **rugosum**: Turner, Gard. Bull. Singapore 47: 382 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 212 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019). **Native; CR** (Wong et al., 2013, as *Syzygium rugosum*).

Syzygium scortechinii (King) Chantar. & J.Parn.: Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008). – *Eugenia scortechinii* King: Burkill, Dict. Econ. Prod. Malay Penins. 1: 974 (1935); Henderson, Gard. Bull. Singapore 12: 66 (1949); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 155 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994).

Syzygium scortechinii (King) Chantar. & J.Parn. var. **scortechinii**: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 198 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 242, 429 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). **Native; CR** (assessed here).

Syzygium singaporense (King) Airy Shaw: Turner, Gard. Bull. Singapore 47: 382 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 242, 429 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99, 132 (2019). – *Aphanomyrtus rostrata* Miq.: Merrill, Blumea, Suppl. 1: 109 (1937); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']). – *Pseudoeugenia singaporenensis* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 133 (1901), as ‘*Pseudo-eugenia*'; Ridley, Fl. Malay Penins. 1: 755 (1922), as ‘*Pseudo-eugenia*'; Kochummen, Tree Fl. Malaya 3: 250 (1978), as ‘*Pseudo-eugenia*'; Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990), as ‘*Pseudo-eugenia*'; Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']). **Native; CR** (Wong et al., 2013).

Syzygium subcrenatum Merr. & L.M.Perry: Ashton, Tree Fl. Sabah & Sarawak 7: 288 (2011). – *Syzygium pseudocrenulatum* (M.R.Hend.) I.M.Turner: Turner, Gard. Bull. Singapore 47: 381 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 198 (2009); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 57 (2018). – *Syzygium nemestrinum* (M.R.Hend.) I.M.Turner: Turner, Gard. Bull. Singapore 47: 378 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 156, 218 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 240, 427 (2013). – *Eugenia nemestrina* M.R.Hend.: Henderson, Gard. Bull. Singapore 11(4): 324 (1947); Henderson, Gard. Bull. Singapore 12: 192 (1949); Kochummen, Tree Fl. Malaya 3: 203 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 153 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Wong et al., Gard. Bull. Singapore

46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Eugenia pseudocrenulata* M.R.Hend.: Henderson, Gard. Bull. Singapore 12: 216 (1949); Kochummen, Tree Fl. Malaya 3: 211 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 31: 104 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 154 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Eugenia crenulata* Duthie, nom. illeg. hom.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 91 (1901); Ridley, Fl. Malay Penins. 1: 751 (1922). **Native; EN** (assessed here).

Syzygium subdecussatum (Duthie) I.M.Turner: Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011). – *Eugenia subdecussata* Duthie: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 491 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 121 (1901); Ridley, Fl. Malay Penins. 1: 752 (1922); Henderson, Gard. Bull. Singapore 12: 95 (1949); Keng, Gard. Bull. Singapore 31: 105 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 155 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']).

Syzygium subdecussatum (Duthie) I.M.Turner var. **subdecussatum**: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 242, 429 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019). **Native; CR** (Wong et al., 2013).

Syzygium syzygioides (Miq.) Merr. & L.M.Perry: Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 224 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 760, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99, 132 (2019); Yee et al., Fl. Singapore 1: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 278, 311 (2020). – *Eugenia syzygioides* (Miq.) M.R.Hend.: Henderson, Gard. Bull. Singapore 12: 154 (1949); Keng, Gard. Bull. Singapore 31: 105 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 592 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 155 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994). – *Eugenia cymosa* auct. non Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 81 (1900); Ridley, Fl. Malay Penins. 1: 737 (1922), p.p.; Corner, Wayside Trees Malaya, ed. 2, 1: 496 (1952), p.p. – *Eugenia pseudosyzygioides* M.R.Hend.: Henderson, Gard. Bull. Singapore 12: 157 (1949). **Native; VU** (Chong et al., 2009).

Syzygium urophyllum Merr.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 55 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019). – *Eugenia caudata* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 105 (1901); Ridley, Fl. Malay Penins. 1: 740 (1922); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994). **Native; NEx** (Chong et al., 2009).

Syzygium valdevenosum (Duthie) Merr. & L.M.Perry: WCSP. – *Eugenia valdevenosa* Duthie: Burkill, Dict. Econ. Prod. Malay Penins. 1: 975 (1935). **Native; NEx** (assessed here).

Syzygium zeylanicum (L.) DC.: Turner, Gard. Bull. Singapore 47: 385 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 301 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 461 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 157, 231 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 242, 429 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Hung et al., Nat. Singapore 10: 18, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 279, 311 (2020). – *Eugenia spicata* Lam.: Henderson, Gard. Bull. Singapore 12: 231 (1949); Kochummen, Tree Fl. Malaya 3: 217 (1978); Keng, Gard. Bull. Singapore 31: 105 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 78 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 155 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']). – *Eugenia grata* Wight: Henderson, Gard. Bull. Singapore 12: 233 (1949). – *Eugenia zeylanica* (L.) Wight, nom. illeg. hom.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 485 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 82 (1900); Ridley, Fl. Malay Penins. 1: 738 (1922). **Native; LC** (Wong et al., 2013).

Tristaniopsis merguensis (Griff.) Peter G. Wilson & J.T. Waterh.: Wilson & Waterhouse, Austral. J. Bot. 30: 439 (1982); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 156 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 157, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 56 (2011); Ashton, Tree Fl. Sabah & Sarawak 7: 316 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 430 (2013); Turner, Gard. Bull. Singapore 67: 35 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019). – *Tristaniopsis merguensis* (Griff.) Peter G. Wilson & J.T. Waterh. subsp. *merguensis*: Ashton, Tree Fl. Sabah & Sarawak 7: 317 (2011). – *Tetramerista glabra* auct. non Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 233 (1894 ['1893']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900); Ridley, Fl. Malay Penins. 1: 367 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2144 (1935); Keng, Tree Fl. Malaya 4: 470 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 482 (1997 ['1995']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 183, 199 (2009); Lim, Fl. Penins. Malaysia, ser. 2, 1: 266 (2010), p.p. – *Tristania merguensis* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 80 (1900); Ridley, Fl. Malay Penins. 1: 715 (1922); Keng, Gard. Bull. Singapore 31: 106 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79 (1990). – *Tetramerista glabra* Miq. var. *sagittata* (Wall. ex Planch.) A.W.Benn.: Bennett in Hooker, Fl. Brit. India 1, fasc. 3: 526 (1875). – *Ancistrocladus sagittatus* Wall. ex Planch.: Planchon, Ann. Sci. Nat., Bot., sér. 3, 13: 319 (1850 ['1849']). – *Ancistrocladus sagittatus* Wall., nom. nud.: Wallich, Numer. List no. 1055 (1829). **Native; CR** (assessed here).

Tristaniopsis obovata (Benn.) Peter G. Wilson & J.T. Waterh.: Wilson & Waterhouse, Austral. J. Bot. 30: 439 (1982); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 156 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner, Gard. Bull. Singapore 47: 388 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232

(2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 157, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 430 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 771, 807 [2015]; Hung et al., Nat. Singapore 10: 18, 21, 24 (2017); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Yee et al., Fl. Singapore 1: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 288, 311 (2020). – *Tristania obovata* Benn.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 73 (1901); Corner, Wayside Trees Malaya, ed. 2, 1: 509 (1952); Corner, Wayside Trees Malaya, ed. 3, 2: 598 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79 (1990). **Native; CR** (Wong et al., 2013).

Tristaniopsis whiteana (Griff.) Peter G. Wilson & J.T. Waterh.: Wilson & Waterhouse, Austral. J. Bot. 30: 440 (1982); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990), as ‘*whitiana*’; Turner, Gard. Bull. Singapore 45: 156 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994), as ‘*whitiana*’; Ng & Wee (ed.), Singapore Red Data Book: 298 (1994), as ‘*whitiana*’; Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 470 (2004 [‘2003’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 157, 218 (2009); Ashton, Tree Fl. Sabah & Sarawak 7: 321 (2011); Hung et al., Nat. Singapore 10: 18, 21 (2017); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 289, 311 (2020). – *Tristania whiteana* Griff.: Duthie in Hooker, Fl. Brit. India 2, fasc. 5: 466 (1878), as ‘*wightiana*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 80 (1900), as ‘*whitiana*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 73 (1901); Ridley, Fl. Malay Penins. 1: 716 (1922); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 79, fig. 70.6 (1990), as ‘*whitiana*’. – *Tristania sumatrana* Miq.: Keng, Gard. Bull. Singapore 31: 106 (1978). **Native; EN** (Chong et al., 2009).

Nelumbonaceae

Nelumbo nucifera Gaertn.: Keng, Gard. Bull. Singapore 27: 83 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 22, fig. 17.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 157, 251 (2009); Lee, Fl. Penins. Malaysia, ser. 2, 1: 152 (2010); Yee et al., Fl. Singapore 1: 60 (2019). – *Nelumbium speciosum* Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 43 (1900). **Non-native, casual** (assessed here).

Nepenthaceae

Nepenthes ampullaria Jack: Jack in Hooker, Compan. Bot. Mag. 1: 271 (1836); Miquel, Fl. Ned. Ind. 1(1), fasc. 7: 1076 (1858 [‘1855’]), as ‘*ampullacea*’; Hooker, Fl. Brit. India 5, fasc. 13: 69 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Ridley, Fl. Malay Penins. 3: 21 (1924); Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 9: 265 (1928); Keng, Gard. Bull. Singapore 28(2): 254 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 55, fig. 47.2a (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 389 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 151 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 [‘1997’]); Cheek & Jebb, Fl. Males., ser. 1, 15: 32 (2001); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 157, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 56 (2011); Cheek & Jebb, Fl. Penins. Malaysia, ser. 2, 3: 257 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 187, 431 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 57, 382 (2020); Lam & Tan, Pitcher Pl. (Nepenthes) Singapore: 10 (2020). **Native; VU** (Wong et al., 2013).

Nepenthes gracilis Korth.: Miquel, Fl. Ned. Ind. 1(1), fasc. 7: 1071 (1858 ['1855']); Hooker, Fl. Brit. India 5, fasc. 13: 71 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Macfarlane, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 285 (1914); Ridley, Fl. Malay Penins. 3: 24 (1924); Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 9: 290 (1928); Keng, Gard. Bull. Singapore 28(2): 254 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 55, fig. 47.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 389 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Cheek & Jebb, Fl. Males., ser. 1, 15: 67 (2001); Boo et al., 1001 Gard. Pl. Singapore (print 3): 175 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 157, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 56 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Cheek & Jebb, Fl. Penins. Malaysia, ser. 2, 3: 260 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 187, 431 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 82 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 99 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 57, 382 (2020); Lam & Tan, Pitcher Pl. (Nepenthes) Singapore: 14 (2020). — *Nepenthes phyllamphora* auct. non Willd.: Hooker, Fl. Brit. India 5, fasc. 13: 69 (1886), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Macfarlane, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 287 (1914), p.p.; Ridley, Fl. Malay Penins. 3: 25 (1924), p.p.; Keng, Gard. Bull. Singapore 28(2): 254 (1976). — *Nepenthes reinwardtiana* auct. non Miq.: Hooker, Fl. Brit. India 5, fasc. 13: 70 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900), as '*reinwardtii*'; Macfarlane, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 285 (1914). — *Nepenthes albomarginata* auct. non T.Lobb ex Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900). — *Nepenthes distillatoria* auct. non L.: Jack in Hooker, Compan. Bot. Mag. 1: 271 (1836). **Native; LC** (Wong et al., 2013).

Nepenthes × hookeriana H.Low: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 9: 309 (1928), as '*Nepenthes hookeriana*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 56 (1990), as '*Nepenthes hookeriana*'; Turner, Gard. Bull. Singapore 45: 157 (1993), as '*Nepenthes hookeriana*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994), as '*N. hookerana*'; Ng & Wee (ed.), Singapore Red Data Book: 298 (1994), as '*Nepenthes hookerana*'; Turner, Gard. Bull. Singapore 47: 389 (1997 ['1995']), as '*Nepenthes hookerana*'; Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']), as '*Nepenthes hookerana*'; Cheek & Jebb, Fl. Males., ser. 1, 15: 80 (2001); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 56 (2011); Cheek & Jebb, Fl. Penins. Malaysia, ser. 2, 3: 273 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 187, 431 (2013), as '*Nepenthes hookeriana*'; Hung et al., Nat. Singapore 10: 46 (2017); Cheek et al., Taxon 68(4): 867 (2019); Lam & Tan, Pitcher Pl. (Nepenthes) Singapore: 25 (2020). **Native hybrid** (Cheek & Jebb, 2012).

Nepenthes rafflesiana Jack: Jack in Hooker, Compan. Bot. Mag. 1: 270 (1836); Miquel, Fl. Ned. Ind. 1(1), fasc. 7: 1070 (1858 ['1855']); Hooker, Fl. Brit. India 5, fasc. 13: 69 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Macfarlane, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 286 (1914); Ridley, Fl. Malay Penins. 3: 24 (1924); Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 9: 357 (1928); Henderson, Malay. Wild Fls, Dicot.: 432 (1959); Keng, Gard. Bull. Singapore 28(2): 254 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 55, fig. 47.2b (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 25 (1995 ['1994']); Turner, Gard. Bull.

Singapore 47: 389 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']); Cheek & Jebb, Fl. Males., ser. 1, 15: 125 (2001); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 54, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 157, 222 (2009); Cheek & Jebb, Fl. Penins. Malaysia, ser. 2, 3: 267 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 187, 431 (2013); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 57, 382 (2020); Lam & Tan, Pitcher Pl. (Nepenthes) Singapore: 18 (2020). **Native; VU** (Wong et al., 2013).

Nepenthes × trichocarpa Miq.: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 9: 389 (1928), as '*Nepenthes trichocarpa*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 56 (1990), as '*Nepenthes trichocarpa*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990), as '*Nepenthes trichocarpa*'; Turner, Gard. Bull. Singapore 45: 157 (1993), as '*Nepenthes trichocarpa*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994), as '*Nepenthes trichocarpa*'; Ng & Wee (ed.), Singapore Red Data Book: 41, 298 (1994), as '*Nepenthes trichocarpa*'; Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']), as '*Nepenthes trichocarpa*'; Cheek & Jebb, Fl. Males., ser. 1, 15: 151 (2001); Cheek & Jebb, Fl. Penins. Malaysia, ser. 2, 3: 274 (2012); Lam & Tan, Pitcher Pl. (Nepenthes) Singapore: 22 (2020). **Native hybrid** (Cheek & Jebb, 2012).

Nepenthes gracilis Korth. × **Nepenthes rafflesiana** Jack: Lam & Tan, Pitcher Pl. (Nepenthes) Singapore: 27 (2020). **Native hybrid** (Lam & Tan, 2020).

Nyctaginaceae

Boerhavia diffusa L.: Choo et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, naturalised** (Choo et al., 2022).

Boerhavia erecta L.: Stemmerik, Fl. Males., ser. 1, 6(3): 454 (1964); Turner, Gard. Bull. Singapore 47: 390 (1997 ['1995']); Rafidah, Fl. Penins. Malaysia, ser. 2, 6: 38 (2017); Choo et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, casual*** (Choo et al., 2022).

Boerhavia repens L.: Hooker, Fl. Brit. India 4, fasc. 12: 709 (1885), as '*Boerhaavia*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900), as '*Boerhaavia*'; Choo et al., Gard. Bull. Singapore 74 (2022, in press). – *Boerhavia coccinea* auct. non Mill.: Kaw & Neo, Wayside Fls Singapore: 44 (2018). – *Boerhavia diffusa* auct. non L.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 3 (1912), as '*Boerhaavia*'; Ridley, Fl. Malay Penins. 3: 1 (1924), as '*Boerhaavia*'; Keng, Gard. Bull. Singapore 28(2): 257 (1976), as '*Boerhaavia*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 59, fig. 53.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 157, 269 (2009); Lok et al., Cosmos 6: 80 (2010). **Cryptogenic** (Choo et al., 2022).

Nymphaeaceae

Barclaya motleyi Hook.f.: Ridley, Fl. Malay Penins. 1: 116 (1922); Keng, Gard. Bull. Singapore 27: 83 (1974); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978), as '*motleyana*'; Turner, Gard. Bull. Singapore 47: 390 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 157, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 56 (2011); Wong et

al., Checkl. Pl. Sp. Nee Soon Swamp For.: 33, 431 (2013); Yee et al., Fl. Singapore 1: 60 (2019); Wong & Ganesan, Fl. Singapore 1: 44 (2019). – *Barclaya kunstleri* (King) Ridl.: Turner, Gard. Bull. Singapore 47: 390 (1997 ['1995']); Lok et al., Nat. Singapore 2: 242, fig. 1, 8 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019). – *Hydrostemma motleyi* (Hook.f.) Mabb.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 22, fig. 17.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994). – *Hydrostemma kunstleri* (King) B.C.Stone: Stone, Gard. Bull. Singapore 35(1): 71 (1982). – *Barclaya motleyi* Hook.f. var. *kunstleri* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 58(4): 390 (1889); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 43 (1900). **Native; CR** (Wong et al., 2013).

Nyssaceae

Mastixia pentandra Blume: Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']).

Mastixia pentandra Blume subsp. **scortechinii** (King) K.M.Matthew: Matthew, Fl. Males., ser. 1, 8(2): 97 (1977); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008), as 'scortechinii'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 158, 208 (2009); Chung, Fl. Penins. Malaysia, ser. 2, 7: 262 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019). – *Mastixia scortechinii* King: LaFrankie et al., Forest Trees Bukit Timah: 163 (2005). **Native; CR** (Chong et al., 2009).

Mastixia trichotoma Blume: Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 143 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 178 (1999 ['1997']).

Mastixia trichotoma Blume var. **maingayi** (C.B.Clarke) Danser: Matthew, Fl. Males., ser. 1, 8(2): 93 (1977); Kochummen, Tree Fl. Malaya 3: 54 (1978); Keng, Gard. Bull. Singapore 35(1): 101 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 130, fig. 108.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Chung, Tree Fl. Sabah & Sarawak 1: 206 (1995); Turner, Gard. Bull. Singapore 47: 180 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 158, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 177, 331 (2013); Chung, Fl. Penins. Malaysia, ser. 2, 7: 267 (2018). – *Mastixia maingayi* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 746 (1879); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 71: 74 (1902); Ridley, Fl. Malay Penins. 1: 890 (1922). – *Mastixia maingayi* C.B.Clarke var. *subtomentosa* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 71: 75 (1902), as 'sub-tomentosa'. – *Mastixia junghuhniana* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900). **Native; CR** (Wong et al., 2013).

Ochnaceae

Brackenridgea elegantissima (Wall.) Kanis: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 36, 431 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019); Turner, Gard. Bull. Singapore 73: 18 (2021). – *Brackenridgea hookeri* (Planch.) A.Gray: Kanis, Fl. Males., ser. 1, 7(1): 102 (1972 ['1971']); Keng, Gard. Bull. Singapore 28(2): 252 (1976); Ng, Tree Fl. Malaya 3: 257 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 53, fig. 44.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look

Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 158, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 56 (2011); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 280 (2012). – *Brackenridgea denticulata* Furtado: Furtado, Gard. Bull. Singapore 19: 183 (1962). – *Euthemis elegantissima* Wall.: Wallich in Roxburgh, Fl. Ind. 2: 305 (1824); Don, Gen. Hist. 1: 558 (1831); Bennett in Hooker, Fl. Brit. India 1, fasc. 3: 526 (1875); Ridley, Fl. Malay Penins. 1: 368 (1922). – *Gomphia hookeri* Planch.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900). **Native; EN** (assessed here).

Brackenridgea palustris Bartell.: Kanis, Fl. Males., ser. 1, 7(1): 102 (1972 ['1971']); Keng, Gard. Bull. Singapore 28(2): 252 (1976); Ng, Tree Fl. Malaya 3: 256 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 53 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner, Gard. Bull. Singapore 47: 391 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 158, 201 (2009); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 36, 431 (2013); Turner, Gard. Bull. Singapore 73: 19 (2021). – *Gomphia corymbosa* (King) Ridl.: Ridley, Fl. Malay Penins. 1: 367 (1922). – *Brackenridgea rubescens* Tiegh.: Van Tieghem, Ann. Sci. Nat., Bot., sér. 8, 16: 396 (1902). – *Gomphia hookeri* Planch. var. *corymbosa* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 84 (1901), as ‘hookerii’. **Native; NEx** (assessed here).

Campylospermum serratum (Gaertn.) Bittrich & M.C.E.Amaral: Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 301 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 158, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 56 (2011); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 285 (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019); Turner, Gard. Bull. Singapore 73: 20 (2021). – *Gomphia serrata* (Gaertn.) Kanis: Kanis, Fl. Males., ser. 1, 7(1): 105 (1972 ['1971']); Keng, Gard. Bull. Singapore 28(2): 253 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 54, fig. 44.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005). – *Gomphia oblongifolia* Ridl.: Ridley, Fl. Malay Penins. 5: 296 (1925). – *Gomphia sumatrana* Jack: Miquel, Fl. Ned. Ind. 1(2), fasc. 4: 675 (1859); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900); Ridley, Fl. Malay Penins. 1: 365 (1922). – *Campylospermum plicatum* Tiegh.: Tieghem, Bull. Mus. Hist. Nat. Paris 9: 78 (1903). – *Ochna angustifolia* (Vahl) Kuntze: Kuntze, Revis. Gen. Pl. 1: 106 (1891). – *Gomphia angustifolia* Vahl: Bennett in Hooker, Fl. Brit. India 1, fasc. 3: 525 (1875). **Native; VU** (assessed here).

Euthemis leucocarpa Jack: Jack, Malayan Misc. 1(5): 16 (1820); Wallich in Roxburgh, Fl. Ind. 2: 303 (1824); Don, Gen. Hist. 1: 558 (1831); Miquel, Fl. Ned. Ind. 1(2), fasc. 4: 675 (1859); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900); Ridley, Fl. Malay Penins. 1: 368 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 987 (1935); Kanis, Fl. Males., ser. 1, 7(1): 108 (1972 ['1971']); Keng, Gard. Bull. Singapore 28(2): 252 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 53, fig. 44.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore:

121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Kochummen, Tree Fl. Sabah & Sarawak 1: 263, fig. 2A,B (1995); Turner, Gard. Bull. Singapore 47: 391 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 158, 192 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 289 (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019); Turner, Gard. Bull. Singapore 73: 25 (2021). **Native; NEx** (Chong et al., 2009).

Euthemis minor Jack: Jack, Malayan Misc. 1(5): 18 (1820); Wallich in Roxburgh, Fl. Ind. 2: 304 (1824); Miquel, Fl. Ned. Ind. 1(2), fasc. 4: 675 (1859); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 235 (1894 ['1893']); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 58 (1900); Ridley, Fl. Malay Penins. 1: 368 (1922); Kanis, Fl. Males., ser. 1, 7(1): 108 (1972 ['1971']); Keng, Gard. Bull. Singapore 28(2): 253 (1976); Ng, Tree Fl. Malaya 3: 257 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 54 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 157 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Kochummen, Tree Fl. Sabah & Sarawak 1: 263, fig. 2C,D (1995); Turner, Gard. Bull. Singapore 47: 391 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 158, 192 (2009); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 290 (2012); Turner, Gard. Bull. Singapore 73: 25 (2021). **Native; NEx** (Chong et al., 2009).

Ochna kirkii Oliv.: Keng, Gard. Bull. Singapore 28(2): 253 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 54 (1990); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 158, 251 (2009); Teo et al., Nat. Singapore 4: 130 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 7: 65 (2014); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 160 (2018). **Non-native, naturalised** (assessed here).

Olacaceae

Anacolosa frutescens (Blume) Blume: Sleumer, Fl. Males., ser. 1, 10(1): 25 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990), as '*Anacalosa*'; Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994), as '*Anacalosa*'; Ng & Wee (ed.), Singapore Red Data Book: 298 (1994), as '*Anacalosa*'; Turner, Gard. Bull. Singapore 47: 391 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008), as '*Anacalosa*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 158, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 301 (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019). – *Anacolosa heptandra* Maingay ex Mast.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 147 (1935); Whitmore, Tree Fl. Malaya 2: 301 (1973). **Native; CR** (assessed here).

Erythropalum scandens Blume: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 61 (1900); Ridley, Fl. Malay Penins. 1: 436 (1922); Keng, Gard. Bull. Singapore 35(1): 97 (1982); Sleumer, Fl. Males., ser. 1, 10(1): 17 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 127, fig. 104.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 158, 221 (2009); Phoon,

Fl. Penins. Malaysia, ser. 2, 3: 304 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 103, 432 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100, 132 (2019). **Native; VU** (Wong et al., 2013).

Ochanostachys amentacea Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Stapf, Hooker's Icon. Pl. 27(4) [ser. 4, 7(4)]: pl. 2689 (1901); Ridley, Fl. Malay Penins. 1: 422 (1922); Keng, Gard. Bull. Singapore 35(1): 97 (1982); Sleumer, Fl. Males., ser. 1, 10(1): 14 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 127, fig. 104.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 391 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 417 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 124, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 158, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 309 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 432 (2013); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 218, 310 (2020). **Native; VU** (Wong et al., 2013).

Olax imbricata Roxb.: Sleumer, Fl. Males., ser. 1, 10(1): 8 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 158, 195 (2009); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 313 (2012). **Native; NEx** (Chong et al., 2009).

Scorodocarpus borneensis (Baill.) Becc.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 108 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900); Ridley, Fl. Malay Penins. 1: 424 (1922); Keng, Gard. Bull. Singapore 35(1): 98 (1982); Sleumer, Fl. Males., ser. 1, 10(1): 15 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 127 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 392 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 125, 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 158, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 317 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 226, 432 (2013). **Native; CR** (assessed here).

Strombosia ceylanica Gardner: Keng, Gard. Bull. Singapore 35(1): 98 (1982); Sleumer, Fl. Males., ser. 1, 10(1): 22 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 127 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 126, 165 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 158, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100

(2019). – *Lavallea ceylanica* (Gardner) Baill.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 156, 432 (2013). – *Strombosia maingayi* (Mast.) Whitmore: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978). – *Strombosia rotundifolia* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 103 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 1: 425 (1922). – *Anacolosa maingayi* Mast.: Masters in Hooker, Fl. Brit. India 1, fasc. 3: 580 (1875). **Native; LC** (assessed here).

Strombosia javanica Blume: Keng, Gard. Bull. Singapore 35(1): 98 (1982); Sleumer, Fl. Males., ser. 1, 10(1): 21 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 127, fig. 104.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 392 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 453 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 158, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Phoon, Fl. Penins. Malaysia, ser. 2, 3: 325 (2012); Neo et al., Nat. Singapore 7: 105 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 266, 311 (2020). **Native; VU** (Chong et al., 2009).

Ximenia americana L.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 107 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900); Ridley, Fl. Malay Penins. 1: 424 (1922); Whitmore, Tree Fl. Malaya 2: 300 (1973); Keng, Gard. Bull. Singapore 35(1): 98 (1982); Sleumer, Fl. Males., ser. 1, 10(1): 11 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 127 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Lee et al., Gard. Bull. Singapore 55: 301 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 453, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 158, 231 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Yee et al., Fl. Singapore 1: 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 294, 311 (2020). **Native; LC** (Chong et al., 2009).

Oleaceae

Chionanthus macrocarpus Blume: Kiew, Malaysian Forester 42: 271 (1979); Kiew, Gard. Bull. Singapore 37(2): 209 (1985 ['1984']); Turner, Gard. Bull. Singapore 45: 158 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner, Gard. Bull. Singapore 47: 393 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 158, 189 (2009). – *Chionanthus elaeocarpus* (Stapf) Kiew: Kiew, Malaysian Forester 42: 267 (1979); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994). – *Linociera insignis* (Miq.) C.B.Clarke: Ridley, Fl. Malay Penins. 2: 316 (1923). – *Linociera macrocarpa* (Blume) Knobl.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 267 (1906 ['1905']). **Native; NEx** (Chong et al., 2009).

Chionanthus ramiflorus Roxb.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 150, fig. 124.1 (1990), as ‘*ramiflora*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 158, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 53, 432 (2013); Ho et al., Gard.

Bull. Singapore 71(Suppl. 1): 100 (2019). – *Linociera ramiflora* (Roxb.) Wall.: Keng, Gard. Bull. Singapore 36(1): 122 (1983). – *Linociera pauciflora* (Wall. ex G.Don) C.B.Clarke: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 266 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 317 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978). – *Linociera pauciflora* (Wall. ex G.Don) C.B.Clarke var. *palembanica* (Miq.) C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900). **Native; CR** (Wong et al., 2013).

Jasminum elongatum (P.J.Bergius) Willd.: Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 301 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 158, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 150, 434 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019); Kiew & Tan, Edinburgh J. Bot. 77: 355 (2020); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 49, 382 (2020). – *Jasminum aemulum* R.Br.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']). – *Jasminum bifarium* Wall. ex G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900); Ridley, Fl. Malay Penins. 2: 313 (1923); Keng, Gard. Bull. Singapore 36(1): 121 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 150 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993). – *Jasminum bifarium* Wall. ex G.Don var. *glabrum* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 595 (1882), as ‘*glabra*’; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 261 (1906 ['1905']); as ‘*glabra*’. – *Jasminum anastomosans* Wall. ex DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 89 (1901). – *Jasminum lessertianum* A.DC.: Miquel, Fl. Ned. Ind. 2, fasc. 4: 532 (1857 ['1856']). **Native; EN** (Wong et al., 2013).

Jasminum griffithii C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 257 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 311 (1923); Keng, Gard. Bull. Singapore 36(1): 121 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 150 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner, Gard. Bull. Singapore 47: 393 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 158, 193 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 152, 436 (2013); Kiew & Tan, Edinburgh J. Bot. 77: 357 (2020). **Native; NEx** (Wong et al., 2013).

Jasminum longipetalum King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 262 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 314 (1923); Keng, Gard. Bull. Singapore 36(1): 121 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 150 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner, Gard. Bull. Singapore 47: 393 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 158, 193 (2009); Kiew & Tan, Edinburgh J. Bot. 77: 365 (2020). **Native; NEx** (Chong et al., 2009).

Olea brachiata (Lour.) Merr.: Keng, Gard. Bull. Singapore 36(1): 122 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 150, fig. 124.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Lee et al., Gard. Bull. Singapore 55: 302 (2003); Tan et al. in Davison et al. (ed.),

Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 158, 223 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100, 132 (2019). – *Olea maritima* Wall. ex G.Don: Don, Gen. Hist. 4: 49 (1837–1838); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 270 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 318 (1923). – *Olea maritima* Wall. & Finl., nom. nud.: Wallich, Numer. List no. 2813 (1831). **Native; VU** (Chong et al., 2009).

Onagraceae

Ludwigia adscendens (L.) H.Hara: Raven, Fl. Males., ser. 1, 8(2): 104 (1977); Keng, Gard. Bull. Singapore 31: 112 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 84 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 298 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 158, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Ummul-Nazrah, Fl. Penins. Malaysia, ser. 2, 6: 55 (2017). – *Jussiaea repens* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 827 (1922). **Cryptogenic** (Chong et al., 2009).

Ludwigia hyssopifolia (G.Don) Exell: Raven, Fl. Males., ser. 1, 8(2): 104 (1977); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 84, fig. 75.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 302 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 158, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Teo et al., Nat. Singapore 4: 271 (2011); Ummul-Nazrah, Fl. Penins. Malaysia, ser. 2, 6: 56 (2017). – *Jussiaea suffruticosa* auct. non L.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 12 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 827 (1922). **Cryptogenic** (Chong et al., 2009).

Ludwigia octovalvis (Jacq.) P.H.Raven: Raven, Fl. Males., ser. 1, 8(2): 101 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 158, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Ummul-Nazrah, Fl. Penins. Malaysia, ser. 2, 6: 58 (2017); Kaw & Neo, Wayside Fls Singapore: 166 (2018). – *Ludwigia erecta* auct. non (L.) H.Hara: Keng, Gard. Bull. Singapore 31: 112 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 84 (1990). – *Ludwigia octovalvis* (Jacq.) P.H.Raven subsp. *sessiliflora* (Micheli) P.H.Raven: Keng, Gard. Bull. Singapore 31: 112 (1978), as 'octovalvis'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 85 (1990), as 'octovalvis'. – *Jussiaea villosa* Lam.: Ridley, Fl. Malay Penins. 1: 828 (1922); Henderson, Malay. Wild Fls, Dicot.: 149 (1959). – *Jussiaea erecta* auct. non L.: Ridley, Fl. Malay Penins. 1: 827 (1922). – *Jussiaea angustifolia* Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900). **Cryptogenic** (Chong et al., 2009).

Ludwigia peruviana (L.) H.Hara: Raven, Fl. Males., ser. 1, 8(2): 100 (1977); Keng, Gard. Bull. Singapore 31: 112 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 85 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 395 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 158, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Ummul-Nazrah, Fl. Penins. Malaysia, ser. 2, 6: 60 (2017). – *Jussiaea speciosa* Ridl.: Ridley, Fl. Malay Penins. 1: 828 (1922). **Non-native, naturalised** (Chong et al., 2009).

Ludwigia prostrata Roxb.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 13 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 829 (1922); Raven, Fl. Males., ser. 1, 8(2): 103 (1977); Keng, Gard. Bull. Singapore 31: 112 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 85 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 159 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 158, 272 (2009); Lok et al., Cosmos 6: 80 (2010); Ummul-Nazrah, Fl. Penins. Malaysia, ser. 2, 6: 62 (2017). – *Ludwigia parviflora* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 196 (1900). **Cryptogenic** (Chong et al., 2009).

Opiliaceae

Cansjera rheedei J.F.Gmel.: Keng, Gard. Bull. Singapore 35(1): 99 (1982), as ‘*rheedii*’; Hiepko, Fl. Males., ser. 1, 10(1): 50 (1984), as ‘*rheedii*’; Ng, Tree Fl. Malaya 4: 294 (1989), as ‘*rheedii*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 128 (1990), as ‘*rheedii*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990), as ‘*rheedii*’; Turner, Gard. Bull. Singapore 45: 159 (1993), as ‘*rheedii*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994), as ‘*rheedii*’; Ng & Wee (ed.), Singapore Red Data Book: 299 (1994), as ‘*rheedii*’; Turner, Gard. Bull. Singapore 47: 395 (1997 ['1995']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 23, 776 (2006), as ‘*rheedii*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 232 (2008), as ‘*rheedii*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 159, 220 (2009), as ‘*rheedii*’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 4: 327 (2013); Syahida-Emiza, Tree Fl. Sabah & Sarawak 8: 210, fig. 1, pl. 10A (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019). – *Cansjera zizyphifolia* Griff.: Ridley, Fl. Malay Penins. 3: 172 (1924); Sinclair, Gard. Bull. Singapore 14(1): 35 (1953). **Native; VU** (Chong et al., 2009).

Champereia manillana (Blume) Merr.: Keng, Gard. Bull. Singapore 35(1): 99 (1982); Hiepko, Fl. Males., ser. 1, 10(1): 35 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 128, fig. 106.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 160 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 202 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 302 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 330 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 159, 226 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 53, 436 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 4: 329 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Syahida-Emiza, Tree Fl. Sabah & Sarawak 8: 212 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100, 132 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 90, 310 (2020). – *Champereia manillana* (Blume) Merr. var. *manillana*: Syahida-Emiza, Tree Fl. Sabah & Sarawak 8: 214, fig. 2, pl. 10B (2014). – *Champereia griffithiana* Planch. ex Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 133 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 277 (1912); Ridley, Fl. Malay Penins. 3: 172 (1924), as ‘*griffithii*’. **Native; LC** (Wong et al., 2013).

Lepionurus sylvestris Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Ridley, Fl. Malay Penins. 3: 172 (1924); Keng, Gard. Bull. Singapore 35(1): 99 (1982); Hiepko, Fl. Males., ser. 1, 10(1): 43 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 128, fig. 106.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 160 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al.

(ed.), Singapore Red Data Book, ed. 2: 232 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 159, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 158, 436 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 4: 332 (2013); Syahida-Emiza, Tree Fl. Sabah & Sarawak 8: 215, fig. 3, pl. 10C–D (2014). **Native; CR** (Wong et al., 2013).

Orchidaceae

Acriopsis liliifolia (J.Koenig) Ormerod: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 66, fig. 127 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 159, 200 (2009); Lok et al., Nat. Singapore 2: 481 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 8, 437 (2013); Yam, Native Orchids Singapore: 22, 116 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 180, 806 [2015]; Lim et al., Fl. Singapore 1: 88, 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 156, 317 (2020). – *Acriopsis javanica* Reinw. ex Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 187 (1907); Ridley, Fl. Malay Penins. 4: 190 (1924); Minderhoud & de Vogel, Orchid Monogr. 1: 9 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 160 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994). – *Acriopsis javanica* Reinw. ex Blume var. *javanica*: Minderhoud & de Vogel, Orchid Monogr. 1: 10 (1986). **Native; CR** (Yam, 2013).

Acriopsis ridleyi Hook.f.: Hooker, Fl. Brit. India 6, fasc. 17: 79 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 188 (1907); Ridley, Fl. Malay Penins. 4: 190 (1924); Holttum, Rev. Fl. Malaya 1: 552 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 556 (1964); Minderhoud & de Vogel, Orchid Monogr. 1: 15 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 563 (1992); Turner, Gard. Bull. Singapore 45: 160 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 559 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 66 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 159, 187 (2009); Wood et al., Orchids Mount Kinabalu 2: 6 (2011); Yam, Native Orchids Singapore: 116 (2013); Leong et al., Nat. Singapore 11: 27 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100, 122 (2019). **Native; CR** (Leong et al., 2018).

Adenoncos major Ridl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 67 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 159, 187 (2009); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Adenoncos sumatrana J.J.Sm.: Holttum, Rev. Fl. Malaya 1: 592 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 596 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 583 (1992); Turner, Gard. Bull. Singapore 45: 160 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 67, fig. 128 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 159, 187 (2009); Yam, Native Orchids Singapore: 116 (2013). – *Adenoncos virens* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 149 (1907); Ridley, Fl. Malay Penins. 4: 154 (1924). **Native; NEx** (Yam, 2013).

Aeridostachya robusta (Blume) Brieger: Schlechter, Orchideen 1(11–12): 714 (1981). – *Eria robusta* (Blume) Lindl.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner,

Gard. Bull. Singapore 45: 172 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 93, fig. 177 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Eria aeridostachya* Rchb.f. ex Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 97 (1907); Ridley, Fl. Malay Penins. 4: 96 (1924). **Native; NEx** (Yam, 2013).

Agrostophyllum majus Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 108 (1907); Ridley, Fl. Malay Penins. 4: 107 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 160 (1993), as ‘*Agrostophyllum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 67, fig. 129 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 159, 187 (2009); Yam, Native Orchids Singapore: 116 (2013); Lim et al., Fl. Singapore 1: 95 (2019). **Native; NEx** (Yam, 2013).

Agrostophyllum stipulatum (Griff.) Schltr.: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 319 (1992); Turner, Gard. Bull. Singapore 47: 560 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 67 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 159, 187 (2009); Yam, Native Orchids Singapore: 23 (2013).

Agrostophyllum stipulatum (Griff.) Schltr. subsp. **stipulatum**: Schuiteman, Orchid Monogr. 8: 13 (1997); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). **Native; CR** (assessed here).

Agrostophyllum stipulatum (Griff.) Schltr. subsp. **bicuspidatum** (J.J.Sm.) Schuit.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 159, 187 (2009); Yam, Native Orchids Singapore: 116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019); Lim et al., Fl. Singapore 1: 95 (2019). – *Agrostophyllum bicuspidatum* J.J.Sm.: Ridley, Fl. Malay Penins. 4: 108 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 160 (1993), as ‘*Agrostophyllum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner et al., Gard. Bull. Singapore 48: 151 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 [‘1997’]); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Yam, Native Orchids Singapore: 116 (2013). – *Podochilus callosus* (Blume) Schltr.: Ridley, Mat. Fl. Malay. Penins. 1: 197 (1907), as ‘*callosa*’. – *Appendicula callosa* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900). **Native; NEx** (Yam, 2013).

Anoectochilus geniculatus Ridl.: Ridley, J. Linn. Soc., Bot. 32: 406 (1896), as ‘*geniculata*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900), as ‘*geniculata*’; Ridley, Mat. Fl. Malay. Penins. 1: 213 (1907), as ‘*Anoectochilus gleiculata*’; Ridley, Fl. Malay Penins. 4: 213 (1924), as ‘*Anoectochilus*’; Holttum, Rev. Fl. Malaya 1: 125 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 127 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978), as ‘*Anoectochilus*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 73 (1992); Turner, Gard. Bull. Singapore 45: 160 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 67, fig. 130 (1998); Turner et al., Gard. Bull. Singapore 48: 151 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999

[‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 159, 187 (2009); Wood et al., Orchids Mount Kinabalu 2: 21 (2011); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 437 (2013); Yam, Native Orchids Singapore: 116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019). **Native; NEx** (Yam, 2013).

Aphyllorchis pallida Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 205 (1907); Ridley, Fl. Malay Penins. 4: 205 (1924); Holttum, Rev. Fl. Malaya 1: 101 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 102 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 44 (1992); Turner, Gard. Bull. Singapore 45: 160 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 68 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 159, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Yam, Native Orchids Singapore: 116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 100 (2019). **Native; NEx** (Yam, 2013).

Apostasia nuda R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 233 (1907); Ridley, Fl. Malay Penins. 4: 297 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 161 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 68, fig. 131 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 159, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Yam, Native Orchids Singapore: 65, 116 (2013); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 20 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). **Native; CR** (Yam, 2013).

Apostasia wallichii R.Br.: Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 20 (2017). **Native; NEx** (assessed here).

Appendicula anceps Blume: Ridley, Fl. Malay Penins. 4: 195 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 161 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 68 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 159, 187 (2009); Yam, Native Orchids Singapore: 116 (2013). — *Podochilus anceps* (Blume) Schltr.: Ridley, Mat. Fl. Malay. Penins. 1: 193 (1907). — *Appendicula lewisii* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900). **Native; NEx** (Yam, 2013).

Appendicula cornuta Blume: Ridley, Fl. Malay Penins. 4: 196 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 161 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 68, fig. 132 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 159, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Yam, Native Orchids Singapore: 24, 116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). — *Dendrobium bifarium* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 45 (1907); Ridley, Fl. Malay Penins. 4: 42 (1924); Holttum, Rev. Fl. Malaya 1: 319 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 322 (1964); Turner et al., J. Singapore Natl

Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 399 (1992); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 84, fig. 162 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 160, 190 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Podochilus cornutus* (Blume) Schltr.: Ridley, Mat. Fl. Malay. Penins. 1: 194 (1907). – *Appendicula bifaria* (Lindl.) Lindl.: Hooker, Fl. Brit. India 6, fasc. 17: 82 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900). **Native; NEx** (Yam, 2013).

Appendicula lucida Ridl.: Ridley, J. Linn. Soc., Bot. 32: 392 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900); Ridley, Fl. Malay Penins. 4: 196 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 161 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 69 (1998); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 159, 187 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 25, 437 (2013); Yam, Native Orchids Singapore: 116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101, 122 (2019). – *Podochilus lucidus* (Ridl.) Schltr.: Ridley, Mat. Fl. Malay. Penins. 1: 195 (1907). **Native; NEx** (Yam, 2013).

Appendicula uncata Ridl.: Ridley, Fl. Malay Penins. 4: 196 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 161 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 69 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 159, 187 (2009); Yam, Native Orchids Singapore: 116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101, 122 (2019). – *Podochilus uncatus* (Ridl.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 194 (1907). **Native; NEx** (Yam, 2013).

Arachnis hookeriana (Rchb.f.) Rchb.f.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 211 (1935); Holttum, Rev. Fl. Malaya 1: 610 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 614 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 633 (1992); Turner, Gard. Bull. Singapore 45: 161 (1993); Chan et al., Orchids Borneo 1: 63 (1994); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 23, 299 (1994), as ‘hookerana’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 69, fig. 133 (1998), as ‘hookerana’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 24, 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 159, 201 (2009); Yam, Native Orchids Singapore: 25, 116 (2013). – *Arachnis alba* (Ridl.) Schltr.: Ridley, Fl. Malay Penins. 4: 159 (1924). – *Renanthera alba* (Ridl.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 155 (1907). – *Arachnanthe alba* Ridl.: Ridley, Trans. Linn. Soc. London, Bot. 3(9): 369 (1893). **Native; CR** (Yam, 2013).

Arachnis × maingayi (Hook.f.) Schltr.: Ridley, Fl. Malay Penins. 4: 159 (1924), as ‘*Arachnis maingayi*’; Holttum, Rev. Fl. Malaya 1: 614 (1953), as ‘*Arachnis maingayi*’; Holttum, Rev. Fl. Malaya, ed. 3, 1: 618 (1964), as ‘*Arachnis maingayi*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990), as ‘*Arachnis maingayi*’; Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 634 (1992), as ‘*Arachnis maingayi*’; Turner, Gard. Bull. Singapore 45: 161 (1993), as ‘*Arachnis maingayi*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994), as ‘*Arachnis maingayi*’; Ng & Wee (ed.), Singapore Red Data Book: 299 (1994), as ‘*Arachnis*

maingayi?; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 69 (1998), as ‘*Arachnis maingayi*’; Yam, Native Orchids Singapore: 116 (2013), as ‘*Arachnis maingayi*’. – *Renanthera × maingayi* (Hook.f.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900), as ‘*Renanthera maingayi*’; Ridley, Mat. Fl. Malay. Penins. 1: 155 (1907), as ‘*Renanthera maingayi*’. **Native hybrid** (Holttum, 1964).

Arundina graminifolia (D.Don) Hochr.: Holttum, Rev. Fl. Malaya 1: 186 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 188 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 161 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 [‘1994’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 69, fig. 134 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 64 (2004 [‘2003’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 159, 225 (2009); Yam, Native Orchids Singapore: 20, 66, 116 (2013); Kaw & Neo, Wayside Fls Singapore: 85 (2018); Lim et al., Fl. Singapore 1: 90 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 175, 317 (2020). – *Arundina speciosa* Blume: Ridley, Fl. Malay Penins. 4: 126 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 259 (1935). **Native; VU** (assessed here).

Brachypeza pallida (Blume) Kocyan & Schuit.: Kocyan & Schuiteman, Phytotaxa 161(1): 62 (2014). – *Pteroceras pallidum* (Blume) Holttum: Pedersen, Nordic J. Bot. 12: 388 (1992); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 675 (1992); Turner, Gard. Bull. Singapore 45: 177 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 611 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 104, fig. 199 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 163, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 452 (2013); Yam, Native Orchids Singapore: 59, 118 (2013); Lim et al., Fl. Singapore 1: 94 (2019). – *Pteroceras caligare* (Ridl.) Holttum: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Sarcochilus caligaris* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 175 (1907); Ridley, Fl. Malay Penins. 4: 178 (1924); Holttum, Rev. Fl. Malaya 1: 680 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 685 (1964). **Native; CR** (Yam, 2013).

Bromheadia alticola Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 144 (1907); Ridley, Fl. Malay Penins. 4: 151 (1924); Holttum, Rev. Fl. Malaya 1: 539 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 543 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 525 (1992); Turner, Gard. Bull. Singapore 45: 161 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Van Scheindelen & de Vogel, Orchid Monogr. 8: 85 (1997); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 70 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 159, 188 (2009); Yam, Native Orchids Singapore: 26, 116 (2013). **Native; CR** (Yam, 2013).

Bromheadia aporooides Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 145 (1907); Ridley, Fl. Malay Penins. 4: 151 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 529 (1992); Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Kruizinga & de Vogel, Orchid Monogr. 8: 98 (1997); Turner, Gard. Bull. Singapore 47: 563 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 [‘1997’]); Tan et al.

in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 159, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Bromheadia borneensis J.J.Sm.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 70 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013).

Bromheadia borneensis J.J.Sm. var. **longiflora** Scheind. & de Vogel: Van Scheindelen & de Vogel, Orchid Monogr. 8: 88 (1997); Wood, Orchids Borneo 4: 49 (2003). **Native; NEx** (assessed here).

Bromheadia finlaysoniana (Lindl.) Miq.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 709 (1859 ['1855']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Van Scheindelen & de Vogel, Orchid Monogr. 8: 90 (1997); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 70, fig. 135 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 159, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 38, 437 (2013); Yam, Native Orchids Singapore: 20, 67, 116 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019); Lim et al., Fl. Singapore 1: 90 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 181, 317 (2020). – *Bromheadia finlaysoniana* (Lindl.) Miq. var. *finlaysoniana*: Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994). – *Bromheadia finlaysoniana* (Lindl.) Miq. var. *sylvestris* (Ridl.) Holttum: Holttum, Rev. Fl. Malaya 1: 539 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 541 (1964); Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994). – *Bromheadia palustris* Lindl.: Hooker, Fl. Brit. India 6, fasc. 17: 20 (1890); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 143 (1907); Ridley, Fl. Malay Penins. 4: 150 (1924). – *Bromheadia sylvestris* Ridl.: Ridley, J. Linn. Soc., Bot. 28: 337 (1891); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 144 (1907); Ridley, Fl. Malay Penins. 4: 150 (1924). **Native; LC** (Wong et al., 2013).

Bromheadia scirpoidea Ridl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 70 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Yam, Native Orchids Singapore: 116 (2013). **Native; CR** (assessed here).

Bromheadia truncata Seidenf.: Kruizinga & de Vogel, Orchid Monogr. 8: 114 (1997); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 70 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008), as ‘*truneata*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Wood et al., Orchids Mount Kinabalu 2: 65 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 38, 437 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). **Native; NEx** (Wong et al., 2013).

Bryobium hyacinthoides (Blume) Y.P.Ng & P.J.Cribb: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 27, 116 (2013); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 182, 317 (2020). – *Eria hyacinthoides* (Blume) Lindl.: Holttum, Rev. Fl. Malaya 1: 387 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 390 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 298 (1992); Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994);

Turner, Gard. Bull. Singapore 47: 591 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 91 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008). – *Eria endymion* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 295 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 101 (1907); Ridley, Fl. Malay Penins. 4: 91 (1924). **Native; NEx** (Yam, 2013).

Bryobium pudicum (Ridl.) Y.P.Ng & P.J.Cribb: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Wood et al., Orchids Mount Kinabalu 2: 65 (2011); Yam, Native Orchids Singapore: 116 (2013); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 182, 317 (2020). – *Eria pudica* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 104 (1907); Ridley, Fl. Malay Penins. 4: 85 (1924); Holttum, Rev. Fl. Malaya 1: 388 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 391 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 303 (1992); Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 592 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 92 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008). **Native; NEx** (Yam, 2013).

Bulbophyllum aberrans Schltr.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 701 (2015). – *Bulbophyllum nigropurpureum* Carr: Holttum, Rev. Fl. Malaya 1: 427 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 430 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 503 (1992); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 568 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 74 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 188 (2009); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Bulbophyllum acuminatum (Ridl.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 81 (1907); Ridley, Fl. Malay Penins. 4: 79 (1924); Holttum, Rev. Fl. Malaya 1: 411 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 414 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 447 (1992); Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 564 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 71 (1998); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 112 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). – *Bulbophyllum semibifidum* (Ridl.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 82 (1907); Ridley, Fl. Malay Penins. 4: 79 (1924). – *Bulbophyllum stenophyllum* Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 83 (1907); Ridley, Fl. Malay Penins. 4: 80 (1924). – *Cirrhopetalum acuminatum* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 282 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). – *Cirrhopetalum linearifolium* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). – *Cirrhopetalum semibifidum* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). **Native; CR** (assessed here).

Bulbophyllum apodium Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 76 (1907); Ridley, Fl. Malay Penins. 4: 73 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990);

Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 71, fig. 136 (1998); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 40, 437 (2013); Yam, Native Orchids Singapore: 28, 116 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 191, 806 [2015]; Vermeulen et al., Bulbophyllum Borneo: 392 (2015); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 183, 317 (2020). **Native; CR** (Yam, 2013).

Bulbophyllum botryophorum Ridl.: Ridley, J. Linn. Soc., Bot. 32: 275 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900), as ‘*botryophorum*’; Ridley, Mat. Fl. Malay. Penins. 1: 71 (1907); Ridley, Fl. Malay Penins. 4: 69 (1924); Holttum, Rev. Fl. Malaya 1: 454 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 457 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 494 (1992); Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 565 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 71, fig. 137 (1998); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 268 (2015). **Native; NEx** (Yam, 2013).

Bulbophyllum clandestinum Lindl.: Hooker, Fl. Brit. India 6, fasc. 17: 187 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 72 (1907); Ridley, Fl. Malay Penins. 4: 69 (1924); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 41, 438 (2013); Yam, Native Orchids Singapore: 30, 116 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 191, 806 [2015]; Lim et al., Fl. Singapore 1: 88, 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 185, 317 (2020). – *Bulbophyllum sessile* (Kuntze) J.J.Sm.: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 75, fig. 146 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Yam, Native Orchids Singapore: 15 (2013). **Native; CR** (Yam, 2013).

Bulbophyllum cleistogamum Ridl.: Holttum, Rev. Fl. Malaya 1: 398 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 401 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 493 (1992); Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 565 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 71 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 21 (2015). **Native; CR** (assessed here).

Bulbophyllum concinnum Hook.f.: Hooker, Hooker’s Icon. Pl. 21(2) [ser. 4, 1(2)]: pl. 2038A (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 74 (1907); Ridley, Fl. Malay Penins. 4: 70 (1924); Holttum, Rev. Fl. Malaya 1: 451 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 454 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19:

77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 471 (1992); Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 565 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 72, fig. 138 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 41, 438 (2013); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Bulbophyllum flabellum-veneris (J.Koenig) Aver., nom. rej. prop.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 41, 438 (2013); Yam, Native Orchids Singapore: 31, 116 (2013); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 187, 317 (2020). – *Bulbophyllum lepidum* (Blume) J.J.Sm.: Vermeulen et al., Bulbophyllum Borneo: 95 (2015); Li & Li, Taxon 70: 1366 (2021). – *Cirrhopetalum lepidum* (Blume) Schltr.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 79, fig. 152 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008), as '*Cirrhophyllum*'. – *Bulbophyllum griffithianum* C.S.P.Parish & Rchb.f.: Ridley, Mat. Fl. Malay. Penins. 1: 83 (1907); Ridley, Fl. Malay Penins. 4: 80 (1924). – *Cirrhopetalum gamosepalum* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). **Native; CR** (Yam, 2013).

Bulbophyllum flavescens (Blume) Lindl.: Vermeulen, Orchids Borneo 2: 51 (1991); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 72 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013). – *Bulbophyllum adenopetalum* Lindl.: Lindley, Edwards's Bot. Reg. 28: 85 (1842); Hooker, Fl. Brit. India 5, fasc. 16: 770 (1890); Hooker, Fl. Brit. India 6, fasc. 17: 188 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 75 (1907), p.p.; Ridley, Fl. Malay Penins. 4: 71 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). **Native; NEx** (Yam, 2013).

Bulbophyllum gracillimum (Rolfe) Rolfe: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 72, fig. 139 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 32, 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 88 (2015); Lim et al., Fl. Singapore 1: 95 (2019). – *Cirrhopetalum psittacoides* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 280 (1896). **Native; NEx** (Yam, 2013).

Bulbophyllum gusdorfii J.J.Sm.: Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 46(2): 131 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 42, 439 (2013); Yam, Native Orchids Singapore: 116 (2013). – *Cirrhopetalum gusdorfii* (J.J.Sm.) Garay et al.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 79 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008). – *Cirrhopetalum gusdorfii* (J.J.Sm.) Garay et al. var. *johorensis* (Holtum) Garay et al.: Turner, Gard. Bull. Singapore 47: 575 (1997 ['1995']). **Native; NEx** (assessed here).

Bulbophyllum lasianthum Lindl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 72, fig. 140 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Bulbophyllum limbatum Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 763 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 69 (1907); Ridley, Fl. Malay Penins. 4: 65 (1924); Holttum, Rev. Fl. Malaya 1: 457 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 460 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 435 (1992); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 567 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 73 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 451 (2015). **Native; NEx** (Yam, 2013).

Bulbophyllum lobbii Lindl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 73, fig. 141 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 188 (2009); Yam, Native Orchids Singapore: 33, 116 (2013); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 189, 317 (2020). **Native; NEx** (Yam, 2013).

Bulbophyllum macranthum Lindl.: Lindley, Edwards's Bot. Reg. 30: pl. 13 (1844), as '*Bulbophyllum*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 63 (1907); Ridley, Fl. Malay Penins. 4: 57 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 24, 299 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 73, fig. 142 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 25, 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 202 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 42, 439 (2013); Yam, Native Orchids Singapore: 116 (2013). – *Sarcopodium macranthum* Lindl. & Paxton: Miquel, Fl. Ned. Ind. 3, fasc. 4: 651 (1859 ['1855']). **Native; NEx** (assessed here).

Bulbophyllum macrochilum Rolfe: Vermeulen, Orchids Borneo 2: 153 (1991); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 493 (1992); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 568 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 74, fig. 143 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 25 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). – *Bulbophyllum stella* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 72 (1907); Ridley, Fl. Malay Penins. 4: 69 (1924); Holttum, Rev. Fl. Malaya 1: 398 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 401 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). **Native; NEx** (Yam, 2013).

Bulbophyllum makoyanum (Rchb.f.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 81 (1907); Ridley, Fl. Malay Penins. 4: 79 (1924); Holttum, Rev. Fl. Malaya 1: 409 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 412 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 443 (1992); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 188 (2009); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo:

93 (2015). – *Cirrhopetalum makoyanum* Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900); Turner, Gard. Bull. Singapore 47: 575 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 79 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008). **Native; NEx** (Yam, 2013).

Bulbophyllum maxillare (Lindl.) Rchb.f.: Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 190, 317 (2020). – *Bulbophyllum blumei* (Kuntze) J.J.Sm.: Ridley, Fl. Malay Penins. 4: 74 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 162 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 40, 437 (2013); Yam, Native Orchids Singapore: 29, 104, 116 (2013). – *Bulbophyllum cuspidilingue* Rchb.f.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 72 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008). – *Bulbophyllum ephippium* Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 78 (1907). – *Cirrhopetalum blumei* Lindl., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). **Native; CR** (assessed here).

Bulbophyllum medusae (Lindl.) Rchb.f.: Hooker, Fl. Brit. India 5, fasc. 16: 757 (1890); Ridley, Mat. Fl. Malay. Penins. 1: 79 (1907); Ridley, Fl. Malay Penins. 4: 75 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 74 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 42, 439 (2013); Yam, Native Orchids Singapore: 34, 104, 116 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 192, 806 [2015]; Vermeulen et al., Bulbophyllum Borneo: 149 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019); Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 190, 317 (2020). – *Cirrhopetalum medusae* Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 653 (1859 ['1855']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). **Native; NEx** (Yam, 2013).

Bulbophyllum membranaceum Teijsm. & Binn.: Ridley, Fl. Malay Penins. 4: 64 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 74 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 202 (2009); Yam, Native Orchids Singapore: 35, 105, 116 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 192, 806 [2015]; Lim et al., Fl. Singapore 1: 96 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 191, 317 (2020). – *Bulbophyllum avicella* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 270 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 67 (1907). **Native; CR** (Yam, 2013).

Bulbophyllum ovalifolium (Blume) Lindl.: Holttum, Rev. Fl. Malaya 1: 433 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 436 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 513 (1992); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 74, fig. 144 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']);

Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 188 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 42, 440 (2013); Yam, Native Orchids Singapore: 116 (2013). – *Bulbophyllum catenarium* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 67 (1907); Ridley, Fl. Malay Penins. 4: 61 (1924). **Native; NEx** (Yam, 2013).

Bulbophyllum patens King ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 62 (1907); Ridley, Fl. Malay Penins. 4: 57 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 163 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 75 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 58 (2011); Yam, Native Orchids Singapore: 116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). **Native; NEx** (Yam, 2013).

Bulbophyllum pileatum Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 754 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 63 (1907); Ridley, Fl. Malay Penins. 4: 57 (1924); Holttum, Rev. Fl. Malaya 1: 419 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 422 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 479 (1992); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 75, fig. 145 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 160, 188 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 43, 440 (2013); Yam, Native Orchids Singapore: 116 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 192, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). – *Sarcopodium pileatum* Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 652 (1859 ['1855']). **Native; NEx** (Yam, 2013).

Bulbophyllum praetervisum J.J.Verm.: Yam, Native Orchids Singapore: 36, 116 (2013); Leong et al., Gardenwise 43: 18 (2014); Lim et al., Fl. Singapore 1: 88 (2019). **Native; CR** (Leong et al., 2014).

Bulbophyllum purpurascens Teijsm. & Binn.: Ridley, Fl. Malay Penins. 4: 78 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 75 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 188 (2009); Yam, Native Orchids Singapore: 38, 105, 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 131 (2015); Lim et al., Fl. Singapore 1: 95 (2019). – *Bulbophyllum citrinum* (Ridl.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 75 (1907). – *Cirrhopetalum citrinum* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). **Native; NEx** (assessed here).

Bulbophyllum restrepia (Ridl.) Ridl.: Holttum, Rev. Fl. Malaya 1: 403 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 406 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990);

Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 517 (1992); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 569 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 75 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 188 (2009); Yam, Native Orchids Singapore: 39, 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 611 (2015); Lim et al., Fl. Singapore 1: 95 (2019). **Native; NEx** (Yam, 2013).

Bulbophyllum ruficaudatum Ridl.: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 445 (1992); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 570 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 75 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 188 (2009); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 85 (2015). – *Bulbophyllum microbulbon* (Ridl.) Ridley, Mat. Fl. Malay. Penins. 1: 82 (1907); Ridley, Fl. Malay Penins. 4: 79 (1924); Holttum, Rev. Fl. Malaya 1: 411 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 414 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). – *Cirrhopetalum microbulbon* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 283 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). **Native; NEx** (Yam, 2013).

Bulbophyllum rugosum Ridl.: Ridley, J. Linn. Soc., Bot. 32: 266 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 65 (1907); Ridley, Fl. Malay Penins. 4: 60 (1924); Holttum, Rev. Fl. Malaya 1: 418 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 421 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 475 (1992); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 570 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 75 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 188 (2009); Yam, Native Orchids Singapore: 116 (2013); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 40 (2017). **Native; NEx** (Yam, 2013).

Bulbophyllum singaporeanum Schltr.: Schlechter, Repert. Spec. Nov. Regni Veg. 9: 165 (1911); Holttum, Rev. Fl. Malaya 1: 455 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 458 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 485 (1992); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 570 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 76 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 188 (2009); Yam et al., Gardenwise 35: 14 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 43, 440 (2013); Yam, Native Orchids Singapore: 40, 116 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 192, 806 [2015]; Vermeulen et al., Bulbophyllum Borneo: 176 (2015); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 41 (2017); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 192, 317 (2020). – *Bulbophyllum densiflorum* Ridl., nom. illeg. hom.: Ridley, J. Linn. Soc., Bot. 32: 277 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 71 (1907); Ridley, Fl. Malay Penins. 4: 68 (1924). **Native; CR** (Yam, 2013).

Bulbophyllum striatum Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 67 (1907); Ridley, Fl. Malay Penins. 4: 62 (1924); Holttum, Rev. Fl. Malaya 1: 434 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 437 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 519 (1992); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 570 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 76, fig. 147 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 658 (2015). **Native; NEx** (Yam, 2013).

Bulbophyllum tenuifolium (Blume) Lindl.: Holttum, Rev. Fl. Malaya 1: 436 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 439 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 518 (1992); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 570 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 76 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 189 (2009); Yam, Native Orchids Singapore: 41, 116 (2013). **Native; NEx** (Yam, 2013).

Bulbophyllum trifolium Ridl.: Ridley, J. Linn. Soc., Bot. 32: 278 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 71 (1907); Ridley, Fl. Malay Penins. 4: 68 (1924); Holttum, Rev. Fl. Malaya 1: 454 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 457 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 495 (1992); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 571 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 77 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 219 (2009); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (assessed here).

Bulbophyllum trigonopus (Rchb.f.) P.T.Ong: Lim et al., Fl. Singapore 1: 94, 96, fig. 4 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 192, 317 (2020). – *Bulbophyllum abbreviatum* Rchb.f., nom. inval.: Vermeulen et al., Bulbophyllum Borneo: 658 (2015). – *Bulbophyllum pulchellum* Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 83 (1907); Ridley, Fl. Malay Penins. 4: 80 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 164 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 188 (2009); Yam et al., Malayan Orchid Rev. 44: 109 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 43, 440 (2013); Yam, Native Orchids Singapore: 37, 116 (2013). – *Cirrhopetalum concinnum* Hook.f.: Hooker, Hooker's Icon. Pl. 21(3) [ser. 4, 1(3)]: pl. 2060B (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 78 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008). **Native; CR** (Yam, 2013).

Bulbophyllum uniflorum (Blume) Hassk.: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 477 (1992); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 77, fig. 148 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl.

Vasc. Pl. Fl. Singapore: 21, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Bulbophyllum vaginatum (Lindl.) Rchb.f.: Ridley, Mat. Fl. Malay. Penins. 1: 80 (1907); Ridley, Fl. Malay Penins. 4: 76 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); as 'Bulbophyllum'; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 77, fig. 149 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 43, 440 (2013); Yam, Native Orchids Singapore: 20, 42, 106, 116 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 152 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 193, 806 [2015]; Vermeulen et al., Bulbophyllum Borneo: 86 (2015); Lim et al., Fl. Singapore 1: 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 193, 317 (2020). – *Cirrhopetalum vaginatum* Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 773 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900). **Native; VU** (assessed here).

Bulbophyllum vermiculare Hook.f.: Hooker, Fl. Brit. India 6, fasc. 17: 188 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 74 (1907); Ridley, Fl. Malay Penins. 4: 71 (1924); Holttum, Rev. Fl. Malaya 1: 443 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 446 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 461 (1992); Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 571 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 77, fig. 150 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013); Vermeulen et al., Bulbophyllum Borneo: 356 (2015). **Native; NEx** (Yam, 2013).

Bulbophyllum vesiculosum J.J.Sm.: Vermeulen, Orchids Borneo 2: 133 (1991); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 507 (1992); Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner, Gard. Bull. Singapore 47: 571 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 78 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013). – *Bulbophyllum corneri* Carr: Holttum, Rev. Fl. Malaya 1: 425 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 428 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). **Native; NEx** (Yam, 2013).

Calanthe pulchra (Blume) Lindl.: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 78 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 160, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Clayton & Cribb, Gen. Calanthe: 91, fig. 14.9, 15.9, pl. 13D–F (2013); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 44, 440 (2013); Yam, Native Orchids Singapore: 68,

116 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). – *Styloglossum pulchrum* (Blume) T.Yukawa & P.J.Cribb: Kurzweil & Cribb, Malesian Orchid J. 17: 78 (2016). – *Calanthe curculigoides* Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 710 (1859 ['1855']); Hooker, Fl. Brit. India 5, fasc. 16: 854 (1890); Ridley, J. Linn. Soc., Bot. 32: 330 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 122 (1907); Ridley, Fl. Malay Penins. 4: 121 (1924). **Native; CR** (Yam, 2013).

Calanthe tankervilleae (Banks) M.W.Chase et al.: Chase et al., Phytotaxa 472: 165 (2020). – *Phaius tankervilleae* (Banks) Blume: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as ‘*tankervilliae*'; Turner, Gard. Bull. Singapore 45: 176 (1993), as ‘*tankervilliae*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994), as ‘*tankervilliae*'; Ng & Wee (ed.), Singapore Red Data Book: 301 (1994), as ‘*tankervilliae*'; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 102 (1998), as ‘*tankervilliae*'; Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 163, 210 (2009), as ‘*tancarvilliae*'; Yam, Native Orchids Singapore: 81, 118 (2013), as ‘*tankervilliae*'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 450 (2013), as ‘*tancarvilleae*'; Kurzweil & Cribb, Malesian Orchid J. 17: 102 (2016). **Native; CR** (Yam, 2013).

Calostylis pulchella (Lindl.) S.C.Chen & Z.H.Tsi: Wood et al., Orchids Mount Kinabalu 2: 171 (2011); Lok et al., Nat. Singapore 5: 205 (2012); Yam, Native Orchids Singapore: 43, 116 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 194, 806 [2015]; Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Lim et al., Fl. Singapore 1: 88, 94 (2019). – *Eria pulchella* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 172 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 92, fig. 176 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 192 (2009). – *Tylostylis rigida* auct. non (Blume) Blume: Ridley, Mat. Fl. Malay. Penins. 1: 105 (1907); Ridley, Fl. Malay Penins. 4: 104 (1924). **Native; CR** (assessed here).

Ceratostylis javanica (Blume) Schuit. et al.: Ng et al., Bot. J. Linn. Soc. 186: 194 (2018). – *Sarcostoma javanicum* Blume: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as ‘*javanica*'; Turner, Gard. Bull. Singapore 45: 178 (1993), as ‘*javanica*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994), as ‘*javanica*'; Ng & Wee (ed.), Singapore Red Data Book: 302 (1994), as ‘*javanica*'; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 105 (1998), as ‘*javanica*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008), as ‘*javanica*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 163, 197 (2009), as ‘*javanica*'; Yam, Native Orchids Singapore: 118 (2013), as ‘*javanica*'. – *Ceratostylis linearis* Ridl.: Ridley, Fl. Malay Penins. 4: 110 (1924). **Native; NEx** (Yam, 2013).

Ceratostylis subulata Blume: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 78, fig. 151 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Chamaeanthus laciniatus Carr: Holttum, Rev. Fl. Malaya 1: 676 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 680 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore

Natl Acad. Sci. 18 & 19: 77 (1990); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994). – *Biermannia laciniata* (Carr) Garay: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 685 (1992); Turner, Gard. Bull. Singapore 45: 161 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 299 (1994); Turner, Gard. Bull. Singapore 47: 563 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 69 (1998); Turner et al., Gard. Bull. Singapore 48: 151 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Claderia viridiflora Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 136 (1907); Ridley, Fl. Malay Penins. 4: 140 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 79, fig. 153 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 160, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 57, 441 (2013); Yam, Native Orchids Singapore: 69, 116 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 96, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 200, 317 (2020). **Native; CR** (Yam, 2013).

Cleisostoma halophilum (Ridl.) Garay: Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 80 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 50 (2017). – *Sarcanthus halophilus* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 367 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Saccolabium halophilum* (Ridl.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 162 (1907); Ridley, Fl. Malay Penins. 4: 168 (1924). **Native; NEx** (Yam, 2013).

Cleisostoma scortechinii (Hook.f.) Garay: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 625 (1992); Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 80 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 52 (2017); Lim et al., Fl. Singapore 1: 95 (2019). – *Sarcanthus scortechinii* Hook.f.: Holttum, Rev. Fl. Malaya 1: 651 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 655 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). **Native; NEx** (Yam, 2013).

Cleisostoma subulatum Blume: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 80, fig. 154 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013); Lim et al., Fl. Singapore 1: 95 (2019). **Native; NEx** (Yam, 2013).

Coelogyne bracteosa (Rchb.f.) M.W.Chase & Schuit.: Chase et al., Phytotaxa 510: 104 (2021). – *Dendrochilum longifolium* Rchb.f.: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et

al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 89, fig. 169 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Wood, *Dendrochilum* Borneo: 260 (2001); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 191 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Platyclinis longifolia* (Rchb.f.) Hemsl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 26 (1907); Ridley, Fl. Malay Penins. 4: 25 (1924). **Native; NEx** (Yam, 2013).

Coelogyne cumingii Lindl.: Lindley, Edwards's Bot. Reg. 26 ['27']: 76 (1840 ['1841']); Miquel, Fl. Ned. Ind. 3, fasc. 4: 667 (1859 ['1855']); Hooker, Fl. Brit. India 5, fasc. 16: 834 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 131 (1907); Ridley, Fl. Malay Penins. 4: 134 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 165 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 80 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 160, 189 (2009); Wood et al., Orchids Mount Kinabalu 2: 208 (2011); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Coelogyne foerstermannii Rchb.f.: Ridley, Fl. Malay Penins. 4: 132 (1924), as 'foerstermanni'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 80, fig. 155 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 154 (2014 [2015]). **Native; NEx** (Yam, 2013).

Coelogyne mayeriana Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 131 (1907); Ridley, Fl. Malay Penins. 4: 133 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 80 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 160, 189 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 61, 441 (2013); Yam, Native Orchids Singapore: 44, 107, 116 (2013); Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 200, 317 (2020). **Native; NEx** (Yam, 2013).

Coelogyne pallidiflavens (Blume) M.W.Chase & Schuit.: Chase et al., Phytotaxa 510: 121 (2021). – *Dendrochilum pallidiflavens* Blume: Yam, Native Orchids Singapore: 117 (2013); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 228, 317 (2020). – *Dendrochilum ellipticum* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 39: 77 (1903); Ridley, Mat. Fl. Malay. Penins. 1: 85 (1907); Ridley, Fl. Malay Penins. 4: 83 (1924); Holttum, Rev. Fl. Malaya 1: 231 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 234 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 191 (1992); Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner, Gard. Bull. Singapore 47: 588 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 89 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008).

Coelogyne pallidiflavens (Blume) M.W.Chase & Schuit. var. **pallidiflavens**: Chase et al., Phytotaxa 510: 121 (2021). – *Dendrochilum pallidiflavens* Blume var. *pallidiflavens*: Wood, Dendrochilum Borneo: 260 (2001); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 191 (2009); Lim et al., Fl. Singapore 1: 95 (2019). **Native; NEx** (Yam, 2013, as *Dendrochilum pallidiflavens*).

Coelogyne rochussenii de Vriese: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 128 (1907), as ‘*rochussenii*’; Ridley, Fl. Malay Penins. 4: 131 (1924), as ‘*rochussenii*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); De Vogel, Orchid Monogr. 6: 29 (1992); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 81, fig. 156 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 160, 189 (2009); Lok et al., Nat. Singapore 4: 49 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 441 (2013); Yam, Native Orchids Singapore: 45, 107, 116 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 156 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 198, 806 [2015]; Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Lim et al., Fl. Singapore 1: 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 201, 317 (2020). **Native; CR** (Yam, 2013).

Coelogyne septemcostata J.J.Sm.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 81 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013). – *Coelogyne speciosa* auct. non Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 132 (1907), p.p.; Ridley, Fl. Malay Penins. 4: 134 (1924). **Native; NEx** (Yam, 2013).

Coelogyne testacea Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 666 (1859 ['1855']); Hooker, Fl. Brit. India 5, fasc. 16: 829 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 127 (1907); Ridley, Fl. Malay Penins. 4: 129 (1924); Holttum, Rev. Fl. Malaya 1: 256 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 259 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); De Vogel, Orchid Monogr. 6: 35 (1992); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 81 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 160, 189 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 441 (2013); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Coelogyne tomentosa Lindl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 81 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 160, 189 (2009); Yam, Native Orchids Singapore: 116 (2013). **Native; NEx** (Yam, 2013).

Corymborkis veratrifolia (Reinw.) Blume: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 81, fig. 157 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 160, 190 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 66, 441 (2013); Yam, Native Orchids Singapore: 70, 117 (2013). – *Corymbis longiflora* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 208 (1907); Ridley, Fl. Malay Penins. 4: 208 (1924). **Native; NEx** (Yam, 2013).

Crepidium micranthum (Hook.f.) Szlach.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 69, 442 (2013). – *Malaxis micrantha* (Hook.f.) Kuntze: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 98 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 162, 194 (2009); Yam, Native Orchids Singapore: 117 (2013), as ‘*macratha*’. – *Microstylis micrantha* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 14 (1907); Ridley, Fl. Malay Penins. 4: 12 (1924). **Native; NEx** (Yam, 2013).

Cryptostylis arachnites (Blume) Hassk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 225 (1907); Ridley, Fl. Malay Penins. 4: 225 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 82 (1998); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 160, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Yam, Native Orchids Singapore: 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). **Native; NEx** (Yam, 2013).

Cylindrolobus longerepens (Ridl.) Rauschart: Wood, Malesian Orchid J. 17: 128 (2016), as ‘*longerepens*’. – *Eria longerepens* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900), as ‘*longe-repens*’; Ridley, Mat. Fl. Malay. Penins. 1: 103 (1907); Ridley, Fl. Malay Penins. 4: 95 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as ‘*longe-repens*’; Turner, Gard. Bull. Singapore 45: 171 (1993), as ‘*longe-repens*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994), as ‘*longe-repens*’; Ng & Wee (ed.), Singapore Red Data Book: 301 (1994), as ‘*longe-repens*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 91 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008), as ‘*longirepens*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 192 (2009), as ‘*longirepens*’; Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Cylindrolobus neglectus (Ridl.) J.J.Wood: Wood, Malesian Orchid J. 17: 132 (2016). – *Eria neglecta* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 103 (1907); Ridley, Fl. Malay Penins. 4: 95 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 91, fig. 174 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Cylindrolobus nutans (Lindl.) J.J.Wood: Wood et al., Orchids Mount Kinabalu 2: 243 (2011); Wood, Malesian Orchid J. 17: 132 (2016). – *Eria nutans* Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 800 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 103 (1907); Ridley, Fl. Malay Penins. 4: 94 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 91 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et

al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Cymbidium atropurpureum (Lindl.) Rolfe: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 551 (1992). **Native; CR** (assessed here).

Cymbidium bicolor Lindl.: Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 199, 806 [2015].

Cymbidium bicolor Lindl. subsp. **pubescens** (Lindl.) Du Puy & P.J.Cribb: Du Puy & Cribb, Gen. Cymbidium: 73 (1988); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 82 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 160, 203 (2009); Yam, Native Orchids Singapore: 18, 46, 108, 117 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Lim et al., Fl. Singapore 1: 94, 96 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 202, 317 (2020). – *Cymbidium pubescens* Lindl.: Hooker, Fl. Brit. India 6, fasc. 17: 11 (1890); Ridley, Mat. Fl. Malay. Penins. 1: 140 (1907); Ridley, Fl. Malay Penins. 4: 145 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). – *Cymbidium aloifolium* (L.) Sw. var. *pubescens* Ridl., nom. nud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900). **Native; CR** (Yam, 2013).

Cymbidium finlaysonianum Lindl.: Hooker, Fl. Brit. India 6, fasc. 17: 11 (1890); Ridley, Mat. Fl. Malay. Penins. 1: 139 (1907); Ridley, Fl. Malay Penins. 4: 145 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 82, fig. 158 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 30, 160, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 71, 443 (2013); Yam, Native Orchids Singapore: 47, 108, 117 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 158 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 199, 806 [2015]; Lim et al., Fl. Singapore 1: 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 203, 317 (2020). – *Cymbidium aloifolium* auct. non (L.) Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900). **Native; EN** (assessed here).

Cystorchis javanica (Blume) Blume: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 160, 203 (2009). – *Cystorchis variegata* Blume var. *purpurea* Ridl., nom. illeg. superfl.: Ridley, J. Linn. Soc., Bot. 32: 399 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 212 (1907); Ridley, Fl. Malay Penins. 4: 212 (1924); Holttum, Rev. Fl. Malaya 1: 138 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 139 (1964); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 69 (1992); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Turner, Gard. Bull. Singapore 47: 581 (1997 ['1995']); Lok et al., Nat. Singapore 4: 26 (2011); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (assessed here).

Cystorchis variegata Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Holttum, Rev. Fl. Malaya 1: 137 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 139 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 83, fig. 159 (1998); Turner et al.,

Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 160, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 73, 443 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). – *Cystorchis variegata* Blume var. *variegata*: Ridley, Mat. Fl. Malay. Penins. 1: 212 (1907); Ridley, Fl. Malay Penins. 4: 211 (1924); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Lok et al., Nat. Singapore 4: 25 (2011); Yam, Native Orchids Singapore: 117 (2013). **Native; CR** (assessed here).

Dendrobium acerosum Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 726 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 43 (1907); Ridley, Fl. Malay Penins. 4: 38 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 83, fig. 160 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 160, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 158 (2014). **Native; NEx** (Yam, 2013).

Dendrobium aciculare Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 725 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 57 (1907); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 403 (1992); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Turner, Gard. Bull. Singapore 47: 582 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 83 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 160, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 486 (2014). **Native; NEx** (Yam, 2013).

Dendrobium aloifolium (Blume) Rchb.f.: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 84, fig. 161 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 160, 190 (2009); Ang et al., Nat. Singapore 3: 321 (2010); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 77, 443 (2013); Yam, Native Orchids Singapore: 48, 109, 117 (2013); Wood, Dendrobium Borneo: 162 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 202, 806 [2015]; Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Lim et al., Fl. Singapore 1: 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 205, 317 (2020). – *Dendrobium serra* (Lindl.) Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 629 (1859 ['1855']); Hooker, Fl. Brit. India 5, fasc. 16: 722 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 38 (1907); Ridley, Fl. Malay Penins. 4: 35 (1924). **Native; CR** (Yam, 2013).

Dendrobium angustifolium (Blume) Lindl.: WCSP. – *Flickingeria angustifolia* (Blume) A.D.Hawkes: Seidenfaden, Dansk Bot. Ark. 34: 57 (1980); Turner, Gard. Bull. Singapore 45: 172 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 94, fig. 180 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 162, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Flickingeria bancana* (J.J.Sm.) A.D.Hawkes: Seidenfaden, Dansk Bot. Ark. 34: 57

(1980); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 360 (1992); Turner, Gard. Bull. Singapore 45: 172 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 94 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 162, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Dendrobium kelsallii* Ridl.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Desmotrichum lonchophyllum* auct. non (Hook.f.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 29 (1924), p.p. – *Dendrobium lonchophyllum* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900), p.p.; Ridley, Mat. Fl. Malay. Penins. 1: 35 (1907), p.p. **Native; NEx** (assessed here).

Dendrobium comatum (Blume) Lindl.: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). – *Flickingeria comata* (Blume) A.D.Hawkes: Turner, Gard. Bull. Singapore 45: 172 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 94 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 162, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Desmotrichum criniferum* (Lindl.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 30 (1924). – *Dendrobium criniferum* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 36 (1907). **Native; NEx** (Yam, 2013).

Dendrobium crocatum Hook.f.: Ridley, Mat. Fl. Malay. Penins. 1: 52 (1907); Ridley, Fl. Malay Penins. 4: 47 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 84 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 160, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 210, 317 (2020). – *Dendrobium pyropum* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900). **Native; NEx** (Yam, 2013).

Dendrobium crumenatum Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 48 (1907); Ridley, Fl. Malay Penins. 4: 42 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 84, fig. 163 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 108 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 160, 226 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Yam, Native Orchids Singapore: 20, 49, 117 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 160 (2014 [2015]); Hung et al., Nat. Singapore 10: 45 (2017); Kaw & Neo, Wayside Fls Singapore: 112 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019); Lim et al., Fl. Singapore 1: 90 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 211, 317 (2020). – *Callista crumenata* (Sw.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 653 (1891). **Native; LC** (Yam, 2013).

Dendrobium dactyliferum Rchb.f.: Ormerod & Kurzweil, Harvard Pap. Bot. 24: 279 (2019). – *Dendrobium pandaneti* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 257 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 47 (1907); Ridley, Fl. Malay Penins. 4: 44 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard.

Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 86 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 717 (2014). **Native; NEx** (Yam, 2013).

Dendrobium flexile Ridl.: Ridley, J. Linn. Soc., Bot. 32: 251 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 42 (1907); Ridley, Fl. Malay Penins. 4: 39 (1924); Holttum, Rev. Fl. Malaya 1: 336 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 339 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 423 (1992); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner, Gard. Bull. Singapore 47: 583 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 85 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 161, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 176 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). **Native; NEx** (Yam, 2013).

Dendrobium grande Hook.f.: Ridley, Mat. Fl. Malay. Penins. 1: 40 (1907); Ridley, Fl. Malay Penins. 4: 36 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 85 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 161, 190 (2009); Yam, Native Orchids Singapore: 50, 117 (2013); Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 212, 317 (2020). **Native; NEx** (Yam, 2013).

Dendrobium hendersonii A.D.Hawkes & A.H.Heller: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 85 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Dendrobium hercoglossum Rchb.f.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 85 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Lim et al., Fl. Singapore 1: 95 (2019). **Native; NEx** (Yam, 2013).

Dendrobium indivisum (Blume) Miq.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 85, fig. 164 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 203 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 78, 443 (2013); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 187 (2014); Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 221, 317 (2020). – **Dendrobium eulophotum** Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 39 (1907); Ridley, Fl. Malay Penins. 4: 35 (1924). **Native; NEx** (Yam, 2013).

Dendrobium indragiriense Schltr.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 86 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Yam, Native Orchids Singapore: 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). – *Dendrobium flexile* auct. non Ridl.: Leong, Gardenwise 24: 13 (2005). **Native; CR** (Yam, 2013).

Dendrobium laciniosum Ridl.: Ridley, J. Linn. Soc., Bot. 32: 242 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 38 (1907); Holttum, Rev. Fl. Malaya 1: 264 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 267 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Flickingeria laciniosa* (Ridl.) A.D.Hawkes: Seidenfaden, Dansk Bot. Ark. 34: 31 (1980); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 594 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 95 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 162, 187 (2009); Yam, Native Orchids Singapore: 117 (2013); O'Byrne, Malesian Orchid J. 23: 43 (2019). – *Desmotrichum laciniosum* (Ridl.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 31 (1924). **Native; EX** (Yam, 2013).

Dendrobium lamellatum (Blume) Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 50 (1907); Ridley, Fl. Malay Penins. 4: 46 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 86 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 78, 443 (2013); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Dendrobium leonis (Lindl.) Rchb.f.: Hooker, Fl. Brit. India 5, fasc. 16: 723 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 41 (1907); Ridley, Fl. Malay Penins. 4: 37 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 86, fig. 165 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 78, 443 (2013); Yam, Native Orchids Singapore: 51, 109, 117 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Wood, Dendrobium Borneo: 205 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 205, 806 [2015]; Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 222, 317 (2020). **Native; NEx** (Yam, 2013).

Dendrobium lobatum (Blume) Miq.: Ridley, Fl. Malay Penins. 4: 36 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 86 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 209 (2014). – *Dendrobium rhizophoreti* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 245 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 39 (1907). **Native; NEx** (Yam, 2013).

Dendrobium lobbii Teijsm. & Binn.: Hooker, Fl. Brit. India 5, fasc. 16: 728 (1890); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 86 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 203 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 458 (2014). – *Dendrobium calcaratum* Lindl., nom. illeg. hom.: Ridley, Fl. Malay Penins. 4: 39 (1924). – *Dendrobium conostalix* Rchb.f.: Hooker, Fl. Brit. India 5, fasc. 16: 726 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 43 (1907). – *Dendrobium teysmannii* Miq.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 640 (1859 ['1855']), as 'teysmanni'. **Native; CR** (Yam, 2013).

Dendrobium longicolle Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 34 (1907); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Diplocaulobium longicolle* (Lindl.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 27 (1924); Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 89 (1998); Wood, Orchids Borneo 4: 137 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 161, 191 (2009); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Dendrobium microglaphys Rchb.f.: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 389 (1992); Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 86 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 145 (2014). – *Dendrobium callibotrys* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 258 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 49 (1907); Ridley, Fl. Malay Penins. 4: 44 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). **Native; NEx** (Yam, 2013).

Dendrobium pachyphyllum (Kuntze) Bakh.f.: Seidenfaden, Opera Bot. 83: 10 (1985); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as 'pachphellum'; Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 86, fig. 166 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 288 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 206, 806 [2015]; Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 224, 317 (2020). – *Dendrobium pumilum* Roxb.: Hooker, Fl. Brit. India 6, fasc. 17: 184 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900); Ridley, Fl. Malay Penins. 4: 34 (1924). – *Dendrobium quadrangulare* auct. non C.S.P.Parish & Rchb.f.: Ridley, Mat. Fl. Malay. Penins. 1: 35 (1907). **Native; NEx** (Yam, 2013).

Dendrobium pensile Ridl.: Ridley, J. Linn. Soc., Bot. 32: 253 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 45 (1907); Ridley, Fl. Malay Penins. 4: 40 (1924); Holttum, Rev. Fl. Malaya 1: 337 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 340 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 425 (1992); Turner, Gard. Bull. Singapore 45: 168 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.),

Singapore Red Data Book: 300 (1994); Turner, Gard. Bull. Singapore 47: 585 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 87 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 807 (2014). **Native; NEx** (Yam, 2013).

Dendrobium planibulbe Lindl.: Ridley, Fl. Malay Penins. 4: 41 (1924); Holttum, Rev. Fl. Malaya 1: 325 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 328 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 87 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 78, 444 (2013); Yam, Native Orchids Singapore: 117 (2013). – *Dendrobium tuberiferum* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 16: 728 (1890); Hooker, Fl. Brit. India 6, fasc. 17: 184 (1890); Hooker, Hooker's Icon. Pl. 21(1) [ser. 4, 1(1)]: pl. 2025 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 48 (1907). **Native; NEx** (Yam, 2013).

Dendrobium plicatile Lindl.: Holttum, Rev. Fl. Malaya, ed. 3, 1: 267 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). – *Flickingeria fimbriata* (Blume) A.D.Hawkes: Seidenfaden, Dansk Bot. Ark. 34: 21 (1980); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 95, fig. 181 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 162, 192 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Yam, Native Orchids Singapore: 117 (2013). – *Dendrobium flabellum* Rchb.f.: Ridley, Mat. Fl. Malay. Penins. 1: 36 (1907); Holttum, Rev. Fl. Malaya 1: 264 (1953). – *Desmotrichum fimbriatum* Blume: Ridley, Fl. Malay Penins. 4: 30 (1924). – *Dendrobium kunstleri* Hook.f.: Hooker, Fl. Brit. India 6, fasc. 17: 184 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900). **Native; NEx** (Yam, 2013).

Dendrobium prostratum Ridl.: Ridley, J. Linn. Soc., Bot. 32: 248 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 41 (1907); Ridley, Fl. Malay Penins. 4: 38 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 87 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 233 (2014). **Native; NEx** (Yam, 2013).

Dendrobium pulchellum Roxb. ex Lindl.: Holttum, Rev. Fl. Malaya 1: 290 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 293 (1964); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 383 (1992); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Turner, Gard. Bull. Singapore 47: 586 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 87 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl.

Singapore: 33, 161, 190 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 78, 444 (2013); Yam, Native Orchids Singapore: 117 (2013); Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 224, 317 (2020). – *Dendrobium dalhousieanum* Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 157 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 57 (1907); Ridley, Fl. Malay Penins. 4: 52 (1924). **Native; NEx** (Yam, 2013).

Dendrobium revolutum Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 46 (1907); Ridley, Fl. Malay Penins. 4: 43 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 399 (1992); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner, Gard. Bull. Singapore 47: 586 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 87 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 204 (2009); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (assessed here).

Dendrobium salaccense (Blume) Lindl.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 87, fig. 167 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Dendrobium gemellum* auct. non Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 727 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 44 (1907); Ridley, Fl. Malay Penins. 4: 40 (1924). **Native; NEx** (Yam, 2013).

Dendrobium secundum (Blume) Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 50 (1907); Ridley, Fl. Malay Penins. 4: 46 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 88, fig. 168 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 52, 117 (2013); Wood, Dendrobium Borneo: 825 (2014); Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 225, 317 (2020). **Native; NEx** (Yam, 2013).

Dendrobium setifolium Ridl.: Holttum, Rev. Fl. Malaya 1: 323 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 326 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 403 (1992); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner, Gard. Bull. Singapore 47: 586 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 88 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 78, 444 (2013); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 577 (2014). – *Dendrobium gracile* auct. non (Blume) Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 47 (1907); Ridley, Fl. Malay Penins. 4: 41 (1924). **Native; NEx** (Yam, 2013).

Dendrobium singaporense A.D.Hawkes & A.H.Heller: Holttum, Rev. Fl. Malaya, ed. 3, 1: 337 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 420 (1992); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore

Red Data Book: 300 (1994); Turner, Gard. Bull. Singapore 47: 586 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 88 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 53, 117 (2013); Wood, Dendrobium Borneo: 264 (2014); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 72 (2017); Lim et al., Fl. Singapore 1: 95 (2019). – *Dendrobium teres* Lindl., nom. illeg. hom.: Hooker, Fl. Brit. India 5, fasc. 16: 726 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 42 (1907); Ridley, Fl. Malay Penins. 4: 38 (1924). **Native; NEx** (Yam, 2013).

Dendrobium spurium (Blume) J.J.Sm.: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 88 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 190 (2009); Yam, Native Orchids Singapore: 117 (2013); Wood, Dendrobium Borneo: 793 (2014). – *Dendrobium euphlebium* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 49 (1907); Ridley, Fl. Malay Penins. 4: 44 (1924). **Native; NEx** (Yam, 2013).

Dendrobium stuposum Lindl.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 191 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 78, 444 (2013); Wood, Dendrobium Borneo: 631 (2014). – *Oxystophyllum stuposum* (Lindl.), ined.: Yam, Native Orchids Singapore: 118 (2013). – *Dendrobium sphegidioglossum* Rchb.f.: Seidenfaden, Opera Bot. 83: 93 (1985), as ‘*sphegidioglossum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as ‘*sphegidioglossum*’; Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 393 (1992), as ‘*sphegidioglossum*’; Turner, Gard. Bull. Singapore 45: 169 (1993), as ‘*sphegidioglossum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994), as ‘*sphegidioglossum*’; Ng & Wee (ed.), Singapore Red Data Book: 300 (1994), as ‘*sphegidioglossum*’; Turner, Gard. Bull. Singapore 47: 586 (1997 ['1995']), as ‘*sphegidioglossum*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 88 (1998), as ‘*sphegidioglossum*’; Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']), as ‘*sphegidioglossum*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008), as ‘*sphegidioglossum*’. – *Dendrobium flavidulum* Ridl. ex Hook.f.: Hooker, Fl. Brit. India 6, fasc. 17: 185 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 55 (1907); Ridley, Fl. Malay Penins. 4: 45 (1924); Holttum, Rev. Fl. Malaya 1: 308 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 311 (1964). **Native; NEx** (Yam, 2013).

Dendrobium subulatum (Blume) Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 43 (1907); Ridley, Fl. Malay Penins. 4: 39 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 780 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 88 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Yam, Native Orchids Singapore: 54, 117 (2013); Wood, Dendrobium Borneo: 269 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). **Native; NEx** (assessed here).

Dendrobium villosulum Wall. ex Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 156 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 44 (1907); Ridley, Fl. Malay Penins. 4: 40 (1924); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 429 (1992); Turner, Gard. Bull. Singapore 45: 170

(1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 88 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 161, 191 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Dendrobium melanochlamys* Holttum: Holttum, Rev. Fl. Malaya 1: 339 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 342 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). **Native; NEx** (Yam, 2013).

Dendrobium xantholeucum Rchb.f.: WCSP. – *Flickingeria xantholeuca* (Rchb.f.) A.D.Hawkes: Seidenfaden, Dansk Bot. Ark. 34: 56 (1980); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 359 (1992); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 595 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 95 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 162, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Desmotrichum lonchophyllum* (Hook.f.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 29 (1924), p.p. – *Desmotrichum pallidiflorum* (Ridl.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 31 (1924). – *Dendrobium lonchophyllum* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900), p.p.; Ridley, Mat. Fl. Malay. Penins. 1: 35 (1907), p.p. – *Dendrobium pallidiflorum* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 240 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 37 (1907). **Native; NEx** (Yam, 2013).

Didymoplexiella ornata (Ridl.) Garay: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 138 (1992); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 161, 191 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Leucolema ornata* Ridl. var. *singapurensis* Ridl.: Ridley, Fl. Malay Penins. 4: 207 (1924). **Native; NEx** (Yam, 2013).

Didymoplexis pallens Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 206 (1907); Ridley, Fl. Malay Penins. 4: 206 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 89 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 161, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 82, 444 (2013); Yam, Native Orchids Singapore: 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). **Native; CR** (Yam, 2013).

Dienia ophrydis (J.Koenig) Seidenf.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 161, 191 (2009); Hassan Ibrahim et al., Nat. Singapore 4: 329 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 83, 444 (2013); Yam, Native Orchids Singapore: 71, 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 101 (2019). – *Malaxis ophrydis* (J.Koenig) Ormerod: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011), as ‘*ophrydes*’. – *Malaxis latifolia* Sm.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 98, fig. 186 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008). – *Microstylis congesta* (Lindl.) Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 14 (1907); Ridley, Fl. Malay Penins. 4: 12 (1924). **Native; CR** (Yam, 2013).

Dilochia wallichii Lindl.: Lindley, Gen. Sp. Orchid. Pl.: 38 (1830); Miquel, Fl. Ned. Ind. 3, fasc. 4: 669 (1859 ['1855']), as 'Dilochus'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 125 (1907); Ridley, Fl. Malay Penins. 4: 126 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 89 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 161, 191 (2009); Yam, Native Orchids Singapore: 117 (2013). — *Dilochia wallichii* Lindl. ex Wall., nom. nud.: Wallich, Numer. List no. 1952 (1829). **Native; NEx** (Yam, 2013).

Dipodium fragrans P.O'Byrne & J.J.Verm.: O'Byrne, Malesian Orchid J. 12: 73 (2013); O'Byrne, Malesian Orchid J. 19: 118 (2017); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 77 (2017). — *Dipodium pictum* auct. non (Lindl.) Rchb.f.: Ridley, J. Linn. Soc., Bot. 32: 339 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 141 (1907); Ridley, Fl. Malay Penins. 4: 147 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 89, fig. 170 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 161, 191 (2009); Yam, Native Orchids Singapore: 117 (2013). — *Dipodium scandens* auct. non (Blume) J.J.Sm.: Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 161, 191 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Yam, Native Orchids Singapore: 117 (2013).

Dipodium fragrans P.O'Byrne & J.J.Verm. var. **fragrans**: O'Byrne & Vermeulen, Malayan Orchid Rev. 40: 93 (2006); O'Byrne, Malesian Orchid J. 12: 73 (2013); O'Byrne, Malesian Orchid J. 19: 118 (2017); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 77 (2017). **Native; CR** (assessed here).

Dipodium paludosum (Griff.) Rchb.f.: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 555 (1992); Turner, Gard. Bull. Singapore 47: 589 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 89 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 161, 204 (2009); O'Byrne, Malesian Orchid J. 12: 80 (2013); Yam, Native Orchids Singapore: 117 (2013); O'Byrne, Malesian Orchid J. 19: 83 (2017). **Native; NEx** (assessed here).

Eria javanica (Sw.) Blume: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 91, fig. 173 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 191 (2009); Yam, Native Orchids Singapore: 117 (2013); Lim et al., Fl. Singapore 1: 95 (2019). — *Eria stellata* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 98 (1907); Ridley, Fl. Malay Penins. 4: 96 (1924). — *Eria striolata* Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 99 (1907); Ridley, Fl. Malay Penins. 4: 96 (1924). **Native; NEx** (Yam, 2013).

Erythrorchis altissima (Blume) Blume: Miquel, Fl. Ned. Ind. 3, fasc. 4: 720 (1859 ['1855']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 93 (1998), as 'Erythrorchis'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 161, 192 (2009), as 'Erythrorchis'; Yam, Native Orchids Singapore: 117

(2013), as ‘*Erythorchis*’. – *Galeola altissima* (Blume) Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900). **Native; NEx** (Yam, 2013).

Eulophia graminea Lindl.: Hooker, Fl. Brit. India 6, fasc. 17: 2 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 137 (1907); Ridley, Fl. Malay Penins. 4: 141 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 172 (1993); Chan et al., Orchids Borneo 1: 163 (1994); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 [‘1994’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 93, fig. 178 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 125 (2004 [‘2003’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 161, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Ang et al., Nat. Singapore 4: 290 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Wood et al., Orchids Mount Kinabalu 2: 344 (2011); Yam, Native Orchids Singapore: 20, 72, 117 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Kaw & Neo, Wayside Fls Singapore: 27 (2018); Lim et al., Fl. Singapore 1: 90 (2019). **Cryptogenic** (assessed here).

Eulophia nuda Lindl.: WCSP. – *Eulophia spectabilis* Suresh: Turner, Gard. Bull. Singapore 45: 172 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 94, fig. 179 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 341, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 162, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 104, 446 (2013); Yam, Native Orchids Singapore: 16, 73, 117 (2013). – *Eulophia squalida* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 137 (1907); Ridley, Fl. Malay Penins. 4: 141 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). **Native; CR** (Yam, 2013).

Galeola nudifolia Lour.: Seidenfaden, Dansk Bot. Ark. 32: 134 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 95, fig. 182 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 162, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 125, 448 (2013); Yam, Native Orchids Singapore: 74, 117 (2013). – *Galeola kuhlii* (Rchb.f.) Rchb.f.: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978). – *Galeola hydra* Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 202 (1907); Ridley, Fl. Malay Penins. 4: 202 (1924). **Native; CR** (Yam, 2013).

Gastrodia javanica (Blume) Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 96, fig. 183 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 162, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 127, 448 (2013); Yam, Native Orchids Singapore: 75, 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). – *Gastrodia*

malayana Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 207 (1907); Ridley, Fl. Malay Penins. 4: 207 (1924). **Native; CR** (Yam, 2013).

Grammatophyllum speciosum Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 142 (1907); Ridley, Fl. Malay Penins. 4: 149 (1924); Holttum, Rev. Fl. Malaya 1: 523 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 527 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 557 (1992); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 96 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 132 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 162, 193 (2009); Yam, Native Orchids Singapore: 16, 55, 110, 117 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 162 (2014 [2015]); Lim et al., Fl. Singapore 1: 95, 97, fig. 5 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 233, 317 (2020). **Native; NEx** (assessed here).

Habenaria singapurensis Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 228 (1907); Ridley, Fl. Malay Penins. 4: 229 (1924); Holttum, Rev. Fl. Malaya 1: 83 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 84 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as '*singapurensis*'; Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 109 (1992); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 597 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 96 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 162, 193 (2009); Wood et al., Orchids Mount Kinabalu 2: 368 (2011); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Hetaeria obliqua Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 222 (1907); Ridley, Fl. Malay Penins. 4: 221 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 96 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 162, 193 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 140, 448 (2013); Leong & Yam, Malesian Orchid J. 12: 25 (2013); Yam, Native Orchids Singapore: 76, 117 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). **Native; CR** (Yam, 2013).

Hetaeria oblongifolia Blume: Ormerod, OASIS, suppl. 3: 7 (2004); Leong et al., Nat. Singapore 14-e2021019: 1 (2021). – *Hetaeria nitida* Ridl.: Ridley, Mat. Fl. Malay. Penins. 1: 222 (1907); Ridley, Fl. Malay Penins. 4: 222 (1924); Holttum, Rev. Fl. Malaya 1: 114 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 116 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 95 (1992); Turner, Gard. Bull. Singapore 45: 173 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 597 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 96 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 162, 193 (2009); Turner & Chua,

Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Yam, Native Orchids Singapore: 117 (2013). **Native; CR** (Leong et al., 2021).

Hylophila mollis Lindl.: Lindley, Gen. Sp. Orchid. Pl.: 490 (1840); Miquel, Fl. Ned. Ind. 3, fasc. 4: 746 (1859 ['1855']); Hooker, Fl. Brit. India 6, fasc. 17: 110 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 223 (1907); Ridley, Fl. Malay Penins. 4: 223 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 96, fig. 184 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 162, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011); Wood et al., Orchids Mount Kinabalu 2: 373 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 145, 448 (2013); Yam, Native Orchids Singapore: 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). **Native; CR** (Yam, 2013).

Lecanorchis malaccensis Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 206 (1907); Ridley, Fl. Malay Penins. 4: 206 (1924); Holttum, Rev. Fl. Malaya 1: 100 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 101 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 134 (1992); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner et al., Gard. Bull. Singapore 46(2): 26 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 598 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 96 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 162, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 157, 448 (2013); Yam, Native Orchids Singapore: 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). **Native; CR** (Yam, 2013).

Lepidogyne longifolia (Blume) Blume: Niissalo & Choo, Gard. Bull. Singapore 73: 35, fig. 1 (2021). **Native; CR** (Niissalo & Choo, 2021).

Liparis barbata Lindl.: Lok et al., Nat. Singapore 3: 277 (2010); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 163, 448 (2013); Yam, Native Orchids Singapore: 117 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018). – *Liparis wrayi* Hook.f.: Holttum, Rev. Fl. Malaya 1: 201 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 203 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 231 (1992); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 599 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 97 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']), as ‘*Lipparis*'; Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 56, 162, 194 (2009). **Native; CR** (Yam, 2013).

Liparis elegans Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 24 (1907); Ridley, Fl. Malay Penins. 4: 23 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan

in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 97 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 162, 194 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 163, 449 (2013); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Liparis ferruginea Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 22 (1907); Ridley, Fl. Malay Penins. 4: 20 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 97 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 162, 207 (2009); Yam, Native Orchids Singapore: 77, 117 (2013); Lim et al., Fl. Singapore 1: 94 (2019). – *Liparis nervosa* auct. non (Thunb.) Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900). – *Liparis paradoxa* auct. non (Lindl.) Rchb.f.: Hooker, Fl. Brit. India 6, fasc. 17: 181 (1890), p.p. **Native; CR** (Yam, 2013).

Liparis tricallosa Rchb.f.: Ridley, Fl. Malay Penins. 4: 20 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 97 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']), as '*Lipparis*'; Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 162, 194 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 163, 449 (2013); Yam, Native Orchids Singapore: 117 (2013). – *Liparis venosa* Ridl.: Hooker, Fl. Brit. India 5, fasc. 16: 695 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 21 (1907). **Native; NEx** (assessed here).

Macodes petola (Blume) Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 215 (1907); Ridley, Fl. Malay Penins. 4: 215 (1924); Holttum, Rev. Fl. Malaya 1: 116 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 117 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 98 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 162, 194 (2009); Yam, Native Orchids Singapore: 78, 117 (2013). **Native; NEx** (Yam, 2013).

Micropora fuscolutea (Lindl.) Garay: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 615 (1992); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 601 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 98 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 162, 195 (2009); Wood et al., Orchids Mount Kinabalu 2: 408 (2011); Yam, Native Orchids Singapore: 117 (2013). – *Camarotis adnata* (Ridl.) Holttum: Holttum, Rev. Fl. Malaya 1: 627 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 631 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). – *Saccolabium adnatum* (Ridl.) Ridl.: Ridley, Fl. Malay Penins. 4: 174 (1924). – *Sarcochilus adnatus* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 373 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 177 (1907). **Native; NEx** (Yam, 2013).

Microsaccus ampullaceus J.J.Sm.: Holttum, Rev. Fl. Malaya 1: 590 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 594 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 582 (1992); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 98 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 162, 195 (2009); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Microsaccus griffithii (C.S.P.Parish & Rchb.f.) Seidenf.: Seidenfaden, Opera Bot. 95: 25 (1988); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 581 (1992); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 602 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 98, fig. 187 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 162, 195 (2009); Wood et al., Orchids Mount Kinabalu 2: 408 (2011); Yam, Native Orchids Singapore: 117 (2013); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 180, 449 (2013); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 242, 317 (2020). – *Microsaccus brevifolius* J.J.Sm.: Holttum, Rev. Fl. Malaya 1: 590 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 594 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). **Native; NEx** (Yam, 2013).

Microsaccus javensis Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 172 (1907); Ridley, Fl. Malay Penins. 4: 175 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 98 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 162, 195 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 180, 449 (2013); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Microsaccus sumatranus J.J.Sm.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 99 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 162, 195 (2009); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Mycaranthes obliqua Lindl.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 162, 195 (2009); Yam, Native Orchids Singapore: 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). – *Eria obliqua* (Lindl.) Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 663 (1859 ['1855']); Hooker, Fl. Brit. India 5, fasc. 16: 790 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 89 (1907); Ridley, Fl. Malay Penins. 4: 86 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 92 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 59 (2011). **Native; NEx** (Yam, 2013).

Nephelaphyllum pulchrum Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 116 (1907); Ridley, Fl. Malay Penins. 4: 115 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee

(ed.), Singapore Red Data Book: 301 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 99, fig. 188 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 162, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 449 (2013); Yam, Native Orchids Singapore: 79, 117 (2013). **Native; CR** (Yam, 2013).

Nervilia singaporenensis Niissalo: Niissalo et al., Gard. Bull. Singapore 72: 4 (2020). — *Nervilia punctata* auct. non (Blume) Makino: Holttum, Rev. Fl. Malaya 1: 105 (1953), p.p.; Holttum, Rev. Fl. Malaya, ed. 3, 1: 106 (1964), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 135 (1992), p.p.; Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 602 (1997 ['1995']), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 99 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 162, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Yam, Native Orchids Singapore: 117 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). — *Aplostellis punctata* auct. non (Blume) Ridl.: Ridley, Fl. Malay Penins. 4: 204 (1924), p.p. — *Pogonia punctata* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 203 (1907), p.p. **Native; CR** (Niissalo et al., 2020).

Neuwiedia griffithii Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 231 (1907); Ridley, Fl. Malay Penins. 4: 296 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 34 (1992); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 602 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 99 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 162, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Yam, Native Orchids Singapore: 117 (2013); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 98 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019); Lim et al., Fl. Singapore 1: 94 (2019). **Native; NEx** (Yam, 2013).

Neuwiedia veratrifolia Blume: Holttum, Rev. Fl. Malaya 1: 63 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 64 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as 'veratrifolia var. *singapureana*', ined. (printing error); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 32 (1992); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 99, fig. 189 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 343, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 162, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Yam, Native Orchids Singapore: 80, 117 (2013); Ong et al., Checkl. Orchids Penins. Malaysia [FRIM Res. Pam. 136]: 98 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). — *Neuwiedia lindleyi* Rolfe: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 231 (1907); Ridley, Fl. Malay Penins. 4: 295 (1924). **Native; CR** (Yam, 2013).

Neuwiedia zollingeri Rchb.f.: Reichenbach, Bonplandia 5: 58 (1857). – *Neuwiedia curtisii* Rolfe: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 232 (1907); Ridley, Fl. Malay Penins. 4: 297 (1924).

Neuwiedia zollingeri Rchb.f. var. **singapureana** (Wall. ex Baker) de Vogel: De Vogel, Blumea 17: 331 (1969); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as ‘*Neuwiedia zollingeri*’; Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 34 (1992); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 100 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 162, 195 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Neuwiedia singapureana* (Wall. ex Baker) Rolfe: Holttum, Rev. Fl. Malaya 1: 63 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 64 (1964). – *Tupistra singapureana* Wall. ex Baker: Baker, J. Linn. Soc., Bot. 14(80): 581 (1875). – *Tupistra singapureana* Wall., nom. nud.: Wallich, Numer. List no. 5195 (1831–1832). **Native; NEx** (Yam, 2013).

Oberonia bertoldii King & Pantl.: Holttum, Rev. Fl. Malaya 1: 222 (1953), as ‘*bertoldii*’; Holttum, Rev. Fl. Malaya, ed. 3, 1: 225 (1964), as ‘*bertoldii*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as ‘*bertoldii*’; Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 251 (1992), as ‘*bertoldii*’; Turner, Gard. Bull. Singapore 45: 176 (1993), as ‘*bertoldii*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994), as ‘*bertoldii*’; Ng & Wee (ed.), Singapore Red Data Book: 301 (1994), as ‘*bertoldii*’; Turner, Gard. Bull. Singapore 47: 603 (1997 [‘1995’]), as ‘*bertoldii*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 100 (1998), as ‘*bertoldii*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008), as ‘*bertoldii*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 162, 195 (2009), as ‘*bertoldii*’; Yam, Native Orchids Singapore: 118 (2013), as ‘*bertoldii*’. **Native; NEx** (Yam, 2013).

Oberonia dissitiflora Ridl.: Ridley, J. Linn. Soc., Bot. 32: 218 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 176 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 100 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 162, 195 (2009); Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). – *Oberonia lunata* auct. non (Blume) Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 16 (1907), p.p.; Ridley, Fl. Malay Penins. 4: 14 (1924), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 101, fig. 191 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 162, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011). **Native; NEx** (Yam, 2013).

Oberonia equitans (G.Forst.) Mutel: Geiger et al., Orchids 89: 658 (2020). – *Oberonia ciliolata* Hook.f.: Hooker, Fl. Brit. India 6, fasc. 17: 181 (1890); Hooker, Hooker’s Icon. Pl. 24(1) [ser. 4, 4(1)]: pl. 2318 (1894); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 19 (1907); Ridley, Fl. Malay Penins. 4: 16 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 176 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 100 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 162, 195 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 450 (2013); Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102, 122 (2019). **Native; NEx** (Yam, 2013).

Oberonia lunata (Blume) Lindl.: Hooker, Fl. Brit. India 6, fasc. 17: 180 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 16 (1907), p.p.; Ridley, Fl. Malay Penins. 4: 14 (1924), p.p.; Holttum, Rev. Fl. Malaya 1: 220 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 223 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 256 (1992); Turner, Gard. Bull. Singapore 45: 176 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 604 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Yam, Native Orchids Singapore: 118 (2013). – *Oberonia biaurita* Hook.f.: Hooker, Hooker's Icon. Pl. 24(1) [ser. 4, 4(1)]: pl. 2317 (1894). **Native; NEx** (Yam, 2013).

Oberonia lycopodioides (J.Koenig) Ormerod: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 162, 195 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Oberonia anceps* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 18 (1907); Ridley, Fl. Malay Penins. 4: 15 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 175 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 100, fig. 190 (1998). **Native; NEx** (Yam, 2013).

Oberonia miniata Lindl.: Hooker, Fl. Brit. India 5, fasc. 15: 685 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 18 (1907); Ridley, Fl. Malay Penins. 4: 16 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 176 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 101, fig. 192 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 162, 195 (2009); Yam, Native Orchids Singapore: 118 (2013). **Native; NEx** (Yam, 2013).

Oberonia stenophylla Ridl.: Holttum, Rev. Fl. Malaya 1: 219 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 222 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 254 (1992); Turner, Gard. Bull. Singapore 45: 176 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 604 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 101 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 162, 195 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 450 (2013); Yam, Native Orchids Singapore: 118 (2013). – *Oberonia flabellifera* Holttum: Holttum, Rev. Fl. Malaya 1: 219 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 222 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 253 (1992); Turner, Gard. Bull. Singapore 45: 176 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Turner, Gard. Bull. Singapore 47: 603 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 101 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 162, 195 (2009); Yam, Native Orchids Singapore: 118 (2013). **Native; NEx** (Yam, 2013).

Oxystophyllum carnosum Blume: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 162, 195 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 192, 450 (2013); Yam, Native Orchids Singapore: 118 (2013). – *Dendrobium concinnum* Miq.: Seidenfaden, Opera Bot. 83: 229 (1985); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990); Seidenfaden & Wood, Orchids

Penins. Malaysia & Singapore: 419 (1992); Turner, Gard. Bull. Singapore 45: 167 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 84 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008). – *Dendrobium carnosum* (Blume) Rchb.f.: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978). – *Dendrobium atropurpureum* auct. non (Blume) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 40 (1907); Ridley, Fl. Malay Penins. 4: 37 (1924). **Native; NEx** (Yam, 2013).

Oxystophyllum excavatum Blume: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 162, 195 (2009). – *Dendrobium excavatum* (Blume) Miq.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 85 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Oxystophyllum sinuatum (Lindl.) M.A.Clem.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 162, 195 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Dendrobium sinuatum* (Lindl.) Lindl. ex Rchb.f.: Hooker, Fl. Brit. India 5, fasc. 16: 724 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 40 (1907); Ridley, Fl. Malay Penins. 4: 37 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 419 (1992); Turner, Gard. Bull. Singapore 45: 169 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 88 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Wood et al., Orchids Mount Kinabalu 2: 444 (2011). **Native; NEx** (Yam, 2013).

Peristylus lacertifer (Lindl.) J.J.Sm.: Turner, Gard. Bull. Singapore 45: 176 (1993), as ‘*lacertiferus*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994), as ‘*lacertiferus*’; Ng & Wee (ed.), Singapore Red Data Book: 301 (1994), as ‘*lacertifera*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 102 (1998), as ‘*lacertiferus*’; Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']), as ‘*lacertiferus*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 162, 195 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Yam, Native Orchids Singapore: 118 (2013), as ‘*lacertiferus*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102, 122 (2019). – *Habenaria lacertifera* (Lindl.) Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 227 (1907); Ridley, Fl. Malay Penins. 4: 230 (1924), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Habenaria maingayi* auct. non King & Pantl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 164 (1900). **Native; NEx** (Yam, 2013).

Peristylus maingayi (King & Pantl.) J.J.Wood & Ormerod: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 162, 195 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Peristylus candidus* J.J.Sm.: Turner, Gard. Bull. Singapore 45: 176 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 101, fig. 193 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008). – *Habenaria sumatrana* (Schltr.) Schltr.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Habenaria lacertifera* auct. non (Lindl.) Benth.: Ridley, Fl. Malay Penins. 4: 230 (1924), p.p. **Native; NEx** (Yam, 2013).

Phalaenopsis cornu-cervi (Breda) Blume & Rchb.f.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 102, fig. 194 (1998), as ‘*cornucervi*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 163, 195 (2009); Yam, Native Orchids Singapore: 56, 111, 118 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed.

3: 234, 807 [2015]; Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 263, 317 (2020). **Native; NEx** (Yam, 2013).

Phreatia plantaginifolia (J.Koenig) Ormerod: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 163, 195 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Phreatia secunda* (Blume) Lindl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 102 (1998). – *Phreatia minutiflora* Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 811 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 107 (1907); Ridley, Fl. Malay Penins. 4: 105 (1924). **Native; NEx** (Yam, 2013).

Pinalia bractescens (Lindl.) Kuntze: Lim et al., Fl. Singapore 1: 95 (2019). – *Eria bractescens* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 101 (1907); Ridley, Fl. Malay Penins. 4: 91 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 170 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 90, fig. 171 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 191 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 101, 446 (2013); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Pinalia floribunda (Lindl.) Kuntze: Leong et al., Nat. Singapore 10: 67 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102, 122 (2019); Lim et al., Fl. Singapore 1: 89 (2019). – *Eria floribunda* Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 792 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 158 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 96 (1907); Ridley, Fl. Malay Penins. 4: 89 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 90, fig. 172 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 191 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 101, 446 (2013); Yam, Native Orchids Singapore: 117 (2013). **Native; CR** (Leong et al., 2017).

Pinalia tenuiflora (Ridl.) J.J.Wood: Wood et al., Orchids Mount Kinabalu 2: 494 (2011). – *Eria tenuiflora* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 291 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 97 (1907); Ridley, Fl. Malay Penins. 4: 90 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 172 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 93 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). **Native; NEx** (Yam, 2013).

Plocoglottis gigantea (Hook.f.) J.J.Sm.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 176 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 102 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 163, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Wong et al., Checkl. Pl.

Sp. Nee Soon Swamp For.: 205, 450 (2013); Yam, Native Orchids Singapore: 82, 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). – *Plocoglottis foetida* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 319 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 160 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 113 (1907); Ridley, Fl. Malay Penins. 4: 144 (1924). **Native; CR** (Yam, 2013).

Plocoglottis javanica Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 113 (1907); Ridley, Fl. Malay Penins. 4: 143 (1924); Holttum, Rev. Fl. Malaya 1: 157 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 159 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 177 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 103 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 163, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 206, 450 (2013); Yam, Native Orchids Singapore: 83, 118 (2013). **Native; CR** (Yam, 2013).

Plocoglottis lowii Rchb.f.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 177 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 103, fig. 195 (1998); Chew et al., Gard. Bull. Singapore 49(2): 204 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 163, 197 (2009); Yam, Native Orchids Singapore: 118 (2013); Niissalo et al., Nat. Singapore 9: 41 (2016). – *Plocoglottis porphyrophylla* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 113 (1907); Ridley, Fl. Malay Penins. 4: 144 (1924). **Native; CR** (Niissalo et al., 2016).

Podochilus microphyllus Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900), as '*Podochilas*'; Ridley, Fl. Malay Penins. 4: 193 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 177 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 103, fig. 196 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 163, 197 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 206, 451 (2013); Yam, Native Orchids Singapore: 118 (2013). – *Podochilus sciurooides* Rchb.f.: Ridley, Mat. Fl. Malay. Penins. 1: 192 (1907). **Native; NEx** (assessed here).

Polystachya concreta (Jacq.) Garay & H.R.Sweet: Seidenfaden, Opera Bot. 95: 14 (1988); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 566 (1992); Turner, Gard. Bull. Singapore 45: 177 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 103, fig. 197 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 163, 197 (2009); Lok et al., Nat. Singapore 4: 19 (2011); Yam, Native Orchids Singapore: 57, 118 (2013); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 207, 451 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018). – *Polystachya flavescens* (Blume) J.J.Sm.: Holttum, Rev. Fl. Malaya 1: 542 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 546 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Polystachya singapurensis* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 343 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 146 (1907); Ridley, Fl. Malay Penins. 4: 152 (1924). **Native; CR** (Yam, 2013).

Pomatocalpa diffusum Breda: Watthana, Harvard Pap. Bot. 11: 224 (2007); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 163, 210 (2009); Lok et al., Nat. Singapore 3: 147 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 208, 452 (2013); Yam, Native Orchids Singapore: 15, 21, 58, 118 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 165 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 235, 807 [2015]; Lim et al., Fl. Singapore 1: 89 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 271, 317 (2020). – *Pomatocalpa latifolium* (Lindl.) J.J.Sm.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 177 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 104, fig. 198 (1998), as ‘*latifolia*’; Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008), as ‘*latifolia*’. – *Saccolabium hortense* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 39: 83 (1903); Ridley, Mat. Fl. Malay. Penins. 1: 166 (1907); Ridley, Fl. Malay Penins. 4: 167 (1924). – *Saccolabium latifolium* (Lindl.) Schltr.: Ridley, Mat. Fl. Malay. Penins. 1: 165 (1907). – *Cleisostoma latifolium* Lindl.: Hooker, Fl. Brit. India 6, fasc. 17: 71 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900). **Native; CR** (Yam, 2013).

Renanthera elongata (Blume) Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 156 (1907); Ridley, Fl. Malay Penins. 4: 160 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 177 (1993); Chan et al., Orchids Borneo 1: 271 (1994); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 105, fig. 200 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 163, 197 (2009); Ang et al., Nat. Singapore 4: 297 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 216, 452 (2013); Yam, Native Orchids Singapore: 60, 118 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 166 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 237, 807 [2015]; Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Lim et al., Fl. Singapore 1: 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 277, 317 (2020). – *Saccolabium reflexum* Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 692 (1859 [‘1855’]). **Native; CR** (Yam, 2013).

Renanthera histrionica Rchb.f.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 177 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 163, 197 (2009); Yam, Native Orchids Singapore: 61, 118 (2013); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 277, 317 (2020). – *Renantherella histrionica* (Rchb.f.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 157 (1907); Ridley, Fl. Malay Penins. 4: 161 (1924); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 105 (1998). **Native; NEx** (Yam, 2013).

Rhynchostylis gigantea (Lindl.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 158 (1907); Ridley, Fl. Malay Penins. 4: 163 (1924); Holttum, Rev. Fl. Malaya 1: 698 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 704 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 661 (1992); Turner, Gard. Bull. Singapore 45: 177 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 611 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 105 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 163, 197 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 219, 453 (2013); Yam, Native Orchids Singapore: 118 (2013); Lim et al., Fl. Singapore 1: 95 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 281, 317 (2020). **Native; NEx** (Yam, 2013).

Robiquetia spathulata (Blume) J.J.Sm.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 105, fig. 201 (1998); Yam et al., Gardenwise 27: 11 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008), as ‘*spatulata*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 163, 197 (2009); Yam, Native Orchids Singapore: 62, 111, 118 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 167 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 238, 807 [2015]; Lim et al., Fl. Singapore 1: 89, 94 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 283, 317 (2020). – *Saccolabium densiflorum* Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 167 (1907); Ridley, Fl. Malay Penins. 4: 170 (1924). – *Cleisostoma spicatum* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900). – *Sarcanthus castaneus* Ridl.: Ridley, J. Linn. Soc., Bot. 32: 369 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900). – *Sarcanthus densiflorus* (Lindl.) C.S.P.Parish & Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900). **Native; CR** (Yam, 2013).

Schoenorchis micrantha Reinw. ex Blume: Holttum, Rev. Fl. Malaya 1: 659 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 663 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 597 (1992); Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 106, fig. 202 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 163, 198 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Saccolabium perpusillum* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 164 (1907); Ridley, Fl. Malay Penins. 4: 171 (1924). **Native; NEx** (Yam, 2013).

Schoenorchis secundiflora (Ridl.) J.J.Sm.: Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 106, fig. 203 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 [‘1996’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 163, 198 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Saccolabium secundiflorum* Ridl.: Ridley, J. Bot. 36: 215 (1898); Ridley, Mat. Fl. Malay. Penins. 1: 170 (1907); Ridley, Fl. Malay Penins. 4: 173 (1924). **Native; NEx** (Yam, 2013).

Spathoglottis plicata Blume: Hooker, Fl. Brit. India 5, fasc. 16: 813 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 117 (1907); Ridley, Fl. Malay Penins. 4: 117 (1924); Holttum, Rev. Fl. Malaya, ed. 3, 1: 166 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 161 (1992); Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 [‘1994’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 106, fig. 204 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore (print 3): 214 (2004 [‘2003’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 163, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Yam, Native Orchids Singapore: 20, 84, 118 (2013); Kaw & Neo, Wayside Fls Singapore: 62 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019); Lim et al., Fl. Singapore 1: 90 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 285, 317 (2020). **Native; LC** (Yam, 2013).

Stereosandra javanica Blume: Ridley, Mat. Fl. Malay. Penins. 1: 224 (1907); Ridley, Fl. Malay Penins. 4: 224 (1924); Holttum, Rev. Fl. Malaya 1: 106 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1:

108 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990), as ‘*Sterosandra*’; Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994), as ‘*Sterosandra*’; Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 107 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1998 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 163, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). **Native; NEx** (Yam, 2013).

Stichorkis gibbosa (Finet) J.J.Wood: WCSP. – *Liparis gibbosa* Finet: Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 174 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 97, fig. 185 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 [‘1996’]), as ‘*Lipparis*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 162, 194 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Liparis disticha* auct. non (Thouars) Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 154 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 26 (1907); Ridley, Fl. Malay Penins. 4: 24 (1924). **Native; NEx** (Yam, 2013).

Strongyleria pannea (Lindl.) Schuit. et al.: Ng et al., Bot. J. Linn. Soc. 186: 201 (2018). – *Eria pannea* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 100 (1907); Ridley, Fl. Malay Penins. 4: 99 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 92, fig. 175 (1998); Turner et al., Gard. Bull. Singapore 48: 152 (1998 [‘1996’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 192 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 102, 446 (2013); Yam, Native Orchids Singapore: 117 (2013). – *Mycaranthes pannea* (Lindl.) S.C.Chen & J.J.Wood: Wood et al., Orchids Mount Kinabalu 2: 417 (2011). **Native; NEx** (Yam, 2013).

Strongyleria pellipes (Rchb.f. ex Hook.f.) Schuit. et al.: Ng et al., Bot. J. Linn. Soc. 186: 201 (2018). – *Eria pellipes* Rchb.f. ex Hook.f.: Turner, Gard. Bull. Singapore 45: 171 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 301 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 92 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 161, 192 (2009); Yam, Native Orchids Singapore: 117 (2013). – *Eria teretifolia* Griff., nom. illeg. hom.: Ridley, Fl. Malay Penins. 4: 99 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). **Native; NEx** (Yam, 2013).

Taeniophyllum filiforme J.J.Sm.: Holttum, Rev. Fl. Malaya 1: 589 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 593 (1964); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 579 (1992); Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 107, fig. 205 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 163, 198 (2009); Yam, Native Orchids Singapore: 118 (2013). **Native; NEx** (Yam, 2013).

Taeniophyllum pusillum (Willd.) Seidenf. & Ormerod: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 163, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 245, 453 (2013); Yam, Native Orchids Singapore: 63, 118 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 168 (2014 [2015]). – *Taeniophyllum obtusum* Blume: Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 107, fig. 206 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Wood et al., Orchids Mount Kinabalu 2: 535 (2011). – *Taeniophyllum serrula* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 161 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 173 (1907); Ridley, Fl. Malay Penins. 4: 176 (1924). **Native; CR** (Yam, 2013).

Thelasis carinata Blume: Ridley, Fl. Malay Penins. 4: 200 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990); Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 107, fig. 207 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 199 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Oxyanthera elata* (Hook.f.) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 200 (1907). **Native; NEx** (Yam, 2013).

Thelasis micrantha (Brongn.) J.J.Sm.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 178 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 108 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 199 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Thelasis decurva* Hook.f.: Ridley, Fl. Malay Penins. 4: 200 (1924). – *Oxyanthera micrantha* Brongn.: Ridley, Mat. Fl. Malay. Penins. 1: 200 (1907). – *Oxyanthera decurva* (Hook.f.) Hook.f.: Hooker, Hooker's Icon. Pl. 22(3) [ser. 4, 2(3)]: pl. 2157 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900). **Native; NEx** (Yam, 2013).

Thelasis pygmaea (Griff.) Lindl.: Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 108, fig. 208 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 199 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Thelasis triptera* Rchb.f.: Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990). – *Thelasis elongata* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 199 (1907); Ridley, Fl. Malay Penins. 4: 199 (1924). **Native; NEx** (Yam, 2013).

Thrixspermum acuminatissimum (Blume) Rchb.f.: Holttum, Rev. Fl. Malaya 1: 596 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 600 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 639 (1992); Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 109 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 199 (2009); Wood

et al., Orchids Mount Kinabalu 2: 549 (2011); Yam, Native Orchids Singapore: 118 (2013). – *Thrixspermum notabile* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 183 (1907); Ridley, Fl. Malay Penins. 4: 186 (1924). – *Sarcochilus notabilis* Hook.f.: Hooker, Hooker's Icon. Pl. 22(2) [ser. 4, 2(2)]: pl. 2126 (1893). **Native; NEx** (Yam, 2013).

Thrixspermum amplexicaule (Blume) Rchb.f.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 109, fig. 209 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Lok et al., Nat. Singapore 1: 61 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 213 (2009); Yam, Native Orchids Singapore: 85, 112, 118 (2013); Lim et al., Fl. Singapore 1: 89, 94 (2019). – *Thrixspermum lilacinum* (Griff.) Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 181 (1907); Ridley, Fl. Malay Penins. 4: 184 (1924). – *Sarcochilus lilacinus* Griff.: Hooker, Fl. Brit. India 6, fasc. 17: 40 (1890). **Native; CR** (Yam, 2013).

Thrixspermum calceolus (Lindl.) Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 181 (1907); Ridley, Fl. Malay Penins. 4: 184 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 109 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 199 (2009); Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102, 122 (2019); Soh et al., 1001 Gard. Pl. Singapore (Succulents etc.): 287, 317 (2020). **Native; NEx** (assessed here).

Thrixspermum centipeda Lour.: Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 109 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 199 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Thrixspermum arachnites* (Blume) Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 182 (1907); Ridley, Fl. Malay Penins. 4: 185 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994). **Native; NEx** (Yam, 2013).

Thrixspermum clavatum (J.Koenig) Garay: WCSP. – *Thrixspermum ridleyanum* Schltr.: Holttum, Rev. Fl. Malaya 1: 607 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 611 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 651 (1992); Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 616 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 109, fig. 210 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Yam, Native Orchids Singapore: 118 (2013). – *Dendrocolla maculata* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 186 (1907); Ridley, Fl. Malay Penins. 4: 188 (1924). **Native; NEx** (Yam, 2013).

Thrixspermum filiforme (Hook.f.) Kuntze: Kocyan & Schuiteman, Phytotaxa 161(1): 75 (2013). – *Cordiglottis filiformis* (Hook.f.) Garay: Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 637 (1992); Turner, Gard. Bull. Singapore 45: 166 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 122 (1994); Ng & Wee (ed.), Singapore Red Data Book: 300 (1994); Turner, Gard. Bull. Singapore 47: 579 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 81 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 160, 190 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 66, 441 (2013); Yam, Native Orchids Singapore: 116 (2013). – *Cheirorchis filiformis* (Hook.f.) Carr: Holttum, Rev. Fl. Malaya 1: 675 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 679 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 77 (1990). – *Dendrocolla filiformis* (Hook.f.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 184 (1907); Ridley, Fl. Malay Penins. 4: 187 (1924). **Native; NEx** (Yam, 2013).

Thrixspermum scopo (Rchb.f. ex Hook.f.) Holttum: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 109, fig. 211 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 199 (2009); Yam, Native Orchids Singapore: 118 (2013). **Native; NEx** (Yam, 2013).

Thrixspermum trichoglottis (Hook.f.) Kuntze: Holttum, Rev. Fl. Malaya 1: 607 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 611 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 655 (1992); Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 110, fig. 212 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 163, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 453 (2013); Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019); Lim et al., Fl. Singapore 1: 89 (2019). – *Dendrocolla trichoglottis* (Hook.f.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 162 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 185 (1907); Ridley, Fl. Malay Penins. 4: 187 (1924). – *Sarcochilus trichoglottis* Hook.f.: Hooker, Fl. Brit. India 6, fasc. 17: 39 (1890); Hooker, Hooker's Icon. Pl. 22(1) [ser. 4, 2(1)]: pl. 2123 (1892). **Native; CR** (Yam, 2013).

Trichotosia gracilis (Hook.f.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 104 (1924); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 268 (1992); Turner, Gard. Bull. Singapore 45: 179 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 110 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 163, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). – *Eria gracilis* Hook.f.: Ridley, Mat. Fl. Malay. Penins. 1: 95 (1907); Holttum, Rev. Fl. Malaya 1: 359 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 362 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). – *Eria oligantha* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900). **Native; NEx** (Yam, 2013).

Trichotosia velutina (Lodd. ex Lindl.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 101 (1924); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 111 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 163, 199 (2009); Ang et al., Nat. Singapore 5: 199 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 453 (2013); Yam, Native Orchids Singapore: 118 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018). – *Eria velutina* Lodd. ex Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 94 (1907); Corner, Gard. Bull. Singapore, Suppl. 1: 79 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). **Native; CR** (assessed here).

Trichotosia vestita (Wall. ex Lindl.) Kraenzl.: Ridley, Fl. Malay Penins. 4: 100 (1924); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 111, fig. 213 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 163, 199 (2009); Yam, Native Orchids Singapore: 118 (2013). – *Eria vestita* (Wall. ex Lindl.) Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 659 (1859 ['1855']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 159 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 92 (1907); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 78 (1990). **Native; NEx** (Yam, 2013).

Tropidia curculigoides Lindl.: Ridley, Fl. Malay Penins. 4: 209 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 111 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 163, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). – *Tropidia squamata* Blume: Ridley, Mat. Fl. Malay. Penins. 1: 209 (1907). **Native; NEx** (Yam, 2013).

Vanilla griffithii Rchb.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 201 (1907); Ridley, Fl. Malay Penins. 4: 201 (1924); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 125 (1992); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 111, fig. 214 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 228 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 163, 224 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 257, 453 (2013); Yam, Native Orchids Singapore: 10, 86, 112, 118 (2013); Lim et al., Fl. Singapore 1: 94 (2019). **Native; EN** (assessed here).

Vrydagzynea albida (Blume) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 163 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 211 (1907); Holttum, Rev. Fl. Malaya 1: 136 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 138 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 65 (1992); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore

47: 619 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 112 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 163, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 260, 453 (2013); Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). **Native; NEx** (Yam, 2013).

Vrydagzynea lancifolia Ridl.: Ridley, J. Linn. Soc., Bot. 32: 398 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 163 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 210 (1907); Ridley, Fl. Malay Penins. 4: 210 (1924); Holttum, Rev. Fl. Malaya 1: 135 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 137 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 65 (1992); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 112 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 163, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 260, 453 (2013); Yam, Native Orchids Singapore: 118 (2013); Lim et al., Nat. Singapore 7: 1 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 102 (2019). **Native; CR** (Lim et al., 2014).

Vrydagzynea tristriata Ridl.: Ridley, J. Linn. Soc., Bot. 32: 398 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 163 (1900); Ridley, Mat. Fl. Malay. Penins. 1: 211 (1907); Ridley, Fl. Malay Penins. 4: 211 (1924); Holttum, Rev. Fl. Malaya 1: 136 (1953); Holttum, Rev. Fl. Malaya, ed. 3, 1: 138 (1964); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Seidenfaden & Wood, Orchids Penins. Malaysia & Singapore: 65 (1992); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner, Gard. Bull. Singapore 47: 619 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 112 (1998); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 163, 199 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 261, 454 (2013); Yam, Native Orchids Singapore: 118 (2013). **Native; NEx** (Yam, 2013).

Zeuxine clandestina Blume: Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 163, 213 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011), p.p.; Ormerod, Harvard Pap. Bot. 23: 269 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019), p.p. **Native; CR** (Chong et al., 2009).

Zeuxine parvifolia (Ridl.) K.Schum. & Fedde: Ormerod, Harvard Pap. Bot. 23: 274 (2018). – **Zeuxine clandestina** auct. non Blume: Ridley, Mat. Fl. Malay. Penins. 1: 218 (1907), p.p.; Ridley, Fl. Malay Penins. 4: 217 (1924), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 112, fig. 215 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 163, 213 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 60 (2011), p.p.; Yam, Native Orchids Singapore: 118 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019), p.p. – **Zeuxine gracilis** auct. non (Breda) Blume: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 112 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 163, 213 (2009); Yam, Native Orchids Singapore: 118 (2013). **Native; DD** (assessed here).

Zeuxine strateumatica (L.) Schltr.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 163, 199 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Yam, Native Orchids Singapore: 118 (2013). **Native; CR** (assessed here).

Orobanchaceae

Centranthera tranquebarica (Spreng.) Merr.: Keng, Gard. Bull. Singapore 39(1): 75 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 212 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 469 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 163, 269 (2009); Lok et al., Cosmos 6: 81 (2010); Kaw & Neo, Wayside Fls Singapore: 168 (2018). – *Centranthera humifusa* Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 89 (1901); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 364 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 487 (1923). **Cryptogenic** (assessed here).

Striga asiatica (L.) Kuntze: Keng, Gard. Bull. Singapore 39(1): 77 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180, fig. 135.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 164, 273 (2009); Lok et al., Cosmos 6: 81 (2010); Kaw & Neo, Wayside Fls Singapore: 175 (2018). – *Striga hirsuta* (Benth.) Benth., nom. illeg. superfl.: Ridley, Fl. Malay Penins. 2: 487 (1923). – *Striga lutea* Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 363 (1906 ['1905']). **Cryptogenic** (assessed here).

Oxalidaceae

Averrhoa bilimbi L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900); Knuth in Engler, Pflanzenr., IV, fam. 130 (Heft 95): 418 (1930); Veldkamp, Fl. Males., ser. 1, 7(1): 177 (1972 ['1971']); Keng, Gard. Bull. Singapore 33: 341 (1980); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 164, 262 (2009); Lok et al., Cosmos 6: 76 (2010). **Non-native, casual** (Chong et al., 2009).

Averrhoa carambola L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900); Veldkamp, Fl. Males., ser. 1, 7(1): 175 (1972 ['1971']); Keng, Gard. Bull. Singapore 33: 341 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 96, fig. 86.1 (1990); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 164, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 222 (2014 [2015]); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103, 132 (2019). **Non-native, casual** (Chong et al., 2009).

Dapania racemosa Korth.: Veldkamp, Fl. Males., ser. 1, 7(1): 167 (1972 ['1971']); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 33: 341 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 96 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 164, 190 (2009); Turner & Chua, Checkl.

Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Ho et al., Gard. Bull. Singapore 70: 42 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). – *Dapania scandens* Stapf: Sinclair, Gard. Bull. Singapore 15: 23 (1956). **Native; CR** (Ho et al., 2018).

Oxalis barrelieri L.: Ridley, Fl. Malay Penins. 1: 330 (1922); Veldkamp, Fl. Males., ser. 1, 7(1): 155 (1972 ['1971']); Keng, Gard. Bull. Singapore 33: 341 (1980); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 96 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 180 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner et al., Gard. Bull. Singapore 46(2): 27 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 164, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Hung et al., Nat. Singapore 10: 17 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 40 (2018). **Non-native, naturalised** (Chong et al., 2009).

Oxalis corniculata L.: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 56 (1900); Ridley, Fl. Malay Penins. 1: 330 (1922); Veldkamp, Fl. Males., ser. 1, 7(1): 155 (1972 ['1971']); Keng, Gard. Bull. Singapore 33: 341 (1980); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 96, fig. 86.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner, Gard. Bull. Singapore 47: 396 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 164, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 179 (2018). **Non-native, naturalised** (Chong et al., 2009).

Oxalis debilis Kunth

Oxalis debilis Kunth var. **corymbosa** (DC.) Lourteig: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 164, 267 (2009); Lok et al., Cosmos 6: 71 (2010). – *Oxalis corymbosa* DC.: Veldkamp, Fl. Males., ser. 1, 7(1): 159 (1972 ['1971']); Keng, Gard. Bull. Singapore 33: 341 (1980); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 96 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994). **Non-native, casual*** (assessed here).

Sarcotheca griffithii (Planch. ex Hook.f.) Hallier f.: Veldkamp, Fl. Males., ser. 1, 7(1): 170 (1972 ['1971']); Keng, Gard. Bull. Singapore 33: 341 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 96 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 396 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 164, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 223, 454 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). **Native; CR** (Wong et al., 2013).

Sarcotheca laxa (Ridl.) R.Knuth: Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']).

Sarcotheca laxa (Ridl.) R.Knuth var. **sericea** (Ridl.) Veldkamp: Veldkamp, Fl. Males., ser. 1, 7(1): 171 (1972 ['1971']); Turner, Gard. Bull. Singapore 45: 181 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 302 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']);

Turner, Gard. Bull. Singapore 47: 396 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 164, 211 (2009). – *Connaropsis macrophylla* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900); Ridley, Fl. Malay Penins. 1: 334 (1922). **Native; CR** (Chong et al., 2009).

Pandaceae

Galearia fulva (Tul.) Miq.: Ridley, Fl. Malay Penins. 3: 257 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 361 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 83 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 164, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011); Van Welzen, Fl. Males., ser. 1, 20: 20 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 124, 454 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 4: 343 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). – *Galearia affinis* (R.Br.) Miq.: Hooker, Fl. Brit. India 5, fasc. 14: 379 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900); Ridley, Fl. Malay Penins. 3: 255 (1924). – *Galearia finlaysonii* (R.Br.) Miq.: Ridley, Fl. Malay Penins. 3: 257 (1924). – *Galearia phlebocarpa* (R.Br.) Miq.: Miquel, Fl. Ned. Ind. 1(2), fasc. 3: 429 (1859); Hooker, Fl. Brit. India 5, fasc. 14: 380 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900); Ridley, Fl. Malay Penins. 3: 255 (1924). – *Galearia wallichii* (R.Br.) Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900); Ridley, Fl. Malay Penins. 3: 256 (1924). – *Galearia subulata* (Müll.Arg.) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900). – *Bennettia phlebocarpa* R.Br.: Brown in Bennett, Pl. Jav. Rar.: 251 (1852). **Native; VU** (assessed here).

Galearia maingayi Hook.f.: Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 396 (1997 ['1995']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 164, 205 (2009); Van Welzen, Fl. Males., ser. 1, 20: 37 (2011); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 4: 345 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). **Native; CR** (assessed here).

Microdesmis caseariifolia Planch. ex Hook.: Hooker, Icon. Pl. 8 [ser. 2, 4], fasc. 2: sub. t. 758 (1848), as ‘*caseariaefolia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900), as ‘*caseariifolia*’; Ridley, Fl. Malay Penins. 3: 258 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1467 (1935); Keng, Gard. Bull. Singapore 33: 365 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 302 (2003); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 655, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 164, 229 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 179, 455 (2013); Syahida-Emiza, Fl. Penins. Malaysia, ser. 2, 4: 349 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). **Native; VU** (assessed here).

Pandanaceae

Benstonea affinis (Kurz) Callm. & Buerki: Stone, Sandakania 2: 57 (1993); Callmander et al., Candollea 67(2): 330 (2012). – *Pandanus affinis* Kurz: Stone, Fed. Mus. J. 23, n.s.: 13 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 635 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 49 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 195 (2009). – *Pandanus aurantiacus* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 41: 49 (1904); Ridley, Mat. Fl. Malay. Penins. 2: 231 (1907); Ridley, Fl. Malay Penins. 5: 81 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1647 (1935); Kanehira, J. Jap. Bot. 14: 430 (1938); St. John, Pacific Sci. 17: 329 (1963). **Native; CR** (assessed here).

Benstonea atrocarpa (Griff.) Callm. & Buerki: Callmander et al., Candollea 67(2): 330 (2012); Yee et al., Fl. Singapore 1: 60 (2019). – *Pandanus atrocarpus* Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 170 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 230 (1907); Ridley, Fl. Malay Penins. 5: 80 (1925); Stone, Malayan Nat. J. 21: 135 (1968); Stone, Fed. Mus. J. 23, n.s.: 26 (1978); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 636 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 49 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 194, 455 (2013). **Native; EN** (assessed here).

Benstonea ornata (Kurz) Callm. & Buerki: Callmander et al., Candollea 67(2): 336 (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). – *Pandanus monotheaca* Martelli: Stone, Fed. Mus. J. 23, n.s.: 33 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 637 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 50 (1998); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011). – *Pandanus tetrodon* auct. non Ridl.: Lee et al., Gard. Bull. Singapore 55: 290 (2003). – *Pandanus ornatus* Kurz, nom. cons. prop.: Hooker, Fl. Brit. India 6, fasc. 19: 486 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 171 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 229 (1907); Ridley, Fl. Malay Penins. 5: 80 (1925). **Native; EN** (assessed here).

Benstonea parva (Ridl.) Callm. & Buerki: Stone, Sandakania 2: 68 (1993); Callmander et al., Candollea 67(2): 337 (2012); Callmander et al., Willdenowia 51: 16 (2021). – *Pandanus parvus* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 171 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 227 (1907); Ridley, Fl. Malay Penins. 5: 78 (1925); Stone, Malayan Nat. J. 21: 136 (1968); Stone, Fed. Mus. J. 23, n.s.: 39 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 637 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 50 (1998); Chew et al., Gard. Bull.

Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 209 (2009); Neo et al., Nat. Singapore 7: 106 (2014). – *Pandanus flagillifer* Warb.: Warburg in Engler, Pflanzenr., IV, fam. 9 (Heft 3): 80 (1900). **Native; EN** (assessed here).

Freycinetia angustifolia Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 172 (1900); Stone, Gard. Bull. Singapore 25(2): 197 (1970); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 635 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 48, fig. 103 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 164, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 122, 455 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). – *Freycinetia malaccensis* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 233 (1907); Ridley, Fl. Malay Penins. 5: 83 (1925). **Native; CR** (assessed here).

Freycinetia confusa Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 233 (1907); Ridley, Fl. Malay Penins. 5: 82 (1925); Stone, Gard. Bull. Singapore 25(2): 203 (1970); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 635 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 49 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 164, 192 (2009). **Native; CR** (assessed here).

Freycinetia corneri B.C.Stone: Stone, Brittonia 20: 199 (1968); Stone, Gard. Bull. Singapore 25(2): 198 (1970); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 635 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 49 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 164, 192 (2009). **Native; CR** (assessed here).

Freycinetia javanica Blume: Stone, Gard. Bull. Singapore 25(2): 195 (1970); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']), as '*Frecinetia*'; Turner, Gard. Bull. Singapore 47: 635 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 48, fig. 104 (1998); Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']), as '*Frecinetia*'; Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 164, 192 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ang et al., Nat. Singapore 5: 117 (2012); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Lim et al., Fl. Singapore 1: 88 (2019). – *Freycinetia javanica* Blume var. *javanica*: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 122, 455 (2013). – *Freycinetia lucens* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 233 (1907);

Ridley, Fl. Malay Penins. 5: 83 (1925). – *Freycinetia gaudichaudii* auct. non Benn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 172 (1900), as ‘gaudichaudi’. **Native; CR** (assessed here).

Freycinetia sumatrana Hemsl.: Stone, Gard. Bull. Singapore 25(2): 199 (1970); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 186 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 48 (1998). – *Freycinetia sumatrana* Hemsl. var. *sumatrana*: Turner, Gard. Bull. Singapore 47: 635 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 164, 228 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 122, 455 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103, 132 (2019). – *Freycinetia valida* Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 234 (1907); Ridley, Fl. Malay Penins. 5: 83 (1925). – *Freycinetia cf. insignis* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 172 (1900), as ‘*Freycinetia insignis* Bl.?’. **Native; VU** (assessed here).

Pandanus amaryllifolius Roxb. ex Lindl.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 49, fig. 105 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Hung et al., Nat. Singapore 10: 34 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103, 132 (2019). **Non-native, casual** (assessed here).

Pandanus houlettei Carrière: Hooker, Fl. Brit. India 6, fasc. 19: 486 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 171 (1900); Warburg in Engler, Pflanzenr., IV, fam. 9 (Heft 3): 87 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 224 (1907), as ‘*houlettei*’; Ridley, Fl. Malay Penins. 5: 74 (1925); Stone, Malayan Nat. J. 21: 128 (1968), as ‘*houlettei*’; Stone, Fed. Mus. J. 28, n.s.: 26 (1983), as ‘*houlettei*’; Stone, Blumea 32: 431 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990), as ‘*houlettei*’; Turner, Gard. Bull. Singapore 45: 186 (1993), as ‘*houlettei*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994), as ‘*houlettei*’; Ng & Wee (ed.), Singapore Red Data Book: 303 (1994), as ‘*houlettei*’; Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 636 (1997 [‘1995’]), as ‘*houlettei*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 50 (1998), as ‘*houlettei*’; Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 [‘1997’]), as ‘*houlettei*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008), as ‘*houlettei*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011), as ‘*houlettei*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). **Native; CR** (assessed here).

Pandanus nitidus (Miq.) Kurz: Kurz, J. Bot. 5: 103 (1867). – *Pandanus singaporenensis* Kaneh.: Kanehira, J. Jap. Bot. 14: 433 (1938); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 209 (2009); Hung et al., Nat. Singapore 10: 34 (2017). – *Pandanus tetrodon* Ridl., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 68: 13 (1915); Ridley, Fl. Malay Penins. 5: 75 (1925); St. John, Pacific Sci. 17: 353, fig. 187 (1963); Stone, Malayan Nat. J. 21: 8 (1968); Stone, Fed. Mus. J. 28, n.s.: 83 (1983); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Stone, Sandakania 2: 43 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 638 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 50 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008). **Native; NEx** (assessed here).

Pandanus odorifer (Forssk.) Kuntze: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 229 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017). – *Pandanus odoratissimus* L.f.: Stone, Gard. Bull. Singapore 22(2): 236 (1967); Turner et al., J. Singapore Natl

Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 50, fig. 106 (1998); Lee et al., Gard. Bull. Singapore 55: 290 (2003). – *Pandanus ambigiaucus* H.St.John: St. John, Pacific Sci. 17: 13 (1963). – *Pandanus carnosus* H.St.John: St. John, Pacific Sci. 17: 20 (1963). – *Pandanus inclinatus* H.St.John: St. John, Pacific Sci. 17: 24 (1963). – *Pandanus incrassatus* H.St.John: St. John, Pacific Sci. 17: 26 (1963). – *Pandanus boryi* Gaudich.: St. John, Pacific Sci. 17: 18 (1963). – *Pandanus obtusus* H.St.John: St. John, Pacific Sci. 17: 28 (1963). – *Pandanus fascicularis* Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 171 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 223 (1907); Ridley, Fl. Malay Penins. 5: 73 (1925). **Native; LC** (assessed here).

Pandanus rostratus Martelli: Turner, Gard. Bull. Singapore 45: 187 (1993); Stone, Sandakania 2: 49 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 638 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 50 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 195 (2009). – *Pandanus corneri* Kaneh.: Stone, Malayan Nat. J. 21: 14 (1968); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990). **Native; NEx** (assessed here).

Pandanus yvanii Solms: Stone, Malayan Nat. J. 21: 132 (1968); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Turner, Gard. Bull. Singapore 47: 638 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 50 (1998); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019); Callmander et al., Willdenowia 51: 21 (2021). – *Pandanus motleyanus* Solms: Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']). – *Pandanus scorechinii* auct. non Martelli: Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']). – *Pandanus militaris* Warb.: Warburg in Engler, Pflanzenr., IV, fam. 9 (Heft 3): 79 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 227 (1907); Ridley, Fl. Malay Penins. 5: 78 (1925); Turner, Gard. Bull. Singapore 47: 637 (1997 ['1995']). – *Pandanus ridleyi* Martelli: Martelli, Bull. Soc. Bot. Ital. 1904: 303 (1904); Ridley, Mat. Fl. Malay. Penins. 2: 228 (1907); Ridley, Fl. Malay Penins. 5: 80 (1925). **Native; CR** (assessed here).

Passifloraceae

Adenia cordifolia (Blume) Engl.: De Wilde & Duyfjes, Fl. Singapore 10 (in prep.). – *Modecca populifolia* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900). **Native; EN** (assessed here).

Adenia macrophylla (Blume) Koord.: Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 9, 455 (2013).

Adenia macrophylla (Blume) Koord. var. **singaporiana** (Wall. ex G.Don) W.J.de Wilde: De Wilde, Meded. Landbouwhoogeschool Wageningen 71(18): 231 (1971), as 'singaporeana'; De Wilde, Fl. Males., ser. 1, 7(2): 429 (1973 ['1972']), as 'singaporeana'; Keng, Gard. Bull. Singapore 28(2): 239 (1976), as 'microphylla' var. 'singaporeana'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 42, fig. 33.1 (1990), as 'singaporeana'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990), as 'singaporeana'; Turner,

Gard. Bull. Singapore 45: 187 (1993), as ‘singaporeana’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994), as ‘singaporeana’; Ng & Wee (ed.), Singapore Red Data Book: 20, 304 (1994), as ‘singaporeana’; Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 [‘1994’]), as ‘singaporeana’; Turner, Gard. Bull. Singapore 47: 397 (1997 [‘1995’]), as ‘singaporeana’; Turner et al., Gard. Bull. Singapore 48: 153 (1998 [‘1996’]), as ‘singaporeanna’; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 2, 776 (2006), as ‘singaporeana’ (p. 2), as ‘singapureana’ (p. 776); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 23, 236 (2008), as ‘singaporeana’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 164, 219 (2009), as ‘singaporeana’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011), as ‘singaporeana’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 10, 456 (2013), as ‘singaporeana’; Neo et al., Nat. Singapore 7: 66 (2014), as ‘singaporeana’; Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 76, 807 [2015], as ‘singaporeana’; De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 278 (2018), as ‘singaporeana’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 2, 382 (2020). – *Adenia singaporiana* (Wall. ex G.Don) Engl.: Engler, Bot. Jahrb. Syst. 14(4): 376 (1891), as ‘singaporeana’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 71: 55 (1902), as ‘singaporeana’; Ridley, Fl. Malay Penins. 1: 841 (1922), as ‘singaporeana’. – *Modecca singaporiana* (Wall. ex G.Don) Mast.: Masters in Hooker, Fl. Brit. India 2, fasc. 6: 601 (1879), p.p., as ‘singaporeana’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900), as ‘singaporeana’. – *Passiflora singaporiana* Wall. ex G.Don: Don, Gen. Hist. 3: 55 (1834). – *Passiflora singaporeana* Wall., nom. nud.: Wallich, Numer. List no. 1232 (1829). **Native; EN** (assessed here).

Passiflora foetida L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 839 (1922); Keng, Gard. Bull. Singapore 28(2): 239 (1976); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 42, fig. 33.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 302 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 165, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 6: 15 (2013); Hung et al., Nat. Singapore 10: 47 (2017); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 288 (2018); Kaw & Neo, Wayside Fls Singapore: 141 (2018). – *Passiflora foetida* L. f. *latifolia* Kuntze: Kuntze, Revis. Gen. Pl. 1: 254 (1891). **Non-native, naturalised** (assessed here).

Passiflora laurifolia L.: Kuntze, Revis. Gen. Pl. 1: 254 (1891); Ridley, Fl. Malay Penins. 1: 840 (1922); Keng, Gard. Bull. Singapore 28(2): 239 (1976); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 42, fig. 33.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 302 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 165, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 198, 456 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017). – *Adenia macrophylla* auct. non (Blume) Koord. var. *macrophylla*: Lee et al., Gard. Bull. Singapore 55: 302 (2003). **Non-native, naturalised** (assessed here).

Passiflora quadrangularis Rodschied: Ho et al., Gard. Bull. Singapore 70: 36 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103, 122 (2019). **Non-native, naturalised** (assessed here).

Passiflora suberosa L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 840 (1922); Keng, Gard. Bull. Singapore 28(2): 239 (1976), as ‘*subrosa*’; Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 43 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner et al., Gard. Bull. Singapore 46(2): 28 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 397 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 165, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 291 (2018); Kaw & Neo, Wayside Fls Singapore: 24 (2018). – *Passiflora minima* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900). **Non-native, naturalised** (assessed here).

Piriqueta racemosa (Jacq.) Sweet: Chen et al., Hikobia 18: 7 (2019). **Non-native, naturalised** (Chen et al., 2019).

Turnera subulata Sm.: Backer, Fl. Males., ser. 1, 4(3): 236 (1951); Keng, Gard. Bull. Singapore 28(2): 239 (1976); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 42 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 221 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 183, 269 (2009); Kiew, Fl. Penins. Malaysia, ser. 2, 1: 284 (2010); Lok et al., Cosmos 6: 73 (2010). – *Turnera trioniflora* Sims: Ridley, Fl. Malay Penins. 1: 838 (1922). – *Turnera ulmifolia* L. var. *elegans* (Otto) Urb.: Kuntze, Revis. Gen. Pl. 1: 252 (1891). **Non-native, naturalised** (Chong et al., 2009).

Turnera ulmifolia L.: Ridley, Fl. Malay Penins. 1: 838 (1922); Backer, Fl. Males., ser. 1, 4(3): 237 (1951); Henderson, Malay. Wild Fls, Dicot.: 169 (1959); Keng, Gard. Bull. Singapore 28(2): 239 (1976); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 42, fig. 32.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 221 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Lee et al., Gard. Bull. Singapore 55: 306 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 183, 269 (2009); Kiew, Fl. Penins. Malaysia, ser. 2, 1: 286 (2010); Lok et al., Cosmos 6: 73 (2010); Hung et al., Nat. Singapore 10: 48 (2017); Kaw & Neo, Wayside Fls Singapore: 176 (2018). – *Turnera ulmifolia* L. var. *angustifolia* (Mill.) Willd.: Kuntze, Revis. Gen. Pl. 1: 252 (1891). **Non-native, naturalised** (Chong et al., 2009).

Pedaliaceae

Sesamum indicum L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 120 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 386 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 553 (1923); Backer, Fl. Males., ser. 1, 4(3): 217 (1951); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 165, 268 (2009); Yao, Fl. Penins. Malaysia, ser. 2, 1: 157 (2010); Lok et al., Cosmos 6: 71 (2010). – *Sesamum orientale* L.: Keng, Gard. Bull. Singapore 39(1): 81 (1986); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 185, fig. 139.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994). – *Volkameria orientalis* (L.) Kuntze var. *indivisa* Kuntze: Kuntze, Revis. Gen. Pl. 2: 481 (1891). **Non-native, naturalised** (assessed here).

Sesamum radiatum Thonn. ex Hornem.: Backer, Fl. Males., ser. 1, 4(3): 218 (1951); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Tan

et al., Gard. Bull. Singapore 44: 131 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Turner, Gard. Bull. Singapore 47: 398 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 165, 268 (2009); Yao, Fl. Penins. Malaysia, ser. 2, 1: 158 (2010); Lok et al., Cosmos 6: 71 (2010). **Non-native, naturalised** (assessed here).

Pentaphragmataceae

Pentaphragma ellipticum Poulsen: Airy-Shaw, Fl. Males., ser. 1, 4(5): 527 (1954); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011). – *Pentaphragma horsfieldii* auct. non (Miq.) Airy Shaw: Keng, Gard. Bull. Singapore 38(2): 166 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 165, fig. 127.3 (1990). – *Pentaphragma ridleyi* King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 57 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 202 (1923); Keng, Gard. Bull. Singapore 38(2): 167 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 165 (1990). – *Pentaphragma scortechinii* auct. non King & Gamble: Ridley, Fl. Malay Penins. 2: 203 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1691 (1935). – *Pentaphragma begoniifolium* auct. non (Roxb.) G. Don: Clarke in Hooker, Fl. Brit. India 3, fasc. 8: 437 (1881), p.p., as '*begoniaefolium*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900), as '*begoniaefolium*'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 55 (1906 ['1905']), as '*begoniaefolium*'. – *Pentaphragma scortechinii* King & Gamble var. *parvifolium* auct. non King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 56 (1906 ['1905']), p.p., as '*parvifolia*'.

Pentaphragma ellipticum Poulsen var. *ellipticum*: Kiew, Malayan Nat. J. 43(1): 6 (1989); Ng & Wee (ed.), Singapore Red Data Book: 43 (1994); Turner, Gard. Bull. Singapore 47: 398 (1997 ['1995']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 186 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 32, 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 165, 223 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). **Native; CR** (assessed here).

Pentaphylacaceae

Adinandra acuminata Korth.: Dyer in Hooker, Fl. Brit. India 1, fasc. 2: 282 (1874); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900); Ridley, Fl. Malay Penins. 1: 194 (1922); Keng, Gard. Bull. Singapore 28(2): 246 (1976); Keng, Tree Fl. Malaya 3: 277 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 482 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 165, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 10, 456 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). **Native; NEx** (assessed here).

Adinandra dumosa Jack: Dyer in Hooker, Fl. Brit. India 1, fasc. 2: 282 (1874); Kuntze, Revis. Gen. Pl. 1: 61 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900); Ridley, Fl. Malay Penins. 1: 194 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 53 (1935); Keng, Gard. Bull. Singapore 28(2): 247 (1976); Keng, Tree Fl. Malaya 3: 278 (1978); Keng, Concise Fl. Singapore,

vol. 1, Gymn. Dicot.: 50, fig. 41.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 506, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 165, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 10, 456 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 224 (2014 [2015]); Hung et al., Nat. Singapore 10: 15, 22 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019); Yee et al., Fl. Singapore 1: 52 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 47, 310 (2020). **Native; LC** (Wong et al., 2013).

Adinandra integrifolia T. Anderson ex Dyer: Keng, Tree Fl. Malaya 3: 279 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 482 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 165, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 10, 456 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). – *Adinandra hullettii* King: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 59: 191 (1890); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 48 (1900), as ‘*hulletti*’; Ridley, Fl. Malay Penins. 1: 196 (1922); Keng, Gard. Bull. Singapore 28(2): 247 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50 (1990). **Native; CR** (assessed here).

Eurya acuminata DC.: Ridley, Fl. Malay Penins. 1: 199 (1922); Keng, Gard. Bull. Singapore 28(2): 247 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 165, 227 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 106, 457 (2013); Neo et al., Nat. Singapore 7: 66 (2014). **Native; LC** (Wong et al., 2013).

Ternstroemia coriacea Scheff.: Yao, Gard. Bull. Singapore 68: 217 (2016). – *Ternstroemia penangiana* auct. non Choisy: Keng, Tree Fl. Malaya 3: 295 (1978), p.p.; Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 484 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 165, 213 (2009). **Native; CR** (Chong et al., 2009).

Ternstroemia palembangensis Kobuski: Yao, Gard. Bull. Singapore 68: 218 (2016). – *Ternstroemia corneri* H. Keng: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 165, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 246, 457 (2013). **Native; CR** (Wong et al., 2013).

Ternstroemia penangiana Choisy: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Yao, Gard. Bull. Singapore 68: 216 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 103 (2019). – *Ternstroemia bancana* Miq.: Ridley, Fl. Malay Penins. 1: 197 (1922); Keng, Gard. Bull. Singapore 28(2): 247 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 165, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011). – *Adinandra miquelii* King, nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900). **Native; NEx** (Chong et al., 2009).

Ternstroemia wallichiana (Griff.) Engl.: Ridley, Fl. Malay Penins. 1: 198 (1922); Keng, Gard. Bull. Singapore 28(2): 248 (1976); Keng, Tree Fl. Malaya 3: 295 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 484 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 165, 198 (2009); Yao, Gard. Bull. Singapore 68: 219 (2016). – *Ternstroemia penangiana* auct. non Choisy: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900), p.p. **Native; NEx** (Chong et al., 2009).

Peraceae

Chaetocarpus castanocarpus (Roxb.) Thwaites: Van Welzen & Esser, Fl. Males., ser. 1, 21: 124 (2013); Lim et al., Gard. Bull. Singapore 70: 69 (2018). **Native; NEx** (assessed here).

Petiveriaceae

Rivina humilis L.: Furtado, Gard. Bull. Straits Settlem. 4(11&12): 415 (1929), as '*Rivinia*'; Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1913 (1935); Backer, Fl. Males., ser. 1, 4(3): 229 (1951), as '*Rivinia*'; Keng, Gard. Bull. Singapore 28(2): 256 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 59, fig. 52.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner, Gard. Bull. Singapore 47: 398 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 167, 268 (2009); Lok et al., Cosmos 6: 71 (2010); Kiew, Fl. Penins. Malaysia, ser. 2, 5: 225 (2015); Kaw & Neo, Wayside Fls Singapore: 111 (2018). **Non-native, naturalised** (Chong et al., 2009).

Philydraceae

Philydrum lanuginosum Banks ex Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 110 (1907); Ridley, Fl. Malay Penins. 4: 347 (1924); Skottsberg, Fl. Males., ser. 1, 4(1): 5 (1948); Keng, Gard. Bull. Singapore 40: 123 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Saunders, Gard. Bull. Singapore 46(2): 101 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 22, fig. 50 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 165, 195 (2009); Chen et al., Nat. Singapore 14-e2021040: 1 (2021). **Native; CR** (assessed here).

Phrymaceae

Cyrtandromoea subsessilis (Miq.) B.L.Burtt: POWO. – *Cyrtandromoea acuminata* Benth. & Hook.f. ex C.B.Clarke, nom. illeg. superfl.: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 370 (1884); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 120 (1900). **Native; NEx** (assessed here).

Phyllanthaceae

Actephila excelsa (Dalzell) Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 282 (1887); Ridley, Fl. Malay Penins. 3: 196 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 520 (1936); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005). – *Actephila excelsa* (Dalzell) Müll.Arg. var. *javanica* (Miq.) Pax & K.Hoffm.: Whitmore, Tree Fl. Malaya 2: 52 (1973); Keng, Gard. Bull. Singapore 33: 355 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 46(2): 16 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 209 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 165, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 27 (2011). – *Actephila javanica* Miq.: Hooker, Fl. Brit. India 5, fasc. 14: 283 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Ridley, Fl. Malay Penins. 3: 196 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 521 (1936). **Native; CR** (assessed here).

Antidesma bunius (L.) Spreng.: Hooker, Fl. Brit. India 5, fasc. 14: 358 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 6: 81 (2013). **Non-native, casual** (Chong et al., 2009).

Antidesma coriaceum Tul.: Ridley, Fl. Malay Penins. 3: 233 (1924); Keng, Gard. Bull. Singapore 33: 355 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 127, 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 27 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 457 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Embelia lucida* Wall. ex A.DC.: De Candolle, Trans. Linn. Soc. London 17(1): 134 (1834); Don, Gen. Hist. 4: 23 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 7: 1013 (1859 ['1856']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 114 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 236 (1923). – *Antidesma fallax* Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 359 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900). – *Embelia lucida* Wall., nom. nud.: Wallich, Numer. List no. 2315 (1830). **Native; EN** (Lam et al., 2022).

Antidesma cuspidatum Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 360 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900); Ridley, Fl. Malay Penins. 3: 232 (1924); Keng, Gard. Bull. Singapore 33: 356 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106, fig. 92.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee

(ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 513, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 27 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 458 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; LC** (Wong et al., 2013).

Antidesma neurocarpum Miq.: Keng, Gard. Bull. Singapore 33: 356 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 78 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 27 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 22, 458 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Antidesma alatum* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 358 (1887); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 138 (1900); Ridley, Fl. Malay Penins. 3: 227 (1924). **Native; EN** (Wong et al., 2013).

Antidesma velutinosum Blume: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 137 (1900); Ridley, Fl. Malay Penins. 3: 231 (1924); Keng, Gard. Bull. Singapore 33: 356 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 79 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 214 (2009); Neo et al., Nat. Singapore 7: 106 (2014). **Native; EN** (Chong et al., 2009).

Aporosa benthamiana Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 352 (1887); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 137 (1900); Ridley, Fl. Malay Penins. 3: 236 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 195 (1935); Whitmore, Tree Fl. Malaya 2: 59 (1973), as ‘Aporusa’; Keng, Gard. Bull. Singapore 33: 356 (1980), as ‘Aporusa’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990), as ‘Aporusa’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘Aporusa’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘Aporusa’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘Aporusa’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘Aporusa’; Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']), as ‘Aporusa’; Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']), as ‘Aporusa’; Turner, Gard. Bull. Singapore 47: 211 (1997 ['1995']), as ‘Aporusa’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']), as ‘Aporusa’; Schot, Blumea, Suppl. 17: 276, fig. 3.7n, 3.8q, 3.11g, 4.7b; map 10.34 (2004); LaFrankie et al., Forest Trees Bukit Timah: 128, 160 (2005), as ‘Aporusa’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘Aporusa’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 27 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 458 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 57, 310 (2020); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; VU** (Wong et al., 2013).

Aporosa confusa Gage: Gage, Rec. Bot. Surv. India 9: 229 (1922); Ridley, Fl. Malay Penins. 3: 238 (1924); Keng, Gard. Bull. Singapore 33: 356 (1980), as ‘Aporusa’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990), as ‘Aporusa’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘Aporusa’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘Aporusa’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘Aporusa’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘Aporusa’; Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 [‘1994’]), as ‘Aporusa’; Turner et al., Gard. Bull. Singapore 48: 145 (1998 [‘1996’]), as ‘Aporusa’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘Aporusa’; Schot, Blumea, Suppl. 17: 217, fig. 4.6b, 10.1; map 10.3 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘Aporusa’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 458 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104, 132 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Wong et al., 2013).

Aporosa falcifera Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900); Ridley, Fl. Malay Penins. 3: 236 (1924); Keng, Gard. Bull. Singapore 33: 356 (1980), as ‘Aporusa’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990), as ‘Aporusa’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘Aporusa’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘Aporusa’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘Aporusa’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘Aporusa’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘Aporusa’; LaFrankie et al., Forest Trees Bukit Timah: 160 (2005), as ‘Aporusa’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘Aporusa’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 458 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Wong et al., 2013).

Aporosa frutescens Blume: Ridley, Fl. Malay Penins. 3: 241 (1924); Whitmore, Tree Fl. Malaya 2: 59 (1973), as ‘Aporusa’; Keng, Gard. Bull. Singapore 33: 356 (1980), as ‘Aporusa’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106, fig. 92.4 (1990), as ‘Aporusa’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘Aporusa’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘Aporusa’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘Aporusa’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘Aporusa’; Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 [‘1994’]), as ‘Aporusa’; Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 [‘1994’]), as ‘Aporusa’; Turner, Gard. Bull. Singapore 47: 212 (1997 [‘1995’]), as ‘Aporusa’; Turner et al., Gard. Bull. Singapore 48: 145 (1998 [‘1996’]), as ‘Aporusa’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘Aporusa’; Lee et al., Gard. Bull. Singapore 55: 295 (2003), as ‘Aporusa’; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 513, 776 (2006), as ‘Aporusa’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 27 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 458 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 57, 310 (2020); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Aporosa fruticosa* (Blume) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900). **Native; LC** (Wong et al., 2013).

Aporosa globifera Hook.f.: Schot, Blumea, Suppl. 17: 248 (2004); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 458 (2013); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Wong et al., 2013).

Aporosa lucida (Miq.) Airy Shaw: LaFrankie et al., Forest Trees Bukit Timah: 129, 160 (2005), as ‘*Aporusa*’. – *Aporosa miquelianiana* Müll.Arg.: Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 [‘1994’]), as ‘*Aporusa*’; Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 51 (1998 [‘1997’]); Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘*Aporusa*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘*Aporusa*’.

Aporosa lucida (Miq.) Airy Shaw var. **lucida**: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 200 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 458 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; VU** (Lam et al., 2022).

Aporosa lunata (Miq.) Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900); Ridley, Fl. Malay Penins. 3: 237 (1924); Whitmore, Tree Fl. Malaya 2: 59 (1973), as ‘*Aporusa*’; Keng, Gard. Bull. Singapore 33: 356 (1980), as ‘*Aporusa*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990), as ‘*Aporusa*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘*Aporusa*’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘*Aporusa*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘*Aporusa*’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘*Aporusa*’; Turner, Gard. Bull. Singapore 47: 212 (1997 [‘1995’]), as ‘*Aporusa*’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘*Aporusa*’; LaFrankie et al., Forest Trees Bukit Timah: 160 (2005), as ‘*Aporusa*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘*Aporusa*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 200 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Chong et al., 2009).

Aporosa maingayi Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 348 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900); Ridley, Fl. Malay Penins. 3: 241 (1924); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Aporosa microstachya* auct. non (Tul.) Müll.Arg.: Keng, Gard. Bull. Singapore 33: 356 (1980), as ‘*Aporusa*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990), as ‘*Aporusa*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘*Aporusa*’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘*Aporusa*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘*Aporusa*’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘*Aporusa*’; Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 [‘1994’]), as ‘*Aporusa*’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘*Aporusa*’; LaFrankie et al., Forest Trees Bukit Timah: 130, 160 (2005), as ‘*Aporusa*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘*Aporusa*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019). **Native; EN** (Lam et al., 2022).

Aporosa nervosa Hook.f.: Ridley, Fl. Malay Penins. 3: 238 (1924); Keng, Gard. Bull. Singapore 33: 356 (1980), as ‘*Aporusa*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990), as ‘*Aporusa*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘*Aporusa*’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘*Aporusa*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘*Aporusa*’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘*Aporusa*’; Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 [‘1994’]), as ‘*Aporusa*’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘*Aporusa*’; LaFrankie et al., Forest Trees Bukit Timah: 160 (2005), as ‘*Aporusa*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘*Aporusa*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 219 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 459 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; EN** (assessed here).

Aporosa nigricans Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900); Ridley, Fl. Malay Penins. 3: 239 (1924); Keng, Gard. Bull. Singapore 33: 357 (1980), as ‘Aporusa’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990), as ‘Aporusa’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘Aporusa’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘Aporusa’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘Aporusa’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘Aporusa’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘Aporusa’; LaFrankie et al., Forest Trees Bukit Timah: 160 (2005), as ‘Aporusa’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘Aporusa’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 24, 459 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Lam et al., 2022).

Aporosa octandra (Buch.-Ham. ex D.Don) A.R.Vickery: WCSP. – *Aporosa dioica* (Roxb.) Müll. Arg.: Corner, Wayside Trees Malaya, ed. 3, 1: 272 (1988).

Aporosa octandra (Buch.-Ham. ex D.Don) A.R.Vickery var. **malesiana** Schot: WCSP. – *Aporosa aurita* (Tul.) Baill.: Corner, Wayside Trees Malaya, ed. 2, 1: 235 (1952). **Native; NEx** (assessed here).

Aporosa prainiana King ex Gage: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900), as ‘praineana’; Ridley, Fl. Malay Penins. 3: 240 (1924); Whitmore, Tree Fl. Malaya 2: 60 (1973), as ‘Aporusa’; Keng, Gard. Bull. Singapore 33: 357 (1980), as ‘Aporusa’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990), as ‘Aporusa’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘Aporusa’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘Aporusa’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘Aporusa’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘Aporusa’; Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 [‘1994’]), as ‘Aporusa’; Turner, Gard. Bull. Singapore 47: 213 (1997 [‘1995’]), as ‘Aporusa’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘Aporusa’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘Aporusa’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Nee Soon Swamp For.: 25, 459 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Aporosa prainiana* King, nom. nud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900), as ‘praineana’. **Native; CR** (Lam et al., 2022).

Aporosa subcaudata Merr.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 25, 459 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Aporosa bracteosaa* Pax & K.Hoffm.: Pax & Hoffmann in Engler, Pflanzenr., IV, fam. 147 XV (Heft 81): 95 (1922); Ridley, Fl. Malay Penins. 3: 237 (1924); Keng, Gard. Bull. Singapore 33: 356 (1980), as ‘Aporusa’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 106 (1990), as ‘Aporusa’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘Aporusa’; Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘Aporusa’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘Aporusa’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘Aporusa’; Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 [‘1994’]), as ‘Aporusa’; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 [‘1997’]), as ‘Aporusa’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as ‘Aporusa’; Turner & Chua, Checkl. Vasc. Pl. Sp. Nee Soon Swamp For.: 25, 459 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Lam et al., 2022).

Aporosa symlocoides (Hook.f.) Gage: Ridley, Fl. Malay Penins. 3: 240 (1924); Keng, Gard. Bull. Singapore 33: 357 (1980), as ‘Aporusa’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990), as ‘Aporusa’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as ‘Aporusa’;

Turner, Gard. Bull. Singapore 45: 79 (1993), as ‘*Aporusa*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), as ‘*Aporusa*’; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), as ‘*Aporusa*’; Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 [‘1994’]), as ‘*Aporusa*’; Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 [‘1994’]), as ‘*Aporusa*’; Turner et al., Gard. Bull. Singapore 48: 145 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]), as ‘*Aporusa*’; LaFrankie et al., Forest Trees Bukit Timah: 131, 160 (2005), as ‘*Aporusa*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 225 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 25, 459 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Baccaurea symplocoides* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900). **Native**; **LC** (Wong et al., 2013).

Aporosa sp. 1: Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native**; conservation assessments are generally not applicable to unnamed taxa.

Baccaurea bracteata Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 372 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900); Ridley, Fl. Malay Penins. 3: 246 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 239 (1952); Keng, Gard. Bull. Singapore 33: 357 (1980); Corner, Wayside Trees Malaya, ed. 3, 1: 275 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 165, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 33, 459 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 545, 806 [2015]; Yee et al., Fl. Singapore 1: 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 68, 310 (2020); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native**; **EN** (Lam et al., 2022).

Baccaurea brevipes Hook.f.: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 [‘1997’]); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 165, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019). **Native**; **CR** (Chong et al., 2009).

Baccaurea lanceolata (Miq.) Müll.Arg.: Ridley, Fl. Malay Penins. 3: 248 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 279 (1935); Keng, Gard. Bull. Singapore 33: 357 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 165, 188 (2009). **Native**; **NEx** (Chong et al., 2009).

Baccaurea macrocarpa (Miq.) Müll.Arg.: LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Baccaurea griffithii* Hook.f.: Ridley, Fl. Malay Penins. 3: 248 (1924); Keng, Gard. Bull. Singapore 33: 357 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 [‘1997’]). **Native**; **CR** (Chong et al., 2009).

Baccaurea macrophylla (Müll.Arg.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900); Ridley, Fl. Malay Penins. 3: 247 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 279 (1935); Keng, Gard. Bull. Singapore 33: 357 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner, Gard. Bull. Singapore 47: 214 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 188 (2009); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 56 (2018); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (assessed here).

Baccaurea maingayi Hook.f.: Ridley, Fl. Malay Penins. 3: 246 (1924); Keng, Gard. Bull. Singapore 33: 357 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019). **Native; NEx** (assessed here).

Baccaurea minor Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900); Ridley, Fl. Malay Penins. 3: 245 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 280 (1935); Whitmore, Tree Fl. Malaya 2: 66 (1973); Keng, Gard. Bull. Singapore 33: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 214 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 33, 459 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104, 122 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Baccaurea* sp. (Ridley 6263): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900). **Native; CR** (Wong et al., 2013).

Baccaurea motleyana (Müll.Arg.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900); Keng, Gard. Bull. Singapore 33: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 306 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 201 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104, 132 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 68, 310 (2020); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Baccaurea pubescens* Pax & K.Hoffm.: Ridley, Fl. Malay Penins. 3: 250 (1924). **Native; CR** (Chong et al., 2009).

Baccaurea parviflora (Müll.Arg.) Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900); Ridley, Fl. Malay Penins. 3: 243 (1924); Keng, Gard. Bull. Singapore 33: 358 (1980); Keng,

Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 132, 161 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 522, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 33, 459 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 69, 310 (2020); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; LC** (Wong et al., 2013).

Baccaurea polyneura Hook.f.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 33, 459 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Baccaurea hookeri* Gage: Ridley, Fl. Malay Penins. 3: 247 (1924); Whitmore, Tree Fl. Malaya 2: 67 (1973); Keng, Gard. Bull. Singapore 33: 357 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 213 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 165, 201 (2009). – *Baccaurea kunstleri* King ex Gage: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 139 (1900); Gage, Rec. Bot. Surv. India 9: 230 (1922); Ridley, Fl. Malay Penins. 3: 248 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 357 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 165, 214 (2009). – *Baccaurea* sp. B [of Hooker, Fl. Brit. India 5, fasc. 14: 373 (1887)]: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900). **Native; EN** (Wong et al., 2013).

Baccaurea pubera (Miq.) Müll.Arg.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 188 (2009). – *Baccaurea latifolia* King ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900); Ridley, Fl. Malay Penins. 3: 249 (1924); Whitmore, Tree Fl. Malaya 2: 67 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner, Gard. Bull. Singapore 47: 214 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008). **Native; NEx** (Chong et al., 2009).

Baccaurea pyriformis Gage: Gage, Rec. Bot. Surv. India 9: 233 (1922); Ridley, Fl. Malay Penins. 3: 249 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 281 (1935); Whitmore, Tree Fl. Malaya 2: 67 (1973); Keng, Gard. Bull. Singapore 33: 358 (1980), as ‘*pyrifomis*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990);

Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner, Gard. Bull. Singapore 47: 214 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 188 (2009); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; NEx** (Chong et al., 2009).

Baccaurea racemosa (Reinw.) Müll.Arg.: Keng, Gard. Bull. Singapore 33: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 33, 460 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 104 (2019). – *Baccaurea wallichii* Hook.f.: Ridley, Fl. Malay Penins. 3: 245 (1924). **Native; EN** (Wong et al., 2013).

Baccaurea reticulata Hook.f.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 139 (1900); Ridley, Fl. Malay Penins. 3: 246 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 281 (1935); Keng, Gard. Bull. Singapore 33: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), as '*raticulata*'; Turner, Gard. Bull. Singapore 45: 80 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 33, 460 (2013). **Native; CR** (Wong et al., 2013).

Baccaurea sumatrana (Miq.) Müll.Arg.: Keng, Gard. Bull. Singapore 33: 358 (1980), as '*summatrana*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 133, 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 166, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 33, 460 (2013); Neo et al., Nat. Singapore 6: 282 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Baccaurea kingii* Gage: Gage, Rec. Bot. Surv. India 9: 231 (1922); Ridley, Fl. Malay Penins. 3: 245 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 279 (1935). **Native; VU** (Wong et al., 2013).

Breynia androgyna (L.) Chakrab. & N.P.Balakr.: Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 159, 382, 382 (2020). – *Sauropus androgynus* (L.) Merr.: Keng, Gard. Bull. Singapore 33: 366 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113, fig. 92.12 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 296 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 401, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 167, 230 (2009); Teo et al.,

Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 66 (2014). – *Sauropolis albicans* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900); Ridley, Fl. Malay Penins. 3: 220 (1924). **Native; VU** (assessed here).

Breynia discigera Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 331 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 217 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 364 (1935); Whitmore, Tree Fl. Malaya 2: 73 (1973); Keng, Gard. Bull. Singapore 33: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 36, 460 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105, 122 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Breynia racemosa* auct. non (Blume) Müll. Arg.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 37, 460 (2013). – *Breynia coronata* auct. non Hook.f.: Keng, Gard. Bull. Singapore 33: 358 (1980), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 81 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 214 (2009), p.p. – *Melanthesa rhamnooides* Blume var. *pubescens* Müll.Arg.: Mueller Argoviensis, Linnaea 32: 74 (1863). **Native; EN** (Lam et al., 2022).

Breynia racemosa (Blume) Müll.Arg.: Lee et al., Gard. Bull. Singapore 55: 295 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 28 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). – *Breynia coronata* auct. non Hook.f.: Keng, Gard. Bull. Singapore 33: 358 (1980), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 81 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 284 (1994), p.p.; Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 214 (2009), p.p.; Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Hung et al., Nat. Singapore 10: 44 (2017). – *Breynia vitis-idaea* auct. non (Burm.f.) C.E.C.Fisch.: Neo et al., Nat. Singapore 6: 283 (2013). – *Breynia reclinata* (Roxb.) Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 331 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 219 (1924); Keng, Gard. Bull. Singapore 33: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']). **Native; LC** (Chong et al., 2009).

Breynia vitis-idaea (Burm.f.) C.E.C.Fisch.: Fischer, Bull. Misc. Inform. Kew 1932: 65 (1932). – *Breynia rhamnooides* Müll.Arg., nom. illeg. superfl.: Hooker, Fl. Brit. India 5, fasc. 14: 330 (1887). **Native; NEx** (assessed here).

Bridelia cinnamomea Hook.f.: Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 490 (1936); Whitmore, Tree Fl. Malaya 2: 74 (1973); Turner et al., J. Singapore Natl

Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner, Gard. Bull. Singapore 47: 215 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 188 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 37, 461 (2013); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Bridelia griffithii* Hook.f.: Whitmore, Tree Fl. Malaya 2: 75 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner, Gard. Bull. Singapore 47: 216 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']). **Native; CR** (Lam et al., 2022).

Bridelia pustulata Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 90 (1901); Ridley, Fl. Malay Penins. 3: 185 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 366 (1935); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 489 (1936); Whitmore, Tree Fl. Malaya 2: 74 (1973); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner, Gard. Bull. Singapore 47: 216 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 37, 461 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Wong et al., 2013).

Bridelia stipularis (L.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 90 (1901); Ridley, Fl. Malay Penins. 3: 183 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 485 (1936); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). **Native; VU** (Chong et al., 2009).

Bridelia tomentosa Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Ridley, Fl. Malay Penins. 3: 184 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 487 (1936); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108, fig. 92.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 529, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 225 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 37, 461 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 81 (2013); Neo et al., Nat. Singapore 6: 122

(2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Breynia vitioidaea* auct. non (Burm.f.) C.E.C.Fisch.: Keng, Gard. Bull. Singapore 33: 358 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 81 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 166, 225 (2009). – *Breynia rhamnooides* auct. non Müll.Arg.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 218 (1924), p.p. Native; LC (Wong et al., 2013).

Cleistanthus hirsutulus Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Ridley, Fl. Malay Penins. 3: 192 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 511 (1936); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 166, 189 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). Native; NEx (Chong et al., 2009).

Cleistanthus macrophyllus Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Ridley, Fl. Malay Penins. 3: 192 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 509 (1936); Whitmore, Tree Fl. Malaya 2: 81 (1973); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner, Gard. Bull. Singapore 47: 218 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 166, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). Native; CR (Chong et al., 2009).

Cleistanthus malaccensis Hook.f.: Ridley, Fl. Malay Penins. 3: 189 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 504 (1936); Whitmore, Tree Fl. Malaya 2: 82 (1973); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 218 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 166, 189 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 58, 462 (2013); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 96, 310 (2020). Native; NEx (Wong et al., 2013).

Cleistanthus oblongifolius (Roxb.) Müll.Arg.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 166, 203 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 58, 462 (2013). – *Cleistanthus myrianthus* (Hassk.) Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Ridley, Fl. Malay Penins. 3: 194 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 515 (1936); Whitmore, Tree Fl. Malaya 2: 82 (1973); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore

Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 218 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008). **Native; CR** (Wong et al., 2013).

Cleistanthus sumatranaus (Miq.) Müll.Arg.: Whitmore, Tree Fl. Malaya 2: 82 (1973); Keng, Gard. Bull. Singapore 33: 359 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 108 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 218 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 334 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 166, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 59, 463 (2013); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 96, 310 (2020). – *Cleistanthus heterophyllus* Hook.f.: Ridley, Fl. Malay Penins. 3: 190 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 505 (1936). – *Cleistanthus perakensis* auct. non (Jabl.) Gage ex Ridl.: Ridley, Fl. Malay Penins. 3: 195 (1924). – *Cleistanthus laevis* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900). **Native; VU** (Wong et al., 2013).

Emblema officinalis Gaertn.: Bouman et al., Phytotaxa 540(1): 60 (2022). – *Phyllanthus emblica* L.: Keng, Gard. Bull. Singapore 33: 365 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 673, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 167, 210 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 229, 311 (2020). – *Phyllanthus pectinatus* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 290 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 31 (2011). – *Emblema pectinata* (Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 3: 217 (1924). **Native; CR** (Chong et al., 2009).

Emblema pachyphyllum (Müll.Arg.) R.W.Bouman: Bouman et al., Phytotaxa 540(1): 60 (2022). – *Phyllanthus pachyphyllum* Müll.Arg.: Muller in De Candolle, Prodr. 15(2), fasc. 2: 353 (1866); Van Welzen & Chayamarit, Fl. Thailand 8(2): 497 (2007). – *Phyllanthus coriaceus* Wall. ex Hook.f., nom. illeg. hom.: Hooker, Fl. Brit. India 5, fasc. 14: 292 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900). – *Phyllanthus coriaceus* Wall., nom. nud.: Wallich, Numer. List no. 7946 (1847). **Native; NEx** (assessed here).

Emblema urinaria (L.) R.W.Bouman: Bouman et al., Phytotaxa 540(1): 60 (2022). – *Phyllanthus urinaria* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 200 (1924); Keng, Gard. Bull. Singapore 33: 366 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113, fig. 92.11 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 167, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017). – *Diasperus urinaria* (L.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 603 (1891). **Non-native, naturalised** (Chong et al., 2009).

Flueggea virosa (Roxb. ex Willd.) Royle: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 130, 266 (2009); Lok et al., Cosmos 6: 69 (2010). – *Securinega virosa* (Roxb. ex Willd.) Baill.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 113 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994). **Non-native, naturalised** (Chong et al., 2009).

Glochidion borneense (Müll.Arg.) Boerl.: Turner, Gard. Bull. Singapore 47: 222 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 128, 463 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Glochidion microbotrys* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 319 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 209 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1077 (1935); Whitmore, Tree Fl. Malaya 2: 99 (1973); Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994). – *Glochidion trilobum* Ridl.: Ridley, Bull. Misc. Inform. Kew 1923: 364 (1923); Ridley, Fl. Malay Penins. 3: 210 (1924). **Native; CR** (Wong et al., 2013).

Glochidion glomerulatum (Miq.) Boerl.: Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 193 (2009). **Native; NEx** (Chong et al., 2009).

Glochidion kunstlerianum Gage: Ridley, Fl. Malay Penins. 3: 210 (1924); Whitmore, Tree Fl. Malaya 2: 102 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 193 (2009). **Native; NEx** (Chong et al., 2009).

Glochidion littorale Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 207 (1924); Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 295 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 610, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 215 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 128, 463 (2013); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 161, 310 (2020); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; EN** (Lam et al., 2022).

Glochidion lutescens Blume: Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 129, 464 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). – *Glochidion hypoleucum* (Miq.) Boerl.: Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore

Red Data Book, ed. 2: 237 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011). – *Glochidion laevigatum* (Müll.Arg.) Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 319 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 215 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1076 (1935). **Native; CR** (Wong et al., 2013).

Glochidion obscurum (Roxb. ex Willd.) Blume: Chia et al., Nat. Singapore 10: 49 (2017). **Native; CR** (assessed here).

Glochidion perakense Hook.f.: Whitmore, Tree Fl. Malaya 2: 101 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008). **Native; NEx** (assessed here).

Glochidion rubrum Blume: Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110, fig. 92.8 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 206 (2009); Neo et al., Nat. Singapore 6: 81 (2013). – *Glochidion rubrum* Blume var. *rubrum*: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 129, 464 (2013); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Glochidion leiostylum* Kurz: Hooker, Fl. Brit. India 5, fasc. 14: 324 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 212 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978). – *Glochidion coronatum* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 326 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900). – *Glochidion insulare* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900). **Native; CR** (Chong et al., 2009).

Glochidion sericeum (Blume) Zoll. & Moritzi: Ridley, Fl. Malay Penins. 3: 215 (1924); Airy Shaw, Euphorb. Borneo: 132 (1975); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 130, 465 (2013); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Diasperus sericeus* (Blume) Kuntze: Kuntze, Revis. Gen. Pl. 2: 603 (1891). **Native; CR** (Wong et al., 2013).

Glochidion singaporense Gage: Gage, Rec. Bot. Surv. India 9: 221 (1922); Ridley, Fl. Malay Penins. 3: 209 (1924); Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 223 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 130, 465 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105, 132 (2019); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Wong et al., 2013).

Glochidion superbum Baill.: Hooker, Fl. Brit. India 5, fasc. 14: 323 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 208 (1924); Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner et al., Gard. Bull. Singapore 46(2): 17 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 295 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 610, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 130, 465 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 161, 310 (2020); Lam et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Diasperus finlaysonianus* Kuntze, nom. illeg.: Kuntze, Revis. Gen. Pl. 2: 602 (1891). **Native; LC** (Wong et al., 2013).

Glochidion varians Miq.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 193 (2009). – *Glochidion fuscum* (Müll.Arg.) Boerl.: Whitmore, Tree Fl. Malaya 2: 100 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 222 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008). **Native; NEx** (Chong et al., 2009).

Glochidion wallichianum Müll.Arg.: Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 193 (2009). – *Glochidion desmocarpum* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 214 (1924). **Native; CR** (assessed here).

Glochidion zeylanicum (Gaertn.) A.Juss.: Hooker, Fl. Brit. India 5, fasc. 14: 310 (1887); Keng, Gard. Bull. Singapore 33: 362 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990). – *Glochidion brunneum* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 312 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 207 (1924); Whitmore, Tree Fl. Malaya 2: 100 (1973); Keng, Gard. Bull. Singapore 33: 361 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 110 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 84 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 222 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 30 (2011). – *Glochidion goniocarpum* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900); Ridley, Fl. Malay Penins. 3: 211 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1076 (1935). – *Glochidion maingayi* Gage: Gage, Rec. Bot. Surv. India 9: 221 (1922); Ridley, Fl. Malay Penins. 3: 210 (1924). – *Glochidion pedunculatum* Ridl.: Ridley, Fl. Malay Penins. 3: 207 (1924).

Glochidion zeylanicum (Gaertn.) A.Juss. var. **zeylanicum**: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 130, 465 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). **Native; VU** (Wong et al., 2013).

Glochidion zeylanicum (Gaertn.) A.Juss. var. **arborescens** (Blume) Chakrab. & M.Gangop.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 166, 221 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). – *Glochidion arborescens* Blume: Whitmore, Tree Fl. Malaya 2: 100 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 83 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Turner, Gard. Bull. Singapore 47: 222 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011). – *Glochidion desmogyne* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 136 (1900). **Native; CR** (Chong et al., 2009).

Kirganelia reticulata (Poir.) Baill.: Bouman et al., Phytotaxa 540(1): 18 (2022). – *Phyllanthus reticulatus* Poir.: Lim et al., Gard. Bull. Singapore 70: 73 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105, 122 (2019). **Native; DD** (Lim et al., 2018).

Margaritaria indica (Dalzell) Airy Shaw: Low et al., Gard. Bull. Singapore 66: 49, fig. 1–3 (2014); Lim et al., Fl. Singapore 1: 89 (2019); Jong et al., Nat. Singapore 14-e2021002: 1 (2021). **Native; CR** (Low et al., 2014).

Moeroris amara (Schumac. & Thonn.) R.W.Bouman: Bouman et al., Phytotaxa 540(1): 30 (2022). – *Phyllanthus amarus* Schumach. & Thonn.: Keng, Gard. Bull. Singapore 33: 365 (1980), as ‘*arnarus*'; Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 112 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 167, 267 (2009); Lok et al., Cosmos 6: 71 (2010). – *Phyllanthus niruri* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Ridley, Fl. Malay Penins. 3: 199 (1924). – *Phyllanthus maderaspatensis* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900). **Non-native, naturalised** (Chong et al., 2009).

Moeroris debilis (J.G.Klein ex Willd.) R.W.Bouman: Bouman et al., Phytotaxa 540(1): 26 (2022). – *Phyllanthus debilis* J.G.Klein ex Willd.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 87 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Turner, Gard. Bull. Singapore 47: 229 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 167, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 6: 82 (2013); Hung et al., Nat. Singapore 10: 17, 20 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 108 (2018). **Non-native, naturalised** (Chong et al., 2009).

Synostemon bacciformis (L.) G.L.Webster: Whitmore, Tree Fl. Malaya 2: 133 (1973); Keng, Gard. Bull. Singapore 33: 367 (1980), as ‘*acciformis*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 114 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 88 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994). – *Sauropolis bacciformis* (L.) Airy Shaw: Turner, Gard. Bull. Singapore 47: 231 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 167, 211 (2009); Hung et al., Nat. Singapore 10: 17, 20 (2017). – *Agyneia bacciformis* (L.) A.Juss.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 135 (1900); Ridley, Fl. Malay Penins. 3: 198 (1924); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 524 (1936). **Native; CR** (Chong et al., 2009).

Picridendraceae

Austrobuxus nitidus Miq.: Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 357 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 107 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 79 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 284 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 167, 188 (2009); Van Welzen & Forster, Fl. Males., ser. 1, 20: 51 (2011). – *Longetia malayana* (Benth.) Pax & K.Hoffm.: Ridley, Fl. Malay Penins. 3: 224 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1364 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 260 (1952). – *Choriophyllum malayanum* Benth.: Benthams, Hooker's Icon. Pl. 13 [ser. 3, 3], fasc. 4: 62, pl. 1280 (1879); Hooker, Fl. Brit. India 5, fasc. 14: 344 (1887); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900). **Native; NEx** (assessed here).

Piperaceae

Peperomia pellucida (L.) Kunth: De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 292 (1914); Ridley, Fl. Malay Penins. 3: 27 (1924); Keng, Gard. Bull. Singapore 31: 85 (1978); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62, fig. 58.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 167, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 94 (2018). – *Peperomia exigua* (Blume) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 128 (1900). **Non-native, naturalised** (Chong et al., 2009).

Piper aduncum L.: Tan et al., Nat. Singapore 1: 55 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 267 (2009); Lok et al., Cosmos 6: 71 (2010); Yee et al., Fl. Singapore 1: 58 (2019); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Non-native, naturalised** (Lok et al., 2010).

Piper baccatum Blume: Suwanphakdee et al., Nordic J. Bot. 34: 607 (2016); Gajurel & Lua, Fl. Singapore 4 (in prep.). – *Piper flavidmarginatum* C.DC.: De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 335 (1914); Ridley, Fl. Malay Penins. 3: 31 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 400 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 200, 467 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). – *Piper pachyphyllum* Hook.f., nom. illeg. hom.: Ridley, Fl. Malay Penins. 3: 31 (1924); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 401 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']);

Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 195 (2009). **Native; CR** (Wong et al., 2013).

Piper betle L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900), as ‘*betel*’; Keng, Gard. Bull. Singapore 31: 85 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62, fig. 58.2 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Non-native, casual** (Chong et al., 2009).

Piper crassipes Korth. ex Miq.: Suwanphakdee et al., Kew Bull. 73-33: 5 (2018); Gajurel & Lua, Fl. Singapore 4 (in prep.). – *Piper neesii* (Miq.) P.K.Mukh.: Mukherjee, Phytotaxa 289(2): 190 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105, 132 (2019). – *Piper pedicellosum* Wall. ex C.DC., nom. illeg. superfl.: Hooker, Fl. Brit. India 5, fasc. 13: 81 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 321 (1914); Ridley, Fl. Malay Penins. 3: 34 (1924); Keng, Gard. Bull. Singapore 31: 86 (1978); Maxwell, Gard. Bull. Singapore 35(2): 197 (1983 ['1982']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 402 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 201, 467 (2013). – *Cubeba neesii* Miq.: Miquel, Syst. Piperac., fasc. 1: 292 (1843); Miquel, Fl. Ned. Ind. 1(2), fasc. 3: 449 (1859). – *Piper pedicellosum* Wall., nom. nud.: Wallich, Numer. List no. 6646 (1832). **Native; LC** (assessed here).

Piper curtisii C.DC.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1744 (1935); Gajurel & Lua, Gard. Bull. Singapore 72: 136 (2020); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Piper lanatum Roxb.: Ridley, Fl. Malay Penins. 3: 38 (1924); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 195 (2009); Gajurel & Lua, Fl. Singapore 4 (in prep.). – *Piper caninum* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 317 (1914); Ridley, Fl. Malay Penins. 3: 38 (1924); Keng, Gard. Bull. Singapore 31: 85 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 63, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 200, 466 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Suwanphakdee et al., Kew Bull. 73-33: 5 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019). – *Piper caninum* Blume var. *angustifolium* (Miq.)

Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); Ridley, Fl. Malay Penins. 3: 38 (1924). – *Piper caninum* Blume var. *lanatum* (Roxb.) Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900). – *Piper javanicum* C.DC.: De Candolle, Prodr. 16(1): 343 (1869). **Native; VU** (assessed here).

Piper macropiper Pennant: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 52 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 63 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 200, 467 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019); Gajurel & Lua, Gard. Bull. Singapore 72: 137 (2020); Gajurel & Lua, Fl. Singapore 4 (in prep.). – *Piper miniatum* Blume: Hooker, Fl. Brit. India 5, fasc. 13: 85 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 303 (1914); Ridley, Fl. Malay Penins. 3: 39 (1924); Henderson, Malay. Wild Fls, Dicot.: 440 (1959); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']). **Native; EN** (assessed here).

Piper maingayi Hook.f.: Hooker, Fl. Brit. India 5, fasc. 13: 80 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 336 (1914); Ridley, Fl. Malay Penins. 3: 31 (1924); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 401 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 195 (2009); Gajurel & Lua, Gard. Bull. Singapore 72: 138 (2020); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Piper muricatum Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 201, 467 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019); Gajurel & Lua, Fl. Singapore 4 (in prep.). – *Piper malaccense* C.DC.: Maxwell, Gard. Bull. Singapore 35(2): 197 (1983 ['1982']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 201, 467 (2013). **Native; CR** (Wong et al., 2013).

Piper obtusissimum Miq.: Gajurel & Lua, Gard. Bull. Singapore 72: 138 (2020); Gajurel & Lua, Fl. Singapore 4 (in prep.). – *Piper clypeatum* Wall. ex C.DC., nom. illeg. superfl.: De Candolle, Prodr. 16(1): 378 (1869); Hooker, Fl. Brit. India 5, fasc. 13: 96 (1886); De Candolle, J. Asiat. Soc.

Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 333 (1914). – *Piper manillanum* Miq.: Miquel, Syst. Piperac., fasc. 2: 339 (1844). – *Piper clypeatum* Wall., nom. nud.: Wallich, Numer. List no. 6665 (1832). **Native; CR** (assessed here).

Piper porphyrophyllum (Lindl.) N.E.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 128 (1900); De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 313 (1914); Ridley, Fl. Malay Penins. 3: 45 (1924); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 201, 467 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Suwanphakdee et al., Kew Bull. 73-33: 7 (2018); Lim et al., Fl. Singapore 1: 89 (2019); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Piper protractum C.DC.: De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 326 (1914); Ridley, Fl. Malay Penins. 3: 33 (1924); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 63 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 402 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 210 (2009); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Native; CR** (Chong et al., 2009).

Piper ramipilum C.DC.: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019); Gajurel & Lua, Gard. Bull. Singapore 72: 136 (2020); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Native; EN** (assessed here).

Piper ribesioides Wall.: Hooker, Fl. Brit. India 5, fasc. 13: 81 (1886); Ridley, Fl. Malay Penins. 3: 34 (1924); Henderson, Malay. Wild Fls. Dicot.: 442 (1959); Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 63 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 197 (2009); Lim et al., Fl. Singapore 1: 89 (2019); Gajurel & Lua, Fl. Singapore 4 (in prep.). – *Piper sumatranum* (Miq.) C.DC.: Hooker, Fl. Brit. India 5, fasc. 13: 81 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900), as ‘sumatrana’. **Native; CR** (assessed here).

Piper ridleyi C.DC.: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 105 (2019); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Piper rostratum Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 128 (1900); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Piper sarmentosum Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); De Candolle, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 308 (1914); Ridley, Fl. Malay Penins. 3: 40 (1924); Keng, Gard. Bull. Singapore 31: 87 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 63 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner,

Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 191 (2004 ['2003']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 370, 776 (2006), as ‘*sarmentosa*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 230 (2009); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 140 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 132 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 303, 382 (2020); Gajurel & Lua, Fl. Singapore 4 (in prep.). — *Piper retrofractum* auct. non Vahl: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 201, 467 (2013). — *Piper chaba* auct. non W.Hunter: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 127 (1900); Ridley, Fl. Malay Penins. 3: 40 (1924), p.p.; Keng, Gard. Bull. Singapore 31: 86 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 188 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 195 (2009). **Native; LC** (assessed here).

Piper schizonephros C.DC.: Gajurel & Lua, Gard. Bull. Singapore 72: 139 (2020); Gajurel & Lua, Fl. Singapore 4 (in prep.). **Native; CR** (assessed here).

Pittosporaceae

Pittosporum ridleyi L.W.Cayzer & G.Chandler: Cayzer & Chandler, Gard. Bull. Singapore 70: 401, fig. 1 (2018); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 231, 311 (2020). — *Pittosporum ferrugineum* auct. non W.T.Aiton: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 199 (1872), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900); Ridley, Fl. Malay Penins. 1: 136 (1922); Bakker in Bakker & Van Steenis, Fl. Males., ser. 1, 5(3): 355 (1957); Keng, Gard. Bull. Singapore 27: 249 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 26, fig. 24.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 676, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 167, 223 (2009); Ummul-Nazrah & Kiew, Fl. Penins. Malaysia, ser. 2, 1: 167 (2010); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 716, 807 [2015]; Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017). **Native; VU** (assessed here).

Plantaginaceae

Adenosma caerulea R.Br.: Hooker, Fl. Brit. India 4, fasc. 11: 263 (1884), as ‘*coeruleum*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900), as ‘*caeruleum*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 345 (1906 ['1905']), as ‘*coeruleum*’; Ridley, Fl. Malay Penins. 2: 474 (1923), as ‘*caeruleum*’. **Native; NEx** (assessed here).

Adenosma indianum (Lour.) Merr.: Keng, Gard. Bull. Singapore 39(1): 75 (1986), as ‘*indicum*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990), as ‘*indicum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990), as ‘*indicum*’; Turner, Gard. Bull. Singapore 45: 212 (1993), as ‘*indicum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘*indicum*’; Ng & Wee (ed.), Singapore Red Data Book: 309 (1994), as ‘*indicum*’; Chong et al.,

Checkl. Vasc. Pl. Fl. Singapore: 10, 168, 269 (2009), as ‘*indicum*’; Lok et al., Cosmos 6: 81 (2010), as ‘*indicum*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 10, 467 (2013), as ‘*indicum*’. – *Adenosma capitata* (Benth.) Benth. ex Hance: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900), as ‘*capitatum*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 345 (1906 [‘1905’]), as ‘*capitatum*’; Ridley, Fl. Malay Penins. 2: 474 (1923), as ‘*capitatum*’.

Native; NEx (assessed here).

Adenosma inopinata Prain: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(2): 16 (1903), as ‘*inopinatum*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 344 (1906 [‘1905’]), as ‘*inopinatum*’; Ridley, Fl. Malay Penins. 2: 474 (1923), as ‘*inopinatum*’; Keng, Gard. Bull. Singapore 39(1): 75 (1986), as ‘*inopinatum*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990), as ‘*inopinatum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990), as ‘*inopinatum*’; Turner, Gard. Bull. Singapore 45: 212 (1993), as ‘*inopinatum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘*inopinatum*’; Ng & Wee (ed.), Singapore Red Data Book: 309 (1994), as ‘*inopinatum*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 168, 269 (2009), as ‘*inopinatum*’; Lok et al., Cosmos 6: 81 (2010), as ‘*inopinatum*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 10, 467 (2013), as ‘*inopinatum*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 122 (2019), as ‘*inopinatum*’.

Native; CR (assessed here).

Adenosma javanica (Blume) Koord.: Keng, Gard. Bull. Singapore 39(1): 75 (1986), as ‘*javanicum*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990), as ‘*javanicum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990), as ‘*javanicum*’; Turner, Gard. Bull. Singapore 45: 212 (1993), as ‘*javanicum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘*javanicum*’; Ng & Wee (ed.), Singapore Red Data Book: 309 (1994), as ‘*javanicum*’; Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 [‘1994’]), as ‘*javanicum*’; Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 168, 225 (2009), as ‘*javanicum*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 10, 467 (2013), as ‘*javanicum*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 122 (2019), as ‘*javanicum*’.

– *Adenosma ovata* Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900), as ‘*ovatum*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 344 (1906 [‘1905’]), as ‘*ovatum*’; Ridley, Fl. Malay Penins. 2: 474 (1923), as ‘*ovatum*’.

Native; EN (assessed here).

Bacopa caroliniana (Walter) B.L.Rob.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 168, 234 (2009); Chen et al., Nat. Singapore 11: 66 (2018). **Non-native, naturalised** (assessed here).

Bacopa monnieri (L.) Wettst.: Keng, Gard. Bull. Singapore 39(1): 75 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 212 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 168, 265 (2009); Lok et al., Cosmos 6: 72 (2010); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 122 (2019). – *Herpestis monnieri* (L.) Kunth: Hooker, Fl. Brit. India 4, fasc. 11: 272 (1884), as ‘*monnieria*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900), as ‘*Herpestes*’; Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 351 (1906 [‘1905’]), as ‘*monnieria*’; Ridley, Fl. Malay Penins. 2: 475 (1923), as ‘*monnieria*’.

Cryptogenic (assessed here).

Limnophila chinensis (Osbeck) Merr.: Kaw & Neo, Wayside Fls Singapore: 72 (2018).

Limnophila chinensis (Osbeck) Merr. subsp. **chinensis**: De Kok, Fl. Singapore 14 (in prep.). **Cryptogenic** (assessed here).

Limnophila laxa Benth.: Ridley, Fl. Malay Penins. 2: 478 (1923); Philcox, Kew Bull. 24: 161 (1970); Keng, Gard. Bull. Singapore 39(1): 75 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn.

Dicot.: 179 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 470 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 168, 272 (2009); Lok et al., Cosmos 6: 81 (2010). – *Limnophila villosa* auct. non Blume: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 348 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 477 (1923); Philcox, Kew Bull. 24: 141 (1970); Keng, Gard. Bull. Singapore 39(1): 75 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 168, 272 (2009); Lok et al., Cosmos 6: 81 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 161, 468 (2013). – *Limnophila pulcherrima* auct. non (Griff.) Hook.f.: Hooker, Fl. Brit. India 4, fasc. 11: 267 (1884), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900). – *Limnophila conferta* auct. non Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 118 (1900). – *Terebinthina aromatica* (Lam.) Kuntze var. *pulcherrima* auct. non (Griff.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 467 (1891). **Native; LC** (assessed here).

Limnophila sessiliflora Blume: Philcox, Kew Bull. 24: 112 (1970); Keng, Gard. Bull. Singapore 39(1): 75 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 213 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 470 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 168, 272 (2009); Lok et al., Cosmos 6: 81 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 161, 468 (2013). **Native; LC** (assessed here).

Mecardonia procumbens (Mill.) Small: Chen et al., Gard. Bull. Singapore 70: 94 (2018); Kaw & Neo, Wayside Fls Singapore: 145 (2018).

Mecardonia procumbens (Mill.) Small var. **procumbens**: De Kok, Fl. Singapore 14 (in prep.). **Non-native, naturalised** (Chen et al., 2018, as *Mecardonia procumbens*).

Microcarpaea minima (Retz.) Merr.: Keng, Gard. Bull. Singapore 39(1): 76 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 471 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 168, 272 (2009); Lok et al., Cosmos 6: 81 (2010). – *Microcarpaea muscosa* R.Br.: Ridley, Fl. Malay Penins. 2: 486 (1923). **Native; NEx** (assessed here).

Plantago major L.: Hooker, Fl. Brit. India 4, fasc. 12: 705 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 727 (1908 ['1907']); Keng, Gard. Bull. Singapore 36(1): 111 (1983); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 140, fig. 119.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Chua et al., Gard. Bull. Singapore 46(2): 105 (1995 ['1994']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 371, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 168, 268 (2009); Lok et al., Cosmos 6: 72 (2010); Kaw & Neo, Wayside Fls Singapore: 88 (2018). – *Plantago asiatica* L.: Ridley, Fl. Malay Penins. 2: 225 (1923). **Non-native, naturalised** (assessed here).

Scoparia dulcis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 119 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 362 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 488 (1923); Keng, Gard. Bull. Singapore 39(1): 77 (1986); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 180, fig. 135.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 306 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 181, 268 (2009); Lok et al., Cosmos 6: 73 (2010); Hung et al., Nat. Singapore 10: 34 (2017); Kaw & Neo, Wayside Fls Singapore: 135 (2018). **Non-native, naturalised** (assessed here).

Stemodia verticillata (Mill.) Hassl.: Sinclair, Gard. Bull. Singapore 15: 24 (1956); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 472 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 168, 273 (2009); Lok et al., Cosmos 6: 81 (2010). **Non-native, naturalised** (assessed here).

Plumbaginaceae

Plumbago zeylanica L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 86 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 225 (1923); Van Steenis, Fl. Males., ser. 1, 4(2): 109 (1949); Keng, Gard. Bull. Singapore 36(1): 110 (1983); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 168, 268 (2009); Lok et al., Cosmos 6: 72 (2010). **Non-native, casual*** (assessed here).

Poaceae

Acroceras munroanum (Balansa) Henrard: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 154 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 32, fig. 19 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 9, 168, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Veldkamp et al., Fl. Singapore 7: 256, fig. 9A (2019). – *Acroceras crassiacapulatum* (Merr.) Alston: Burkill, Dict. Econ. Prod. Malay Penins. 1: 39 (1935). – *Panicum oryzoides* Sw. var. A: Ridley, Mat. Fl. Malay. Penins. 3: 138 (1907). **Native; NEx** (Veldkamp et al., 2019).

Acroceras tonkinense (Balansa) C.E.Hubb. ex Bor: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 154 (1998); Veldkamp et al., Fl. Singapore 7: 258 (2019). – *Acroceras ridleyi* (Hack) Stapf ex Ridl.: Ridley, Fl. Malay Penins. 5: 229 (1925). – *Acroceras sparsum* Stapf ex Ridl.: Ridley, Fl. Malay Penins. 5: 229 (1925). – *Panicum latifolium* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900). **Native; CR** (Veldkamp et al., 2019).

Alloteropsis cimicina (L.) Stapf: Ridley, Fl. Malay Penins. 5: 223 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 105 (1935), as ‘*cimicinus*’; Gilliland, Rev. Fl. Malaya 3: 198 (1971); Turner et

al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 535 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 154 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 34, fig. 20 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 168, 269 (2009); Lok et al., Cosmos 6: 81 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 17, 468 (2013); Veldkamp et al., Fl. Singapore 7: 259, fig. 9B (2019). – *Axonopus cimicinus* (L.) P.Beauv.: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 144 (1907). **Native; LC** (Veldkamp et al., 2019).

Arundo donax L.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 154 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 34, fig. 21 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 168, 234 (2009); Veldkamp et al., Fl. Singapore 7: 261, fig. 9C (2019). – *Arundo donax* L. var. *versicolor* (Mill.) Stokes: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 154 (1998). **Non-native, casual*** (Veldkamp et al., 2019).

Axonopus compressus (Sw.) P.Beauv.: Ridley, Fl. Malay Penins. 5: 216 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 276 (1935); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 154, fig. 252 (1998); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 36, fig. 22, pl. 4 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 168, 265 (2009); Lok et al., Cosmos 6: 72 (2010); Teo et al., Nat. Singapore 4: 271 (2011); Hung et al., Nat. Singapore 10: 15, 19, 22 (2017); Hung et al., Nat. Singapore 10: 32 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Veldkamp et al., Fl. Singapore 7: 262, fig. 9D, 10 (2019); Yee et al., Fl. Singapore 1: 68 (2019). – *Paspalum platycaulon* Poir.: Ridley, Mat. Fl. Malay. Penins. 3: 125 (1907), as ‘*platycaule*’. **Non-native, naturalised** (Chong et al., 2009).

Axonopus fissifolius (Raddi) Kuhlm.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 154 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 36, fig. 23 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 168, 265 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 264, fig. 9E (2019). – *Axonopus affinis* Chase: Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994). **Non-native, naturalised** (Chong et al., 2009).

Bambusa tulda Roxb.: Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']). – *Bambusa* cf. *tulda* Roxb.: Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']). – *Bambusa* aff. *tulda* Roxb.: Chua et al., Bamboos Singapore: 34, fig. 10 (1996). **Non-native, casual** (assessed here).

Bothriochloa bladhii (Retz.) S.T.Blake: Lazarides, Trop. Grass. S.E. Asia: 24 (1980); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 157 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 36, fig. 24 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 168, 269 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 266, fig. 9F (2019). – *Bothriochloa intermedia* (R.Br.) A.Camus: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990). **Cryptogenic** (assessed here).

Cenchrus brownii Roem. & Schult.: Turner, Gard. Bull. Singapore 47: 536 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 157, fig. 258 (1998); Duistermaat, Gard. Bull.

Singapore 57(Suppl.): 37, fig. 25 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 168, 265 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 268, fig. 11A (2019). **Non-native, naturalised** (Chong et al., 2009).

Cenchrus echinatus L.: Sinclair, Gard. Bull. Singapore 14(1): 36 (1953); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Duistermaat, Gard. Bull. Singapore 56: 30 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 38, fig. 26, pl. 3 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 168, 265 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 270, fig. 11B, 12 (2019). **Non-native, naturalised** (Chong et al., 2009).

Cenchrus purpureus (Schumach.) Morrone: Veldkamp et al., Fl. Singapore 7: 272, fig. 11C, 13A (2019); Yee et al., Fl. Singapore 1: 58, 62 (2019). – *Pennisetum purpureum* Schumach.: Gilliland, Rev. Fl. Malaya 3: 162 (1971); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as ‘*purpurem*’; Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 549 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 177, fig. 281 (1998); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 [‘1997’]); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 110, fig. 113, pl. 27 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 170, 267 (2009); Lok et al., Cosmos 6: 72 (2010). **Non-native, naturalised** (Chong et al., 2009).

Cenchrus setosus Sw.: Veldkamp et al., Fl. Singapore 7: 273, fig. 11D, 13B (2019). – *Pennisetum polystachion* auct. non (L.) Schult.: Turner, Gard. Bull. Singapore 45: 101 (1993), as ‘*polystachyon*’; Tan et al., Gard. Bull. Singapore 44: 130 (1993 [‘1992’]), as ‘*polystachyon*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), as ‘*polystachyon*’; Turner, Gard. Bull. Singapore 47: 549 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 177 (1998), as ‘*polystachyon*’; Duistermaat, Gard. Bull. Singapore 57(Suppl.): 110, fig. 112, pl. 25 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 170, 267 (2009); Lok et al., Cosmos 6: 72 (2010); Neo et al., Nat. Singapore 6: 71 (2013). – *Pennisetum setosum* (Sw.) Rich.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990). **Non-native, naturalised** (Chong et al., 2009).

Centotheca lappacea (L.) Desv.: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 181 (1907); Ridley, Fl. Malay Penins. 5: 253 (1925); Gilliland, Rev. Fl. Malaya 3: 53 (1971); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 158, fig. 259 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 38, fig. 27, pl. 5 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 173, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 168, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 51, 468 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Hung et al., Nat. Singapore 10: 44 (2017); Veldkamp et al., Fl. Singapore 7: 275, fig. 11E, 14 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 178, 382 (2020). – *Centotheca latifolia* Trin., nom. illeg. superfl.: Monod de Froideville, Blumea 19: 59 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 [‘1994’]). **Native; LC** (Veldkamp et al., 2019).

Chloris barbata Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 173 (1907); Ridley, Fl. Malay Penins. 5: 250 (1925); Gilliland, Rev. Fl. Malaya 3: 86 (1971); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 537 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 158, fig. 260 (1998); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 40, fig. 28, pl. 6 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 168, 265 (2009); Lok et al., Cosmos 6: 72 (2010); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Veldkamp et al., Fl. Singapore 7: 278, fig. 11F, 15 (2019). – *Chloris inflata* Link: Corlett, J. Biogeogr. 19: 428 (1992). **Non-native, naturalised** (Chong et al., 2009).

Chrysopogon aciculatus (Retz.) Trin.: Ridley, Fl. Malay Penins. 5: 207 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 535 (1935); Gilliland, Rev. Fl. Malaya 3: 236 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 158, fig. 261 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 42, fig. 29, pl. 17 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 168, 226 (2009); Hung et al., Nat. Singapore 10: 16, 19 (2017); Veldkamp et al., Fl. Singapore 7: 281, fig. 16A, 17 (2019). – *Chrysopogon acicularis* Duthie: Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 177, 776 (2006). – *Andropogon aciculatus* Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 166 (1907). **Native; LC** (Veldkamp et al., 2019).

Coix lacryma-jobi L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900), as ‘*lacryma-jobi*’; Ridley, Mat. Fl. Malay. Penins. 3: 151 (1907); Ridley, Fl. Malay Penins. 5: 191 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 159, fig. 262 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 42, fig. 30 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 168, 265 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 285, fig. 16C, 18 (2019). – *Coix lacryma-jobi* L. var. *lacryma-jobi*: Gilliland, Rev. Fl. Malaya 3: 306 (1971). **Non-native, naturalised** (Chong et al., 2009).

Cynodon dactylon (L.) Pers.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 173 (1907); Ridley, Fl. Malay Penins. 5: 249 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 729 (1935); Gilliland, Rev. Fl. Malaya 3: 90 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 160 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 44, fig. 35, pl. 7 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 214, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 168, 226 (2009); Hung et al., Nat. Singapore 10: 44 (2017); Veldkamp et al., Fl. Singapore 7: 287, fig. 19A, 20A (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 203, 382 (2020). **Non-native, naturalised** (Veldkamp et al., 2019).

Cyrtococcum accrescens (Trin.) Stapf: Ridley, Fl. Malay Penins. 5: 234 (1925); Gilliland, Rev. Fl. Malaya 3: 149 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 160 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 46, fig. 36 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong

et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 168, 203 (2009); Veldkamp et al., Fl. Singapore 7: 291, fig. 19B (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 123 (2019). – *Panicum patens* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900), p.p.; Ridley, Mat. Fl. Malay. Penins. 3: 142 (1907), p.p. **Native; VU** (Veldkamp et al., 2019).

Cyrtococcum patens (L.) A.Camus: Duistermaat, Gard. Bull. Singapore 56: 31 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 48, fig. 37 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 169, 203 (2009); Veldkamp et al., Fl. Singapore 7: 292, fig. 19C (2019). – *Panicum patens* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900), p.p. **Native; VU** (Veldkamp et al., 2019).

Dactyloctenium aegyptium (L.) Willd.: Ridley, Fl. Malay Penins. 5: 251 (1925), as ‘*aegyptiacum*’; Gilliland, Rev. Fl. Malaya 3: 81 (1971); Lazarides, Trop. Grass. S. Asia: 168 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 538 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 161, fig. 264 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 48, fig. 38, pl. 30 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 169, 226 (2009); Hung et al., Nat. Singapore 10: 16, 19, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Veldkamp et al., Fl. Singapore 7: 294, fig. 19D, 21 (2019). – *Eleusine aegyptia* (L.) Desf.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900), as ‘*aegyptiaca*’; Ridley, Mat. Fl. Malay. Penins. 3: 174 (1907), as ‘*aegyptiaca*’. **Native; LC** (Veldkamp et al., 2019).

Dichanthium annulatum (Forssk.) Stapf: Gilliland, Rev. Fl. Malaya 3: 284 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Duistermaat, Gard. Bull. Singapore 56: 32 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 50, fig. 39 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 169, 266 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 297, fig. 19E (2019). **Cryptogenic** (assessed here).

Dichanthium caricosum (L.) A.Camus: Gilliland, Rev. Fl. Malaya 3: 284 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 539 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 162 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 50, fig. 40 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 169, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 298, fig. 19F (2019). **Non-native, naturalised** (Veldkamp et al., 2019).

Digitaria bicornis (Lam.) Roem. & Schult.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Duistermaat, Gard. Bull. Singapore 56: 32 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 54, fig. 41 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 227 (2009); Veldkamp et al., Fl. Singapore 7: 301, fig. 23A (2019). **Native; CR** (assessed here).

Digitaria ciliaris (Retz.) Koeler: Gilliland, Rev. Fl. Malaya 3: 196 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 539 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 162, fig. 265 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 54, fig. 42 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Hung et al., Nat. Singapore 10: 45 (2017); Veldkamp et al., Fl. Singapore 7: 302, fig. 23B (2019). – *Digitaria chinensis* auct. non

Hornem.: Ridley, Fl. Malay Penins. 5: 215 (1925), p.p. – *Digitaria marginata* Link: Ridley, Fl. Malay Penins. 5: 213 (1925). – *Digitaria marginata* Link var. *commutata* auct. non (Schult.) Ridl.: Ridley, Fl. Malay Penins. 5: 214 (1925), p.p. – *Paspalum sanguinale* (L.) Lam. var. *commutatum* auct. non (Schult.) Hook.f.: Ridley, Mat. Fl. Malay. Penins. 3: 125 (1907), p.p. – *Paspalum sanguinale* auct. non (L.) Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900), p.p. **Native; LC** (Veldkamp et al., 2019).

Digitaria didactyla Willd.: Gilliland, Rev. Fl. Malaya 3: 195 (1971); Veldkamp, Blumea 21(1): 44 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 539 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 162 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 55, fig. 43 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 266 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 306, fig. 23C (2019). – *Digitaria peninsulae* Ohwi: Turner et al., Gard. Bull. Singapore 71: 14 (2019). – *Digitaria didactyla* Willd. var. *peninsulae* (Ohwi) Henrard: Gilliland, Rev. Fl. Malaya 3: 196 (1971). – *Digitaria marginata* Link var. *debilis* auct. non (Desf.) Ridl.: Ridley, Fl. Malay Penins. 5: 214 (1925), p.p. – *Paspalum sanguinale* (L.) Lam. var. *debile* auct. non (Desf.) Hook.f.: Ridley, Mat. Fl. Malay. Penins. 3: 125 (1907), p.p. – *Paspalum sanguinale* auct. non (L.) Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900), p.p. **Non-native, naturalised** (Chong et al., 2009).

Digitaria fuscescens (J.Presl) Henrard: Gilliland, Rev. Fl. Malaya 3: 193 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 539 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 162 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 55, fig. 44 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 227 (2009); Veldkamp et al., Fl. Singapore 7: 307, fig. 23D (2019). – *Digitaria longiflora* auct. non (Retz.) Pers.: Ridley, Fl. Malay Penins. 5: 214 (1925), p.p. – *Paspalum longiflorum* auct. non Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900), p.p. **Native; LC** (Veldkamp et al., 2019).

Digitaria longiflora (Retz.) Pers.: Ridley, Fl. Malay Penins. 5: 214 (1925), p.p.; Gilliland, Rev. Fl. Malaya 3: 192 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 162 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 55, fig. 45 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 227 (2009); Veldkamp et al., Fl. Singapore 7: 308, fig. 23E (2019). – *Paspalum longiflorum* Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900), p.p.; Ridley, Mat. Fl. Malay. Penins. 3: 126 (1907), p.p. **Native; VU** (Veldkamp et al., 2019).

Digitaria mollicoma (Kunth) Henrard: Veldkamp, Blumea 21(1): 69 (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 539 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 188 (1998); Duistermaat, Gard. Bull. Singapore 56: 33 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 56, fig. 46 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 227 (2009); Hung et al., Nat. Singapore 10: 16, 22 (2017); Veldkamp et al., Fl. Singapore 7: 309, fig. 25A (2019). – *Digitaria elevatovenulosa* Ohwi: Ohwi, Bull. Tokyo Sci. Mus. 18: 6 (1947); Turner et al., Gard. Bull. Singapore 71: 13 (2019). – *Digitaria longiflora* auct. non (Retz.) Pers.: Ridley, Fl. Malay Penins. 5: 214 (1925), p.p. – *Paspalum longiflorum* auct. non Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900), p.p. **Native; LC** (Veldkamp et al., 2019).

Digitaria nuda Schumach.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 56, fig. 47 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 310, fig. 25B (2019). **Native; CR** (Veldkamp et al., 2019).

Digitaria radicosa (J.Presl) Miq.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 163 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 58, fig. 48, pl. 8 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Hung et al., Nat. Singapore 10: 33 (2017); Veldkamp et al., Fl. Singapore 7: 312, fig. 20B, 25C (2019). – *Digitaria longiflora* auct. non (Retz.) Pers.: Henderson, Gard. Bull. Straits Settlem. 4(6–10): 356 (1928), p.p. – *Digitaria marginata* Link var. *debilis* auct. non (Desf.) Ridl.: Ridley, Fl. Malay Penins. 5: 214 (1925), p.p. – *Paspalum sanguinale* (L.) Lam. var. *debile* auct. non (Desf.) Hook.f.: Ridley, Mat. Fl. Malay. Penins. 3: 125 (1907), p.p. **Native; LC** (Veldkamp et al., 2019).

Digitaria setigera Roth: Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 163 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 58 (2005); Lok et al., Cosmos 6: 81 (2010); Hung et al., Nat. Singapore 10: 16, 22 (2017); Veldkamp et al., Fl. Singapore 7: 313 (2019). – *Digitaria microbachne* (J.Presl) Henrard: Gilliland, Rev. Fl. Malaya 3: 194 (1971). – *Digitaria marginata* Link var. *pruriens* (Fisch. ex Trin.) Hook.f.: Ridley, Fl. Malay Penins. 5: 214 (1925). – *Paspalum sanguinale* (L.) Lam. var. *pruriens* (Fisch. ex Trin.) Hook.f.: Ridley, Mat. Fl. Malay. Penins. 3: 125 (1907).

Digitaria setigera Roth var. **setigera**: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 539 (1997 ['1995']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 60, fig. 50 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 270 (2009); Veldkamp et al., Fl. Singapore 7: 314, fig. 25E (2019). **Native; LC** (Veldkamp et al., 2019).

Digitaria setigera Roth var. **calliblepharata** (Henrard) Veldkamp: Veldkamp, Blumea 21(1): 40, fig. 6a (1973); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 539 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 163 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 60, fig. 49 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 270 (2009); Veldkamp et al., Fl. Singapore 7: 315, fig. 25D (2019). – *Digitaria microbachne* (J.Presl) Henrard subsp. *calliblepharata* Henrard: Gilliland, Rev. Fl. Malaya 3: 194 (1971). **Native; EN** (Veldkamp et al., 2019).

Digitaria violascens Link: Gilliland, Rev. Fl. Malaya 3: 191 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 95 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 540 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 163 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 60, fig. 51 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 315, fig. 25F (2019). – *Digitaria caespitosa* Ridl.: Ridley, Fl. Malay Penins. 5: 215 (1925); Turner et al., Gard. Bull. Singapore 71: 13 (2019). – *Digitaria pertenuis* Buse: Ridley, Fl. Malay Penins. 5: 214 (1925); Gilliland, Rev. Fl. Malaya 3: 192 (1971).

– *Digitaria chinensis* auct. non Hornem.: Ridley, Fl. Malay Penins. 5: 215 (1925), p.p. – *Digitaria longiflora* auct. non (Retz.) Pers.: Ridley, Fl. Malay Penins. 5: 214 (1925), p.p. – *Paspalum longiflorum* auct. non Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900), p.p.; Ridley, Mat. Fl. Malay. Penins. 3: 126 (1907), p.p. **Native; LC** (Veldkamp et al., 2019).

Dimeria ornithopoda Trin.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900); Henderson, Malay. Wild Fls. Monocot.: 346 (1954); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 163, fig. 266 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 61, fig. 52 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 169, 227 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 85, 469 (2013); Veldkamp et al., Fl. Singapore 7: 317, fig. 26A (2019). – *Dimeria glabra* Ridl.: Ridley, Fl. Malay Penins. 5: 192 (1925); Turner et al., Gard. Bull. Singapore 71: 14 (2019). – *Dimeria ornithopoda* Trin. var. *glabra* (Ridl.) Jansen: Gilliland, Rev. Fl. Malaya 3: 216 (1971); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 540 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 163 (1998). – *Dimeria ornithopoda* Trin. var. *ornithopoda*: Ridley, Mat. Fl. Malay. Penins. 3: 151 (1907); Ridley, Fl. Malay Penins. 5: 192 (1925); Gilliland, Rev. Fl. Malaya 3: 214 (1971); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 540 (1997 ['1995']). – *Dimeria ornithopoda* Trin. subvar. *imperfecta* Hack.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900). **Native; LC** (Veldkamp et al., 2019).

Dinebra chinensis (L.) P.M.Peterson & N.Snow: Veldkamp et al., Fl. Singapore 7: 320, fig. 26B, 27 (2019). – *Leptochloa chinensis* (L.) Nees: Ridley, Fl. Malay Penins. 5: 249 (1925); Gilliland, Rev. Fl. Malaya 3: 73 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 545 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 173 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 88, fig. 86 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 170, 271 (2009); Lok et al., Cosmos 6: 81 (2010). **Native; LC** (Veldkamp et al., 2019).

Dinebra panicea (Retz.) P.M.Peterson & N.Snow: Veldkamp et al., Fl. Singapore 7: 322 (2019). **Native; CR** (Veldkamp et al., 2019).

Echinochloa colona (L.) Link: Ridley, Fl. Malay Penins. 5: 222 (1925); Gilliland, Rev. Fl. Malaya 3: 167 (1971), as ‘*colonum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990), as ‘*colonum*’; Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 540 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 164, fig. 267 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 62, fig. 53, pl. 9 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 169, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 323, fig. 20C, 26C (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 123 (2019). – *Panicum colonum* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 132 (1907). **Native; LC** (Veldkamp et al., 2019).

Echinochloa crus-galli (L.) P.Beauv.: Ridley, Fl. Malay Penins. 5: 222 (1925); Gilliland, Rev. Fl. Malaya 3: 168 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 540 (1997 ['1995']), as ‘*crusgalli*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 164 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 62, fig. 54 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 169, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl.

Singapore 7: 324, fig. 26D (2019). — *Panicum crus-galli* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900), as ‘*crusgalli*’; Ridley, Mat. Fl. Malay. Penins. 3: 132 (1907). **Native; CR** (assessed here).

Echinochloa picta (J.Koenig) P.W.Michael: Duistermaat, Gard. Bull. Singapore 57(Suppl.): 62, fig. 55 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 169, 191 (2009); Veldkamp et al., Fl. Singapore 7: 326, fig. 26E (2019). — *Echinochloa stagnina* auct. non (Retz.) P.Beauv.: Gilliland, Rev. Fl. Malaya 3: 166 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 540 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 164, fig. 268 (1998). **Native; NEx** (Veldkamp et al., 2019).

Eleusine indica (L.) Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Fl. Malay Penins. 5: 250 (1925); Gilliland, Rev. Fl. Malaya 3: 78 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 165, fig. 269 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 64, fig. 57 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 169, 266 (2009); Lok et al., Cosmos 6: 72 (2010); Hung et al., Nat. Singapore 10: 45 (2017); Veldkamp et al., Fl. Singapore 7: 327, fig. 28B, 29 (2019). **Native; LC** (Veldkamp et al., 2019).

Eragrostis atrovirens (Desf.) Trin. ex Steud.: Gilliland, Rev. Fl. Malaya 3: 68 (1971); Lazarides, Trop. Grass. S.E. Asia: 173 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 541 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 165, fig. 271 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 [‘1997’]); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 66, fig. 60 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 169, 227 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 100, 471 (2013); Veldkamp et al., Fl. Singapore 7: 332, fig. 28C, 30 (2019). — *Eragrostis nutans* auct. non (Retz.) Nees ex Steud.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 166 (1998). — *Eragrostis elongata* auct. non (Willd.) J.Jacq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900), p.p.; Ridley, Mat. Fl. Malay. Penins. 3: 179 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 248 (1925), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994), p.p. — *Eragrostis elegantula* Nees ex Steud., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 179 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 248 (1925), p.p. **Native; LC** (Veldkamp et al., 2019).

Eragrostis brownii (Kunth) Nees: Duistermaat, Gard. Bull. Singapore 56: 34 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 68, fig. 61, pl. 11 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 169, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 334, fig. 28D, 31A (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 123 (2019). — *Eragrostis elongata* auct. non (Willd.) J.Jacq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900), p.p.; Ridley, Mat. Fl. Malay. Penins. 3: 179 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 248 (1925), p.p.; Turner, Gard. Bull. Singapore 45: 96 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994), p.p. — *Eragrostis elegantula* auct. non Nees ex Steud.: Ridley, Mat. Fl. Malay. Penins. 3: 179 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 248 (1925), p.p. **Native; VU** (Veldkamp et al., 2019).

Eragrostis cumingii Steud.: Gilliland, Rev. Fl. Malaya 3: 65, pl. 11c (1971); Turner, Gard. Bull. Singapore 47: 541 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Veldkamp, Blumea 47: 172 (2002); Veldkamp et al., Fl. Singapore 7: 336, fig. 28E (2019). – *Eragrostis brownii* auct. non (Kunth) Nees: Duistermaat, Gard. Bull. Singapore 57(Suppl.): 68 (2005), p.p. – *Eragrostis ciliaris* (All.) Vignolo ex Janch.: Duistermaat, Gard. Bull. Singapore 57(Suppl.): 68, fig. 62 (2005). – *Eragrostis elongata* auct. non (Willd.) J.Jacq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900), p.p.; Ridley, Mat. Fl. Malay. Penins. 3: 179 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 248 (1925), p.p.; Turner, Gard. Bull. Singapore 45: 96 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994), p.p.; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 166 (1998). – *Eragrostis elegantula* auct. non Nees ex Steud.: Ridley, Mat. Fl. Malay. Penins. 3: 179 (1907), p.p.; Ridley, Fl. Malay Penins. 5: 248 (1925), p.p. **Native; LC** (Veldkamp et al., 2019).

Eragrostis gangetica (Roxb.) Steud.: Gilliland, Rev. Fl. Malaya 3: 68 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 541 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 166 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 70, fig. 63 (2005); Veldkamp et al., Fl. Singapore 7: 337, fig. 28F (2019). – *Eragrostis cambessediana* (Kunth) Steud.: Sinclair, Gard. Bull. Singapore 14(1): 36 (1953); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994). **Non-native, casual*** (Veldkamp et al., 2019).

Eragrostis montana Balansa: Turner, Gard. Bull. Singapore 47: 541 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 166, fig. 272 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 70, fig. 64 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 169, 227 (2009); Veldkamp et al., Fl. Singapore 7: 338, fig. 28G, 32 (2019). – *Eragrostis malayana* Stapf: Ridley, Mat. Fl. Malay. Penins. 3: 178 (1907); Ridley, Fl. Malay Penins. 5: 247 (1925); Gilliland, Rev. Fl. Malaya 3: 65 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994). **Native; CR** (Veldkamp et al., 2019).

Eragrostis pilosa (L.) P.Beauv.: Ridley, Mat. Fl. Malay. Penins. 3: 179 (1907); Ridley, Fl. Malay Penins. 5: 247 (1925); Gilliland, Rev. Fl. Malaya 3: 69 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 167 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 70, fig. 65 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 169, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 340, fig. 33A (2019). **Native; VU** (Veldkamp et al., 2019).

Eragrostis tenella (L.) P.Beauv.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 177 (1907); Ridley, Fl. Malay Penins. 5: 245 (1925); Gilliland, Rev. Fl. Malaya 3: 71 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Veldkamp et al., Fl. Singapore 7: 342, fig. 31B, 33C (2019). – *Eragrostis amabilis* auct. non (L.) Wight & Arn.: Turner, Gard. Bull. Singapore 47: 541 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 165, fig. 270 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 66, fig. 59, pl. 10 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 169, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Hung et al., Nat. Singapore 10: 16, 20 (2017); Hung et al.,

Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017). – *Eragrostis viscosa* auct. non (Retz.) Trin.: Ridley, Mat. Fl. Malay. Penins. 3: 177 (1907); Ridley, Fl. Malay Penins. 5: 246 (1925); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 167 (1998). **Native; LC** (Veldkamp et al., 2019).

Eragrostis tenuifolia (A.Rich.) Hochst. ex Steud.: Veldkamp, Blumea 47: 187 (2002); Veldkamp et al., Fl. Singapore 7: 343 (2019). **Non-native, casual*** (Veldkamp et al., 2019).

Eragrostis unioloides (Retz.) Nees ex Steud.: Gilliland, Rev. Fl. Malaya 3: 66 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 167, fig. 273 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 71, fig. 66 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 169, 227 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 100, 471 (2013); Veldkamp et al., Fl. Singapore 7: 343, fig. 33D, 34 (2019). – *Eragrostis amabilis* auct. non (L.) Wight & Arn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 178 (1907); Ridley, Fl. Malay Penins. 5: 246 (1925). **Native; LC** (Veldkamp et al., 2019).

Eriachne pallescens R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 172 (1907); Ridley, Fl. Malay Penins. 5: 240 (1925); Gilliland, Rev. Fl. Malaya 3: 94 (1971); Van Eck-Borsboom, Blumea 26: 133 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 541 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 167 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 71, fig. 67 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 169, 221 (2009); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Veldkamp et al., Fl. Singapore 7: 346, fig. 35A (2019). **Native; LC** (Veldkamp et al., 2019).

Eriachne trisetoides (Nees ex Steud.): Van Eck-Borsboom, Blumea 26: 136 (1980); Maxwell, Gard. Bull. Singapore 36(2): 231 (1984 ['1983']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 541 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 168 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 72, fig. 68 (2005); Veldkamp et al., Fl. Singapore 7: 347, fig. 35B (2019). **Non-native, casual*** (Veldkamp et al., 2019).

Eriochloa meyeriana (Nees) Pilg.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 168 (1998), as ‘meyerana’; Duistermaat, Gard. Bull. Singapore 57(Suppl.): 74, fig. 70 (2005), as ‘meyerana’; Veldkamp et al., Fl. Singapore 7: 350, fig. 35C (2019). **Non-native, naturalised** (Veldkamp et al., 2019).

Eriochloa procera (Retz.) C.E.Hubb.: Gilliland, Rev. Fl. Malaya 3: 202 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 542 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 168 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 74, fig. 71, pl. 12 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 169, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Hung et al., Nat. Singapore 10: 33 (2017); Veldkamp et al., Fl. Singapore 7: 351, fig. 35D, 36A (2019). **Native; LC** (Veldkamp et al., 2019).

Eustachys tenera (J.Presl) A.Camus: Gilliland, Rev. Fl. Malaya 3: 88 (1971); Lazarides, Trop. Grass. S.E. Asia: 161 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994), as ‘tener’; Ng & Wee (ed.), Singapore Red Data Book: 287 (1994), as ‘tener’; Turner, Gard. Bull. Singapore 47: 542 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 168 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 74, fig. 69 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 169, 192 (2009); Veldkamp et al., Fl. Singapore 7: 352, fig. 35E (2019). **Native; NEx** (Veldkamp et al., 2019).

Gigantochloa ligulata Gamble: Chua et al., Bamboos Singapore: 42, fig. 14 (1996); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 169 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 169, 206 (2009); Veldkamp et al., Fl. Singapore 7: 244, fig. 5 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106 (2019). **Native; CR** (Veldkamp et al., 2019).

Heteropogon contortus (L.) P.Beauv.: Gilliland, Rev. Fl. Malaya 3: 292 (1971); Lazarides, Trop. Grass. S.E. Asia: 47 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 543 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 169 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 76, fig. 72 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 169, 228 (2009); Veldkamp et al., Fl. Singapore 7: 354, fig. 37A (2019). – *Andropogon contortus* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900). **Native; NEx** (Veldkamp et al., 2019).

Hymenachne amplexicaulis (Rudge) Nees: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 170 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 76, fig. 73 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 169, 228 (2009); Veldkamp et al., Fl. Singapore 7: 357, fig. 37B (2019). – *Hymenachne acutigluma* (Steud.) Gilliland: Gilliland, Rev. Fl. Malaya 3: 155 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 543 (1997 [‘1995’]). – *Hymenachne myuros* auct. non (Lam.) P.Beauv.: Ridley, Fl. Malay Penins. 5: 230 (1925). **Native; CR** (assessed here).

Imperata conferta (J.Presl) Ohwi: Gilliland, Rev. Fl. Malaya 3: 222 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 97 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 544 (1997 [‘1995’]), as ‘conferata’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 170 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 78, fig. 74 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 169, 228 (2009); Veldkamp et al., Fl. Singapore 7: 359, fig. 37C (2019). – *Imperata exaltata* auct. non (Roxb.) Brongn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 152 (1907); Ridley, Fl. Malay Penins. 5: 193 (1925). **Native; DD** (Veldkamp et al., 2019).

Imperata cylindrica (L.) P.Beauv.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1228 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 [‘1997’]); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 78, fig. 75 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 169, 271 (2009); Lok

et al., *Cosmos* 6: 81 (2010); Teo et al., *Nat. Singapore* 4: 271 (2011); Neo et al., *Nat. Singapore* 6: 71 (2013); Neo et al., *Nat. Singapore* 6: 82 (2013); Hung et al., *Nat. Singapore* 10: 33 (2017); Hung et al., *Nat. Singapore* 10: 46 (2017); Kaw & Neo, *Wayside Fls Singapore*: 104 (2018); Veldkamp et al., *Fl. Singapore* 7: 360, fig. 37D, 38 (2019); Yee et al., *Fl. Singapore* 1: 58, 68 (2019). — *Imperata cylindrica* (L.) P.Beauv. var. *major* (Nees) C.E.Hubb.: Gilliland, *Rev. Fl. Malaya* 3: 220 (1971); Turner, *Gard. Bull. Singapore* 45: 98 (1993); Keng et al., *Concise Fl. Singapore*, vol. 2, Monocot.: 170, fig. 274 (1998). — *Imperata arundinacea* auct. non Cirillo: Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 186 (1900); Ridley, *Fl. Malay Penins.* 5: 193 (1925). **Native; LC** (Veldkamp et al., 2019).

Isachne confusa Ohwi: Veldkamp et al., *Fl. Singapore* 7: 363, fig. 39A (2019). — *Isachne pulchella* auct. non Roth: Gilliland, *Rev. Fl. Malaya* 3: 120 (1971); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 70 (1990); Turner, *Gard. Bull. Singapore* 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 116 (1994); Ng & Wee (ed.), *Singapore Red Data Book*: 287 (1994); Keng et al., *Concise Fl. Singapore*, vol. 2, Monocot.: 171 (1998); Chew et al., *Gard. Bull. Singapore* 49(2): 187 (1999 ['1997']); Duistermaat, *Gard. Bull. Singapore* 57(Suppl.): 82, fig. 79 (2005); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 51, 169, 271 (2009); Lok et al., *Cosmos* 6: 81 (2010). **Native; CR** (Veldkamp et al., 2019).

Isachne globosa (Thunb.) Kuntze: Gilliland, *Rev. Fl. Malaya* 3: 123 (1971); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 70 (1990); Turner, *Gard. Bull. Singapore* 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 116 (1994); Turner et al., *Gard. Bull. Singapore* 46(2): 18 (1995 ['1994']); Turner, *Gard. Bull. Singapore* 47: 544 (1997 ['1995']); Keng et al., *Concise Fl. Singapore*, vol. 2, Monocot.: 170, fig. 275 (1998); Chew et al., *Gard. Bull. Singapore* 49(2): 187 (1999 ['1997']); Duistermaat, *Gard. Bull. Singapore* 57(Suppl.): 80, fig. 76 (2005); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 51, 169, 271 (2009); Lok et al., *Cosmos* 6: 81 (2010); Wong et al., *Checkl. Pl. Sp. Nee Soon Swamp For.*: 147, 472 (2013); Veldkamp et al., *Fl. Singapore* 7: 365, fig. 39B (2019). — *Isachne australis* auct. non R.Br.: Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 184 (1900); Ridley, *Mat. Fl. Malay. Penins.* 3: 129 (1907); Ridley, *Fl. Malay Penins.* 5: 239 (1925). **Native; LC** (Veldkamp et al., 2019).

Isachne minutula (Gaudich.) Kunth: Duistermaat, *Gard. Bull. Singapore* 57(Suppl.): 82, fig. 78 (2005); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 51, 169, 228 (2009); Veldkamp et al., *Fl. Singapore* 7: 366, fig. 39C (2019). — *Isachne pulchella* auct. non Roth: Turner, *Gard. Bull. Singapore* 47: 544 (1997 ['1995']), p.p. — *Isachne miliacea* auct. non Roth: Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 184 (1900); Ridley, *Mat. Fl. Malay. Penins.* 3: 129 (1907); Ridley, *Fl. Malay Penins.* 5: 239 (1925). **Native; NEx** (Veldkamp et al., 2019).

Isachne schmidtii Hack.: Veldkamp et al., *Fl. Singapore* 7: 367, fig. 39D, 40 (2019). — *Isachne semitalis* Ridl.: Ridley, *Fl. Malay Penins.* 5: 237 (1925); Turner et al., *Gard. Bull. Singapore* 71: 17 (2019). — *Isachne kunthiana* auct. non (Wight & Arn. ex Steud.) Miq.: Hooker, *Fl. Brit. India* 7, fasc. 21: 21 (1896), p.p.; Ridley, *J. Straits Branch Roy. Asiat. Soc.* 33: 184 (1900); Ridley, *Mat. Fl. Malay. Penins.* 3: 128 (1907); Gilliland, *Rev. Fl. Malaya* 3: 122 (1971); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 70 (1990); Turner, *Gard. Bull. Singapore* 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 116 (1994); Ng & Wee (ed.), *Singapore Red Data Book*: 287 (1994); Turner, *Gard. Bull. Singapore* 47: 544 (1997 ['1995']); Keng et al., *Concise Fl. Singapore*, vol. 2, Monocot.: 171 (1998); Duistermaat, *Gard. Bull. Singapore* 57(Suppl.): 82, fig. 77 (2005); Chong et al., *Checkl. Vasc. Pl. Fl. Singapore*: 51, 169, 228 (2009). — *Isachne pulchella* auct. non Roth: Turner et al., *Gard. Bull. Singapore* 46(2): 18 (1994). **Native; LC** (Veldkamp et al., 2019).

Ischaemum barbatum Retz.: Gilliland, *Rev. Fl. Malaya* 3: 260 (1971); Turner et al., *J. Singapore Natl Acad. Sci.* 18 & 19: 70 (1990); Turner, *Gard. Bull. Singapore* 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), *First Look Biodivers. Singapore*: 116 (1994); Ng & Wee (ed.), *Singapore Red Data*

Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 171 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 169, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 370, fig. 41A, 42A (2019). – *Ischaemum laeve* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 44: 207 (1905); Ridley, Mat. Fl. Malay. Penins. 3: 158 (1907); Ridley, Fl. Malay Penins. 5: 201 (1925); Turner et al., Gard. Bull. Singapore 71: 18 (2019). – *Ischaemum magnum* Rendle: Hooker, Fl. Brit. India 7, fasc. 21: 128 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900), as ‘*Ischoemum*’; Ridley, Mat. Fl. Malay. Penins. 3: 158 (1907); Ridley, Fl. Malay Penins. 5: 200 (1925); Gilliland, Rev. Fl. Malaya 3: 261 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 545 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 171 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 84, fig. 81, pl. 14 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 169, 228 (2009); Hung et al., Nat. Singapore 10: 46 (2017); Turner et al., Gard. Bull. Singapore 71: 19 (2019). – *Ischaemum barbatum* Retz. var. *imbricatum* (Hack.) Jansen: Turner, Gard. Bull. Singapore 47: 545 (1997 [‘1995’]). – *Ischaemum imbricatum* (Hack.) Stapf ex Ridl.: Ridley, Fl. Malay Penins. 5: 200 (1925). **Native; LC** (Veldkamp et al., 2019).

Ischaemum ciliare Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900), as ‘*Ischoemum*’; Ridley, Mat. Fl. Malay. Penins. 3: 160 (1907); Veldkamp, Blumea 36(1): 180 (1991); Turner, Gard. Bull. Singapore 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 545 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 171 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 [‘1997’]); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 83, fig. 80, pl. 13 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 169, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Neo et al., Nat. Singapore 6: 71 (2013); Hung et al., Nat. Singapore 10: 46 (2017); Veldkamp et al., Fl. Singapore 7: 374, fig. 41B, 42B (2019). – *Ischaemum indicum* auct. non (Houtt.) Merr.: Gilliland, Rev. Fl. Malaya 3: 263 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990). – *Ischaemum aristatum* auct. non L.: Ridley, Fl. Malay Penins. 5: 203 (1925). – *Ischaemum ciliare* Retz. var. *malacophyllum* (Hochst. ex Steud.) Hack. ex Ridl.: Ridley, Mat. Fl. Malay. Penins. 3: 160 (1907). **Native; LC** (Veldkamp et al., 2019).

Ischaemum feildingianum Rendle: Veldkamp et al., Fl. Singapore 7: 375 (2019). **Native; NEx** (Veldkamp et al., 2019).

Ischaemum muticum L.: Kuntze, Revis. Gen. Pl. 2: 778 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900), as ‘*Ischoemum*’; Ridley, Mat. Fl. Malay. Penins. 3: 159 (1907); Ridley, Fl. Malay Penins. 5: 201 (1925); Gilliland, Rev. Fl. Malaya 3: 255 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 172, fig. 276 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 84, fig. 82, pl. 15 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 287, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 169, 228 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 149, 474 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 120 (2018); Veldkamp et al., Fl. Singapore 7: 377, fig. 41C, 43 (2019); Yee et al., Fl. Singapore 1: 64 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 254, 382 (2020). – *Ischaemum muticum* L. var. *repens* (Roxb.) Hack. ex Ridl.: Ridley, Fl. Malay Penins. 5: 201 (1925). **Native; LC** (Veldkamp et al., 2019).

Ischaemum rugosum Salisb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900), as ‘*Ischoemum*’; Ridley, Mat. Fl. Malay. Penins. 3: 157 (1907); Ridley, Fl. Malay Penins. 5: 200 (1925); Gilliland, Rev. Fl. Malaya 3: 259 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19:

70 (1990); Turner, Gard. Bull. Singapore 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 545 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 172 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 86, fig. 83 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 169, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 379, fig. 41D (2019). **Native; NEx** (Veldkamp et al., 2019).

Ischaemum timorense Kunth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900), as '*Ischoemum*'; Ridley, Mat. Fl. Malay. Penins. 3: 160 (1907); Ridley, Fl. Malay Penins. 5: 203 (1925); Gilliland, Rev. Fl. Malaya 3: 264 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 98 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 545 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 172 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 86, fig. 84 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 170, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 149, 474 (2013); Veldkamp et al., Fl. Singapore 7: 380, fig. 41E, 44 (2019). – *Ischaemum macrurum* Stapf ex Ridl.: Ridley, Fl. Malay Penins. 5: 203 (1925); Turner et al., Gard. Bull. Singapore 71: 18 (2019). **Native; LC** (Veldkamp et al., 2019).

Leersia hexandra Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 148 (1907); Ridley, Fl. Malay Penins. 5: 253 (1925); Gilliland, Rev. Fl. Malaya 3: 97 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 545 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 173, fig. 277 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 88, fig. 85 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 170, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 383, fig. 45A, 46 (2019). – *Homalocenchrus hexander* (Sw.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 777 (1891). **Native; LC** (Veldkamp et al., 2019).

Lepturus repens (G.Forst.) R.Br.: Gilliland, Rev. Fl. Malaya 3: 83 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 546 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 173 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 170, 228 (2009); Hung et al., Nat. Singapore 10: 16, 20, 23 (2017); Veldkamp et al., Fl. Singapore 7: 387, fig. 36B, 45B (2019). – *Lepturus repens* (G.Forst.) R.Br. var. *repens*: Duistermaat, Gard. Bull. Singapore 57(Suppl.): 89, fig. 87, pl. 16 (2005). **Native; LC** (Veldkamp et al., 2019).

Lophatherum gracile Brongn.: Ridley, Mat. Fl. Malay. Penins. 3: 181 (1907); Ridley, Fl. Malay Penins. 5: 253 (1925); Gilliland, Rev. Fl. Malaya 3: 55 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 546 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 173, fig. 278 (1998); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 89, fig. 88, pl. 19 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 170, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 170, 474 (2013); Veldkamp et al., Fl. Singapore 7: 388, fig. 45C, 47 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106 (2019). – *Lophatherum lehmannii* auct. non Nees ex Steud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900), as '*lehmanni*'. **Native; LC** (Veldkamp et al., 2019).

Melinis repens (Willd.) Zizka: Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 173 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 89, fig. 89, pl. 20 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 170, 267 (2009); Lok et al., Cosmos 6: 72 (2010); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 81 (2018); Veldkamp et al., Fl. Singapore 7: 391, fig. 36C, 45D (2019). – *Rhynchelytrum repens* (Willd.) C.E.Hubb.: Corlett, J. Biogeogr. 15: 663 (1988), as ‘*Rhynchelytrum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as ‘*Rhynchelytrum*’; Corlett, J. Biogeogr. 19: 428 (1992), as ‘*Rhynchelytrum*’. **Non-native, naturalised** (Chong et al., 2009).

Mnesithea glandulosa (Trin.) de Koning & Sosef: Veldkamp et al., Blumea 31(2): 290 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 174 (1998); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 92, fig. 91 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 170, 222 (2009); Veldkamp et al., Fl. Singapore 7: 393, fig. 48A (2019). – *Rottboellia striata* Nees ex Steud. var. *glabrior* Hack.: Hack in De Candolle & De Candolle, Monogr. Phan. 6: 302 (1889); Hooker, Fl. Brit. India 7, fasc. 21: 157 (1896); Turner et al., Gard. Bull. Singapore 71: 38 (2019). – *Coelorrhachis glandulosa* (Trin.) Stapf ex Ridl.: Ridley, Fl. Malay Penins. 5: 204 (1925), as ‘*Coelorrhachis*’; Gilliland, Rev. Fl. Malaya 3: 270 (1971). – *Rottboellia glandulosa* Trin.: Hooker, Fl. Brit. India 7, fasc. 21: 157 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 161 (1907). – *Rottboellia striata* auct. non Nees ex Steud.: Ridley, Mat. Fl. Malay. Penins. 3: 162 (1907), p.p. **Native; VU** (Veldkamp et al., 2019).

Mnesithea granularis (L.) de Koning & Sosef: Veldkamp et al., Blumea 31(2): 295 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 547 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 174 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 92, fig. 92 (2005); Veldkamp et al., Fl. Singapore 7: 394, fig. 48B (2019). – *Hackelochloa granularis* (L.) Kuntze: Sinclair, Gard. Bull. Singapore 14(1): 37 (1953); Gilliland, Rev. Fl. Malaya 3: 277 (1971). **Cryptogenic** (Veldkamp et al., 2019).

Neyraudia arundinacea (L.) Henrard: Veldkamp et al., Fl. Singapore 7: 397, fig. 48C (2019).

Neyraudia arundinacea (L.) Henrard var. *zollingeri* (Buse) Henrard: Duistermaat, Gard. Bull. Singapore 57(Suppl.): 94, fig. 90 (2005); Veldkamp et al., Fl. Singapore 7: 397, fig. 48C (2019). **Cryptogenic** (Veldkamp et al., 2019).

Opismenus burmanni (Retz.) P.Beauv.: Veldkamp et al., Fl. Singapore 7: 399, fig. 48D (2019). **Non-native, naturalised** (assessed here).

Opismenus compositus (L.) P.Beauv.: Duistermaat, Gard. Bull. Singapore 57(Suppl.): 95, fig. 95 (2005); Veldkamp et al., Fl. Singapore 7: 399, fig. 48E (2019). **Non-native, casual*** (Veldkamp et al., 2019).

Oryza sativa L.: Burkill, Dict. Econ. Prod. Malay Penins., ed. 2, 2: 1620 (1966); Gilliland, Rev. Fl. Malaya 3: 99 (1971); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 95, fig. 93 (2005); Veldkamp et al., Fl. Singapore 7: 401, fig. 49A (2019). **Non-native, casual*** (assessed here).

Ottochloa nodosa (Kunth) Dandy: Gilliland, Rev. Fl. Malaya 3: 143 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993);

Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 548 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 174 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 96, fig. 96 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 170, 229 (2009); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Veldkamp et al., Fl. Singapore 7: 404, fig. 49B, 50 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 133 (2019). – *Hemigymnia fusca* Ridl.: Ridley, Fl. Malay Penins. 5: 228 (1925); Turner et al., Gard. Bull. Singapore 71: 16 (2019). – *Panicum nodosum* Kunth: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 137 (1907); Lee et al., Gard. Bull. Singapore 55: 289 (2003). – *Hemigymnia multinodis* Stapf, nom. illeg. superfl.: Ridley, Fl. Malay Penins. 5: 228 (1925). **Native; LC** (Veldkamp et al., 2019).

Panicum auritum J.Presl ex Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 135 (1907); Ridley, Fl. Malay Penins. 5: 226 (1925); Gilliland, Rev. Fl. Malaya 3: 137 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Zuloaga et al., Ann. Missouri Bot. Gard. 79: 791 (1992); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 548 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 174 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 99, fig. 97 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 170, 272 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 408, fig. 49C (2019). **Native; NEx** (Veldkamp et al., 2019).

Panicum brevifolium L.: Gilliland, Rev. Fl. Malaya 3: 139 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 548 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 175 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 99, fig. 98 (2005); Veldkamp et al., Fl. Singapore 7: 409, fig. 49D (2019). – *Panicum ovalifolium* Poir.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 141 (1907); Ridley, Fl. Malay Penins. 5: 227 (1925). – *Isachne biflora* (Lam.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 778 (1891). **Non-native, casual*** (Veldkamp et al., 2019).

Panicum laxum Sw.: Duistermaat, Gard. Bull. Singapore 56: 37 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 100, fig. 99 (2005); Veldkamp et al., Fl. Singapore 7: 410, fig. 49E, 51 (2019). – *Steinchisma laxum* (Sw.) Zuloaga: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 171, 268 (2009), as 'laxa'; Lok et al., Cosmos 6: 72 (2010), as 'laxa'. **Non-native, naturalised** (Chong et al., 2009).

Panicum luzonense J.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 136 (1907); Turner, Gard. Bull. Singapore 47: 548 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 175 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 100, fig. 100 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 170, 229 (2009); Veldkamp et al., Fl. Singapore 7: 412, fig. 49F (2019). – *Panicum cambogiense* Balansa: Gilliland, Rev. Fl. Malaya 3: 141 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994). – *Panicum caesium* Nees ex Hook.f., nom. illeg. hom.: Ridley, Fl. Malay Penins. 5: 225 (1925). **Native; NEx** (Veldkamp et al., 2019).

Panicum paludosum Roxb.: Duistermaat, Gard. Bull. Singapore 56: 35 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 102, fig. 102 (2005); Veldkamp et al., Fl. Singapore 7: 413, fig. 52A (2019). **Native; NEx** (Veldkamp et al., 2019).

Panicum repens L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 139 (1907); Ridley, Fl. Malay Penins. 5: 225 (1925); Gilliland, Rev. Fl. Malaya 3: 135 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 549 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 175 (1998); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 103, fig. 103, pl. 21 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 170, 229 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Veldkamp et al., Fl. Singapore 7: 414, fig. 52B, 53A (2019). **Non-native, naturalised** (Veldkamp et al., 2019).

Panicum sarmentosum Roxb.: Hooker, Fl. Brit. India 7, fasc. 21: 54 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 140 (1907); Ridley, Fl. Malay Penins. 5: 227 (1925); Gilliland, Rev. Fl. Malaya 3: 139 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 549 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 176 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 103, fig. 104 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 170, 229 (2009); Hung et al., Nat. Singapore 10: 47 (2017); Veldkamp et al., Fl. Singapore 7: 416, fig. 52C (2019). – *Panicum concinnum* Nees, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 23: 21 (1891). **Native; DD** (Veldkamp et al., 2019).

Panicum trichocladium Hack. ex K.Schum.: Duistermaat, Gard. Bull. Singapore 56: 35 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 103, fig. 105 (2005); Veldkamp et al., Fl. Singapore 7: 418, fig. 52D (2019). **Non-native, naturalised** (Veldkamp et al., 2019).

Paspalum conjugatum P.J.Bergius: Hooker, Fl. Brit. India 7, fasc. 21: 11 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 124 (1907); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1673 (1935); Gilliland, Rev. Fl. Malaya 3: 180 (1971); De Koning & Sosef, Blumea 30(2): 290, fig. 1 (1985); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 176, fig. 280 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 106, fig. 106, pl. 22 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 170, 267 (2009); Lok et al., Cosmos 6: 72 (2010); Neo et al., Nat. Singapore 6: 283 (2013); Hung et al., Nat. Singapore 10: 47 (2017); Veldkamp et al., Fl. Singapore 7: 420, fig. 53B, 54A (2019). **Non-native, naturalised** (Chong et al., 2009).

Paspalum orbiculare G.Forst.: Ridley, Fl. Malay Penins. 5: 217 (1925); Gilliland, Rev. Fl. Malaya 3: 184, pl. 24b, colour pl. 15 (1971); De Koning & Sosef, Blumea 30(2): 299, fig. 5 (1985); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Turner, Gard. Bull. Singapore 47: 549 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 176 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 107, fig. 108 (2005); Veldkamp et al., Fl. Singapore 7: 422, fig. 54B (2019). **Native; LC** (Veldkamp et al., 2019).

Paspalum plicatum Michx.: Duistermaat, Gard. Bull. Singapore 56: 37 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 107, fig. 109 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 170, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Veldkamp et al., Fl. Singapore 7: 423, fig. 54C (2019). **Non-native, casual** (Chong et al., 2009).

Paspalum scrobiculatum L.: Hooker, Fl. Brit. India 7, fasc. 21: 10 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 123 (1907); Gilliland, Rev. Fl. Malaya 3: 185 (1971); De Koning & Sosef, Blumea 30(2): 302 (1985); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 170, 272 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 424, fig. 53C, 54D (2019). – *Paspalum scrobiculatum* L. var. *normale* Kuntze: Kuntze, Revis. Gen. Pl. 2: 786 (1981).

Paspalum scrobiculatum L. var. **bispicatum** Hack. ex Merr.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 177 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 107, fig. 110, pl. 23 (2005); Veldkamp et al., Fl. Singapore 7: 424, fig. 53C, 54D (2019). – *Paspalum cartilagineum* J.Presl: Gilliland, Rev. Fl. Malaya 3: 184 (1971). – *Paspalum commersonii* Lam.: Ridley, Fl. Malay Penins. 5: 218 (1925). **Native; LC** (Veldkamp et al., 2019).

Paspalum sumatrense Roth: Veldkamp et al., Fl. Singapore 7: 425, fig. 54E, 55 (2019). – *Paspalum longifolium* Roxb.: Ridley, Fl. Malay Penins. 5: 217 (1925); Gilliland, Rev. Fl. Malaya 3: 182 (1971); De Koning & Sosef, Blumea 30(2): 297, fig. 4 (1985); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as ‘*Paspalam*’; Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 176 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 106, fig. 107 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 170, 229 (2009). **Native; LC** (Veldkamp et al., 2019).

Paspalum vaginatum Sw.: Gilliland, Rev. Fl. Malaya 3: 182 (1971); De Koning & Sosef, Blumea 30(2): 309, fig. 9 (1985); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 549 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 177 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 108, fig. 111, pl. 24 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 170, 229 (2009); Hung et al., Nat. Singapore 10: 47 (2017); Veldkamp et al., Fl. Singapore 7: 427, fig. 54F (2019). – *Paspalum distichum* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 184 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 124 (1907); Ridley, Fl. Malay Penins. 5: 218 (1925). **Native; LC** (Veldkamp et al., 2019).

Paspalum virgatum L.: Veldkamp et al., Fl. Singapore 7: 428, fig. 56 (2019). **Non-native, naturalised** (Veldkamp et al., 2019).

Perotis indica (L.) Kuntze: Gilliland, Rev. Fl. Malaya 3: 113 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 178, fig. 282 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 112, fig. 114 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 170, 230 (2009); Veldkamp et al., Fl. Singapore 7: 430, fig. 57A (2019). – *Perotis latifolia* Aiton, nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 149 (1907); Ridley, Fl. Malay Penins. 5: 243 (1925). **Native; CR** (assessed here).

Phragmites karka (Retz.) Trin. ex Steud.: Gilliland, Rev. Fl. Malaya 3: 49, t. 3 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Veldkamp et al., Fl. Singapore 7: 433, fig. 57B, 58 (2019). – *Phragmites vallatorius* Veldkamp, nom. illeg. superfl.: Veldkamp, Blumea 37(1):

233 (1992), as ‘*vallatoria*’; Turner, Gard. Bull. Singapore 45: 101 (1993), as ‘*vallatoria*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), as ‘*vallatoria*’; Ng & Wee (ed.), Singapore Red Data Book: 287 (1994), as ‘*vallatoria*’; Turner, Gard. Bull. Singapore 47: 550 (1997 [‘1995’]), as ‘*vallatoria*’; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 178, fig. 283 (1998), as ‘*vallatoria*’; Duistermaat, Gard. Bull. Singapore 57(Suppl.): 112, fig. 115 (2005), as ‘*vallatoria*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 170, 272 (2009), as ‘*vallatoria*’; Lok et al., Cosmos 6: 81 (2010), as ‘*vallatoria*’. **Native; DD** (Veldkamp et al., 2019).

Pogonatherum crinitum (Thunb.) Kunth: Turner, Gard. Bull. Singapore 47: 550 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 178, fig. 284 (1998); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 [‘1997’]); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 114, fig. 116, pl. 26 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 170, 230 (2009); Veldkamp et al., Fl. Singapore 7: 435, fig. 57C, 59A (2019). – *Pogonatherum paniceum* (Lam.) Hack.: Sinclair, Gard. Bull. Singapore 14(1): 37 (1953); Gilliland, Rev. Fl. Malaya 3: 251 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as ‘*Pogonantherum*’; Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 373, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 170, 255 (2009). **Native; LC** (Veldkamp et al., 2019).

Polytrias indica (Houtt.) Veldkamp: Veldkamp, Blumea 36(1): 180 (1991); Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 550 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 179, fig. 285 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 114, fig. 117 (2005); Veldkamp et al., Fl. Singapore 7: 438, fig. 57D (2019). – *Polytrias amaura* (Buse) Kuntze: Gilliland, Rev. Fl. Malaya 3: 244, t. 53, pl. 30c (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990). – *Eulalia praemorsa* (Nees ex Steud.) Stapf ex Ridl.: Ridley, Fl. Malay Penins. 5: 197 (1925). – *Polytrias praemorsa* (Nees ex Steud.) Hack.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 164 (1907). **Non-native, casual*** (Veldkamp et al., 2019).

Rottboellia cochinchinensis (Lour.) Clayton: Duistermaat, Gard. Bull. Singapore 56: 38 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 115, fig. 118 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 170, 268 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 440, fig. 60A (2019). – *Rottboellia exaltata* L.f., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 90 (1901). **Non-native, naturalised** (Chong et al., 2009).

Saccharum arundinaceum Retz.: Ridley, Mat. Fl. Malay. Penins. 3: 153 (1907); Ridley, Fl. Malay Penins. 5: 193 (1925); Gilliland, Rev. Fl. Malaya 3: 226 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 550 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 179, fig. 286 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 118, fig. 119, pl. 28 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 170, 273 (2009); Neo et al., Nat. Singapore 6: 82 (2013); Veldkamp et al., Fl. Singapore 7: 443, fig. 60B, 61A (2019). **Native; LC** (Veldkamp et al., 2019).

Saccharum officinarum L.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1925 (1935); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 179 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 118, fig. 121, pl. 29 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 170, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Veldkamp et al., Fl. Singapore 7: 444, fig. 60C, 61B (2019). **Non-native, casual** (Chong et al., 2009).

Saccharum spontaneum L.: Gilliland, Rev. Fl. Malaya 3: 224 (1971); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 550 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 180 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 118, fig. 120 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 170, 268 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 445, fig. 60D (2019). **Non-native, naturalised** (Chong et al., 2009).

Sacciolepis indica (L.) Chase: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 180, fig. 287 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 119, fig. 122, pl. 31 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 170, 273 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 447, fig. 62A, 63 (2019). – *Sacciolepis turgida* Ridl.: Ridley, Fl. Malay Penins. 5: 231 (1925); Turner et al., Gard. Bull. Singapore 71: 40 (2019). – *Sacciolepis indica* (L.) Chase var. *indica*: Gilliland, Rev. Fl. Malaya 3: 152 (1971); Turner, Gard. Bull. Singapore 47: 550 (1997 ['1995']). – *Sacciolepis angusta* (Trin.) Stapf: Ridley, Fl. Malay Penins. 5: 232 (1925). – *Panicum indicum* (L.) L., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 134 (1907). – *Panicum indicum* (L.) L. var. *gracile* Hook.f.: Ridley, Mat. Fl. Malay. Penins. 3: 134 (1907). – *Panicum indicum* (L.) L. var. *normale* Kuntze: Kuntze, Revis. Gen. Pl. 2: 784 (1891). **Native; LC** (Veldkamp et al., 2019).

Sacciolepis myosuroides (R.Br.) Chase ex E.G.Camus & A.Camus: Ridley, Fl. Malay Penins. 5: 232 (1925); Gilliland, Rev. Fl. Malaya 3: 152 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 101 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 551 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 180 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 120, fig. 123 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 170, 273 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 450, fig. 62B (2019). – *Panicum myosuroides* R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 134 (1907). **Native; NEx** (Veldkamp et al., 2019).

Schizachyrium brevifolium (Sw.) Nees ex Buse: Gilliland, Rev. Fl. Malaya 3: 291, t. 62 (1971); Veldkamp et al., Fl. Singapore 7: 452, fig. 62C (2019). **Cryptogenic** (Veldkamp et al., 2019).

Schizachyrium sanguineum (Retz.) Alston: Gilliland, Rev. Fl. Malaya 3: 289 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as 'Schizachrium'; Turner, Gard. Bull. Singapore 45: 102 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 551 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 181 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 120, fig. 124 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 170, 197 (2009); Hung et al., Nat. Singapore 10: 34 (2017); Veldkamp et al., Fl. Singapore 7: 453, fig. 62D (2019). – *Schizachyrium semiberbe* Nees: Ridley, Fl. Malay Penins. 5: 210 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1975 (1935), as 'Schizachryum'. – *Andropogon hirtiflorus* auct. non (Nees) Kunth: Ridley, Mat. Fl. Malay. Penins. 3: 166 (1907). – *Andropogon pseudograya* Steud.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900). **Native; CR** (Veldkamp et al., 2019).

Schistostachyum gracile (Kurz ex Munro) Holttum: Gilliland, Rev. Fl. Malaya 3: 39 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 102

(1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Chua et al., Bamboos Singapore: 50, fig. 18 (1996); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 181 (1998); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 170, 198 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Veldkamp et al., Fl. Singapore 7: 248, fig. 6 (2019). – *Schizostachyum gracile* (Kurz ex Munro) Holttum var. *erectum* Holttum: Gilliland, Rev. Fl. Malaya 3: 39 (1971). – *Schizostachyum tenue* Gamble: Ridley, Fl. Malay Penins. 5: 268 (1925). **Native; CR** (Veldkamp et al., 2019).

Schizostachyum latifolium Gamble: Ridley, Fl. Malay Penins. 5: 270 (1925); Dransfield, Kew Bull. 38: 331 (1983); Turner, Gard. Bull. Singapore 45: 102 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Chua et al., Bamboos Singapore: 54, fig. 20 (1996); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 181 (1998); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 170, 198 (2009); Veldkamp et al., Fl. Singapore 7: 250 (2019). – *Schizostachyum longispiculatum* auct. non (Kurz ex Munro) Kurz: Gilliland, Rev. Fl. Malaya 3: 40 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990). – *Schizostachyum ridleyi* (Gamble) Holttum: Holttum, Gard. Bull. Singapore 11(4): 296 (1947). – *Ochlandra ridleyi* Gamble: Gamble, Ann. Roy. Bot. Gard. (Calcutta) 7: 127 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 197 (1907); Ridley, Fl. Malay Penins. 5: 272 (1925). **Native; NEx** (Veldkamp et al., 2019).

Schizostachyum zollingeri Steud.: Ridley, Mat. Fl. Malay. Penins. 3: 195 (1907); Ridley, Fl. Malay Penins. 5: 269 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1978 (1935); Gilliland, Rev. Fl. Malaya 3: 41 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as ‘*zolleringi*’; Turner, Gard. Bull. Singapore 45: 102 (1993), as ‘*zolleringi*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994), as ‘*zolleringi*’; Ng & Wee (ed.), Singapore Red Data Book: 288 (1994), as ‘*zolleringi*’; Chua et al., Bamboos Singapore: 56, fig. 21 (1996); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 181 (1998); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 170, 263 (2009), as ‘*zolleringi*’; Lok et al., Cosmos 6: 76 (2010), as ‘*zolleringi*’; Hung et al., Nat. Singapore 10: 47 (2017). – *Schizostachyum chilianthum* auct. non (Buse) Kurz: Hooker, Fl. Brit. India 7, fasc. 22: 416, Addendum [viii] (1896); Ridley, Mat. Fl. Malay. Penins. 3: 194 (1907); Ridley, Fl. Malay Penins. 5: 269 (1925). **Non-native, casual*** (Chong et al., 2009).

Scrotochloa urceolata (Roxb.) Judz.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 181, fig. 288 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 122, fig. 125 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 35, 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 170, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Veldkamp et al., Fl. Singapore 7: 454, fig. 64A, 65 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106 (2019); Yee et al., Fl. Singapore 1: 51 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 322, 382 (2020). – *Leptaspis urceolata* (Roxb.) R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 150 (1907); Ridley, Fl. Malay Penins. 5: 255 (1925); Gilliland, Rev. Fl. Malaya 3: 47 (1971); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 37, 287 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 166, 807 [2015]. **Native; VU** (Veldkamp et al., 2019).

Setaria barbata (Lam.) Kunth: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 102 (1993); Tan et al., Gard. Bull. Singapore 44: 130 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 551 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 182 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 124, fig. 126, pl. 32 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 170, 268 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 459, fig. 59B, 64B (2019). **Non-native, naturalised** (Chong et al., 2009).

Setaria italica (L.) P.Beauv.: Gilliland, Rev. Fl. Malaya 3: 156 (1971); Turner, Gard. Bull. Singapore 47: 552 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 182 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 124, fig. 128 (2005); Veldkamp et al., Fl. Singapore 7: 460, fig. 64C (2019). **Non-native, casual*** (Veldkamp et al., 2019).

Setaria palmifolia (J.Koenig) Stapf: Gilliland, Rev. Fl. Malaya 3: 157 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 102 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 552 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 182, fig. 289 (1998); Veldkamp et al., Fl. Singapore 7: 461, fig. 64D (2019). – *Setaria palmifolia* (J.Koenig) Stapf var. *palmifolia*: Duistermaat, Gard. Bull. Singapore 57(Suppl.): 126, fig. 127 (2005). **Non-native, casual** (Veldkamp et al., 2019).

Setaria parviflora (Poir.) Kerguélen: Turner, Gard. Bull. Singapore 47: 552 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 183 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 126, fig. 129 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 170, 230 (2009); Veldkamp et al., Fl. Singapore 7: 462, fig. 64E (2019). – *Setaria pumila* auct. non (Poir.) Roem. & Schult.: Turner, Gard. Bull. Singapore 45: 102 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Tan, Threat. Pl. Singapore: 147 (1995); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 226, 476 (2013). – *Setaria pallidefusca* (Schumach.) Stapf & C.E.Hubb.: Gilliland, Rev. Fl. Malaya 3: 159 (1971), as '*pallide-fusca*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as '*pallide-fusca*'. – *Setaria rubiginosa* (Steud.) Miq.: Ridley, Fl. Malay Penins. 5: 234 (1925). – *Setaria glauca* auct. non (L.) P.Beauv.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 144 (1907). **Native; LC** (Veldkamp et al., 2019).

Soejatmia ridleyi (Gamble) K.M.Wong: Chua et al., Bamboos Singapore: 58, fig. 22 (1996); Turner, Gard. Bull. Singapore 47: 552 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 183, fig. 290 (1998); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 170, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 34 (2011); Veldkamp et al., Fl. Singapore 7: 252, fig. 7, 8 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106 (2019). – *Bambusa ridleyi* Gamble: Gamble, Ann. Roy. Bot. Gard. (Calcutta) 7: 34 (1896); Hooker, Fl. Brit. India 7, fasc. 22: 388 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 184 (1907); Ridley, Fl. Malay Penins. 5: 257 (1925); Gilliland, Rev. Fl. Malaya 3: 21 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994). **Native; CR** (Veldkamp et al., 2019).

Sorghum propinquum (Kunth) Hitchc.: Sinclair, Gard. Bull. Singapore 15: 28 (1956); Gilliland, Rev. Fl. Malaya 3: 229 (1971); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 102 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994);

Turner, Gard. Bull. Singapore 47: 552 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 184 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 127, fig. 131 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 170, 268 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 465, fig. 66B (2019). **Non-native, naturalised** (Chong et al., 2009).

Sphaerocaryum malaccense (Trin.) Pilg.: Gilliland, Rev. Fl. Malaya 3: 126 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 102 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 552 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 184, fig. 291 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 128, fig. 132 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 170, 198 (2009); Veldkamp et al., Fl. Singapore 7: 466, fig. 66C (2019). – *Sphaerocaryum elegans* (Nees ex Steud.) Nees ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900), as ‘*Spheroecaryum*'; Ridley, Mat. Fl. Malay. Penins. 3: 170 (1907); Ridley, Fl. Malay Penins. 5: 241 (1925). **Native; NEx** (Veldkamp et al., 2019).

Sporobolus indicus (L.) R.Br.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 171 (1907); Ridley, Fl. Malay Penins. 5: 244 (1925); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 184 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 130 (2005); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Veldkamp et al., Fl. Singapore 7: 469, fig. 67A, 68A (2019).

Sporobolus indicus (L.) R.Br. var. **flaccidus** (Roth) Veldkamp: Baaijens & Veldkamp, Blumea 35(2): 433 (1991); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 184 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 130, fig. 136, pl. 34 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 170, 264 (2009); Veldkamp et al., Fl. Singapore 7: 470, fig. 67A, 68A (2019). – *Sporobolus diandrus* (Retz.) P.Beauv.: Ridley, Mat. Fl. Malay. Penins. 3: 170 (1907), as ‘*diander*'; Ridley, Fl. Malay Penins. 5: 244 (1925), as ‘*diander*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990), as ‘*diander*'. **Native; LC** (Veldkamp et al., 2019).

Sporobolus indicus (L.) R.Br. var. **major** (Buse) Baaijens: Baaijens & Veldkamp, Blumea 35(2): 437 (1991); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 552 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 184 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 130 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 170, 264 (2009); Veldkamp et al., Fl. Singapore 7: 473, fig. 67B, 69 (2019). – *Sporobolus fertilis* (Steud.) Clayton: Gilliland, Rev. Fl. Malaya 3: 106 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Hung et al., Nat. Singapore 10: 34 (2017). – *Sporobolus indicus* (L.) R.Br. var. *pyramidalis* auct. non (P.Beauv.) Veldkamp: Duistermaat, Gard. Bull. Singapore 56: 39 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 131, fig. 134 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 171, 264 (2009); Lok et al., Cosmos 6: 76 (2010). **Native; LC** (Veldkamp et al., 2019).

Sporobolus tenuissimus (Mart. ex Schrank) Kuntze: Duistermaat, Gard. Bull. Singapore 56: 40 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 131, fig. 135, pl. 35 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 171, 268 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 475, fig. 67C, 68B (2019). **Non-native, naturalised** (Chong et al., 2009).

Sporobolus virginicus (L.) Kunth: Gilliland, Rev. Fl. Malaya 3: 108 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Baaijens & Veldkamp, Blumea 35(2): 445 (1991); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 553 (1997 ['1995']), as 'Sporobolus'; Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 185 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 131, fig. 133 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 171, 231 (2009); Veldkamp et al., Fl. Singapore 7: 476, fig. 67D (2019). **Native; NEx** (Veldkamp et al., 2019).

Stenotaphrum secundatum (Walter) Kuntze: Turner, Gard. Bull. Singapore 47: 553 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 185 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 132, fig. 137, pl. 33 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 171, 268 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 477, fig. 70A, 71 (2019). – *Stenotaphrum dimidiatum* auct. non (L.) Brongn.: Sinclair, Gard. Bull. Singapore 14(1): 37 (1953); Gilliland, Rev. Fl. Malaya 3: 205 (1971); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994). **Non-native, naturalised** (Chong et al., 2009).

Themeda arguens (L.) Hack.: Ridley, Fl. Malay Penins. 5: 212 (1925); Gilliland, Rev. Fl. Malaya 3: 300 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 553 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 185, fig. 292 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 134, fig. 138 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 171, 273 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 480, fig. 70B (2019). – *Anthistiria arguens* (L.) Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 168 (1907). **Native; DD** (assessed here).

Themeda villosa (Poir.) A.Camus: Ridley, Fl. Malay Penins. 5: 212 (1925); Gilliland, Rev. Fl. Malaya 3: 301 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 553 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 185 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 134, fig. 139, pl. 36 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 171, 231 (2009); Hung et al., Nat. Singapore 10: 48 (2017); Veldkamp et al., Fl. Singapore 7: 481, fig. 70C, 72A (2019). – *Anthistiria gigantea* auct. non Cav.: Ridley, Mat. Fl. Malay. Penins. 3: 169 (1907). – *Anthistiria gigantea* Cav. var. *villosa* (Poir.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 186 (1900). **Native; LC** (Veldkamp et al., 2019).

Thuarea involuta (G.Forst.) R.Br. ex Sm.: Gilliland, Rev. Fl. Malaya 3: 207 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Turner, Gard. Bull. Singapore 47: 553 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 186 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 134, fig. 141, pl. 37 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 171, 231 (2009); Hung et al., Nat. Singapore 10: 18, 21 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Veldkamp et al., Fl. Singapore 7: 484, fig. 72B, 73A (2019). – *Thuarea sarmentosa* Pers.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 146 (1907); Ridley, Fl. Malay Penins. 5: 236 (1925). **Native; LC** (Veldkamp et al., 2019).

Thysanolaena latifolia (Roxb. ex Hornem.) Honda: Baaijens & Veldkamp, Blumea 35(2): 451 (1991); Turner, Gard. Bull. Singapore 45: 103 (1993); Tan et al., Gard. Bull. Singapore 44: 130

(1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 553 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 186 (1998); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 135, fig. 140 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 171, 269 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 486, fig. 73B (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 123 (2019). – *Thysanolaena maxima* (Roxb.) Kuntze: Gilliland, Rev. Fl. Malaya 3: 45 (1971). **Non-native, naturalised** (Chong et al., 2009).

Urochloa glumaris (Trin.) Veldkamp: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 186 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 138, fig. 147 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 171, 273 (2009); Lok et al., Cosmos 6: 81 (2010); Veldkamp et al., Fl. Singapore 7: 489, fig. 74A (2019). – *Urochloa paspaloides* J.Presl: Turner, Gard. Bull. Singapore 47: 553 (1997 ['1995']). – *Brachiaria paspaloides* (J.Presl) C.E.Hubb.: Gilliland, Rev. Fl. Malaya 3: 179 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994). **Native; NEx** (Veldkamp et al., 2019).

Urochloa maxima (Jacq.) R.D.Webster: Veldkamp et al., Fl. Singapore 7: 491, fig. 74B, 75 (2019). – *Panicum maximum* Jacq.: Ridley, Mat. Fl. Malay. Penins. 3: 140 (1907); Ridley, Fl. Malay Penins. 5: 226 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1656 (1935); Gilliland, Rev. Fl. Malaya 3: 132 (1971); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 175, fig. 279 (1998); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 102, fig. 101, pl. 18 (2005); Hung et al., Nat. Singapore 10: 47 (2017). – *Megathyrsus maximus* (Jacq.) B.K.Simon & S.W.L.Jacobs: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 170, 267 (2009); Lok et al., Cosmos 6: 72 (2010); Neo et al., Nat. Singapore 6: 82 (2013). **Non-native, naturalised** (Chong et al., 2009).

Urochloa mutica (Forssk.) T.Q.Nguyen: Turner, Gard. Bull. Singapore 47: 553 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 187 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 138, fig. 144, pl. 38 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 171, 269 (2009); Lok et al., Cosmos 6: 72 (2010); Veldkamp et al., Fl. Singapore 7: 493, fig. 74C, 76 (2019). – *Brachiaria mutica* (Forssk.) Stapf: Ridley, Fl. Malay Penins. 5: 219 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 356 (1935); Gilliland, Rev. Fl. Malaya 3: 178 (1971); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Hung et al., Nat. Singapore 10: 32 (2017). – *Panicum muticum* Forssk.: Ridley, Mat. Fl. Malay. Penins. 3: 133 (1907). **Non-native, naturalised** (Chong et al., 2009).

Urochloa piligera (F.Muell. ex Benth.) R.D.Webster: Duistermaat, Gard. Bull. Singapore 56: 40 (2004); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 140, fig. 145 (2005); Veldkamp et al., Fl. Singapore 7: 495, fig. 74D (2019). **Non-native, naturalised** (Veldkamp et al., 2019).

Urochloa subquadripara (Trin.) R.D.Webster: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 187 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 140, fig. 146, pl. 39 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 171, 273 (2009), as ‘*subquadridifida*’; Lok et al., Cosmos 6: 81 (2010), as ‘*subquadridifida*’; Veldkamp et al., Fl. Singapore 7: 495, fig. 72C, 74E (2019). – *Brachiaria*

distachyos auct. non (L.) Stapf: Ridley, Fl. Malay Penins. 5: 219 (1925), as ‘*distachya*’; Gilliland, Rev. Fl. Malaya 3: 176 (1971), as ‘*distachya*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990), as ‘*distachya*’; Turner, Gard. Bull. Singapore 45: 93 (1993), as ‘*distachya*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994), as ‘*distachya*’. – *Panicum distachyon* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900), as ‘*distachyum*’; Ridley, Mat. Fl. Malay. Penins. 3: 133 (1907), as ‘*distachyum*’. **Native; LC** (Veldkamp et al., 2019).

Zoysia matrella (L.) Merr.: Gilliland, Rev. Fl. Malaya 3: 109 (1971); Goudswaard, Blumea 26: 171 (1980); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 554 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 188, fig. 293 (1998); Duistermaat, Gard. Bull. Singapore 57(Suppl.): 141, fig. 149, pl. 40 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 92, 171, 231 (2009); Hung et al., Nat. Singapore 10: 18, 21 (2017); Hung et al., Nat. Singapore 10: 35 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Veldkamp et al., Fl. Singapore 7: 498, fig. 73E, 77 (2019). – *Zoysia malaccensis* Gand.: Gandoger, Bull. Soc. Bot. France 64: 303 (1920 [‘1919’]); Turner et al., Gard. Bull. Singapore 71: 42 (2019). – *Zoysia tenuifolia* Thiele: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 92, 171, 262 (2009). – *Osterdamia matrella* (L.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 781 (1981). – *Zoysia pungens* Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 149 (1907); Ridley, Fl. Malay Penins. 5: 243 (1925). **Native; LC** (Veldkamp et al., 2019).

Polygalaceae

Epirixanthes papuana J.J.Sm.: Van der Meijden, Fl. Males., ser. 1, 10(3): 491 (1988). – *Salomonia aphylla* auct. non Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900). **Native; NEx** (assessed here).

Polygala glaucoidea L.: Van der Meijden, Fl. Males., ser. 1, 10(3): 480 (1988); Turner, Gard. Bull. Singapore 45: 189 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 404 (1997 [‘1995’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 171, 272 (2009); Lok et al., Cosmos 6: 81 (2010). – *Polygala brachystachya* Blume, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900); Ridley, Fl. Malay Penins. 1: 139 (1922); Keng, Gard. Bull. Singapore 33: 352 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 103, fig. 91.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990). **Native; CR** (assessed here).

Polygala paniculata L.: Sinclair, Gard. Bull. Singapore 14(1): 31 (1953); Keng, Gard. Bull. Singapore 33: 352 (1980); Van der Meijden, Fl. Males., ser. 1, 10(3): 475 (1988); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 103 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 404 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 302 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 171, 268 (2009); Lok et al., Cosmos 6: 72 (2010); Kaw & Neo, Wayside Fls Singapore: 107 (2018). **Non-native, naturalised** (assessed here).

Salomonia cantoniensis Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900); Ridley, Fl. Malay Penins. 1: 139 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1944 (1935); Keng, Gard. Bull. Singapore 33: 352 (1980); Van der Meijden, Fl. Males., ser. 1, 10(3): 487 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 103, fig. 91.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red

Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 397, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 171, 273 (2009); Lok et al., Cosmos 6: 81 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 478 (2013); Kaw & Neo, Wayside Fls Singapore: 55 (2018). **Cryptogenic** (assessed here).

Securidaca philippinensis Chodat: Van der Meijden, Fl. Males., ser. 1, 10(3): 484 (1988); Tan et al., Nat. Singapore 9: 139 (2016); Chen et al., Gard. Bull. Singapore 71: 403 (2019). **Native; CR** (assessed here).

Xanthophyllum discolor Chodat: Ridley, Fl. Malay Penins. 1: 147 (1922); Ng, Tree Fl. Malaya 1: 356 (1972); Keng, Gard. Bull. Singapore 33: 352 (1980); Van der Meijden, Fl. Males., ser. 1, 10(3): 520 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 104 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 405 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); De Wilde & Duyfjes, Tree Fl. Sabah & Sarawak 6: 246, pl. 7C (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 219 (2009); Neo et al., Nat. Singapore 7: 106 (2014); Tan et al., Nat. Singapore 9: 140 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 133 (2019). – *Xanthophyllum discolor* Chodat subsp. *discolor*: Van der Meijden, Fl. Males., ser. 1, 10(3): 520 (1988); De Wilde & Duyfjes, Tree Fl. Sabah & Sarawak 6: 247 (2007). **Native; EN** (assessed here).

Xanthophyllum ellipticum Korth. ex Miq.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 45 (1900); Ng, Tree Fl. Malaya 1: 357 (1972); Keng, Gard. Bull. Singapore 33: 352 (1980); Van der Meijden, Fl. Males., ser. 1, 10(3): 530 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 104 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 405 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); De Wilde & Duyfjes, Tree Fl. Sabah & Sarawak 6: 248, fig. 5 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 478 (2013); Neo et al., Nat. Singapore 6: 283 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Tan et al., Nat. Singapore 9: 141 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106, 133 (2019). – *Xanthophyllum kingii* Chodat: Ridley, Fl. Malay Penins. 1: 143 (1922). **Native; CR** (assessed here).

Xanthophyllum eurhynchum Miq.: Van der Meijden, Fl. Males., ser. 1, 10(3): 524 (1988); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']), as '*eurhynchum*'; Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 134, 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 478 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Tan et al., Nat. Singapore 9: 143 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106 (2019). – *Xanthophyllum griffithii* Hook.f. ex A.W.Benn. subsp. *erectum* auct. non Meijden: Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304

(1994); Turner, Gard. Bull. Singapore 47: 406 (1997 ['1995']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107, 133 (2019). – *Xanthophyllum griffithii* auct. non Hook.f. ex A.W.Benn.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005). – *Xanthophyllum maingayi* Hook.f. ex A.W.Benn.: Keng, Gard. Bull. Singapore 33: 352 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 104, fig. 91.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990). – *Xanthophyllum eurhynchum* Miq. subsp. *maingayi* (Hook.f. ex A.W.Benn.) Meijden: Van der Meijden, Fl. Males., ser. 1, 10(3): 525 (1988). – *Xanthophyllum palembanicum* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900); Ridley, Fl. Malay Penins. 1: 149 (1922). **Native; VU** (assessed here).

Xanthophyllum flavescens Roxb.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 478 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 106 (2014); Tan et al., Nat. Singapore 9: 143 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106 (2019). – *Xanthophyllum affine* Korth. ex Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900); Ridley, Fl. Malay Penins. 1: 143 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 33: 352 (1980); Van der Meijden, Fl. Males., ser. 1, 10(3): 487 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 104 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011). **Native; EN** (assessed here).

Xanthophyllum obscurum A.W.Benn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900); Ridley, Fl. Malay Penins. 1: 144 (1922); Keng, Gard. Bull. Singapore 33: 352 (1980); Van der Meijden, Fl. Males., ser. 1, 10(3): 536 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 104 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 406 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 745, 777 (2006); De Wilde & Duyfjes, Tree Fl. Sabah & Sarawak 6: 265 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 478 (2013); Tan et al., Nat. Singapore 9: 144 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). **Native; CR** (assessed here).

Xanthophyllum stipitatum A.W.Benn.: Van der Meijden, Fl. Males., ser. 1, 10(3): 535 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 104 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 406 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore

Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019).

Xanthophyllum stipitatum A.W.Benn. var. **stipitatum**: Van der Meijden, Fl. Males., ser. 1, 10(3): 535 (1988). **Native; CR** (assessed here).

Xanthophyllum stipitatum A.W.Benn. var. **amoenum** (Chodat) W.J.de Wilde & Duyfjes: De Wilde & Duyfjes, Gard. Bull. Singapore 72: 134 (2020). – *Xanthophyllum amoenum* Chodat: Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 53 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 106 (2019). **Native; CR** (assessed here).

Xanthophyllum vitellinum (Blume) D.Dietr.: Van der Meijden, Fl. Males., ser. 1, 10(3): 514 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 190 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 407 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 64 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 478 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Tan et al., Nat. Singapore 9: 144 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 292, 311 (2020). – *Xanthophyllum griffithii* Hook.f. ex A.W.Benn. var. *curtisii* (King) Ng; Keng, Gard. Bull. Singapore 33: 352 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 104 (1990). – *Xanthophyllum curtisii* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 59: 138 (1890); Ridley, Fl. Malay Penins. 1: 146 (1922). – *Xanthophyllum kunstleri* King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900). **Native; VU** (assessed here).

Polygonaceae

Antigonon leptopus Hook. & Arn.: Keng, Gard. Bull. Singapore 28(2): 258 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 61, fig. 56.1 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 171, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Neo et al., Nat. Singapore 7: 66 (2014); Hung et al., Nat. Singapore 10: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 34 (2018). **Non-native, casual** (Chong et al., 2009).

Coccocoba uvifera (L.) L.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 61 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 27, 171, 239 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 223 (2014 [2015]); Hung et al., Nat. Singapore 10: 44 (2017); Chen et al., Nat. Singapore 14-e2021090: 1 (2021). **Non-native, casual** (Chen et al., 2021).

Persicaria barbata (L.) H.Hara: Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Ng et al., Singapore Biodivers. Encycl.: 419 (2011). – *Polygonum barbatum* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 20 (1912); Ridley, Fl. Malay Penins. 3: 11 (1924); Keng, Gard. Bull. Singapore 28(2): 258 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 61 (1990); Turner et al., J.

Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']).

Persicaria barbata (L.) H.Hara var. **gracilis** (Danser) H.Hara: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 171, 272 (2009); Lok et al., Cosmos 6: 81 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 478 (2013). **Cryptogenic** (Wong et al., 2013).

Persicaria chinensis (L.) H.Gross: Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']). – *Polygonum chinense* L.: Sinclair, Gard. Bull. Singapore 14(1): 35 (1953); Keng, Gard. Bull. Singapore 28(2): 258 (1976), as '*chinensis*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 61, fig. 56.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']).

Persicaria chinensis (L.) H.Gross var. **chinensis**: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 171, 267 (2009); Lok et al., Cosmos 6: 72 (2010). **Non-native, naturalised** (Chong et al., 2009).

Persicaria dichotoma (Blume) Masam.: Kantachot et al., Fl. Thailand 14(1): 132 (2018). – *Polygonum pedunculare* Wall. ex Meisn.: Hooker, Fl. Brit. India 5, fasc. 13: 48 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 23 (1912); Ridley, Fl. Malay Penins. 3: 14 (1924). – *Polygonum pedunculare* Wall. ex Meisn. var. *pedunculare*: Hooker, Fl. Brit. India 5, fasc. 13: 48 (1886). – *Polygonum pedunculare* Wall., nom. nud.: Wallich, Numer. List no. 1718 (1829). **Cryptogenic** (assessed here).

Persicaria hydropiper (L.) Delarbre: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 171, 263 (2009); Lok et al., Cosmos 6: 76 (2010). – *Polygonum hydropiper* L.: Keng, Gard. Bull. Singapore 28(2): 258 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 61 (1990). **Non-native, casual*** (Chong et al., 2009).

Persicaria orientalis (L.) Spach: Turner, Gard. Bull. Singapore 47: 408 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 171, 267 (2009); Lok et al., Cosmos 6: 72 (2010). – *Polygonum orientale* L.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Tan et al., Gard. Bull. Singapore 44: 131 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']). **Non-native, naturalised** (Chong et al., 2009).

Pontederiaceae

Eichhornia crassipes (Mart.) Solms: Burkill, Dict. Econ. Prod. Malay Penins. 1: 891 (1935); Backer, Fl. Males., ser. 1, 4(3): 259 (1951); Keng, Gard. Bull. Singapore 40: 122 (1987); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 18, fig. 42 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 172, 266 (2009); Lok et al., Cosmos 6: 72 (2010); Yee et al., Fl. Singapore 1: 60 (2019). **Non-native, naturalised** (Chong et al., 2009).

Monochoria hastata (L.) Solms: Backer, Fl. Males., ser. 1, 4(3): 258 (1951); Keng, Gard. Bull. Singapore 40: 122 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner,

Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 19, fig. 43 (1998); Chew et al., Gard. Bull. Singapore 49(2): 208 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 172, 272 (2009); Lok et al., Cosmos 6: 81 (2010). – *Monochoria hastifolia* C.Presl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900), as ‘*hastaefolia*’; Ridley, Mat. Fl. Malay. Penins. 2: 109 (1907), as ‘*hastaefolia*’; Ridley, Fl. Malay Penins. 4: 344 (1924), as ‘*hastaefolia*’. **Cryptogenic** (Chong et al., 2009).

Monochoria vaginalis (Burm.f.) C.Presl ex Kunth: Hooker, Fl. Brit. India 6, fasc. 18: 363 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 109 (1907); Ridley, Fl. Malay Penins. 4: 346 (1924); Backer, Fl. Males., ser. 1, 4(3): 256 (1951); Keng, Gard. Bull. Singapore 40: 122 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 19, fig. 44 (1998); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 172, 272 (2009); Lok et al., Cosmos 6: 81 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 182, 479 (2013); Kaw & Neo, Wayside Fls Singapore: 63 (2018). – *Monochoria vaginalis* (Burm.f.) C.Presl ex Kunth var. *plantaginea* (Roxb.) Solms.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 110 (1907); Ridley, Fl. Malay Penins. 4: 346 (1924). **Cryptogenic** (Wong et al., 2013).

Portulacaceae

Portulaca oleracea L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900); Ridley, Fl. Malay Penins. 1: 151 (1922); Geesink, Fl. Males., ser. 1, 7(1): 129 (1972 ['1971']); Keng, Gard. Bull. Singapore 28(2): 258 (1976); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 60, fig. 55.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 172, 268 (2009); Rafidah, Fl. Penins. Malaysia, ser. 2, 1: 204 (2010); Lok et al., Cosmos 6: 72 (2010); Kaw & Neo, Wayside Fls Singapore: 167 (2018). **Non-native, naturalised** (Chong et al., 2009).

Portulaca pilosa L.: Sinclair, Gard. Bull. Singapore 14(1): 31 (1953); Geesink, Fl. Males., ser. 1, 7(1): 131 (1972 ['1971']); Corlett, J. Biogeogr. 15: 662 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Lee et al., Gard. Bull. Singapore 55: 302 (2003). – *Portulaca pilosa* L. subsp. *pilosa*: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 172, 210 (2009); Rafidah, Fl. Penins. Malaysia, ser. 2, 1: 206 (2010); Lim et al., Fl. Singapore 1: 89 (2019). – *Portulaca quadrifida* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 46 (1900); Ridley, Fl. Malay Penins. 1: 151 (1922), p.p.; Keng, Gard. Bull. Singapore 28(2): 258 (1976); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 60 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 172, 268 (2009); Lok et al., Cosmos 6: 72 (2010).

Portulaca pilosa L. var. *pilosa*: Sivarajan, J. Bombay Nat. Hist. Soc. 78(2): 259 (1981). – *Portulaca pilosa* L. subsp. *pilosa* (race *pilosa*): Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 65, 807 [2015]. **Non-native, naturalised** (assessed here).

Portulaca pilosa L. var. **tuberosa** (Roxb.) Sivar.: Sivarajan, J. Bombay Nat. Hist. Soc. 78(2): 259 (1981). – *Portulaca pilosa* L. subsp. *pilosa* (race *tuberosa*): Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 66, 807 [2015]. **Non-native, naturalised** (assessed here).

Primulaceae

Aegiceras corniculatum (L.) Blanco: Keng, Gard. Bull. Singapore 36(1): 108 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138, fig. 117.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 21, 296 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 23, 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 10, 154, 214 (2009). – *Aegiceras majus* Gaertn.: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 533 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 156 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 256 (1923); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 87 (1928). **Native; EN** (Chong et al., 2009).

Ardisia complanata Wall.: POWO. – *Ardisia sanguinolenta* Blume: Hu, Blumea 44: 400 (1999); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 27, 418 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Ardisia paniculata* auct. non Roxb.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 27, 417 (2013). – *Ardisia colorata* Roxb., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); Ridley, Fl. Malay Penins. 2: 246 (1923); Keng, Gard. Bull. Singapore 36(1): 108 (1983), as ‘*corolata*’; Stone, Tree Fl. Malaya 4: 276 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990), as ‘*corolata*’; Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 119, 160 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 225 (2009). – *Ardisia colorata* Roxb. var. *complanata* (Wall.) C.B.Clarke: Ridley, Fl. Malay Penins. 2: 247 (1923). – *Ardisia colorata* Roxb. var. *polyneura* (Miq.) C.B.Clarke: Ridley, Fl. Malay Penins. 2: 247 (1923). **Native; LC** (Wong et al., 2013).

Ardisia crassa C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); Ridley, Fl. Malay Penins. 2: 249 (1923); Keng, Gard. Bull. Singapore 36(1): 108 (1983); Stone, Tree Fl. Malaya 4: 274 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 363 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 187 (2009). **Native; NEx** (Chong et al., 2009).

Ardisia crenata Sims: Wallich in Roxburgh, Fl. Ind. 2: 276 (1824); Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 524 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900); Ridley, Fl. Malay Penins. 2: 253 (1923); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Lee et al., Gard. Bull. Singapore 55: 301 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl.

Singapore: 15, 154, 201 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 373, 806 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 141, 382 (2020). – *Ardisia crispa* auct. non A.D.C.: Don, Gen. Hist. 4: 17 (1837–1838), p.p.; Miquel, Fl. Ned. Ind. 2, fasc. 7: 1020 (1859 ['1856']); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Lee et al., Gard. Bull. Singapore 55: 301 (2003). **Native; CR** (Chong et al., 2009).

Ardisia cymosa Blume: Hu, Blumea 44: 393 (1999). – *Ardisia singaporense* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 79: 92 (1918); Ridley, Fl. Malay Penins. 2: 251 (1923); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Stone, Tree Fl. Malaya 4: 270 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 366 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 187 (2009). – *Ardisia aff. villosa* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900). **Native; NEx** (Chong et al., 2009).

Ardisia demissa Miq.: POWO. – *Ardisia odontophylla* Wall. ex A.DC. var. *lobbii* C.B.Clarke: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 526 (1882); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 152 (1906 ['1905']).

Ardisia demissa Miq. var. **demissa**: Julius & Utteridge, Kew Bull. 67: 2 (2012). **Native; NEx** (assessed here).

Ardisia elliptica Thunb.: Stone, Tree Fl. Malaya 4: 275 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138, fig. 117.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 363 (1997 ['1995']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 301 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 214 (2009); Teo et al., Nat. Singapore 4: 270 (2011); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 70 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 121 (2013); Neo et al., Nat. Singapore 6: 281 (2013); Hung et al., Nat. Singapore 10: 15, 22 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Yee et al., Fl. Singapore 1: 58, 66 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 61, 310 (2020). – *Ardisia littoralis* Andrews: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 135 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 241 (1923); Keng, Gard. Bull. Singapore 36(1): 109 (1983). **Native; EN** (Chong et al., 2009).

Ardisia eximia Miq.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 26, 417 (2013). **Native; NEx** (Wong et al., 2013).

Ardisia miquelianiana Scheff.: Stone, Tree Fl. Malaya 4: 273 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 365 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 26, 417 (2013). **Native; CR** (Wong et al., 2013).

Ardisia purpurea Reinw. ex Blume: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 27, 417 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Ardisia lanceolata* Roxb.: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 519 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 134 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 249 (1923); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Stone, Tree Fl. Malaya 4: 276 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 149 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 364 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 517, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011). **Native; CR** (Wong et al., 2013).

Ardisia ridleyi King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 148 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 253 (1923); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Stone, Tree Fl. Malaya 4: 271 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 366 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 187 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107, 133 (2019). **Native; CR** (assessed here).

Ardisia sessilis Scheff.: Stone, Tree Fl. Malaya 4: 273 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 296 (1994); Turner, Gard. Bull. Singapore 47: 366 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 187 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 28, 28, 418 (2013). **Native; NEx** (Wong et al., 2013).

Ardisia teysmanniana Scheff.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 122 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 240 (1923); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Stone, Tree Fl. Malaya 4: 272 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner, Gard. Bull. Singapore 47: 367 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 120, 160 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 28, 28, 418 (2013); Hung et al., Nat. Singapore 10: 44 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Pimelandra wallichii* DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900). **Native; EN** (Wong et al., 2013).

Ardisia tuberculata Wall. ex A.DC.: Wallich in Roxburgh, Fl. Ind. 2: 281 (1824); Don, Gen. Hist. 4: 15 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 7: 1026 (1859 ['1856']); Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 521 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); King

& Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 126 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 245 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Stone, Tree Fl. Malaya 4: 273 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner, Gard. Bull. Singapore 47: 367 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 28, 28, 418 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Ardisia tuberculata* Wall., nom. nud.: Wallich, Numer. List no. 2274 (1830). **Native; CR** (Wong et al., 2013).

Ardisia villosa Roxb.: Don, Gen. Hist. 4: 18 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 7: 1017 (1859 ['1856']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 143 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 251 (1923); Sinclair, Gard. Bull. Singapore 15: 29 (1956); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 15, 154, 201 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 28, 28, 419 (2013). – *Ardisia vestita* Wall.: Wallich in Roxburgh, Fl. Ind. 2: 274 (1824); Don, Gen. Hist. 4: 18 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 7: 1017 (1859 ['1856']). **Native; NEx** (assessed here).

Emelia amentacea C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); Ridley, Fl. Malay Penins. 2: 234 (1923); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 138 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Grenacheria amentacea* (C.B.Clarke) Mez: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 154, 193 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 135, 419 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). **Native; EN** (assessed here).

Emelia canescens Jack ex Wall.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 105 (1906 ['1905']); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Stone, Tree Fl. Malaya 4: 279 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 154, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 98, 419 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019).

Embelia canescens Jack ex Wall. var. **glabrescens** Ridl.: Ridley, Fl. Malay Penins. 2: 232 (1923); Turner, Gard. Bull. Singapore 47: 367 (1997 ['1995']); Dubéarnès et al., Kew Bull. 70-25: 14 (2015). **Native; EN** (assessed here).

Embelia coriacea Wall. ex A.DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 109 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 233 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 78 (1978); Keng, Gard. Bull. Singapore 36(1): 109 (1983); Stone, Tree Fl. Malaya 4: 279 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139, fig. 117.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner, Gard. Bull. Singapore 47: 367 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 199 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 154, 205 (2009); Dubéarnès et al., Kew Bull. 70-25: 15 (2015). **Native; CR** (Chong et al., 2009).

Embelia fulva Mez: Turner et al., Gard. Bull. Singapore 48: 150 (1998 ['1996']); Dubéarnès et al., Kew Bull. 70-25: 16 (2015). – *Grenacheria fulva* (Mez) Airy Shaw: Turner, Gard. Bull. Singapore 47: 368 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 49(1): 2 (1998 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 154, 193 (2009). **Native; NEx** (Chong et al., 2009).

Embelia lampani Scheff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900), as '*limpanii*'; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 110 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 234 (1923); Keng, Gard. Bull. Singapore 36(1): 110 (1983); Stone, Tree Fl. Malaya 4: 279 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 154, 227 (2009); Dubéarnès et al., Kew Bull. 70-25: 20 (2015); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Grenacheria lampani* (Scheff.) Mez: Turner, Gard. Bull. Singapore 47: 368 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 154, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 135, 419 (2013). – *Ribesiodes lampani* (Scheff.) Kuntze: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 219, 420 (2013). **Native; CR** (assessed here).

Embelia ribes Burm.f.: Wallich in Roxburgh, Fl. Ind. 2: 287 (1824); Don, Gen. Hist. 4: 20 (1837–1838); Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 513 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 104 (1906 ['1905']); Henderson, Malay. Wild Fls. Dicot.: 269 (1959); Keng, Gard. Bull. Singapore 36(1): 110 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 301 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 154, 227 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Teo et al., Nat. Singapore 4: 270 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 98, 419 (2013); Neo et al., Nat. Singapore 6: 15 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 281

(2013); Neo et al., Nat. Singapore 7: 65 (2014); Dubéarnès et al., Kew Bull. 70-25: 24 (2015); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Ribesiodes garciniifolia* (Wall. ex A.DC.) Kuntze: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 219, 420 (2013), as ‘*garciniaefolium*’. – *Embelia dasythyrsa* auct. non Miq.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 106 (1906 [‘1905’]), p.p.; Stone, Tree Fl. Malaya 4: 279 (1989), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Turner, Gard. Bull. Singapore 47: 368 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 154, 191 (2009). – *Embelia garciniifolia* (Wall. ex A.DC.) Miq.: Miquel, Fl. Ned. Ind. 2, fasc. 7: 1011 (1859 [‘1856’]), as ‘*garciniaefolia*’; Ridley, Fl. Malay Penins. 2: 232 (1923), as ‘*garciniaefolia*’. – *Embelia ribes* Burm.f. var. *garciniifolia* Wall. ex A.DC.: De Candolle, Prodr. 8: 85 (1844), as ‘*garcinifolia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900), as ‘*garciniaefolia*’ . – *Ardisia* aff. *bhotanica* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900), as ‘*Ardisia* sp. near *bhotanica*’. **Native; LC** (Wong et al., 2013).

Embelia rugosa (King & Gamble) Ridl.: Dubéarnès et al., Kew Bull. 70-25: 26 (2015). – *Embelia ribes* Burm.f. var. *rugosa* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 105 (1906 [‘1905’]). **Native; NEx** (assessed here).

Labisia pumila (Blume) Fern.-Vill.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 115 (1906 [‘1905’]); Keng, Gard. Bull. Singapore 36(1): 110 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139, fig. 117.4 (1990); Turner, Gard. Bull. Singapore 45: 150 (1993); Ng & Wee (ed.), Singapore Red Data Book: 36, 297 (1994); Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 150 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 [‘1997’]); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 306, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 30, 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 154, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 154, 420 (2013); Neo et al., Nat. Singapore 7: 106 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 261, 382 (2020). – *Labisia pumila* (Blume) Fern.-Vill. var. *pumila*: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Turner, Gard. Bull. Singapore 47: 369 (1997 [‘1995’]). – *Labisia pumila* (Blume) Fern.-Vill. var. *lanceolata* (Scheff.) Miq.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 116 (1906 [‘1905’]); Stone, Tree Fl. Malaya 4: 282 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994). – *Labisia pothoina* Lindl.: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 518 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); Ridley, Fl. Malay Penins. 2: 237 (1923). – *Labisia pothoina* Lindl. var. *lanceolata* (Scheff.) C.B.Clarke: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 518 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); Ridley, Fl. Malay Penins. 2: 237 (1923). – *Labisia pothoina* Lindl. var. *alata* (Scheff.) King & Gamble: Ridley, Fl. Malay Penins. 2: 237 (1923). – *Labisia pothoina* Lindl. var. *pothoina*: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900); Ridley, Fl. Malay Penins. 2: 237 (1923). – *Labisia pumila* (Blume) Fern.-Vill. var. *alata* (Scheff.) Mez.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 116 (1906 [‘1905’]). – *Ardisia pumila* Blume: Miquel, Fl. Ned. Ind. 2, fasc. 7: 1028 (1859 [‘1856’]). – *Ardisia spicata* Wall. ex A.DC.: De Candolle, Trans. Linn. Soc. London 17(1): 135 (1834); Don, Gen. Hist. 4: 23 (1837–1838). – *Ardisia spicata* Wall., nom. nud.: Wallich, Numer. List no. 2273 (1830). **Native; VU** (Wong et al., 2013).

Maesa leptobotrya Hance: Utteridge, Gard. Bull. Singapore 73: 269 (2021). — *Maesa ramentacea* auct. non (Roxb.) A.DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900), p.p.; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 96 (1906 ['1905']), p.p.; Ridley, Fl. Malay Penins. 2: 227 (1923), p.p.; Keng, Gard. Bull. Singapore 36(1): 110 (1983), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139, fig. 117.5 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 151 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 297 (1994), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 145, 229 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 52 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). — *Maesa indica* auct. non (Roxb.) Sweet: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 509 (1882), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900). **Native; CR** (Utteridge, 2021).

Maesa sumatrana Scheff.: Utteridge, Gard. Bull. Singapore 73: 273 (2021). — *Maesa ramentacea* auct. non (Roxb.) A.DC.: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 508 (1882), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 103 (1900), p.p.; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 96 (1906 ['1905']), p.p.; Ridley, Fl. Malay Penins. 2: 227 (1923), p.p.; Keng, Gard. Bull. Singapore 36(1): 110 (1983), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139, fig. 117.5 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 151 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 297 (1994), p.p.; Turner et al., Gard. Bull. Singapore 46(2): 24 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 200 (1999 ['1997']), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 145, 229 (2009), p.p.; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 175, 387 (2013); Neo et al., Nat. Singapore 6: 279 (2013); Neo et al., Nat. Singapore 7: 104 (2014). — *Maesa lanceolata* Forssk. var. *ramentacea* auct. non (Roxb.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 401 (1891). **Native; VU** (Utteridge, 2021).

Myrsine capitellata Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 104 (1900). — *Rapanea porteriiana* (Wall. ex A.DC.) Mez: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 76 (1990); Turner, Gard. Bull. Singapore 45: 151 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 121 (1994); Ng & Wee (ed.), Singapore Red Data Book: 297 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 231 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 154, 223 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 728, 807 [2015]; Hung et al., Nat. Singapore 10: 17, 20, 23 (2017). — *Myrsine avenis* auct. non (Blume) A.DC.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 100 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 230 (1923); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139, fig. 117.6 (1990). — *Myrsine umbellulata* A.DC.: De Candolle, Trans. Linn. Soc. London 17(1): 135 (1834); Don, Gen. Hist. 4: 23 (1837–1838), as ‘umbellata’; Miquel, Fl. Ned. Ind. 2, fasc. 7: 1014 (1859 ['1856']); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 102 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 231 (1923); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 139 (1990). — *Rapanea avenis* auct. non (Blume) Mez: Keng, Gard. Bull. Singapore 36(1): 110 (1983), as ‘Rafania’. — *Rapanea umbellulata* (A.DC.) Mez: Keng, Gard. Bull. Singapore 36(1): 110 (1983), as ‘Rafania’. **Native; VU** (Chong et al., 2009).

Proteaceae

Helicia excelsa (Roxb.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 347 (1914); Ridley, Fl. Malay Penins. 3: 143 (1924); Sleumer, Fl. Males., ser. 1, 5(2): 174 (1956 ['1955']); Keng, Gard. Bull. Singapore 31: 85 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 61 (1990);

Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 409 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 172, 193 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 139, 479 (2013); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018). **Native; CR** (Wong et al., 2013).

Helicia petiolaris Benn.: Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 983 (1858 ['1855']); Hooker, Fl. Brit. India 5, fasc. 13: 190 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 342 (1914); Ridley, Fl. Malay Penins. 3: 141 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1134 (1935); Sleumer, Fl. Males., ser. 1, 5(2): 188 (1956 ['1955']); Kochummen, Tree Fl. Malaya 2: 315 (1973); Keng, Gard. Bull. Singapore 31: 85 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62, fig. 57.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Chung, Tree Fl. Sabah & Sarawak 4: 180, fig. 4 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 172, 206 (2009). **Native; NEx** (assessed here).

Helicia robusta (Roxb.) R.Br. ex Wall.: Ridley, Fl. Malay Penins. 3: 142 (1924); Sleumer, Fl. Males., ser. 1, 5(2): 184 (1956 ['1955']); Kochummen, Tree Fl. Malaya 2: 315 (1973); Keng, Gard. Bull. Singapore 31: 85 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 62 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 409 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 172, 193 (2009). **Native; NEx** (Chong et al., 2009).

Putranjivaceae

Drypetes crassipes Pax & K.Hoffm.: Khoo et al., Gard. Bull. Singapore 70: 60 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107, 123 (2019). – *Drypetes curtisii* auct. non (Hook.f.) Pax & K.Hoffm.: LaFrankie et al., Forest Trees Bukit Timah: 162 (2005), as ‘aff. *curtisii*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 172, 227 (2009). **Native; CR** (assessed here).

Drypetes laevis (Miq.) Pax & K.Hoffm.: Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 172, 204 (2009). **Native; CR** (Chong et al., 2009).

Drypetes longifolia (Blume) Pax & K.Hoffm.: Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 172, 204 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 92, 479 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). **Native; CR** (Wong et al., 2013).

Drypetes pendula Ridl.: Ridley, Bull. Misc. Inform. Kew 1923: 365 (1923); Ridley, Fl. Malay Penins. 3: 222 (1924); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Keng, Gard. Bull. Singapore 33: 360 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 109 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 82 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 184 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 172, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 29 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 93, 480 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Cyclostemon longifolius* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900). – **Native; CR** (Wong et al., 2013).

Rhamnaceae

Colubrina asiatica (L.) Brongn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900); Ridley, Fl. Malay Penins. 1: 465 (1922); Keng, Gard. Bull. Singapore 35(1): 85 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116, fig. 96.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Lee et al., Gard. Bull. Singapore 55: 302 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 173, 226 (2009); Teo et al., Nat. Singapore 4: 271 (2011). – *Ceanothus asiaticus* L.: Wallich in Roxburgh, Fl. Ind. 2: 373 (1824), as ‘*asiatica*’; Roxburgh, Fl. Ind., ed. 2, 1: 615 (1832), as ‘*asiatica*’. **Native; LC** (Chong et al., 2009).

Smythea lanceata (Tul.) Summerh.: Keng, Gard. Bull. Singapore 35(1): 85 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116, fig. 96.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 173, 211 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Cahen & Utteridge, Kew Bull. 73-2: 12 (2017 ['2018']); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107, 133 (2019). – *Ventilago lanceata* Tul.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 480 (2013). – *Smythea pacifica* Seem.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901); Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 23 (1917); Ridley, Fl. Malay Penins. 1: 468 (1922). – *Smythea reticulata* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 381 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900). **Native; CR** (Wong et al., 2013).

Smythea macrocarpa Hemsl.: Cahen & Utteridge, Kew Bull. 73-2: 16 (2017 ['2018']). **Native; CR** (assessed here).

Smythea oblongifolia (Blume) Cahen & Utteridge: Cahen & Utteridge, Kew Bull. 73-2: 18 (2017 ['2018']). – *Ventilago madraspatana* auct. non Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900). **Native; NE**.

Ventilago ferruginea Cahen & Utteridge: Cahen & Utteridge, Phytotaxa 307: 174 (2017). **Native; CR** (assessed here).

Ventilago maingayi M.A.Lawson: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 480 (2013). **Native; CR** (Wong et al., 2013).

Ventilago malaccensis Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 22 (1917); Ridley, Fl. Malay Penins. 1: 466 (1922); Keng, Gard. Bull. Singapore 35(1): 86 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 173, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 480 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). – *Ventilago leiocarpa* auct. non Benth.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 380 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900). **Native; EN** (Wong et al., 2013).

Ziziphus calophylla Wall.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 374 (1896), as ‘*Zizyphus*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900), as ‘*Zizyphus*’; Ridley, Fl. Malay Penins. 1: 463 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2305 (1935); Keng, Gard. Bull. Singapore 35(1): 86 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 116, fig. 96.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 173, 225 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 264, 480 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 107 (2019). **Native; VU** (Wong et al., 2013).

Ziziphus elegans Wall.: Wallich in Roxburgh, Fl. Ind. 2: 366 (1824); Don, Gen. Hist. 2: 26 (1832), as ‘*Zizyphus*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 374 (1896), as ‘*Zizyphus*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900), as ‘*Zizyphus*’; Ridley, Fl. Malay Penins. 1: 463 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978), as ‘*Zizyphus*’; Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner, Gard. Bull. Singapore 47: 412 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 173, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 264, 480 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). **Native; CR** (Wong et al., 2013).

Ziziphus horsfieldii Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 376 (1896), as ‘*Zizyphus*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900), as ‘*Zizyphus horsfieldii*’; Ridley, Fl. Malay Penins. 1: 463 (1922); Turner, Gard. Bull. Singapore 45: 192 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner, Gard. Bull. Singapore 47: 412 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 173, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 264, 480 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). **Native; CR** (assessed here).

Ziziphus oenopolia (L.) Mill.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 63 (1900), as ‘*Zizyphus oenoplia*’; Ridley, Fl. Malay Penins. 1: 462 (1922), as ‘*oenoplia*’; Keng, Gard. Bull. Singapore 35(1): 86 (1982), as ‘*oenoplia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 117 (1990), as

‘*oenoplia*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990), as ‘*oenoplia*’; Turner, Gard. Bull. Singapore 45: 192 (1993), as ‘*oenoplia*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as ‘*oenoplia*’; Ng & Wee (ed.), Singapore Red Data Book: 305 (1994), as ‘*oenoplia*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008), as ‘*oenoplia*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 173, 199 (2009), as ‘*oenoplia*’. **Native; NEx** (Chong et al., 2009).

Rhizophoraceae

Bruguiera cylindrica (L.) Blume: Ding Hou, Fl. Males., ser. 1, 5(4): 467 (1958); Keng, Gard. Bull. Singapore 31: 99 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 73, fig. 68.2a (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Lee et al., Gard. Bull. Singapore 55: 282, 303 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 173, 225 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 38, 481 (2013); Neo et al., Nat. Singapore 6: 17 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 554, 806 [2015]; Ono et al., Conserv. Genet. 17: 1137, t. 1 (2016); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 75, 310 (2020). – *Bruguiera caryophylloides* (Burm.f.) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 695 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 43 (1928). – *Rhizophora caryophylloides* Burm.f.: Don, Gen. Hist. 2: 674 (1832). – *Rhizophora caryophylloides* Jack, nom. illeg. superfl.: Jack, Malayan Misc. 1(5): 34 (1820). **Native; LC** (Wong et al., 2013).

Bruguiera gymnorhiza (L.) Lam. ex Savigny: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, Fl. Malay Penins. 1: 695 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 42 (1928); Ding Hou, Fl. Males., ser. 1, 5(4): 461 (1958), as ‘*gymnorhiza*’; Keng, Gard. Bull. Singapore 31: 99 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74, fig. 68.2b (1990), as ‘*gymnorhiza*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990), as ‘*gymnorhiza*’; Turner, Gard. Bull. Singapore 45: 193 (1993), as ‘*gymnorhiza*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as ‘*gymnorhiza*’; Ng & Wee (ed.), Singapore Red Data Book: 305 (1994), as ‘*gymnorhiza*’; Lee et al., Gard. Bull. Singapore 55: 303 (2003), as ‘*gymnorhiza*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 173, 225 (2009); Teo et al., Nat. Singapore 4: 271 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 555, 806 [2015]; Hung et al., Nat. Singapore 10: 44 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 76, 310 (2020). **Native; LC** (Chong et al., 2009).

Bruguiera × hainesii C.G.Rogers: Ono et al., Conserv. Genet. 17: 1137, t. 1 (2016); Yee et al., Fl. Singapore 1: 64 (2019); Wong & Ganesan, Fl. Singapore 1: 44 (2019), as ‘*Bruguiera hainesii*’ . – *Bruguiera hainesii* C.G.Rogers: Sheue et al., Taiwania 50: 252 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 173, 201 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 555, 806 [2015]. **Native hybrid** (Ono et al., 2016).

Bruguiera parviflora (Roxb.) Wight & Arn. ex Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 695 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 111 (1928); Ding Hou, Fl. Males., ser. 1, 5(4): 464 (1958); Keng, Gard. Bull. Singapore 31: 99 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 25, 305 (1994); Lee et al., Gard. Bull. Singapore 55: 303

(2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 25, 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 173, 214 (2009); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 76, 310 (2020). **Native; EN** (Chong et al., 2009).

Bruguiera sexangula (Lour.) Poir.: Ding Hou, Fl. Males., ser. 1, 5(4): 463 (1958); Keng, Gard. Bull. Singapore 31: 99 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Sheue et al., Taiwania 50: 255 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 173, 201 (2009). – *Bruguiera eriopetala* Wight & Arn. ex Arn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, Fl. Malay Penins. 1: 695 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 109 (1928). **Native; CR** (Chong et al., 2009).

Carallia brachiata (Lour.) Merr.: Ding Hou, Fl. Males., ser. 1, 5(4): 485 (1958); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 31: 99 (1978); Kochummen, Tree Fl. Malaya 4: 313 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74, fig. 68.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 412 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 303 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 322 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 173, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 48, 481 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 83, 310 (2020). – *Carallia integerrima* DC.: Ridley, Fl. Malay Penins. 1: 696 (1922). – *Carallia scortechinii* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 319 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 697 (1922). – *Carallia lucida* Roxb.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 318 (1897). **Native; VU** (assessed here).

Ceriops tagal (Perr.) C.B.Rob.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 515 (1935); Ding Hou, Fl. Males., ser. 1, 5(4): 469 (1958); Keng, Gard. Bull. Singapore 31: 99 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Lee et al., Gard. Bull. Singapore 55: 303 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 173, 220 (2009); Teo et al., Nat. Singapore 4: 272 (2011). – *Ceriops candolleana* Arn., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, Fl. Malay Penins. 1: 694 (1922), as ‘*candolliana*’. **Native; VU** (Chong et al., 2009).

Ceriops zippeliana Blume: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 173, 215 (2009); Sheue et al., Taiwania 55: 73 (2010); Teo et al., Nat. Singapore 4: 272 (2011); Wong & Ganeshan, Fl. Singapore 1: 44 (2019). – *Ceriops* sp.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008), as ‘*sp. nov.*’. – *Ceriops decandra* auct. non (Griff.) W.Theob.: Lee et al., Gard. Bull. Singapore 55: 303 (2003). **Native; EN** (Chong et al., 2009).

Gynotroches axillaris Blume: Henslow in Hooker, Fl. Brit. India 2, fasc. 5: 440 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ding Hou, Fl. Males., ser. 1, 5(4): 488 (1958); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 31: 99 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74, fig. 68.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 135, 163 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 616, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 173, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 137, 482 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 167, 310 (2020). **Native; LC** (Wong et al., 2013).

Kandelia candel (L.) Druce: Ding Hou, Fl. Males., ser. 1, 5(4): 473 (1958); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 173, 207 (2009). **Native; CR** (Chong et al., 2009).

Pellacalyx axillaris Korth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 699 (1922); Ding Hou, Fl. Males., ser. 1, 5(4): 493 (1958); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978); Keng, Gard. Bull. Singapore 31: 99 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 193 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 29 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 173, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 482 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 709, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108, 123 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 224, 311 (2020). **Native; EN** (Wong et al., 2013).

Pellacalyx saccardianus Scort.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 699 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1685 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 524 (1952); Ding Hou, Fl. Males., ser. 1, 5(4): 491 (1958); Keng, Gard. Bull. Singapore 31: 99 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 615 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74, fig. 68.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 194 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 136, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 173, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 482 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). **Native; VU** (assessed here).

Rhizophora apiculata Blume: Ding Hou, Fl. Males., ser. 1, 5(4): 452 (1958); Keng, Gard. Bull. Singapore 31: 99 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74, fig. 68.6 (1990), as ‘*apiculate*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 194 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Lee et al., Gard. Bull. Singapore 55: 303 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 173, 230 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Neo et al., Nat. Singapore 6: 17 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 729, 807 [2015]; Hung et al., Nat. Singapore 10: 47 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 246, 311 (2020). – *Rhizophora conjugata* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, Fl. Malay Penins. 1: 693 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 27 (1928). **Native; LC** (Chong et al., 2009).

Rhizophora mucronata Poir.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, Fl. Malay Penins. 1: 693 (1922); Watson, Mangrove Forest Malay Penins. [Malayan Forest Rec. 6]: 27 (1928); Ding Hou, Fl. Males., ser. 1, 5(4): 453 (1958); Keng, Gard. Bull. Singapore 31: 100 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 194 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Lee et al., Gard. Bull. Singapore 55: 303 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 173, 230 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 217, 482 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 729, 807 [2015]; Hung et al., Nat. Singapore 10: 47 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 246, 311 (2020). **Native; LC** (Wong et al., 2013).

Rhizophora stylosa Griff.: Ding Hou, Fl. Males., ser. 1, 5(4): 456 (1958); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 74 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 194 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 45, 305 (1994); Turner, Gard. Bull. Singapore 47: 413 (1997 [‘1995’]); Lee et al., Gard. Bull. Singapore 55: 303 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 33, 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 173, 223 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 247, 311 (2020). **Native; VU** (Chong et al., 2009).

Rosaceae

Potentilla indica (Andrews) Th.Wolf: Kalkman, Fl. Males., ser. 1, 11(2): 291 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994). – *Duchesnea indica* (Andrews) Teschem.: Keng, Gard. Bull. Singapore 27: 250 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 194 (1993); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 37, 173, 266 (2009); Lok et al., Cosmos 6: 72 (2010). – *Fragaria indica* Andrews: Sinclair, Gard. Bull. Singapore 14(1): 39 (1953). **Non-native, naturalised** (Chong et al., 2009).

Prunus arborea (Blume) Kalkman: Kalkman, Blumea 13(1): 90 (1965); Keng, Gard. Bull. Singapore 27: 251 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Kalkman, Fl. Males., ser. 1, 11(2): 329 (1993); Turner, Gard. Bull. Singapore 45: 194 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 414 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 154 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 [‘1997’]); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan

et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 173, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 482 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). – *Pygeum persimile* Kurz: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 291 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901); Ridley, Fl. Malay Penins. 1: 675 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1844 (1935). – *Pygeum parviflorum* Teijsm. & Binn.: Ridley, Fl. Malay Penins. 1: 675 (1922). – *Pygeum maingayi* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900).

Prunus arborea (Blume) Kalkman var. **arborea**: Kalkman, Blumea 13(1): 93 (1965); Kalkman, Fl. Males., ser. 1, 11(2): 332 (1993). **Native; CR** (assessed here).

Prunus arborea (Blume) Kalkman var. **stipulacea** (King) Kalkman: Kalkman, Blumea 13(1): 98 (1965), p.p.; Kalkman, Fl. Males., ser. 1, 11(2): 332 (1993); Turner, Gard. Bull. Singapore 47: 414 (1997 ['1995']). **Native; CR** (assessed here).

Prunus grisea (Blume ex Müll.Berol.) Kalkman: Kalkman, Blumea 13(1): 56 (1965); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Kalkman, Fl. Males., ser. 1, 11(2): 338 (1993); Turner, Gard. Bull. Singapore 45: 194 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 483 (2013). – *Pygeum lanceolatum* Hook.f.: Hooker, Fl. Brit. India 2, fasc. 5: 319 (1878); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 289 (1897); Sinclair, Gard. Bull. Singapore 15: 23 (1956); Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978).

Prunus grisea (Blume ex Müll.Berol.) Kalkman var. **tomentosa** (Koord. & Valeton) Kalkman: Kalkman, Blumea 13(1): 60 (1965); Keng, Gard. Bull. Singapore 27: 251 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27 (1990); Kalkman, Fl. Males., ser. 1, 11(2): 339 (1993); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 173, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 483 (2013). **Native; CR** (Wong et al., 2013).

Prunus polystachya (Hook.f.) Kalkman: Kalkman, Blumea 13(1): 88 (1965); Keng, Gard. Bull. Singapore 27: 251 (1974); Corner, Wayside Trees Malaya, ed. 3, 2: 619 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 27, fig. 26.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Kalkman, Fl. Males., ser. 1, 11(2): 343 (1993); Turner, Gard. Bull. Singapore 45: 194 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']), as '*Purnus*'; Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 173, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 483 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 724, 807 [2015]; Hung et al., Nat. Singapore 10: 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 240, 311 (2020). – *Pygeum polystachyum* Hook.f.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 290 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, Fl. Malay Penins. 1: 674 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 528 (1952). **Native; LC** (Wong et al., 2013).

Rubus moluccanus L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Keng, Gard. Bull. Singapore 27: 251 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 28 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Kalkman, Fl. Males., ser. 1, 11(2): 275 (1993); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 220, 483 (2013); Neo et al., Nat. Singapore 7: 66 (2014). – *Rubus moluccanus* L. var. *glomeratus* auct. non (Blume) Backer: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 483 (2013). – *Rubus glomeratus* auct. non Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 295 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 78 (1900); Ridley, Fl. Malay Penins. 1: 679 (1922); Henderson, Malay. Wild Fls, Dicot.: 105 (1959); Keng, Gard. Bull. Singapore 27: 251 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 28 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990).

Rubus moluccanus L. var. **moluccanus**: Kalkman, Blumea 29(2): 356 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 28 (1990); Kalkman, Fl. Males., ser. 1, 11(2): 278 (1993); Turner, Gard. Bull. Singapore 45: 194 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner, Gard. Bull. Singapore 47: 415 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 173, 223 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108, 123 (2019). **Native; VU** (Chong et al., 2009).

Rubus moluccanus L. var. **angulosus** Kalkman: Kalkman, Blumea 29(2): 364 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 28, fig. 26.5 (1990); Kalkman, Fl. Males., ser. 1, 11(2): 278 (1993); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner, Gard. Bull. Singapore 47: 415 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 173, 223 (2009); Ang et al., Nat. Singapore 3: 91 (2010); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 220, 483 (2013). – *Rubus angulosus* Focke, nom. illeg. hom.: Ridley, Fl. Malay Penins. 1: 678 (1922). **Native; CR** (assessed here).

Rubiaceae

Adina eurhyncha (Miq.) Å.Krüger & Löfstrand: Wong et al., Fl. Singapore 13: 19, fig. 1, 2 (2019). – *Pertusadina eurhyncha* (Miq.) Ridsdale: Ridsdale, Blumea 24(2): 354, fig. 1f (1979 ['1978']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 68, 176, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 70 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 199, 494 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Adina rubescens* Hemsl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 126 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 10 (1923); Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990). **Native; VU** (Wong et al., 2019).

Aidia auriculata (Wall.) Ridsdale: Lee et al., Gard. Bull. Singapore 55: 303 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 173, 200 (2009); Neo et al., Nat. Singapore 7: 107 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108, 133 (2019). – *Aidia corymbosa* auct. non (Blume) K.M.Wong: Wong,

Malayan Nat. J. 38(1): 19 (1984), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']). – *Anomanthodia auriculata* (Wall.) Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 108 (1880); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994). – *Randia auriculata* (Wall.) Steud.: Ridley, Fl. Malay Penins. 2: 75 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 162 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990).

Aidia auriculata (Wall.) Ridsdale var. **auriculata**: Wong et al., Fl. Singapore 13: 25, fig. 3B (2019). **Native; CR** (Wong et al., 2019).

Aidia densiflora (Wall.) Masam.: Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 303 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 173, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 66 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 15, 483 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 526, 806 [2015]; Wong et al., Fl. Singapore 13: 26, fig. 3A, 4 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 48, 310 (2020). – *Aidia wallichiana* Tirveng.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005). – *Randia cochinchinensis* auct. non (Lour.) Merr.: Keng, Gard. Bull. Singapore 38(2): 162 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990). – *Aidia cochinchinensis* auct. non Lour.: Wong, Malayan Nat. J. 38(1): 10 (1984), p.p. – *Randia densiflora* (Wall.) Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900); Ridley, Fl. Malay Penins. 2: 75 (1923). – *Randia forbesii* auct. non King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 207 (1904 ['1903']), p.p.; Ridley, Fl. Malay Penins. 2: 76 (1923). **Native; VU** (Wong et al., 2019).

Aidia lancifolia K.M.Wong: Wong, Malayan Nat. J. 38(1): 20 (1984); Wong et al., Fl. Singapore 13: 29, fig. 3C (2019). **Native; NEx** (Wong et al., 2019).

Canthium malayense K.M.Wong: Wong & Lua, Gard. Bull. Singapore 70: 278 (2018); Wong et al., Fl. Singapore 13: 31, fig. 5 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). – *Canthium horridum* auct. non Blume: Hooker, Fl. Brit. India 3, fasc. 7: 135 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900); Ridley, Fl. Malay Penins. 2: 123 (1923); Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 303 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 174, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 48, 484 (2013). **Native; EN** (Wong et al., 2019).

Canthium molle King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 60 (1904); Ridley, Fl. Malay Penins. 2: 123 (1923); Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 341 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner, Gard. Bull. Singapore 47: 420 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 174, 189 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Fl. Singapore 13: 34, fig. 6 (2019). – *Canthium scandens* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900). **Native; EN** (assessed here).

Canthiumera robusta K.M.Wong & X.Y.Ng: Wong et al., Reinwardtia 17(2): 109 (2018); Wong et al., Fl. Singapore 13: 37, fig. 7, 8 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 83, 310 (2020). – *Canthium glabrum* auct. non Blume: Hooker, Fl. Brit. India 3, fasc. 7: 133 (1880), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900); Ridley, Fl. Malay Penins. 2: 124 (1923), p.p.; Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 68 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 174, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 48, 484 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 563, 806 [2015]. – *Psydrax* sp. 1: Wong, Arbor. Rubiaceae Malaya: 180 (1988), p.p. **Native; EN** (Wong et al., 2019).

Chassalia curviflora (Wall.) Thwaites: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900), as '*Chasalia*'; Ridley, Fl. Malay Penins. 2: 142 (1923), as '*Chasalia*'; Keng, Gard. Bull. Singapore 38(2): 151 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152, fig. 125.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as '*Chasalia*'; Turner, Gard. Bull. Singapore 45: 196 (1993), as '*Chasalia*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as '*Chasalia*'; Ng & Wee (ed.), Singapore Red Data Book: 305 (1994), as '*Chasalia*'; Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']), as '*Chasalia*'; Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 174, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Wong et al., Fl. Singapore 13: 41, fig. 9, 10A–C (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). – *Chassalia chartacea* Craib: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as '*Chasalia*'; Turner, Gard. Bull. Singapore 45: 196 (1993), as '*Chasalia*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as '*Chasalia*'; Ng & Wee (ed.), Singapore Red Data Book: 305 (1994), as '*Chasalia*'; Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']), as '*Chasalia*'; Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']), as '*Chasalia*'; Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 174, 220 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 53, 484 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). – *Uragoga curviflora* (Wall.) Kuntze var. *lanceolata* Kuntze: Kuntze, Revis. Gen. Pl. 1: 299 (1891). **Native; VU** (Wong et al., 2019).

Chassalia griffithii (Hook.f.) A.P.Davis: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Wong et al., Fl. Singapore 13: 47 (2019). – *Cephaelis ridleyi* King: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 106 (1904), p.p. **Native; NEx** (Wong et al., 2019).

Chassalia pubescens Ridl.: Ridley, Fl. Malay Penins. 2: 143 (1923), as ‘*Chasalia*’; Keng, Gard. Bull. Singapore 38(2): 151 (1986 [‘1985’]); Wong, Tree Fl. Malaya 4: 344 (1989), as ‘*Chasalia*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as ‘*Chasalia*’; Turner, Gard. Bull. Singapore 45: 196 (1993), as ‘*Chasalia*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as ‘*Chasalia*’; Ng & Wee (ed.), Singapore Red Data Book: 305 (1994), as ‘*Chasalia*’; Turner, Gard. Bull. Singapore 47: 421 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 174, 189 (2009); Wong et al., Fl. Singapore 13: 48, fig. 10D (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). **Native; NEx** (Wong et al., 2019).

Chassalia singapurensis (Ridl.) A.P.Davis: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 174, 202 (2009); Wong et al., Fl. Singapore 13: 49 (2019). – *Psychotria singapurensis* (Ridl.) I.M.Turner: Turner, Gard. Bull. Singapore 47: 443 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008). – *Cephaelis singapurensis* Ridl.: Ridley, Fl. Malay Penins. 2: 144 (1923), as ‘*singapurensis*’; Keng, Gard. Bull. Singapore 38(2): 151 (1986 [‘1985’]), as ‘*singapurensis*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990), as ‘*singapurensis*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as ‘*singapurensis*’; Turner, Gard. Bull. Singapore 45: 196 (1993), as ‘*singapurensis*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as ‘*singapurensis*’; Ng & Wee (ed.), Singapore Red Data Book: 305 (1994), as ‘*singapurensis*’; Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 [‘1994’]), as ‘*singapurensis*’. – *Cephaelis cuneata* auct. non Korth.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 105 (1904), p.p. – *Cephaelis griffithii* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900). **Native; NEx** (Wong et al., 2019).

Coelospermum truncatum (Wall.) Baill. ex K.Schum.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 50 (1904); Johansson, Blumea 33: 277 (1988), as ‘*Caenospermum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as ‘*Caenospermum*’; Turner, Gard. Bull. Singapore 45: 195 (1993), as ‘*Caenospermum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as ‘*Caenospermum*’; Ng & Wee (ed.), Singapore Red Data Book: 305 (1994), as ‘*Caenospermum*’; Tan et al., Gard. Bull. Singapore, Suppl. 3: 31, 34 (1995); Turner et al., Gard. Bull. Singapore 48: 154 (1998 [‘1996’]), as ‘*Caenospermum*’; Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 21, 173, 202 (2009), as ‘*Caenospermum*’; Wong et al., Fl. Singapore 13: 51, fig. 11 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). – *Coelospermum scandens* Blume: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 51 (1904); Ridley, Fl. Malay Penins. 2: 121 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 151 (1986 [‘1985’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990). **Native; CR** (Wong et al., 2019).

Coffea liberica W.Bull ex Hiern: Keng, Gard. Bull. Singapore 38(2): 151 (1986 [‘1985’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 174, 239 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 484 (2013). – *Coffea stenophylla* auct. non G.Don: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 62, 484 (2013). **Non-native, casual** (assessed here).

Coptosapelta flavesrens Korth.: Hooker, Fl. Brit. India 3, fasc. 7: 35 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); Ridley, Fl. Malay Penins. 2: 17 (1923); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 174, 190 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 65, 485 (2013); Wong et al., Fl. Singapore 13: 55 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108, 133 (2019). – *Coptosapelta parviflora* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 79: 76 (1918); Ridley, Fl. Malay Penins. 2: 18 (1923); Keng, Gard. Bull. Singapore 38(2): 151 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner, Gard. Bull. Singapore 47: 421 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 174, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). – *Coptosapelta tomentosa* auct. non (Blume) Valeton ex K.Heyne: Burkill, Dict. Econ. Prod. Malay Penins. 1: 655 (1935); Keng, Gard. Bull. Singapore 38(2): 152 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008). **Native; CR** (assessed here).

Coptosapelta griffithii Hook.f.: Hooker, Hooker's Icon. Pl. 11 [ser. 3, 1], fasc. 4: 71, pl. 1089 (1871); Hooker, Fl. Brit. India 3, fasc. 7: 35 (1880); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 138 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 17 (1923); Keng, Gard. Bull. Singapore 38(2): 151 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 174, 190 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 65, 485 (2013); Wong et al., Fl. Singapore 13: 56, fig. 12 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). **Native; CR** (assessed here).

Dentella repens (L.) J.R.Forst. & G.Forst.: Hooker, Fl. Brit. India 3, fasc. 7: 42 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); Ridley, Fl. Malay Penins. 2: 44 (1923); Keng, Gard. Bull. Singapore 38(2): 152 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 174, 270 (2009); Lok et al., Cosmos 6: 81 (2010); Kaw & Neo, Wayside Fls Singapore: 95 (2018); Wong et al., Fl. Singapore 13: 59, fig. 13 (2019). **Native; LC** (Wong et al., 2019).

Dibridsonia conferta (Korth.) K.M.Wong: Wong et al., Reinwardtia 17(2): 116 (2018); Wong et al., Fl. Singapore 13: 62, fig. 14, 15 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). – *Canthium confertum* Korth.: Hooker, Fl. Brit. India 3, fasc. 7: 133 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 60 (1904); Ridley, Fl. Malay Penins. 2: 125 (1923); Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore

Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 303 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 173, 214 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 48, 484 (2013). **Native; EN** (Wong et al., 2019).

Discospermum malaccense (Hook.f.) Kuntze: Wong et al., Fl. Singapore 13: 66, fig. 16, 17 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 122, 310 (2020). – *Diplospora malaccensis* Hook.f.: Ridley, Fl. Malay Penins. 2: 86 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 837 (1935), as ‘*malaccense*’; Keng, Gard. Bull. Singapore 38(2): 152 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 69 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 304 (2003); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 174, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 89, 485 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 602, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 108 (2019). – *Canthium* sp. (*Mat* 6506): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900). **Native; CR** (Wong et al., 2019).

Eumachia montana (Blume) I.M.Turner: Turner, Edinburgh J. Bot. 76: 24 (2018 ['2019']); Wong et al., Fl. Singapore 13: 71 (2019). – *Psychotria montana* Blume var. *tabacifolia* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 174 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900). **Native; NEx** (Wong et al., 2019).

Eumachia rostrata (Blume) I.M.Turner: Wong et al., Fl. Singapore 13: 72, fig. 18 (2019). – *Psychotria rostrata* Blume: Ridley, Fl. Malay Penins. 2: 134 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 397 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 442 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Chassalia rostrata* (Blume) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900), as ‘*Chasalia*’; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 134 (1904), as ‘*Chasalia*’. **Native; CR** (Wong et al., 2019).

Gaertnera grisea Hook.f. ex C.B.Clarke: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 92 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 625 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 431 (1923); Van Beusekom, Blume 15(2): 373 (1968 ['1967']); Keng, Gard. Bull. Singapore 38(2): 152 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 347 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124

(1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 422 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 137, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 174, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 124, 485 (2013); Wong et al., Fl. Singapore 13: 76 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). **Native; EN** (assessed here).

Gaertnera junghuhniana Miq.: Wong et al., Fl. Singapore 13: 77 (2019). – *Gaertnera vaginans* (DC.) Merr. subsp. *junguhnniana* (Miq.) Beusekom: Van Beusekom, Blume 15(2): 388 (1968 ['1967']); Turner, Gard. Bull. Singapore 45: 197 (1993), as ‘*junguhnnii*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as ‘*junguhnnii*’; Ng & Wee (ed.), Singapore Red Data Book: 305 (1994), as ‘*junguhnnii*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008), as ‘*junguhnnii*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 174, 192 (2009), as ‘*junguhnnii*’ . – *Gaertnera vaginans* auct. non (DC.) Merr.: Keng, Gard. Bull. Singapore 38(2): 152 (1986 ['1985']). – *Gaertnera acuminata* Benth.: Ridley, Fl. Malay Penins. 2: 427 (1923). – *Gaertnera acuminata* Benth. var. *oxyphylla* (Benth.) Ridl.: Ridley, Fl. Malay Penins. 2: 428 (1923). – *Gaertnera koenigii* Wight var. *oxyphylla* (Benth.) C.B.Clarke: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 91 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900). – *Gaertnera koenigii* auct. non Wight: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 91 (1883), p.p. **Native; NEx** (Wong et al., 2019).

Gaertnera obesa Hook.f. ex C.B.Clarke: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 92 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 624 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 431 (1923); Van Beusekom, Blume 15(2): 381 (1968 ['1967']); Keng, Gard. Bull. Singapore 38(2): 152 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 347 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 154 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 422 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 250, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 174, 215 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 124, 485 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 78, fig. 19 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109, 123 (2019). – *Psychotria laxiflora* auct. non Blume: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 4 (1906 ['1905']), p.p. **Native; VU** (assessed here).

Gaertnera viminea Hook.f. ex C.B.Clarke: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 91 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 115 (1900); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 623 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 427 (1923); Van Beusekom, Blume 15(2): 377 (1968 ['1967']); Keng, Gard. Bull. Singapore 38(2): 153 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 154 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 423 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 174, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Wong et al., Fl. Singapore 13: 80 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl.

1): 109 (2019). – *Psychotria laxiflora* auct. non Blume: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 4 (1906 ['1905']), p.p. – *Sykesia viminea* (Hook.f. ex C.B.Clarke): Kuntze, Revis. Gen. Pl. 2: 425 (1891). **Native; CR** (assessed here).

Gardenia elata Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 79: 81 (1918); Ridley, Fl. Malay Penins. 2: 83 (1923); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 67 (2011); Wong et al., Fl. Singapore 13: 83 (2019). – *Gardenia tubifera* Wall. f. *elata* (Ridl.) K.M.Wong: Wong, Gard. Bull. Singapore 35(1): 22 (1982); Turner, Gard. Bull. Singapore 45: 197 (1993). – *Gardenia speciosa* Hook.f., nom. illeg. hom.: Hooker, Fl. Brit. India 3, fasc. 7: 117 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 220 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 83 (1923). – *Randia speciosa* Hook., nom. illeg. hom.: Hooker, Icon. Pl. 9 [ser. 2, 5], fasc. 1: t. 824 (1851).

Gardenia elata Ridl. var. **elata**: Low & Wong, Gard. Bull. Singapore 61(1): 107 (2009); Wong et al., Fl. Singapore 13: 83 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). **Native; NEx** (Wong et al., 2019).

Gardenia griffithii Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 221 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 83 (1923); Keng, Gard. Bull. Singapore 38(2): 153 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 154 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 305 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 239 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 174, 192 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 127, 485 (2013); Wong et al., Fl. Singapore 13: 84, fig. 20 (2019). **Native; NEx** (Wong et al., 2019).

Gardenia subcarinata (Corner) Y.W.Low: Wong et al., Fl. Singapore 13: 86 (2019). – *Gardenia tubifera* Wall. var. *subcarinata* Corner: Wong, Gard. Bull. Singapore 35(1): 22 (1982); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner, Gard. Bull. Singapore 47: 423 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 174, 206 (2009); Neo et al., Nat. Singapore 6: 284 (2013). – *Gardenia resinifera* auct. non Korth.: Ridley, Fl. Malay Penins. 2: 82 (1923). – *Gardenia tubifera* Wall. 'Form 2': King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 220 (1904 ['1903']).

Gardenia subcarinata (Corner) Y.W.Low var. **subcarinata**: Low & Wong, Gard. Bull. Singapore 61(1): 116 (2009); Wong et al., Fl. Singapore 13: 86, fig. 21 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109, 133 (2019). **Native; CR** (Wong et al., 2019).

Gardenia tubifera Wall.: Wallich in Roxburgh, Fl. Ind. 2: 562 (1824); Don, Gen. Hist. 3: 497 (1834); Miquel, Fl. Ned. Ind. 2, fasc. 2: 230 (1857 ['1856']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 219 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 82 (1923); Keng, Gard. Bull. Singapore 38(2): 153 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 154 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 377 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Low & Wong, Gard. Bull. Singapore 61(1): 120 (2009); Wong et al., Fl. Singapore 13: 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 160, 310 (2020). – *Gardenia tubifera* Wall.

var. tubifera: Turner, Gard. Bull. Singapore 47: 423 (1997 ['1995']). – *Gardenia tubifera* Wall. f. *tubifera*: Wong, Gard. Bull. Singapore 35(1): 22 (1982); Turner, Gard. Bull. Singapore 45: 197 (1993). – *Gardenia tubifera* Wall. 'Form 1': King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 220 (1904 ['1903']). **Native; NEx** (Wong et al., 2019).

Gardeniopsis longifolia Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900); Ridley, Fl. Malay Penins. 2: 112 (1923); Keng, Gard. Bull. Singapore 38(2): 153 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 154 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 174, 192 (2009); Wong et al., Fl. Singapore 13: 90, fig. 22 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109, 123 (2019). **Native; NEx** (Wong et al., 2019).

Geophila herbacea (Jacq.) K.Schum.: Wong et al., Fl. Singapore 13: 93, fig. 23 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 36, 382 (2020). – *Geophila repens* auct. non (L.) I.M.Johnst.: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 53 (1998 ['1997']); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 107, 806 [2015]; Kaw & Neo, Wayside Fls Singapore: 128 (2018). – *Geophila repens* (L.) I.M.Johnst. var. *asiatica* (Cham. & Schldl.) Fosberg: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 174, 215 (2009). **Native; EN** (assessed here).

Geophila pilosa H.Pearson: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901); Pearson, Hooker's Icon. Pl. 27(4) [ser. 4, 7(4)]: pl. 2691 (1901); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 103 (1904); Ridley, Fl. Malay Penins. 2: 146 (1923); Keng, Gard. Bull. Singapore 38(2): 153 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 154, fig. 125.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 423 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 174, 192 (2009); Wong et al., Fl. Singapore 13: 95 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). – *Geophila hirta* auct. non Korth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900). **Native; NEx** (Wong et al., 2019).

Guettarda speciosa L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900); Ridley, Fl. Malay Penins. 2: 112 (1923); Keng, Gard. Bull. Singapore 38(2): 153 (1986 ['1985']); Wong, Kew Bull. 43: 496 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 154, fig. 125.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Lee et al., Gard. Bull. Singapore 55: 304 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 382 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 174, 215 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Wong et al., Fl. Singapore 13: 96, fig. 24 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 164, 310 (2020). **Native; EN** (Wong et al., 2019).

Gynochthodes coriacea Blume: Seah & Wong, Gard. Bull. Singapore 70: 271 (2018); Wong et al., Fl. Singapore 13: 100 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). – *Gynochthodes sub lanceolata* Miq.: Hooker, Fl. Brit. India 3, fasc. 7: 160 (1880); Ridley, J. Straits

Branch Roy. Asiat. Soc. 33: 97 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 92 (1904); Ridley, Fl. Malay Penins. 2: 122 (1923); Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155, fig. 125.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 174, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011); Teo et al., Nat. Singapore 4: 272 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 137, 485 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Hung et al., Nat. Singapore 10: 16, 20, 23 (2017); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017). – *Gynochthodes tetrandra* Kuntze: Kuntze, Revis. Gen. Pl. 1: 284 (1891). **Native; LC** (Wong et al., 2019).

Gynochthodes praetermissa W.W.Seah & K.M.Wong: Seah & Wong, Gard. Bull. Singapore 70: 268 (2018); Wong et al., Fl. Singapore 13: 101, fig. 25, 26 (2019). – *Gynochthodes coriacea* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 92 (1904); Ridley, Fl. Malay Penins. 2: 122 (1923); Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 154 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 424 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 304 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 174, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 137, 485 (2013); Neo et al., Nat. Singapore 7: 107 (2014). **Native; VU** (Wong et al., 2019).

Gynochthodes ridleyi (King & Gamble) Razafim. & B.Bremer: Razafimandimbison & Bremer, Adansonia 33(2): 294 (2011); Wong et al., Fl. Singapore 13: 104 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). – *Morinda ridleyi* (King & Gamble) Ridl.: Ridley, Fl. Malay Penins. 2: 118 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 158 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 209 (2009). – *Morinda umbellata* L. var. *ridleyi* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 88 (1904). – *Morinda* sp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900). **Native; CR** (Wong et al., 2019).

Gynochthodes rigida (Miq.) Razafim. & B.Bremer: Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 59 (2018); Wong et al., Fl. Singapore 13: 105, fig. 27 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109, 133 (2019). – *Morinda rigida* Miq.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 87 (1904); Ridley, Fl. Malay Penins. 2: 118 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 158 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look

Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 195 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 184, 490 (2013); Neo et al., Nat. Singapore 6: 284 (2013). **Native; VU** (Wong et al., 2019).

Gynochthodes umbellata (L.) Razafim. & B.Bremer: Wong et al., Fl. Singapore 13: 107, fig. 28 (2019). – *Morinda umbellata* L.: Hooker, Fl. Brit. India 3, fasc. 7: 157 (1880); Kuntze, Revis. Gen. Pl. 1: 289 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900); Ridley, Fl. Malay Penins. 2: 119 (1923); Keng, Gard. Bull. Singapore 38(2): 158 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 304 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 53, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 229 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 184, 490 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 46 (2017). **Native; LC** (Wong et al., 2019).

Hedyotis affinis Roem. & Schult.: Wong et al., Fl. Singapore 13: 112 (2019). – *Oldenlandia affinis* (Roem. & Schult.) DC. subsp. *affinis*: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 175, 222 (2009). – *Hedyotis dichotoma* J.Koenig ex Roth, nom. illeg. hom.: Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155, fig. 125.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008). – *Hedyotis viarum* (Craib) Fukuoka: Turner, Gard. Bull. Singapore 47: 426 (1997 ['1995']). – *Oldenlandia dichotoma* Hook.f., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); Ridley, Fl. Malay Penins. 2: 53 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1579 (1935). **Native; LC** (Wong et al., 2019).

Hedyotis angustifolia Cham. & Schltdl.: Wong et al., Fl. Singapore 13: 113 (2019). **Native; NEx** (Wong et al., 2019).

Hedyotis auricularia L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 163 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 49 (1923); Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 197 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 174, 228 (2009); Wong et al., Fl. Singapore 13: 114 (2019). – *Oldenlandia auricularia* (L.) F.Muell.: Kaw & Neo, Wayside Fls Singapore: 132 (2018). **Native; NEx** (Wong et al., 2019).

Hedyotis biflora (L.) Lam.: Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner, Gard. Bull. Singapore 47: 424 (1997 ['1995']); Wong et al., Fl. Singapore 13: 115 (2019). – *Oldenlandia biflora* L.: Chong et al., Checkl. Vasc. Pl.

Fl. Singapore: 64, 175, 272 (2009); Lok et al., Cosmos 6: 81 (2010); Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 47 (2017). – *Oldenlandia paniculata* L.: Ridley, Fl. Malay Penins. 2: 53 (1923); Henderson, Malay. Wild Fls, Dicot.: 207 (1959). **Native; LC** (Wong et al., 2019).

Hedyotis capitellata Wall. ex G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); Ridley, Fl. Malay Penins. 2: 46 (1923); Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 174, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 138, 485 (2013); Wong et al., Fl. Singapore 13: 116, fig. 29 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). **Native; LC** (Wong et al., 2019).

Hedyotis corymbosa (L.) Lam.: Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 264, 776 (2006); Wong et al., Fl. Singapore 13: 118 (2019). – *Oldenlandia corymbosa* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 169 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 54 (1923); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 175, 267 (2009); Lok et al., Cosmos 6: 73 (2010); Teo et al., Nat. Singapore 4: 272 (2011); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 134 (2018). – *Oldenlandia corymbosa* L. var. *alsinifolia* (G.Don) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900). **Native; LC** (Wong et al., 2019).

Hedyotis diffusa Willd.: Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 265, 776 (2006); Wong et al., Fl. Singapore 13: 119, fig. 30 (2019). – *Oldenlandia diffusa* (Willd.) Roxb.: Kuntze, Revis. Gen. Pl. 1: 292 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); Ridley, Fl. Malay Penins. 2: 54 (1923); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 176, 272 (2009); Lok et al., Cosmos 6: 82 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 190, 493 (2013); Kaw & Neo, Wayside Fls Singapore: 127 (2018). – *Hedyotis brachypoda* (DC.) Sivar. & Biju: Turner, Gard. Bull. Singapore 47: 424 (1997 ['1995']). – *Oldenlandia brachypoda* G.Don, nom. illeg. hom.: Don, Gen. Hist. 3: 529 (1834). **Native; LC** (Wong et al., 2019).

Hedyotis herbacea L.: Keng, Gard. Bull. Singapore 38(2): 155 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Wong et al., Fl. Singapore 13: 121, fig. 31 (2019). – *Oldenlandia herbacea* (L.) Roxb.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 176, 272 (2009); Lok et al., Cosmos 6: 82 (2010). – *Oldenlandia heynei* auct. non G.Don: Kuntze, Revis. Gen. Pl. 1: 292 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 169 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 54 (1923). **Native; NEx** (Wong et al., 2019).

Hedyotis pinifolia Wall. ex G.Don: Hooker, Fl. Brit. India 3, fasc. 7: 60 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 166 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 52 (1923); Keng, Gard. Bull. Singapore 38(2): 155 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 174, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 138, 485 (2013); Wong et al., Fl. Singapore 13: 122 (2019). – *Hedyotis caerulea* auct. non (L.) Hook.: Sinclair, Gard. Bull. Singapore 14(1): 33 (1953), as ‘coerulea’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994). – *Hedyotis pinifolia* Wall. ex G.Don var. *caespitosa* (Miq.) Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 60 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900), as ‘coespitosa’. **Native; NEx** (assessed here).

Hedyotis prostrata Blume: Wong et al., Fl. Singapore 13: 123, fig. 31 (2019). – *Oldenlandia cristata* auct. non (Willd. ex Roem. & Schult.) ined.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 176, 222 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 189, 491 (2013). – *Hedyotis philippensis* (Willd. ex Spreng.) Merr. ex C.B.Rob.: Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']), as ‘philippensis’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011), as ‘philippensis’. – *Hedyotis congesta* R.Br. ex G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); Ridley, Fl. Malay Penins. 2: 51 (1923); Keng, Gard. Bull. Singapore 38(2): 154 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008). **Native; VU** (assessed here).

Hedyotis pumila L.f.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Tan et al., Gard. Bull. Singapore 44: 131 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 426 (1997 ['1995']); Wong et al., Fl. Singapore 13: 126 (2019). – *Oldenlandia pumila* (L.f.) DC.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 176, 272 (2009); Lok et al., Cosmos 6: 82 (2010). **Native; LC** (Wong et al., 2019).

Hedyotis trinervia (Retz.) Forsyth f.: Maxwell, Gard. Bull. Singapore 35(2): 198 (1983 ['1982']); Keng, Gard. Bull. Singapore 38(2): 155 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Wong et al., Fl. Singapore 13: 126 (2019). – *Edrastima trinervia* (Retz.) Neupane & N.Wikstr.: Neupane et al., Taxon 64: 316 (2015). – *Oldenlandia trinervia* Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 170 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 55 (1923); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 176, 272 (2009); Lok et al., Cosmos 6: 82 (2010). **Native; NEx** (Wong et al., 2019).

Hedyotis verticillata (L.) Lam.: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 53 (1998 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 47, 174, 271 (2009); Lok et al., Cosmos 6: 81 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 138, 486 (2013); Wong et al., Fl. Singapore

13: 127 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109, 133 (2019). – *Oldenlandia verticillata* L.: Kaw & Neo, Wayside Fls Singapore: 122 (2018). **Native; LC** (Wong et al., 2019).

Hedyotis vestita R.Br. ex G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 92 (1900); Ridley, Fl. Malay Penins. 2: 49 (1923); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Wong et al., Fl. Singapore 13: 128 (2019). **Native; NEx** (Wong et al., 2019).

Hexasepalum sarmentosum (Sw.) Delprete & J.H.Kirkbr.: Wong et al., Fl. Singapore 13: 130 (2019). – *Diodia sarmentosa* Sw.: Ridley, Fl. Malay Penins. 2: 174 (1923); Henderson, Malay. Wild Fls, Dicot.: 228 (1959); Keng, Gard. Bull. Singapore 38(2): 152 (1986 ['1985']); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 174, 266 (2009); Lok et al., Cosmos 6: 73 (2010). – *Spermacoce scaberrima* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 94 (1904). **Non-native, naturalised** (Chong et al., 2009).

Hydnophytum formicarium Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900), as '*formicarium*'; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 101 (1904), as '*formicarium*'; Ridley, Fl. Malay Penins. 2: 172 (1923), as '*formicarium*'; Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 155 (1986 ['1985']), as '*formicarium*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 155, fig. 125.7 (1990), as '*formicarium*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993), as '*formicarium*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994), as '*formicarium*'; Ng & Wee (ed.), Singapore Red Data Book: 34, 306 (1994), as '*formicarium*' (p. 306); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']), as '*formicarium*'; Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 29, 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 174, 207 (2009); Lok & Tan, Nat. Singapore 2: 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 144, 486 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 186 (2014 [2015]); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 228, 807 [2015]; Hung et al., Nat. Singapore 10: 46 (2017); Wong et al., Fl. Singapore 13: 132, fig. 32 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019); Lim et al., Fl. Singapore 1: 88 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 250, 382 (2020). **Native; CR** (Wong et al., 2019).

Hypobathrum coniferum (Ridl.) Kiew: Keng, Gard. Bull. Singapore 38(2): 155 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 427 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 174, 193 (2009); Wong et al., Fl. Singapore 13: 135 (2019). – *Hypobathrum* sp. 11: Wong, Arbor. Rubiaceae Malaya: 82 (1988); Wong, Tree Fl. Malaya 4: 355 (1989). – *Petunga venulosa* auct. non Hook.f.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 223 (1904 ['1903']), p.p. – *Petunga conifera* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 79: 81 (1918); Ridley, Fl. Malay Penins. 2: 85 (1923). – *Petunga venulosa* Hook.f. var. (?): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900). **Native; NEx** (Wong et al., 2019).

Ixora concinna R.Br. ex Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 147 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 81 (1904); Ridley, Fl. Malay Penins. 2: 95 (1923); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 198 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 174, 193 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 150, 487 (2013), as ‘coccinea’ Hook.f. (non L.); Wong et al., Fl. Singapore 13: 138 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). – *Ixora parviflora* auct. non Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900). **Native; NEx** (Wong et al., 2019).

Ixora congesta Roxb.: Hooker, Fl. Brit. India 3, fasc. 7: 146 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 76 (1904); Ridley, Fl. Malay Penins. 2: 93 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 155 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 304 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 289, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 174, 228 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 150, 487 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 139, fig. 33 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 254, 382 (2020). **Native; LC** (Wong et al., 2019).

Ixora finlaysoniana Wall. ex G.Don: Keng, Gard. Bull. Singapore 38(2): 155 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 175, 247 (2009); Teo et al., Nat. Singapore 4: 129 (2011); Neo et al., Nat. Singapore 6: 16 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017). **Non-native, casual** (assessed here).

Ixora grandifolia Zoll. & Moritzi: Hooker, Fl. Brit. India 3, fasc. 7: 143 (1880); Ridley, Fl. Malay Penins. 2: 97 (1923); Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 292, 776 (2006); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 150, 487 (2013); Wong et al., Fl. Singapore 13: 141 (2019). – *Ixora grandifolia* Zoll. & Moritzi var. *coriacea* Hook.f.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 82 (1904). – *Ixora grandifolia* Zoll. & Moritzi var. *gigantea* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 82 (1904).

Ixora grandifolia Zoll. & Moritzi var. **grandifolia**: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 175, 193 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Fl. Singapore 13: 141 (2019). **Native; NEx** (Wong et al., 2019).

Ixora javanica (Blume) DC.: Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 175, 247 (2009); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Hung et al., Nat. Singapore 10: 46 (2017); Wong et al., Fl. Singapore 13: 142 (2019). – *Ixora amoena* Wall. ex G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900).

Ixora javanica (Blume) DC. var. ***retinervia*** Corner: Wong et al., Fl. Singapore 13: 142 (2019). – *Ixora stricta* auct. non Roxb.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 80 (1904), p.p.; Ridley, Fl. Malay Penins. 2: 94 (1923), p.p. **Native; EN** (assessed here).

Ixora lobbii Loudon ex King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 78 (1904); Ridley, Fl. Malay Penins. 2: 93 (1923); Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 304 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 175, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 150, 487 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 424, 807 [2015]; Wong et al., Fl. Singapore 13: 143, fig. 34 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 256, 382 (2020). – *Ixora cf. lobbii* Loudon ex King & Gamble: LaFrankie et al., Forest Trees Bukit Timah: 163 (2005). – *Ixora fulgens* auct. non Roxb.: Hooker, Fl. Brit. India 3, fasc. 7: 146 (1880), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 79 (1904). – *Ixora lobbii* Loudon ex King & Gamble var. *angustifolia* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 79 (1904).

Ixora lobbii Loudon ex King & Gamble var. ***lobbii***: Wong et al., Fl. Singapore 13: 144, fig. 34 (2019). **Native; EN** (Wong et al., 2019).

Ixora pendula Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900); Ridley, Fl. Malay Penins. 2: 95 (1923); Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 138, 163 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 295, 776 (2006); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 150, 487 (2013); Wong et al., Fl. Singapore 13: 145, fig. 35 (2019). – *Ixora opaca* R.Br. ex G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900).

Ixora pendula Jack var. ***pendula***: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 175, 216 (2009); Wong et al., Fl. Singapore 13: 147, fig. 35 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). **Native; EN** (Wong et al., 2019).

Ixora umbellata Valeton: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 175, 193 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Fl. Singapore 13: 147 (2019).

Ixora umbellata Valeton var. **umbellata**: Wong et al., Fl. Singapore 13: 148 (2019). **Native; CR** (Wong et al., 2019).

Jackiopsis ornata (Wall.) Ridsdale: Ridsdale, Blumea 25: 296 (1979); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 51, 175, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 150, 487 (2013); Wong et al., Fl. Singapore 13: 149, fig. 36 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). – *Jackia ornata* Wall.: Wallich in Roxburgh, Fl. Ind. 2: 321 (1824); Don, Gen. Hist. 3: 604 (1834); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900); Ridley, Fl. Malay Penins. 2: 89 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1263 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 548 (1952); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']); Corner, Wayside Trees Malaya, ed. 3, 2: 639 (1988). **Native; CR** (Wong et al., 2019).

Lasianthus attenuatus Jack: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 121 (1904); Ridley, Fl. Malay Penins. 2: 156 (1923); Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 367 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 430 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 175, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 155, 488 (2013); Wong et al., Fl. Singapore 13: 153, fig. 37 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). – *Lasianthus appressus* auct. non Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900); Ridley, Fl. Malay Penins. 2: 156 (1923), p.p.; Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 371 (1989), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 430 (1997 ['1995']), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 175, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 155, 488 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109 (2019). – *Lasianthus densifolius* Miq. var. *calycinus* King: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 122 (1904), as ‘*calycina*'; Ridley, Fl. Malay Penins. 2: 156 (1923), as ‘*calycina*'.

Lasianthus attenuatus Jack var. **attenuatus**: Wong et al., Fl. Singapore 13: 156, fig. 37 (2019); Turner, Gard. Bull. Singapore 71: 46 (2019). **Native; EN** (Wong et al., 2019).

Lasianthus attenuatus Jack var. **minor** H.Zhu: Zhu et al., Blumea 57(1): 16 (2012); Wong et al., Fl. Singapore 13: 157, fig. 38 (2019); Turner, Gard. Bull. Singapore 71: 48 (2019). – *Lasianthus densifolius* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 122 (1904); Ridley, Fl. Malay Penins. 2: 156 (1923); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 430 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 68 (2011). **Native; EN** (Wong et al., 2019).

Lasianthus chryseus Ridl.: Ridley, Fl. Malay Penins. 2: 158 (1923); Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 156 (1990); Wong et al., Fl. Singapore 13: 159, fig. 39, 40 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 109, 123 (2019). – *Lasianthus perakensis* auct. non King & Gamble: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 432 (1997 ['1995']), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 222 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Lasianthus tomentosus* auct. non Blume: Ridley, Fl. Malay Penins. 2: 161 (1923), p.p.; Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 433 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 311, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 69 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 156, 489 (2013). – *Lasianthus kurzii* auct. non Hook.f.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 119 (1904). **Native; EN** (Wong et al., 2019).

Lasianthus constrictus Wight: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 117 (1904); Ridley, Fl. Malay Penins. 2: 163 (1923); Keng, Gard. Bull. Singapore 38(2): 156 (1986 ['1985']), as ‘*constricta*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990), as ‘*constricta*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as ‘*constricta*’; Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994), as ‘*constricta*’; Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 154 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 210 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 175, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 156, 488 (2013); Wong et al., Fl. Singapore 13: 163 (2019). **Native; EN** (Wong et al., 2019).

Lasianthus ellipticus Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900); Ridley, Fl. Malay Penins. 2: 159 (1923); Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Wong, Tree

Fl. Malaya 4: 372 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 430 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 139, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 207 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 69 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 156, 488 (2013); Wong et al., Fl. Singapore 13: 164 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110, 123 (2019). – *Lasianthus glaber* auct. non Ridl.: Wong, Tree Fl. Malaya 4: 373 (1989), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 431 (1997 ['1995']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 194 (2009). – *Lasianthus venulosus* Ridl., nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 61: 23 (1912). **Native; NEx** (Wong et al., 2019).

Lasianthus griffithii Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 111 (1904); Ridley, Fl. Malay Penins. 2: 152 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 431 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 207 (2009); Wong et al., Fl. Singapore 13: 165 (2019). **Native; CR** (Wong et al., 2019).

Lasianthus hirsutus (Roxb.) Merr.: Lee et al., Gard. Bull. Singapore 55: 282, 304 (2003); Wong et al., Fl. Singapore 13: 167 (2019); Turner, Gard. Bull. Singapore 71: 50 (2019). – *Lasianthus cyanocarpus* auct. non Jack: Hooker, Fl. Brit. India 3, fasc. 7: 179 (1880), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900); Ridley, Fl. Malay Penins. 2: 153 (1923), p.p.; Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 199 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 207 (2009). **Native; EN** (Wong et al., 2019).

Lasianthus reticulatus Blume: Ho et al., Gard. Bull. Singapore 70: 48 (2018); Wong et al., Fl. Singapore 13: 169, fig. 41 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Lasianthus maingayi* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 132 (1904); Ridley, Fl. Malay Penins. 2: 160 (1923); Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 431 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 194 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat.

Res.: 69 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 156, 489 (2013). – *Lasianthus flavicans* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 116 (1904). **Native; CR** (Wong et al., 2019).

Lasianthus ridleyi King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 115 (1904); Ridley, Fl. Malay Penins. 2: 154 (1923); Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 371 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 432 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 69 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 156, 489 (2013); Wong et al., Fl. Singapore 13: 171, fig. 42 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Lasianthus singaporenensis* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 117 (1904); Ridley, Fl. Malay Penins. 2: 159 (1923); Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990). **Native; EN** (Wong et al., 2019).

Lasianthus scabridus King & Gamble: Ridley, Fl. Malay Penins. 2: 152 (1923); Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 370 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 433 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 207 (2009); Wong et al., Fl. Singapore 13: 174 (2019). **Native; NEx** (Wong et al., 2019).

Lasianthus stipularis Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 112 (1904); Ridley, Fl. Malay Penins. 2: 152 (1923); Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 194 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 69 (2011); Wong et al., Fl. Singapore 13: 175 (2019). – *Lasianthus stipularis* Blume var. *stipularis*: Wong, Tree Fl. Malaya 4: 368 (1989); Turner, Gard. Bull. Singapore 47: 433 (1997 ['1995']). **Native; NEx** (Wong et al., 2019).

Lasianthus venosus Blume: Wong et al., Fl. Singapore 13: 176 (2019). – *Lasianthus pterospermus* Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900); Wong, Tree Fl. Malaya 4: 368 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 432 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 194 (2009). **Native; NEx** (Wong et al., 2019).

Lasianthus sp. 8: Wong, Arbor. Rubiaceae Malaya: 122 (1988); Wong, Tree Fl. Malaya 4: 373 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 434 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008). **Native;** conservation assessments are generally not applicable to unnamed taxa.

Lecananthus erubescens Jack: Wallich in Roxburgh, Fl. Ind. 2: 319 (1824); Don, Gen. Hist. 3: 472 (1834); Miquel, Fl. Ned. Ind. 2, fasc. 1: 153 (1856); Miquel, Fl. Ned. Ind. 2, fasc. 2: 199 (1857 ['1856']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 179 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 57 (1923); Henderson, Malay. Wild Fls, Dicot.: 211 (1959); Keng, Gard. Bull. Singapore 38(2): 157 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 175, 194 (2009); Lim et al., Gard. Bull. Singapore 70: 79 (2018); Wong et al., Fl. Singapore 13: 178 (2019); Lim et al., Fl. Singapore 1: 88 (2019). **Native; CR** (Wong et al., 2019).

Mitracarpus hirtus (L.) DC.: Turner, Gard. Bull. Singapore 47: 434 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 175, 267 (2009); Lok et al., Cosmos 6: 73 (2010); Wong et al., Fl. Singapore 13: 179, fig. 43 (2019). **Non-native, naturalised** (Chong et al., 2009).

Morinda citrifolia L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900); Keng, Gard. Bull. Singapore 38(2): 158 (1986 ['1985']); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157, fig. 125.8 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 304 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 195 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 183, 489 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 696, 807 [2015]; Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Wong et al., Fl. Singapore 13: 182, fig. 45A (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 212, 310 (2020). – *Morinda tomentosa* auct. non B.Heyne: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008). **Native; LC** (assessed here).

Morinda elliptica (Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 2: 118 (1923); Wong et al., Fl. Singapore 13: 184, fig. 45B (2019). – *Morinda tinctoria* auct. non Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900). **Native; VU** (Wong et al., 2019).

Mussaenda glabra Vahl: Hooker, Fl. Brit. India 3, fasc. 7: 91 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 185 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 61 (1923); Keng, Gard. Bull. Singapore 38(2): 158 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158, fig. 125.9 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book,

ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 185, 490 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 187, fig. 46, 47 (2019). — *Mussaenda glabra* Vahl var. *puberula* King: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 186 (1904 ['1903']). — *Mussaenda glabra* Vahl var. *setulosa* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900). **Native; EN** (Wong et al., 2019).

Mussaenda maingayi (Hook.f.) Hemsl. ex T.Durand & B.D.Jacks.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 195 (2009); Wong et al., Fl. Singapore 13: 191, fig. 48 (2019). — *Mussaenda mutabilis* (Hemsl.) Hemsl.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 182 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 58 (1923); Henderson, Malay. Wild Fls, Dicot.: 212 (1959); Keng, Gard. Bull. Singapore 38(2): 159 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008). — *Mussaenda mutabilis* (Hemsl.) Hemsl. var. *hirsuta* King: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 182 (1904 ['1903']). **Native; NEx** (Wong et al., 2019).

Mussaendopsis beccariana Baill.: Ridley, Fl. Malay Penins. 2: 19 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 159 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 378 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 436 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 185, 491 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 698, 807 [2015]; Wong et al., Fl. Singapore 13: 194, fig. 49 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 214, 310 (2020). **Native; CR** (assessed here).

Mycetia malayana (G.Don) Craib: Keng, Gard. Bull. Singapore 38(2): 159 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 69 (2011); Wong et al., Fl. Singapore 13: 197, fig. 50 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). — *Adenosacme malayana* (G.Don) Wall. ex Ridl.: Ridley, Fl. Malay Penins. 2: 63 (1923). — *Adenosacme longifolia* auct. non (Wall.) Wall. ex Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900). **Native; NEx** (Wong et al., 2019).

Myrmecodia tuberosa Jack: Ridley, Fl. Malay Penins. 2: 173 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Huxley & Jebb, Blumea 37(2): 276 (1993); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 436 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 337, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et

al., Checkl. Vasc. Pl. Fl. Singapore: 62, 175, 195 (2009); Lok & Tan, Nat. Singapore 2: 231 (2009); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 189 (2014 [2015]); Wong et al., Fl. Singapore 13: 200, fig. 51, 52 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019); Lim et al., Fl. Singapore 1: 106 (2019); Wong & Ganesan, Fl. Singapore 1: 41 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 281, 382 (2020). – *Myrmecodia armata* DC.: Hooker, Fl. Brit. India 3, fasc. 8: 194 (1881); Keng, Gard. Bull. Singapore 38(2): 159 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158, fig. 125.10 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990). – *Myrmecodia echinata* Gaudich.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900). **Native; NEx** (Wong et al., 2019).

Nauclea officinalis (Pierre ex Pit.) Merr. & Chun: Keng, Gard. Bull. Singapore 38(2): 159 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 158 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 140, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 175, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 69 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 186, 491 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 204, fig. 53 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Sarcocephalus junghuhnii* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 121 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 7 (1923). **Native; EN** (assessed here).

Neolamarckia cadamba (Roxb.) Bosser: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 175, 251 (2009); Wong et al., Fl. Singapore 13: 206, fig. 54 (2019). **Cryptogenic** (assessed here).

Neonauclea excelsa (Blume) Merr.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 187, 491 (2013); Seah & Wong, Gard. Bull. Singapore 70: 289 (2018); Wong et al., Fl. Singapore 13: 210 (2019). – *Neonauclea pallida* (Reinw. ex Havil.) Bakh.f. subsp. *malaccensis* auct. non (Gand.) Ridsdale: Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 175, 195 (2009). – *Neonauclea pallida* auct. non (Reinw. ex Havil.) Bakh.f.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990). – *Neonauclea peduncularis* (Wall. ex G.Don) Merr.: Ridley, Fl. Malay Penins. 5: 314 (1925). – *Neonauclea purpurascens* auct. non (Korth.) Ridl.: Ridley, Fl. Malay Penins. 5: 314 (1925), p.p. – *Nauclea purpurascens* auct. non Korth.: Ridley, Fl. Malay Penins. 2: 9 (1923). *Sarcocephalus* sp. (Ridley 6831): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900). **Native; NEx** (Wong et al., 2019).

Neonauclea kranjiensis K.M.Wong & W.W.Seah: Seah & Wong, Gard. Bull. Singapore 70: 292 (2018); Wong et al., Fl. Singapore 13: 211, fig. 55 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). – *Nauclea subdita* auct. non (Korth.) Steud.: Keng, Gard. Bull. Singapore 38(2): 159 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 175, 195 (2009). – *Neonauclea* sp. 2: Wong, Tree Fl. Malaya 4: 383 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 436 (1997 ['1995']). –

Sarcocephalus subditus auct. non (Korth.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900); Ridley, Fl. Malay Penins. 2: 8 (1923). **Native; EX** (Wong et al., 2019).

Ochreinauclea maingayi (Hook.f.) Ridsdale: Turner, Gard. Bull. Singapore 45: 201 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner, Gard. Bull. Singapore 47: 437 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 175, 195 (2009); Wong et al., Fl. Singapore 13: 214 (2019). – *Sarcocephalus maingayi* (Hook.f.) Havil.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 90 (1900). **Native; NEx** (Wong et al., 2019).

Ophiorrhiza singapurensis Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 61: 17 (1912); Ridley, Fl. Malay Penins. 2: 39 (1923), as ‘singapurensis’; Keng, Gard. Bull. Singapore 38(2): 159 (1986 ['1985']), as ‘singaporensis’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990), as ‘singaporensis’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as ‘singaporensis’; Turner, Gard. Bull. Singapore 45: 201 (1993), as ‘singaporensis’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994), as ‘singaporesis’; Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']), as ‘singaporesis’; Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']), as ‘singaporesis’; Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']), as ‘singaporesis’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008), as ‘singaporesis’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 176, 195 (2009), as ‘singaporesis’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 70 (2011), as ‘singaporesis’; Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012), as ‘singaporesis’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 191, 493 (2013), as ‘singaporesis’; Wong et al., Fl. Singapore 13: 216, fig. 56 (2019), as ‘singaporesis’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019), as ‘singaporesis’. – *Ophiorrhiza harrisonii* B.Heyne ex G.Don var.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900), as ‘harrisia’. **Native; VU** (Wong et al., 2019).

Oxyceros bispinosus (Griff.) Tirveng.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 191, 493 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 219 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Oxyceros fragrantissimus* (Ridl.) K.M.Wong: Wong, Malayan Nat. J. 38(1): 43 (1984), as ‘fragrantissima’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as ‘fragrantissima’; Turner, Gard. Bull. Singapore 45: 201 (1993), as ‘fragrantissima’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as ‘fragrantissima’; Ng & Wee (ed.), Singapore Red Data Book: 307 (1994), as ‘fragrantissima’; Turner, Gard. Bull. Singapore 47: 438 (1997 ['1995']), as ‘fragrantissima’; Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']), as ‘fragrantissima’; Lee et al., Gard. Bull. Singapore 55: 304 (2003), as ‘fragrantissima’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008), as ‘fragrantissima’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 176, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 70 (2011), as ‘fragrantissima’. – *Randia fragrantissima* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 115 (1908); Ridley, Fl. Malay Penins. 2: 75 (1923); Keng, Gard. Bull. Singapore 38(2): 162 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990). **Native; VU** (Wong et al., 2019).

Oxyceros drupaceus (C.F.Gaertn.) Ridsdale: Ridsdale, Reinwardtia 12(4): 296 (2008), as ‘drupacea’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 191, 494 (2013); Wong et al., Fl. Singapore 13: 220, fig. 57 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Oxyceeros scandens* (Blume) Tirveng.: Wong, Malayan Nat. J. 38(1): 42 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore

Red Data Book: 307 (1994); Turner, Gard. Bull. Singapore 47: 438 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 176, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 70 (2011). – *Randia scandens* (Blume) DC.: Keng, Gard. Bull. Singapore 38(2): 162 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990). – *Randia clarkei* King & Gamble: Ridley, Fl. Malay Penins. 2: 72 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978). **Native; CR** (Wong et al., 2019).

Oxyceros longiflorus (Lam.) T.Yamaz.: Wong, Malayan Nat. J. 38(1): 39 (1984), as '*longiflora*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as '*longiflora*'; Turner, Gard. Bull. Singapore 45: 202 (1993), as '*longiflora*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as '*longiflora*'; Ng & Wee (ed.), Singapore Red Data Book: 307 (1994), as '*longiflora*'; Turner, Gard. Bull. Singapore 47: 438 (1997 ['1995']), as '*longiflora*'; Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']), as '*longiflora*'; Lee et al., Gard. Bull. Singapore 55: 282, 304 (2003), as '*longiflora*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008), as '*longiflora*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 176, 223 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 222 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Randia longiflora* Lam.: Hooker, Fl. Brit. India 3, fasc. 7: 111 (1880); Kuntze, Revis. Gen. Pl. 1: 295 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 212 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 73 (1923); Keng, Gard. Bull. Singapore 38(2): 162 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990). – *Randia kunstleri* auct. non King & Gamble: Ridley, Fl. Malay Penins. 2: 74 (1923). – *Randia fasciculata* auct. non DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 211 (1904 ['1903']), p.p. – *Posoqueria longiflora* (Lam.) Roxb., nom. illeg. hom.: Wallich in Roxburgh, Fl. Ind. 2: 568 (1824). **Native; VU** (Wong et al., 2019).

Oxyceros penangianus (King & Gamble) Tirveng.: Wong, Malayan Nat. J. 38(1): 39 (1984), as '*penangiana*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 202 (1993), as '*penangiana*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as '*penangiana*'; Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner, Gard. Bull. Singapore 47: 438 (1997 ['1995']), as '*penangiana*'; Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']), as '*penangiana*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 176, 195 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Fl. Singapore 13: 224 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Randia penangiana* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 213 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 72 (1923); Keng, Gard. Bull. Singapore 38(2): 162 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990). – *Randia angulosa* auct. non Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900). – *Canthium angulosum* auct. non Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900). **Native; NEx** (Wong et al., 2019).

Paederia foetida L.: Ridley, Fl. Malay Penins. 2: 173 (1923); Puff, Opera Bot. Belg. 3: 210 (1991); Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Turner, Gard. Bull. Singapore 47: 439 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 23 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 176, 229 (2009); Neo et

al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 123 (2018); Wong et al., Fl. Singapore 13: 226, fig. 58 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 58, 382 (2020). – *Paederia scandens* (Lour.) Merr.: Keng, Gard. Bull. Singapore 38(2): 160 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159, fig. 125.11 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']). – *Paederia tomentosa* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900), as ‘*Poederia*’. **Native; LC** (Wong et al., 2019).

Paederia verticillata Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 89 (1901), as ‘*Poederia*'; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 97 (1904), as ‘*verticillata*'; Ridley, Fl. Malay Penins. 2: 174 (1923); Keng, Gard. Bull. Singapore 38(2): 160 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner, Gard. Bull. Singapore 47: 439 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 176, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 70 (2011); Wong et al., Fl. Singapore 13: 228 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Paederia foetida* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900), as ‘*Poederia*'. **Native; NEx** (Wong et al., 2019).

Pavetta wallichiana Steud. ex Craib: Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 176, 223 (2009); Wong et al., Fl. Singapore 13: 229, fig. 59 (2019). – *Pavetta indica* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900); Keng, Gard. Bull. Singapore 38(2): 160 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 198, 494 (2013). – *Pavetta indica* var. *canescens* Ridl.: Ridley, Fl. Malay Penins. 2: 100 (1923). – *Pavetta tomentosa* auct. non Roxb. ex Sm.: Ridley, Fl. Malay Penins. 2: 100 (1923). **Native; VU** (Wong et al., 2019).

Porterandia anisophylla (Jack ex Wall.) Ridl.: Wong, Malayan Nat. J. 38(1): 45 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 440 (1997 ['1995']), as ‘*anisophyllea*'; Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 141, 165 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 692, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 176, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 70 (2011), as ‘*anisophyllea*'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 209, 494 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 233, fig. 60, 61 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 238, 311 (2020). – *Randia anisophylla* (Jack ex Wall.) Benth. & Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 114 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 209 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 77 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']), as ‘*anisophyllea*';

Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990). – *Randia scortechinii* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 210 (1904 ['1903']). – *Gardenia anisophylla* Jack ex Wall.: Wallich in Roxburgh, Fl. Ind. 2: 561 (1824); Don, Gen. Hist. 3: 497 (1834); Wallich, Numer. List no. 8399 (1847); Miquel, Fl. Ned. Ind. 2, fasc. 2: 230 (1857 ['1856']). **Native; VU** (Wong et al., 2019).

Prismatomeris glabra (Korth.) Valeton: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 176, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 70 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 210, 494 (2013); Wong et al., Fl. Singapore 13: 238, fig. 62 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). – *Prismatomeris malayana* auct. non Ridl.: Ridley, Fl. Malay Penins. 2: 116 (1923), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990), p.p. – *Prismatomeris tetrandra* auct. non (Roxb.) K.Schum.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159, fig. 125.12 (1990), p.p. **Native; EN** (Wong et al., 2019).

Prismatomeris tetrandra (Roxb.) K.Schum.: Keng, Gard. Bull. Singapore 38(2): 160 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159, fig. 125.12 (1990), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']).

Prismatomeris tetrandra (Roxb.) K.Schum. subsp. **malayana** (Ridl.) J.T.Johanss.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as 'tetranda'; Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 176, 217 (2009); Wong et al., Fl. Singapore 13: 242 (2019). – *Prismatomeris malayana* Ridl.: Ridley, Fl. Malay Penins. 2: 116 (1923), p.p. – *Prismatomeris albidiiflora* auct. non Thwaites: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900). **Native; CR** (Wong et al., 2019).

Psychotria angulata Korth.: Hooker, Fl. Brit. India 3, fasc. 7: 172 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 12 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 138 (1923); Keng, Gard. Bull. Singapore 38(2): 160 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009); Wong et al., Fl. Singapore 13: 247 (2019). **Native; NEx** (Wong et al., 2019).

Psychotria deltata I.M.Turner: Turner & Kumar, Phytotaxa 361: 185 (2018); Wong et al., Fl. Singapore 13: 248, fig. 64 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110, 123 (2019). **Native; EN** (Wong et al., 2019).

Psychotria griffithii Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 12 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 137 (1923); Keng, Gard. Bull. Singapore 38(2): 160 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 399 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull.

Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner, Gard. Bull. Singapore 47: 441 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 70 (2011); Wong et al., Fl. Singapore 13: 250, fig. 65 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). **Native; CR** (Wong et al., 2019).

Psychotria helferiana Kurz: Hooker, Fl. Brit. India 3, fasc. 7: 172 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 13 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 134 (1923); Keng, Gard. Bull. Singapore 38(2): 160 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 396 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 441 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 495 (2013); Wong et al., Fl. Singapore 13: 252, fig. 66 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). — *Psychotria helferiana* Kurz var. *diffusa* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 14 (1906 ['1905']). — *Psychotria helferiana* Kurz var. *angustifolia* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 14 (1906 ['1905']). **Native; CR** (assessed here).

Psychotria maingayi Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 5 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 131 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009); Turner et al., Gard. Bull. Singapore 70: 296 (2018); Turner & Kumar, Phytotaxa 361: 189 (2018); Wong et al., Fl. Singapore 13: 254 (2019). — *Psychotria sarmentosa* auct. non Blume: Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']), p.p. — *Saprosma ridleyi* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 100 (1904); Ridley, Fl. Malay Penins. 2: 171 (1923); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990). **Native; EN** (Wong et al., 2019).

Psychotria malayana Jack: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1821 (1935); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 304 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011), p.p.; Turner, Gard. Bull. Singapore 70: 285 (2018); Wong et al., Fl. Singapore 13: 255 (2019); Ho et

al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Psychotria stipulacea* Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); Ridley, Fl. Malay Penins. 2: 140 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990). **Native; NEx** (Wong et al., 2019).

Psychotria megacoma Miq.: Turner, Gard. Bull. Singapore 70: 286, fig. 1 (2018); Wong et al., Fl. Singapore 13: 257, fig. 67 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Psychotria* sp. 9: Wong, Tree Fl. Malaya 4: 398 (1989); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Turner, Gard. Bull. Singapore 47: 444 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 212, 495 (2013). – *Psychotria malayana* auct. non Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 18 (1906 ['1905']), p.p.; Ridley, Fl. Malay Penins. 2: 139 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011), p.p. **Native; NEx** (Wong et al., 2019).

Psychotria morindiflora Wall. ex Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 166 (1880), as '*morindaeflora*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900), as '*morindaeflora*'; Turner & Kumar, Phytotaxa 361: 189 (2018); Wong et al., Fl. Singapore 13: 259 (2019); Turner, Gard. Bull. Singapore 71: 58 (2019). – *Psychotria morindiflora* Wall., nom. nud.: Wallich, Numer. List no. 8438 (1847), as '*morindaeflora*'. **Native; CR** (Wong et al., 2019).

Psychotria ovoidea Wall. ex Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 166 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 8 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 130 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 495 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Turner & Kumar, Phytotaxa 361: 189 (2018); Wong et al., Fl. Singapore 13: 260, fig. 68A (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Psychotria ovoidea* Wall., nom. nud.: Wallich, Numer. List no. 8383 (1847). **Native; EN** (Wong et al., 2019).

Psychotria pachyphylla (King & Gamble) Ridl.: Turner & Kumar, Phytotaxa 361: 190 (2018); Wong et al., Fl. Singapore 13: 262 (2019). **Native; CR** (assessed here).

Psychotria penangensis Hook.f.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 6 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 132 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']), as '*penangiana*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176,

223 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 495 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 263 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). **Native; CR** (Wong et al., 2019).

Psychotria polycarpa (Miq.) Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 165 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 9 (1906 ['1905']); Turner & Kumar, Phytotaxa 361: 191 (2018); Wong et al., Fl. Singapore 13: 264, fig. 68B-D (2019). – *Psychotria obovata* Wall. ex Ridl., nom. illeg. hom.: Ridley, Fl. Malay Penins. 2: 129 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008). – *Psychotria obovata* Wall., nom. nud.: Wallich, Numer. List no. 8380 (1847). **Native; CR** (Wong et al., 2019).

Psychotria ridleyi King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 9 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 133 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011); Turner & Kumar, Phytotaxa 361: 191 (2018); Wong et al., Fl. Singapore 13: 266 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Mussaenda membranacea* King: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 187 (1904 ['1903']). **Native; CR** (Wong et al., 2019).

Psychotria sarmentosoides Valeton: Turner & Kumar, Phytotaxa 361: 193 (2018); Wong et al., Fl. Singapore 13: 267 (2019). – *Psychotria sarmentosa* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 98 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 5 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 131 (1923); Keng, Gard. Bull. Singapore 38(2): 161 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 160 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']), p.p.; Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 495 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 134, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111, 133 (2019). **Native; NEx** (Wong et al., 2019).

Psychotria scortechinii King & Gamble: Turner & Kumar, Phytotaxa 361: 193 (2018); Wong et al., Fl. Singapore 13: 268 (2019). – *Psychotria cantleyi* Ridl.: Ridley, Fl. Malay Penins. 2: 130 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1821 (1935); Keng, Gard. Bull. Singapore 38(2): 160 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 159 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 202 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore

Red Data Book: 307 (1994); Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 211, 495 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 110 (2019). **Native; NEx** (Wong et al., 2019).

Psydrax approximatus (Korth.) Mahyuni & K.M.Wong: Wong & Mahyuni, Reinwardtia 17(1): 79 (2018); Wong et al., Fl. Singapore 13: 271 (2019). – *Psydrax* sp. 11: Wong, Arbor. Rubiaceae Malaya: 185 (1988); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 445 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']). – *Canthium didymum* auct. non C.F.Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 96 (1900); Ridley, Fl. Malay Penins. 2: 126 (1923), p.p. **Native; VU** (Wong et al., 2019).

Psydrax lucidulus (Miq.) Mahyuni & K.M.Wong: Wong & Mahyuni, Reinwardtia 17(1): 82 (2018); Wong et al., Fl. Singapore 13: 272 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Psydrax nitidus* auct. non (Craib) K.M.Wong: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008), as ‘*nitidum*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 223 (2009), as ‘*nitida*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 212, 496 (2013), as ‘*nitida*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111, 133 (2019), as ‘*nitida*’. – *Psydrax* sp. 10 [of Wong, Arbor. Rubiaceae Malaya: 184 (1988)]: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 212, 496 (2013); Neo et al., Nat. Singapore 7: 66 (2014). **Native; VU** (Wong et al., 2019).

Psydrax sumatranus (Miq.) Mahyuni: Mahyuni et al., Floribunda 5(8): 328 (2018); Wong et al., Fl. Singapore 13: 273 (2019). **Native; NEx** (Wong et al., 2019).

Psydrax undulatifolius K.M.Wong & Mahyuni: Wong & Mahyuni, Reinwardtia 17(1): 78 (2018); Wong et al., Fl. Singapore 13: 274 (2019). – *Psydrax maingayi* auct. non (Hook.f.) Bridson: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 176, 210 (2009). – *Canthium maingayi*, ined.: LaFrankie et al., Forest Trees Bukit Timah: 161 (2005). – *Canthium dicoccum* auct. non (Gaertn.) Merr.: Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990), as ‘*dioccum*’. – *Psydrax* sp. 1: Wong, Arbor. Rubiaceae Malaya: 180 (1988), p.p. **Native; NEx** (Wong et al., 2019).

Richardia scabra L.: Kaw & Neo, Wayside Fls Singapore: 117 (2018); Chen et al., Nat. Singapore 14-e2021090: 6 (2021). **Non-native, naturalised** (assessed here).

Saprosma glomerulata King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 98 (1904), as ‘*glomerulatum*’; Ridley, Fl. Malay Penins. 2: 170 (1923), as ‘*glomerulatum*’; Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1963 (1935), as ‘*glomerulatum*’; Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985]), as ‘*glomerulatum*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990), as ‘*glomerulatum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990), as ‘*glomerulatum*’; Turner, Gard. Bull. Singapore 45: 203 (1993), as ‘*glomerulatum*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as ‘*glomerulatum*’; Ng & Wee (ed.), Singapore Red Data Book: 307 (1994), as ‘*glomerulatum*’; Turner, Gard. Bull.

Singapore 47: 445 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005), as 'glomerulatum'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008), as 'glomerulatum'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 176, 211 (2009), as 'glomerulatum'; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011); Wong et al., Fl. Singapore 13: 276, fig. 69 (2019). – *Saprosma* sp.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900). **Native; CR** (Wong et al., 2019).

Schradera membranacea (King) Puff et al.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 176, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 225, 496 (2013); Wong et al., Fl. Singapore 13: 279, fig. 70 (2019). – *Lucinaea membranacea* King: Ridley, Fl. Malay Penins. 2: 56 (1923); Keng, Gard. Bull. Singapore 38(2): 158 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 200 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 306 (1994); Turner et al., Gard. Bull. Singapore 46(2): 31 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']), as 'membranaea'; Chew et al., Gard. Bull. Singapore 49(2): 211 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 69 (2011).

Schradera membranacea (King) Puff et al. subsp. **membranacea**: Wong et al., Fl. Singapore 13: 279, fig. 70 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). **Native; CR** (Wong et al., 2019).

Schradera polysperma (Jack) Puff et al.: Wong et al., Fl. Singapore 13: 281 (2019). – *Schradera morinda* Chong et al., nom. inval.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 176, 198 (2009). – *Lucinaea morindae* DC., nom. illeg. superfl.: Don, Gen. Hist. 3: 488 (1834); Miquel, Fl. Ned. Ind. 2, fasc. 2: 198 (1857 ['1856']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900), as 'Lucinea morinda'; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 179 (1904 ['1903']), as 'morinda'; Ridley, Fl. Malay Penins. 2: 56 (1923), as 'morinda'; Keng, Gard. Bull. Singapore 38(2): 158 (1986 ['1985']), as 'morinda'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 157 (1990), as 'morinda'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990), as 'morinda'; Turner, Gard. Bull. Singapore 45: 200 (1993), as 'morinda'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as 'morinda'; Ng & Wee (ed.), Singapore Red Data Book: 306 (1994), as 'morinda'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 240 (2008), as 'morinda'. – *Morinda polysperma* Jack: Jack, Malayan Misc. 1(5): 14 (1820); Wallich in Roxburgh, Fl. Ind. 2: 204 (1824). **Native; NEx** (Wong et al., 2019).

Scyphiphora hydrophyllacea C.F.Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900), as 'hydrophyllacea'; Ridley, Fl. Malay Penins. 2: 89 (1923), as 'hydrophyllacea'; Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985']), as 'hydrophyllacea'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990), as 'hydrophyllacea'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990), as 'hydrophyllacea'; Turner, Gard. Bull. Singapore 45: 204 (1993), as 'hydrophyllacea'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as 'hydrophyllacea'; Ng & Wee (ed.), Singapore Red Data Book: 307 (1994), as 'hydrophyllacea'; Lee et al., Gard. Bull. Singapore 55: 304 (2003), as 'hydrophyllacea'; Boo et al., 1001 Gard. Pl. Singapore (print 3): 209 (2004 ['2003']), as 'hydrophyllacea'; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 408, 776 (2006), as 'hydrophyllacea'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 176, 230 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 472, 807 [2015], as 'hydrophyllacea'; Hung et al., Nat. Singapore 10: 17, 20 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Wong et al., Fl. Singapore 13: 283, fig. 71 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 322, 382 (2020), as 'hydrophyllacea'. – *Epithinia malayana* Jack: Jack, Malayan Misc. 1(5): 12 (1820); Don, Gen. Hist. 3: 565 (1834). **Native; EN** (assessed here).

Singaporandia macrophylla (Hook.f.) K.M.Wong: Wong & Pereira, Sandakania 21: 54 (2016); Wong et al., Fl. Singapore 13: 286, fig. 72, 73 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 325, 382 (2020). – *Rothmannia macrophylla* (Hook.f.) Bremek.: Wong, Malayan Nat. J. 38(1): 48 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 203 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 445 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 142, 165 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 391, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 176, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 71 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 219, 496 (2013); Neo et al., Nat. Singapore 7: 107 (2014). – *Randia macrophylla* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 114 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 215 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 78 (1923); Henderson, Malay Wild Fls, Dicot.: 216 (1959); Keng, Gard. Bull. Singapore 38(2): 162 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990). **Native; VU** (Wong et al., 2019).

Spermacoce exilis (L.O.Williams) C.D.Adams ex W.C.Burger & C.M.Taylor: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 176, 273 (2009); Lok et al., Cosmos 6: 82 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 496 (2013); Hung et al., Nat. Singapore 10: 17, 20 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Wong et al., Fl. Singapore 13: 291, fig. 74A (2019). – *Spermacoce setidens* auct. non (Miq.) Boerl.: Hung et al., Nat. Singapore 10: 17, 23 (2017). – *Borreria setidens* auct. non (Miq.) Bold.: Ridley, Fl. Malay Penins. 2: 177 (1923); Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994). **Non-native, naturalised** (Wong et al., 2019).

Spermacoce hispida L.: Hooker, Fl. Brit. India 3, fasc. 8: 200 (1881); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900); Wong et al., Fl. Singapore 13: 292 (2019). – *Spermacoce articulatis* L.f.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 176, 273 (2009); Lok et al., Cosmos 6: 82 (2010); Hung et al., Nat. Singapore 10: 34 (2017). – *Borreria articularis* (L.f.) F.N.Williams: Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994). – *Borreria hispida* (L.) K.Schum.: Ridley, Fl. Malay Penins. 2: 175 (1923). – *Spermacoce longicaulis* R.Br. ex G.Don: Don, Gen. Hist. 3: 621 (1834). **Native; DD** (Wong et al., 2019).

Spermacoce latifolia Aubl.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 176, 268 (2009); Lok et al., Cosmos 6: 73 (2010); Wong et al., Fl. Singapore 13: 294, fig. 74C (2019). – *Spermacoce alata* auct. non Aubl.: Kaw & Neo, Wayside Fls Singapore: 110 (2018). – *Borreria alata* auct. non (Aubl.) DC.: Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Corlett, J. Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994). – *Borreria latifolia* (Aubl.) K.Schum.: Ridley, Fl. Malay Penins. 2: 175 (1923). **Non-native, naturalised** (Chong et al., 2009).

Spermacoce ocytropis Willd.: Wong et al., Fl. Singapore 13: 295, fig. 74B (2019). – *Diodia ocytropis* (Willd.) Bremek.: Keng, Gard. Bull. Singapore 38(2): 152 (1986 ['1985']); Corlett, J.

Biogeogr. 15: 662 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 153 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 196 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 421 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 174, 266 (2009); Lok et al., Cosmos 6: 73 (2010); Teo et al., Nat. Singapore 4: 272 (2011). **Non-native, naturalised** (Chong et al., 2009).

Spermacoce ocyoides Burm.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 100 (1900); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 177, 268 (2009); Lok et al., Cosmos 6: 73 (2010); Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Kaw & Neo, Wayside Fls Singapore: 115 (2018); Wong et al., Fl. Singapore 13: 296 (2019). – *Borreria laevicaulis* (Miq.) Ridl.: Ridley, Fl. Malay Penins. 2: 176 (1923); Keng, Gard. Bull. Singapore 38(2): 150 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152, fig. 125.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner et al., Gard. Bull. Singapore 46(2): 30 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 209 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 146, 776 (2006). – *Borreria ocyoides* (Burm.f.) DC.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994). – *Spermacoce stricta* L.f.: Hooker, Fl. Brit. India 3, fasc. 8: 200 (1881), p.p. **Native; NEx** (Wong et al., 2019).

Spermacoce parviceps (Ridl.) I.M.Turner: Turner, Gard. Bull. Singapore 47: 446 (1997 ['1995']); Lim et al., Gard. Bull. Singapore 70: 74 (2018); Wong et al., Fl. Singapore 13: 297 (2019). **Native; NEx** (Wong et al., 2019).

Spermacoce remota Lam.: Kaw & Neo, Wayside Fls Singapore: 143 (2018); Wong et al., Fl. Singapore 13: 298 (2019). – *Spermacoce assurgens* Ruiz & Pav.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 176, 268 (2009); Lok et al., Cosmos 6: 73 (2010). – *Spermacoce laevis* auct. non Lam.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 176, 268 (2009); Lok et al., Cosmos 6: 73 (2010). – *Borreria laevis* auct. non (Lam.) Griseb.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 152 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 81 (1990); Turner, Gard. Bull. Singapore 45: 195 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994). **Non-native, naturalised** (Lok et al., 2010).

Spermacoce verticillata L.: Wong et al., Fl. Singapore 13: 298, fig. 74D (2019). **Non-native, naturalised** (Wong et al., 2019).

Tarennia adpressa (King) Merr.: Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 177, 212 (2009); Wong et al., Fl. Singapore 13: 301 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Tarennia papillosa* Ridl.: Ridley, Fl. Malay Penins. 2: 103 (1923). – *Stylocoryna adpressa* King var. *papillulosa* King: King & Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 200 (1904 ['1903']). – *Webera* sp. (Ridley 5961): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900). **Native; NEx** (Wong et al., 2019).

Tarennia costata (Miq.) Merr.: Wong, Tree Fl. Malaya 4: 415 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 447 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 177, 212 (2009); Wong et al., Fl. Singapore 13: 302 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). **Native; CR** (Wong et al., 2019).

Tarennia fragrans (Blume) Koord. & Valeton: Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner, Gard. Bull. Singapore 47: 447 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 177, 218 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 764, 807 [2015]; Hung et al., Nat. Singapore 10: 18, 20, 23 (2017); Hung et al., Nat. Singapore 10: 48 (2017); Wong et al., Fl. Singapore 13: 303, fig. 75, 76 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 281, 311 (2020). – *Stylocoryna fragrans* (Blume) Blume: Ridley, Fl. Malay Penins. 2: 108 (1923). – *Webera fragrans* (Blume) Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 103 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900). **Native; EN** (Wong et al., 2019).

Tarennia mollis (Hook.f.) B.L.Rob.: Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 447 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 177, 212 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 72 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 245, 496 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 306 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Stylocoryna mollis* (Hook.f.) Wall. ex King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 202 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 109 (1923). – *Webera mollis* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 104 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900). **Native; CR** (Wong et al., 2019).

Tarennia odorata (Roxb.) B.L.Rob.: Wong, Tree Fl. Malaya 4: 410 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 448 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 464 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 177, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 245, 497 (2013); Wong et al., Fl. Singapore 13: 307, fig. 77A, B (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Tarennia grandifolia* (Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 2: 104 (1923); Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990). – *Webera grandifolia* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 105 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 68 (1904). **Native; CR** (Wong et al., 2019).

Tarenna ridleyi (H.Pearson ex Ridl.) Ridl.: Ridley, Fl. Malay Penins. 2: 106 (1923), p.p.; Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985']); Wong, Tree Fl. Malaya 4: 412 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 161 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner, Gard. Bull. Singapore 47: 448 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 177, 198 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 246, 497 (2013); Wong et al., Fl. Singapore 13: 308 (2019). – *Webera ridleyi* H.Pearson ex Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 66 (1904), p.p. – *Webera* sp. (*Ridley* 6147): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 94 (1900). **Native; NEx** (Wong et al., 2019).

Tarenna stellulata (Hook.f.) Ridl.: Ridley, Fl. Malay Penins. 2: 106 (1923); Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 448 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 177, 212 (2009); Wong et al., Fl. Singapore 13: 308, fig. 77C, D (2019). **Native; NEx** (Wong et al., 2019).

Timonius finlaysonianus (Wall. ex G.Don) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900); Ridley, Fl. Malay Penins. 2: 113 (1923); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 177, 213 (2009); Hung et al., Nat. Singapore 10: 48 (2017); Wong et al., Fl. Singapore 13: 312, fig. 78A–C (2019). – *Timonius compressicaulis* (Miq.) Boerl.: Keng, Gard. Bull. Singapore 38(2): 163 (1986 ['1985']); Wong, Kew Bull. 43: 514 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008). – *Timonius jambosella* Thwaites var. *finlaysonianus* (Wall. ex G.Don) Hook.f.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 54 (1904), as '*finlaysoniana*'. **Native; CR** (Wong et al., 2019).

Timonius flavescens (Jack) Baker: Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 164 (1986 ['1985']); Wong, Kew Bull. 43: 504 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 204 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 304 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 177, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 72 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 248, 497 (2013); Wong et al., Fl. Singapore 13: 314, fig. 78D, E (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Timonius finlaysonianus* auct. non (Wall. ex G.Don) Hook.f.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 248, 497 (2013). – *Timonius peduncularis* (Wall. ex G.Don) Ridl.: Ridley, Fl. Malay Penins. 2: 113 (1923). – *Timonius jambosella* auct. non Thwaites: Hooker, Fl. Brit. India 3, fasc. 7: 127 (1880), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900). – *Guettarda brunonis* Wall. ex G.Don: Don, Gen. Hist. 3: 552 (1834). – *Guettarda brunonis* Wall., nom. nud.: Wallich, Numer. List no. 6220 (1831–1832). **Native; CR** (Wong et al., 2019).

Timonius wallichianus Valeton: Ridley, Fl. Malay Penins. 2: 116 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 164 (1986 ['1985']); Wong, Kew Bull. 43: 507 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162, fig. 125.13 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 449 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 305 (2003); LaFrankie et al., Forest Trees Bukit Timah: 143, 166 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 742, 777 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 177, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 72 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 249, 498 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 315, fig. 79 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 286, 311 (2020). – *Timonius rumphii* auct. non DC.: Hooker, Fl. Brit. India 3, fasc. 7: 127 (1880); Kuntze, Revis. Gen. Pl. 1: 298 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 95 (1900). **Native; LC** (Wong et al., 2019).

Timonius wrayi King & Gamble: Ridley, Fl. Malay Penins. 2: 115 (1923); Keng, Gard. Bull. Singapore 38(2): 164 (1986 ['1985']); Wong, Kew Bull. 43: 512 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 177, 199 (2009); Wong et al., Fl. Singapore 13: 317 (2019). **Native; NEx** (Wong et al., 2019).

Uncaria acida (W.Hunter) W.Hunter ex Roxb.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2197 (1935); Ridsdale, Blumea 24(1): 80 (1978); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Turner, Gard. Bull. Singapore 70: 11 (2018); Wong et al., Fl. Singapore 13: 320 (2019). – *Uncaria ovalifolia* Roxb.: Hooker, Fl. Brit. India 3, fasc. 7: 30 (1880); Ridley, Fl. Malay Penins. 2: 14 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 165 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990).

Uncaria acida (W.Hunter) W.Hunter ex Roxb. var. **acida**: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 177, 199 (2009). **Native; EN** (Wong et al., 2019, as *Uncaria acida*).

Uncaria attenuata Korth.: Hooker, Fl. Brit. India 3, fasc. 7: 29 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); Ridley, Fl. Malay Penins. 2: 16 (1923); Ridsdale, Blumea 24(1): 79 (1978); Keng, Gard. Bull. Singapore 38(2): 164 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 177, 199 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Chong et al., Gard. Bull.

Singapore 70(Suppl. 1): 54 (2018); Wong et al., Fl. Singapore 13: 321 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). **Native; CR** (assessed here).

Uncaria borneensis Havil.: Turner, Gard. Bull. Singapore 70: 10 (2018); Wong et al., Fl. Singapore 13: 322 (2019). **Native; CR** (Wong et al., 2019).

Uncaria callophylla Blume ex Korth.: Ridsdale, Blumea 24(1): 85 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990), as ‘*callophylla*’; Turner, Gard. Bull. Singapore 45: 205 (1993), as ‘*callophylla*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as ‘*callophylla*’; Ng & Wee (ed.), Singapore Red Data Book: 307 (1994), as ‘*callophylla*’; Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 177, 199 (2009); Turner, Gard. Bull. Singapore 70: 11 (2018), as ‘*callophylla*’; Wong et al., Fl. Singapore 13: 323 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Uncaria jasminiflora* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 32 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 133 (1904 [‘1903’]); Ridley, Fl. Malay Penins. 2: 15 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2204 (1935); Keng, Gard. Bull. Singapore 38(2): 164 (1986 [‘1985’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990). – *Uncaria jasminiflora* Wall. ex Hook.f. var. *macrophylla* King: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 133 (1904 [‘1903’]). **Native; VU** (Wong et al., 2019).

Uncaria canescens Korth.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 498 (2013); Turner, Gard. Bull. Singapore 70: 10 (2018); Wong et al., Fl. Singapore 13: 325 (2019). **Native; CR** (Wong et al., 2019).

Uncaria cordata (Lour.) Merr.: Ridsdale, Blumea 24(1): 74 (1978); Keng, Gard. Bull. Singapore 38(2): 164 (1986 [‘1985’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 [‘1994’]); Turner et al., Gard. Bull. Singapore 48: 155 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 177, 218 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 252, 498 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 327, fig. 80 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Uncaria sclerophylla* (W.Hunter) Roxb.: Ridley, Fl. Malay Penins. 2: 12 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2205 (1935); Keng, Gard. Bull. Singapore 38(2): 165 (1986 [‘1985’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 163 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990). – *Uncaria pedicellata* Roxb.: Hooker, Fl. Brit. India 3, fasc. 7: 28 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); Ridley, Fl. Malay Penins. 2: 12 (1923). – *Uncaria speciosa* Wall. ex G.Don: Don, Gen. Hist. 3: 471 (1834). – *Uncaria speciosa* Wall., nom. nud.: Wallich, Numer. List no. 6106 (1831–1832). **Native; EN** (Wong et al., 2019).

Uncaria elliptica R.Br. ex G.Don: Turner, Gard. Bull. Singapore 70: 10 (2018); Wong et al., Fl. Singapore 13: 330 (2019). – *Uncaria dasyoneura* Korth.: Hooker, Fl. Brit. India 3, fasc. 7: 31 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 136 (1904 [‘1903’]). **Native; CR** (assessed here).

Uncaria gambir (W.Hunter) Roxb.: Miquel, Fl. Ned. Ind. 2, fasc. 1: 145 (1856); Hooker, Fl. Brit. India 3, fasc. 7: 31 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); King & Gamble,

J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 135 (1904 ['1903']), as 'gambier'; Ridley, Fl. Malay Penins. 2: 15 (1923); Ridsdale, Blumea 24(1): 74 (1978); Keng, Gard. Bull. Singapore 38(2): 164 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162, fig. 125.14 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 177, 269 (2009); Lok et al., Cosmos 6: 73 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 72 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 252, 498 (2013); Wong et al., Fl. Singapore 13: 332, fig. 81, 82 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 111 (2019). – *Uncaria ovata* auct. non R.Br. ex Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 29 (1880), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900). **Non-native, naturalised** (Chong et al., 2009).

Uncaria lanosa Wall.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Wong et al., Fl. Singapore 13: 335, fig. 83 (2019).

Uncaria lanosa Wall. var. **glabrata** (Blume) Ridsdale: Ridsdale, Blumea 24(1): 86, fig. 10.4a–c (1978); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 177, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 72 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 252, 499 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Wong et al., Fl. Singapore 13: 336, fig. 83 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). – *Uncaria glabrata* (Blume) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 131 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 14 (1923); Keng, Gard. Bull. Singapore 38(2): 164 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990). – *Uncaria lobbii* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 33 (1880). **Native; CR** (Wong et al., 2019).

Uncaria longiflora (Poir.) Merr.: Keng, Gard. Bull. Singapore 38(2): 164 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Wong et al., Fl. Singapore 13: 338 (2019).

Uncaria longiflora (Poir.) Merr. var. **pteropoda** (Miq.) Ridsdale: Ridsdale, Blumea 24(1): 82 (1978); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 177, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 72 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 252, 499 (2013); Neo et al., Nat. Singapore 7: 66 (2014); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 338 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). – *Uncaria pteropoda* Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 134 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 15 (1923). **Native; EN** (Wong et al., 2019).

Uncaria roxburghiana Korth.: Hooker, Fl. Brit. India 3, fasc. 7: 32 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 128 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 11 (1923); Ridsdale, Blumea 24(1): 89 (1978); Keng, Gard. Bull. Singapore 38(2): 165 (1986 ['1985']), as 'roxburghiana'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 162 (1990), as 'roxburghiana'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990), as 'roxburghiana'; Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as 'roxburghiana'; Ng & Wee (ed.), Singapore Red Data Book: 307 (1994), as 'roxburghiana'; Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008), as 'roxburghiana'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 177, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 72 (2011); Turner, Gard. Bull. Singapore 70: 11 (2018); Wong et al., Fl. Singapore 13: 340, fig. 84 (2019). **Native; EN** (Wong et al., 2019).

Urophyllum arboreum (Reinw.) Korth.: Wong et al., Fl. Singapore 13: 344, fig. 85 (2019). – *Urophyllum blumeanum* (Wight) Hook.f.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 177, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 253, 499 (2013); Neo et al., Nat. Singapore 7: 107 (2014). – *Urophyllum* sp. 2: Wong, Arbor. Rubiaceae Malaya: 235 (1988); Wong, Tree Fl. Malaya 4: 421 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 452 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 253, 499 (2013). – *Urophyllum macrophyllum* auct. non (Blume) Korth.: Ridley, Fl. Malay Penins. 2: 66 (1923), p.p.; Keng, Gard. Bull. Singapore 38(2): 165 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 163 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 177, 199 (2009). – *Urophyllum glabrum* Wall. var. *blumeanum* (Wight) Ridl.: Ridley, Fl. Malay Penins. 2: 69 (1923), p.p. **Native; VU** (Wong et al., 2019).

Urophyllum corymbosum (Blume) Korth.: Wong, Tree Fl. Malaya 4: 422 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner, Gard. Bull. Singapore 47: 451 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Wong et al., Fl. Singapore 13: 347 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). – *Maschalocorymbus corymbosus* (Blume) Bremek.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 175, 194 (2009). **Native; NEx** (Wong et al., 2019).

Urophyllum glabrum Wall.: Hooker, Fl. Brit. India 3, fasc. 7: 98 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900); Ridley, Fl. Malay Penins. 2: 68 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 165 (1986 ['1985']); Keng, Concise Fl.

Singapore, vol. 1, Gymn. Dicot.: 163 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 205 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 743, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Wong et al., Fl. Singapore 13: 348 (2019). – *Urophyllum arboreum* auct. non (Reinw.) Korth.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 177, 224 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 253, 499 (2013). – *Urophyllum griffithianum* auct. non (Wight) Hook.f.: Ridley, Fl. Malay Penins. 2: 69 (1923), p.p. **Native; VU** (Wong et al., 2019).

Urophyllum griffithianum (Wight) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900); Ridley, Fl. Malay Penins. 2: 69 (1923), p.p.; Keng, Gard. Bull. Singapore 38(2): 165 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 163 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 451 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 177, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 350, fig. 86 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). **Native; VU** (Wong et al., 2019).

Urophyllum hirsutum (Wight) Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 99 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 192 (1904 ['1903']); Ridley, Fl. Malay Penins. 2: 66 (1923); Keng, Gard. Bull. Singapore 38(2): 165 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 163 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 144, 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 177, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Neo et al., Nat. Singapore 7: 107 (2014); Wong et al., Fl. Singapore 13: 352, fig. 87 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). **Native; VU** (Wong et al., 2019).

Urophyllum malayense K.M.Wong: Wong, Phytotaxa 373: 237 (2018); Wong et al., Fl. Singapore 13: 354 (2019). – *Urophyllum trifurcum* auct. non H.Pearson ex King & Gamble: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 88 (1901); Ridley, Fl. Malay Penins. 2: 68 (1923), p.p.; Keng, Gard. Bull. Singapore 38(2): 165 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 163 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner, Gard. Bull. Singapore 47: 452 (1997 ['1995']), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 177, 199 (2009). – *Urophyllum* sp. 10: Wong, Arbor. Rubiaceae Malaya: 242 (1988); Wong, Tree Fl. Malaya 4: 424 (1989); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Turner, Gard. Bull. Singapore 47: 452 (1997 ['1995']). **Native; CR** (Wong et al., 2019).

Urophyllum streptopodium Wall. ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 93 (1900); Ridley, Fl. Malay Penins. 2: 67 (1923); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 38(2): 165 (1986 ['1985']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 163 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 307 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 452 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 212 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 89, 177, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 253, 499 (2013); Wong et al., Fl. Singapore 13: 356, fig. 88 (2019); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). **Native; VU** (Wong et al., 2019).

Rutaceae

Bergera koenigii L.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 178, 262 (2009); Lok et al., Cosmos 6: 77 (2010); Neo et al., Nat. Singapore 7: 67 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 222 (2014 [2015]). — *Murraya koenigii* (L.) Spreng.: Keng, Gard. Bull. Singapore 33: 344 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 98 (1990); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 184, 500 (2013). **Non-native, casual** (assessed here).

Citrus × limon (L.) Osbeck: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 97 (1990), as '*Citrus limon*'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 178, 262 (2009); Lok et al., Cosmos 6: 77 (2010), as '*Citrus limon*'. **Non-native, casual** (Chong et al., 2009).

Clausena excavata Burm.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900); Ridley, Fl. Malay Penins. 1: 352 (1922); Keng, Gard. Bull. Singapore 33: 343 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 97, fig. 87.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 305 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 178, 226 (2009); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 578, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112, 133 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 95, 310 (2020). **Native; LC** (Chong et al., 2009).

Glycosmis chlorosperma (Blume) Spreng.: Stone, Tree Fl. Malaya 1: 382 (1972); Keng, Gard. Bull. Singapore 33: 344 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 98, fig. 87.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 46(2): 32 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 145, 162 (2005); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011). — *Glycosmis malayana* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 12 (1917); Ridley, Fl. Malay Penins. 1: 350 (1922). — *Glycosmis pentaphylla* auct. non (Retz.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900), p.p.

Glycosmis chlorosperma (Blume) Spreng. var. **chlorosperma**: Lee et al., Gard. Bull. Singapore 55: 305 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 178, 221 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 132, 500 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). **Native; VU** (Wong et al., 2013).

Glycosmis lanceolata (Blume) D.Dietr.: Stone, Tree Fl. Malaya 1: 381 (1972); Keng, Gard. Bull. Singapore 33: 344 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 98 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 454 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 132, 500 (2013). – *Glycosmis trifoliata* auct. non (Blume) Spreng.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 178, 193 (2009). – *Glycosmis citrifolia* auct. non Lindl.: Ridley, Fl. Malay Penins. 1: 349 (1922). – *Glycosmis pentaphylla* auct. non (Retz.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900), p.p. **Native; NEx** (assessed here).

Glycosmis puberula Lindl. ex Oliv.: Hooker, Fl. Brit. India 1, fasc. 3: 501 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 218 (1894 ['1893']). – *Glycosmis puberula* Lindl., nom. nud.: Wallich, Numer. List no. 6375 (1832). **Native; NEx** (assessed here).

Luvunga crassifolia Tanaka: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 455 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 178, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 172, 500 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112, 123 (2019). – *Luvunga eleutherandra* auct. non Dalzell: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900), as ‘*eleutheranthera*’; Ridley, Fl. Malay Penins. 1: 355 (1922), as ‘*eleutheranthera*’. – *Luvunga scandens* auct. non (Roxb.) Buch.-Ham. ex Wight & Arn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901). **Native; EN** (assessed here).

Maclurodendron porteri (Hook.f.) T.G.Hartley: Hartley, Gard. Bull. Singapore 35: 10 (1982); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Jones, Tree Fl. Sabah & Sarawak 1: 382, fig. 7 (1995); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 178, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 174, 500 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). – *Acronychia porteri* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900); Ridley, Fl. Malay Penins. 1: 348 (1922); Keng, Gard. Bull. Singapore 33: 343 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 97 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 66 (1995 ['1994']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 9, 499 (2013). **Native; EN** (assessed here).

Melicope glabra (Blume) T.G.Hartley: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Jones, Tree Fl. Sabah & Sarawak 1: 390 (1995); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 178, 222 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 73 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 500 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). – *Euodia glabra* (Blume) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900), as ‘*Evodia*’; Ridley, Fl. Malay Penins. 1: 342 (1922), as ‘*Evodia*’; Burkill, Dict. Econ. Prod. Malay Penins. 1: 988 (1935), as ‘*Evodia*’; Keng, Gard. Bull. Singapore 33: 343 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 97 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 70 (1995 ['1994']). **Native; EN** (assessed here).

Melicope hookeri T.G.Hartley: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Jones, Tree Fl. Sabah & Sarawak 1: 390 (1995); Turner, Gard. Bull. Singapore 47: 456 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 305 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 178, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). – *Euodia robusta* Hook.f.: Hooker, Fl. Brit. India 1, fasc. 3: 488 (1875), as ‘*Evodia*’; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 209 (1894 ['1893']), as ‘*Evodia*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900), as ‘*Evodia*’; Ridley, Fl. Malay Penins. 1: 343 (1922), as ‘*Evodia*’; Stone, Tree Fl. Malaya 1: 379 (1972); Keng, Gard. Bull. Singapore 33: 343 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 97 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994). **Native; NEx** (assessed here).

Melicope lunu-ankenda (Gaertn.) T.G.Hartley: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 178, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 122 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 202, 310 (2020). – *Euodia roxburghiana* (Cham.) Benth. ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900), as ‘*Evodia*’; Keng, Gard. Bull. Singapore 33: 343 (1980), as ‘*roxburghiana*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 97 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 206 (1993); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994). – *Euodia malayana* Ridl.: Ridley, Fl. Malay Penins. 1: 342 (1922), as ‘*Evodia*’. – *Ampacus roxburghiana* (Cham.) Kuntze: Kuntze, Revis. Gen. Pl. 1: 98 (1891). **Native; CR** (Chong et al., 2009).

Merope angulata (Willd.) Swingle: Stone, Tree Fl. Malaya 1: 382 (1972); Keng, Gard. Bull. Singapore 33: 344 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 98, fig. 87.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 456 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 178, 208 (2009). – *Paramignya angulata* (Willd.) Kurz: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1662 (1935). – *Paramignya longispina* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900); Ridley, Fl. Malay Penins. 1: 356 (1922). **Native; NEx** (assessed here).

Paramignya scandens (Griff.) Craib: Keng, Gard. Bull. Singapore 33: 344 (1980); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 195, 500 (2013). – *Paramignya griffithii* Hook.f.: Ridley, Fl. Malay Penins. 1: 356 (1922).

Paramignya scandens (Griff.) Craib var. **ridleyi** (Burkill) Swingle: Stone, Tree Fl. Malaya 1: 384 (1972); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 98 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 457 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 241 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 178, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 195, 500 (2013); Neo et al., Nat. Singapore 7: 107 (2014). – *Paramignya ridleyi* Burkill: Burkill, Gard. Bull. Straits Settlem. 5(7&8): 214 (1931 ['1930']). – *Paramignya grandiflora* auct. non Oliv.: Hooker, Fl. Brit. India 1, fasc. 3: 510 (1875), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900); Ridley, Fl. Malay Penins. 1: 355 (1922). **Native; CR** (Wong et al., 2013).

Tetractomia tetrandra (Roxb.) Merr.: Turner, Gard. Bull. Singapore 47: 457 (1997 ['1995']), as 'tetrandrum'. – *Tetractomia roxburghii* Hook.f.: Hooker, Fl. Brit. India 1, fasc. 3: 491 (1875); Hooker, Hooker's Icon. Pl. 16(1) [ser. 3, 6(1)]: pl. 1512 (1886); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 212 (1894 ['1893']); Ridley, Fl. Malay Penins. 1: 346 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2143 (1935). – *Euodia pedunculosa* Hook.f.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 211 (1894 ['1893']), as 'Evodia'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900), as 'Evodia'; Ridley, Fl. Malay Penins. 1: 345 (1922), as 'Evodia'. **Native; NEx** (assessed here).

Zanthoxylum myriacanthum Wall. ex Hook.f.: Hartley, J. Arnold Arbor. 47: 187 (1966). **Native; NEx** (assessed here).

Zanthoxylum nitidum (Roxb.) DC.: Stone, Tree Fl. Malaya 1: 386 (1972); Keng, Gard. Bull. Singapore 33: 344 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 98 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Turner, Gard. Bull. Singapore 47: 457 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 178, 231 (2009). – *Zanthoxylum hirtellum* Ridl.: Ridley, J. Fed. Malay States Mus. 10: 131 (1920); Ridley, Fl. Malay Penins. 1: 347 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2285 (1935). **Native; NEx** (assessed here).

Sabiaceae

Meliosma lanceolata Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 458 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900); Ridley, Fl. Malay Penins. 1: 516 (1922); Keng, Gard. Bull. Singapore 35(1): 95 (1982); Van Beusekom & Van de Water, Fl. Males., ser. 1, 10(4): 704 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 125, fig. 102.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 178, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 501 (2013). – *Meliosma lanceolata* Blume var. *pubescens* Hook.f.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 458 (1896). **Native; CR** (Wong et al., 2013).

Meliosma pinnata (Roxb.) Maxim.: Saw, Tree Fl. Malaya 4: 428 (1989); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 501 (2013).

Meliosma pinnata (Roxb.) Maxim. subsp. **ridleyi** (King) Beusekom: Keng, Gard. Bull. Singapore 35(1): 95 (1982); Van Beusekom & Van de Water, Fl. Males., ser. 1, 10(4): 710 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 125 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 343 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 179, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 47 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 501 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). — *Meliosma pinnata* (Roxb.) Maxim. var. *ridleyi* (King) Saw: Saw, Tree Fl. Malaya 4: 428 (1989). — *Meliosma ridleyi* King: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 458 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 67 (1900); Ridley, Fl. Malay Penins. 1: 516 (1922). **Native; CR** (Wong et al., 2013).

Meliosma simplicifolia (Roxb.) Walp.: Keng, Gard. Bull. Singapore 35(1): 95 (1982); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 501 (2013).

Meliosma simplicifolia (Roxb.) Walp. subsp. **fruticosa** (Blume) Beusekom: Van Beusekom & Van de Water, Fl. Males., ser. 1, 10(4): 701 (1989); Saw, Tree Fl. Malaya 4: 429 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 125 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 343 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 179, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 178, 501 (2013). — *Meliosma elliptica* Hook.f.: Hooker, Fl. Brit. India 2, fasc. 4: 5 (1876); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 456 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 67 (1900); Ridley, Fl. Malay Penins. 1: 514 (1922). **Native; CR** (Wong et al., 2013).

Sabia erratica Water: Keng, Gard. Bull. Singapore 35(1): 95 (1982); Van Beusekom & Van de Water, Fl. Males., ser. 1, 10(4): 684 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 125 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 457 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 76, 179, 197 (2009). **Native; CR** (assessed here).

Salicaceae

Casearia capitellata Blume: Sleumer, Fl. Males., ser. 1, 5(1): 102 (1954); Keng, Gard. Bull. Singapore 28(2): 238 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 90 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']);

Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 542, 777 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 179, 202 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 50, 501 (2013). – *Casearia tuberculata* auct. non Blume: Sleumer, Fl. Males., ser. 1, 5(1): 99 (1954); Keng, Gard. Bull. Singapore 28(2): 238 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 179, 189 (2009). – *Casearia coriacea* auct. non Vent.: Ridley, Fl. Malay Penins. 1: 832 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 1: 472 (1935). – *Casearia esculenta* auct. non Roxb.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 592 (1879), p.p.; King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 17 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900). **Native; CR** (Wong et al., 2013).

Casearia lobbiana Turcz.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 594 (1879); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 15 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 830 (1922); Sleumer, Fl. Males., ser. 1, 5(1): 89 (1954); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner, Gard. Bull. Singapore 47: 239 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 179, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 50, 501 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). **Native; CR** (Wong et al., 2013).

Casearia macrocarpa C.B.Clarke: Sleumer, Fl. Males., ser. 1, 5(1): 100 (1954). – *Casearia clarkei* King var. *clarkei*: Turner, Gard. Bull. Singapore 47: 239 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 179, 189 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 50, 501 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 112 (2019). – *Casearia clarkei* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 18 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 833 (1922); Sleumer, Fl. Males., ser. 1, 5(1): 99 (1954); Whitmore, Tree Fl. Malaya 2: 141 (1973); Keng, Gard. Bull. Singapore 28(2): 238 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41, fig. 31.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 90 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011). **Native; CR** (assessed here).

Flacourtia jangomas (Lour.) Raeusch.: Keng, Gard. Bull. Singapore 28(2): 238 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 179, 266 (2009); Lok et al., Cosmos 6: 73 (2010). – *Flacourtia cataphracta* Roxb. ex Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900). **Non-native, naturalised** (Lok et al., 2010).

Flacourtia inermis Roxb.: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 192 (1872); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900); Lee et al., Gard. Bull. Singapore 55: 296 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 179, 244 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 121, 501 (2013). **Non-native, casual** (assessed here).

Flacourtie rukam Zoll. & Moritzi: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900); Ridley, Fl. Malay Penins. 1: 157 (1922); Sleumer, Fl. Males., ser. 1, 5(1): 73 (1954); Keng, Gard. Bull. Singapore 28(2): 238 (1976); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Corner, Wayside Trees Malaya, ed. 3, 1: 346 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41, fig. 31.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 46(2): 18 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 374 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 179, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 121, 501 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 153, 310 (2020). – *Flacourtie rukam* Zoll. & Moritzi var. *erythrocarpa* Ridl.: Ridley, Fl. Malay Penins. 1: 158 (1922). **Native; VU** (Wong et al., 2013).

Homalium grandiflorum Benth.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 23 (1898); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 837 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1184 (1935); Sleumer, Fl. Males., ser. 1, 5(1): 62 (1954); Whitmore, Tree Fl. Malaya 2: 146 (1973); Keng, Gard. Bull. Singapore 28(2): 238 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41, fig. 31.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner, Gard. Bull. Singapore 47: 240 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 179, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 32 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). **Native; CR** (Chong et al., 2009).

Osmelia grandistipulata Slooten: Alford, Brittonia 73(4): 402 (2021). – *Osmelia philippina* auct. non (Turcz.) Benth.: Sleumer, Fl. Males., ser. 1, 5(1): 79 (1954), p.p.; Keng, Gard. Bull. Singapore 28(2): 238 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 241 (1997 ['1995']), p.p.; Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 179, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 33 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 191, 502 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 704, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). – *Osmelia maingayi* auct. non King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 67: 19 (1898), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900); Ridley, Fl. Malay Penins. 1: 834 (1922), p.p.; Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1610 (1935), p.p.; Sleumer, Fl. Males., ser. 1, 5(1): 78 (1954), p.p.; Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008);

Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 65, 179, 195 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 191, 501 (2013). **Native; EN** (Wong et al., 2013).

Scolopia macrophylla (Wight & Arn.) Clos: Sleumer, Fl. Males., ser. 1, 5(1): 8 (1954); Keng, Gard. Bull. Singapore 28(2): 239 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 41, fig. 31.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 91 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 179, 198 (2009); Lim et al., Gard. Bull. Singapore 70: 84 (2018); Lim et al., Fl. Singapore 1: 89 (2019). – *Scolopia rhinanthera* (Benn.) Clos: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900); Ridley, Fl. Malay Penins. 1: 155 (1922). **Native; CR** (Lim et al., 2018).

Santalaceae

Dendrotrophe buxifolia (Blume) Miq.: Keng, Gard. Bull. Singapore 35(1): 98 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 128, fig. 105.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 179, 220 (2009). – *Dendrotrophe buxifolia* (Blume) Miq. var. *buxifolia*: Turner, Gard. Bull. Singapore 47: 458 (1997 ['1995']). – *Henslowia buxifolia* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 133 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 274 (1912); Ridley, Fl. Malay Penins. 3: 170 (1924). **Native; CR** (assessed here).

Dendrotrophe varians (Blume) Miq.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 207 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 179, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 79, 502 (2013). – *Henslowia lobbiana* A.DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 133 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 273 (1912); Ridley, Fl. Malay Penins. 3: 169 (1924). – *Henslowia varians* Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 271 (1912). – *Dendrotrophe lobbiana* Miq.: Miquel, Fl. Ned. Ind. 1(1), fasc. 7: 1096 (1858 ['1855']). **Native; EN** (assessed here).

Scleropyrum pentandrum (Dennst.) Mabb.: Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 179, 211 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 226, 502 (2013); Neo et al., Nat. Singapore 7: 107 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). – *Scleropyrum wallichianum* (Wight & Arn.) Arn.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 208 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005). – *Scleropyrum wallichianum* (Wight & Arn.) Arn. var. *ridleyi* (Gamble) Stauffer: Keng, Gard. Bull. Singapore 35(1): 98 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 128, fig. 105.2 (1990). – *Scleropyrum ridleyi* Gamble: Gamble, Bull. Misc. Inform. Kew 1912: 202 (1912); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 276 (1912); Ridley, Fl. Malay Penins. 3: 171 (1924).

– *Scleropyrum maingayi* Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 133 (1900). **Native; CR** (Wong et al., 2013).

Viscum articulatum Burm.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 389 (1914); Ridley, Fl. Malay Penins. 3: 165 (1924); Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 460 (1931); Keng, Gard. Bull. Singapore 35(1): 100 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 130 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 129 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Barlow, Fl. Males., ser. 1, 13: 433 (1997); Turner, Gard. Bull. Singapore 47: 500 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 179, 231 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 503 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 214 (2014 [2015]); Yao, Fl. Penins. Malaysia, ser. 2, 5: 244 (2015); Hung et al., Nat. Singapore 10: 48 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). – *Viscum flexuosum* King ex Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 389 (1914); Ridley, Fl. Malay Penins. 3: 165 (1924). – *Viscum ramosissimum* auct. non Wall. ex Wight & Arn.: Hooker, Fl. Brit. India 5, fasc. 13: 225 (1886). **Native; EN** (assessed here).

Viscum ovalifolium Wall. ex DC.: Keng, Gard. Bull. Singapore 35(1): 100 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 130, fig. 107.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990); Turner, Gard. Bull. Singapore 45: 129 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Barlow, Fl. Males., ser. 1, 13: 439 (1997); Turner, Gard. Bull. Singapore 47: 500 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 179, 231 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 258, 503 (2013); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 218 (2014 [2015]); Yao, Fl. Penins. Malaysia, ser. 2, 5: 246 (2015). – *Viscum orientale* auct. non Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(3): 386 (1914); Ridley, Fl. Malay Penins. 3: 164 (1924); Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 11: 466 (1931). **Native; EN** (assessed here).

Sapindaceae

Acer laurinum Hassk.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 8, 503 (2013); Chan et al., Gard. Bull. Singapore 72: 165–172, fig. 1,2 (2020). **Native; CR** (Wong et al., 2013).

Allophylus cobbe (L.) Forsyth f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Keng, Gard. Bull. Singapore 35(1): 89 (1982), as ‘*Allophylus*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120, fig. 98.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990), as ‘*Allophylus*’; Turner, Gard. Bull. Singapore 45: 208 (1993), as ‘*Allophylus*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as ‘*Allophylus*’; Leenhouts, Fl. Males., ser. 1, 11(3): 459 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994), as ‘*Allophylus*’; Lee et al., Gard. Bull. Singapore 55: 305 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 114, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 179, 225 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 73, fig. 2 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 124, 382 (2020). – *Allophylus scandens* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 26 (1917), as ‘*Allophylus*’; Ridley, Fl. Malay Penins. 1: 490 (1922). – *Allophylus ternatus* Lour.: Ridley, Fl. Malay Penins. 1: 489 (1922). – *Allophylus cobbe* (L.) Forsyth f. var. *glabra* (Roxb.) Hiern.: Kuntze, Revis. Gen. Pl. 1: 141 (1891), as ‘*Allophylus*’. **Native; LC** (assessed here).

Arytera littoralis Blume: Ridley, Fl. Malay Penins. 1: 507 (1922), as ‘*littoralis*’; Keng, Gard. Bull. Singapore 35(1): 89 (1982), as ‘*littoralis*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120 (1990), as ‘*littoralis*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990), as ‘*littoralis*’; Turner, Gard. Bull. Singapore 45: 208 (1993), as ‘*littoralis*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994), as ‘*littoralis*’; Turner, Fl. Males., ser. 1, 11(3): 473 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994), as ‘*littoralis*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008), as ‘*littoralis*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 16, 179, 201 (2009), as ‘*littoralis*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 32, 504 (2013), as ‘*littoralis*’. – *Arytera littoralis* Blume var. *major* King: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 446 (1896), as ‘*littoralis*’; Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 66 (1900), as ‘*littoralis*’. **Native; CR** (assessed here).

Cardiospermum halicacabum L.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 488 (1922); Keng, Gard. Bull. Singapore 35(1): 90 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120, fig. 98.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 208 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 459 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 [‘1994’]); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 179, 265 (2009); Lok et al., Cosmos 6: 73 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 49, 504 (2013); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 83 (2017). **Non-native, naturalised** (assessed here).

Dimocarpus lichi Lour.: Van Welzen, Fl. Singapore 11 (in prep.). – *Dimocarpus cinereus* (Radlk.) Boonsuk & Chantar. var. *cinereus*: Boonsuk & Chantaranothai, Novon 25: 134 (2017). – *Dimocarpus longan* Lour. var. *malesianus* Leen.: Leenhouts, Blumea 19: 126 (1971); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120 (1990); Leenhouts, Fl. Males., ser. 1, 11(3): 518 (1994); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 91 (2017). – *Dimocarpus malesianus* (Leen.) Lithanatudom & Chaowasku, nom. illeg. superfl.: Lithanatudom et al., Sci. Rep. 7-6716: 6 (2017). – *Dimocarpus longan* auct. non Lour.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 179, 263 (2009); Lok et al., Cosmos 6: 77 (2010); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014). – *Dimocarpus longan* Lour. subsp. *malesianus* Leen.: Teo et al., Nat. Singapore 4: 272 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 86, 504 (2013). – *Euphoria malaiensis* (Griff.) Radlk.: Keng, Gard. Bull. Singapore 35(1): 90 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120, fig. 98.4 (1990), as ‘*malaiense*’. **Native; DD** (assessed here).

Dodonaea viscosa Jacq.: Leenhouts, Fl. Males., ser. 1, 11(3): 526 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 36, 179, 191 (2009); Teo et al., Nat. Singapore 4: 267 (2011); Ng et al., Nat. Singapore 14-e2021039: 1 (2021). **Native; CR** (Ng et al., 2021).

Guioa bijuga (Hiern) Radlk.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 208 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Van Welzen, Fl. Males., ser. 1, 11(3): 584 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 179, 206 (2009); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 104 (2017). – *Guioa pleuropteris* (Blume) Radlk. var. *bijuga* (Hiern) King: Ridley, Fl. Malay Penins. 1: 505 (1922). **Native; CR** (assessed here).

Guioa pleuropteris (Blume) Radlk.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 505 (1922); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 208 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Van Welzen, Fl. Males., ser. 1, 11(3): 567 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 179, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Teo et al., Nat. Singapore 4: 272 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 136, 504 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 652, 806 [2015]; Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 108 (2017); Hung et al., Nat. Singapore 10: 16, 20, 22 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 165, 310 (2020). – *Cupania pleuropteris* Blume: Hiern in Hooker, Fl. Brit. India 1, fasc. 3: 677 (1875). **Native; VU** (assessed here).

Guioa pubescens (Zoll. & Moritz) Radlk.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 445 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 506 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 588 (1952); Corner, Wayside Trees Malaya, ed. 3, 2: 681 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 208 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Van Welzen, Fl. Males., ser. 1, 11(3): 591 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); van Welzen, Tree Fl. Sabah & Sarawak 2: 303 (1996); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 305 (2003); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 179, 221 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 136, 504 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 111 (2017); Hung et al., Nat. Singapore 10: 16, 22 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). **Native; VU** (assessed here).

Lepisanthes fruticosa (Roxb.) Leen.: Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Leenhouts, Fl. Males., ser. 1, 11(3): 643 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 124 (2017); Khoo et al., Gard. Bull. Singapore 70: 62 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113, 123 (2019). **Native; CR** (assessed here).

Lepisanthes rubiginosa (Roxb.) Leen.: Leenhouts, Blumea 17: 82 (1969); Keng, Gard. Bull. Singapore 35(1): 90 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 208 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 648 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 282, 305 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 180, 228 (2009); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 126 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113, 133 (2019). – *Erioglossum edule* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 492 (1922). **Native; LC** (assessed here).

Lepisanthes senegalensis (Juss. ex Poir.) Leenhh.: Leenhouts, Fl. Males., ser. 1, 11(3): 651 (1994); Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 53 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 180, 207 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 158, 504 (2013); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 128 (2017). **Native; CR** (assessed here).

Mischocarpus pentapetalus (Roxb.) Radlk.: Van der Ham, Blumea 23(2): 271 (1977); Keng, Gard. Bull. Singapore 35(1): 90 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 120 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 208 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Van der Ham, Fl. Males., ser. 1, 11(3): 662 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 180, 195 (2009); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 137 (2017). – *Mischocarpus sumatranus* Blume: Ridley, Fl. Malay Penins. 1: 508 (1922); Van der Ham, Fl. Males., ser. 1, 11(3): 663 (1994). – *Mischocarpus fuscescens* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900). **Native; CR** (assessed here).

Mischocarpus sundaicus Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 447 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900); Van der Ham, Blumea 23(2): 281 (1977); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 208 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Van der Ham, Fl. Males., ser. 1, 11(3): 663 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Lee et al., Gard. Bull. Singapore 55: 282, 305 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 180, 222 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 694, 807 [2015]; Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 138 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113, 133 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 209, 310 (2020). – *Mischocarpus lessertianus* Ridl.: Ridley, Fl. Malay Penins. 1: 508 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1479 (1935). **Native; CR** (assessed here).

Nephelium costatum Hiern: LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 180, 209 (2009). **Native; DD** (assessed here).

Nephelium cuspidatum Blume: Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']).

Nephelium cuspidatum Blume var. *eriolopetalum* (Miq.) Leenhh.: Leenhouts, Blumea 31(2): 389 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 676 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 180, 217 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 505 (2013); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 150 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113, 123 (2019). – *Nephelium eriolopetalum* Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 438 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 502 (1922); Keng, Gard. Bull. Singapore 35(1): 90 (1982). **Native; CR** (assessed here).

Nephelium lappaceum L.: Hiern in Hooker, Fl. Brit. India 1, fasc. 3: 687 (1875); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Keng, Gard. Bull. Singapore 35(1): 91 (1982); Leenhouts, Blumea 31(2): 398 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121, fig. 98.5, 98.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 680 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 416 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 180, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Teo et al., Nat. Singapore 4: 272 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 505 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014); Yong et al., Guide Common Epiphytes & Mistletoes Singapore: 222 (2014 [2015]); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 154 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019); Yee et al., Fl. Singapore 1: 56 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 217, 310 (2020). – *Nephelium glabrum* auct. non Noronha: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 433 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 499 (1922).

Nephelium lappaceum L. var. **lappaceum**: Van Welzen, Fl. Singapore 11 (in prep.).
Cryptogenic (assessed here).

Nephelium laurinum Blume: Leenhouts, Blumea 31(2): 404 (1986); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 684 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 180, 195 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 188, 506 (2013); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 158 (2017); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 54 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113, 134 (2019). – *Nephelium rubescens* Hiern: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 435 (1896), as 'rufescens'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900), as 'rufescens'; Ridley, Fl. Malay Penins. 1: 500 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 35(1): 91 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121 (1990). **Native; CR** (assessed here).

Nephelium maingayi Hiern: Leenhouts, Fl. Males., ser. 1, 11(3): 685 (1994); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 159 (2017). – *Nephelium glabrum* auct. non Noronha: Keng, Gard. Bull. Singapore 35(1): 90 (1982). **Native; CR** (assessed here).

Nephelium ramboutan-ake (Labill.) Leeh.: Leenhouts, Blumea 31(2): 415 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 689 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 461 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore

(print 3): 416 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 180, 195 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 163 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). – *Nephelium mutabile* Blume: Ridley, Fl. Malay Penins. 1: 501 (1922); Keng, Gard. Bull. Singapore 35(1): 91 (1982). – *Nephelium chryseum* auct. non Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 437 (1896). **Cryptogenic** (assessed here).

Paranephelium macrophyllum King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900); Ridley, Fl. Malay Penins. 1: 509 (1922); Keng, Gard. Bull. Singapore 35(1): 91 (1982); Davids, Blumea 29(2): 432 (1984); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121, fig. 98.7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Davids, Fl. Males., ser. 1, 11(3): 696 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 462 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 180, 209 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 707, 807 [2015]; Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 170 (2017). **Native; CR** (assessed here).

Pometia pinnata J.R.Forst. & G.Forst.: Keng, Gard. Bull. Singapore 35(1): 91 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121, fig. 98.8 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Jacobs, Fl. Males., ser. 1, 11(3): 701 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 431 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 180, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 208, 506 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 176 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019); Yee et al., Fl. Singapore 1: 60 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 238, 311 (2020). – *Pometia alnifolia* Radlk.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 442 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 504 (1922). – *Pometia gracilis* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 441 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900). **Native; EN** (assessed here).

Trigonachras acuta (Hiern) Radlk.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 445 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 507 (1922); Keng, Gard. Bull. Singapore 35(1): 91 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121, fig. 98.9 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 735 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 180, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 183 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 287, 311 (2020). **Native; CR** (assessed here).

Xerospermum laevigatum Radlk.: Leenhouts, Blumea 28(2): 391 (1983); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 748 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 180, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 186 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019).

Xerospermum laevigatum Radlk. subsp. **laevigatum**: Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 187 (2017). **Native; NEx** (assessed here).

Xerospermum noronhianum (Blume) Blume: Leenhouts, Blumea 28(2): 394 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 209 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Leenhouts, Fl. Males., ser. 1, 11(3): 750 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 77 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 155 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 146, 166 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 180, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 74 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 263, 506 (2013); Van Welzen, Fl. Penins. Malaysia, ser. 2, 6: 188 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). – *Xerospermum intermedium* Radlk.: Ridley, Fl. Malay Penins. 1: 497 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2272 (1935); Keng, Gard. Bull. Singapore 35(1): 91 (1982). – *Xerospermum wallichii* King: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 432 (1896); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 498 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2272 (1935). – *Xerospermum muricatum* Radlk.: King, J. Asiatic. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 431 (1896); Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 66 (1900). **Native; EN** (assessed here).

Sapotaceae

Donella lanceolata (Blume) Aubrév.: Mackinder et al., Edinburgh J. Bot. 73: 313 (2016); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). – *Chrysophyllum roxburghii* G.Don: Ridley, J. Straits Branch Roy. Asiatic. Soc. 33: 105 (1900); King & Gamble, J. Asiatic. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic. Soc. Bengal] 74(1): 158 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 257 (1923); Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 188 (1925); Turner, Gard. Bull. Singapore 47: 462 (1997 ['1995']), as '*Chrysopylum*'; Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 305 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 180, 202 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011). – *Chrysophyllum lanceolatum* (Blume) A.DC.: Ng, Tree Fl. Malaya 1: 396 (1972); Keng, Gard. Bull. Singapore 36(1): 104 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 134 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005). **Native; CR** (Chong et al., 2009).

Madhuca decipiens J.Sinclair: Sinclair, Gard. Bull. Singapore 22(2): 215 (1967); Ng, Tree Fl. Malaya 1: 405 (1972); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore:

125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 463 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 180, 194 (2009). – *Payena grandiflora* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 61: 28 (1912), p.p.; Ridley, Fl. Malay Penins. 2: 262 (1923), p.p. – *Payena maingayi* auct. non C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 168 (1906 ['1905']), p.p. **Native; CR** (assessed here).

Madhuca kingiana (Brace ex King & Gamble) H.J.Lam: Ridley, Fl. Malay Penins. 5: 319 (1925); Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 159 (1925); Turner, Gard. Bull. Singapore 47: 463 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 147, 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 180, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 113 (2019). – *Ganua kingiana* (Brace ex King & Gamble) Assem: van den Assem, Blumea 7(2): 373 (1953); van den Assem & Kostermans, Blumea 7(3): 481 (1954); Lam, Blumea 8(2): 511 (1957); Ng, Tree Fl. Malaya 1: 399 (1972); Keng, Gard. Bull. Singapore 36(1): 104 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 134, fig. 113.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']). – *Bassia kingiana* Brace ex King & Gamble: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900), as 'kingii'; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 178 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 267 (1923). **Native; CR** (assessed here).

Madhuca malaccensis (C.B.Clarke) H.J.Lam: Ridley, Fl. Malay Penins. 5: 319 (1925); Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 167 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1389 (1935); Van Royen, Blumea 10: 44 (1960); Keng, Gard. Bull. Singapore 36(1): 104 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 134, fig. 113.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 464 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']); Yii & Chai, Tree Fl. Sabah & Sarawak 4: 245 (2002); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 180, 208 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 175, 506 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Bassia malaccensis* (C.B.Clarke) King & Gamble: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 180 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 268 (1923). – *Bassia longistyla* auct. non King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 185 (1906 ['1905']), p.p. **Native; CR** (Wong et al., 2013).

Madhuca motleyana (de Vriese) J.F.Macbr.: Ridley, Fl. Malay Penins. 5: 320 (1925); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 180, 208 (2009). – *Ganua motleyana* (de Vriese) Pierre ex Dubard: Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 122 (1925); van den Assem, Blumea 7(2): 382 (1953); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 36(1): 104 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 134 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard.

Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']). – *Bassia motleyana* (de Vriese) Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900), as 'mottleyana'; King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 187 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 271 (1923). **Native; CR** (Chong et al., 2009).

Madhuca sericea (Miq.) H.J.Lam: Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 163 (1925); Ridley, Fl. Malay Penins. 5: 319 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1389 (1935); Van Royen, Blumea 10: 70 (1960); Keng, Gard. Bull. Singapore 36(1): 104 (1983); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Yii & Chai, Tree Fl. Sabah & Sarawak 4: 263 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 180, 208 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 175, 507 (2013); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Madhuca korthalsii* auct. non (Pierre ex Burck) H.J.Lam: Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 168 (1925); Wong et al., Gard. Bull. Singapore 46(2): 73 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 213 (1999 ['1997']). – *Madhuca sericea* (Miq.) H.J.Lam var. *ridleyi* (Gand.) Ng: Ng, Tree Fl. Malaya 1: 410 (1972); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 134 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner, Gard. Bull. Singapore 47: 464 (1997 ['1995']). – *Madhuca sericea* (Miq.) H.J.Lam var. *sericea*: Ng, Tree Fl. Malaya 1: 410 (1972); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner, Gard. Bull. Singapore 47: 465 (1997 ['1995']). – *Bassia argentea* auct. non de Vriese: Ridley, Fl. Malay Penins. 2: 270 (1923). – *Payena ridleyi* Gand.: Gandoher, Bull. Soc. Bot. France 65 [ser. 4, 18]: 56 (1918). **Native; CR** (Wong et al., 2013).

Madhuca sessilis (King & Gamble) Baehni: Turner, Gard. Bull. Singapore 47: 465 (1997 ['1995']); Yii & Chai, Tree Fl. Sabah & Sarawak 4: 264 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 180, 194 (2009). – *Ganua sessilis* (King & Gamble) H.J.Lam: Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 120 (1925); van den Assem, Blumea 7(2): 387 (1953); Ng, Tree Fl. Malaya 1: 399 (1972); Keng, Gard. Bull. Singapore 36(1): 104 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 134 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994). – *Payena sessilis* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 174 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 265 (1923); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1682 (1935). **Native; NEx** (Chong et al., 2009).

Madhuca sp. 1: Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Ganua motleyana* auct. non (de Vriese) Pierre ex Dubard: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 125, 506 (2013). – *Madhuca* sp. Q auct. non Ng: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 175, 507 (2013). – *Madhuca tomentosa* auct. non H.J.Lam: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 175, 507 (2013). **Native**; conservation assessments are generally not applicable to unnamed taxa.

Mimusops elengi L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900); Keng, Gard. Bull. Singapore 36(1): 104 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 134, fig. 113.4 (1990); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 61, 180, 263 (2009); Lok et al., Cosmos 6: 77 (2010). – *Kaukeni elengi* (L.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 406 (1891). **Non-native, casual** (Chong et al., 2009).

Palaquium gutta (Hook.) Baill.: Baillon, Traite Bot. Méd. Phan. 2: addenda & errata (1500, 1313–1314) (1884); Burck, Ann. Jard. Bot. Buitenzorg 5: 24 (1886); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 192 (1906 ['1905']); Dubard, Bull. Soc. Bot. France 16: 14 (1909); Ridley, Fl. Malay Penins. 2: 274 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1635 (1935); Corner, Wayside Trees Malaya, ed. 2, 1: 600 (1952); Van Royen, Blumea 10: 553 (1960); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Corner, Wayside Trees Malaya, ed. 3, 2: 695 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 134 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 125 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Turner, Gard. Bull. Singapore 47: 465 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Mohtar, Tree Fl. Sabah & Sarawak 4: 287 (2002); LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 180, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 192, 507 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 705, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 222, 311 (2020); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Palaquium treubii* Burck: Dubard, Bull. Soc. Bot. France 16: 12 (1909). – *Dichopsis treubii* (Burck) W.Fox: Fox, Rep. (Annual) Bot. Gard. Singapore 1901: 6 (1902). – *Dichopsis gutta* (Hook.) Benth. ex Murton: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 543 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900). – *Dichopsis oblongifolia* Burck: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900). – *Isonandra gutta* Hook.: Hooker, London J. Bot. 6: 463 (1847); Miquel, Fl. Ned. Ind. 2, fasc. 7: 1038 (1859 ['1856']). **Native; CR** (Wong et al., 2013).

Palaquium hexandrum (Griff.) Baill.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 197 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 277 (1923); Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 85 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1638 (1935); Van Royen, Blumea 10: 501 (1960); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 82 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 466 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 180, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 193, 508 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (Wong et al., 2013).

Palaquium impressinervium Ng: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 193, 508 (2013), as ‘*impressinervium*’; Khoo et al., Gard. Bull. Singapore 70: 63 (2018), as ‘*impressinervium*’; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114, 124 (2019), as ‘*impressinervium*’. **Native; CR** (assessed here).

Palaquium microphyllum King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 196 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 276 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1640 (1935); Van Royen, Blumea 10: 578 (1960); Ng, Tree Fl. Malaya 1: 423 (1972); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look

Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 466 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Mohtar, Tree Fl. Sabah & Sarawak 4: 294 (2002); LaFrankie et al., Forest Trees Bukit Timah: 148, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 180, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Palaquium semaram* auct. non H.J.Lam: Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 43 (1925); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']). **Native; CR** (Chong et al., 2009).

Palaquium obovatum (Griff.) Engl.: King & Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(1): 190 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 273 (1923); Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 83 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1640 (1935); Van Royen, Blumea 10: 453 (1960); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135, fig. 113.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 308 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 466 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 419 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 149, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 180, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Teo et al., Nat. Singapore 4: 272 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 193, 508 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014); Hung et al., Nat. Singapore 10: 17, 23 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 222, 311 (2020); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Palaquium obovatum* (Griff.) Engl. var. *occidentale* H.J.Lam: Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 83 (1925). – *Dichopsis obovata* (Griff.) C.B.Clarke: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 542 (1882); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 106 (1900).

Palaquium obovatum (Griff.) Engl. var. **obovatum**: Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']). **Native; VU** (Wong et al., 2013, as *Palaquium obovatum*).

Palaquium oxleyanum Pierre: Pierre, Bull. Mens. Soc. Linn. Paris 1: 498 (1885); King & Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(1): 194 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 275 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1641 (1935); Van Royen, Blumea 10: 510 (1960); Ng, Tree Fl. Malaya 1: 424 (1972); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 210 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 466 (1997 ['1995']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 418 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 180, 195 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114, 134 (2019). **Native; CR** (assessed here).

Palaquium ridleyi King & Gamble: King & Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 74(1): 196 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 276 (1923); Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 92 (1925); Van Royen, Blumea 10: 506 (1960); Ng,

Tree Fl. Malaya 1: 426 (1972); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 466 (1997 ['1995']); Mohtar, Tree Fl. Sabah & Sarawak 4: 299 (2002); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 180, 195 (2009). – *Mimusops hexandra* Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900). **Native; NEx** (Chong et al., 2009).

Palaquium rostratum (Miq.) Burck: Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 40 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1642 (1935); Van Royen, Blumea 10: 568 (1960); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 466 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 180, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 193, 508 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Madhuca cuneata* auct. non (Blume) J.F.Macbr.: Ridley, Fl. Malay Penins. 5: 320 (1925). – *Bassia cuneata* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 187 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 272 (1923). – *Palaquium bancanum* Burck: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 195 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 275 (1923). – *Dichopsis bancana* Miq. ex Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900). **Native; CR** (Wong et al., 2013).

Palaquium xanthochymum (de Vriese) Pierre ex Burck: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 194 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 275 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1643 (1935); Van Royen, Blumea 10: 576 (1960); Ng, Tree Fl. Malaya 1: 428 (1972); Corner, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 467 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 181, 209 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 194, 508 (2013); Yee et al., Fl. Singapore 1: 60 (2019); Wong & Ganesan, Fl. Singapore 1: 44 (2019); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Dichopsis rubens* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900). **Native; CR** (Wong et al., 2013).

Payena lucida A.DC.: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 547 (1882); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 171 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 263 (1923); Lam, Bull. Jard. Bot. Buitenzorg, sér. 3, 7(1&2): 145 (1925); van Bruggen, Blumea 9(1): 111 (1958); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135, fig. 113.6 (1990); Turner et al., J. Singapore Natl Acad.

Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 467 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 150, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 181, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019). – *Payena dasyphylla* (Miq.) Pierre var. *glaberrata* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 184 (1906 ['1905']); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 174 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 265 (1923). – *Payena costata* King, nom. inval.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900). – *Payena lucida* A.DC. var. *wightii* (Hassk.) C.B.Clarke: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 172 (1906 ['1905]). **Native; CR** (Chong et al., 2009).

Payena maingayi C.B.Clarke: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 168 (1906 ['1905']), p.p.; Ridley, Fl. Malay Penins. 2: 262 (1923); van Bruggen, Blumea 9(1): 104 (1958); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 467 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 151, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 181, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 75 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 198, 509 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Payena grandiflora* auct. non Ridl.: Ridley, Fl. Malay Penins. 2: 262 (1923), p.p. **Native; CR** (Wong et al., 2013).

Payena obscura Burck: van Bruggen, Blumea 9(1): 117 (1958); Ng, Tree Fl. Malaya 1: 433 (1972); Keng, Gard. Bull. Singapore 36(1): 105 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Wong et al., Gard. Bull. Singapore 46(2): 74 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 467 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 181, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019). – *Payena obscura* Burck var. *obscura*: Pereira, Tree Fl. Sabah & Sarawak 4: 328 (2002). – *Payena leerii* auct. non (Teijsm. & Binn.) Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 106 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 170 (1906 ['1905']), p.p.; Sinclair, Gard. Bull. Singapore 22(2): 224 (1967), p.p.; Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner, Gard. Bull. Singapore 47: 467 (1997 ['1995']), p.p. – *Payena havilandii* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 169 (1906 ['1905']), as 'havilandii'; Ridley, Fl. Malay Penins. 2: 263 (1923). **Native; CR** (Chong et al., 2009).

Planchonella chartacea (F.Muell. ex Benth.) H.J.Lam: Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 717, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 232, 311 (2020). – *Pouteria*

linggensis (Burck) Baehni: Turner, Gard. Bull. Singapore 47: 468 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 49(1): 4 (1998 ['1997']); Teo, Tree Fl. Sabah & Sarawak 4: 334, fig. 28 (2002); Lee et al., Gard. Bull. Singapore 55: 305 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 242 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 181, 210 (2009). – *Planchonella linggensis* (Burck) Pierre: van Royen, Blumea 8(2): 384 (1957). **Native; CR** (Chong et al., 2009).

Planchonella maingayi (C.B.Clarke) P.Royen: van Royen, Blumea 8(2): 413 (1957); Corne, Gard. Bull. Singapore, Suppl. 1: 81 (1978); Keng, Gard. Bull. Singapore 36(1): 106 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Pouteria maingayi* (C.B.Clarke) Baehni: Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Teo, Tree Fl. Sabah & Sarawak 4: 337 (2002); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 181, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011). – *Lucuma maingayi* (C.B.Clarke) Dubard: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1369 (1935). – *Sideroxylon maingayi* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 162 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 258 (1923). **Native; CR** (Chan et al., 2022).

Planchonella malaccensis (C.B.Clarke) Swenson: Swenson et al., Taxon 62: 762 (2013); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Pouteria malaccensis* (C.B.Clarke) Baehni: Herrmann-Erlee, Blumea 8(2): 463 (1957); Keng, Gard. Bull. Singapore 36(1): 106 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 305 (2003); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 181, 223 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 209, 510 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019). – *Lucuma malaccensis* (C.B.Clarke) Dubard: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1765 (1935); Burkill, Dict. Econ. Prod. Malay Penins. 2: 1369 (1935); Turner, Gard. Bull. Singapore 45: 211 (1993). – *Sideroxylon malaccense* C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 161 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 258 (1923). **Native; EN** (Chan et al., 2022).

Planchonella obovata (R.Br.) Pierre: van Royen, Blumea 8(2): 368 (1957); Keng, Gard. Bull. Singapore 36(1): 106 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 135, fig. 113.7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Teo et al., Nat. Singapore 4: 272 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 201, 509 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 284 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed.

3: 717, 807 [2015]; Hung et al., Nat. Singapore 10: 17, 20, 23 (2017); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Yee et al., Fl. Singapore 1: 64 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 232, 311 (2020); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). – *Pouteria obovata* (R.Br.) Baehni: Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 305 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 433 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 181, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 7: 67 (2014). – *Sideroxylon ferrugineum* Hook. & Arn.: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 537 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 163 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 259 (1923). – *Sideroxylon attenuatum* A.DC.: Miquel, Fl. Ned. Ind. 2, fasc. 7: 1036 (1859 ['1856']). **Native; VU** (Wong et al., 2013).

Sarcosperma paniculatum (King) Stapf & King: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 160 (1906 ['1905']); Ng, Tree Fl. Malaya 1: 440 (1972); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 211 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 468 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 181, 197 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Chan et al., Nat. Singapore, Suppl. 1 (2022, in press). **Native; CR** (assessed here).

Schisandraceae

Kadsura scandens (Blume) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900); Ridley, Fl. Malay Penins. 1: 20 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1275 (1935); Keng, Gard. Bull. Singapore 27: 68 (1974), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 9, fig. 9.1 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 212 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 309 (1994), p.p.; Saunders, Fl. Males., ser. 1, 13: 198 (1997); Saunders, Gard. Bull. Singapore 48: 238 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 214 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 181, 207 (2009), p.p.; Phoon, Fl. Penins. Malaysia, ser. 2, 1: 216 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011), p.p.; Chen et al., Gard. Bull. Singapore 73: 295 (2021); Saunders & Chen, Fl. Singapore 4 (in prep.). **Native; CR** (Chong et al., 2009).

Kadsura verrucosa (Gagnep.) A.C.Sm.: Chen et al., Gard. Bull. Singapore 73: 300 (2021); Saunders & Chen, Fl. Singapore 4 (in prep.). – *Kadsura scandens* auct. non (Blume) Blume: Keng, Gard. Bull. Singapore 27: 68 (1974), p.p.; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 9 (1990), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990), p.p.; Turner, Gard. Bull. Singapore 45: 212 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 309 (1994), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 52, 181, 207 (2009), p.p.; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 76 (2011), p.p. – *Kadsura cauliflora* auct. non Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900); Ridley, Fl. Malay Penins. 1: 20 (1922). **Native; CR** (assessed here).

Simaroubaceae

Ailanthus integrifolia Lam.: Kochummen, Tree Fl. Malaya 2: 346 (1973); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner, Gard. Bull. Singapore 47: 472 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 181, 200 (2009); Turner, Gard. Bull. Singapore 73: 10 (2021), as '*integrifolius*'. **Native; CR** (Chong et al., 2009).

Brucea javanica (L.) Merr.: Nooteboom, Fl. Males., ser. 1, 6(2): 211 (1962); Keng, Gard. Bull. Singapore 33: 345 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 99, fig. 88.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Lee et al., Gard. Bull. Singapore 55: 306 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 181, 219 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114, 134 (2019); Turner, Gard. Bull. Singapore 73: 11 (2021). – *Brucea sumatrana* Roxb.: Bennett in Hooker, Fl. Brit. India 1, fasc. 3: 521 (1875); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900); Ridley, Fl. Malay Penins. 1: 361 (1922). **Native; EN** (assessed here).

Eurycoma longifolia Jack: Jack, Malayan Misc. 2(7): 45 (1822); Wallich in Roxburgh, Fl. Ind. 2: 307 (1824); Don, Gen. Hist. 2: 91 (1832); Bennett in Hooker, Fl. Brit. India 1, fasc. 3: 521 (1875); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 57 (1900); Ridley, Fl. Malay Penins. 1: 362 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 984 (1935); Nooteboom, Fl. Males., ser. 1, 6(2): 205 (1962); Keng, Gard. Bull. Singapore 33: 345 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 99, fig. 88.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 306 (2003); Boo et al., 1001 Gard. Pl. Singapore (print 3): 360 (2004 ['2003']); LaFrankie et al., Forest Trees Bukit Timah: 152, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 41, 181, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 107, 511 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Hung et al., Nat. Singapore 10: 16, 20, 22 (2017); Hung et al., Nat. Singapore 10: 45 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 136, 310 (2020); Turner, Gard. Bull. Singapore 73: 12 (2021). **Native; EN** (assessed here).

Samadera indica Gaertn.: Ridley, Fl. Malay Penins. 1: 363 (1922); Turner, Gard. Bull. Singapore 73: 13, fig. 1 (2021). – *Quassia indica* (Gaertn.) Noot.: Nooteboom, Fl. Males., ser. 1, 6(2): 199 (1962); Keng, Gard. Bull. Singapore 33: 345 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 99, fig. 88.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 473 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 181, 197 (2009). **Native; CR** (assessed here).

Smilacaceae

Smilax calophylla Wall. ex A.DC.: Hooker, Fl. Brit. India 6, fasc. 18: 303 (1892); Ridley, J. Straits

Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 102 (1907); Ridley, Fl. Malay Penins. 4: 339 (1924); Keng, Gard. Bull. Singapore 40: 119 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 10, fig. 20 (1998); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 181, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 511 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019). – *Smilax calophylla* Wall., nom. nud.: Wallich, Numer. List no. 5131 (1831–1832); Miquel, Fl. Ned. Ind. 3, fasc. 4: 566 (1859 ['1855']). **Native; EN** (Wong et al., 2013).

Smilax corbularia Kunth

Smilax corbularia Kunth var. **woodii** (Merr.) T.Koyama: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990), as ‘*carbularia*’; Turner, Gard. Bull. Singapore 45: 215 (1993), as ‘*carbularia*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘*carbularia*’; Ng & Wee (ed.), Singapore Red Data Book: 309 (1994), as ‘*carbularia*’; Turner, Gard. Bull. Singapore 47: 639 (1997 ['1995']). – *Smilax woodii* Merr.: Sinclair, Gard. Bull. Singapore 14(1): 36 (1953). **Native; NEx** (assessed here).

Smilax leucophylla Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 106 (1907); Ridley, Fl. Malay Penins. 4: 343 (1924); Keng, Gard. Bull. Singapore 40: 119 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 640 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 10, fig. 21 (1998); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 181, 218 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 229, 511 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114 (2019). **Native; EN** (Wong et al., 2013).

Smilax megacarpa A.DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 104 (1907); Ridley, Fl. Malay Penins. 4: 341 (1924); Keng, Gard. Bull. Singapore 40: 119 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 11, fig. 22 (1998); Lee et al., Gard. Bull. Singapore 55: 290 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 181, 198 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 511 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114, 124 (2019). **Native; EN** (assessed here).

Smilax myosotiflora A.DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 103 (1907); Ridley, Fl. Malay Penins. 4: 340 (1924); Keng, Gard. Bull. Singapore 40: 119 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull.

Singapore 47: 640 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 11, fig. 23 (1998); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 181, 224 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 511 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 114, 134 (2019). **Native; VU** (Wong et al., 2013).

Smilax setosa Miq.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 11, fig. 24 (1998); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 290 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 181, 230 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Neo et al., Nat. Singapore 5: 282 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 230, 511 (2013); Neo et al., Nat. Singapore 6: 82 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). – *Smilax bracteata* C.Presl var. *barbata* (Wall. ex DC.) T.Koyama: Keng, Gard. Bull. Singapore 40: 119 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 33 (1995 ['1994']). – *Smilax barbata* Wall. ex DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 106 (1907); Ridley, Fl. Malay Penins. 4: 342 (1924). – *Smilax barbata* Wall., nom. nud.: Wallich, Numer. List no. 5125 (1831–1832); Miquel, Fl. Ned. Ind. 3, fasc. 4: 566 (1859 ['1855']). **Native; LC** (Wong et al., 2013).

Smilax singaporenensis A.DC.: De Candolle, Monogr. Phan. 1: 177 (1878); Ridley, Mat. Fl. Malay. Penins. 2: 108 (1907); Ridley, Fl. Malay Penins. 4: 344 (1924). **Cryptogenic** (assessed here).

Smilax sumatrensis (A.DC.) P.Li & C.X.Fu: Qi et al., Phytotaxa 117(2): 59 (2013). – *Heterosmilax japonica* auct. non Kunth: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 140, 511 (2013). – *Heterosmilax borneensis* A.DC.: Turner, Gard. Bull. Singapore 47: 639 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 181, 193 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Heterosmilax indica* auct. non A.DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 90 (1901); Ridley, Mat. Fl. Malay. Penins. 2: 108 (1907); Ridley, Fl. Malay Penins. 4: 344 (1924); Keng, Gard. Bull. Singapore 40: 118 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 214 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 10, fig. 19 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008). **Native; CR** (Wong et al., 2013).

Solanaceae

Datura metel L.: Keng, Gard. Bull. Singapore 39(1): 73 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 177, fig. 134.2 (1990), as ‘metal’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 32, 182, 241 (2009). – *Datura fastuosa* L. var. *alba* (Rumph. ex Nees) C.B.Clarke: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 340 (1906 ['1905']). – *Datura fastuosa* L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900). **Non-native, casual** (assessed here).

Lycianthes biflora (Lour.) Bitter: POWO. – *Solanum decemdentatum* Roxb.: Don, Gen. Hist. 4: 421 (1837–1838); Ridley, Fl. Malay Penins. 2: 466 (1923). – *Solanum biflorum* Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 331 (1906 ['1905']). – *Solanum decemfidium* Nees, nom. illeg. superfl.: Nees, Trans. Linn. Soc. London 17(1): 43 (1834). **Native; NEx** (assessed here).

Physalis minima L.: Keng, Gard. Bull. Singapore 39(1): 73 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 177 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 190 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 182, 272 (2009); Lok et al., Cosmos 6: 82 (2010); Teo et al., Nat. Singapore 4: 272 (2011); Kaw & Neo, Wayside Fls Singapore: 146 (2018). – *Physalis minima* L. var. *indica* (Lam.) C.B.Clarke: Ridley, Fl. Malay Penins. 2: 471 (1923). **Cryptogenic** (Chong et al., 2009).

Solanum americanum Mill.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 182, 268 (2009). – *Solanum nodiflorum* Jacq.: Kaw & Neo, Wayside Fls Singapore: 124 (2018). – *Solanum nigrum* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 329 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 465 (1923); Keng, Gard. Bull. Singapore 39(1): 74 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 178, fig. 134.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Lok et al., Cosmos 6: 73 (2010). **Non-native, naturalised** (Chong et al., 2009).

Solanum capsicoides All.: X. Aubriot, pers. comm. – *Solanum aculeatissimum* auct. non Jacq.: Clarke in Hooker, Fl. Brit. India 4, fasc. 10: 237 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 335 (1906 ['1905']). **Non-native, casual*** (assessed here).

Solanum lasiocarpum Dunal: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 182, 268 (2009); Lok et al., Cosmos 6: 73 (2010). – *Solanum ferox* L.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 331 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 467 (1923); Keng, Gard. Bull. Singapore 39(1): 73 (1986); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 177 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994). **Non-native, naturalised** (Chong et al., 2009).

Solanum torvum Sw.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900); Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 332 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 468 (1923); Keng, Gard. Bull. Singapore 39(1): 74 (1986); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 178, fig. 134.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 182, 268 (2009); Lok et al., Cosmos 6: 73 (2010); Neo et al., Nat. Singapore 6: 82 (2013); Kaw & Neo, Wayside Fls Singapore: 133 (2018). **Non-native, naturalised** (Chong et al., 2009).

Solanum trilobatum L.: POWO; Solanaceae Source (<http://solanaceaesource.org/>). – *Solanum sarmentosum* Nees, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900); Ridley, Fl. Malay Penins. 2: 469 (1923); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 215 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner, Gard. Bull. Singapore 47: 474 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 182, 268 (2009); Lok et al., Cosmos 6: 73 (2010). **Non-native, naturalised** (Chong et al., 2009).

Staphyleaceae

Turpinia sphaerocarpa Hassk.: Van der Linden, Fl. Males., ser. 1, 6(1): 57 (1960); Whitmore, Tree Fl. Malaya 1: 448 (1972); Keng, Gard. Bull. Singapore 35(1): 91 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 121, fig. 99.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Turner, Gard. Bull. Singapore 45: 216 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 474 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 182, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 77 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 511 (2013). – *Dalrympelea sphaerocarpa* (Hassk.) Nor-Ezzaw.: Nor-Ezzawanis, Gard. Bull. Singapore 62(1): 129 (2010); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). – *Turpinia sphaerocarpa* Hassk. var. *sphaerocarpa*: Pereira, Tree Fl. Sabah & Sarawak 1: 461 (1995). – *Turpinia laxiflora* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 82: 179 (1920); Ridley, Fl. Malay Penins. 1: 512 (1922); Van der Linden, Fl. Males., ser. 1, 6(1): 57 (1960). – *Turpinia latifolia* Wall. ex Ridl.: Ridley, Fl. Malay Penins. 1: 512 (1922). – *Turpinia pomifera* auct. non (Roxb.) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900). – *Turpinia latifolia* Wall., nom. nud.: Wallich, Numer. List no. 4939 (1831–1832). **Native; CR** (Wong et al., 2013).

Stemonaceae

Stemona curtisii Hook.f.: Chen et al., Gard. Bull. Singapore 71: 401 (2019). – *Stemona tuberosa* auct. non Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 168 (1900). **Native; NEx** (assessed here).

Stemonuraceae

Cantleya corniculata (Becc.) R.A.Howard: Sleumer, Fl. Males., ser. 1, 7(1): 51 (1972 ['1971']); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994), as '*Cautleya*'; Turner, Gard. Bull. Singapore 47: 267 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 182, 189 (2009); Utteridge & Schori, Gard. Bull. Singapore 63: 113 (2011). **Native; NEx** (Chong et al., 2009).

Gomphandra quadrifida (Blume) Sleumer: Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 153, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 182, 221 (2009); Utteridge & Schori, Gard. Bull. Singapore 63: 116 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 134, 512 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). – *Gomphandra quadrifida* (Blume) Sleumer var. *ovalifolia* (Ridl.) Sleumer: Sleumer, Fl. Males., ser. 1, 7(1): 34 (1972 ['1971']); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner et al., Gard. Bull. Singapore 46(2): 19 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 267 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 134, 512 (2013). – *Gomphandra quadrifida* (Blume) Sleumer var. *angustifolia* (King) Sleumer: Sleumer, Fl. Males., ser. 1, 7(1): 34 (1972 ['1971']); Kochummen, Tree Fl. Malaya 3: 111

(1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 109 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 267 (1997 ['1995']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 37 (2011). — *Gomphandra quadrifida* (Blume) Sleumer var. *lanceolata* Sleumer ex Keng, nom. inval.: Keng, Gard. Bull. Singapore 35(1): 96 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 126, fig. 103.1 (1990). — *Gomphandra affinis* (Miers) Mast.: Ridley, Fl. Malay Penins. 1: 427 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1096 (1935). — *Gomphandra lanceolata* (Mast.) King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900). — *Gomphandra penangiana* (Miers) Wall. ex Mast.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900). — *Gomphandra lanceolata* (Mast.) King var. *angustifolia* King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 113 (1895). **Native; LC** (assessed here).

Stemonurus malaccensis (Mast.) Sleumer: Sleumer, Fl. Males., ser. 1, 7(1): 60 (1972 ['1971']); Keng, Gard. Bull. Singapore 35(1): 97 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 126 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 110 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 182, 211 (2009). **Native; CR** (Chong et al., 2009).

Stemonurus scorpioides Becc.: Ridley, Fl. Malay Penins. 5: 296 (1925); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2074 (1935); Sleumer, Fl. Males., ser. 1, 7(1): 58 (1972 ['1971']); Corner, Gard. Bull. Singapore, Suppl. 1: 76 (1978); Keng, Gard. Bull. Singapore 35(1): 97 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 126 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990); Turner, Gard. Bull. Singapore 45: 110 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 289 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 269 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 189 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 182, 211 (2009); Utteridge & Schori, Gard. Bull. Singapore 63: 117 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 231, 512 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 742, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 260, 311 (2020). — *Stemonurus secundiflorus* auct. non Blume: Ridley, Fl. Malay Penins. 1: 430 (1922). — *Lasianthera secundiflora* auct. non (Blume) Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 117 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 61 (1900). **Native; CR** (Wong et al., 2013).

Styracaceae

Styrax benzoin Dryand.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 252 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 297 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2105 (1935); Van Steenis, Fl. Males., ser. 1, 4(2): 52 (1949); Keng, Gard. Bull. Singapore 36(1): 107 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 136, fig. 115.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 217 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 749, 807 [2015]; Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 267, 311 (2020).

Styrax benzoin Dryand. var. **benzoin**: Turner, Gard. Bull. Singapore 47: 478 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 182, 212 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 233, 513 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). **Native; CR** (Wong et al., 2013).

Styrax crotonoides C.B.Clarke: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 589 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 253 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 298 (1923); Van Steenis, Fl. Males., ser. 1, 4(2): 53 (1949); Keng, Gard. Bull. Singapore 36(1): 107 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 137 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 182, 198 (2009).

Styrax crotonoides C.B.Clarke subsp. **crotonoides**: Turner, Gard. Bull. Singapore 47: 479 (1997 ['1995']). **Native; NEx** (Chong et al., 2009, as *Styrax crotonoides*).

Symplocaceae

Symplocos adenophylla Wall. ex G.Don: Miquel, Fl. Ned. Ind. 1(2), fasc. 3: 466 (1859); Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 575 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 240 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 303 (1923); Nooteboom, Fl. Males., ser. 1, 8(2): 239 (1977); Keng, Gard. Bull. Singapore 36(1): 107 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 137, fig. 116.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 ['1994']); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 182, 218 (2009); Nooteboom, Fl. Penins. Malaysia, ser. 2, 1: 223 (2010); Hung et al., Nat. Singapore 10: 17, 23 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115, 134 (2019). – *Symplocos adenophylla* Wall. ex G.Don var. *virgata* Wall. ex Brand: Ridley, Fl. Malay Penins. 2: 303 (1923). – *Symplocos adenophylla* Wall., nom. nud.: Wallich, Numer. List no. 4427 (1831). **Native; EN** (Chong et al., 2009).

Symplocos barringtoniifolia Brand: Nooteboom, Fl. Males., ser. 1, 8(2): 242 (1977); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Gard. Bull. Singapore 36(1): 107 (1983), as '*barringtonifolia*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 137 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990), as '*barringtonifolia*'; Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 182, 198 (2009); Nooteboom, Fl. Penins. Malaysia, ser. 2, 1: 226 (2010); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012), as '*barringtonifolia*'; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 233, 513 (2013). – *Symplocos rigidula* (Miers) C.B.Clarke, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 246 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 306 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2114 (1935). **Native; NEx** (assessed here).

Symplocos celastrifolia Griff. ex C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); Ridley, Fl. Malay Penins. 2: 302 (1923); Nooteboom, Fl. Males., ser. 1, 8(2): 244 (1977); Kochummen, Tree Fl. Malaya 3: 269 (1978); Keng, Gard. Bull. Singapore 36(1): 108 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 137 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 479 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 182, 198 (2009); Nooteboom, Fl. Penins. Malaysia, ser. 2, 1: 229 (2010). **Native; NEx** (Chong et al., 2009).

Symplocos fasciculata Zoll.: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 574 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 235 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 301 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2113 (1935); Nooteboom, Fl. Males., ser. 1, 8(2): 259 (1977); Keng, Gard. Bull. Singapore 36(1): 108 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 137 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 306 (2003); LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 182, 224 (2009); Nooteboom, Fl. Penins. Malaysia, ser. 2, 1: 243 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 233, 513 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014). **Native; VU** (Wong et al., 2013).

Symplocos henschelii (Moritzi) Benth. ex C.B.Clarke

Symplocos henschelii (Moritzi) Benth. ex C.B.Clarke var. **maingayi** (Benth. ex C.B.Clarke) Noot.: Nooteboom, Fl. Males., ser. 1, 8(2): 214 (1977); Pearce, Tree Fl. Sabah & Sarawak 5: 416, fig. 4I,J (2004); Nooteboom, Fl. Penins. Malaysia, ser. 2, 1: 249 (2010). **Native; NEx** (assessed here).

Symplocos lucida Wall. ex G.Don: Liu & Qin, J. Syst. Evol. 51: 107 (2012). – *Symplocos lucida* auct. non (Thunb.) Siebold & Zucc.: Nooteboom, Fl. Males., ser. 1, 8(2): 264 (1977), p.p.; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 480 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 182, 198 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Symplocos theifolia* auct. non D.Don: Nooteboom, Fl. Penins. Malaysia, ser. 2, 1: 262 (2010). – *Symplocos ridleyi* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 239 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 302 (1923). – *Symplocos* sp. (vernacular name *Donoon*): Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 108 (1900). **Native; NEx** (assessed here).

Symplocos odoratissima (Blume) Choisy ex Zoll.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 233 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 299 (1923); Keng, Gard. Bull. Singapore 36(1): 108 (1983); Keng, Concise Fl. Singapore, vol. 1,

Gymn. Dicot.: 137 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 182, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 233, 513 (2013). – *Symplocos pulverulenta* King & Gamble: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 234 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 300 (1923).

Symplocos odoratissima (Blume) Choisy ex Zoll. var. **odoratissima**: Nooteboom, Fl. Males., ser. 1, 8(2): 266 (1977); Nooteboom, Fl. Penins. Malaysia, ser. 2, 1: 251 (2010). **Native; CR** (assessed here).

Symplocos rubiginosa Wall. ex A.DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 247 (1906 ['1905']); Ridley, Fl. Malay Penins. 2: 306 (1923); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2115 (1935); Nooteboom, Fl. Males., ser. 1, 8(2): 271 (1977); Keng, Gard. Bull. Singapore 36(1): 108 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 137 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 76 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 481 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 182, 218 (2009); Nooteboom, Fl. Penins. Malaysia, ser. 2, 1: 260 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 78 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 233, 513 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). **Native; EN** (Wong et al., 2013).

Taccaceae

Tacca cristata Jack: Jack, Malayan Misc. 1(5): 23 (1820); Miquel, Fl. Ned. Ind. 3, fasc. 4: 578 (1859 ['1855']); Hooker, Fl. Brit. India 6, fasc. 18: 287 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 167 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 77 (1907); Ridley, Fl. Malay Penins. 4: 310, fig. 191 (1924); Wong & Chua, Biodiversitas 20(11): 3108 (2019); Phang, Gard. Bull. Singapore 73: 289 (2021). – *Tacca integrifolia* auct. non Ker Gawl.: Drenth, Blumea 20(2): 388 (1973 ['1972']), p.p.; Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Gard. Bull. Singapore 40: 121 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 15, fig. 34 (1998); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 425, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 127, 224 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 245, 340 (2013); Neo et al., Nat. Singapore 7: 102 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 361, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019). – *Tacca rafflesiana* Jack ex Wall., nom. nud.: Wallich, Numer. List no. 5172 (1831–1832). **Native; VU** (Wong et al., 2013).

Tacca leontopetaloides (L.) Kuntze: Drenth, Blumea 20(2): 375 (1973 ['1972']); Drenth, Fl. Males., ser. 1, 7(4): 809 (1976); Keng, Gard. Bull. Singapore 40: 121 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 218 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 48, 310 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 15, fig. 35 (1998); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 426, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 36, 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 84, 127, 212 (2009); Teo et al., Nat. Singapore 4: 269 (2011); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 336, 382 (2020); Phang, Gard. Bull. Singapore 73: 289 (2021). – *Tacca pinnatifida* J.R.Forst. & G.Forst.: Sinclair, Gard. Bull. Singapore 14(1): 36 (1953). **Native; CR** (Chong et al., 2009).

Talinaceae

Talinum fruticosum (L.) Juss.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 172, 259 (2009); Chen et al., Nat. Singapore 11: 71 (2018). – *Talinum triangulare* (Jacq.) Willd.: Keng, Gard. Bull. Singapore 28(2): 258 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 60, fig. 55.2 (1990); Kiger, Fl. N. America 4(1): 503 (2004). **Non-native, casual** (Chen et al., 2018).

Talinum paniculatum (Jacq.) Gaertn.: Geesink, Fl. Males., ser. 1, 7(1): 124 (1972 ['1971']); Keng, Gard. Bull. Singapore 28(2): 258 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 60 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Tan et al., Gard. Bull. Singapore 44: 131 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Turner, Gard. Bull. Singapore 47: 408 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 85, 172, 269 (2009); Rafidah, Fl. Penins. Malaysia, ser. 2, 1: 204 (2010); Lok et al., Cosmos 6: 72 (2010); Kaw & Neo, Wayside Fls Singapore: 43 (2018). **Non-native, naturalised** (Rafidah, 2010).

Theaceae

Polyspora multinervis (King) Orel et al.: Orel et al., Willdenowia 43(2): 308 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019); Teo et al., Gard. Bull. Singapore 73: 29 (2021). – *Gordonia multinervis* King: Ridley, Fl. Malay Penins. 1: 203 (1922); Keng, Gard. Bull. Singapore 28(2): 247 (1976); Keng, Tree Fl. Malaya 3: 286 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 483 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 183, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011). **Native; EN** (Chong et al., 2009).

Polyspora penangensis (Ridl.) Niissalo & L.M.Choo: Choo et al., Phytotaxa 458: 164 (2020). – *Gordonia penangensis* Ridl.: Ridley, Fl. Malay Penins. 1: 203 (1922); Keng, Gard. Bull. Singapore 28(2): 247 (1976); Keng, Tree Fl. Malaya 3: 286 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50, fig. 41.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 310 (1994); Turner, Gard. Bull. Singapore 47: 483 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 183, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 135, 513 (2013); Ho et al.,

Gard. Bull. Singapore 71(Suppl. 1): 115, 134 (2019). – *Gordonia excelsa* auct. non (Blume) Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 49 (1900). **Native; CR** (Wong et al., 2013).

Polyspora singaporeana (Wall. ex Ridl.) Niissalo & L.M.Choo: Choo et al., Phytotaxa 458: 164 (2020); Teo et al., Gard. Bull. Singapore 73: 30 (2021). – *Gordonia singaporeana* Wall. ex Ridl.: Ridley, Fl. Malay Penins. 1: 202 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1101 (1935); Keng, Gard. Bull. Singapore 28(2): 247 (1976); Keng, Tree Fl. Malaya 3: 286 (1978), as ‘singaporiana’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990), as ‘singaporiana’; Turner, Gard. Bull. Singapore 45: 219 (1993), as ‘singaporiana’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994), as ‘singaporiana’; Ng & Wee (ed.), Singapore Red Data Book: 310 (1994), as ‘singaporiana’; Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 [‘1994’]), as ‘singaporiana’; Turner, Gard. Bull. Singapore 47: 483 (1997 [‘1995’]), as ‘singaporiana’; Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 [‘1997’]), as ‘singaporiana’; LaFrankie et al., Forest Trees Bukit Timah: 162 (2005), as ‘singaporiana’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008), as ‘singaporiana’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 183, 215 (2009), as ‘singaporiana’; Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011), as ‘singaporiana’; Neo et al., Nat. Singapore 7: 67 (2014), as ‘singaporiana’; Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). – *Gordonia cf. singaporeana* Wall. ex Ridl.: Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 [‘1994’]), as ‘singaporiana’. – *Gordonia excelsa* (Blume) Blume var. *sincapuriana* Dyer: Dyer in Hooker, Fl. Brit. India 1, fasc. 2: 291 (1874). – *Gordonia singaporiana* Wall., nom. nud.: Wallich, Numer. List no. 1457 (1829). **Native; EN** (Chong et al., 2009).

Pyrenaria acuminata Planch. ex Choisy: Dyer in Hooker, Fl. Brit. India 1, fasc. 2: 290 (1874); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 59: 200 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 49 (1900); Ridley, Fl. Malay Penins. 1: 200 (1922); Keng, Gard. Bull. Singapore 28(2): 247 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 50, fig. 41.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 219 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 [‘1994’]); Wong et al., Gard. Bull. Singapore 46(2): 75 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 483 (1997 [‘1995’]); Turner et al., Gard. Bull. Singapore 48: 156 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 216 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 183, 217 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 79 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 214, 513 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019); Teo et al., Gard. Bull. Singapore 73: 31 (2021). **Native; CR** (assessed here).

Thismiaceae

Thismia aseroe Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 74 (1907); Ridley, Fl. Malay Penins. 4: 308 (1924); Jonker, Fl. Males., ser. 1, 4(1): 23 (1948); Keng, Gard. Bull. Singapore 40: 123 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 515 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 21, fig. 49 (1998); Saunders, Gard. Bull. Singapore 48: 249 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 183, 199 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 15 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 80 (2019). **Native; CR** (assessed here).

Thismia fumida Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 153 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 74 (1907); Ridley, Fl. Malay Penins. 4: 307 (1924); Jonker, Fl. Males., ser. 1, 4(1): 23 (1948); Keng, Gard. Bull. Singapore 40: 123 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990); Turner, Gard. Bull. Singapore 45: 47 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 278 (1994); Turner, Gard. Bull. Singapore 47: 515 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 21 (1998); Saunders, Gard. Bull. Singapore 48: 249 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 175 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 183, 199 (2009). **Native; NEx** (Chong et al., 2009).

Thymelaeaceae

Aquilaria hirta Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 78 (1901); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 265 (1912); Ridley, Fl. Malay Penins. 3: 148 (1924); Ding Hou, Fl. Males., ser. 1, 6(1): 12 (1960); Whitmore, Tree Fl. Malaya 2: 385 (1973); Keng, Gard. Bull. Singapore 31: 113 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 86 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 484 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 183, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). — *Aquilaria grandiflora* Benth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900). **Native; CR** (assessed here).

Aquilaria malaccensis Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 264 (1912); Ridley, Fl. Malay Penins. 3: 147 (1924); Corner, Wayside Trees Malaya, ed. 2, 1: 632 (1952); Ding Hou, Fl. Males., ser. 1, 6(1): 9 (1960); Whitmore, Tree Fl. Malaya 2: 385 (1973); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Gard. Bull. Singapore 31: 113 (1978); Corner, Wayside Trees Malaya, ed. 3, 2: 729 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 86, fig. 77.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 484 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tawan, Tree Fl. Sabah & Sarawak 5: 445, pl. 6C (2004); LaFrankie et al., Forest Trees Bukit Timah: 160 (2005); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 514, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 183, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 25, 514 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 58, 310 (2020). **Native; VU** (Wong et al., 2013).

Aquilaria microcarpa Baill.: Ding Hou, Fl. Males., ser. 1, 6(1): 9 (1960); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 484 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tawan, Tree Fl. Sabah & Sarawak 5: 446 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl.

Singapore: 14, 183, 201 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 25, 514 (2013). **Native; CR** (Wong et al., 2013).

Enkleia malaccensis Griff.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 262 (1912); Ridley, Fl. Malay Penins. 3: 147 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 925 (1935); Ding Hou, Fl. Males., ser. 1, 6(1): 25 (1960); Whitmore, Tree Fl. Malaya 2: 384 (1973); Keng, Gard. Bull. Singapore 31: 113 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 86 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 485 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 156 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 183, 205 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 99, 514 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). – *Linostoma scandens* Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 133 (1900). **Native; CR** (Wong et al., 2013).

Gonostylus confusus Airy Shaw: Airy Shaw, Fl. Males., ser. 1, 4(4): 357 (1953); Corner, Gard. Bull. Singapore, Suppl. 1: 75 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 485 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 154, 162 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 183, 215 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 135, 514 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 650, 806 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 163, 310 (2020). **Native; EN** (Wong et al., 2013).

Gonostylus maingayi Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 133 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 85 (1901); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 266 (1912); Ridley, Fl. Malay Penins. 1: 322 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 1100 (1935); Airy Shaw, Fl. Males., ser. 1, 4(4): 359 (1953); Keng, Gard. Bull. Singapore 31: 113 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 86, fig. 78.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 92 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 286 (1994); Wong et al., Gard. Bull. Singapore 46(2): 71 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 146 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tawan, Tree Fl. Sabah & Sarawak 5: 465 (2004); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 183, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 135, 514 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115, 124 (2019). **Native; CR** (Wong et al., 2013).

Linostoma pauciflorum Griff.: Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 882 (1858 ['1855']); Hooker, Fl. Brit. India 5, fasc. 13: 198 (1886); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 133 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(2): 261 (1912); Ridley, Fl. Malay Penins. 3: 146 (1924); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1352 (1935), as

‘*pauciflora*’; Ding Hou, Fl. Males., ser. 1, 6(1): 27 (1960); Whitmore, Tree Fl. Malaya 2: 384 (1973); Keng, Gard. Bull. Singapore 31: 113 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 86, fig. 77.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 485 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 [‘1997’]); Lee et al., Gard. Bull. Singapore 55: 306 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 183, 216 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 80 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). **Native; EN** (Chong et al., 2009).

Wikstroemia ridleyi Gamble: Ridley, Fl. Malay Penins. 3: 146 (1924); Ding Hou, Fl. Males., ser. 1, 6(1): 34 (1960); Keng, Gard. Bull. Singapore 31: 113 (1978); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 86, fig. 77.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 220 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Turner et al., Gard. Bull. Singapore 46(2): 34 (1995 [‘1994’]); Turner, Gard. Bull. Singapore 47: 485 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 [‘1997’]); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 183, 269 (2009); Lok et al., Cosmos 6: 73 (2010). **Non-native, naturalised** (Chong et al., 2009).

Torricelliaceae

Aralidium pinnatifidum (Jungh. & de Vriese) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 89 (1900); Ridley, Fl. Malay Penins. 1: 895 (1922); Stone, Tree Fl. Malaya 3: 34 (1978); Philipson, Fl. Males., ser. 1, 9(1): 16 (1979); Keng, Gard. Bull. Singapore 35(1): 101 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 130, fig. 108.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 60 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 [‘1997’]), as ‘*pinnatifidum*’; Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 514, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 183, 187 (2009); Kamarudin, Fl. Penins. Malaysia, ser. 2, 1: 272 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 13 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 58, 310 (2020). **Native; CR** (assessed here).

Trigoniaceae

Trigoniastrum hypoleucum Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900); Ridley, Fl. Malay Penins. 1: 142 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2183 (1935); Van Steenis, Fl. Males., ser. 1, 4(2): 59 (1949); Keng, Gard. Bull. Singapore 33: 352 (1980), as ‘*hypoleicum*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 103 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 221 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 489 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 183, 199 (2009); Chew, Fl. Penins. Malaysia, ser. 2, 1: 278 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Neo et al., Nat. Singapore 7: 108 (2014); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 58 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). **Native; CR** (assessed here).

Triuridaceae

Sciaphila maculata Miers: Van de Meerendonk, Fl. Males., ser. 1, 10(1): 113 (1984); Keng, Gard. Bull. Singapore 40: 115 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 221 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 4, fig. 6 (1998); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 183, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). – *Sciaphila affinis* Becc.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 126 (1907); Ridley, Fl. Malay Penins. 4: 364 (1924). **Native; NEx** (Chong et al., 2009).

Sciaphila tenella Blume: Van de Meerendonk, Fl. Males., ser. 1, 10(1): 113 (1984); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 221 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 641 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 4 (1998); Chew et al., Gard. Bull. Singapore 49(2): 217 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 183, 198 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 81 (2011); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 115 (2019). **Native; NEx** (Chong et al., 2009).

Typhaceae

Typha angustifolia L.: Backer, Fl. Males., ser. 1, 4(3): 243 (1951); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 221 (1993); Tan et al., Gard. Bull. Singapore 44: 132 (1993 ['1992']); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 51, fig. 107 (1998); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 88, 183, 269 (2009); Lok et al., Cosmos 6: 73 (2010); Leong-Škorničková, Fl. Singapore 7: 3, fig. 1 (2019). **Non-native, naturalised** (Chong et al., 2009).

Urticaceae

Boehmeria nivea (L.) Gaudich.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 341 (1935); Keng, Gard. Bull. Singapore 31: 91 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 67, fig. 66.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 183, 265 (2009); Lok et al., Cosmos 6: 73 (2010). **Non-native, naturalised** (Chong et al., 2009).

Cecropia pachystachya Trécul: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 183, 265 (2009); Lok et al., Nat. Singapore 3: 204 (2010); Lok et al., Cosmos 6: 73 (2010); Neo et al., Nat. Singapore 5: 282 (2012); Neo et al., Nat. Singapore 6: 71 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Yee et al., Fl. Singapore 1: 55, 58 (2019). **Non-native, naturalised** (Chong et al., 2009).

Cecropia peltata L.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 498 (1935); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 67 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 50 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Turner, Gard. Bull. Singapore 47: 160 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore:

24, 183, 265 (2009); Lok et al., Nat. Singapore 3: 204 (2010); Lok et al., Cosmos 6: 73 (2010). **Non-native, naturalised** (Chong et al., 2009).

Laportea interrupta (L.) Chew: Chew, Gard. Bull. Singapore 25(1): 145 (1969); Keng, Gard. Bull. Singapore 31: 91 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 67 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 184, 271 (2009); Lok et al., Cosmos 6: 82 (2010). – *Fleurya interrupta* (L.) Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900); Ridley, Fl. Malay Penins. 3: 359 (1924). **Native; LC** (assessed here).

Nothocnide mollissima (Wedd.) Chew: Chew, Gard. Bull. Singapore 24: 365 (1969); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 184, 195 (2009). – *Pipturus mollissimus* Wedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900); Ridley, Fl. Malay Penins. 3: 367 (1924); Keng, Gard. Bull. Singapore 31: 92 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 68 (1990). **Native; NEx** (Chong et al., 2009).

Pilea microphylla (L.) Liebm.: Keng, Gard. Bull. Singapore 31: 92 (1978); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 67, fig. 66.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 184, 267 (2009); Lok et al., Cosmos 6: 73 (2010); Kaw & Neo, Wayside Fls Singapore: 76 (2018). – *Pilea muscosa* Lindl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900); Ridley, Fl. Malay Penins. 3: 361 (1924). **Non-native, naturalised** (Chong et al., 2009).

Pilea nummularifolia (Sw.) Wedd.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 184, 254 (2009); Chen et al., Nat. Singapore 11: 71 (2018). **Non-native, casual** (Chen et al., 2018).

Pipturus argenteus (G.Forst.) Wedd.: Saw, Tree Fl. Malaya 4: 476 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 67 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner, Gard. Bull. Singapore 47: 493 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 184, 267 (2009); Lok et al., Cosmos 6: 73 (2010); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Yee et al., Fl. Singapore 1: 58, 68 (2019). **Cryptogenic** (assessed here).

Poikilospermum cordifolium (Barg.-Petr.) Merr.: Chew, Gard. Bull. Singapore 20(1): 66 (1963); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner, Gard. Bull. Singapore 47: 161 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 184, 197 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Conocephalus amoenus* King ex Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900); Ridley, Fl. Malay Penins. 3: 357 (1924). **Native; CR** (assessed here).

Poikilospermum microstachys (Barg.-Petr.) Merr.: Chew, Gard. Bull. Singapore 20(1): 72 (1963); Turner, Gard. Bull. Singapore 47: 161 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore

Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 184, 197 (2009). – *Conocephalus subtrinervius* auct. non Miq.: Hooker, Fl. Brit. India 5, fasc. 15: 546 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900). **Native; NEx** (Chong et al., 2009).

Poikilospermum suaveolens (Blume) Merr.: Chew, Gard. Bull. Singapore 20(1): 88 (1963); Keng, Gard. Bull. Singapore 31: 92 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 68, fig. 66.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 112 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 161 (1997 ['1995']), as '*Poikilopsernum*'; Turner et al., Gard. Bull. Singapore 48: 142 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 176 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 71, 184, 223 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 17 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 206, 514 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Conocephalus suaveolens* Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900); Ridley, Fl. Malay Penins. 3: 357 (1924). **Native; VU** (Wong et al., 2013).

Pouzolia zeylanica (L.) Benn.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 68 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 72, 184, 272 (2009); Lok et al., Cosmos 6: 82 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 209, 515 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116, 124 (2019). – *Pouzolia indica* (L.) Wight: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900); Keng, Gard. Bull. Singapore 31: 92 (1978). – *Pouzolia indica* (L.) Wight var. *microphylla* Ridl.: Ridley, Fl. Malay Penins. 3: 366 (1924).

Pouzolia zeylanica (L.) Benn. var. **zeylanica**: M. Rodda, pers. comm. **Cryptogenic** (assessed here).

Pouzolia zeylanica (L.) Benn. var. **angustifolia** (Wight) J.Sinclair: M. Rodda, pers. comm. – *Pouzolia indica* (L.) Wight var. *angustifolia* (Wight) Wedd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900). – *Pouzolia pentandra* auct. non (Roxb.) Benn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900). **Cryptogenic** (assessed here).

Procris repens (Lour.) B.J.Conn & Hadiah: Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 74, 382 (2020). – *Pellionia repens* (Lour.) Merr.: Yahara, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 13(4): 485 (1984); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 125, 807 [2015]. – *Elatostema repens* (Lour.) Hallier f. var. *pulchrum* (N.E.Br.) H.Schroet.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 183, 191 (2009). – *Pellionia daveauana* (God.-Leb.) N.E.Br.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 184, 252 (2009). – *Elatostema repens* (Lour.) Hallier f.: Keng, Gard. Bull. Singapore 31: 91 (1978); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 67 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 33, 776 (2006). **Native; NEx** (Chong et al., 2009).

Verbenaceae

Lantana camara L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900); Keng, Gard. Bull. Singapore 39(1): 90 (1986); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore,

vol. 1, Gymn. Dicot.: 194, fig. 141.6 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 184, 266 (2009); Lok et al., Cosmos 6: 73 (2010); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 71 (2013); Hung et al., Nat. Singapore 10: 33 (2017); Hung et al., Nat. Singapore 10: 46 (2017); Kaw & Neo, Wayside Fls Singapore: 32 (2018); Yee et al., Fl. Singapore 1: 66 (2019). – *Lantana aculeata* L.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 796 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 612 (1923). – *Lantana salvifolia* auct. non Jacq.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 796 (1909 ['1908']), p.p., as '*salvifolia*'. **Non-native, naturalised** (assessed here).

Lantana indica Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900); Ridley, Fl. Malay Penins. 2: 612 (1923); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 184, 266 (2009); Lok et al., Cosmos 6: 73 (2010). – *Lantana salvifolia* auct. non Jacq.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 796 (1909 ['1908']), p.p., as '*salvifolia*'. **Non-native, naturalised** (Chong et al., 2009).

Phyla nodiflora (L.) Greene: Kochummen, Tree Fl. Malaya 3: 298 (1978); Keng, Gard. Bull. Singapore 39(1): 91 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 194 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 224 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 69, 184, 272 (2009); Lok et al., Cosmos 6: 82 (2010); Kaw & Neo, Wayside Fls Singapore: 96 (2018). – *Lippia nodiflora* (L.) Michx.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 797 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 612 (1923). **Non-native, naturalised** (assessed here).

Stachytarpheta cayennensis (Rich.) Vahl: Sinclair, Gard. Bull. Singapore 14(1): 34 (1953); Corlett, J. Biogeogr. 15: 663 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner, Gard. Bull. Singapore 47: 497 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 184, 268 (2009); Lok et al., Cosmos 6: 73 (2010). **Non-native, casual*** (assessed here).

Stachytarpheta jamaicensis (L.) Vahl: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 798 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 613 (1923); Keng, Gard. Bull. Singapore 39(1): 92 (1986); Corlett, J. Biogeogr. 15: 663 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Corlett, J. Biogeogr. 19: 427 (1992); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chew et al., Gard. Bull. Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 184, 268 (2009); Lok et al., Cosmos 6: 73 (2010); Kaw & Neo, Wayside Fls Singapore: 50 (2018). – *Stachytarpheta indica* auct. non (L.) Vahl: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 565 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900); Ridley, Fl. Malay Penins. 2: 613 (1923); Keng, Gard. Bull. Singapore 39(1): 91 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195, fig. 141.7 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Chew et al., Gard. Bull.

Singapore 49(2): 222 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 184, 268 (2009); Lok et al., Cosmos 6: 73 (2010); Teo et al., Nat. Singapore 4: 272 (2011); Hung et al., Nat. Singapore 10: 34 (2017); Hung et al., Nat. Singapore 10: 47 (2017). **Non-native, naturalised** (assessed here).

Stachytarpheta mutabilis (Jacq.) Vahl: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 122 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 799 (1909 ['1908']); Ridley, Fl. Malay Penins. 2: 613 (1923); Keng, Gard. Bull. Singapore 39(1): 92 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 195 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 225 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 81, 184, 268 (2009); Lok et al., Cosmos 6: 73 (2010). **Non-native, casual** (assessed here).

Verbena brasiliensis Vell.: Middleton et al., Gard. Bull. Singapore 74 (2022, in press). **Non-native, casual*** (Middleton et al., 2022).

Violaceae

Rinorea anguifera (Lour.) Kuntze: Keng, Gard. Bull. Singapore 28(2): 237 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 40, fig. 30.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 184, 211 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 219, 515 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Alsodeia echinocarpa* Korth.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 58(4): 407 (1889); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 43 (1900); Ridley, Fl. Malay Penins. 1: 134 (1922). **Native; CR** (Wong et al., 2013).

Rinorea javanica (Blume) Kuntze: Turner, Gard. Bull. Singapore 47: 498 (1997 ['1995']). – *Alsodeia membranacea* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900). **Native; NEx** (assessed here).

Rinorea lanceolata (Roxb.) Kuntze: Keng, Gard. Bull. Singapore 28(2): 237 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 40 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 75, 184, 197 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012). – *Alsodeia floribunda* King, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900); Ridley, Fl. Malay Penins. 1: 132 (1922). – *Alsodeia grandiflora* Ridl.: Ridley, Bull. Misc. Inform. Kew 1914: 377 (1914); Ridley, Fl. Malay Penins. 1: 132 (1922). **Native; CR** (assessed here).

Vitaceae

Ampelocissus ascendiflora Latiff: Latiff, Fed. Mus. J. 27: 87 (1982); Keng, Gard. Bull. Singapore 36(1): 123 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 117 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244

(2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 184, 187 (2009); Yeo et al., Nat. Singapore 6: 46 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Ampelocissus floccosa* auct. non (Ridl.) Galet: Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011). **Native; CR** (Yeo et al., 2013).

Ampelocissus cinnamomea (Wall.) Planch.: Latiff, Fed. Mus. J. 27: 88 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 117 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 184, 187 (2009); Ng et al., Nat. Singapore 7: 129 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116, 124 (2019). – *Vitis cinnamomea* Wall.: Wallich in Roxburgh, Fl. Ind. 2: 483 (1824); Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 659 (1875); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 64 (1900); Ridley, Fl. Malay Penins. 1: 472 (1922); Keng, Gard. Bull. Singapore 35(1): 87 (1982). **Native; CR** (Ng et al., 2014).

Ampelocissus elegans Gagnep.: Gagnepain, Bull. Soc. Hist. Nat. Autun 24: 20 (1911); Latiff, Fed. Mus. J. 27: 89 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 117, fig. 97.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 46(2): 35 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 307 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 184, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 20, 515 (2013); Yeo et al., Nat. Singapore 6: 48 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Trias-Blasi et al., Taxon 66: 727 (2017). – *Ampelopsis glandulosa* (Wall.) Momiy. f. *elegans* auct. non (K.Koch) Momiy.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 21, 515 (2013). – *Vitis elegans* Kurz, nom. illeg. hom.: Kurz, Natuurk. Tijdschr. Ned.-Indië 28: 166 (1865); Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 659 (1875); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 64 (1900); Ridley, Fl. Malay Penins. 1: 473 (1922); Keng, Gard. Bull. Singapore 35(1): 87 (1982). **Native; VU** (assessed here).

Ampelocissus gracilis (Wall.) Planch.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 117 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 184, 214 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 21, 515 (2013); Yeo et al., Nat. Singapore 6: 48 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Vitis gracilis* Wall.: Wallich in Roxburgh, Fl. Ind. 2: 477 (1824); Don, Gen. Hist. 1: 710 (1831); Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 653 (1875); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 389 (1896); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 64 (1900); Ridley, Fl. Malay Penins. 1: 472 (1922); Keng, Gard. Bull. Singapore 35(1): 88 (1982). **Native; EN** (Wong et al., 2013).

Ampelocissus polystachya (Wall. ex M.A.Lawson) Planch.: Latiff, Fed. Mus. J. 27: 91 (1982); Keng, Gard. Bull. Singapore 36(1): 123 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 184, 200 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Yeo et al., Nat. Singapore 6: 51 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Vitis polythyrsa* auct. non Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900). – *Vitis polystachya* Wall. ex M.A.Lawson var. *elegans* Kuntze: Kuntze, Revis. Gen. Pl. 1: 130 (1891). **Native; CR** (Chong et al., 2009).

Ampelocissus thrysiflora (Blume) Planch.: Latiff, Fed. Mus. J. 27: 90 (1982); Keng, Gard. Bull. Singapore 36(1): 123 (1983), as ‘*thrysiflora*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 226 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 184, 187 (2009); Yeo et al., Nat. Singapore 6: 51 (2013). **Native; CR** (Yeo et al., 2013).

Causonis japonica (Thunb.) Raf.: POWO. – *Cayratia japonica* (Thunb.) Gagnep.: Yeo et al., Nat. Singapore 5: 332 (2012); Neo et al., Nat. Singapore 6: 285 (2013). – *Vitis japonica* Thunb.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 403 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Burkhill, Dict. Econ. Prod. Malay Penins. 2: 2245 (1935). **Native; EN** (Yeo et al., 2012).

Causonis trifolia (L.) Mabb. & J.Wen: Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 15, 382 (2020). – *Cayratia trifolia* (L.) Domin: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 184, 220 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Yeo et al., Nat. Singapore 5: 336 (2012); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 93, 806 [2015]. – *Vitis trifolia* L.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 402 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 478 (1922); Keng, Gard. Bull. Singapore 35(1): 88 (1982). **Native; VU** (Chong et al., 2009).

Cayratia mollissima (Wall.) Gagnep.: Latiff, Sains Malaysiana 10: 136 (1981); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 24, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 184, 214 (2009); Yeo et al., Nat. Singapore 5: 333 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 51, 515 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116, 134 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 15, 382 (2020). – *Vitis mollissima* Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 478 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Gard. Bull. Singapore 35(1): 88 (1982). **Native; EN** (Wong et al., 2013).

Cayratia novemfolia (Wall. ex M.A.Lawson) Burkhill ex A.W.Hill: Latiff, Sains Malaysiana 10: 138 (1981); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore

Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 184, 202 (2009); Yeo et al., Nat. Singapore 5: 335 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 51, 515 (2013); Trias-Blasi et al., Taxon 66: 729 (2017). – *Vitis novemfolia* Wall. ex M.A.Lawson: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 662 (1875); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 403 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 479 (1922); Keng, Gard. Bull. Singapore 35(1): 88 (1982). – *Vitis novemfolia* Wall., nom. nud.: Wallich, Numer. List no. 6030 (1831–1832). **Native; CR** (Wong et al., 2013).

Cissus hastata Miq.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118, fig. 97.2 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 25, 776 (2006); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 184, 270 (2009); Lok et al., Cosmos 6: 82 (2010); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Teo et al., Nat. Singapore 4: 272 (2011); Yeo et al., Nat. Singapore 5: 321 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 57, 515 (2013); Neo et al., Nat. Singapore 6: 16 (2013); Neo et al., Nat. Singapore 6: 83 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Hung et al., Nat. Singapore 10: 16, 19 (2017); Hung et al., Nat. Singapore 10: 44 (2017); Kaw & Neo, Wayside Fls Singapore: 174 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Vitis hastata* (Miq.) Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 75: 24 (1917); Ridley, Fl. Malay Penins. 1: 478 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Gard. Bull. Singapore 35(1): 87 (1982). – *Vitis sagittifolia* M.A.Lawson: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 645 (1875). **Native; LC** (assessed here).

Cissus nodosa Blume: Latiff, Malayan Nat. J. 42(1): 33 (1988); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 184, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Yeo et al., Nat. Singapore 5: 322 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 57, 515 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Cissus glaberrima* (Wall.) Planch.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990). – *Vitis glaberrima* Wall.: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 646 (1875); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 401 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900); Ridley, Fl. Malay Penins. 1: 477 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Keng, Gard. Bull. Singapore 35(1): 87 (1982). – *Vitis cerasiformis* Teijsm. & Binn.: King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 400 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900). **Native; VU** (assessed here).

Cissus repens Lam.: Latiff, Malayan Nat. J. 42(1): 34 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Lee et al., Gard. Bull.

Singapore 55: 307 (2003); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 26, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 184, 203 (2009); Yeo et al., Nat. Singapore 5: 323 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 57, 515 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116, 134 (2019). – *Cissus diffusa* (Miq.) Amshoff: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990). – *Vitis diffusa* Miq.: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 646 (1875); Ridley, Fl. Malay Penins. 1: 477 (1922); Keng, Gard. Bull. Singapore 35(1): 87 (1982). – *Vitis repens* (Lam.) Wight & Arn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900); Ridley, Fl. Malay Penins. 1: 477 (1922); Keng, Gard. Bull. Singapore 35(1): 88 (1982). – *Cissus cordata* Roxb.: Wallich in Roxburgh, Fl. Ind. 2: 477 (1824). **Native; VU** (assessed here).

Cissus rostrata (Miq.) Korth. ex Planch.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 184, 203 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Yeo et al., Nat. Singapore 5: 326 (2012); Trias-Blasi et al., Taxon 66: 727 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Vitis furcata* M.A.Lawson: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 646 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 399 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900); Ridley, Fl. Malay Penins. 1: 476 (1922); Keng, Gard. Bull. Singapore 35(1): 87 (1982). **Native; CR** (Chong et al., 2009).

Leea aequata L.: Ridsdale, Fl. Males., ser. 1, 7(4): 775 (1976); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 184, 194 (2009). – *Leea robusta* auct. non Roxb.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 417 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 486 (1922). **Native; NEx** (Chong et al., 2009).

Leea angulata Korth. ex Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 485 (1922); Corner, Wayside Trees Malaya, ed. 2, 1: 97 (1952); Ridsdale, Fl. Males., ser. 1, 7(4): 772 (1976); Keng, Gard. Bull. Singapore 35(1): 87 (1982); Corner, Wayside Trees Malaya, ed. 3, 2: 757 (1988); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118, fig. 97.3 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner, Gard. Bull. Singapore 47: 289 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 184, 207 (2009). **Native; CR** (Chong et al., 2009).

Leea indica (Burm.f.) Merr.: Ridsdale, Fl. Males., ser. 1, 7(4): 779 (1976); Keng, Gard. Bull. Singapore 35(1): 87 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Turner et al., Gard. Bull. Singapore 46(2): 20 (1995 ['1994']); Turner et al., Gard. Bull. Singapore 48: 147 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 163 (2004 ['2003']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 184, 228 (2009); Turner & Chua,

Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 39 (2011); Neo et al., Nat. Singapore 5: 283 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 157, 516 (2013); Neo et al., Nat. Singapore 6: 72 (2013); Neo et al., Nat. Singapore 6: 83 (2013); Neo et al., Nat. Singapore 6: 123 (2013); Neo et al., Nat. Singapore 6: 285 (2013); Neo et al., Nat. Singapore 7: 67 (2014); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019); Yee et al., Fl. Singapore 1: 58 (2019); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 187, 310 (2020). – *Leea javanica* auct. non Blume: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 418 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 486 (1922). – *Leea sambucina* Willd.: Wallich in Roxburgh, Fl. Ind. 2: 470 (1824); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 414 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 484 (1922). – *Leea gigantea* Griff.: Ridley, Fl. Malay Penins. 1: 484 (1922). – *Leea sambucina* Willd. var. *biserrata* (Miq.) Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 415 (1896). – *Leea sambucina* Willd. f. *grossedentata* Kuntze: Kuntze, Revis. Gen. Pl. 1: 123, 124 (1891). **Native; LC** (Wong et al., 2013).

Leea rubra Blume ex Spreng.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 416 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 485 (1922); Ridsdale, Fl. Males., ser. 1, 7(4): 776 (1976); Keng, Gard. Bull. Singapore 35(1): 87 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 116 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Ng & Wee (ed.), Singapore Red Data Book: 290 (1994); Chew et al., Gard. Bull. Singapore 49(2): 191 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 314, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 54, 185, 194 (2009); Lim et al., Fl. Singapore 1: 106 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 263, 382 (2020). **Native; NEx** (Chong et al., 2009).

Nothocissus spicifera (Griff.) Latiff: Latiff, Fed. Mus. J. 27: 71 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 118, fig. 97.4 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 502 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 64, 185, 209 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 82 (2011); Yeo et al., Nat. Singapore 5: 191 (2012); Neo et al., Nat. Singapore 7: 108 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Ampelocissus spicifera* (Griff.) Planch.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 21, 515 (2013), as ‘spicifer’. – *Vitis macrostachya* Miq.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 388 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900); Ridley, Fl. Malay Penins. 1: 472 (1922); Keng, Gard. Bull. Singapore 35(1): 88 (1982). **Native; CR** (Wong et al., 2013).

Pterisanthes cissoides Blume: Latiff, Fed. Mus. J. 27: 48 (1982), as ‘*cissoides*’; Keng, Gard. Bull. Singapore 36(1): 123 (1983), as ‘*cissoides*’; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 119 (1990), as ‘*cissoides*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990), as ‘*cissoides*’; Turner, Gard. Bull. Singapore 45: 227 (1993), as ‘*cissoides*’; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994), as ‘*cissoides*’; Ng & Wee (ed.), Singapore Red Data Book: 312 (1994), as ‘*cissoides*’; Turner, Gard. Bull. Singapore 47: 502 (1997 ['1995']), as ‘*cissoides*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008), as ‘*cissoides*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 185, 197 (2009); Yeo et al., Nat. Singapore 5: 185 (2012); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 51 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116, 134 (2019); Lim et al., Fl. Singapore 1: 89 (2019). **Native; CR** (Yeo et al., 2012).

Pterisanthes eriopoda (Miq.) Planch.: Latiff, Fed. Mus. J. 27: 57 (1982); Keng, Gard. Bull. Singapore 36(1): 123 (1983); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 119, fig. 97.5 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 502 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 65, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 185, 210 (2009); Yeo et al., Nat. Singapore 5: 185 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 212, 517 (2013). **Native; CR** (Wong et al., 2013).

Pterisanthes polita (Miq.) M.A.Lawson: Lawson in Hooker, Fl. Brit. India 1, fasc. 3: 663 (1875); Latiff, Fed. Mus. J. 27: 53 (1982); Keng, Gard. Bull. Singapore 35(1): 87 (1982), as ‘*pilita*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 119 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 502 (1997 ['1995']); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 73, 185, 210 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 83 (2011); Yeo et al., Nat. Singapore 5: 185 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 213, 517 (2013); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 135, 807 [2015]; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 76, 382 (2020). – *Pterisanthes coriacea* Korth. ex King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 65 (1900); Ridley, Fl. Malay Penins. 1: 480 (1922); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978). **Native; CR** (Wong et al., 2013).

Tetrastigma curtisii (Ridl.) Suess.: Keng, Gard. Bull. Singapore 36(1): 124 (1983); Latiff, Gard. Bull. Singapore 36(2): 223 (1984 ['1983']); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 119 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 227 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 185, 213 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 83 (2011); Yeo et al., Nat. Singapore 5: 263 (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). **Native; CR** (Chong et al., 2009).

Tetrastigma dichotomum (Blume) Planch.: Latiff, Gard. Bull. Singapore 36(2): 221 (1984 ['1983']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 185, 260 (2009); Yeo et al., Nat. Singapore 5: 263 (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116, 134 (2019); Lim et al., Fl. Singapore 1: 89 (2019). **Native; CR** (Yeo et al., 2012).

Tetrastigma latifffii Veldkamp: Veldkamp, Reinwardtia 12(4): 264 (2008); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 83 (2011), as ‘*Testrastigma*'; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Tetrastigma lawsonii* auct. non (King) Burkhill: Latiff, Gard. Bull. Singapore 36(2): 220 (1984 ['1983]), as ‘*lawsonii*'; Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 119 (1990), as ‘*lawsonii*'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990), as ‘*lawsonii*'; Turner, Gard. Bull. Singapore 45: 228 (1993), as ‘*lawsonii*'; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994), as ‘*lawsonii*'; Ng & Wee (ed.), Singapore Red Data Book: 312 (1994), as ‘*lawsonii*'; Turner, Gard. Bull. Singapore 47: 503 (1997 ['1995']), as ‘*lawsonii*'; Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']), as ‘*lawsonii*'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008), as ‘*lawsonii*'; Chong et al., Checkl.

Vasc. Pl. Fl. Singapore: 86, 185, 213 (2009), as ‘*lawsonii*’; Yeo et al., Nat. Singapore 5: 263 (2012), as ‘*lawsonii*’; Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 517 (2013), as ‘*lawsonii*’. — *Vitis lawsonii* auct. non King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 64 (1900), as ‘*lawsonii*’; Ridley, Fl. Malay Penins. 1: 474 (1922), as ‘*lawsonii*’; Burkill, Dict. Econ. Prod. Malay Penins. 2: 2245 (1935), as ‘*lawsonii*’; Keng, Gard. Bull. Singapore 35(1): 88 (1982), as ‘*lawsonii*’. **Native; CR** (Wong et al., 2013).

Tetrastigma leucostaphyllum (Dennst.) Alston: Turner, Gard. Bull. Singapore 47: 503 (1997 [‘1995’]); Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 185, 199 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Yeo et al., Nat. Singapore 5: 263 (2012); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 247, 517 (2013); Lim et al., Fl. Singapore 1: 89 (2019). — *Tetrastigma rafflesiae* auct. non (Miq.) Planch.: Veldkamp, Reinwardtia 12(4): 261 (2008), p.p.; Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). — *Tetrastigma coriaceum* auct. non (DC.) Gagnep.: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 83 (2011). — *Tetrastigma lanceolarium* (Roxb.) Planch.: Keng, Gard. Bull. Singapore 36(1): 124 (1983); Latiff, Gard. Bull. Singapore 36(2): 222 (1984 [‘1983’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 119 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994). — *Vitis lanceolaria* (Roxb.) Wall.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 395 (1896). **Native; CR** (Wong et al., 2013).

Xyridaceae

Xyris complanata R.Br.: Van Royen, Fl. Males., ser. 1, 4(4): 369 (1953); Keng, Gard. Bull. Singapore 40: 126 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 26, fig. 59 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 185, 273 (2009); Lok et al., Cosmos 6: 82 (2010); Leong-Škorničková, Fl. Singapore 7: 9, fig. 1, 2 (2019). — *Xyris anceps* auct. non Lam.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 111 (1907); Ridley, Fl. Malay Penins. 4: 348 (1924). **Native; CR** (Leong-Škorničková, 2019).

Xyris pauciflora Willd.: Ridley, Mat. Fl. Malay. Penins. 2: 112 (1907); Ridley, Fl. Malay Penins. 4: 348 (1924); Van Royen, Fl. Males., ser. 1, 4(4): 371 (1953); Keng, Gard. Bull. Singapore 40: 126 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 26, fig. 60 (1998); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 185, 199 (2009); Leong-Škorničková, Fl. Singapore 7: 14 (2019). — *Xyris schoenoides* auct. non Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 169 (1900). **Native; NEx** (Leong-Škorničková, 2019).

Zingiberaceae

Alpinia aquatica (Retz.) Roscoe: Smith, Edinburgh J. Bot. 47: 37 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Keng et al., Concise Fl. Singapore,

vol. 2, Monocot.: 54 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 185, 200 (2009); Teo et al., Nat. Singapore 4: 272 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 268, 806 [2015]; Niissalo et al., Amer. J. Bot. 104: 184–187 (2017); Lim et al., Fl. Singapore 1: 99 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 129, 382 (2020). – *Languas melanocarpa* (Teijsm. & Binn.) Burkhill: Holttum, Gard. Bull. Singapore 13(1): 159 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990). – *Alpinia melanocarpa* (Teijsm. & Binn.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 163 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 48 (1907); Ridley, Fl. Malay Penins. 4: 279 (1924). **Native; CR** (Niissalo et al., 2017).

Alpinia conchigera Griff.: Ridley, Mat. Fl. Malay. Penins. 2: 47 (1907); Ridley, Fl. Malay Penins. 4: 278 (1924); Holttum, Gard. Bull. Singapore 13(1): 142 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 228 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 54 (1998); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 185, 187 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 268, 806 [2015]; Niissalo et al., Amer. J. Bot. 104: 186, 187 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 129, 382 (2020). **Native; NEx** (Niissalo et al., 2017).

Alpinia galanga (L.) Willd.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Fl. Malay Penins. 4: 279 (1924); Smith, Edinburgh J. Bot. 47: 45 (1990); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 54, fig. 112 (1998); Chew et al., Gard. Bull. Singapore 49(2): 220 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 185, 262 (2009); Lok et al., Cosmos 6: 77 (2010). – *Languas galanga* (L.) Stuntz: Holttum, Gard. Bull. Singapore 13(1): 157 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990). **Cryptogenic** (assessed here).

Alpinia mutica Roxb.: Ridley, Fl. Malay Penins. 4: 279 (1924); Smith, Edinburgh J. Bot. 47: 51 (1990); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 643 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 55 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 185, 187 (2009); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Niissalo et al., Amer. J. Bot. 104: 185 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 130, 382 (2020). – *Catimbium muticum* (Roxb.) Holttum: Holttum, Gard. Bull. Singapore 13(1): 150 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990). **Non-native, casual*** (Niissalo et al., 2017).

Alpinia rafflesiana Wall. ex Baker: Baker, Hooker's Icon. Pl. 20(3) [ser. 3, 10(4)]: pl. 1963 (1891); Baker in Hooker, Fl. Brit. India 6, fasc. 18: 255 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 170 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 50 (1907); Ridley, Fl. Malay Penins. 4: 281 (1924); Holttum, Gard. Bull. Singapore 13(1): 144 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 55, fig. 114 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 12, 185, 187 (2009); Niissalo et al., Amer. J. Bot. 104: 186, 187 (2017). **Native; CR** (Niissalo et al., 2017).

Amomum latiflorum (Ridl.) Škorničk. & Hlavatá: De Boer et al., Taxon 67: 19 (2018). – *Elettariopsis latiflora* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 154 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 43 (1907); Ridley, Fl. Malay Penins. 4: 274 (1924); Niissalo et al., Amer. J. Bot. 104: 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 116 (2019). – *Elettariopsis curtisii* Baker: Holttum, Gard. Bull. Singapore 13(1): 217 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner, Gard. Bull. Singapore 47: 647 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 56, fig. 118 (1998); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 185, 204 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011). **Native; EN** (Niissalo et al., 2017).

Conamomum xanthophlebium (Baker) Škorničk. & A.D.Poulsen: De Boer et al., Taxon 67: 21 (2018). – *Amomum xanthophlebium* Baker: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 133 (1899), as ‘*xanthophlebium*’; Ridley, Mat. Fl. Malay. Penins. 2: 31 (1907); Ridley, Fl. Malay Penins. 4: 262 (1924); Holttum, Gard. Bull. Singapore 13(1): 198 (1950); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 645 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 55 (1998); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 185, 200 (2009); Niissalo et al., Amer. J. Bot. 104: 187 (2017). **Native; CR** (Niissalo et al., 2017).

Etlingera elatior (Jack) R.M.Sm.: Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 185, 243 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 103, 517 (2013). – *Nicolaia speciosa* (Blume) Horan.: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 58 (1998). **Cryptogenic** (assessed here).

Etlingera maingayi (Baker) R.M.Sm.: Niissalo et al., Amer. J. Bot. 104: 185, 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117, 124 (2019); Lim et al., Fl. Singapore 1: 88 (2019). – *Phaeomeria maingayi* (Baker) K.Schum.: Ridley, Fl. Malay Penins. 4: 272 (1924). – *Hornstedtia maingayi* (Baker) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 150 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 41 (1907). **Native; CR** (Niissalo et al., 2017).

Etlingera punicea (Roxb.) R.M.Sm.: Smith, Notes Roy. Bot. Gard. Edinburgh 43: 249 (1986); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 57 (1998); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 185, 205 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 104, 518 (2013); Niissalo et al., Amer. J. Bot. 104: 185–187 (2017). – *Etlingera littoralis* auct. non (J.Koenig) Giseke: Burtt & Smith, Notes Roy. Bot. Gard. Edinburgh 43: 240 (1986); Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 57 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 40, 185, 192 (2009). – *Achasma*

macrocheilos auct. non Griff.: Holttum, Gard. Bull. Singapore 13(1): 188 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990). – *Achasma megalochelos* auct. non Griff.: Holttum, Gard. Bull. Singapore 13(1): 191 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990). – *Hornstedtia megalochelos* auct. non (Griff.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 146 (1899), as ‘*megalochilus*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900), as ‘*megalochilus*’; Ridley, Mat. Fl. Malay. Penins. 2: 38 (1907), as ‘*megalochilus*’; Ridley, Fl. Malay Penins. 4: 270 (1924), as ‘*megalochilus*’. **Native; CR** (Niissalo et al., 2017).

Globba leucantha Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 95 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 6 (1907); Ridley, Fl. Malay Penins. 4: 238 (1924); Holttum, Gard. Bull. Singapore 13(1): 26 (1950); Henderson, Malay. Wild Fls. Monocot.: 137 (1954); Lim, Notes Roy. Bot. Gard. Edinburgh 31: 267 (1972); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 [‘1994’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 57 (1998); Turner et al., Gard. Bull. Singapore 48: 157 (1998 [‘1996’]); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 [‘1997’]); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 128, 518 (2013); Lim et al., Fl. Singapore 1: 88 (2019).

Globba leucantha Miq. var. **peninsularis** Holttum: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 28, 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 185, 206 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 128, 519 (2013); Niissalo et al., Amer. J. Bot. 104: 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117 (2019). – *Globba leucantha* Miq. var. *leucantha* auct.: Ng & Wee (ed.), Singapore Red Data Book: 33 (1994). **Native; CR** (Niissalo et al., 2017).

Globba pendula Roxb.: Holttum, Gard. Bull. Singapore 13(1): 29 (1950); Lim, Notes Roy. Bot. Gard. Edinburgh 31: 264 (1972); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 57, fig. 119 (1998); Boo et al., 1001 Gard. Pl. Singapore (print 3): 131 (2004 [‘2003’]); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 128, 519 (2013); Niissalo et al., Amer. J. Bot. 104: 186, 187 (2017). – *Globba pendula* Roxb. var. *pendula*: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 185, 192 (2009). – *Globba uliginosa* Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 90 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 3 (1907); Ridley, Fl. Malay Penins. 4: 235 (1924); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1075 (1935). – *Globba panicoides* Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 91 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 4 (1907); Ridley, Fl. Malay Penins. 4: 235 (1924). – *Globba kingii* Baker: Baker in Hooker, Fl. Brit. India 6, fasc. 17: 204 (1890). **Native; CR** (Niissalo et al., 2017).

Globba variabilis Ridl.: Holttum, Gard. Bull. Singapore 13(1): 37 (1950); Lim, Notes Roy. Bot. Gard. Edinburgh 31: 260 (1972); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 57 (1998).

Globba variabilis Ridl. subsp. **pusilla** S.N.Lim: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 185, 193 (2009); Niissalo et al., Amer. J. Bot. 104: 185, 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117, 124 (2019). **Non-native, casual** (assessed here).

Hornstedtia conica Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 142 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 37 (1907); Ridley, Fl. Malay Penins. 4: 268 (1924); Holttum, Gard. Bull. Singapore 13(1): 175 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner, Gard. Bull. Singapore 47: 651 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 58 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 185, 206 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 336, 806 [2015]; Niissalo et al., Amer. J. Bot. 104: 185, 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117, 134 (2019); Lim et al., Fl. Singapore 1: 88, 101, fig. 9 (2019); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 249, 382 (2020). **Native; CR** (Niissalo et al., 2017).

Hornstedtia leonurus (J.Koenig) Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 142 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 37 (1907); Ridley, Fl. Malay Penins. 4: 269 (1924); Holttum, Gard. Bull. Singapore 13(1): 177 (1950); Henderson, Malay. Wild Fls., Monocot.: 155 (1954); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Turner, Gard. Bull. Singapore 47: 652 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 58 (1998); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 282, 776 (2006); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 185, 206 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 142, 519 (2013); Neo et al., Nat. Singapore 7: 108 (2014); Niissalo et al., Amer. J. Bot. 104: 184, 186, 187 (2017). **Native; VU** (Niissalo et al., 2017).

Hornstedtia scyphifera (J.Koenig) Steud.: Holttum, Gard. Bull. Singapore 13(1): 170 (1950); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978), as 'scyphiphora'; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 58 (1998); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 282, 776 (2006); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011); Niissalo et al., Amer. J. Bot. 104: 184, 185, 187 (2017); Soh et al., 1001 Gard. Pl. Singapore (Climbers etc.): 249, 382 (2020). — *Hornstedtia scyphus* Retz., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 140 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 35 (1907); Ridley, Fl. Malay Penins. 4: 267 (1924). — *Amomum scyphiferum* J.Koenig: Baker in Hooker, Fl. Brit. India 6, fasc. 18: 237 (1892).

Hornstedtia scyphifera (J.Koenig) Steud. var. **scyphifera**: Turner, Gard. Bull. Singapore 47: 652 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 185, 221 (2009); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117 (2019). **Native; VU** (Chong et al., 2009).

Plagiostachys lateralis (Ridl.) Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 166 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 41 (1907); Ridley, Fl. Malay Penins. 4: 273 (1924); Holttum, Gard. Bull. Singapore 13(1): 161 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner,

Gard. Bull. Singapore 47: 652 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 58 (1998); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 186, 197 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 201, 519 (2013); Niissalo et al., Amer. J. Bot. 104: 186, 187 (2017); Lim et al., Gard. Bull. Singapore 70: 84, fig. 10 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117, 124 (2019). **Native; CR** (Lim et al., 2018).

Plagiostachys mucida Holttum: Holttum, Gard. Bull. Singapore 13(1): 162 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner, Gard. Bull. Singapore 47: 652 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 58 (1998); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 70, 186, 197 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011); Niissalo et al., Amer. J. Bot. 104: 186, 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117 (2019). **Native; NEx** (Niissalo et al., 2017).

Scaphochlamys breviscapa Holttum: Searle, Edinburgh J. Bot. 67: 91 (2010). – **Scaphochlamys aff. breviscapa** Holttum: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 54 (1998 ['1997']). **Non-native, casual** (assessed here).

Scaphochlamys tenuis Holttum: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 54 (1998 ['1997']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 77, 186, 211 (2009); Niissalo et al., Amer. J. Bot. 104: 185 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117, 124 (2019). **Non-native, casual** (Niissalo et al., 2017).

Sundamomum hastilabium (Ridl.) A.D.Poulsen & M.F.Newman: De Boer et al., Taxon 67: 28 (2018); Lim et al., Fl. Singapore 1: 89, 104 (2019). – **Amomum hastilabium** Ridl.: Ridley, J. Straits Branch Roy. Asiatic Soc. 32: 137 (1899); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 33 (1907); Ridley, Fl. Malay Penins. 4: 266 (1924); Holttum, Gard. Bull. Singapore 13(1): 203 (1950); Corner, Gard. Bull. Singapore, Suppl. 1: 82 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990), as ‘*hestilabium*'; Turner, Gard. Bull. Singapore 45: 229 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 312 (1994); Turner, Gard. Bull. Singapore 47: 644 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 55 (1998); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 185, 187 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011); Niissalo et al., Amer. J. Bot. 104: 185, 187 (2017). **Native; CR** (Niissalo et al., 2017).

Zingiber griffithii Baker: Ridley, J. Straits Branch Roy. Asiatic Soc. 32: 131 (1899); Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 29 (1907); Ridley, Fl. Malay Penins. 4: 260 (1924); Holttum, Gard. Bull. Singapore 13(1): 60 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 58 (1998); Turner et al., Gard. Bull. Singapore 48: 157 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 290 (2003); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed.

2: 244 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 186, 219 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 264, 519 (2013); Niissalo et al., Amer. J. Bot. 104: 187 (2017); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117 (2019). **Native; CR** (Niissalo et al., 2017).

Zingiber ottensii Valeton: Neo et al., Nat. Singapore 6: 285 (2013); Leong-Škorničková et al., Gard. Bull. Singapore 66: 164 (2014). – *Zingiber zerumbet* auct. non (L.) Roscoe ex Sm.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 127 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 27 (1907); Holtum, Gard. Bull. Singapore 13(1): 59 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 59 (1998); Chew et al., Gard. Bull. Singapore 49(2): 223 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 186, 264 (2009); Lok et al., Cosmos 6: 77 (2010). – *Zingiber aromaticum* auct. non Valeton: Ridley, Fl. Malay Penins. 4: 259 (1924). **Cryptogenic** (assessed here).

Zingiber puberulum Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 130 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900), as ‘*puberula*'; Ridley, Mat. Fl. Malay. Penins. 2: 29 (1907); Ridley, Fl. Malay Penins. 4: 261 (1924); Holtum, Gard. Bull. Singapore 13(1): 61 (1950); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 85 (1990); Turner, Gard. Bull. Singapore 45: 230 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 313 (1994); Turner et al., Gard. Bull. Singapore 46(2): 36 (1995 ['1994']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 59 (1998); Chew et al., Gard. Bull. Singapore 49(2): 219 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore, ed. 2 (print 1): 457, 776 (2006); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011); Niissalo et al., Amer. J. Bot. 104: 187 (2017). – *Zingiber puberulum* Ridl. var. *ovoideum* auct. non Holtum: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 245 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 91, 186, 219 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 264, 519 (2013).

Zingiber puberulum Ridl. var. **puberulum**: Turner, Gard. Bull. Singapore 47: 655 (1997 ['1995']); Leong-Škorničková et al., Gard. Bull. Singapore 66: 161 (2014); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117 (2019). **Native; EN** (assessed here).

Zingiber puberulum Ridl. var. **chryseum** (Ridl.) Holtum: Turner, Gard. Bull. Singapore 47: 655 (1997 ['1995']); Leong-Škorničková et al., Gard. Bull. Singapore 66: 161 (2014). – *Zingiber chryseum* Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 149 (1908); Ridley, Fl. Malay Penins. 4: 260 (1924). **Native; NEx** (Leong-Škorničková et al., 2014).

Zingiber singapurense Škorničk.: Leong-Škorničková et al., Gard. Bull. Singapore 66: 154 (2014); Niissalo et al., Amer. J. Bot. 104: 185, 187 (2017); Niissalo et al., Bot. J. Linn. Soc. 187: 346 (2018); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 117, 124 (2019); Lim et al., Fl. Singapore 1: 89, 104 (2019); Wong & Ganesan, Fl. Singapore 1: 42 (2019). – *Zingiber gracile* auct. non Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 130 (1899), p.p.; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Mat. Fl. Malay. Penins. 2: 29 (1907), p.p.; Ridley, Fl. Malay Penins. 4: 260 (1924). **Native; CR** (Niissalo et al., 2017).

Excluded species

The literature has included the names of many taxa said to occur in Singapore but for which there is no specimen evidence that the taxon to which the name now applies is, or has ever been, native, naturalised or casual in Singapore. If it is known that a name was misapplied to a species that does occur in Singapore, it is included under the correct name in the main body of the checklist. The list here is of names for which there is no specimen evidence and it is unknown to what, if anything, the name may have been misapplied. In some cases, the taxon to which the name applies is known in Singapore only in cultivation with no evidence it has escaped into the wild despite possible interpretations in earlier literature implying otherwise. More detailed reasons for each exclusion are not given here but have been or will be included in the *Flora of Singapore* when warranted.

LIVERWORTS

Aneuraceae

Riccardia decipiens Schiffn.: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995).

Lepidoziaceae

Bazzania stolonifera (Sw.) Trevis.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 124 (2002).

Kurzia borneensis Mizut.: Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 75 (1995).

Marchantiaceae

Marchantia geminata Reinw. et al.: Johnson, Malayan Nat. J. 13(2): 58 (1958); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 124 (2002).

Wiesnerellaceae

Wiesnerella denudata (Mitt.) Steph.: Johnson, Malayan Nat. J. 13(2): 61 (1958); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Piippo et al., Ann. Bot. Fenn. 39: 124 (2002); Zhu et al., Philipp. J. Syst. Biol. 12: 21 (2018).

MOSES

Calymperaceae

Calymperopsis tjibodensis (M.Fleisch.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 55 (1980); Mohamed & Tan, Bryologist 91: 29 (1988);

Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 125 (2008).

Mitthyridium wallisii (Müll.Hal.) H.Rob.: Reese et al., Bryologist 89: 56 (1986); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Wee & Mohamed, Gard. Bull. Singapore, Suppl. 3: 73 (1995).

Mitthyridium wallisii (Müll.Hal.) H.Rob. var. *wallisii*: Tan & Ho, Guide Mosses Singapore: 131 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 71 (2013).

Syrrhopodon albodus Thwaites & Mitt.: Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994).

Syrrhopodon confertus Sande Lac.: Dixon, Gard. Bull. Straits Settlem. 4(1): 11 (1926); Wee, Gard. Bull. Singapore 32: 58 (1979); Johnson, Mosses Singapore & Malaysia: 62 (1980); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994), as 'confertus'; Tan & Ho, Guide Mosses Singapore: 134 (2008); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 233, 265 (2013); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 94 (2013).

Syrrhopodon gardneri (Hook.) Schwägr.: Wee, Gard. Bull. Singapore 32: 58 (1979); Mohamed & Tan, Bryologist 91: 30 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 134 (2008).

Syrrhopodon prolifer Schwägr. var. *prolifer*: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 97 (2013).

Syrrhopodon tjibodensis M.Fleisch.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 99 (2013).

Syrrhopodon wallisii Müll.Hal.: Dixon, Gard. Bull. Straits Settlem. 4(1): 12 (1926).

Thyridium wallisii (Müll.Hal.) A.Jaeger: Fleischer, Musc. Buitenzorg 1: 236 (1904 ['1900–1902']); Brotherus in Engler & Prantl, Nat. Pflanzenfam., ed. 2, 10: 236 (1924); Wee, Gard. Bull. Singapore 32: 59 (1979).

Dicranaceae

Dicranoloma brevisetum (Dozy & Molk.) Paris: Mohamed & Tan, Bryologist 91: 28 (1988).

Dicranoloma brevisetum (Dozy & Molk.) Paris var. *brevisetum*: Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 34 (2013).

Fissidentaceae

Fissidens hollianus Dozy & Molk.: Mohamed & Tan, Bryologist 91: 27 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994).

Fissidens javanicus Dozy & Molk.: Iwatsuki & Mohamed, J. Hattori Bot. Lab. 62: 356 (1987); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 138 (2008).

Hypnaceae

Ectropothecium interquatum (Dozy & Molk.) A.Jaeger: Wee, Gard. Bull. Singapore 32: 63 (1979); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 126 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 39 (2013).

Hypopterygiaceae

Cyathophorella tenera (Bosch & Sande Lac.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 61 (1979); Mohamed & Tan, Bryologist 91: 33 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 106 (1994); Tan & Ho, Guide Mosses Singapore: 138 (2008).

Cyathophorum parvifolium Bosch & Sande Lac.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 32 (2013).

Hypopterygium javanicum (Hampe) A.Jaeger: Dixon, Gard. Bull. Straits Settlem. 4(1): 28 (1926).

Lopidium struthiopteris (Brid.) M.Fleisch.: Wee, Gard. Bull. Singapore 32: 61 (1979); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 130 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 63 (2013).

Leucobryaceae

Leucobryum bowringii Mitt.: Tixier, Nova Hedwigia 36: 83 (1982); Mohamed & Tan, Bryologist 91: 28 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 129 (2008).

Leucobryum candidum (Brid. ex P.Beauv.) Wilson: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994).

Neckeraceae

Circulifolium exiguum (Bosch & Sande Lac.) S.Olsson et al.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 28 (2013).

Neckeropsis andamana (Müll.Hal.) M.Fleisch.: Fleischer, Musc. Buitenzorg 3: 878 (1908 ['1906–1908']); Touw, Blumea 11(2): 407 (1962); Mohamed & Tan, Bryologist 91: 33 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 131 (2008); Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 73 (2013).

Plagiotheciaceae

Plagiothecium neckeroideum Schimp.: Wee, Gard. Bull. Singapore 32: 61 (1979); Mohamed & Tan, Bryologist 91: 34 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 138 (2008).

Polytrichaceae

Pogonatum junghuhnianum (Dozy & Molk.) Dozy & Molk.: Mohamed & Tan, Bryologist 91: 26

(1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994); Tan & Ho, Guide Mosses Singapore: 138 (2008).

Pogonatum neesii (Müll.Hal.) Dozy: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 81 (2013).

Pottiaceae

Gymnostomum recurvirostrum Hedw.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 51 (2013).

Ptychomniaceae

Garovaglia angustifolia Mitt.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994).

Pylaisiadelphaceae

Isopterygium albescens (Hook.) A.Jaeger var. *smallii* (Sull. & Lesq.) Z.Iwats.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 57 (2013).

Isopterygium subalbescens Broth.: Fleischer, Musc. Buitenzorg 4: 1430 (1923 ['1915–1922']); Brotherus in Engler & Prantl, Nat. Pflanzenfam., ed. 2, 11: 461 (1925); Dixon, Gard. Bull. Straits Settlem. 4(1): 33 (1926); Wee, Gard. Bull. Singapore 32: 63 (1979); Mohamed & Tan, Bryologist 91: 37 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 107 (1994).

Wijkia tanytricha (Mont.) H.A.Crum: Tixier, Nova Hedwigia 36: 85 (1982); Mohamed & Tan, Bryologist 91: 36 (1988); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 137 (2008).

Rhizogoniaceae

Rhizogonium lamii Reimers: Frahm et al., Trop. Bryol. 24: 131 (2003); Tan & Ho, Guide Mosses Singapore: 138 (2008).

Sematophyllaceae

Acroporium convolutum (Sande Lac.) M.Fleisch. var. *elatum* (Dixon) B.C.Tan: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 7 (2013).

Meiothecium hamatum (Müll.Hal.) Broth.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994); Tan & Ho, Guide Mosses Singapore: 138 (2008).

Meiothecium jagorii (Müll.Hal.) Broth. var. *tenuie* M.Fleisch.: Yong et al., Rev. Moss Checkl. Penins. Malaysia & Singapore [FRIM Res. Pam. 133]: 66 (2013), as '*tenuis*'.

Trichosteleum mammosum (Müll.Hal.) A.Jaeger: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 108 (1994), as '*Trichostelium*'; Tan & Ho, Guide Mosses Singapore: 139 (2008).

Symphyodontaceae

Symphyodon perrottetii Mont.: He & Snider, Bryologist 103: 73 (2000); Tan & Ho, Guide Mosses Singapore: 139 (2008); Akiyama & Suleiman, Hattoria 12: 75 (2021).

FERNS

Cyatheaceae

Cyathea moluccana R.Br. ex Desv.: Turner, Gard. Bull. Singapore 47: 46 (1997 ['1995']).

Davalliaceae

Davallia divaricata Blume: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 30 (1926).

Davallia korthalsii Kuhn: Van Alderwerelt, Malayan Ferns: 300 (1908).

Davallia polyantha Hook.: Hooker, Sp. Fil. 1, fasc. 3: 168, t. 59A (1845 ['1846']); Beddome, Ferns Brit. India 1, fasc. 1–8: 107, pl. 107 (1865).

Humata sessilifolia (Blume) Mett.: Beddome, Handb. Ferns Brit. India, Suppl.: 12 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 16 (1908).

Hymenophyllaceae

Hymenophyllum demissum (G.Forst.) Sw.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 12 (1926).

Hymenophyllum productum Kunze: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 11 (1908).

Trichomanes ridleyi C.Chr., ined. [non Copel.]: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 15 (1908).

Nephrolepidaceae

Nephrolepis falciformis J.Sm.: Tan et al., J. Trop. Biol. Conserv. 11: 20 (2014). – *Nephrolepis falcata* auct. non (Cav.) C.Chr.: Turner, Gard. Bull. Singapore 45: 13 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66 (1995); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 95, 229 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 57 (2011); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 10, 807 [2015].

Polypodiaceae

Acrosorus streptophyllus (Baker) Copel.: Parris, Kew Bull. 41: 508 (1986).

Alcicornium grande (A.Cunn. ex Hook.) Underw.: Underwood, Bull. Torrey Bot. Club 32: 594 (1905).

Drynaria splendens Bedd., nom. illeg. superfl.: Beddome, Ferns Brit. India 3, fasc. 21-22: 316, pl. 316 (1869); Beddome, Handb. Ferns Brit. India: 339 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 193 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 44 (1908).

Goniophlebium subauriculatum (Blume) C.Presl: Rödl-Linder, Blumea 34(2): 400 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 8 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 45, 95, 221 (2009); Tan et al., J. Trop. Biol. Conserv. 11: 18 (2014).

Platycerium grande (A.Cunn. ex Hook.) J.Sm.: Hooker, Sp. Fil. 5, fasc. 18–20: 284 (1864); Beddome, Ferns Brit. India 3, fasc. 21–22: 326, pl. 326 (1869); Beddome, Handb. Ferns Brit. India: 445, fig. 271 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 55 (1908).

Polypodium adspersum Blume, nom. illeg. hom.: Beddome, Handb. Ferns Brit. India, Suppl.: 86 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 41 (1908); Van Alderwerelt, Malayan Ferns: 578 (1908).

Polypodium setigerum Blume: Beddome, Handb. Ferns Brit. India, Suppl.: 86 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 41 (1908); Van Alderwerelt, Malayan Ferns: 587 (1908).

Polypodium streptophyllum Baker: Beddome, Handb. Ferns Brit. India, Suppl.: 87 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 42 (1908); Van Alderwerelt, Malayan Ferns: 595 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 83 (1926).

Prosaptia contigua (G.Forst.) C.Presl: Beddome, Handb. Ferns Brit. India, Suppl.: 14 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 189 (1900).

Pyrrosia penangiana (Hook.) Holttum: Hovenkamp, Fl. Penins. Malaysia, ser. 1, 2: 176, fig. 17A,B, pl. 24A,B (2013).

Selliguea membranacea (Blume) Blume: Beddome, Handb. Ferns Brit. India, Suppl.: 101 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 49 (1908).

Pteridaceae

Adiantum caudatum L.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 33 (1926).

Antrophyum parvulum Blume: Johnson, Ferns Singapore Isl., ed. 2: 114 (1977), as ‘*Anthrophyum*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 58 (1990); Turner, Gard. Bull. Singapore 45: 3 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994); Ng & Wee (ed.), Singapore Red Data Book: 272 (1994); Wee, Gard. Bull. Singapore, Suppl. 3: 66, 67 (1995); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 212 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 96, 187 (2009).

Antrophyum plantagineum (Cav.) Kaulf.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 194 (1900).

Pteris quadriaurita Retz.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 24 (1908), as ‘*quadrianuita*’; Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 39 (1926).

Pteris quadriaurita Retz. var. *blumeana* (J.Agardh) C.B.Clarke: Clarke, Trans. Linn. Soc. London, Bot. 1(7): 466 (1880); Beddome, Handb. Ferns Brit. India: 112 (1883).

Tectariaceae

Aspidium biaristatum Blume: Hooker, Sp. Fil. 4, fasc. 13: 29 (1862).

Aspidium polymorphum Wall. ex Hook.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 78 (1926).

Aspidium semibipinnatum Wall. ex Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 191 (1900).

Thelypteridaceae

Lastrea tenericaulis T.Moore, nom. inval.: Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 36 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 68 (1926), as ‘*Lastraea*’.

Nephrodium pennigerum Hook.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 192 (1900); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 37 (1908), p.p.

Macrothelypteris torresiana (Gaudich.) Ching: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 59 (1990); Turner, Gard. Bull. Singapore 45: 12 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 109 (1994).

Meniscium salicifolium Wall. ex Hook.: Hooker, Sp. Fil. 5, fasc. 18–20: 164 (1864); Beddome, Ferns Brit. India 1, fasc. 9–14: 207, pl. 207 (1866); Beddome, Handb. Ferns Brit. India: 399 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 50: 50 (1908); Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 57 (1926).

Nephrodium multilineatum Bedd.: Ridley, J. Malayan Branch Roy. Asiat. Soc. 4, No. 1(96): 72 (1926).

Pseudocyclosorus ciliatus (Wall. ex Benth.) Ching: Lin et al., Fl. China 2–3: 370 (2013).

Thelypteris torresiana (Gaudich.) Alston: Johnson, Ferns Singapore Isl., ed. 2: 53 (1977).

Thelypteris uliginosa (Kunze) Ching: Johnson, Malayan Nat. J. 13(3&4): 156 (1959).

GYMNOSPERMS

Araucariaceae

Agathis loranthifolia Salisb., nom. illeg. superfl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 151 (1900).

ANGIOSPERMS

Acanthaceae

Adhatoda vasica Nees: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 540 (1885); Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 689 (1908 ['1907']).

Cardanthera triflora (Nees) Buch.-Ham.: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 405 (1884).

Ebolium linneanum Kurz: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 694 (1908 ['1907']).

Hygrophila meianthos C.B.Clarke: Ridley, Fl. Malay Penins. 2: 566 (1923); Keng, Gard. Bull. Singapore 39(1): 84 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 189 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 60 (1990); Turner, Gard. Bull. Singapore 45: 22 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.),

Singapore Red Data Book: 273 (1994); Turner, Gard. Bull. Singapore 47: 89 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 50, 99, 271 (2009); Lok et al., Cosmos 6: 78 (2010).

Staurogyne racemosa (Roxb.) Kuntze: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 641 (1908 ['1907']).

Amaranthaceae

Achyranthes lappacea L.: Wallich in Roxburgh, Fl. Ind. 2: 500 (1824).

Amaranthus caudatus L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 125 (1900), as '*Amarantus*'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 10 (1912), as '*Amarantus*'; Ridley, Fl. Malay Penins. 3: 6 (1924).

Pupalia atropurpurea (Lam.) Moq.: Hooker, Fl. Brit. India 4, fasc. 12: 723 (1885); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 13 (1912).

Amaryllidaceae

Euryclies sylvestris Salisb. ex Schult. & Schult.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 167 (1900).

Anacardiaceae

Bouea macrophylla Griff.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 67 (1900); Ridley, Fl. Malay Penins. 1: 520 (1922); Burkhill, Dict. Econ. Prod. Malay Penins. 1: 355 (1935); Keng, Gard. Bull. Singapore 35(1): 93 (1982); Kochummen, Tree Fl. Malaya 4: 14 (1989); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 123 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 61 (1990); Turner, Gard. Bull. Singapore 45: 26 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Ng & Wee (ed.), Singapore Red Data Book: 273 (1994); Turner, Gard. Bull. Singapore 47: 101 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 312 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 213 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 102, 201 (2009); Hung et al., Nat. Singapore 10: 44 (2017); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 73, 310 (2020).

Campnosperma coriaceum (Jack) Hallier f. ex Steenis: Turner, Gard. Bull. Singapore 45: 26 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994); Turner, Gard. Bull. Singapore 47: 101 (1997 ['1995']).

Campnosperma macrophyllum (Blume) Hook.f.: Hooker, Fl. Brit. India 2, fasc. 4: 41 (1876), as '*macrophylla*'.

Gluta rengas L.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 132, 281 (2013).

Melanochyla fulvinervis (Blume) Ding Hou: Chew et al., Gard. Bull. Singapore 49(2): 169 (1999 ['1997']).

Melanochyla tomentosa Hook.f.: Burkhill, Dict. Econ. Prod. Malay Penins. 2: 1434 (1935).

Semecarpus curtisii King: Ding Hou, Fl. Males., ser. 1, 8(3): 511 (1978); Turner, Gard. Bull. Singapore 47: 106 (1997 ['1995']).

Anisophylleaceae

Anisophyllea scortechinii King: Ding Hou, Fl. Males., ser. 1, 5(4): 479 (1958); Nor-Ezzawanis, Fl. Penins. Malaysia, ser. 2, 7: 25 (2018).

Annonaceae

Anaxagorea javanica Blume var. *dipetala* Corner: Maas & Westra, Bot. Jahrb. Syst. 105: 184 (1985); Turner, Gard. Bull. Singapore 45: 28 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 110 (1994).

Fissistigma latifolium (Dunal) Merr.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 1021 (1935); Chew et al., Gard. Bull. Singapore 49(2): 170 (1999 ['1997']).

Fissistigma latifolium (Dunal) Merr. var. *latifolium*: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 121, 285 (2013).

Goniothalamus giganteus Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 73 (1892); Ridley, Fl. Malay Penins. 1: 65 (1922).

Goniothalamus tortilipetalus M.R.Hend.: LaFrankie et al., Forest Trees Bukit Timah: 162 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 46, 103, 228 (2009).

Guatteria nitida A.DC.: Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 46 (1858 ['1859']).

Meiogyne monosperma (Hook.f. & Thomson) Heusden: LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 59, 103, 229 (2009).

Melodorum aberrans (Maingay ex Hook.f. & Thomson) J.Sinclair: Sinclair, Gard. Bull. Singapore 14(2): 369 (1955); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 31 (1993); Turner, Gard. Bull. Singapore 47: 115 (1997 ['1995']); Lee et al., Gard. Bull. Singapore 55: 291 (2003).

Miliusa roxburghiana Hook.f. & Thomson: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 123 (1892).

Polyalthia bullata King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 64 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 55 (1922); Sinclair, Gard. Bull. Singapore 14(2): 300 (1955); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 62 (1990); Turner, Gard. Bull. Singapore 45: 32 (1993).

Polyalthia cinnamomea Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 138 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 44 (1858 ['1859']); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 66 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 40 (1900); Ridley, Fl. Malay Penins. 1: 51 (1922); Turner, Tree Fl. Sabah & Sarawak 8: 148 (2014); Turner, Gard. Bull. Singapore 70: 636 (2018).

Polyalthia hypogaea King: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 207, 287 (2013).

Polyalthia nitida (A.DC.) Hook.f. & Thomson: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 64 (1872); Ridley, Fl. Malay Penins. 1: 61 (1922).

Stelechocarpus burahol (Blume) Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 94 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 22 (1858 ['1859']); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist.

61(1): 5 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900); Ridley, Fl. Malay Penins. 1: 24 (1922).

Unona cauliflora Hook.f. & Thomson, nom. illeg. hom.: Hooker & Thomson, Fl. Ind. 1: 137 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 43 (1858 ['1859']).

Unona desmos Dunal, nom. illeg. superfl.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 61(1): 44 (1892).

Xylopia elliptica Maingay ex Hook.f. & Thomson: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2275 (1935).

Apocynaceae

Aganosma marginata (Roxb.) G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 495 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 365 (1923).

Alyxia ganophylla Markgr.: Middleton, Blumea 45: 49 (2000); Middleton, Fl. Males., ser. 1, 18: 83 (2007); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 30 (2011).

Amphineurion marginatum (Roxb.) D.J.Middleton: Middleton, Fl. Penins. Malaysia, ser. 2, 2: 117 (2011).

Dischidia deschampsii King & Gamble: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 593 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 410 (1923).

Holarrhena densiflora Ridl.: Ridley, J. Straits Branch Roy. Asiat. Soc. 59: 131 (1911).

Hoya elliptica Hook.f.: Turner, Gard. Bull. Singapore 47: 141 (1997 ['1995']).

Hoya longifolia Wall. ex Wight: Don, Gen. Hist. 4: 125 (1837–1838).

Kopsia macrophylla Hook.f.: Hooker, Fl. Brit. India 3, fasc. 9: 639 (1882); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 434 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 338 (1923); Middleton, Fl. Males., ser. 1, 18: 249 (2007).

Leptadenia reticulata (Retz.) Wight & Arn.: Hooker, Fl. Brit. India 4, fasc. 10: 63 (1883); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 595 (1908 ['1907']).

Leuconotis eugenifolia (Wall. ex G.Don) A.DC.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 407 (1908 ['1907']), as 'eugenifolius'; Leeuwenberg, Syst. Geogr. Pl. 72: 119 (2002); Middleton, Fl. Males., ser. 1, 18: 267 (2007); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 76 (2011).

Paracelastrus bivalvis Miq.: Miquel, Fl. Ned. Ind. 1(2), fasc. 4: 591 (1859).

Raphistemma pulchellum Wall.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 112 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 531 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 380 (1923).

Secamone elliptica R.Br.: Forster & Harold, Austrobaileya 3: 70 (1989); Klackenberg, Kew Bull. 47: 606 (1992); Turner, Gard. Bull. Singapore 45: 44 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 111 (1994); Ng & Wee (ed.), Singapore Red Data Book: 277 (1994);

Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 215 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 106, 211 (2009).

Secamone micrantha (Decne.) Decne.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 63 (1990).

Streptocaulon wallichii Wight: Don, Gen. Hist. 4: 162 (1837–1838); Miquel, Fl. Ned. Ind. 2, fasc. 3: 469 (1857 ['1856']); Hooker, Fl. Brit. India 4, fasc. 10: 9 (1883); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 111 (1900); Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 516 (1908 ['1907']).

Tabernaemontana coronaria (Jacq.) Willd.: Don, Gen. Hist. 4: 90 (1837–1838); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 110 (1900).

Tabernaemontana peduncularis Wall.: Chew et al., Gard. Bull. Singapore 49(2): 172 (1999 ['1997']).

Wrightia religiosa (Teijsm. & Binn.) Benth. ex Kurz: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(2): 467 (1908 ['1907']); Ridley, Fl. Malay Penins. 2: 353 (1923); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 106, 264 (2009); Lok et al., Cosmos 6: 74 (2010); Middleton, Fl. Penins. Malaysia, ser. 2, 2: 205 (2011).

Araceae

Alocasia cucullata (Lour.) G.Don: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 177 (1900).

Colocasia gigantea (Blume) Hook.f.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 642 (1935).

Cryptocoryne cordata Griff.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 301 (2013).

Homalomena confusa Furtado: Chew et al., Gard. Bull. Singapore 49(2): 173 (1999 ['1997']).

Homalomena singaporenensis Regel: Hooker, Fl. Brit. India 6, fasc. 19: 537 (1893); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 178 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 30 (1907); Ridley, Fl. Malay Penins. 5: 110 (1925).

Rhaphidophora gracilipes Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 179 (1900).

Areceae

Calamus intumescens (Becc.) Ridl.: Ridley, Mat. Fl. Malay. Penins. 2: 200 (1907).

Calamus paspalanthus Becc.: Ridley, Fl. Malay Penins. 5: 55 (1925); Chew et al., Gard. Bull. Singapore 49(2): 205 (1999 ['1997']); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 61 (2011).

Ceratolobus kingianus Becc. & Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900).

Ceratolobus subangulatus (Miq.) Becc.: Turner, Gard. Bull. Singapore 47: 625 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 217 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 25, 110, 189 (2009).

Daemonorops accedens Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900).

Daemonorops cochleata Teijsm. & Binn. ex Miq., nom. inval.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900), as 'cochleata'.

Daemonorops geniculata (Griff.) Mart.: Ridley, Mat. Fl. Malay. Penins. 2: 184 (1907), as ‘*geniculatus*’; Ridley, Fl. Malay Penins. 5: 44 (1925), as ‘*geniculatus*’; Dransfield, Man. Rattans Malay Penins. (Malayan Forest Rec. 29): 107 (1979); Turner et al., Gard. Bull. Singapore 46(2): 27 (1994); Turner, Gard. Bull. Singapore 47: 626 (1997 [‘1995’]); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 32 (1998); Chew et al., Gard. Bull. Singapore 49(2): 206 (1999 [‘1997’]); Loo et al., Palms 59: 114 (2015).

Daemonorops setigera Ridl.: Ridley, Fl. Malay Penins. 5: 45 (1925), as ‘*setigerus*’; Burkill, Dict. Econ. Prod. Malay Penins. 1: 752 (1935), as ‘*Daemonorhops setigerus*’.

Licuala acutifida Mart.: Miquel, Fl. Ned. Ind. 3, fasc. 1: 54 (1855); Beccari & Hooker in Hooker, Fl. Brit. India 6, fasc. 18: 433 (1892); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 174 (1900).

Pinanga polymorpha Becc.: Beccari & Hooker in Hooker, Fl. Brit. India 6, fasc. 18: 407 (1892).

Salacca wallichiana Mart.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 176 (1900), as ‘*Zalacca*’.

Asteraceae

Blumea membranacea DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900); Ridley, Fl. Malay Penins. 2: 193 (1923); Randeria, Blumea 10: 269 (1960); Turner, Gard. Bull. Singapore 45: 54 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 19, 114, 269 (2009); Lok et al., Cosmos 6: 78 (2010).

Blumea wightiana DC.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 34 (1906 [‘1905’]); Ridley, Fl. Malay Penins. 2: 194 (1923).

Caesulia axillaris Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 101 (1900).

Gynura bicolor (Roxb. ex Willd.) DC.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 40 (1906 [‘1905’]).

Sigesbeckia orientalis L.: Ridley, Fl. Malay Penins. 2: 184 (1923); Keng, Gard. Bull. Singapore 38(2): 172 (1986 [‘1985’]); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 170 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 56 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 115, 273 (2009); Lok et al., Cosmos 6: 78 (2010).

Bignoniaceae

Tabebuia pallida (Lindl.) Miers: Teo et al., Nat. Singapore 4: 131 (2011).

Bromeliaceae

Ananas comosus (L.) Merr.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 148 (1935); Turner et al., Gard. Bull. Singapore 46(2): 12 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 117, 262 (2009); Lok et al., Cosmos 6: 74 (2010).

Calophyllaceae

Calophyllum marginatum Wall., nom. nud.: Ridley, Fl. Malay Penins. 1: 188 (1922).

Calophyllum soulattri Burm.f.: Keng, Gard. Bull. Singapore 28(2): 245 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 48 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 105 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Ng & Wee (ed.), Singapore Red Data Book: 288 (1994); Chew et al., Gard. Bull. Singapore 49(2): 188 (1999 ['1997']); Boo et al., 1001 Gard. Pl. Singapore (print 3): 320 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 120, 202 (2009); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 79, 310 (2020).

Calophyllum wallichianum Planch. & Triana var. *wallichianum*: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 23, 120, 220 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 46, 322 (2013).

Kayea kunstleri King: Byrne et al., Thai Forest Bull., Bot. 46(2): 186 (2018).

Campanulaceae

Lobelia alsinoides Lam.: Turner, Gard. Bull. Singapore 47: 157 (1997 ['1995']).

Celastraceae

Lophopetalum fuscescens Kurz: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 352 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 62 (1900); Ridley, Fl. Malay Penins. 1: 448 (1922).

Salacia impressifolia (Miers) A.C.Sm.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 221, 319 (2013).

Chrysobalanaceae

Atuna elata (King) Kosterm.: Prance & Whitmore in Whitmore (ed.), Tree Fl. Malaya 2: 324 (1973).

Atuna racemosa Raf. subsp. *racemosa*: Prance, Fl. Males., ser. 1, 10(4): 669 (1989); Prance, Tree Fl. Sabah & Sarawak 1: 161 (1995).

Parinari rigida Kosterm.: Prance & Whitmore in Whitmore (ed.), Tree Fl. Malaya 2: 336 (1973); Turner, Gard. Bull. Singapore 47: 166 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 219 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 119, 195 (2009).

Cleomaceae

Cleome speciosa Raf.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 64 (1990); Turner, Gard. Bull. Singapore 45: 49 (1993).

Combretaceae

Calycopteris floribunda (Roxb.) Lam. ex Poir.: Clarke in Hooker, Fl. Brit. India 2, fasc. 5: 449 (1878); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 333 (1897); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 79 (1900); Ridley, Fl. Malay Penins. 1: 706 (1922).

Combretum extensum Roxb. ex G.Don: Clarke in Hooker, Fl. Brit. India 2, fasc. 5: 458 (1878).

Combretum trifoliatum Vent.: Clarke in Hooker, Fl. Brit. India 2, fasc. 5: 454 (1878); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 80 (1900).

Quisqualis densiflora Wall. ex Planch.: Clarke in Hooker, Fl. Brit. India 2, fasc. 5: 460 (1878).

Commelinaceae

Commelina obliqua Buch.-Ham. ex D.Don, nom. illeg. hom.: Hooker, Fl. Brit. India 6, fasc. 18: 372 (1892).

Connaraceae

Connarus planchonianus G.Schellenb.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 650 (1935); Kochummen, Tree Fl. Malaya 3: 49 (1978); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 57 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 279 (1994); Turner, Gard. Bull. Singapore 47: 173 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 177 (1999 ['1997']); Goh & Tan, Angiosp. Fl. Singapore: Connaraceae: 14 (2000); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 122, 190 (2009); Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 19 (2011); Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012); Ho et al., Gard. Bull. Singapore 71(Suppl. 1): 77 (2019). – *Connarus grandis* auct. non Jack: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 69 (1900).

Convolvulaceae

Erycibe citriniflora Griff.: Ng, Tree Fl. Malaya 4: 75 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 65 (1990); Turner, Gard. Bull. Singapore 45: 58 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 280 (1994); Turner, Gard. Bull. Singapore 47: 176 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 220 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 122, 192 (2009).

Erycibe coriacea Wall. ex Choisy: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 116 (1900).

Ipomoea hederifolia L.: Staples, Fl. Penins. Malaysia, ser. 2, 5: 148 (2015). – *Ipomoea coccinea* auct. non L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900), as ‘*Ipomea*’.

Quamoclit phoenicea (Roxb. ex Rottl.) Choisy: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 318 (1906 ['1905']).

Stictocardia tiliifolia (Desr.) Hallier f.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 82, 123, 198 (2009).

Crypteroniaceae

Crypteronia paniculata Blume: Rafidah, Fl. Penins. Malaysia, ser. 2, 4: 36 (2013).

Cucurbitaceae

Benincasa cerifera Savi: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900).

Citrullus vulgaris Schrad.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900).

Cucurbita moschata Duchesne: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900).

Cucurbita pepo L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900).

Lagenaria vulgaris Ser.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900).

Luffa aegyptiaca Mill.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 88 (1900).

Momordica dioica Roxb. ex Willd.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 617 (1879).

Neoachmandra indica (Lour.) W.J.de Wilde & Duyfjes: De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 3: 110 (2012).

Trichosanthes pilosa Lour. var. *pilosa*: De Wilde & Duyfjes, Fl. Males., ser. 1, 19: 295 (2010).

Cunoniaceae

Weinmannia fraxinea (D.Don) Sm. ex Miq.: Chung, Tree Fl. Sabah & Sarawak 6: 8 (2007).

Cyperaceae

Cyperus brunnescens Boeckeler: Clarke in Hooker, Fl. Brit. India 6, fasc. 19: 619 (1893).

Cyperus exaltatus Retz.: Kern, Fl. Males., ser. 1, 7(3): 602 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 521 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 120 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 31, 124, 270 (2009); Lok et al., Cosmos 6: 79 (2010).

Cyperus melanospermus (Nees) Valck.Sur.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 63 (1993); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 122 (1998).

Cyperus paniceus (Rottb.) Boeckeler [unranked] *pauciflorus* Kuntze: Kuntze, Revis. Gen. Pl. 2: 750 (1891).

Eleocharis acutangula (Roxb.) Schult.: Kern, Fl. Males., ser. 1, 7(3): 525 (1974); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 64 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 113 (1994); Ng & Wee (ed.), Singapore Red Data Book: 281 (1994); Turner, Gard. Bull. Singapore 47: 523 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 126 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 38, 125, 270 (2009); Lok et al., Cosmos 6: 79 (2010).

Eleocharis fistulosa Schult.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 181 (1900).

Hypolytrum capitatum Valck.Sur. ex C.B.Clarke: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 145, 335 (2013).

Kyllinga melanosperma Nees: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 180 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 59 (1907); Ridley, Fl. Malay Penins. 5: 138 (1925); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 53, 125, 271 (2009); Lok et al., Cosmos 6: 79 (2010); Hung et al., Nat. Singapore 10: 46 (2017).

Dichapetalaceae

Chailletia laurocerasus Planch. ex Hook.f.: Hooker, Fl. Brit. India 1, fasc. 3: 572 (1875).

Dilleniaceae

Acrotrema costatum Jack: Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 10 (1858 ['1859']); Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 32 (1872); Corner, Gard. Bull. Singapore, Suppl. 1: 74 (1978), as 'costata'.

Dillenia indica L.: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 36 (1872); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 38 (1900); Ridley, Fl. Malay Penins. 1: 10 (1922); Keng, Gard. Bull. Singapore 28(2): 242 (1976); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 46 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 66 (1990); Turner, Gard. Bull. Singapore 45: 70 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Boo et al., 1001 Gard. Pl. Singapore (print 3): 347 (2004 ['2003']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 34, 126, 191 (2009); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 114, 310 (2020).

Wormia oblonga Wall. ex Hook.f. & Thomson: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 35 (1872).

Dipterocarpaceae

Dipterocarpus hasseltii Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 49 (1900), as 'hasseltii'.

Dipterocarpus turbinatus C.F.Gaertn.: Dyer in Hooker, Fl. Brit. India 1, fasc. 2: 295 (1874).

Hopea latifolia Symington: Neo et al., Nat. Singapore 6: 277 (2013).

Hopea micrantha Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 50 (1900); Burkill, Dict. Econ. Prod. Malay Penins. 1: 1190 (1935).

Shorea collina Ridl.: Symington, Foresters' Man. Dipt. (Malayan Forest Rec. 16): 12 (1943); Sinclair, Gard. Bull. Singapore 15: 22 (1956); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 73 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 282 (1994); Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 221 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 79, 128, 198 (2009).

Vatica nitens King: Chew et al., Gard. Bull. Singapore 49(2): 181 (1999 ['1997']).

Droseraceae

Drosera peltata Thunb.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 71: 48 (1902).

Drosera peltata Thunb. var. *typica*, nom. inval.: Clarke in Hooker, Fl. Brit. India 2, fasc. 5: 424 (1878).

Ebenaceae

Diospyros apiculata Hiern: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990); Turner, Gard. Bull. Singapore 45: 74 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers.

Singapore: 114 (1994); Ng & Wee (ed.), Singapore Red Data Book: 283 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 35, 128, 191 (2009).

Diospyros ridleyi Bakh.: Chew et al., Gard. Bull. Singapore 49(2): 182 (1999 ['1997']).

Diospyros singaporenensis Bakh.: Bakhuizen van den Brink, Gard. Bull. Straits Settlem. 7(2): 185 (1933); Ng in Ng (ed.), Tree Fl. Malaya 3: 86 (1978), as ‘*Diosypros*’; Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 67 (1990).

Diospyros undulata Wall. ex G.Don: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 89, 344 (2013).

Eriocaulaceae

Eriocaulon oryzetorum Mart.: Hooker, Fl. Brit. India 6, fasc. 19: 579 (1893); Turner, Gard. Bull. Singapore 47: 535 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 39, 129, 192 (2009).

Euphorbiaceae

Dimorphocalyx capillipes Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 404 (1887); Ridley, Fl. Malay Penins. 3: 266 (1924).

Euphorbia tirucalli L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 134 (1900).

Macaranga caladiifolia Becc.: Whitmore in Airy Shaw, Euphorb. Borneo: 150 (1975); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 194 (2009); Lim et al., Fl. Singapore 1: 106 (2019).

Macaranga hosei King ex Hook.f.: Keng, Gard. Bull. Singapore 33: 363 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 85 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 222 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 194 (2009).

Macaranga pruinosa (Miq.) Müll.Arg.: Keng, Gard. Bull. Singapore 33: 364 (1980); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 111 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 68 (1990); Turner, Gard. Bull. Singapore 45: 86 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 115 (1994); Ng & Wee (ed.), Singapore Red Data Book: 285 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 57, 131, 194 (2009).

Mallotus philippensis (Lam.) Müll.Arg.: Hooker, Fl. Brit. India 5, fasc. 14: 442 (1887), as ‘*philippinensis*’.

Ostodes muricata Hook.f. var. *minor* Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 401 (1887).

Trigonopleura malayana Hook.f.: Chew et al., Gard. Bull. Singapore 49(2): 185 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Tan et al. in Davison et al. (ed.), Singapore

Red Data Book, ed. 2: 223 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 131, 213 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 251, 354 (2013).

Trigonostemon capillipes (Hook.f.) Airy Shaw: Airy Shaw, Kew Bull. 20(3): 413 (1967 ['1966']).

Trigonostemon malaccanus Müll.Arg.: Chew et al., Gard. Bull. Singapore 49(2): 186 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 87, 131, 231 (2009).

Fabaceae

Acacia farnesiana (L.) Willd.: Keng, Gard. Bull. Singapore 27: 254 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 31 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Corlett, J. Biogeogr. 19: 427 (1992).

Caesalpinia globulorum Bakh.f. & P.Royen: Keng, Gard. Bull. Singapore 27: 256 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 32 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990).

Calliandra surinamensis Benth.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 133, 262 (2009); Lok et al., Cosmos 6: 75 (2010).

Crotalaria juncea L.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 34 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 72 (1990); Turner, Gard. Bull. Singapore 45: 119 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Turner, Gard. Bull. Singapore 47: 298 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 134, 265 (2009); Lok et al., Cosmos 6: 70 (2010).

Dalbergia latifolia Roxb.: Teo et al., Nat. Singapore 4: 127 (2011); Adema et al., Blumea 61: 195 (2016).

Emerus grandiflorus (L.) Kuntze: Kuntze, Revis. Gen. Pl. 1: 180 (1891).

Hymenaea courbaril L.: Wong et al., Gard. Bull. Singapore 46(2): 72 (1995 ['1994']); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Teo et al., Nat. Singapore 4: 128 (2011).

Millettia chrysamarissa Adema: Adema, Novon 9: 289 (1999); Adema, Blumea 45: 405 (2000).

Neptunia natans (L.f.) Druce: Keng, Gard. Bull. Singapore 27: 263 (1974); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 37, fig. 28.18 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990).

Neptunia oleracea Lour.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 76 (1900); Ridley, Fl. Malay Penins. 1: 653 (1922); Corlett, J. Biogeogr. 15: 662 (1988); Turner, Gard. Bull. Singapore 45: 123 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 118 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 63, 135, 267 (2009); Lok et al., Cosmos 6: 70 (2010); Yee et al., Fl. Singapore 1: 60 (2019).

Sesbania grandiflora (L.) Pers.: Prain, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 66(1): 84 (1897).

Sesbania sericea (Willd.) Link: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 73 (1990).

Vachellia farnesiana (L.) Wight & Arn.: Maslin et al., Pl. Diversity 41: 475 (2019).

Fagaceae

Castanopsis foxworthyi Schottky: Soepadmo, Julia & Go, Tree Fl. Sabah & Sarawak 3: 15, fig. 3 (2000).

Castanopsis hystrix Miq.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 150 (1900).

Castanopsis rhamnifolia (Miq.) A.DC.: Hooker, Fl. Brit. India 5, fasc. 15: 624 (1888).

Pasania beccariana (Benth.) Prantl: Ridley, Fl. Malay Penins. 3: 387 (1924).

Quercus obovata Korth.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 149 (1900).

Gentianaceae

Canscora diffusa (Vahl) R.Br. ex Roem. & Schult.: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 89 (1906 ['1905']).

Exacum pedunculatum L.: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 87 (1906 ['1905']).

Exacum tetragonum Roxb.: Clarke, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 87 (1906 ['1905']).

Gesneriaceae

Cyrtandra pilosa Blume: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 375 (1884).

Didymocarpus incanus (R.Br.) Benth. & Hook.f. ex C.B.Clarke: Clarke in Hooker, Fl. Brit. India 4, fasc. 11: 352 (1884), as 'incana'.

Hanguanaceae

Hanguana kassintu Blume: Kuntze, Revis. Gen. Pl. 2: 722 (1891), as 'kassiutu'.

Hypericaceae

Ancistrolobus floribundus Turcz.: Turczaninow, Bull. Soc. Imp. Naturalistes Moscou 31: 382 (1858).

Cratoxylum glaucum Korth.: LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 29, 139, 226 (2009); Chen et al., 1001 Gard. Pl. Singapore, ed. 3: 589, 806 [2015]; Neo et al., Nat. Singapore 9: 29 (2016); Soh et al., 1001 Gard. Pl. Singapore (Trees etc.): 106, 310 (2020).

Hypoxidaceae

Curculigo orchoides Gaertn.: Keng, Gard. Bull. Singapore 40: 120 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 71 (1990).

Lamiaceae

Callicarpa arborea Roxb.: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 567 (1885).

Callicarpa cana L.: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 806 (1909 ['1908']).

Callicarpa maingayi King & Gamble: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990); Turner, Gard. Bull. Singapore 45: 223 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 127 (1994); Ng & Wee (ed.), Singapore Red Data Book: 311 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 22, 140, 189 (2009).

Callicarpa rubella Lindl.: Bramley, Fl. Males., ser. 1, 23: 78 (2019).

Clerodendrum colebrookeanum Walp.: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 594 (1885), as 'colebrookianum'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 837 (1909 ['1908']), as 'Clerodendron colebrookianum'; Wearn et al., Fl. Males., ser. 1, 23: 107 (2019), as 'colebrookianum'.

Clerodendrum foetidum D.Don var. *integerrifolium* Hassk.: Miquel, Fl. Ned. Ind. 2, fasc. 6: 882 (1858 ['1856']).

Clerodendrum glandulosum Colbr. ex Wall., nom. inval.: Kuntze, Revis. Gen. Pl. 2: 505 (1891), as 'Clerodendron'.

Clerodendrum infortunatum L.: Clarke in Hooker, Fl. Brit. India 4, fasc. 12: 594 (1885), as 'Clerodendron'; Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 835 (1909 ['1908']), as 'Clerodendron'; Ridley, Fl. Malay Penins. 2: 629 (1923), as 'Clerodendron'.

Congea velutina Wight: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 28, 141, 263 (2009); Lok et al., Cosmos 6: 75 (2010).

Pogostemon heyneanus Benth.: Prain, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(3): 707 (1908 ['1907']).

Premna coriacea C.B.Clarke: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 123 (1900).

Sphenodesme triflora Wight: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(4): 861 (1909 ['1908']).

Teijsmanniodendron holophyllum (Baker) Kosterm.: Chew et al., Gard. Bull. Singapore 49(2): 218 (1999 ['1997']).

Lauraceae

Beilschmiedia tonkinensis (Lecomte) Ridl.: Tan et al., Nat. Watch 13(1): 6 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 18, 142, 201 (2009).

Cinnamomum sintoc Blume: Chew et al., Gard. Bull. Singapore 49(2): 190 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 161 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 225 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 26, 142, 203 (2009).

Cryptocarya costata Blume: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 70, 380 (2013).

Litsea nitida Blume, ined.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 132 (1900).

Litsea noronhae Blume: Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(1): 179 (1912).

Micropora curtisii (Hook.f.) Hook.f.: Keng, Gard. Bull. Singapore 27: 81 (1974).

Loganiaceae

Strychnos penicillata A.W.Hill: Burkill, Dict. Econ. Prod. Malay Penins. 2: 2098 (1935).

Magnoliaceae

Magnolia acuminata (L.) L. var. *acuminata*: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 175, 387 (2013).

Malvaceae

Abelmoschus esculentus (L.) Moench: Kaw & Neo, Wayside Fls Singapore: 161 (2018).

Byttneria jackiana Wall.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 92 (1891), as ‘*Buettneria*’; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 53 (1900), as ‘*Buttneria*’.

Heritiera javanica (Blume) Kosterm.: Chew et al., Gard. Bull. Singapore 49(2): 215 (1999 [‘1997’]); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 146, 206 (2009).

Heritiera sumatrana (Miq.) Kosterm.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 48, 146, 206 (2009).

Hibiscus esculentus L.: Kuntze, Revis. Gen. Pl. 1: 69 (1891).

Leptonychia caudata (Wall. ex G.Don) Burret: Turner, Gard. Bull. Singapore 47: 476 (1997 [‘1995’]).

Pterospermum lanceifolium Roxb. ex DC.: Ali Ibrahim et al., Gard. Bull. Singapore 49(1): 53 (1998 [‘1997’]), as ‘*lanceifolium*’; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008), as ‘*lanceifolium*’; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 74, 146, 210 (2009), as ‘*lanceifolium*’.

Triumfetta cana Blume: Masters in Hooker, Fl. Brit. India 1, fasc. 2: 396 (1874).

Triumfetta pilosa Roth: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 60: 116 (1891); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 54 (1900).

Marantaceae

Schumannianthus dichotomus Gagnep.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 131 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 61 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 227 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 148, 211 (2009).

Melastomataceae

Macrolenes muscosa (Blume) Bakh.f.: Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Turner, Gard. Bull. Singapore 47: 326 (1997 [‘1995’]).

Macrolenes nemorosa (Jack) Bakh.f.: Maxwell, Malayan Nat. J. 35: 161 (1982); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 81 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 132 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 58, 148, 194 (2009).

Melastoma sanguineum Sims: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 524 (1879).

Memecylon corticosum Ridl.: LaFrankie et al., Forest Trees Bukit Timah: 109, 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009).

Memecylon dichotomum (C.B.Clarke) C.B.Clarke ex King: LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 208 (2009).

Memecylon edule Roxb. var. *scutellatum* (Lour.) C.B.Clarke: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 564 (1879), as ‘*scutellata*’.

Memecylon intermedium Blume: Maxwell in Ng (ed.), Tree Fl. Malaya 4: 192 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 133 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994); Ng & Wee (ed.), Singapore Red Data Book: 293 (1994); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 148, 195 (2009).

Memecylon pauciflorum Blume: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 555 (1879); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 86 (1900); Maxwell, Gard. Bull. Singapore 33: 102 (1980), p.p.; Turner, Gard. Bull. Singapore 45: 134 (1993), p.p.; Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 119 (1994), p.p.; Ng & Wee (ed.), Singapore Red Data Book: 293 (1994), p.p.; Turner, Gard. Bull. Singapore 47: 330 (1997 [‘1995’]), p.p.; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008), p.p.; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 60, 149, 195 (2009), p.p.; Chong et al., Biodivers. Conserv. 21: 2594, table S1 (suppl. mat., online) (2012), p.p.

Osbeckia chinensis L.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 515 (1879).

Meliaceae

Aglaia tenuicaulis Hiern: Hiern in Hooker, Fl. Brit. India 1, fasc. 3: 556 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 64: 76 (1895); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 60 (1900); Pannell in Mabberley & Pannell in Ng (ed.), Tree Fl. Malaya 4: 226 (1989); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 74 (1990); Turner, Gard. Bull. Singapore 45: 136 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 294 (1994); Pannell, Fl. Males., ser. 1, 12(1): 301 (1995); Turner, Gard. Bull. Singapore 47: 339 (1997 [‘1995’]); Pannell, Tree Fl. Sabah & Sarawak 6: 101 (2007); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 228 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 11, 149, 187 (2009); Pannell, Fl. Penins. Malaysia, ser. 2, 4: 145 (2013).

Aglaia tomentosa Teijsm. & Binn. subsp. *tomentosa*: Pannell, Tree Fl. Sabah & Sarawak 6: 106 (2007).

Cedrela febrifuga Forsten, nom. illeg. hom.: Ridley, J. Straits Branch Roy. Asiat. Soc. 35: 87 (1901).

Dysoxylum arborescens (Blume) Miq.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 885 (1935), as 'Dysoxylon'.

Menispermaceae

Cissampelos pareira L.: Hooker & Thomson in Hooker, Fl. Brit. India 1, fasc. 1: 104 (1872).

Limacia oblonga Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 189 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 80 (1858 ['1859']); Forman, Fl. Males., ser. 1, 10(2): 223 (1986); Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 21 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 75 (1990); Turner, Gard. Bull. Singapore 45: 139 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 120 (1994); Ng & Wee (ed.), Singapore Red Data Book: 295 (1994); Turner, Gard. Bull. Singapore 47: 344 (1997 ['1995']); Chew et al., Gard. Bull. Singapore 49(2): 196 (1999 ['1997']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 229 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 150, 216 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 161, 400 (2013).

Tiliacora acuminata (Lam.) Miers: Hooker & Thomson, Fl. Ind. 1: 187 (1855).

Metteniusaceae

Platea excelsa Blume var. *borneensis* (Heine) Sleumer: Utteridge & Schori, Gard. Bull. Singapore 63: 112 (2011).

Platea excelsa Blume var. *riedeliana* (Becc.) Sleumer: Utteridge & Schori, Gard. Bull. Singapore 63: 112 (2011).

Moraceae

Artocarpus integer (Thunb.) Merr. var. *silvestris* Corner: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 31, 402 (2013).

Artocarpus peduncularis Kurz: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 147 (1900); Ridley, Fl. Malay Penins. 3: 353 (1924).

Ficus altissima Blume: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 145 (1900).

Ficus hirta Vahl var. *normalis* Kuntze, nom. nud.: Kuntze, Revis. Gen. Pl. 2: 627 (1891).

Ficus lepicarpa Blume: Hooker, Fl. Brit. India 5, fasc. 15: 525 (1888).

Ficus parietalis Blume: King in Hooker, Fl. Brit. India 5, fasc. 15: 498 (1888).

Ficus pulchra Wall., nom. nud.: Wallich, Numer. List no. 4571 (1831).

Ficus pulchra Wall. ex Miq.: Miquel, London J. Bot. 7: 430 (1848); Miquel, Fl. Ned. Ind. 1(2), fasc. 2: 309 (1859); Hooker, Fl. Brit. India 5, fasc. 15: 537 (1888).

Ficus ribes Reinw. ex Blume: Hooker, Fl. Brit. India 5, fasc. 15: 524 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 146 (1900).

Ficus soepadmoi Kochummen: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 115, 409 (2013).

Streblus asper Lour.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 143 (1900).

Myristicaceae

Horsfieldia brachiata (King) Warb.: Gamble, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiatic Soc. Bengal] 75(2): 218 (1912); Ridley, Fl. Malay Penins. 3: 59 (1924); Chew et al., Gard. Bull. Singapore 49(2): 198 (1999 ['1997']); LaFrankie et al., Forest Trees Bukit Timah: 163 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 230 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 49, 153, 206 (2009).

Horsfieldia fulva (King) Warb.: Burkill, Dict. Econ. Prod. Malay Penins. 1: 1198 (1935).

Knema curtisii (King) Warb. var. *curtisii*: Lim et al., Nat. Singapore 9: 104 (2016); De Wilde & Duyfjes, Fl. Penins. Malaysia, ser. 2, 7: 194 (2018); Chong et al., Gard. Bull. Singapore 70(Suppl. 1): 60 (2018).

Myristica brachiata King: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 129 (1900).

Myristica gigantea King: De Wilde, Fl. Males., ser. 1, 14: 479 (2000); De Wilde, Tree Fl. Sabah & Sarawak 3: 462 (2000).

Myristica obtusifolia Wall., nom. nud.: Wallich, Numer. List no. 6808 (1832).

Myristica obtusifolia Wall. ex Hook.f. & Thomson: Hooker & Thomson, Fl. Ind. 1: 163 (1855); Miquel, Fl. Ned. Ind. 1(2), fasc. 1: 62 (1858 ['1859']); Hooker, Fl. Brit. India 5, fasc. 13: 113 (1886).

Myristica pendulina Hook.f.: Hooker, Fl. Brit. India 5, fasc. 16: 859 (1890).

Myrtaceae

Eugenia anisosepala Duthie: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 83 (1900).

Eugenia antiseptica (Blume) Kuntze: Kuntze, Revis. Gen. Pl. 1: 238 (1891).

Eugenia bracteolata Wight: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 82 (1900).

Eugenia helferi Duthie: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 81 (1900); King, J. Asiatic Soc. Bengal, Pt. 2, Nat. Hist. 70(1): 95 (1901).

Eugenia thumra Roxb.: Ridley, J. Straits Branch Roy. Asiatic Soc. 33: 82 (1900).

Syzygium cf. fastigiatum (Blume) Merr. & L.M.Perry: Neo et al., Nat. Singapore 6: 281 (2013).

Syzygium skiophilum (Duthie) Airy Shaw: Chew et al., Gard. Bull. Singapore 49(2): 201 (1999 ['1997']).

Nepenthaceae

Nepenthes albomarginata T.Lobb ex Lindl.; Lindley, Trans. Linn. Soc. London 22: 422 (1859); Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 9: 363 (1928).

Nepenthes mirabilis (Lour.) Druce: Danser, Bull. Jard. Bot. Buitenzorg, sér. 3, 9: 334 (1928); Turner, Gard. Bull. Singapore 47: 389 (1997 ['1995']); Cheek & Jebb, Fl. Penins. Malaysia, ser. 2, 3: 265 (2012).

Nepenthes phyllamphora Willd., nom. illeg. superfl.: Hook.f., Trans. Linn. Soc. London 22: 422 (1859).

Nyssaceae

Mastixia rostrata Blume: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1428 (1935).

Oleaceae

Jasminum sambac (L.) Aiton var. *scandens* (Retz.) Kuntze: Kuntze, Revis. Gen. Pl. 2: 411 (1891).

Onagraceae

Ludwigia suffruticosa Walter: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 172, 436 (2013).

Orchidaceae

Anathallis acuminata (Kunth) Pridgeon & M.W.Chase: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 13, 159, 187 (2009).

Anoectochilus roxburghii (Wall.) Lindl.: Miquel, Fl. Ned. Ind. 3, fasc. 4: 733 (1859 ['1855']).

Bulbophyllum caudatisepalum Ames & C.Schweinf.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 233 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 20, 159, 188 (2009); Yam, Native Orchids Singapore: 116 (2013), as ‘caudatispalum’. – *Bulbophyllum adenopetalum* auct. non Lindl.: Ridley, Mat. Fl. Malay. Penins. 1: 75 (1907), p.p.

Dendrobium acuminatum Kunth: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 234 (2008); Yam, Native Orchids Singapore: 117 (2013).

Dendrobium hughii Rchb.f.: Reichenbach, Gard. Chron., n.s., 17: 764 (1882); Hooker, Fl. Brit. India 5, fasc. 16: 752 (1890); Ridley, Mat. Fl. Malay. Penins. 1: 57 (1907).

Dendrobium junceum Lindl.: Hooker, Fl. Brit. India 5, fasc. 16: 726 (1890); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 155 (1900).

Flickingeria fugax (Rchb.f.) Seidenf.: Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 235 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 43, 162, 192 (2009); Yam, Native Orchids Singapore: 117 (2013).

Habenaria murtonii Hook.f.: Hooker, Fl. Brit. India 6, fasc. 17: 144 (1890), as ‘*murtonii*’.

Phalaenopsis violacea Teijsm. & Binn., nom. illeg. hom.: Hooker, Fl. Brit. India 6, fasc. 17: 29 (1890).

Phalaenopsis violacea H.Witte var. *murtoniana* Rchb.f.: Reichenbach, Gard. Chron., n.s., 10: 234 (1878).

Spathoglottis unguiculata (Labill.) Rchb.f.: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 80, 163, 264 (2009); Lok et al., Cosmos 6: 76 (2010).

Trichoglottis rigida Blume: Kuntze, Revis. Gen. Pl. 2: 682 (1891).

Vanda hookeriana Rchb.f.: Hooker, Fl. Brit. India 6, fasc. 17: 50 (1890).

Ventricularia tenuicaulis (Hook.f.) Garay: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 112 (1998).

Orobanchaceae

Aeginetia pedunculata Wall.: Hooker, Fl. Brit. India 4, fasc. 11: 320 (1884).

Pandanaceae

Freycinetia imbricata Blume: Turner et al., Gard. Bull. Singapore 46(2): 28 (1994); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']).

Pandanus kamiae B.C.Stone: Corner, Gard. Bull. Singapore, Suppl. 1: 80 (1978), as 'kamii'; Turner et al., Gard. Bull. Singapore 48: 153 (1998 ['1996']); Chew et al., Gard. Bull. Singapore 49(2): 207 (1999 ['1997']).

Pandanus lais Kurz: Hooker, Fl. Brit. India 6, fasc. 19: 486 (1893).

Pandanus polycephalus Lam.: Stone, Fed. Mus. J. 28, n.s.: 115 (1983); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 79 (1990); Turner, Gard. Bull. Singapore 45: 187 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 123 (1994); Ng & Wee (ed.), Singapore Red Data Book: 303 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 50 (1998); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 236 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 66, 164, 195 (2009).

Passifloraceae

Paropsia vareciformis (Griff.) Mast.: LaFrankie et al., Forest Trees Bukit Timah: 164 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 67, 164, 229 (2009).

Passiflora foetida L. var. *ciliata* (Aiton) Mast.: Kuntze, Revis. Gen. Pl. 1: 254 (1891).

Passiflora quadrangularis L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 87 (1900).

Pentaphylacaceae

Adinandra maculosa T.Anderson ex Dyer: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 48 (1900).

Phyllanthaceae

Antidesma ghaesembilla Gaertn.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 138 (1900).

Aporosa ficifolia Baill.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900).

Aporosa penangensis (Ridl.) Airy Shaw: Wong et al., Gard. Bull. Singapore 46(2): 67 (1995 ['1994']), as 'Aporusa'; Turner et al., Gard. Bull. Singapore 48: 145 (1998 ['1996']), as 'Aporusa'; Chew et al., Gard. Bull. Singapore 49(2): 183 (1999 ['1997']), as 'Aporusa'; Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 237 (2008), as 'Aporusa'; Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 14, 165, 187 (2009); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 25, 459 (2013).

Aporosa stellifera Hook.f.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 137 (1900).

Cleistanthus nitidus Hook.f.: Hooker, Fl. Brit. India 5, fasc. 14: 280 (1887); Gage, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 75(5): 500 (1936).

Plantaginaceae

Limnophila aromatica (Lam.) Merr.: Keng, Concise Fl. Singapore, vol. 1, Gymn. Dicot.: 179, fig. 135.1 (1990); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 83 (1990); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 161, 467 (2013).

Limnophila chinensis (Osbeck) Merr. subsp. *aromatica* (Lam.) T.Yamaz.: Turner, Gard. Bull. Singapore 45: 212 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 126 (1994); Ng & Wee (ed.), Singapore Red Data Book: 309 (1994); Turner, Gard. Bull. Singapore 47: 469 (1997 ['1995']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 55, 168, 271 (2009); Lok et al., Cosmos 6: 81 (2010).

Pterostigma villosum Benth.: Miquel, Fl. Ned. Ind. 2, fasc. 4: 678 (1857 ['1856']).

Poaceae

Bambusa heterostachya (Munro) Holttum: Gilliland, Rev. Fl. Malaya 3: 18 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 168, 262 (2009); Lok et al., Cosmos 6: 76 (2010).

Bambusa vulgaris Schrad. ex J.C.Wendl.: Ridley, Fl. Malay Penins. 5: 256 (1925); Burkill, Dict. Econ. Prod. Malay Penins. 1: 300 (1935); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 93 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 156, fig. 256 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']); Lee et al., Gard. Bull. Singapore 55: 289 (2003); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 17, 168, 262 (2009); Lok et al., Cosmos 6: 76 (2010); Teo et al., Nat. Singapore 4: 271 (2011); Neo et al., Nat. Singapore 6: 278 (2013); Hung et al., Nat. Singapore 10: 44 (2017).

Centotheca longilamina Ohwi: Gilliland, Rev. Fl. Malaya 3: 53 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 537 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 158 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 24, 168, 226 (2009).

Cyrtococcum oxyphyllum (Hochst. ex Steud.) Stapf: Ridley, Fl. Malay Penins. 5: 233 (1925); Gilliland, Rev. Fl. Malaya 3: 148 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 94 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 161 (1998); Chew et al., Gard. Bull. Singapore 49(2): 187 (1999 ['1997']).

Dendrocalamus asper (Schult. & Schult.f.) Backer ex K.Heyne: Turner et al., Gard. Bull. Singapore 46(2): 18 (1994); Chew et al., Gard. Bull. Singapore 49(2): 221 (1999 ['1997']); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 33, 169, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Hung et al., Nat. Singapore 10: 45 (2017).

Dendrocalamus flagellifer Munro: Hooker, Fl. Brit. India 7, fasc. 22: 408 (1896); Ridley, Mat. Fl. Malay. Penins. 3: 191 (1907); Ridley, Fl. Malay Penins. 5: 265 (1925).

Dichanthium mucronulatum Jansen: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 161 (1998); Duistermaat, Gard. Bull. Singapore 57, Suppl.: 50 (2005). – *Ischaemum beccarii* auct. non Hack.: Ridley, Fl. Malay Penins. 5: 204 (1925).

Digitaria pusilla Ridl.: Gilliland, Rev. Fl. Malaya 3: 191 (1971); Turner, Gard. Bull. Singapore 47: 539 (1997 ['1995']).

Eleusine coracana (L.) Gaertn.: Gilliland, Rev. Fl. Malaya 3: 80 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 69 (1990); Turner, Gard. Bull. Singapore 45: 96 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 164 (1998).

Eleusine indica (L.) Gaertn. var. *coracana* (L.) Fiori: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 174 (1907).

Eremochloa ciliaris (L.) Merr.: Buitenhuis & Veldkamp, Blumea 46: 407 (2001).

Eriochloa villosa (Thunb.) Kunth: Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 168 (1998).

Gigantochloa thoi K.M.Wong: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 169, 263 (2009), as 'thoii'; Lok et al., Cosmos 6: 76 (2010), as 'thoii'.

Gigantochloa wrayi Gamble: Gilliland, Rev. Fl. Malaya 3: 33 (1971); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 169 (1998); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 44, 169, 263 (2009); Lok et al., Cosmos 6: 76 (2010).

Microstegium fasciculatum (L.) Henrard: Chen et al., Blumea 57(2): 160 (2012).

Oryza rufipogon Griff.: Duistermaat, Blumea 32: 170 (1987); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 99 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Ng & Wee (ed.), Singapore Red Data Book: 287 (1994); Turner, Gard. Bull. Singapore 47: 548 (1997 ['1995']); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 174 (1998).

Oxytenanthera sinuata Gamble: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1617 (1935).

Panicum pilipes Nees & Arn. ex Buse: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 185 (1900); Ridley, Mat. Fl. Malay. Penins. 3: 141 (1907).

Paspalum dilatatum Poir.: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1674 (1935); Gilliland, Rev. Fl. Malaya 3: 183 (1971); De Koning & Sosef, Blumea 30(2): 293, fig. 2 (1985); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Corlett, J. Biogeogr. 19: 428 (1992); Turner, Gard. Bull. Singapore 45: 100 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 116 (1994); Keng et al., Concise Fl. Singapore, vol. 2, Monocot.: 176 (1998).

Schizostachyum blumei Nees: Hooker, Fl. Brit. India 7, fasc. 22: 416 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 187 (1900); Ridley, Fl. Malay Penins. 5: 272 (1925).

Schizostachyum brachycladum (Kurz ex Munro) Kurz: Gilliland, Rev. Fl. Malaya 3: 42 (1971); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 170, 263 (2009); Lok et al., Cosmos 6: 76 (2010).

Schizostachyum brachycladum (Kurz ex Munro) Kurz var. *auriculatum* Holttum: Holttum, Gard. Bull. Singapore 16: 47 (1958); Gilliland, Rev. Fl. Malaya 3: 42 (1971).

Schizostachyum jaculans Holttum: Gilliland, Rev. Fl. Malaya 3: 39 (1971); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 78, 170, 263 (2009); Lok et al., Cosmos 6: 76 (2010); Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 225, 475 (2013).

Thyrsostachys siamensis Gamble: Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 86, 171, 264 (2009); Lok et al., Cosmos 6: 76 (2010); Hung et al., Nat. Singapore 10: 48 (2017).

Urochloa reptans (L.) Stapf: Turner, Gard. Bull. Singapore 47: 554 (1997 ['1995']).

Vetiveria zizanioides (L.) Nash: Gilliland, Rev. Fl. Malaya 3: 232 (1971); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 70 (1990); Turner, Gard. Bull. Singapore 45: 103 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 117 (1994); Turner, Gard. Bull. Singapore 47: 554 (1997 ['1995']).

Polygalaceae

Salomonia oblongifolia DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 45 (1900); Ridley, Fl. Malay Penins. 1: 140 (1922).

Xanthophyllum monticola Meijden: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990), as 'monticolum'.

Xanthophyllum rufum A.W.Benn.: LaFrankie et al., Forest Trees Bukit Timah: 166 (2005); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 231 (2009).

Xanthophyllum wrayi King: Ng, Tree Fl. Malaya 1: 363 (1972); Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 80 (1990); Turner, Gard. Bull. Singapore 45: 191 (1993); Turner & Tan in Wee & Ng (ed.), First Look Biodivers. Singapore: 124 (1994); Ng & Wee (ed.), Singapore Red Data Book: 304 (1994); Turner, Gard. Bull. Singapore 47: 407 (1997 ['1995']); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 238 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 90, 171, 199 (2009).

Polygonaceae

Polygonum flaccidum Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 126 (1900).

Potamogetonaceae

Potamogeton distinctus A.Benn.: Wieglob, Fl. Males., ser. 1, 16: 182 (2002).

Primulaceae

Ardisia grandifolia A.DC.: Miquel, Fl. Ned. Ind. 2, fasc. 7: 1016 (1859 ['1856']).

Ardisia humilis Vahl: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 529 (1882); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 105 (1900).

Ardisia lobbiana C.B.Clarke: Clarke in Hooker, Fl. Brit. India 3, fasc. 9: 529 (1882).

Ardisia punctulosa D.Dietr.: Miquel, Fl. Ned. Ind. 2, fasc. 7: 1025 (1859 ['1856']).

Embelia canescens Jack ex Wall. var. *canescens*: Turner, Gard. Bull. Singapore 47: 367 (1997 ['1995']).

Myrsine pachysandra Wall.: Don, Gen. Hist. 4: 12 (1837–1838).

Rubiaceae

Argostemma elatostemma Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 45 (1880).

Argostemma parvifolium Benn.: Hooker, Fl. Brit. India 3, fasc. 7: 45 (1880).

Argostemma spinulosum C.B.Clarke ex Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 46 (1880); Ridley, Fl. Malay Penins. 2: 29 (1923).

Greenea jackii Wight & Arn.: Hooker, Fl. Brit. India 3, fasc. 7: 41 (1880).

Hymenopogon parasiticus Wall.: Miquel, Fl. Ned. Ind. 2, fasc. 1: 155 (1856).

Ixora brunonis Wall. ex G.Don: Hooker, Fl. Brit. India 3, fasc. 7: 139 (1880); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 73(3): 72 (1904).

Lasianthus crinitus Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 182 (1880); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 99 (1900).

Lasianthus lowianus King & Gamble: Turner, Gard. Bull. Singapore 47: 431 (1997 ['1995']).

Lasianthus wallichii Wight var. *penangensis* Hook.f.: Hooker, Fl. Brit. India 3, fasc. 7: 181 (1880).

Lucinaea ridleyi King: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 178 (1904 ['1903']).

Morinda persicifolia Buch.-Ham.: Hooker, Fl. Brit. India 3, fasc. 7: 157 (1880), as '*persicaefolia*'; Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 97 (1900), as '*persicaefolia*'.

Morinda persicifolia Buch.-Ham. var. *sublinearis* Kuntze: Kuntze, Revis. Gen. Pl. 1: 289 (1891).

Petunga roxburghii DC.: King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 222 (1904 ['1903']).

Psychotria calocarpa Kurz: Turner, Gard. Bull. Singapore 47: 441 (1997 ['1995']).

Psychotria tortilis Blume: Hooker, Fl. Brit. India 3, fasc. 7: 169 (1880); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. [J. Proc. Asiat. Soc. Bengal] 74(1): 11 (1906 ['1905']), as '*Pschyotria*'.

Psydrax dicoccos Gaertn. var. *dicoccos*: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 212, 495 (2013).

Rennellia elliptica Korth.: Wong et al., Checkl. Pl. Sp. Nee Soon Swamp For.: 216, 496 (2013).

Uncaria ferrea (Blume) DC.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 91 (1900).

Urophyllum villosum Wall.: Hooker, Fl. Brit. India 3, fasc. 7: 99 (1880); King & Gamble, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 72(4): 191 (1904 ['1903']).

Rutaceae

Micromelum hirsutum Oliv.: Hooker, Fl. Brit. India 1, fasc. 3: 502 (1875); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900).

Zanthoxylum ovalifolium Wight: Hooker, Fl. Brit. India 1, fasc. 3: 492 (1875); King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 62(4): 213 (1894 ['1893']); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 56 (1900); Ridley, Fl. Malay Penins. 1: 346 (1922); Burkill, Dict. Econ. Prod. Malay Penins. 2: 2285 (1935).

Sabiaceae

Meliosma nitida Blume: Burkill, Dict. Econ. Prod. Malay Penins. 2: 1446 (1935).

Salicaceae

Casearia leucolepis Turcz.: Clarke in Hooker, Fl. Brit. India 2, fasc. 6: 591 (1879).

Sapindaceae

Guioa squamosa Radlk.: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 65(3): 444 (1896); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 66 (1900); Ridley, Fl. Malay Penins. 1: 506 (1922).

Sapotaceae

Palaquium hispidum H.J.Lam: Turner, Gard. Bull. Singapore 47: 466 (1997 ['1995']).

Solanaceae

Capsicum frutescens L.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900).

Capsicum minimum Mill.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 117 (1900).

Solanum coagulans Forssk.: Ridley, Fl. Malay Penins. 2: 468 (1923); Turner, Gard. Bull. Singapore 47: 473 (1997 ['1995']).

Symplocaceae

Symplocos cochinchinensis (Lour.) S.Moore: LaFrankie et al., Forest Trees Bukit Timah: 165 (2005); Tan et al. in Davison et al. (ed.), Singapore Red Data Book, ed. 2: 243 (2008); Chong et al., Checkl. Vasc. Pl. Fl. Singapore: 83, 182, 212 (2009).

Symplocos spicata Roxb.: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 107 (1900).

Theaceae

Polyspora axillaris (Roxb. ex Ker Gawl.) Sweet: Miquel, Fl. Ned. Ind. 1(2), fasc. 3: 489 (1859).

Pyrenaria kunstleri King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 49 (1900).

Schima wallichii (DC.) Korth.: Turner et al., J. Singapore Natl Acad. Sci. 18 & 19: 84 (1990).

Thymelaeaceae

Wikstroemia viridiflora Meisn.: Miquel, Fl. Ned. Ind. 1(1), fasc. 6: 879 (1858 ['1855']), as 'Wickstroemia'.

Wikstroemia indica (L.) C.A.Mey.: Hooker, Fl. Brit. India 5, fasc. 13: 195 (1886).

Urticaceae

Conocephalus scortechinii King: Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900); Ridley, Fl. Malay Penins. 3: 357 (1924).

Elatostema molle Wedd.: Hooker, Fl. Brit. India 5, fasc. 15: 564 (1888); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 148 (1900).

Pellionia javanica Wedd.: Hooker, Fl. Brit. India 5, fasc. 15: 561 (1888).

Violaceae

Alsodeia kunstleriana King: King, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 58(4): 401 (1889); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 44 (1900).

Rinorea bengalensis (Wall.) Kuntze: Turner, Gard. Bull. Singapore 47: 498 (1997 ['1995']).

Vitaceae

Vitis pedata (Lam.) Vahl ex Wall.: Kuntze, Revis. Gen. Pl. 1: 130 (1891).

Zingiberaceae

Alpinia javanica Blume: Turner & Chua, Checkl. Vasc. Pl. Sp. Bukit Timah Nat. Res.: 84 (2011).

Curcuma zedoaria (Christm.) Roscoe: Ridley, J. Straits Branch Roy. Asiat. Soc. 32: 119 (1899); Ridley, J. Straits Branch Roy. Asiat. Soc. 33: 165 (1900); Ridley, Fl. Malay Penins. 4: 254 (1924).

Globba versicolor Sm.: Baker in Hooker, Fl. Brit. India 6, fasc. 17: 205 (1890).

Index to scientific names

Accepted names are in bold. Synonyms, including misapplied names (here marked ‘auct.’), are in italics. The italicised synonyms also include invalid and illegitimate names. These are indicated in the main text (as ‘nom. inval.’, ‘nom. nud.’, ‘nom. rej.’, ‘ined.’, ‘nom. illeg. hom.’ or ‘nom. illeg. superfl.’) but are not separately highlighted here. Misapplied names are discussed in the Introduction and the rules for determining the validity and legitimacy of names are summarised in *Gardenwise* 43: 26 (2014). Names in the list of excluded species are presented here in normal font.

- Abacopteris repanda** 108
- Abarema angulata* 335
- Abarema clypearia* f. *clypearia* 335
- Abarema contorta* 335
- Abarema elliptica* 335
- Abarema globosa* 336
- Abarema microcarpa* 337
- Abelmoschus esculentus* 771
- Abelmoschus moschatus** 420
- Abrodictyum obscurum** 78
- Abroma augustum** 420
- Abrus precatorius** 331
- Abutilon indicum** 420
- Acacia auriculiformis** 331
- Acacia concinna* auct. 356
- Acacia farnesiana* 768
- Acacia kekapur* 356
- Acacia × mangiformis** 331
- Acacia mangium** 331
- Acacia pennata* 356
- Acacia pseudointsia* auct. 356
- Acacia pseudointsia* var. *typica* auct. 356
- Acalypha alopecuroidea* auct. 316
- Acalypha arvensis** 316
- Acalypha boehmerioides* 316
- Acalypha hispida** 316
- Acalypha indica** 316
- Acalypha lanceolata** 316
- Acalypha siamensis** 316
- Acanthaceae** 116, 757
- Acanthocladium bifarium* 56
- Acanthorrhynchium papillatum** 55
- Acanthospermum australe** 210
- Acanthospermum hispidum* auct. 210
- Acanthospermum xanthioides* 210
- Acanthus ebracteatus** 116
- Acanthus ilicifolius** 116
- Acanthus volubilis** 116
- Acer laurinum* 704
- Achariaceae** 123
- Achasma macrocheilos* auct. 746/747
- Achasma megalochelos* auct. 747
- Achyranthes aspera** 125
- Achyranthes lappacea* 758
- Aclisia secundiflora** 252
- Acmella ciliata** 210
- Acmella paniculata** 210
- Acmella uliginosa** 210
- Acmena acuminatissima* 495
- Acoraceae** 124
- Acorus calamus** 124
- Acriopsis javanica* 522
- Acriopsis javanica* var. *javanica* 522
- Acriopsis liliifolia** 522
- Acriopsis ridleyi** 522
- Acroceras crassipiculatum* 608
- Acroceras munroanum** 608
- Acroceras ridleyi* 608
- Acroceras sparsum* 608
- Acroceras tonkinense* 608
- Acrolejeunea fertilis** 24
- Acrolejeunea pycnoclada** 25
- Acrolejeunea pycnoclada**
subsp. *pycnoclada* 25
- Acrolejeunea securifolia** 25
- Acrolejeunea securifolia**
subsp. *hartmannii* 25
- Acromastigum echinatum** 30
- Acromastigum inaequilaterum** 30
- Acronychia porteri* 697
- Acrophorus parvulus* 71
- Acroporium asperifolium* 55
- Acroporium convolutum** 55
- Acroporium convolutum**
var. *convolutum* 55
- Acroporium convolutum* var. *elatum* 754
- Acroporium microcladon** 55
- Acroporium rufum** 55

- Acporium secundum** 55
Acporium secundum var. **secundum** 55
Acrosorus streptophyllus 755
Acrostichum aureum 98
Acrostichum fuciforme 95
Acrostichum rigidum 92
Acrostichum scandens auct. 76
Acrostichum sorbifolium auct. 76, 86
Acrostichum speciosum 98
Acrotrema costatum 766
Actephila excelsa 584
Actephila excelsa var. *javanica* 584
Actephila javanica 584
Actinidiaceae 124
Actinodaphne glomerata 393
Actinodaphne hullettii 394
Actinodaphne macrophylla auct. 394
Actinodaphne maingayi 394
Actinodaphne malaccensis 394
Actinodaphne pruinosa 394
Actinoscirpus grossus 270
Actinostachys digitata 105
Actinostachys wagneri 105
Adelanthaceae 22
Adenanthera bicolor auct. 332
Adenanthera malayana 332
Adenanthera malayana
subsp. *malayana* 332
Adenanthera pavonina 332
Adenia cordifolia 578
Adenia macrophylla 578
Adenia macrophylla
var. *macrophylla* auct. 579
Adenia macrophylla var. *singaporiana* 578
Adenia singaporiana 579
Adenoncos major 522
Adenoncos sumatrana 522
Adenoncos virens auct. 522
Adenosacme longifolia auct. 676
Adenosacme malayana 676
Adenosma caerulea 605
Adenosma capitata 606
Adenosma indiana 605
Adenosma inopinata 606
Adenosma javanica 606
Adenosma ovata 606
Adenostemma lavenia 210
Adenostemma lavenia auct. 210
Adenostemma viscosum 210
Adhatoda vasica 757
Adiantum capillus-veneris 98
Adiantum caudatum 756
Adiantum flabellulatum 98
Adiantum flabellulatum auct. 99
Adiantum fructuosum auct. 99
Adiantum hispidulum 99
Adiantum latifolium 99
Adiantum pulverulentum 99
Adiantum stenochlamys 99
Adiantum tenerum 99
Adina eurhyncha 655
Adina rubescens 655
Adinandra acuminata 581
Adinandra dumosa 581
Adinandra hullettii 582
Adinandra integrifolia 582
Adinandra maculosa 776
Adinandra miquelii 583
Adinobotrys atropurpureus 332
Adinobotrys erianthus 361
Adonidia merrillii 189
Aodoxaceae 124
Aegiceras corniculatum 640
Aegiceras majus 640
Aeginetia pedunculata 776
Aequatoriella bifaria 58
Aeridostachya robusta 522
Aeschynanthus albidus 371
Aeschynanthus lobbianus 372
Aeschynanthus motleyi 371
Aeschynanthus parvifolius 372
Aeschynanthus pulcher 372
Aeschynanthus purpurascens 371
Aeschynanthus radicans 372
Aeschynanthus wallichii 372
Aeschynomene americana 332
Aeschynomene indica 333
Afzelia bijuga 348
Afzelia retusa 348
Aganope heptaphylla 333
Aganope thrysiflora 333
Aganosma marginata 760
Agathis loranthifolia 757
Agelaea borneensis 253
Agelaea hullettii 253
Agelaea macrophylla 253
Agelaea trinervis 253
Agelaea vestita 253
Agelaea wallichii 253
Ageratum conyzoides 210
Aglaia aspera 450
Aglaia cf. trichostemon 450
Aglaia cordata 451
Aglaia crassinervia 446
Aglaia cucullata 446
Aglaia edulis 447

- Aglaia elliptica** 447
Aglaia elliptica subsp. *elliptica* 447
Aglaia erythrosperma 447
Aglaia exstipulata 447
Aglaia exstipulata subsp. *exstipulata* 447
Aglaia glabriflora 447
Aglaia lawii 448
Aglaia lawii subsp. *oligocarpa* 448
Aglaia leptantha auct. 448
Aglaia leucophylla auct. 448
Aglaia macrocarpa 448
Aglaia maingayi 448
Aglaia malaccensis auct. 449
Aglaia meliosmoides 448
Aglaia multinervis 449
Aglaia odoratissima 449
Aglaia oligophylla 449
Aglaia palembanica 449
Aglaia ridleyi auct. 447
Aglaia rubescens 448
Aglaia rubiginosa 450
Aglaia rufinervis 450
Aglaia sexipetala 450
Aglaia simplicifolia auct. 448
Aglaia sp. 3 449
Aglaia spectabilis auct. 447
Aglaia tenuicaulis 772
Aglaia tenuicaulis auct. 448
Aglaia teysmanniana 450
Aglaia tomentosa 450
Aglaia tomentosa subsp. *cordata* 451
Aglaia tomentosa subsp. *tomentosa* 772
Aglaia trichostemon 450
Aglaia yzermannii auct. 448
Aglaodorum griffithii 175
Aglaomorpha acuminata 92
Aglaomorpha quercifolia 91
Aglaomorpha sparsisora 91
Aglaomorpha speciosa 92
Aglaonema angustifolium 176
Aglaonema commutatum 175
Aglaonema griffithii 175
Aglaonema minus 176
Aglaonema nebulosum 176
Aglaonema nitidum 176
Aglaonema oblongifolium 176
Aglaonema pictum auct. 176
Aglaonema schottianum 176
Aglaonema simplex 176
Agrostistachys borneensis auct. 317
Agrostistachys filipendula 317
Agrostistachys gaudichaudii 317
Agrostistachys indica auct. 317
Agrostistachys longifolia auct. 317
Agrostistachys longifolia var. *malayana* 317
Agrostistachys sessilifolia 317
Agrostophyllum bicuspидatum 523
Agrostophyllum majus 523
Agrostophyllum stipulatum 523
Agrostophyllum stipulatum subsp. *bicuspidatum* 523
Agrostophyllum stipulatum subsp. *stipulatum* 523
Agyneia bacciformis 600
Aidia auriculata 655
Aidia auriculata var. *auriculata* 656
Aidia cochinchinensis auct. 656
Aidia corymbosa auct. 655
Aidia densiflora 656
Aidia lancifolia 656
Aidia wallichiana 656
Ailanthes integrifolia 719
Aizoaceae 125
Alangium denudatum 264
Alangium ebenaceum auct. 264
Alangium ebenaceum var. *ebenaceum* auct. 265
Alangium ebenaceum var. *tutela* 264
Alangium frutescens 264
Alangium frutescens var. *frutescens* 264
Alangium griffithii 264
Alangium hirsutum 264
Alangium javanicum auct. 264
Alangium javanicum var. *ebenaceum* auct. 264
Alangium lamarckii auct. 264
Alangium longiflorum 264
Alangium longiflorum var. *hirsutum* 264
Alangium meyeri 264
Alangium meyeri var. *meyeri* 265
Alangium nobile 265
Alangium ridleyi 265
Alangium salviifolium auct. 264
Alangium tutela 265
Alangium uniloculare auct. 264
Albertisia crassa 457
Albizia falcata 345
Albizia falcataria 345
Albizia littoralis 334
Albizia moluccana 345
Albizia pedicellata 333
Albizia retusa 333
Albizia retusa subsp. *retusa* 334
Albizia saman 356
Albizia splendens 334
Alchornea javanensis 317

- Alchornea rugosa** 317
Alchornea tiliifolia 317
Alchornea villosa 317
Alcicornium grande 755
Aleurites moluccanus 318
Alismataceae 125
Allamanda cathartica 155
Allamanda schottii auct. 155
Allmania nodiflora 125
Allmania nodiflora var. *esculenta* 125
Allmania nodiflora var. *procumbens* 125
Allophylus cobbe 704
Allophylus cobbe var. *glabra* 704
Allophylus scandens 704
Allophylus ternatus 704
Allotropis cimicina 608
Alocasia cucullata 761
Alocasia denudata 176
Alocasia denudata var. *elongata* 177
Alocasia indica 177
Alocasia longiloba 176
Alocasia macrorrhizos 177
Alphonsea johorensis 135
Alphonsea maingayi 135
Alpinia aquatica 744
Alpinia conchigera 745
Alpinia galanga 745
Alpinia javanica 782
Alpinia melanocarpa 745
Alpinia mutica 745
Alpinia rafflesiana 745
Alseodaphne bancana 395
Alseodaphne costalis 400
Alseodaphne decipiens 395
Alseodaphne intermedia 395
Alseodaphne lucida 362
Alseodaphne nigrescens 395
Alseodaphne oblanceolata auct. 395
Alseodaphne umbelliflora 406
Alsodeia echinocarpa 737
Alsodeia floribunda 737
Alsodeia grandiflora 737
Alsodeia kunstleriana 782
Alsodeia membranacea auct. 737
Alsophila comosa 69
Alsophila glabra 68
Alsophila latebrosa 69
Alsophila ridleyi 69
Alsophila umbrosa auct. 68
Alstonia angustifolia 155
Alstonia angustifolia 155
Alstonia angustiloba 155
Alstonia grandifolia 161
Alstonia macrophylla 156
Alstonia pneumatophora 156
Alstonia scholaris 156
Alstonia scholaris auct. 156
Alstonia spatulata 156
Alternanthera amoena 126
Alternanthera bettzickiana 126
Alternanthera ficoidea var. *bettzickiana* 126
Alternanthera philoxeroides 126
Alternanthera sessilis 126
Alysicarpus nummulariifolius 334
Alysicarpus vaginalis 334
Alysicarpus vaginalis
var. *nummulariifolius* 334
Alysicarpus vaginalis var. *typica* 334
Alyxia ganophylla 760
Alyxia lucida 157
Alyxia odorata 157
Alyxia pilosa auct. 157
Alyxia reinwardtii 157
Alyxia reinwardtii var. *lucida* 157
Alyxia reinwardtii var. *meiantha* 157
Amaranthaceae 125, 758
Amaranthus blitum 126
Amaranthus blitum subsp. *oleraceus* 126
Amaranthus caudatus 758
Amaranthus gangeticus 126
Amaranthus gracilis 127
Amaranthus lividus 126
Amaranthus spinosus 126
Amaranthus tricolor 126
Amaranthus viridis 127
Amaryllidaceae 127, 758
Amblovenatum decorum 109
Amblovenatum opulentum 109
Amblovenatum terminans auct. 109
Amischotolype gracilis 251
Amischotolype marginata 251
Amischotolype mollissima auct. 251
Ammannia baccifera 417
Ammannia crassicaulis 417
Amomum hastilabium 749
Amomum latiflorum 746
Amomum scyphiferum 748
Amomum xanthophlebium 746
Amoora aphanamixis 451
Amoora cucullata 447
Amoora rubescens 448
Amoora rubiginosa 450
Amorphophallus prainii 177
Ampacus roxburghiana 698
Ampelocissus ascendiflora 737
Ampelocissus cinnamomea 738

- Ampelocissus elegans** 738
Ampelocissus floccosa auct. 738
Ampelocissus gracilis 738
Ampelocissus polystachya 739
Ampelocissus spicifera 742
Ampelocissus thrysiflora 739
Ampelopsis glandulosa f. *elegans* auct. 738
Amphicoma alternans auct. 68
Amphineuron marginatum 760
Amphineuron opulentum 109
Amphineuron terminans auct. 109
Amydrium medium 177
Amylotheca duthieana 413
Anacardiaceae 127, 758
Anacardium occidentale 127
Anacolosa frutescens 516
Anacolosa heptandra 516
Anacolosa maingayi 518
Anadendrum medium 177
Anadendrum microstachyum auct. 178
Anadendrum montanum 177
Anadendrum montanum var. *montanum* 178
Ananas comosus 762
Anathallis acuminata 775
Anaxagorea javanica 136
Anaxagorea javanica var. *dipetala* 759
Anaxagorea javanica var. *javanica* 136
Ancistrocladaceae 134
Ancistrocladus extensus 134
Ancistrocladus pinangianus 134
Ancistrocladus sagittatus 510
Ancistrocladus tectorius 134
Ancistrolobus brevipes 379
Ancistrolobus floribundus 769
Ancistrolobus glaucescens 379
Andira inermis 334
Andrographis paniculata 117
Andropogon aciculatus 611
Andropogon contortus 619
Andropogon hirtiflorus auct. 628
Andropogon pseudograya 628
Aneilema nudiflorum 252
Aneilema vaginatum 252
Aneura blasiooides 22
Aneura flavescens 22
Aneura grossitexta 22
Aneura latifrondoides 22
Aneura pinguis auct. 22
Aneura ridleyi 22
Aneura singapurensis 23
Aneura tenuicostata 22
Aneuraceae 22, 751
Angiopteris evecta 88
ANGIOSPERMS 116, 757
Aniseia martinicensis 257
Anisogonium cordifolium 64
Anisogonium esculentum 65
Anisomeles indica 383
Anisomeles ovata 384
Anisophyllea disticha 135
Anisophyllea griffithii 135
Anisophyllea scorchedinii 759
Anisophylleaceae 135, 759
Anisoptera costata auct. 296
Anisoptera glabra auct. 296
Anisoptera laevis 296
Anisoptera marginata 296
Anisoptera megistocarpa 296
Annona reticulata 136
Annonaceae 135, 759
Anodendron candolleanum 157
Anodendron parviflorum 157
Anoectochilus geniculatus 523
Anoectochilus roxburghii 775
Anomanthodia auriculata 656
Anplectrum annulatum 434
Anplectrum glaucum 434
Anplectrum pallens 434
Anthistiria arguens 632
Anthistiria gigantea auct. 632
Anthistiria gigantea var. *villosa* 632
Anthoceros validus 58
Anthocerotaceae 58
Antiaris toxicaria 461
Antidesma alatum 585
Antidesma bunius 584
Antidesma coriaceum 584
Antidesma cuspidatum 584
Antidesma fallax 584
Antidesma ghaesembilla 776
Antidesma neurocarpum 585
Antidesma velutinosum 585
Antigonon leptopus 637
Antrophyum callifolium 99
Antrophyum parvulum 756
Antrophyum plantagineum 756
Antrophyum reticulatum auct. 100
Aphanamixis polystachya 451
Aphanamixis rohituka 451
Aphanamixis sumatrana 451
Aphanomyrtus rostrata 508
Aphyllorchis pallida 524
Apiaceae 155
Apostellis punctata auct. 558
Apocynaceae 155, 760

- Aporosa aurita* 588
Aporosa benthamiana 585
Aporosa bracteosa 588
Aporosa confusa 586
Aporosa dioica 588
Aporosa falcifera 586
Aporosa ficifolia 776
Aporosa frutescens 586
Aporosa fruticosa 586
Aporosa globifera 586
Aporosa lucida 587
Aporosa lucida var. *lucida* 587
Aporosa lunata 587
Aporosa maingayi 587
Aporosa microstachya auct. 587
Aporosa miqueliana 587
Aporosa nervosa 587
Aporosa nigricans 588
Aporosa octandra 588
Aporosa octandra var. *malesiana* 588
Aporosa penangensis 776
Aporosa prainiana 588
Aporosa prainiana 588
Aporosa sp. 1 589
Aporosa stellifera 776
Aporosa subcaudata 588
Aporosa symplocooides 588
Apostasia nuda 524
Apostasia wallichii 524
Appendicula anceps 524
Appendicula bifaria 525
Appendicula callosa 523
Appendicula cornuta 524
Appendicula lewisi 524
Appendicula lucida 525
Appendicula uncata 525
Aquifoliaceae 174
Aquilaria grandiflora 730
Aquilaria hirta 730
Aquilaria malaccensis 730
Aquilaria microcarpa 730
Araceae 175, 761
Arachnanthe alba 525
Arachniopsis major 31
Arachnis alba 525
Arachnis hookeriana 525
Arachnis × maingayi 14, 525
Araliaceae 186
Aralidium pinnatifidum 732
Araucariaceae 757
Arcangelisia flava 457
Archidendron bubalinum auct. 334
Archidendron clypearia 334
Archidendron clypearia var. *clypearia* 335
Archidendron contortum 335
Archidendron ellipticum 335
Archidendron ellipticum
 subsp. *ellipticum* 336
Archidendron globosum 336
Archidendron jiringa 336
Archidendron microcarpum 336
Archytaea vahlii 220
Arcypteris irregularis 75
Ardisia aff. bhotanica 645
Ardisia aff. villosa 641
Ardisia colorata 640
Ardisia colorata var. *complanata* 640
Ardisia colorata var. *polyneura* 640
Ardisia complanata 640
Ardisia crassa 640
Ardisia crenata 640
Ardisia crispa auct. 641
Ardisia cymosa 641
Ardisia demissa 641
Ardisia demissa var. *demissa* 641
Ardisia elliptica 641
Ardisia eximia 641
Ardisia grandifolia 779
Ardisia humilis 779
Ardisia lanceolata 642
Ardisia littoralis 641
Ardisia lobbiana 779
Ardisia miqueliana 641
Ardisia odontophylla var. *lobbii* 641
Ardisia paniculata auct. 640
Ardisia pumila 645
Ardisia punctulosa 779
Ardisia purpurea 642
Ardisia ridleyi 642
Ardisia sanguinolenta 640
Ardisia sessilis 642
Ardisia singaporense 641
Ardisia spicata 645
Ardisia teysmanniana 642
Ardisia tuberculata 642
Ardisia tuberculata 643
Ardisia vestita 643
Ardisia villosa 643
Areca catechu 189
Areca macrocarpa 189
Areca tigillaria 201
Arecaceae 189, 761
Arenga pinnata 189
Arenga saccharifera 189
Arenga westerhoutii auct. 189
Argostemma elatostemma 780

- Argostemma parvifolium* 780
Argostemma spinulosum 780
Argyreia ridleyi 257
Aristolochia acuminata 205
Aristolochia jackii 205
Aristolochia tagala 205
Aristolochia unguifolia 205
Aristolochiaceae 205
Arivela viscosa 244
Aromadendron elegans 418
Artobotrys costatus 136
Artobotrys crassifolius 136
Artobotrys maingayi 136
Artobotrys maingayi auct. 137
Artobotrys scortechinii 137
Artobotrys suaveolens 137
Artobotrys wrayi 137
Artanema angustifolium 409
Artanema longifolium 409
Arthrocormus schimperi 34
Arthrophyllum diversifolium auct. 186
Arthrophyllum jackianum 186
Arthrophyllum ovatifolium 186
Artocarpus altilis 461
Artocarpus anisophyllus 462
Artocarpus dadah 462
Artocarpus elasticus 462
Artocarpus elasticus auct. 465
Artocarpus fulvicortex 462
Artocarpus gomezianus 463
Artocarpus gomezianus auct. 463
Artocarpus griffithii 463
Artocarpus heterophyllus 463
Artocarpus hispidus 463
Artocarpus incisus 461
Artocarpus integer 464
Artocarpus integer var. *integer* 464
Artocarpus integer var. *silvestris* 773
Artocarpus integrifolius auct. 463
Artocarpus kemando 464
Artocarpus kunstleri 462
Artocarpus lacucha auct. 462
Artocarpus lakoocha auct. 462
Artocarpus lanceifolius 464
Artocarpus lowii 465
Artocarpus maingayi auct. 464
Artocarpus nitidus auct. 463
Artocarpus nitidus subsp. *griffithii* 463
Artocarpus peduncularis 773
Artocarpus polyphemus 464
Artocarpus rigidus 465
Artocarpus rotundus 465
Artocarpus scortechinii 465
Artocarpus sp. 463
Artocarpus superbus 462
Arundina graminifolia 526
Arundina speciosa 526
Arundo donax 609
Arundo donax var. *versicolor* 609
Arytera litoralis 705
Arytera litoralis var. *major* 705
Asclepias curassavica 157
Asparagaceae 206
Asphodelaceae 209
Aspidium angulatum 106
Aspidium biaristatum 756
Aspidium cicutarium auct. 75, 107
Aspidium malayense 107
Aspidium polymorphum 756
Aspidium semibipinnatum 756
Aspidium singaporianum 108
Aspidium subdecurrens 107
Aspidium tectum 110
Aspidium variolosum auct. 106
Aspidium vastum 108
Aspidium vastum auct. 108
Aspidium zollingerianum auct. 106
Aspidopterys concava 419
Aspleniaceae 62
Asplenium batuense 62
Asplenium cf. oxyphyllum 62
Asplenium cordifolium 64
Asplenium cordifolium auct. 103
Asplenium dimidiatum auct. 62
Asplenium falcatum auct. 62
Asplenium glaucophyllum 63
Asplenium longissimum 62
Asplenium macrophyllum 62
Asplenium musifolium 63
Asplenium nidus 63
Asplenium nidus var. *musifolium* 63
Asplenium nidus var. *nidus* 63
Asplenium nitidum 63
Asplenium oblaceolatum 64
Asplenium ovatum 103
Asplenium phyllitidis 64
Asplenium phyllitidis subsp. *malesicum* 64
Asplenium polypodioides 66
Asplenium prescottianum 65
Asplenium pulchellum 64
Asplenium squamulatum auct. 62
Asplenium tenerum 64
Asplenium tenerum var. *retusum* 64
Asteraceae 210, 762
Asystasia coromandeliana 117
Asystasia gangetica 117

Asystasia gangetica subsp. *gangetica* 117
Asystasia gangetica subsp. *micrantha* 117
Asystasia gangetica var. *albida* 117
Asystasia intrusa 117
Asystasia nemorum 117
Athyriaceae 64
Athyrium accedens 66
Athyrium asperum 66
Athyrium cordifolium 64
Athyrium crenatoserratum auct. 66
Athyrium esculentum 65
Athyrium malaccense 65
Athyrium prescottianum 65
Athyrium riparium 65
Athyrium sorzogonense 66
Athyrium tomentosum 67
Atuna elata 763
Atuna excelsa 242
Atuna excelsa subsp. *excelsa* 242
Atuna racemosa 242
Atuna racemosa subsp. *excelsa* 242
Atuna racemosa subsp. *racemosa* 763
Austrobuxus nitidus 601
Averrhoa bilimbi 572
Averrhoa carambola 572
Avicennia alba 117
Avicennia lanata 118
Avicennia marina 118
Avicennia marina subsp. *marina* 118
Avicennia obovata 118
Avicennia officinalis 118
Avicennia officinalis f. *tomentosa* 118
Avicennia rumphiana 118
Avicennia spicata 118
Axonopus affinis 609
Axonopus cimicinus 609
Axonopus compressus 609
Axonopus fissifolius 609
Azadirachta indica 451
Azolla caroliniana auct. 104
Azolla pinnata 104
Azolla pinnata subsp. *asiatica* 104
Baccaurea bracteata 589
Baccaurea brevipes 589
Baccaurea griffithii 589
Baccaurea hookeri 591
Baccaurea kingii 592
Baccaurea kunstleri 591
Baccaurea lanceolata 589
Baccaurea latifolia 591
Baccaurea macrocarpa 589
Baccaurea macrophylla 590
Baccaurea maingayi 590

Baccaurea malayana auct. 318
Baccaurea minor 590
Baccaurea motleyana 590
Baccaurea parviflora 590
Baccaurea polyneura 591
Baccaurea pubera 591
Baccaurea pubescens 590
Baccaurea pyriformis 591
Baccaurea racemosa 592
Baccaurea reticulata 592
Baccaurea sp. 590
Baccaurea sp. B 591
Baccaurea sumatrana 592
Baccaurea symplocoides 589
Baccaurea wallichii 592
Bacopa caroliniana 606
Bacopa monnieri 606
Balanocarpus heimii 300
Balsaminaceae 217
Bambusa aff. *tulda* 609
Bambusa cf. *tulda* 609
Bambusa heterostachya 777
Bambusa ridleyi 630
Bambusa tulda 609
Bambusa vulgaris 777
Baphia nitida 337
Barathranthus axanthus 414
Barbula arcuata 51
Barbula comosa 51
Barbula consanguinea 51
Barbula indica 52
Barbula javanica auct. 51
Barbula murina 52
Barbula orientalis 52
Barbula subcomosa 52
Barbula thelimitria 51
Barclaya kunstleri 514
Barclaya motleyi 513
Barclaya motleyi var. *kunstleri* 514
Barringtonia asiatica 406
Barringtonia conoidea 406
Barringtonia cylindristachya 407
Barringtonia inclita 407
Barringtonia macrostachya 407
Barringtonia pendula auct. 407
Barringtonia racemosa 407
Barringtonia reticulata 407
Barringtonia speciosa 406
Barringtonia sumatrana 407
Bartramiaceae 33
Bassia argentea auct. 712
Bassia cuneata auct. 715
Bassia kingiana 711

- Bassia longistyla* auct. 711
Bassia malaccensis 711
Bassia motleyana 712
Bauhinia ferruginea 354
Bauhinia ferruginea var. *griffithiana* 354
Bauhinia griffithiana 355
Bauhinia purpurea 337
Bauhinia purpurea var. *corneri* 337
Bauhinia purpurea var. *violacea* 337
Bauhinia semibifida 355
Bauhinia semibifida var. *semibifida* 355
Bazzania echinata 30
Bazzania fleischeri 30
Bazzania gaudichaudii 30
Bazzania indica 30
Bazzania natumensis 30
Bazzania paradoxa 30
Bazzania recurva 30
Bazzania stolonifera 751
Bazzania tridens 30
Bazzania wallichiana 30
Begonia hirtella 218
Begoniaceae 218
Beilschmiedia curtisii 396
Beilschmiedia kunstleri 395
Beilschmiedia madang 396
Beilschmiedia malaccensis 396
Beilschmiedia tonkinensis 770
Benincasa cerifera 764
Bennettia phlebocarpa 574
Benstonea affinis 575
Benstonea atrocarpa 575
Benstonea ornata 575
Benstonea parva 575
Bergera koenigii 696
Bhesa paniculata 240
Bhesa robusta 241
Bidens pilosa 211
Biermannia laciniata 538
Bigoniaceae 218, 762
Bixa orellana 220
Bixaceae 220
Blechnaceae 67
Blechnopsis finlaysoniana 67
Blechnopsis orientalis 67
Blechnum finlaysonianum 67
Blechnum indicum 68
Blechnum orientale 67
Blechnum serrulatum auct. 68
Blechum pyramidatum 121
Blepharostoma trichophyllum auct. 31
Blumea balsamifera 211
Blumea balsamifera var. *angustifolia* 211
Blumea chinensis 211
Blumea junghuhniana 211
Blumea lacera 211
Blumea membranacea 762
Blumea riparia 211
Blumea wightiana 762
Blumeodendron kurzii 318
Blumeodendron subrotundifolium 318
Blumeodendron tokbrai 318
Blumeodendron tokbrai auct. 318
Blumeodendron vernicosum 318
Blyxa alternifolia 376
Blyxa aubertii 376
Blyxa aubertii var. *aubertii* 376
Blyxa japonica 376
Blyxa japonica var. *alternifolia* 376
Blyxa japonica var. *japonica* 376
Blyxa malayana 376
Boehmeria nivea 733
Boerhavia coccinea auct. 513
Boerhavia diffusa 513
Boerhavia diffusa auct. 513
Boerhavia erecta 513
Boerhavia repens 513
Bolbitis appendiculata 74
Bolbitis appendiculata
 subsp. *appendiculata* 74
Bolbitis diversifolia 75
Bolbitis heteroclita 74
Bolbitis × singaporense 13, 14, 74
Bolbitis sinuata 75
Bonamia semidigyna 257
Bonnaya brachiata 410
Bonnaya pusilla 410
Bonnaya reptans 411
Bonnaya veronicifolia 410
Bonnetiaceae 220
Boraginaceae 8, 220
Borreria alata auct. 687
Borreria articularis 687
Borreria hispida 687
Borreria laevicaulis 688
Borreria laevis auct. 688
Borreria latifolia 687
Borreria ocyoides 688
Borreria setidens auct. 687
Boschia griffithii 422
Bothriochloa bladhii 609
Bothriochloa intermedia 609
Bouea burmanica 128
Bouea burmanica var. *microphylla* 128
Bouea macrophylla 758
Bouea microphylla 128

Bouea oppositifolia 128
Brachiaria distachyos auct. 633/634
Brachiaria mutica 633
Brachiaria paspaloides 633
Brachypeza pallida 526
Brachypterum scandens 337
Brackenridgea denticulata 515
Brackenridgea elegantissima 514
Brackenridgea hookeri 514
Brackenridgea palustris 515
Brackenridgea rubescens 515
Brassaia actinophylla 187
Brassaia singaporense 187
Brassicaceae 221
Breynia androgyna 592
Breynia coronata auct. 593
Breynia discigera 593
Breynia racemosa 593
Breynia racemosa auct. 593
Breynia reclinata 593
Breynia rhamnoidea 593
Breynia rhamnoidea auct. 595
Breynia vitis-idaea 593
Breynia vitis-idaea auct. 593, 595
Bridelia cinnamomea 593
Bridelia griffithii 594
Bridelia pustulata 594
Bridelia stipularis 594
Bridelia tomentosa 594
Bromeliaceae 762
Bromheadia alticola 526
Bromheadia aporoidea 526
Bromheadia borneensis 527
Bromheadia borneensis var. *longiflora* 527
Bromheadia finlaysoniana 527
Bromheadia finlaysoniana
var. *finlaysoniana* 527
Bromheadia finlaysoniana var. *sylvestris* 527
Bromheadia palustris 527
Bromheadia scirpoidea 527
Bromheadia sylvestris 527
Bromheadia truncata 527
Brownlowia argentata 421
Brownlowia lanceolata 421
Brownlowia lepidota 421
Brownlowia riedelii 421
Brownlowia tera 421
Brucea javanica 719
Brucea sumatrana 719
Bruguiera caryophylloides 650
Bruguiera cylindrica 650
Bruguiera eriopetala 651
Bruguiera gymnorhiza 650

Bruguiera hainesii 650
Bruguiera × hainesii 14, 650
Bruguiera parviflora 650
Bruguiera sexangula 651
Bryaceae 34
Bryobium hyacinthoides 527
Bryobium pudicum 528
Bryophyllum × houghtonii 266
Bryophyllum pinnatum 266
Bryophyllum tubiflorum 266
Bryum ambiguum 34
Bryum apiculatum 34
Bryum bicolor auct. 34
Bryum coronatum 34
Bryum junguhnianum auct. 34
Bryum nitens 34
Buchanania arborescens 128
Buchanania florida var. *lucida* 128
Buchanania florida var. *petiolaris* 128
Buchanania lucida 128
Buchanania sessifolia 128
Bulbophyllum abbreviatum 535
Bulbophyllum aberrans 528
Bulbophyllum acuminatum 528
Bulbophyllum adenopetalum 530
Bulbophyllum adenopetalum auct. 775
Bulbophyllum apodum 528
Bulbophyllum avicella 532
Bulbophyllum blumei 532
Bulbophyllum botryophorum 529
Bulbophyllum catenarium 533
Bulbophyllum caudatisepalum 775
Bulbophyllum citrinum 533
Bulbophyllum clandestinum 529
Bulbophyllum cleistogamum 529
Bulbophyllum concinnum 529
Bulbophyllum corneri 536
Bulbophyllum cuspidilingue 532
Bulbophyllum densiflorum 534
Bulbophyllum ephippium 532
Bulbophyllum flabellum-veneris 530
Bulbophyllum flavescens 530
Bulbophyllum gracillimum 530
Bulbophyllum griffithianum 530
Bulbophyllum gusdorfii 530
Bulbophyllum lasianthum 530
Bulbophyllum lepidum 530
Bulbophyllum limbatum 531
Bulbophyllum lobbii 531
Bulbophyllum macranthum 531
Bulbophyllum macrochilum 531
Bulbophyllum makoyanum 531
Bulbophyllum maxillare 532

- Bulbophyllum medusae** 532
Bulbophyllum membranaceum 532
Bulbophyllum microbulbon 534
Bulbophyllum nigropurpureum 528
Bulbophyllum ovalifolium 532
Bulbophyllum patens 533
Bulbophyllum pileatum 533
Bulbophyllum praetervisum 533
Bulbophyllum pulchellum 535
Bulbophyllum purpurascens 533
Bulbophyllum restrepia 533
Bulbophyllum ruficaudatum 534
Bulbophyllum rugosum 534
Bulbophyllum semibifidum 528
Bulbophyllum sessile 529
Bulbophyllum singaporeanum 534
Bulbophyllum stella 531
Bulbophyllum stenophyllum 528
Bulbophyllum striatellum 535
Bulbophyllum tenuifolium 535
Bulbophyllum trifolium 535
Bulbophyllum trigonopus 535
Bulbophyllum uniflorum 535
Bulbophyllum vaginatum 536
Bulbophyllum vermiculare 536
Bulbophyllum vesiculosum 536
Bulbostylis barbata 270
Bulbostylis puberula 271
Bulbostylis thouarsii 271
Burmannia championii 222
Burmannia coelestis 222
Burmannia tuberosa 222
Burmannia wallichii 222
Burmanniaceae 222
Burseraceae 223
Byttneria jackiana 771
Byttneria maingayi 421
Cabomba aquatica 227
Cabombaceae 227
Cactaceae 227
Caduciella mariei 49
Caesalpinia bonduc 347
Caesalpinia crista 337
Caesalpinia globulorum 768
Caesalpinia nuga 337
Caesalpinia sumatrana 350
Caesalpinia tortuosa auct. 354
Caesulia axillaris 762
Calamus aff. radulosus 196
Calamus angustifolius 193
Calamus aquatilis 190
Calamus crinitus 189
Calamus crinitus subsp. *sabut* 189
Calamus densiflorus 189
Calamus didymophyllus 190
Calamus diepenhorstii 190
Calamus diffusus 195
Calamus erinaceus 190
Calamus erinaceus subsp. *erinaceus* 190
Calamus exilis auct. 192
Calamus gracilipes 190
Calamus grandis 193
Calamus hirsutus 190
Calamus hirsutus subsp. *hirsutus* 191
Calamus insignis 191
Calamus intumescens 761
Calamus javensis 191
Calamus kunstleri auct. 194
Calamus laevigatus 195
Calamus laxiflorus 194
Calamus leptopus 191
Calamus lewisianus 193
Calamus lobbianus 192
Calamus longipes 192
Calamus luridus 194
Calamus melanochaetes 192
Calamus micracanthus 193
Calamus micranthus 194
Calamus oblongus 194
Calamus oblongus
 subsp. *depressiusculus* 194
Calamus ornatus 194
Calamus oxleyanus 194
Calamus oxleyanus var. *oxleyanus* 195
Calamus pallidulus 195
Calamus paspalanthus 761
Calamus penicillatus auct. 191
Calamus periacanthus 195
Calamus plicatus 195
Calamus ridleyanus 195
Calamus sabut 189
Calamus singaporenensis 190
Calanthe curculigooides 537
Calanthe pulchra 536
Calanthe tankervilleae 537
Callerya atropurpurea 332
Callerya dasypylla 353
Callerya eriantha 361
Calliandra surinamensis 768
Callicarpa arborea 769
Callicarpa cana 770
Callicarpa longifolia 384
Callicarpa maingayi 770
Callicarpa pentandra 384
Callicarpa rubella 770
Callicostella beccariana auct. 51

- Callicostella papillata** 50
Callicostella papillata var. *papillata* 50
Callicostella papillata var. *prabaktiana* 51
Callicostella prabaktiana 51
Callista crumenata 544
Callistopteris superba 78
Calostylis pulchella 537
Calophanoides quadrifaria 119
Calophyllaceae 227, 762
Calophyllum austrocoriaceum 229
Calophyllum biflorum 227
Calophyllum calaba 228
Calophyllum calaba var. *bracteatum* 228
Calophyllum canum auct. 230
Calophyllum costulatum 228
Calophyllum curtissii 228
Calophyllum dispar 228
Calophyllum ferrugineum 228
Calophyllum ferrugineum
var. *ferrugineum* 229
Calophyllum floribundum 231
Calophyllum foetidum 231
Calophyllum griffithii auct. 232
Calophyllum incrassatum 232
Calophyllum inophylloide auct. 232
Calophyllum inophylloide
var. *singapurense* 232
Calophyllum inophyllum 229
Calophyllum kunstleri 230
Calophyllum lanigerum 229
Calophyllum lanigerum
var. *austrocoriaceum* 229
Calophyllum macrocarpum 229
Calophyllum marginatum 762
Calophyllum mesuifolium 230
Calophyllum molle auct. 228
Calophyllum prainianum 231
Calophyllum pulcherrimum 230
Calophyllum pulcherrimum 230
Calophyllum retusum 228, 229
Calophyllum retusum auct. 231
Calophyllum rigidum 230
Calophyllum rubiginosum 230
Calophyllum rufigemmatum 231
Calophyllum saigonense 228
Calophyllum soulattri 763
Calophyllum sp. 151 232
Calophyllum spectabile auct. 228
Calophyllum sundaicum 231
Calophyllum tetrapterum 231
Calophyllum tetrapterum
var. *tetrapterum* 231
Calophyllum teysmannii 231
- Calophyllum teysmannii**
var. *teysmannii* 232
Calophyllum wallichianum 232
Calophyllum wallichianum auct. 230, 231
Calophyllum wallichianum
var. *incrassatum* 232
Calophyllum wallichianum
var. *wallichianum* 763
Calopogonium mucunoides 337
Calotropis gigantea 158
Calotropis procera auct. 158
Calycopteris floribunda 763
Calymparaceae 34, 751
Calympères afzelii auct. 35
Calympères beccarii auct. 35
Calympères bescherellei 35
Calympères boulayi 34
Calympères crassinerve 34
Calympères delessertii 34
Calympères dozyanum 36
Calympères dozyanum auct. 34, 35
Calympères erosum 35
Calympères eutrichostomum 34
Calympères graeffeanum 35
Calympères hampei 35
Calympères hyophilaceum 35
Calympères kurzianum 36
Calympères lonchophyllum 35
Calympères lonchophyllum
subsp. *beccarii* auct. 35
Calympères lonchophyllum
subsp. *lonchophyllum* 35
Calympères longifolium 40
Calympères moluccense 36
Calympères motleyi 36
Calympères nicobarensis 35
Calympères nietneri 35
Calympères orientale var. *polytrichoides* 36
Calympères palisotii auct. 35, 36
Calympères palisotii subsp. *moluccense* 36
Calympères palisotii subsp. *palisotii* auct. 35
Calympères porrectum 36
Calympères porrectum var. *porrectum* 36
Calympères punctulatum 35
Calympères punctulatum auct. 36
Calympères recurvifolium 36
Calympères salakense 36
Calympères serratum 36
Calympères serratum auct. 35
Calympères taitense 36
Calympères tenerum 37
Calympères thwaitesii auct. 35
Calympéradium croceum 40

- Calymperidium muelleri* 40
Calymperopsis tjibodensis 751
Calypogeia arguta 23
Calypogeia furcata 23
Calypogeiaeae 23
Camarotis adnata 556
Camonea pilosa 257
Camonea vitifolia 257
Campanulaceae 233, 763
Campnosperma auriculatum 129
Campnosperma auriculatum auct. 129
Campnosperma auriculatum
var. *wallichii* 129
Campnosperma coriaceum 758
Campnosperma griffithii auct. 129
Campnosperma macrophyllum 758
Campnosperma squamatum 129
Campnosperma wallichii 129
Campteria biaurita auct. 102
Campylopus ericoides auct. 48
Campylopus serratus 48
Campylopus singapurensis 48
Campylospermum plicatum 515
Campylospermum serratum 515
Cananga odorata 137
Cananga odorata var. *odorata* 137
Canarium aff. littorale 223
Canarium grandiflorum 224
Canarium grandifolium 223
Canarium kadondon 225
Canarium littorale 223
Canarium nitidum 223
Canarium parvifolium 223
Canarium patentinervium 223
Canarium pilosum 224
Canarium pilosum subsp. *pilosum* 224
Canarium planchonii 227
Canarium purpurascens 223
Canarium rufum 223
Canarium secundum 223
Canavalia cathartica 338
Canavalia lineata auct. 338
Canavalia maritima 338
Canavalia obtusifolia 338
Canavalia obtusifolia auct. 338
Canavalia rosea 338
Canavalia turgida 338
Canna edulis 235
Canna indica 235
Canna indica var. *orientalis* 235
Canna orientalis 235
Canna warszewiczii 235
Cannabaceae 233
Cannaceae 235
Canscora diffusa 769
Cansjera rheedei 521
Cansjera zizyphifolia 521
Canthium angulosum auct. 679
Canthium confertum 659
Canthium dicoccum auct. 685
Canthium didymum auct. 685
Canthium glabrum auct. 657
Canthium horridum auct. 656
Canthium maingayi 685
Canthium malayense 656
Canthium molle 657
Canthium scandens auct. 657
Canthium sp. 660
Canthiumera robusta 657
Cantleya corniculata 723
Capparaceae 235
Capparis finlaysoniana 236
Capparis micracantha 235
Capparis micracantha
subsp. *korthalsiana* 235
Capsicum frutescens 781
Capsicum minimum 781
Carallia brachiata 651
Carallia integerrima 651
Carallia lucida 651
Carallia scortechinii 651
Carapa moluccensis 457
Carapa moluccensis auct. 457
Carapa obovata 457
Carapa obovata auct. 457
Cardamine hirsuta 221
Cardanthera triflora 757
Cardiopteridaceae 236
Cardiospermum halicacabum 705
Carex cryptostachys 271
Careya sp. 407
Carica papaya 236
Caricaceae 236
Carmona retusa 221
Caryophyllaceae 236
Caryota mitis 196
Casearia capitellata 700
Casearia clarkei 701
Casearia clarkei var. *clarkei* 701
Casearia coriacea auct. 701
Casearia esculenta auct. 701
Casearia leucolepis 781
Casearia lobbiana 701
Casearia macrocarpa 701
Casearia tuberculata auct. 701
Cassia aeschinomene 339

- Cassia alata* 356
Cassia biflora auct. 357
Cassia fistula 338
Cassia hirsuta 357
Cassia leschenaultiana 339
Cassia mimosoides 339
Cassia obtusifolia 357
Cassia occidentalis 357
Cassia tora 357
Cassine viburnifolia 237
Cassytha filiformis 396
Castanopsis andersonii 363
Castanopsis foxworthyi 769
Castanopsis hullettii 362
Castanopsis hystrix 769
Castanopsis inernis 362
Castanopsis javanica 362
Castanopsis lucida 362
Castanopsis malaccensis 362
Castanopsis megacarpa 363
Castanopsis nepheliooides 363
Castanopsis rhamnifolia 769
Castanopsis schefferiana 363
Castanopsis sumatrana 362
Castanopsis wallichii 364
Castilla elastica 466
Casuarina equisetifolia 236
Casuarinaceae 236
Catharanthus roseus 158
Catimbium muticum 745
Cattimarus hospitus 425
Caudalejeunea cristiloba 25
Caudalejeunea cristiloba
subsp. *cristiloba* 25
Caudalejeunea recurvistipula 25
Caudalejeunea reniloba 25
Causonis japonica 739
Causonis trifolia 739
Cayratia japonica 739
Cayratia mollissima 739
Cayratia novemfolia 739
Cayratia trifolia 739
Ceanothus asiaticus 648
Cecropia pachystachya 733
Cecropia peltata 733
Cedrela febrifuga 772
Ceiba pentandra 421
Celastraceae 237, 763
Celastrus championii var. ? 237
Celastrus monospermooides 237
Celosia argentea 127
Cenchrus brownii 609
Cenchrus echinatus 610
Cenchrus purpureus 610
Cenchrus setosus 610
Centella asiatica 186
Centipeda minima 211
Centipeda orbicularis 211
Centotheaca lappacea 610
Centotheaca latifolia 610
Centotheaca longilamina 777
Centranthera humifusa 572
Centranthera tranquebarica 572
Centroplacaceae 240
Centrosema molle 338
Centrosema plumieri 338
Centrosema pubescens auct. 338
Cephaelis cuneata auct. 658
Cephaelis griffithii auct. 658
Cephaelis ridleyi 658
Cephaelis singapurensis 658
Cephalandra indica 267
Cephalomanes javanicum 79
Cephalomanes javanicum
var. *javanicum* 79
Cephalomanes obscurum 78
Cephalomanes singaporianum 79
Cephalomanes superbum 78
Cephaloziella kiaeri 23
Cephaloziella sp. 23
Cephaloziellaceae 23
Ceratolejeunea singapurensis 25
Ceratolobus kingianus 761
Ceratolobus subangulatus 761
Ceratopteris thalictroides 100
Ceratostylis javanica 537
Ceratostylis linearis 537
Ceratostylis subulata 537
Cerbera lactaria auct. 158
Cerbera manghas 158
Cerbera odollam 158
Cercocoma singaporiana 169
Ceriops candolleana 651
Ceriops decandra auct. 651
Ceriops sp. 651
Ceriops tagal 651
Ceriops zippeliana 651
Ceropteris calomelanos 101
Chaetocarpus castanocarpus 583
Chailletia deflexifolia auct. 290
Chailletia deflexifolia var. *sordida* 290
Chailletia laurocerasus 766
Chailletia sordida 290
Chamaanthus laciniatus 537
Chamaecrista leschenaultiana 338
Chamaecrista mimosoides 339

- Chamaecrista nictitans* auct. 339
Chamaesyce hirta 322
Chamaesyce hypericifolia auct. 322
Chamaesyce thymifolia 322
Chamissoa brownii 125
Champereia griffithiana 521
Champereia manillana 521
Champereia manillana var. *manillana* 521
Chassalia chartacea 657
Chassalia curviflora 657
Chassalia griffithii 658
Chassalia pubescens 658
Chassalia rostrata 660
Chassalia singapurensis 658
Cheilanthes tenuifolia 100
Cheilocostus globosus 265
Cheilocostus speciosus 266
Cheirolejeunea fitzgeraldii 26
Cheirolejeunea intertexta 25
Cheirolejeunea intertexta auct. 25
Cheirolejeunea lindenbergii 25
Cheirolejeunea longiloba auct. 25
Cheirolejeunea malaccensis 25
Cheirolejeunea rigidula 25
Cheirolejeunea serpentina 25
Cheirolejeunea tenella 27
Cheirolejeunea trapezia auct. 25
Cheirolejeunea ventricosa 26
Cheirolejeunea vittata 26
Cheilosa malayana 318
Cheilosa montana 318
Cheirorchis filiformis 569
Chiloscyphus cubans 31
Chiloscyphus decurrens 31
Chiloscyphus tridens 31
Chiloscyphus zollingeri 31
Chionanthus elaeocarpus 518
Chionanthus macrocarpus 518
Chionanthus ramiflorus 518
Chionoloma angustatum 51
Chisocheton erythrocarpus 451
Chisocheton holocalyx 452
Chisocheton macrophyllus 452
Chisocheton macrophyllus
 subsp. **macrophyllus** 452
Chisocheton patens 452
Chisocheton pauciflorus 452
Chisocheton pentandrus 452
Chisocheton pentandrus
 subsp. *paucijugus* 453
Chisocheton sarawakanus 453
Chisocheton spicatus 453
Chloranthaceae 241
Chloranthus elatior auct. 241
Chloranthus erectus 241
Chloranthus officinalis 241
Chloris barbata 611
Chloris inflata 611
Chonemorpha fragrans 158
Chonemorpha penangensis 159
Choriophyllum malayanum 601
Christella arida 109
Christella dentata 109
Christella parasitica 110
Christella subpubescens 110
Chromolaena odorata 212
Chrysobalanaceae 242, 763
Chrysobalanus icaco 242
Chrysophyllum lanceolatum 710
Chrysophyllum roxburghii 710
Chrysopogon acicularis 611
Chrysopogon aciculatus 611
Cincinnulus argutus 23
Cinnamomum iners 396
Cinnamomum javanicum 396
Cinnamomum nitidum 396
Cinnamomum ridleyi 397
Cinnamomum sintoc 770
Cinnamomum subavenium 397
Circulifolium exiguum 753
Cirrhopteridium acuminatum 528
Cirrhopteridium blumei 532
Cirrhopteridium citrinum 533
Cirrhopteridium concinnum 535
Cirrhopteridium gamosepalum 530
Cirrhopteridium gusdorfii 530
Cirrhopteridium gusdorfii var. *johoreense* 530
Cirrhopteridium lepidum 530
Cirrhopteridium linearifolium 528
Cirrhopteridium makoyanum 532
Cirrhopteridium medusae 532
Cirrhopteridium microbulbon 534
Cirrhopteridium psittacoides 530
Cirrhopteridium semibifidum 528
Cirrhopteridium vaginatum 536
Cissampelos pareira 773
Cissus cordata 741
Cissus diffusa 741
Cissus glaberrima 740
Cissus hastata 740
Cissus nodosa 740
Cissus repens 740
Cissus rostrata 741
Citrullus vulgaris 764
Citrus × limon 696
Claderia viridiflora 538

- Cladium glomeratum* 283
Cladopodanthus heterophyllus 48
Claopodium prionophyllum 48
Claoxylon indicum 319
Claoxylon longifolium 319
Claoxylon longifolium
 var. *brachystachys* 319
Clastobryophilum asperifolium 55
Clausena excavata 696
Cleisostoma halophilum 538
Cleisostoma latifolium 564
Cleisostoma scortechinii 538
Cleisostoma spicatum 565
Cleisostoma subulatum 538
Cleistanthus heterophyllus 596
Cleistanthus hirsutulus 595
Cleistanthus laevis 596
Cleistanthus macrophyllus 595
Cleistanthus malaccensis 595
Cleistanthus myrianthus 595
Cleistanthus nitidus 776
Cleistanthus oblongifolius 595
Cleistanthus perakensis auct. 596
Cleistanthus sumatranus 596
Cleistopetalum borneense 146
Cleistopetalum sumatranum 146
Cleomaceae 244, 763
Cleome aculeata 244
Cleome gynandra 244
Cleome hullettii 244
Cleome rutidosperma 244
Cleome speciosa 763
Cleome viscosa 244
Clerodendrum acuminatum 385
Clerodendrum chinense 384
Clerodendrum colebrookeanum 770
Clerodendrum deflexum 384
Clerodendrum deflexum var. *bracteatum* 384
Clerodendrum disparifolium 385
Clerodendrum fallax 386
Clerodendrum foetidum
 var. *integrifolium* 770
Clerodendrum fragrans 384
Clerodendrum fragrans var. *pleniflorum* 384
Clerodendrum glandulosum 770
Clerodendrum indicum 385
Clerodendrum inerme 393
Clerodendrum infortunatum 770
Clerodendrum laevifolium auct. 385
Clerodendrum myrmecophilum 385
Clerodendrum nerifolium 393
Clerodendrum nutans 385
Clerodendrum paniculatum 386
Clerodendrum philippinum 384
Clerodendrum phyllomega auct. 385
Clerodendrum phyllomega
 var. *myrmecophilum* 385
Clerodendrum siphonanthus 385
Clerodendrum speciosissimum 386
Clerodendrum thomsoniae 386
Clerodendrum villosum 386
Clerodendrum wallichii auct. 385
Clidemia capitellata 443
Clidemia hirta 442
Clitoria cajanifolia 339
Clitoria laurifolia 339
Clitoria pubescens auct. 338
Clitoria ternatea 339
Clusiaceae 245
Cnestis palala 253
Cnestis platantha 253
Cnestis ramiflora 254
Coccinia grandis 267
Coccoloba uvifera 637
Cocomelia nitida 242
Coccus orbiculatus 459
Coccus ovalifolius 459
Coccus trilobus 459
Cocos nucifera 196
Codiaeum variegatum 319
Codonoboaea platypus 372
Codonoboaea puncticulata 373
Coelodepas glanduligerum 323
Coelogyné bracteosa 538
Coelogyné cumingii 539
Coelogyné foerstermannii 539
Coelogyné mayeriana 539
Coelogyné pallidiflavens 539
Coelogyné pallidiflavens
 var. *pallidiflavens* 540
Coelogyné rochussenii 540
Coelogyné septemcostata 540
Coelogyné speciosa auct. 540
Coelogyné testacea 540
Coelogyné tomentosa 540
Coelorachis glandulosa 623
Coelospermum scandens 658
Coelospermum truncatum 658
Coelostegia griffithii 421
Coffea liberica 658
Coffea stenophylla auct. 658
Coix lacryma-jobi 611
Coix lacryma-jobi var. *lacryma-jobi* 611
Colchicaceae 248
Coleus atropurpureus 387
Coleus blumei 387

- Coleus monostachyus** 386
Coleus scutellarioides 386
Colocasia antiquorum 178
Colocasia esculenta 178
Colocasia gigantea 761
Cololejeunea aequabilis 26
Cololejeunea ceratilobula 26
Cololejeunea cordiflora 26
Cololejeunea cuneata 26
Cololejeunea floccosa 26
Cololejeunea goebelii 26
Cololejeunea grossepapillosa 26
Cololejeunea haskariana 26
Cololejeunea inflectens 26
Cololejeunea minutissima
 subsp. *myriocarpa* 28
Cololejeunea planissima 26
Cololejeunea pluripunctata 26
Cololejeunea raduliloba 26
Cololejeunea siamensis 26
Cololejeunea stoniana 26
Cololejeunea trichomanis 26
Cololejeunea wightii 26
Colubrina asiatica 648
Colura brevistyla 27
Combretaceae 249, 763
Combretum extensem 763
Combretum indicum 249
Combretum sundaicum 249
Combretum tetralophum 249
Combretum trifoliatum 763
Commelinaceae 251
Commelina attenuata 251
Commelina benghalensis 251
Commelina diffusa 251
Commelina nudiflora auct. 252
Commelinaceae 251, 764
Commersonia bartramia 422
Commersonia platyphylla 422
Complaya trilobata 215
Conamomum xanthophlebium 746
Congea tomentosa 387
Congea velutina 770
Connaraceae 253, 764
Connaropsis macrophylla auct. 574
Connarus ellipticus 254
Connarus ferrugineus 254
Connarus gibbosus 255
Connarus grandis 254
Connarus grandis auct. 764
Connarus monocarpus 254
Connarus monocarpus
 subsp. *malayensis* 254
Connarus oligophyllus 254
Connarus paniculatus 254
Connarus planchonianus 764
Connarus planchonianus auct. 254
Connarus semidecandrus 254
Connarus wallichii 255
Conocephalus amoenus 734
Conocephalus scortechnii 782
Conocephalus suaveolens 735
Conocephalus subtrinervius auct. 735
Convolvulaceae 257, 764
Conyzia bonariensis 212
Conyzia floribunda 212
Coptosapelta flavesrens 659
Coptosapelta griffithii 659
Coptosapelta parviflora 659
Coptosapelta tomentosa auct. 659
Corchorus acutangulus 422
Corchorus aestuans 422
Corchorus capsularis 422
Corchorus olitorius auct. 422
Cordia curassavica 220
Cordia cylindristachya auct. 220
Cordia dichotoma 220
Cordia myxa auct. 220/221
Cordia obliqua 220
Cordia subcordata 221
Cordiglottis filiformis 569
Cordyline fruticosa 206
Cordyline terminalis 206
Cornaceae 264
Corymbis longiflora 540
Corymborkis veratrifolia 540
Coscinium blumeanum auct. 457
Coscinium fenestratum 457
Coscinium wallichianum 457
Costaceae 265
Costus globosus 265
Costus globosus var. *ridleyi* 265
Costus lucanusianus 266
Costus speciosus 266
Costus speciosus var. *argyrophyllus* 266
Cotylelobium flavum auct. 297
Cotylelobium lanceolatum 297
Cotylelobium malayanum 297
Cotylelobium melanoxylon auct. 297
Crassocephalum crepidioides 212
Crassulaceae 266
Cratoxylum arborescens 379
Cratoxylum cochinchinense 379
Cratoxylum formosum 379
Cratoxylum glaucum 769
Cratoxylum ligustrinum 379

- Cratoxylum maingayi** 380
Cratoxylum polyanthum 379
Crepidium micranthum 541
Crepidomanes christii 79
Crepidomanes humile 79
Crepidomanes minutum 80
Crepidomanes pallidum 82
Crepidomanes proliferum 80
Crinum asiaticum 127
Crinum zanthophyllum 127
Crotalaria alata 339
Crotalaria bialata 339
Crotalaria incana 340
Crotalaria juncea 768
Crotalaria laburnifolia 340
Crotalaria mucronata 340
Crotalaria pallida 340
Crotalaria quinquefolia 340
Crotalaria retusa 340
Crotalaria saltiana auct. 340
Crotalaria uncinella 340
Crotalaria uncinella subsp. *elliptica* 340
Croton adumbratus 319
Croton argyratus 319
Croton argyratus auct. 319
Croton bonplandianus 319
Croton caudatus 320
Croton confusus 320
Croton griffithii 320
Croton heterocarpus 320
Croton hirtus 320
Croton laevifolius 320
Croton oblongifolius auct. 320
Croton oblongus auct. 320
Croton sparsiflorus 319
Crypsinus stenophyllus 97
Crypteronia cumingii var. *griffithii* 267
Crypteronia griffithii 266
Crypteronia paniculata 764
Crypteroniaceae 266, 764
Cryptocarya caesia auct. 398
Cryptocarya costata 770
Cryptocarya ferrea 397
Cryptocarya griffithiana 397
Cryptocarya impressa 398
Cryptocarya kurzii 398
Cryptocarya malayana 398
Cryptocarya nitens 398
Cryptocarya rugulosa 398
Cryptocoryne ciliata 178
Cryptocoryne cordata 761
Cryptocoryne griffithii 178
Cryptocoryne × timahensis 13, 14, 178
Cryptostylis arachnites 541
Ctenidiadelphus plumularia 45
Ctenolophon parvifolius 267
Ctenolophonaceae 267
Ctenopterella blechnoides 91
Ctenopteris blechnoides 91
Cubeba neesii 602
Cucumis maderaspatanus 268
Cucumis sativus 267
Cucurbita moschata 764
Cucurbita pepo 765
Cucurbitaceae 267, 764
Cullen corylifolium 340
Cunoniaceae 765
Cupania pleuropteris 706
Cuphea carthagensis 417
Curculigo capitulata 380
Curculigo latifolia 380
Curculigo latifolia var. *glabrescens* 381
Curculigo latifolia var. *villosa* 381
Curculigo orchioides 769
Curculigo recurvata 380
Curculigo villosa 381
Curcuma zedoaria 782
Cuscuta australis 258
Cuscuta campestris 258
Cuscuta hygrophilae 258
Cyanotis barbata 252
Cyanotis cristata 252
Cyanthillium cinereum 216
Cyathea glabra 68
Cyathea latebrosa 69
Cyathea moluccana 755
Cyathea squamulata 69
Cyathea trichodesma 69
Cyatheaceae 68, 755
Cyathocalyx maingayi 146
Cyathocalyx ramuliflorus 139
Cyathocalyx ridleyi 139
Cyathocalyx sumatranus 137
Cyathocalyx virgatus 145
Cyathodiaceae 23
Cyathodium cavernarum 23
Cyathodium sp. 23
Cyathophorella tenera 753
Cyathophorum parvifolium 753
Cyathostemma excelsum 151
Cyathostemma hookeri 150
Cyathostemma scortechinii 151
Cyathostemma viridiflorum 151
Cyathula prostrata 127
Cycadaceae 114
Cycas edentata 114

- Cycas rumphii* auct. 114
Cyclea laxiflora 458
Cyclea peltata auct. 458
Cyclea peltata var. *arnottii* auct. 458
Cyclophorus acrostichoides 96
Cyclophorus adnascens 96
Cyclophorus angustatus 95
Cyclophorus pannosus auct. 96
Cyclophorus varius 96
Cyclosorus aridus 109
Cyclosorus dentatus 110
Cyclosorus extensus 109
Cyclosorus gongyloides auct. 111
Cyclosorus heterocarpus 113
Cyclosorus impressus 109
Cyclosorus interruptus 111
Cyclosorus interruptus auct. 109
Cyclosorus parasiticus 110
Cyclosorus polycarpus 113
Cyclosorus subpubescens 110
Cyclosorus subpubescens auct. 110
Cyclosorus sumatranus 110
Cyclosorus truncatus 112
Cyclosorus unitus 113
Cyclosorus urophylloides 108
Cyclotemon longifolius auct. 648
Cylindrocolea kiaeri 23
Cylindrokelupha bubalina auct. 337
Cylindrolobus longerepens 541
Cylindrolobus neglectus 541
Cylindrolobus nutans 541
Cymbidium aloifolium auct. 542
Cymbidium aloifolium var. *pubescens* 542
Cymbidium atropurpureum 542
Cymbidium bicolor 542
Cymbidium bicolor subsp. *pubescens* 542
Cymbidium finlaysonianum 542
Cymbidium pubescens 542
Cymodocea isoetifolia 270
Cymodocea rotundata 269
Cymodocea serrulata 270
Cymodoceaceae 269
Cynanchum ovalifolium 159
Cynanchum ovalifolium var. 159
Cynanchum tunicatum 159
Cynodon dactylon 611
Cynometra ramiflora 341
Cynometra ramiflora var. *heterophylla* 341
Cynometra ramiflora var. *ramiflora* 341
Cyperaceae 270, 765
Cyperus albescens 271
Cyperus aromaticus 271
Cyperus bancanus 277
Cyperus brevifolius 271
Cyperus brunnescens 765
Cyperus compactus 272
Cyperus compressus 272
Cyperus cuspidatus 272
Cyperus cyperinus 272
Cyperus cyperoides 272
Cyperus difformis 272
Cyperus diffusus 272
Cyperus digitatus 273
Cyperus distans 273
Cyperus distans var. *pseudonutans* 273
Cyperus dubius 273
Cyperus elatus 273
Cyperus exaltatus 765
Cyperus flavidus 273
Cyperus haspan 273
Cyperus haspan subsp. *haspan* 273
Cyperus imbricatus 274
Cyperus iria 274
Cyperus javanicus 274
Cyperus kyllingia 274
Cyperus laxus auct. 273
Cyperus leptocarpus 274
Cyperus malaccensis 274
Cyperus melanospermus 765
Cyperus mindorensis 274
Cyperus neochinensis 275
Cyperus odoratus 275
Cyperus paniceus [unranked] pauciflorus 765
Cyperus pedunculatus 275
Cyperus pilosus 275
Cyperus pilosus f. *badius* 275
Cyperus polystachyos 275
Cyperus procerus 275
Cyperus procerus var. *lasiorrhachis* 275
Cyperus pumilus 276
Cyperus radians 276
Cyperus rotundus 276
Cyperus sanguinolentus 276
Cyperus sanguinolentus
 subsp. *cyrtostachys* 276
Cyperus sphacelatus 276
Cyperus stolonifer 276
Cyperus surinamensis 277
Cyperus tenuiculmis 277
Cyperus tenuifolius 277
Cyperus tenuispica 277
Cyperus trialatus 277
Cyperus triceps auct. 277
Cyperus uncinatus auct. 272
Cyperus zollingeri auct. 277
Cyrtandra bicolor auct. 373

- Cyrtandra humilis** auct. 373
Cyrtandra pendula 373
Cyrtandra pilosa 769
Cyrtandromoea acuminata 584
Cyrtandromoea subsessilis 584
Cyrtococcum accrescens 611
Cyrtococcum oxyphyllum 777
Cyrtococcum patens 612
Cyrtophyllum fragrans 368
Cyrtophyllum giganteum 369
Cyrtophyllum peregrinum 369
Cyrtosperma lasioides 179
Cyrtosperma merkusii 178
Cyrtostachys lakka 196
Cyrtostachys renda 196
Cystorchis javanica 542
Cystorchis variegata 542
Cystorchis variegata var. *purpurea* 542
Cystorchis variegata var. *variegata* 543
Dacryodes costata 224
Dacryodes incurvata 224
Dacryodes laxa 224
Dacryodes longifolia 224
Dacryodes nervosa 225
Dacryodes puberula 225
Dacryodes puberula auct. 225
Dacryodes rostrata 225
Dacryodes rostrata aff. f. *rostrata* 225
Dacryodes rugosa 225
Dacryodes rugosa var. *rugosa* 225
Dactyloctenium aegyptium 612
Daemonorops accedens 761
Daemonorops angustifolia 192
Daemonorops carcharodon 193
Daemonorops cochleata 761
Daemonorops congesta 192
Daemonorops crinita 189
Daemonorops didymophylla 190
Daemonorops dissitophylla 195
Daemonorops elongata auct. 194
Daemonorops geniculata 762
Daemonorops geniculata auct. 193
Daemonorops grandis 193
Daemonorops hirsuta 190
Daemonorops hygrophila 193
Daemonorops hystrix 191
Daemonorops hystrix var. *hystrix* 191
Daemonorops intermedia 193
Daemonorops intermedia var. *nudinervis* 193
Daemonorops kunstleri auct. 194
Daemonorops leptopus 191
Daemonorops lewisiana 193
Daemonorops longipes 192
Daemonorops micracantha 193
Daemonorops periacantha 195
Daemonorops propinqua auct. 192
Daemonorops pseudomirabilis
 var. *malayanus* 189
Daemonorops sabut 189
Daemonorops sepal 193
Daemonorops setigera 762
Dalbergia candenatensis 341
Dalbergia havilandii 341
Dalbergia hullettii 341
Dalbergia junghuhnii 341
Dalbergia junghuhnii var. *scortechinii* 342
Dalbergia junghuhnii var. *typica* 342
Dalbergia latifolia 768
Dalbergia monosperma 341
Dalbergia parviflora 342
Dalbergia pseudosisssoo 342
Dalbergia rostrata 342
Dalbergia scortechinii 342
Dalbergia stercoracea 342
Dalbergia subsympathetica 342
Dalbergia torta 341
Dalbergia velutina 342
Dalbergia velutina var. *maingayi* 342
Dalrympelea sphaerocarpa 723
Daltoniaceae 41
Dapania racemosa 572
Dapania scandens 573
Daphniphyllaceae 289
Daphniphyllum griffithianum 289
Daphniphyllum laurinum 289
Dasymaschalon blumei 138
Dasymaschalon dasymaschalam 138
Dasymaschalon dasymaschalam
 var. *wallichii* 138
Dasymaschalon wallichii 138
Datura fastuosa 721
Datura fastuosa var. *alba* 721
Datura metel 721
Davallia angustata 69
Davallia angustata 70
Davallia denticulata 70
Davallia denticulata var. *denticulata* 70
Davallia divaricata 755
Davallia elegans 70
Davallia heterophylla 70
Davallia korthalsii 755
Davallia parallela 71
Davallia parvula 70
Davallia parvula 71
Davallia pectinata 71
Davallia pedata 71

- Davallia polyantha** 755
Davallia polypodioides var. *pubescens* 73
Davallia repens 71
Davallia solida 71
Davallia solida var. *caudata* 72
Davallia solida var. *latifolia* 72
Davallia solida var. *solida* 72
Davallia triphylla 72
Davalliaceae 69, 755
Decalobanthus peltatus 258
Decaspermum fruticosum auct. 494
Decaspermum paniculatum 494
Decaspermum parviflorum 494
Decaspermum parviflorum
subsp. *parviflorum* 494
Decaspermum parviflorum
subsp. *quadripartitum* 494
Decussocarpus wallichianus 115
Dehaasia cuneata 398
Dehaasia incrassata 398
Dehaasia microcarpa 399
Dehaasia nigrescens 395
Dendrobium acerosum 543
Dendrobium aciculare 543
Dendrobium acuminatum 775
Dendrobium aloifolium 543
Dendrobium angustifolium 543
Dendrobium atropurpureum auct. 561
Dendrobium bifarium 524
Dendrobium calcaratum 547
Dendrobium callibotrys 547
Dendrobium carnosum 561
Dendrobium comatum 544
Dendrobium concinnum 560
Dendrobium conostalix 547
Dendrobium criniferum 544
Dendrobium crocatum 544
Dendrobium crumenatum 544
Dendrobium dactyliferum 544
Dendrobium dalhousieanum 549
Dendrobium euphotum 545
Dendrobium euphlebium 550
Dendrobium excavatum 561
Dendrobium flabellum 548
Dendrobium flavidulum 550
Dendrobium flexile 545
Dendrobium flexile auct. 546
Dendrobium gemellum auct. 549
Dendrobium gracile auct. 549
Dendrobium grande 545
Dendrobium hendersonii 545
Dendrobium hercoglossum 545
Dendrobium hughii 775
Dendrobium indivisum 545
Dendrobium indragiriense 546
Dendrobium juncicum 775
Dendrobium kelsallii 544
Dendrobium kunstleri 548
Dendrobium laciniosum 13, 546
Dendrobium lamellatum 546
Dendrobium leonis 546
Dendrobium lobatum 546
Dendrobium lobbii 547
Dendrobium lonchophyllum 551
Dendrobium lonchophyllum auct. 544
Dendrobium longicolle 547
Dendrobium melanochlamys 551
Dendrobium microglaphys 547
Dendrobium pachyphyllum 547
Dendrobium pallidiflorum 551
Dendrobium pandaneti 544
Dendrobium pensile 547
Dendrobium planibulbe 548
Dendrobium plicatile 548
Dendrobium prostratum 548
Dendrobium pulchellum 548
Dendrobium pumilum 547
Dendrobium pyropum 544
Dendrobium quadrangulare auct. 547
Dendrobium revolutum 549
Dendrobium rhizophoreti 546
Dendrobium salaccense 549
Dendrobium secundum 549
Dendrobium serra 543
Dendrobium setifolium 549
Dendrobium singaporense 549
Dendrobium sinuatum 561
Dendrobium sphegiodglossum 550
Dendrobium spurium 550
Dendrobium stuposum 550
Dendrobium subulatum 550
Dendrobium teres 550
Dendrobium teysmannii 547
Dendrobium tuberiferum 548
Dendrobium villosulum 550
Dendrobium xantholeucum 551
Dendrocalamus asper 777
Dendrocalamus flagellifer 777
Dendrochilum ellipticum 539
Dendrochilum longifolium 538
Dendrochilum pallidiflavens 539
Dendrochilum pallidiflavens
var. *pallidiflavens* 540
Dendrocolla filiformis 569
Dendrocolla maculata 568
Dendrocolla trichoglottis 569

- Dendro-hypnum subspininervium** 47
Dendro-hypnum subspininervium
 subsp. *arborescens* 47
Dendrokingstonia nervosa 138
Dendrolejeunea fruticosa 29
Dendrolobium umbellatum 343
Dendrophthoe coccinea 415
Dendrophthoe curvata 414
Dendrophthoe falcata auct. 414
Dendrophthoe farinosa 414
Dendrophthoe ferruginea 416
Dendrophthoe pentandra 414
Dendrotrophe buxifolia 703
Dendrotrophe buxifolia var. *buxifolia* 703
Dendrotrophe lobbiana 703
Dendrotrophe varians 703
Dennstaedtiaceae 72
Dentella repens 659
Deplanchea bancana 218
Derris amoena 343
Derris amoena var. *amoena* 343
Derris amoena var. *maingayana* 343
Derris elliptica 343
Derris heptaphylla 333
Derris heterophylla 344
Derris maingayana 343
Derris malaccensis 343
Derris malaccensis var. *typica* 343
Derris montana 343
Derris oblonga auct. 343
Derris scandens 337
Derris sinuata 333
Derris sp. 341
Derris thrysiflora 333
Derris trifoliata 343
Derris uliginosa 344
Desmanthus virgatus 344
Desmodium caudatum 352
Desmodium heterocarpon 346
Desmodium heterocarpon
 subsp. *heterocarpon* 352
Desmodium heterophyllum 346
Desmodium laburnifolium 352
Desmodium ovalifolium auct. 346
Desmodium polycarpon 346
Desmodium polycarpon
 var. *ovalifolium* auct. 346
Desmodium scorpiurus 344
Desmodium triflorum 347
Desmodium umbellatum 343
Desmos chinensis 138
Desmos dasymaschalus 138
Desmos dasymaschalus var. *wallichii* 138
Desmos dumosus 138
Desmos dunalii 139
Desmos subbiglandulosus 139
Desmotheca apiculata 50
Desmotrichum criniferum 544
Desmotrichum fimbriatum 548
Desmotrichum laciniosum 546
Desmotrichum lonchophyllum 551
Desmotrichum lonchophyllum auct. 544
Desmotrichum pallidiflorum 551
Dialium indum 344
Dialium indum var. *bursa* 344
Dialium indum var. *indum* 344
Dialium laurinum 344
Dialium maingayi 345
Dialium patens 344
Dialium platysepalum 344
Dialium platysepalum var. *wallichii* 345
Dialium wallichii 345
Dianella ensifolia 209
Diasperus finlaysonianus 599
Diasperus sericeus 598
Diasperus urinaria 596
Dibridsonia conferta 659
Dichanthium annulatum 612
Dichanthium caricosum 612
Dichanthium mucronulatum 778
Dichapetalaceae 289, 766
Dichapetalum sordidum 289
Dichopsis bancana 715
Dichopsis gutta 713
Dichopsis oblongifolia 713
Dichopsis obovata 714
Dichopsis rubens 715
Dichopsis treubii 713
Dicranaceae 42, 752
Dicranoloma braunii 42
Dicranoloma brevisetum 752
Dicranoloma brevisetum var. *brevisetum* 752
Dicranoloma brevisetum var. *samoanum* 42
Dicranopteris curranii 77
Dicranopteris linearis 77
Dicranopteris linearis var. *linearis* 77
Dicranopteris linearis var. *subpectinata* 77
Dicranopteris subpectinata 77
Dicranum megalophyllum 49
Dictyopteris barberi 106
Dictyopteris difformis 75
Dictyopteris subdecurrens 108
Didymocarpus crinitus auct. 373
Didymocarpus incanus 769
Didymocarpus perditus 373
Didymocarpus platypus 372

- Didymocarpus puncticulatus* 373
Didymocarpus sp. 373
Didymodon sphagnoides 37
Didymoglossum bimarginatum 80
Didymoglossum mindorense auct. 80
Didymoglossum motleyi 80
Didymoglossum sublimbatum 81
Didymoplexiella ornata 551
Didymoplexis pallens 551
Dieffenbachia seguine 179
Dieffenbachia seguine var. *seguine* 179
Dienia ophrydis 551
Digitaria bicornis 612
Digitaria caespitosa 614
Digitaria chinensis auct. 612, 615
Digitaria ciliaris 612
Digitaria didactyla 613
Digitaria didactyla var. *peninsulae* 613
Digitaria elevatovenulosa 613
Digitaria fuscescens 613
Digitaria longiflora 613
Digitaria longiflora auct. 613, 614, 615
Digitaria marginata 613
Digitaria marginata
var. *commutata* auct. 613
Digitaria marginata
var. *debilis* auct. 613, 614
Digitaria marginata var. *pruriens* 614
Digitaria microbachne 614
Digitaria microbachne
subsp. *calliblepharata* 614
Digitaria mollicoma 613
Digitaria nuda 614
Digitaria peninsulae 613
Digitaria pertenuis 614
Digitaria pusilla 778
Digitaria radicosa 614
Digitaria setigera 614
Digitaria setigera var. *calliblepharata* 614
Digitaria setigera var. *setigera* 614
Digitaria violascens 614
Dillenia excelsa 290
Dillenia excelsa var. *excelsa* 290
Dillenia excelsa var. *tomentella* 290
Dillenia eximia 290
Dillenia grandifolia 290
Dillenia indica 766
Dillenia ovata 290
Dillenia ovata auct. 290
Dillenia pulchella 291
Dillenia reticulata 291
Dillenia scorchedinii 290
Dillenia suffruticosa 291
Dilleniaceae 290, 766
Dilochia wallichii 552
Dilochia wallichii 552
Dimeria glabra 615
Dimeria ornithopoda 615
Dimeria ornithopoda subvar. *imperfecta* 615
Dimeria ornithopoda var. *glabra* 615
Dimeria ornithopoda var. *ornithopoda* 615
Dimocarpus cinereus var. *cinereus* 705
Dimocarpus lichi 705
Dimocarpus longan auct. 705
Dimocarpus longan subsp. *malesianus* 705
Dimocarpus longan var. *malesianus* 705
Dimocarpus malesianus 705
Dimorphocalyx capillipes 767
Dinebra chinensis 615
Dinebra panicea 615
Dioclea hexandra 349
Dioclea hexandra var. *javanica* 349
Dioclea reflexa auct. 349
Diodia ocytifolia 687
Diodia sarmentosa 668
Dioscorea bulbifera 293
Dioscorea cornifolia auct. 295
Dioscorea daemona 294
Dioscorea deflexa 294
Dioscorea glabra auct. 296
Dioscorea hispida 293
Dioscorea kingii 294
Dioscorea laurifolia 294
Dioscorea oppositifolia auct. 295
Dioscorea orbiculata var. *tenuifolia* 296
Dioscorea polyclades 294
Dioscorea porteri var. *andersonii* 294
Dioscorea prainiana 294
Dioscorea prainiana auct. 295
Dioscorea pyrifolia 295
Dioscorea pyrifolia var. *ferruginea* 295
Dioscorea sansibarensis 295
Dioscorea sativa auct. 293
Dioscorea stenomeriflora 295
Dioscorea tenuifolia 295
Dioscorea triphylla auct. 294
Dioscorea zollingeriana auct. 294, 296
Dioscoreaceae 8, 293
Diospyros apiculata 766
Diospyros argentea 304
Diospyros bilocularis 307
Diospyros buxifolia 305
Diospyros clavigera 305
Diospyros clavigera var. *pachyphylla* 306
Diospyros confusa 308
Diospyros coriacea 305

- Diospyros diepenhorstii** 306
Diospyros ferrea 306
Diospyros hermaphroditica f. *venosa* 308
Diospyros lanceifolia 306
Diospyros latisepala 307
Diospyros lucida 306
Diospyros maingayi 307
Diospyros microphylla 305
Diospyros oblonga 307
Diospyros pachyphylla 306
Diospyros pilosanthera 307
Diospyros pilosanthera auct. 307
Diospyros pilosanthera var. *oblonga* 307
Diospyros pyrifera 306
Diospyros ridleyi 767
Diospyros sapotooides 307
Diospyros siamang 307
Diospyros singaporense 767
Diospyros sp. 306
Diospyros styraciformis 308
Diospyros subrhomboidea 308
Diospyros sumatrana 308
Diospyros undulata 767
Diospyros vaccinioides auct. 305
Diospyros venosa 308
Diphysciaceae 42
Diphyscium involutum 43
Diphyscium longifolium auct. 42
Diphyscium malayense 43
Diphyscium mucronifolium 42
Diphyscium rupestre auct. 43
Diplacrum caricinum 277
Diplazium acuminatum auct. 65, 66
Diplazium allantoideum auct. 66
Diplazium asperum 66
Diplazium bantamense auct. 65
Diplazium bantamense var. *prescottianum* 65
Diplazium cordifolium 64
Diplazium crenatoserratum auct. 66
Diplazium esculentum 65
Diplazium fraxinifolium 65
Diplazium holtumii 65
Diplazium malaccense 65
Diplazium mixtum 65
Diplazium pallidum auct. 65
Diplazium phanerotis 66
Diplazium polypodioides 66
Diplazium porrectum 66
Diplazium prescottianum 65
Diplazium prescottianum var. B 65
Diplazium proliferum 66
Diplazium riparium 65
Diplazium sorzogonense 66
Diplazium sorzogonense auct. 65
Diplazium speciosum auct. 65, 66
Diplazium sylvaticum 66
Diplazium sylvaticum var. *prescottianum* 65
Diplazium tomentosum 67
Diplectria divaricata 433
Diplectria glauca 434
Diplectria pallens 434
Diplectria stipularis 434
Diplectria viminalis 434
Diplocaulobium longicolle 547
Diplospora malaccensis 660
Dipodium fragrans 552
Dipodium fragrans var. **fragrans** 552
Dipodium paludosum 552
Dipodium pictum auct. 552
Dipodium scandens auct. 552
Dipteridaceae 73
Dipteris conjugata 73
Dipteris horsfieldii 74
Dipterocarpaceae 296, 766
Dipterocarpus apterus 298
Dipterocarpus caudatus auct. 297
Dipterocarpus caudatus
 subsp. *penangianus* 297
Dipterocarpus chartaceus 297
Dipterocarpus condorensis 297
Dipterocarpus condorensis
 subsp. *penangianus* 297
Dipterocarpus cornutus 297
Dipterocarpus costulatus auct. 298
Dipterocarpus elongatus 298
Dipterocarpus grandiflorus 298
Dipterocarpus hasseltii 766
Dipterocarpus kerrii 298
Dipterocarpus kunstleri 298
Dipterocarpus palembanicus 298
Dipterocarpus palembanicus
 subsp. *palembanicus* 298
Dipterocarpus penangianus 297
Dipterocarpus sublamellatus 298
Dipterocarpus tempehes 299
Dipterocarpus turbinatus 766
Dischidia acutifolia 159
Dischidia albida 159
Dischidia albiflora 159
Dischidia bengalensis 159
Dischidia coccinea 160
Dischidia cochleata 160
Dischidia collyris 159
Dischidia complex 160
Dischidia deschampsii 760
Dischidia gaudichaudii 161

- Dischidia hirsuta** 160
Dischidia major 160
Dischidia nummularia 161
Dischidia oiantha 161
Dischidia rafflesiana 161
Dischidia ridleyana 161
Dischidia singaporensis 160
Dischidia wallichii 167
Discospermum malaccense 660
Dissochaeta annulata 434
Dissochaeta biligulata 434
Dissochaeta celebica auct. 434
Dissochaeta divaricata 434
Dissochaeta echinulata 436
Dissochaeta gracilis 435
Dissochaeta intermedia auct. 435
Dissochaeta intermedia
var. *intermedia* auct. 435
Dissochaeta microcarpa 435
Dissochaeta monticola auct. 434
Dissochaeta pallida 435
Dissochaeta punctulata 435
Dissochaeta stipularis 434
Dissochaeta viminalis 434
Distichophyllum gracilicaule auct. 42
Distichophyllum schmidii 41
Ditrichaceae 43
Dodonaea viscosa 705
Dolichandrone rheedii 218
Dolichandrone spathacea 218
Donax canniformis 432
Donax grandis 432
Donella lanceolata 710
Dracaena angustifolia 206
Dracaena angustifolia var. *honoriae* 206
Dracaena aubryana 206
Dracaena aurantiaca 207
Dracaena brachystachys 206
Dracaena braunii auct. 208
Dracaena breviflora 207
Dracaena cantleyi 207
Dracaena elliptica 207
Dracaena fragrans 207
Dracaena godseffianar 209
Dracaena gracilis 207
Dracaena granulata 207
Dracaena maingayi 208
Dracaena porteri 208
Dracaena sanderiana 208
Dracaena singapurensis 208
Dracaena surculosa 208
Dracaena terniflora auct. 209
Dracaena trifasciata 209
Dracaena umbratica 209
Dracontomelon dao 129
Dracontomelon mangiferum 129
Drepananthus pruniferus 139
Drepananthus pruniferus auct. 139
Drepananthus ramuliflorus 139
Drepananthus ridleyi 139
Drepanolejeunea ternatensis auct. 27
Drepanolejeunea vesiculos 27
Drosera peltata 766
Drosera peltata var. *typica* 766
Droseraceae 766
Drymaria cordata 236
Drymoglossum piloselloides 97
Drymoglossum piloselloides
var. *platyceroides* 97
Drynaria lineei 91
Drynaria quercifolia 91
Drynaria sparsisora 91
Drynaria speciosa 92
Drynaria splendens 755
Dryopteridaceae 74
Dryopteris subpubescens 110
Dryopteris subpubescens var. *major* 110
Drypetes crassipes 647
Drypetes curtissii auct. 647
Drypetes laevis 647
Drypetes longifolia 647
Drypetes pendula 648
Duchesnea indica 653
Durio griffithii 422
Durio oblongus auct. 423
Durio singaporenensis 422
Durio zibethinus 423
Dyera costulata 161
Dyera laxiflora 161
Dysophylla auricularia 390
Dysoxylum acutangulum 453
Dysoxylum alliaceum 455
Dysoxylum arborescens 773
Dysoxylum carolinae 453
Dysoxylum caulinflorum 454
Dysoxylum costulatum 455
Dysoxylum cuneatum 451
Dysoxylum cyrtobotryum 453
Dysoxylum densiflorum 454
Dysoxylum excelsum 455
Dysoxylum flavescens 454
Dysoxylum grande 454
Dysoxylum macrothyrum 455
Dysoxylum sp. 1 453
Dysoxylum thyrsoideum 455
Dysoxylum turbinatum 455

- Ebenaceae** 304, 766
Ebermaiera griffithiana 121
Ebermaiera setigera 122
Ecbolium linneanum 757
Ecdysanthera glandulifera 171
Echinocarpus sp. 313
Echinochloa colona 615
Echinochloa crus-galli 615
Echinochloa picta 616
Echinochloa stagnina auct. 616
Echinodorus grandiflorus 125
Echites moniliferus 172
Eclipta alba 212
Eclipta prostrata 212
Ectropothecium buitenzorgi 45
Ectropothecium ichnotocladium 45
Ectropothecium incubans 46
Ectropothecium intorquatum 753
Ectropothecium monumentorum 46
Ectropothecium moritzii 46
Ectropothecium moritzii var. *moritzii* 46
Ectropothecium singapurense 13, 46
Ectropothecium zollingeri 46
Edrastima trinervia 667
Egenoflia appendiculata 74
Ehretia microphylla 221
Eichhornia crassipes 638
Elaeis guineensis 196
Elaeocarpaceae 309
Elaeocarpus acmosepalus 309
Elaeocarpus aff. *polystachyus* 309
Elaeocarpus apiculatus 311
Elaeocarpus ferrugineus 309
Elaeocarpus ferrugineus
 subsp. *ferrugineus* 309
Elaeocarpus floribundus 309
Elaeocarpus griffithii 309
Elaeocarpus hullettii 311
Elaeocarpus jackianus 309
Elaeocarpus macrocerus 310
Elaeocarpus macrocerus
 subsp. *macrocerus* 310
Elaeocarpus mastersii 310
Elaeocarpus nitidus 310
Elaeocarpus nitidus var. *nitidus* 311
Elaeocarpus nitidus var. *salicifolius* 312
Elaeocarpus obtusus 311
Elaeocarpus obtusus auct. 310
Elaeocarpus obtusus subsp. *apiculatus* 311
Elaeocarpus palembanicus 311
Elaeocarpus paniculatus 310
Elaeocarpus parvifolius 311
Elaeocarpus pedunculatus 311
Elaeocarpus petiolatus 312
Elaeocarpus polystachyus 312
Elaeocarpus polystachyus 312
Elaeocarpus punctatus 243
Elaeocarpus rugosus auct. 311
Elaeocarpus rugosus var. *singaporense* 311
Elaeocarpus salicifolius 312
Elaeocarpus stipularis 312
Elaeocarpus stipularis
 var. *latifolius* auct. 313
Elaeocarpus stipularis var. *stipularis* 313
Elaeodendron subrotundum 237
Elaeodendron viburnifolium 237
Elaphoglossum amblyphyllum 75
Elaphoglossum decurrens auct. 75
Elaphoglossum latifolium auct. 75
Elaphoglossum laurifolium auct. 75
Elaphoglossum obtusifolium 75
Elateriospermum tapos 320
Elatostema molle 782
Elatostema repens 735
Elatostema repens var. *pulchrum* 735
Eleiodoxa conferta 197
Eleocharis acutangula 765
Eleocharis capitata 278
Eleocharis chaetaria 278
Eleocharis dulcis 277
Eleocharis fistulosa 765
Eleocharis geniculata 278
Eleocharis ochrostachys 278
Eleocharis plantaginea 278
Eleocharis retroflexa 278
Eleocharis retroflexa subsp. *chaetaria* 278
Eleocharis spiralis 278
Eleocharis variegata var. *laxiflora* 278
Elephantopus mollis 212
Elephantopus scaber 212
Elephantopus spicatus 213
Elettariopsis curtisii 746
Elettariopsis latiflora 746
Eleusine aegyptia 612
Eleusine coracana 778
Eleusine indica 616
Eleusine indica var. *coracana* 778
Eleutheranthera ruderalis 213
Eleutherococcus trifoliatus 186
Ellipanthus griffithii 255
Ellipanthus tomentosus 255
Ellipanthus tomentosus
 var. *tomentosus* 255
Ellipeia cuneifolia 150
Ellipeia leptopoda 152

- Elytranthe albida** 414
Elytranthe arnottiana 415
Elytranthe farinosa 414
Elytranthe globosa 416
Elytranthe globosa var. *puberula* 416
Elytranthe maingayi 415
Elytranthe papillosa 416
Elytranthe retusa 416
Elytraria acaulis 118
Elytraria acaulis var. *lyrata* 118
Embelia amentacea 643
Embelia canescens 643
Embelia canescens var. *canescens* 779
Embelia canescens var. *glabrescens* 644
Embelia coriacea 644
Embelia dasythysa auct. 645
Embelia fulva 644
Embelia garciniifolia 645
Embelia lampani 644
Embelia lucida 584
Embelia ribes 644
Embelia ribes var. *garciniifolia* 645
Embelia ribes var. *rugosa* 645
Embelia ridleyi 481
Embelia rugosa 645
Embelia urophylla 243
Emblica officinalis 596
Emblica pachyphylloides 596
Emblica pectinata 596
Emblica urinaria 596
Emerus grandiflorus 768
Emilia sonchifolia 213
Endiandra maingayi 399
Endocomia canarioides 481
Endopogon ridleyi 122
Endospermum chinense auct. 321
Endospermum diadenum 321
Endospermum diadenum auct. 321
Endospermum malaccense 321
Endospermum ovalifolium 321
Endospermum peltatum 321
Endospermum quadriloculare 321
Engelhardia nudiflora 383
Engelhardia serrata 383
Engelhardia wallichiana auct. 383
Enhalus acoroides 376
Enhalus koenigii 377
Enhydrias angustipetala 376
Enkleia malaccensis 731
Entada rheedei auct. 345
Entada spiralis 345
Enydra fluctuans 213
Epicharis cuneata 454
Epicharis densiflora 454
Epigynum forbesii 162
Epigynum griffithianum auct. 162
Epigynum ridleyi 162
Epipremnopsis media 177
Epipremnum aureum 179
Epipremnum giganteum 179
Epipremnum mirabile 179
Epipremnum pinnatum 179
Epirixanthes papuana 634
Epithinia malayana 686
Eragrostis amabilis auct. 617, 618
Eragrostis atrovirens 616
Eragrostis brownii 616
Eragrostis brownii auct. 617
Eragrostis cambessediana 617
Eragrostis ciliaris 617
Eragrostis cumingii 617
Eragrostis elegantula 616
Eragrostis elegantula auct. 616, 617
Eragrostis elongata auct. 616, 617
Eragrostis gangetica 617
Eragrostis malayana 617
Eragrostis montana 617
Eragrostis nutans auct. 616
Eragrostis pilosa 617
Eragrostis tenella 617
Eragrostis tenuifolia 618
Eragrostis unioloides 618
Eragrostis viscosa auct. 618
Eranthemum album auct. 120
Eranthemum kingii 120
Erechtites hieraciifolius 213
Erechtites valerianifolius 213
Eremochloa ciliaris 778
Eria aeridostachya 523
Eria bractescens 562
Eria endymion 528
Eria floribunda 562
Eria gracilis 569
Eria hyacinthoides 527
Eria javanica 552
Eria longerepens 541
Eria neglecta 541
Eria nutans 541
Eria obliqua 557
Eria oligantha 569
Eria pannea 566
Eria pellipes 566
Eria pudica 528
Eria pulchella 537
Eria robusta 522
Eria stellata 552

- Eria striolata* 552
Eria tenuiflora 562
Eria teretifolia 566
Eria velutina 570
Eria vestita 570
Eriachne pallescens 618
Eriachne triseta 618
Ericaceae 313
Erigeron bellidioides 214
Erigeron linifolius 212
Erigeron sumatrensis 212
Eriocaulaceae 314, 767
Eriocaulon longifolium 315
Eriocaulon oryzetorum 767
Eriocaulon sexangulare auct. 315
Eriocaulon truncatum 314
Eriocaulon truncatum var. *florensense* 315
Eriocaulon truncatum var. **truncatum** 315
Eriocaulon wallichianum auct. 315
Eriochloa willdenovianum 315
Eriochloa meyeriana 618
Eriochloa procera 618
Eriochloa villosa 778
Eriodendron anfractuosum 421
Erioglossum edule 706
Ervatamia corymbosa 169
Ervatamia malaccensis 170
Erycibe citriniflora 764
Erycibe coriacea 764
Erycibe festiva 258
Erycibe griffithii 258
Erycibe griffithii auct. 259
Erycibe leucoxyloides 258
Erycibe maingayi 259
Erycibe malaccensis 259
Erycibe princii 259
Erycibe tomentosa 259
Erycibe tomentosa var. *hirsuta* 259
Erycibe tomentosa var. *tomentosa* 259
Eryngium foetidum 155
Erythropalum scandens 516
Erythrorchis altissima 552
Erythroxylaceae 315
Erythroxylum burmanicum 315
Erythroxylum cuneatum 315
Erythroxylum cuneatum f. *cuneatum* 315
Escalloniaceae 315
Etlingera elatior 746
Etlingera littoralis auct. 746
Etlingera maingayi 746
Etlingera punicea 746
Eugenia acuminatissima 495
Eugenia anisosepala 774
Eugenia antiseptica 774
Eugenia attenuata 496
Eugenia avenis 496
Eugenia bracteolata 774
Eugenia caudata 509
Eugenia cerina 501
Eugenia cerina var. *cerina* 501
Eugenia cerina var. *turbinata* 501
Eugenia chlorantha 497
Eugenia claviflora 497
Eugenia conglomerata 498
Eugenia crenulata 509
Eugenia cumingiana 495
Eugenia cumini 498
Eugenia cymosa auct. 509
Eugenia densiflora 507
Eugenia duthieana 498
Eugenia filiformis 499
Eugenia filiformis var. *clavimyrtus* 499
Eugenia filiformis var. *filiformis* 499
Eugenia flosculifera 499
Eugenia glauca 500
Eugenia goodenovii auct. 508
Eugenia grandis 500
Eugenia grata 510
Eugenia griffithii 500
Eugenia helferi 774
Eugenia inophylla 501
Eugenia jambolana 498
Eugenia jambos 501
Eugenia kunstleri 502
Eugenia laevicaulis 504
Eugenia lepidocarpa 505
Eugenia leptantha 498
Eugenia leptostemon 502
Eugenia leucoxylon 502
Eugenia lineata 497
Eugenia linocieroidea 502
Eugenia longiflora 497
Eugenia malaccensis 503
Eugenia microcalyx 496
Eugenia microcalyx var. *irregularis* 496
Eugenia microcalyx var. *microcalyx* 496/497
Eugenia muelleri 503
Eugenia myrtifolia 503
Eugenia nemestrina 508
Eugenia ngadimaniana 504
Eugenia nigricans 504
Eugenia nitida 506
Eugenia oblata 504
Eugenia oblongifolia 502
Eugenia oleina 503
Eugenia pachyphylla 504

- Eugenia palembanica* 505
Eugenia papillosa 505
Eugenia pauper 505
Eugenia penangiana auct. 496
Eugenia pendens 505
Eugenia polyantha 506
Eugenia pseudocrenulata 509
Eugenia pseudoformosa 499
Eugenia pseudosubtilis 496
Eugenia pseudosubtilis var. *platyphylla* 497
Eugenia pseudosyzygioides 509
Eugenia punctulata 501
Eugenia pustulata 506
Eugenia pyrifolia 507
Eugenia ridleyi 507
Eugenia rugosa 507
Eugenia scoparia 496
Eugenia scortechinii 508
Eugenia selangorensis 505
Eugenia sp. 39 494
Eugenia sp. 8 494
Eugenia spicata 510
Eugenia subdecussata 509
Eugenia subrufa 501
Eugenia syzygioides 509
Eugenia thumra 774
Eugenia tumida 507
Eugenia urceolata auct. 502
Eugenia valdevenosa 509
Eugenia variolosa auct. 505
Eugenia venulosa 503
Eugenia verecunda 502
Eugenia virens 500
Eugenia zeylanica 510
Eulalia praemorsa 627
Eulejeunea gracillima 28
Eulophia graminea 553
Eulophia nuda 553
Eulophia spectabilis 553
Eulophia squalida 553
Eumachia montana 660
Eumachia rostrata 660
Euodia glabra 698
Euodia malayana 698
Euodia pedunculosa 699
Euodia robusta 698
Euodia roxburghiana 698
Euonymus indicus 237
Euonymus javanicus 237
Euosmolejeunea tenella 27
Eupatorium odoratum 212
Euphorbia atoto 321
Euphorbia cyathophora 321
Euphorbia heterophylla 321
Euphorbia heterophylla auct. 321
Euphorbia hirta 321
Euphorbia hypericifolia auct. 322
Euphorbia ophthalmica 322
Euphorbia parviflora 322
Euphorbia pilulifera auct. 322
Euphorbia thymifolia 322
Euphorbia tirucalli 767
Euphorbiaceae 316, 767
Euphoria malaiensis 705
Eurya acuminata 582
Euryales sylvestris 758
Erycoma longifolia 719
Eustachys tenera 619
Euthemis elegantissima 515
Euthemis leucocarpa 515
Euthemis minor 516
Evolvulus alsinoides 259
Evolvulus nummularius 260
Exacum pedunculatum 769
Exacum tetragonum 769
Excoecaria agallocha 322
Excoecaria indica 330
Exodictyon blumei 37
Exostratum blumei 37
Fabaceae 331, 768
Fagaceae 362, 769
Fagraea acuminatissima 370
Fagraea auriculata 369
Fagraea carnosa auct. 370
Fagraea ceilanica auct. 370
Fagraea crenulata 370
Fagraea fastigiata auct. 370
Fagraea fragrans 368
Fagraea fragrans auct. 369
Fagraea gigantea 369
Fagraea ligustrina auct. 370
Fagraea morindifolia 371
Fagraea obovata auct. 370
Fagraea pauciflora 371
Fagraea racemosa auct. 370, 371
Fagraea racemosa var. *pauciflora* 371
Fagraea ridleyi 369
Fagraea speciosa auct. 369
Fagraea splendens 370
Fagraea volubilis 371
Fahrenheitia pendula 328
Falcataria falcata 345
Falcataria moluccana 345
Fatoua pilosa 466
Fatoua villosa 466
Fernandoa adenophylla 218

- FERNS** 62, 755
Fibraurea chloroleuca 458
Fibraurea tinctoria 458
Ficus acamptophylla auct. 477
Ficus alba 471
Ficus albipila 466
Ficus altissima 773
Ficus annulata 466
Ficus apiocarpa 466
Ficus aurantiacea 474
Ficus aurantiacea var. *aurantiacea* 474
Ficus aurata 466
Ficus aurata var. *aurata* 466
Ficus aurata var. *longipilosa* 467
Ficus aurata var. *pedunculata* 467
Ficus benghalensis 467
Ficus benjamina 467
Ficus binnendijkii 467
Ficus binnendijkii var. *binnendijkii* 467
Ficus binnendijkii var. *coriacea* 473
Ficus botryocarpa auct. 475
Ficus bracteata 467
Ficus callophylla 468
Ficus caulocarpa 468
Ficus cf. variegata 478
Ficus chartacea 468
Ficus chrysocarpa auct. 467
Ficus consociata 468
Ficus consociata var. *murtonii* 468
Ficus crassiramea 469
Ficus crassiramea subsp. *crassiramea* 469
Ficus crassiramea subsp. *stupenda* auct. 469
Ficus delosyce 469
Ficus deltoidea 469
Ficus diversifolia 469
Ficus diversifolia var. *deltoidea* 469
Ficus diversifolia var. *ovoidea* 469
Ficus dubia 472
Ficus elastica 470
Ficus excavata 470
Ficus fistulosa 470
Ficus fistulosa var. *fistulosa* 470
Ficus fulva auct. 467
Ficus glabella 479
Ficus glandulifera 470
Ficus globosa 470
Ficus gossypina 471
Ficus grossularioides 471
Ficus grossularioides
var. *grossularioides* 471
Ficus heteropleura 471
Ficus hirta var. *normalis* 773
Ficus hispida 471
Ficus indica auct. 477
Ficus indica var. *gelderi* 474
Ficus infectoria 479
Ficus kallicarpa 474
Ficus kerkhovenii 471
Ficus kochummeniana 472
Ficus laevis 472
Ficus laevis var. *laevis* 472
Ficus lampponga 472
Ficus lepicarpa 773
Ficus lepidosa 472
Ficus lindsayana 472
Ficus microcarpa 473
Ficus microstoma 474
Ficus microsyce 473
Ficus miquelii auct. 475
Ficus obscura auct. 476
Ficus obscura var. *borneensis* 476
Ficus obtusifolia auct. 468
Ficus ovoidea 469
Ficus pallescens 473
Ficus parietalis 773
Ficus pellucidopunctata 473
Ficus pisifera 476
Ficus pisocarpa 474
Ficus polysyce 478
Ficus procera 469
Ficus pulchra 773
Ficus pumila 474
Ficus pumila var. *awkeotsang* 474
Ficus punctata 474
Ficus radicans 471
Ficus ramentacea 476
Ficus recurva 475
Ficus recurva var. *ribesioides* 475
Ficus religiosa 475
Ficus retusa auct. 472, 473
Ficus retusa var. *nitida* auct. 473
Ficus ribes 773
Ficus ribesioides 475
Ficus rigida 469
Ficus rostrata 477
Ficus rosulata 475
Ficus ruginervia 475
Ficus sagittata 476
Ficus scaberrima 476
Ficus schwarzii auct. 475
Ficus scortechinii 476
Ficus sinuata 476
Ficus soepadmoi 773
Ficus stricta 477
Ficus stupenda auct. 469
Ficus stupenda var. *minor* 469

- Ficus subgelderi** 477
Ficus subgelderi var. *rigida* 469
Ficus subgelderi var. *subgelderi* 477
Ficus subpisocarpa 477
Ficus subtecta 469
Ficus subulata 477
Ficus sumatrana 477
Ficus sundaica 477
Ficus sundaica var. *sundaica* 477
Ficus superba 477
Ficus trichocarpa 478
Ficus urophylla 471
Ficus variegata 478
Ficus vasculosa 478
Ficus villosa 478
Ficus virens 479
Ficus virens var. *glabella* 479
Ficus xylophylla 479
Fimbristylis acuminata 278
Fimbristylis aestivalis auct. 280
Fimbristylis asperrima 279
Fimbristylis complanata 279
Fimbristylis cymosa 279
Fimbristylis cymosa subsp. *cymosa* 279
Fimbristylis cymosa subsp. *spathacea* 279
Fimbristylis cymosa var. *spathacea* 279
Fimbristylis dichotoma 279
Fimbristylis dichotoma subsp. *dichotoma* 279
Fimbristylis diphylla 279
Fimbristylis diphylla
var. *pluristriata* auct. 279
Fimbristylis dura 279
Fimbristylis ferruginea 279
Fimbristylis filiformis 281
Fimbristylis fusca 280
Fimbristylis globulosa 282
Fimbristylis griffithii 280
Fimbristylis leptoclada 280
Fimbristylis littoralis 280
Fimbristylis miliacea 280
Fimbristylis nutans 280
Fimbristylis obtusata 281
Fimbristylis ovata 281
Fimbristylis pauciflora 281
Fimbristylis polytrichoides 281
Fimbristylis schoenoides 281
Fimbristylis setacea auct. 279
Fimbristylis spathacea 279
Fimbristylis tenera var. *obtusata* 281
Fimbristylis tetragona 281
Fimbristylis tristachya 282
Fimbristylis umbellaris 282
Finlaysonia maritima auct. 162
Finlaysonia obovata 162
Fissidens areolatus 45
Fissidens autoicus 43
Fissidens bogoriensis 43
Fissidens ceylonensis 43
Fissidens crassinervis 43
Fissidens crassinervis var. *crassinervis* 43
Fissidens crenulatus 44
Fissidens crenulatus var. *elmeri* 44
Fissidens crispulus 44
Fissidens crispulus var. *crispulus* 44
Fissidens flaccidus 44
Fissidens guangdongensis 44
Fissidens gymnogynus 44
Fissidens hollianus 752
Fissidens javanicus 752
Fissidens laxus 44
Fissidens laxus var. *javensis* 44/45
Fissidens laxus var. *laxus* 45
Fissidens mangarevensis 44
Fissidens mittenii 45
Fissidens mittenii var. *mittenii* 45
Fissidens oblongifolius 44
Fissidens pallidinervis 44
Fissidens pallidus 44
Fissidens papillosum 45
Fissidens pellucidus 44
Fissidens polypodioides 45
Fissidens pseudoceylonensis 45
Fissidens serratus 45
Fissidens splachnobryoides 44
Fissidens sylvaticus auct. 44
Fissidens zippelianus 44
Fissidens zollingeri 45
Fissidentaceae 43, 752
Fissistigma fulgens 139
Fissistigma lanuginosum 140
Fissistigma latifolium 759
Fissistigma latifolium var. *latifolium* 759
Fissistigma latifolium var. *ovoideum* 140
Fissistigma manubriatum 140
Fissistigma ovoideum 140
Flacourzia cataphracta 701
Flacourzia inermis 701
Flacourzia jangomas 701
Flacourzia rukam 702
Flacourzia rukam var. *erythrocarpa* 702
Flagellaria indica 368
Flagellaria indica var. *minor* 368
Flagellaria minor 368
Flagellariaceae 368
Flemingia strobilifera 346
Fleurya interrupta 734

- Flickingeria angustifolia* 543
Flickingeria bancana 543
Flickingeria comata 544
Flickingeria fimbriata 548
Flickingeria fugax 775
Flickingeria laciniosa 13, 546
Flickingeria xantholeuca 551
Floscopia scandens 252
Flueggea virosa 596
Folioceros glandulosus 58
Forrestia gracilis 251
Forrestia marginata 251
Forrestia marginata auct. 251
Forrestia mollis auct. 251
Fragaria indica 653
Freycinetia angustifolia 576
Freycinetia cf. insignis 577
Freycinetia confusa 576
Freycinetia corneri 576
Freycinetia gaudichaudii auct. 577
Freycinetia imbricata 776
Freycinetia javanica 576
Freycinetia javanica var. *javanica* 576
Freycinetia lucens 576
Freycinetia malaccensis 576
Freycinetia sumatrana 577
Freycinetia sumatrana var. *sumatrana* 577
Freycinetia valida 577
Friesodielsia biglandulosa 141
Friesodielsia borneensis 141
Friesodielsia borneensis
var. *sumatrana* 141
Friesodielsia calycina 141
Friesodielsia excisa auct. 141
Friesodielsia glauca 142
Friesodielsia latifolia 142
Frullania aeolotis 23
Frullania aeolotis var. *singapurensis* 23
Frullania apiculata 23
Frullania brotheri 23
Frullania ericoides 23
Frullania gaudichaudii 23
Frullania gracilis 23
Frullania gracilis f. *distincteocellata* 24
Frullania gracilis var. *brevior* 24
Frullania hypoleuca 24
Frullania intermedia 24
Frullania nodulosa 24
Frullania nodulosa f. *irreflexa* 24
Frullania picta auct. 24
Frullania replicata 24
Frullania squarrosa var. *planescens* 23
Frullania sublignosa 24
Frullania thuillieri 24
Frullaniaceae 23
Fuirena ciliaris 282
Fuirena umbellata 282
Gaertnera acuminata 661
Gaertnera acuminata var. *oxyphylla* 661
Gaertnera grisea 660
Gaertnera junguhniiana 661
Gaertnera koenigii auct. 661
Gaertnera koenigii var. *oxyphylla* 661
Gaertnera obesa 661
Gaertnera vaginans auct. 661
Gaertnera vaginans
subsp. *junguhniiana* 661
Gaertnera viminea 661
Gahnia tristis 282
Galearia affinis 574
Galearia finlaysonii 574
Galearia fulva 574
Galearia maingayi 574
Galearia phlebocarpa 574
Galearia subulata 574
Galearia wallichii 574
Galedupa wallichiana 359
Galeola altissima 553
Galeola hydra 553
Galeola kuhlii 553
Galeola nudifolia 553
Ganua kingiana 711
Ganua motleyana 711
Ganua motleyana auct. 712
Ganua sessilis 712
Gaojeunea hoi 13, 27
Garcinia atroviridis 245
Garcinia bancana 245
Garcinia bancana var. *bancana* 245
Garcinia bancana var. *curtisii* 245
Garcinia brevirostris 245
Garcinia celebica 245
Garcinia cuspidata auct. 245
Garcinia eugeniifolia 245
Garcinia forbesii 246
Garcinia gaudichaudii 248
Garcinia globulosa 248
Garcinia griffithii 246
Garcinia hombroniana 245
Garcinia maingayi 246
Garcinia maingayi var. *stylosa* 246
Garcinia malaccensis 247
Garcinia mangostana 246
Garcinia mangostana var. *malaccensis* 247
Garcinia mangostana var. *mangostana* 247
Garcinia merguensis 247

- Garcinia morella* auct. 248
Garcinia nervosa 247
Garcinia nigrolineata 247
Garcinia parvifolia 247
Garcinia pyrifera 248
Garcinia rostrata 248
Garcinia scortechinii 248
Garcinia urophylla 248
Garckeia comosa 43
Garckeia flexuosa 43
Garckeia phascoides 43
Gardenia anisophylla 681
Gardenia elata 662
Gardenia elata var. *elata* 662
Gardenia griffithii 662
Gardenia resinifera auct. 662
Gardenia speciosa 662
Gardenia subcarinata 662
Gardenia subcarinata var. *subcarinata* 662
Gardenia tubifera 662
Gardenia tubifera 'Form 1' 663
Gardenia tubifera 'Form 2' 662
Gardenia tubifera f. *elata* 662
Gardenia tubifera f. *tubifera* 663
Gardenia tubifera var. *subcarinata* 662
Gardenia tubifera var. *tubifera* 662/663
Gardeniopsis longifolia 663
Garovaglia angustifolia 754
Gastrodia javanica 553
Gastrodia malayana 553/554
Gelonium bifarium auct. 330
Gelonium glomerulatum 330
Gelonium multiflorum auct. 330
Gelsemiaceae 368
Gendarussa vulgaris 119
Genianthus maingayi 168
Gentianaceae 368, 769
Geophila herbacea 663
Geophila hirta auct. 663
Geophila pilosa 663
Geophila repens auct. 663
Geophila repens var. *asiatica* 663
Gesneriaceae 371, 769
Geunsia farinosa 384
Gigantochloa ligulata 619
Gigantochloa thoi 778
Gigantochloa wrayi 778
Gironniera hirta 233
Gironniera nervosa 233
Gironniera parvifolia 234
Gironniera subaequalis 234
Gleichenia dichotoma 77
Gleichenia laevigata 78
Gleichenia linearis 77
Gleichenia pteridifolia auct. 77
Gleichenia truncata 78
Gleichenia truncata var. *truncata* 78
Gleicheniaceae 77
Gliricidia sepium 346
Globba kingii 747
Globba leucantha 747
Globba leucantha var. *leucantha* auct. 747
Globba leucantha var. *peninsularis* 747
Globba panicoides 747
Globba pendula 747
Globba pendula var. *pendula* 747
Globba uliginosa 747
Globba variabilis 747
Globba variabilis subsp. *pusilla* 747
Globba versicolor 782
Glochidion arborescens 600
Glochidion borneense 597
Glochidion brunneum 599
Glochidion coronatum 598
Glochidion desmocarpum 599
Glochidion desmogynum auct. 600
Glochidion fuscum 599
Glochidion glomerulatum 597
Glochidion goniocarpum 599
Glochidion hypoleucum 597
Glochidion insulare 598
Glochidion kunstlerianum 597
Glochidion laevigatum 598
Glochidion leiostylum 598
Glochidion littorale 597
Glochidion lutescens 597
Glochidion maingayi 599
Glochidion microbotrys 597
Glochidion obscurum 598
Glochidion pedunculatum 599
Glochidion perakense 598
Glochidion rubrum 598
Glochidion rubrum var. *rubrum* 598
Glochidion sericeum 598
Glochidion singaporense 598
Glochidion superbum 599
Glochidion trilobum 597
Glochidion varians 599
Glochidion wallichianum 599
Glochidion zeylanicum 599
Glochidion zeylanicum
var. *arborescens* 600
Glochidion zeylanicum
var. *zeylanicum* 599
Gloriosa superba 248
Glossadelphus zollingeri 46

- Gluta malayana** 130
Gluta rengas 758
Gluta wallichii 130
Glycosmis chlorosperma 696
Glycosmis chlorosperma
 var. **chlorosperma** 697
Glycosmis citrifolia auct. 697
Glycosmis lanceolata 697
Glycosmis malayana 696
Glycosmis pentaphylla auct. 696, 697
Glycosmis puberula 697
Glycosmis puberula 697
Glycosmis trifoliata auct. 697
Glyptopetalum quadrangulare 237
Gmelina asiatica 387
Gmelina elliptica 387
Gmelina hystrix 387
Gmelina philippensis 387
Gmelina villosa 387
Gnetaceae 114
Gnetum campestre 115
Gnetum edule auct. 114
Gnetum funiculare 115
Gnetum gnemon 114
Gnetum gnemon var. **gnemon** 114
Gnetum gnemonoides 114
Gnetum kingianum 115
Gnetum latifolium 114
Gnetum latifolium var. *funiculare* 114
Gnetum macrostachyum 115
Gnetum microcarpum 115
Gnetum neglectum auct. 115
Gnetum scandens auct. 115
Gnetum sylvestre 115
Gnetum wrayi 114
Gomphandra affinis 724
Gomphandra lanceolata 724
Gomphandra lanceolata
 var. **angustifolia** 724
Gomphandra penangiana 724
Gomphandra quadrifida 723
Gomphandra quadrifida
 var. **angustifolia** 723
Gomphandra quadrifida var. *lanceolata* 724
Gomphandra quadrifida var. *ovalifolia* 723
Gomphia angustifolia 515
Gomphia corymbosa 515
Gomphia hookeri 515
Gomphia hookeri var. *corymbosa* 515
Gomphia oblongifolia 515
Gomphia serrata 515
Gomphia sumatrana 515
Gomphrena celosioides 127
Gongreos wallichii 162
Gongronema finlaysonii 168
Gongronema wallichii 162
Goniophlebium percussum 92
Goniophlebium subauriculatum 755
Goniophlebium verrucosum 92
Goniothalamus giganteus 759
Goniothalamus macrophyllus 142
Goniothalamus malayanus 142
Goniothalamus ridleyi 143
Goniothalamus tapis 143
Goniothalamus tortilipetalus 759
Gonocarpus chinensis 374
Gonocaryum gracile 236
Gonocaryum longeracemosum 236
Gonocormus saxifragoides 80
Gonostylus confusus 731
Gonostylus maingayi 731
Goodeniaceae 373
Gordonia cf. singaporeana 729
Gordonia excelsa auct. 729
Gordonia excelsa var. *sincapuriana* 729
Gordonia multinervis 728
Gordonia penangensis 728
Gordonia singaporeana 729
Gordonia singaporiana 729
Goughia laurina 289
Grammatophyllum speciosum 554
Grammitis diversifolia 97
Greenea jackii 780
Grenacheria amentacea 643
Grenacheria fulva 644
Grenacheria lampani 644
Grewia acuminata 423
Grewia blattifolia 426
Grewia fibrocarpa auct. 426
Grewia globulifera 425
Grewia hirsuta 426
Grewia laevigata 423
Grewia latifolia 426
Grewia multiflora auct. 423
Grewia omphacarpa 426
Grewia paniculata 426
Grewia umbellata 423
Grona heterocarpos 346
Grona heterocarpos subsp. *ovalifolia* 346
Grona heterocarpos var. **heterocarpos** 346
Grona heterocarpos var. **strigosa** 346
Grona heterophylla 346
Grona ovalifolia 346
Grona triflora 347
Groutiella goniorrhyncha 50
Groutiella tomentosa 50

- Grypothrix triphylla** 111
Guatteria nitida 759
Guettarda brunonis 690
Guettarda speciosa 663
Guilandina bonduc 347
Guilandina wallichiana 359
Guioa bijuga 705
Guioa pleuropteris 706
Guioa pleuropteris var. *bijuga* 705
Guioa pubescens 706
Guioa squamosa 781
Gymnacranthera bancana 481
Gymnacranthera eugeniifolia 483
Gymnacranthera eugeniifolia
var. *eugeniifolia* 483
Gymnacranthera eugeniifolia
var. *griffithii* 482
Gymnacranthera farquhariana 482
Gymnacranthera farquhariana
var. *eugeniifolia* 482
Gymnacranthera farquhariana
var. *farquhariana* 482
Gymnacranthera farquhariana
var. *major* 482
Gymnacranthera farquhariana
var. *zippeliana* 482
Gymnacranthera forbesii 483
Gymnacranthera forbesii auct. 482
Gymnacranthera forbesii var. *forbesii* 483
Gymnacranthera murtonii 482
Gymnanthera nitida 162
Gymnanthera oblonga 162
Gymnanthes borneensis 322
Gymnema wallichii 162
Gymnogramma alismifolia auct. 103
Gymnogramma calomelanos 101
Gymnogramma feei auct. 97
Gymnogramma wallichii 103
Gymnopetalum chinense 267
Gymnopetalum cochininchinense 267
Gymnopetalum integrifolium 268
Gymnopetalum quinquelobum 267
Gymnopetalum seabrum 267
Gymnopteris flagellifera 74
Gymnopteris presliana auct. 75
Gymnopteris subrepanda 75
Gymnosiphon aphyllus 222
Gymnosiphon borneense 222
GYMNOSPERMS 114, 757
Gymnosporia littoralis 237
Gymnostomiella vernicosa 51
Gymnostomiella vernicosa
var. *vernicosa* 51
Gymnostomum recurvirostrum 754
Gynandropsis gynandra 244
Gynandropsis pentaphylla 244
Gynochthodes coriacea 663
Gynochthodes coriacea auct. 664
Gynochthodes praetermissa 664
Gynochthodes ridleyi 664
Gynochthodes rigida 664
Gynochthodes sublanceolata 663
Gynochthodes tetrandra 664
Gynochthodes umbellata 665
Gynotroches axillaris 652
Gynura bicolor 762
Gynura malasica 213
Gynura procumbens 214
Gynura pseudochina auct. 213
Gynura sarmentosa 214
Habenaria lacertifera 561
Habenaria lacertifera auct. 561
Habenaria maingayi auct. 561
Habenaria murtonii 775
Habenaria singapurensis 554
Habenaria sumatrana 561
Haetelia oxyantha 154
Hackelochloa granularis 623
Halodule pinifolia auct. 270
Halodule tridentata 270
Halodule uninervis 270
Halophila beccarii 377
Halophila decipiens 377
Halophila minor 377
Halophila ovalis 377
Halophila ovata 377
Halophila ovata auct. 377
Halophila spinulosa 377
Haloragaceae 374
Haloragis chinensis 374
Haloragis disticha 135
Hancea penangensis 322
Hanguana corneri 374
Hanguana kassintu 769
Hanguana malayana auct. 374, 375
Hanguana neglecta 374
Hanguana nitens 374
Hanguana podzolicola 374
Hanguana rubinea 13, 374
Hanguana triangulata 13, 375
Hanguanaceae 374, 769
Haplpteris dareicarpa 100
Haplpteris elongata 100
Haplpteris ensiformis 101
Haplpteris sessilifrons 101
Harpalejeunea filicuspis 28

- Hedera jackiana* 186
Hedyotis affinis 665
Hedyotis angustifolia 665
Hedyotis auricularia 665
Hedyotis biflora 665
Hedyotis brachypoda 666
Hedyotis caerulea auct. 667
Hedyotis capitellata 666
Hedyotis congesta 667
Hedyotis corymbosa 666
Hedyotis dichotoma 665
Hedyotis diffusa 666
Hedyotis herbacea 666
Hedyotis philippensis 667
Hedyotis pinifolia 667
Hedyotis pinifolia var. *caespitosa* 667
Hedyotis prostrata 667
Hedyotis pumila 667
Hedyotis trinervia 667
Hedyotis verticillata 667
Hedyotis vestita 668
Hedyotis viarum 665
Helicia excelsa 646
Helicia petiolaris 647
Helicia robusta 647
Heliconia humilis 375
Heliconia latispatha 375
Heliconia psittacorum 375
Heliconia rostrata 375
Heliconiaceae 375
Heliotropium bibianum 221
Heliotropium indicum 221
Helianthera coccinea 415
Helianthera parasitica 415
Hemigraphis confinis 122
Hemigraphis primulifolia 122
Hemigraphis reptans 122
Hemigymnia fusca 624
Hemigymnia multinodis 624
Hemiscola aculeata 244
Henckelia platypus 372
Henckelia puncticulata 373
Henslowia buxifolia 703
Henslowia lobbiana 703
Henslowia umbellata auct. 414
Henslowia varians 703
Heptapleurum actinophyllum 187
Heptapleurum avene auct. 188
Heptapleurum cephalotes 187
Heptapleurum ellipticum 187
Heptapleurum hullettii 187
Heptapleurum lanceolatum 187
Heptapleurum oxyphyllum 188
Heptapleurum ridleyi 188
Heptapleurum subulatum 188
Heritiera borneensis 423
Heritiera elata 423
Heritiera fomes auct. 424
Heritiera javanica 771
Heritiera littoralis 424
Heritiera simplicifolia 424
Heritiera sp. 424
Heritiera sumatrana 771
Hernandia nymphaeifolia 375
Hernandia ovigera 376
Hernandia peltata 376
Hernandiaceae 375
Herpestis monnieri 606
Hetaeria nitida 554
Hetaeria obliqua 554
Hetaeria oblongifolia 1, 554
Heterogonium gurupahense auct. 107
Heterogonium pinnatum 107
Heterogonium sagenoides 107
Heterogonium sagenoides auct. 75
Heteropogon contortus 619
Heteroscyphus argutus 31
Heteroscyphus decurrens 31
Heteroscyphus splendens 31
Heteroscyphus succulentus 31
Heteroscyphus zollingeri 31
Heterosmilax borneensis 721
Heterosmilax indica auct. 721
Heterosmilax japonica auct. 721
Hevea brasiliensis 322
Hewittia malabarica 260
Hexasepalum sarmentosum 668
Hibiscus abelmoschus 420
Hibiscus esculentus 771
Hibiscus rosa-sinensis 424
Hibiscus surattensis 424
Hibiscus tiliaceus 425
Hippobroma longiflora 233
Hippocratea cumingii auct. 238
Hippocratea indica 239
Hippocratea macrantha 238
Hiptage sericea 420
Histiopteris incisa 72
Histiopteris incisa var. *integrifolia* 72
Hitchenia musacea 433
Holarrhena densiflora 760
Homalanthus populifolius auct. 324
Homalanthus populneus auct. 324
Homalium grandiflorum 702
Homalocenchrus hexander 622
Homalomena coerulescens 180

- Homalomena coerulescens* var. *pontederiifolia* 180
Homalomena confusa 761
Homalomena deltoidea 180
Homalomena griffithii 180
Homalomena griffithii var. *ovata* 180
Homalomena humilis 180
Homalomena humilis var. *pumila* 180
Homalomena kingii 180
Homalomena ovata 180
Homalomena paludosa 181
Homalomena pendula auct. 180
Homalomena pontederiifolia 180
Homalomena pumila 180
Homalomena pumila var. *purpurascens* 180
Homalomena purpurascens 180
Homalomena purpurascens var. *pumila* 180
Homalomena pygmaea 180
Homalomena rostrata 181
Homalomena sagittifolia 181
Homalomena sagittifolia var. *sagittifolia* 181
Homalomena singaporense 761
Hopea ferruginea 299
Hopea gratissima 301
Hopea griffithii 299
Hopea latifolia 766
Hopea lowii 300
Hopea mengarawan 299
Hopea micrantha 766
Hopea pierrei auct. 299
Hopea sangal 299
Hornstedtia conica 748
Hornstedtia leonurus 748
Hornstedtia maingayi 746
Hornstedtia megalochelos auct. 747
Hornstedtia scyphifera 748
Hornstedtia scyphifera var. *scyphifera* 748
Hornstedtia scyphus 748
HORNWORTS 58
Horsfieldia amygdalina auct. 485
Horsfieldia bivalvis 484
Horsfieldia brachiata 774
Horsfieldia bracteosa auct. 483
Horsfieldia canariooides 481
Horsfieldia crassifolia 483
Horsfieldia fulva 774
Horsfieldia fulva var. *paludicola* 484
Horsfieldia globularia 484
Horsfieldia grandis 484
Horsfieldia irya 484
Horsfieldia lemmanniana 484
Horsfieldia macrocoma var. *canariooides* 481
Horsfieldia majuscula auct. 485
Horsfieldia parviflora 484
Horsfieldia polyspherula 484
Horsfieldia polyspherula var. *polyspherula* 485
Horsfieldia polyspherula var. *sumatrana* auct. 485
Horsfieldia punctatifolia 485
Horsfieldia racemosa 481
Horsfieldia sparsa 485
Horsfieldia subglobosa auct. 485
Horsfieldia sucosa auct. 486
Horsfieldia sucosa subsp. *sucosa* auct. 486
Horsfieldia superba 486
Horsfieldia tomentosa 486
Horsfieldia wallichii 486
Hoya campanulata 162
Hoya caudata 162
Hoya coriacea 163
Hoya coronaria 163
Hoya diversifolia 163
Hoya elliptica 760
Hoya finlaysonii 163
Hoya lacunosa 163
Hoya latifolia 164
Hoya longifolia 760
Hoya obtusifolia 164
Hoya ovalifolia auct. 164
Hoya parasitica 165
Hoya revoluta 164
Hoya ridleyi 165
Hoya scortechinii 164
Hoya sp. 164
Hoya verticillata 164
Hoya verticillata var. *verticillata* 165
Hoya wallichii 165
Huberantha jenkinsii 143
Huberantha rumphii 143
Humata angustata 70
Humata gaimardiana 71
Humata heterophylla 70
Humata parallela 71
Humata parvula 71
Humata pectinata 71
Humata pedata 71
Humata repens 71
Humata sessilifolia 755
Hunteria coriacea 167
Huperzia carinata 59
Huperzia nummulariifolia 59
Huperzia phlegmaria 59
Huperzia phyllantha auct. 59
Huperzia squarrosa 60
Hydnophytum formicarum 668

- Hydrilla verticillata** 378
Hydrocera triflora 217
Hydrocharitaceae 376
Hydrocotyle asiatica 186
Hydrocotyle rotundifolia 188
Hydrocotyle sibthorpioides 188
Hydrocotyle verticillata 188
Hydrogonium arcuatum 51
Hydrogonium consanguineum 51
Hydrogonium consanguineum
var. *consanguineum* 51
Hydrogonium orientale 52
Hydrogonium subcomosum 52
Hydrolea zeylanica 378
Hydroleaceae 378
Hydrostemma kunstleri 514
Hydrostemma motleyi 514
Hygrophila auriculata 118
Hygrophila erecta 119
Hygrophila meianthos 757
Hygrophila phlomoides 119
Hygrophila quadrivalvis 119
Hygrophila ringens 119
Hygrophila salicifolia 119
Hygrophila schulli 118
Hygrophila spinosa 118
Hygrophila undulata var. *obovatifolia* 119
Hylocereus undatus 227
Hylophila mollis 555
Hymenachne acutigluma 619
Hymenachne amplexicaulis 619
Hymenachne myuros auct. 619
Hymenaea courbaril 768
Hymenophyllaceae 78, 755
Hymenophyllum acanthoides 81
Hymenophyllum aculeatum 81
Hymenophyllum demissum 755
Hymenophyllum denticulatum 81
Hymenophyllum digitatum 81
Hymenophyllum holochilum 82
Hymenophyllum neesii auct. 81, 82
Hymenophyllum pallidum 82
Hymenophyllum polyanthos 82
Hymenophyllum polyanthos
var. *blumeanum* 82
Hymenophyllum productum 755
Hymenophyllum serrulatum 82
Hymenophyllum smithii 82
Hymenophyllum sp. 82
Hymenophyton malaccense 32
Hymenopogon parasiticus 780
Hymenostomum malayense 52
Hyophila beruensis 52
Hyophila commutata 52
Hyophila involuta 52
Hyophila javanica 52
Hyophila micholitzii 52
Hyophila subspathulata 52
Hypericaceae 379, 769
Hypericum japonicum 380
Hypnaceae 45, 753
Hypnodendraceae 47
Hypnodendron arborescens 47
Hypnodendron subspininervium
subsp. *arborescens* 47
Hypobathrum coniferum 668
Hypobathrum sp. 11 668
Hypolytrum capitulatum 765
Hypolytrum latifolium 283
Hypolytrum nemorum 282
Hypolytrum nemorum var. *nemorum* 283
Hypolytrum nemorum var. *proliferum* 283
Hypolytrum proliferum 283
Hypopterygiaceae 47, 753
Hypopterygium javanicum 753
Hypopterygium tamarisci 47
Hypoxidaceae 380, 769
Hypserpa cuspidata 458
Hypserpa nitida 458
Hypserpa triflora auct. 458
Hyptis brevipes 387
Hyptis capitata 388
Hyptis suaveolens 389
Iacacinaceae 381
Ichnocarpus serpyllifolius 167
Icicaster planchonii 226
Iguanura ferruginea 199
Iguanura ferruginea auct. 197
Iguanura geomorphis 197
Iguanura geomorphis subvar. *ramosa* 197
Iguanura geomorphis var. *typica* 197
Iguanura malaccensis 197
Iguanura polymorpha auct. 197
Iguanura wallichiana auct. 197
Iguanura wallichiana var. *malaccensis* 197
Ilex cymosa 174
Ilex latifolia auct. 175
Ilex macrophylla 175
Ilex maingayi 175
Ilex nervulosa 175
Ilex singapuriana 175
Ilex venulosa auct. 175
Ilex venulosa var. *nervulosa* 175
Illigera appendiculata auct. 376
Illigera trifoliata 376
Imperata arundinacea auct. 620

- Imperata conferta** 619
Imperata cylindrica 619
Imperata cylindrica var. *major* 620
Imperata exaltata auct. 619
Indigofera hendecaphylla 347
Indigofera hendecaphylla
var. *hendecaphylla* 347
Indigofera hirsuta 347
Indigofera spicata auct. 347
Indigofera spicata var. *spicata* auct. 347
Indigofera suffruticosa 347
Indigofera tinctoria 348
Indigofera zollingeriana 348
Indorouchera griffithiana 409
Intsia bijuga 348
Intsia palembanica 348
Iodes cirrhosa 381
Iodes oblonga 381
Iodes ovalis 381
Iodes velutina 381
Iodes velutina var. *velutina* 381
Ipomoea angustifolia 263/264
Ipomoea aquatica 260
Ipomoea batatas 260
Ipomoea biloba 262
Ipomoea cairica 260
Ipomoea cairica f. *albiflora* 260
Ipomoea campanulata 260
Ipomoea carnea 261
Ipomoea carnea subsp. *fistulosa* 261
Ipomoea cf. binectarifera 262
Ipomoea chrysoides 263
Ipomoea coccinea auct. 764
Ipomoea congesta 261
Ipomoea crassicaulis 261
Ipomoea denticulata 261
Ipomoea digitata auct. 261
Ipomoea fistulosa 261
Ipomoea gracilis auct. 261
Ipomoea hederifolia 764
Ipomoea illustris 260
Ipomoea indica 261
Ipomoea linifolia 263
Ipomoea littoralis 261
Ipomoea macrantha 262
Ipomoea marginata 262
Ipomoea mauritiana 261
Ipomoea maxima auct. 262
Ipomoea obscura 261
Ipomoea palmata 260
Ipomoea paniculata 261
Ipomoea pes-caprae 261
Ipomoea pes-caprae subsp. *brasiliensis* 261
Ipomoea pes-tigridis 262
Ipomoea pulchella 260
Ipomoea quamoclit 262
Ipomoea reptans auct. 260
Ipomoea ridleyi 257
Ipomoea sagittifolia 262
Ipomoea sepiaria 262
Ipomoea tridentata 264
Ipomoea triloba 262
Ipomoea tuba 262
Ipomoea violacea 262
Iria acuminata 279
Iria globulosa var. *efoliata* 282
Iria pauciflora 281
Iridaceae 382
Irvingia malayana 382
Irvingiaceae 382
Isachne australis auct. 620
Isachne biflora 624
Isachne confusa 620
Isachne globosa 620
Isachne kunthiana auct. 620
Isachne miliacea auct. 620
Isachne minutula 620
Isachne pulchella auct. 620
Isachne schmidii 620
Isachne semitalis 620
Ischaemum aristatum auct. 621
Ischaemum barbatum 620
Ischaemum barbatum var. *imbricatum* 621
Ischaemum beccarii auct. 778
Ischaemum ciliare 621
Ischaemum ciliare var. *malacophyllum* 621
Ischaemum feildingianum 621
Ischaemum imbricatum 621
Ischaemum indicum auct. 621
Ischaemum laeve 621
Ischaemum macrurum 622
Ischaemum magnum 621
Ischaemum muticum 621
Ischaemum muticum var. *repens* 621
Ischaemum rugosum 621
Ischaemum timorense 622
Isoloma divergens 83
Isoloma ovatum 85
Isonandra gutta 713
Isopterygium albescens 53
Isopterygium albescens var. *albescens* 53
Isopterygium albescens var. *smallii* 754
Isopterygium bancanum 53
Isopterygium minutirameum 53
Isopterygium subalbescens 754
Isotoma longiflora 233

- Itea fragrans* 315
Ixonanthaceae 382
Ixonanthes icosandra 382
Ixonanthes reticulata 383
Ixora amoena 670
Ixora brunonis 780
Ixora cf. lobbii 670
Ixora concinna 669
Ixora congesta 669
Ixora finlaysoniana 669
Ixora fulgens auct. 670
Ixora grandifolia 669
Ixora grandifolia var. *coriacea* 669
Ixora grandifolia var. *gigantea* 669
Ixora grandifolia var. **grandifolia** 669
Ixora javanica 670
Ixora javanica var. *retinervia* 670
Ixora lobbii 670
Ixora lobbii var. *angustifolia* 670
Ixora lobbii var. **lobbii** 670
Ixora opaca 670
Ixora parviflora auct. 669
Ixora pendula 670
Ixora pendula var. **pendula** 670
Ixora stricta auct. 670
Ixora umbellata 671
Ixora umbellata var. **umbellata** 671
Jacaranda filicifolia 218
Jacaranda obtusifolia 218
Jackia ornata 671
Jackiella javanica 24
Jackiella singapurensis 24
Jackiellaceae 24
Jackiopsis ornata 671
Jacobinia coccinea 120
Jasminanthes maingayi 165
Jasminum aemulum 519
Jasminum anastomosans 519
Jasminum bifarium 519
Jasminum bifarium var. *glabrum* 519
Jasminum elongatum 519
Jasminum griffithii 519
Jasminum lessertianum 519
Jasminum longipetalum 519
Jasminum sambac var. *scandens* 775
Jatropha curcas 323
Jatropha gossypiifolia 323
Juglandaceae 383
Jungermannia ariadne 33
Jungermannia truncata 33
Jussiaea angustifolia 520
Jussiaea erecta auct. 520
Jussiaea repens 520
Jussiaea speciosa 520
Jussiaea suffruticosa auct. 520
Jussiaea villosa 520
Justicia andrographiooides 120
Justicia comata 119
Justicia gendarussa 119
Justicia pectinata 119
Justicia procumbens 119
Justicia quadrifaria 119
Justicia vasculosa 119
Kadsura caulisflora auct. 718
Kadsura scandens 718
Kadsura scandens auct. 718
Kadsura verrucosa 718
Kalanchoe pinnata 266
Kandelia candel 652
Kaukeni elengi 712
Kayea elegans 232
Kayea ferruginea 233
Kayea kunstleri 763
Kayea racemosa auct. 233
Kibara coriacea 461
Kibatalia maingayi 165
Kibessia acuminata 445
Kibessia echinata 445
Kibessia simplex auct. 445
Kirganelia reticulata 600
Kleinhovia hospita 425
Knema cantleyi 490
Knema cinerea auct. 491
Knema cinerea var. *sumatrana* 491
Knema communis 487
Knema conferta 487
Knema corticosa 487
Knema curtisii 488
Knema curtisii var. *curtisii* 774
Knema curtisii var. *paludosa* 488
Knema furfuracea 488
Knema glaucescens auct. 491
Knema glaucescens f. *rubens* 491
Knema glaucescens
 var. *glaucescens* auct. 491
Knema glaucescens var. *rubens* 491
Knema globularia 487
Knema hookeriana 488
Knema intermedia 489
Knema latericia 489
Knema latericia f. *ridleyi* 490
Knema latericia subsp. *ridleyi* 489
Knema laurina 490
Knema laurina var. *laurina* 490
Knema malayana 490
Knema meridionalis 490

- Knema missionis* 488
Knema oblongifolia auct. 490
Knema patentinervia auct. 491
Knema rubens 491
Knema sumatrana 491
Knema wrayi 491
Koilodepas ferrugineum auct. 323
Koilodepas longifolium 323
Kokoona littoralis 237
Kokoona reflexa 238
Koompassia malaccensis 348
Kopsia fruticosa var. *albiflora* auct. 166
Kopsia macrophylla 760
Kopsia macrophylla auct. 166
Kopsia singapurensis 166
Korthalsia echinometra 198
Korthalsia flagellaris 198
Korthalsia flagellaris auct. 199
Korthalsia grandis 198
Korthalsia laciniosa 198
Korthalsia polystachya 198
Korthalsia rigida 198
Korthalsia rostrata 198
Korthalsia scaphigera 199
Korthalsia scortechinii 199
Korthalsia wallichiiifolia 198
Kunstleria ridleyi 349
Kurrimia paniculata 241
Kurrimia pulcherrima 241
Kurrimia robusta 241
Kurzia borneensis 751
Kurzia gonyotricha 30
Kyllinga brevifolia 271
Kyllinga cylindrica auct. 277
Kyllinga melanosperma 765
Kyllinga monocephala 275
Kyllinga nemoralis 274
Kyllinga polyphylla 271
Kyllinga triceps auct. 277
Labisia pothoina 645
Labisia pothoina var. *alata* 645
Labisia pothoina var. *lanceolata* 645
Labisia pothoina var. *pothoina* 645
Labisia pumila 645
Labisia pumila var. *alata* 645
Labisia pumila var. *lanceolata* 645
Labisia pumila var. *pumila* 645
Lagenaria vulgaris 765
Lamiaceae 383, 769
Languas galanga 745
Languas melanocarpa 745
Lansium domesticum 454
Lansium domesticum 455
Lantana aculeata 736
Lantana camara 735
Lantana indica 736
Lantana salviifolia auct. 736
Laportea interrupta 734
Lasia aculeata 181
Lasia heterophylla 181
Lasia spinosa 181
Lasianthera secundiflora auct. 724
Lasianthus appressus auct. 671
Lasianthus attenuatus 671
Lasianthus attenuatus var. *attenuatus* 672
Lasianthus attenuatus var. *minor* 672
Lasianthus chryseus 672
Lasianthus constrictus 672
Lasianthus crinitus 780
Lasianthus cyanocarpus auct. 673
Lasianthus densifolius auct. 672
Lasianthus densifolius var. *calycinus* 671
Lasianthus ellipticus 672
Lasianthus flavicans 674
Lasianthus glaber auct. 673
Lasianthus griffithii 673
Lasianthus hirsutus 673
Lasianthus kurzii auct. 672
Lasianthus lowianus 780
Lasianthus maingayi 673
Lasianthus perakensis auct. 672
Lasianthus pterospermus 674
Lasianthus reticulatus 673
Lasianthus ridleyi 674
Lasianthus scabridus 674
Lasianthus singaporensis 674
Lasianthus sp. 8 675
Lasianthus stipularis 674
Lasianthus stipularis var. *stipularis* 674
Lasianthus tomentosus auct. 672
Lasianthus venosus 674
Lasianthus venulosus 673
Lasianthus wallichii var. *penangensis* 780
Lastrea appendiculata 113
Lastrea crassifolia auct. 109, 111
Lastrea dayi 112
Lastrea fuscipes auct. 107
Lastrea ochthodes auct. 113
Lastrea tenericaulis 757
Lauraceae 393, 770
Laurentia longiflora 233
Laurus lucida 362
Laurus odoratissima 405
Lavallea ceylanica 518
Lawsonia inermis 417
Lecananthus erubescens 675

- Lecanopteris carnosa* auct. 93
Lecanopteris crustacea 92
Lecanopteris sinuosa 93
Lecanorchis malaccensis 555
Lecythidaceae 406
Leda andrographioides 120
Leea aequata 741
Leea angulata 741
Leea gigantea 742
Leea indica 741
Leea javanica auct. 742
Leea robusta auct. 741
Leea rubra 742
Leea sambucina 742
Leea sambucina f. *grossedentata* 742
Leea sambucina var. *biserrata* 742
Leersia hexandra 622
Legazpia polygonoides 409
Lejeunea anisophylla 27
Lejeunea catanduana 27
Lejeunea cocoes 27
Lejeunea cucullata 28
Lejeunea exilis 27
Lejeunea flava 27
Lejeunea papilionacea 27
Lejeunea parva auct. 27
Lejeunea singapurensis 25
Lejeunea sordida 27
Lejeunea subfuscata 28
Lejeunea tenella 27
Lejeuneaceae 24
Lemna aequinoctialis 181
Lemna aff. trisulca 182
Lemna paucicostata 181
Lemna perpusilla auct. 181
Lemna polyrhiza 185
Lemna tenera 181
Lentibulariaceae 408
Leonotis nepetifolia 388
Leonurus japonicus 388
Leonurus japonicus f. *albiflorus* 388
Leonurus sibiricus auct. 388
Lepidagathis cephalotes 120
Lepidogyne longifolia 555
Lepidolejeunea bidentula 27
Lepidolejeunea borneensis 28
Lepidozia mamillosa 30
Lepidozia wallichiana 31
Lepidoziaceae 30, 751
Lepionurus sylvestris 521
Lepironia articulata 283
Lepironia mucronata 283
Lepisanthes fruticosa 706
Lepisanthes rubiginosa 706
Lepisanthes senegalensis 707
Lepisorus longifolius 94
Lepistemon cf. *binectarifer* 262
Leptadenia reticulata 760
Leptaspis urceolata 629
Leptochilus heteroclitus 74
Leptochilus zollingeri 75
Leptochloa chinensis 615
Leptolejeunea elliptica 27
Leptolejeunea epiphylla 27
Leptolejeunea maculata 28
Leptolejeunea subacuta 27
Leptolejeunea vitrea 28
Leptonychia caudata 771
Leptotrichella brasiliensis 42
Leptotrichella miqueliana 42
Leptotrichella miqueliana var. *longifolia* 42
Leptotrichella miqueliana var. *miqueliana* 42
Lepturus repens 622
Lepturus repens var. *repens* 622
Leskeaceae 48
Lettsomia ridleyi 257
Lettsomia ridleyi var. *velutina* 257
Lettsomia tomentosa 257
Leucaena glauca auct. 349
Leucaena leucocephala 349
Leucaena leucocephala subsp. *leucocephala* 349
Leucas lavandulifolia 388
Leucas linifolia 388
Leucas malayana 389
Leucas zeylanica 388
Leucobryaceae 48, 753
Leucobryum aduncum 48
Leucobryum aduncum var. *aduncum* 48
Leucobryum aduncum var. *scalare* 48
Leucobryum aduncum var. *teysmannianum* 48
Leucobryum bowringii 753
Leucobryum candidum 753
Leucobryum chlorophyllum 48
Leucobryum chlorophyllum var. *chlorophyllum* 48
Leucobryum cyathifolium 49
Leucobryum javense 48
Leucobryum sanctum 49
Leucobryum sanctum var. *sanctum* 49
Leucobryum scalare 48
Leucolena ornata var. *singapurensis* 551
Leucoloma amoenevirens 42

- Leuconotis eugeniifolia* 760
Leuconotis griffithii 166
Leuconotis maingayi 166
Leucophanella revoluta 41
Leucophanella rufescens 41
Leucophanes aciculare 37
Leucophanes albescens 37
Leucophanes candidum 37
Leucophanes candidum var. *candidum* 37
Leucophanes candidum var. *densifolium* 37
Leucophanes densifolium 37
Leucophanes glaucum 37
Leucophanes glaucum subsp. *glaucum* 37
Leucophanes octoblepharioides 37
Leucophanes octoblepharioides
 subsp. *octoblepharioides* 38
Leucophanes pugioniforme 37
Leucopogon malayanus 314
Leucostegia parvula 71
Licania splendens 242
Licuala acutifida 762
Licuala ferruginea 199
Licuala spinosa 199
Licuala triphylla 200
Lijndenia laurina 436
Limacia kunstleri 459
Limacia oblonga 773
Limacia scandens 458
Limacia triandra auct. 458
Limacia velutina 459
Limahlania crenulata 370
Limnanthemum indicum 460
Limnocharis flava 125
Limnophila aromatica 777
Limnophila chinensis 606
Limnophila chinensis subsp. *aromatica* 777
Limnophila chinensis subsp. **chinensis** 606
Limnophila conferta auct. 607
Limnophila laxa 606
Limnophila pulcherrima auct. 607
Limnophila sessiliflora 607
Limnophila villosa auct. 607
Linaceae 409
Lindera lucida 399
Lindera malaccensis 399
Lindernia anagallis 410
Lindernia antipoda 410
Lindernia caespitosa 411
Lindernia ciliata 410
Lindernia crustacea 410
Lindernia elata 411
Lindernia nummulariifolia auct. 411
Lindernia pusilla 411
Lindernia ruelloides 411
Lindernia sessiliflora 411
Lindernia viscosa 411
Linderniaceae 409
Lindsaea borneensis 82
Lindsaea cultrata 83
Lindsaea davallioides auct. 85
Lindsaea decomposita 83
Lindsaea dentata 85
Lindsaea divergens 83
Lindsaea doryphora 83
Lindsaea ensifolia 84
Lindsaea ensifolia subsp. *coriacea* 84
Lindsaea ensifolia subsp. *ensifolia* 84
Lindsaea ensifolia var. *ensifolia* 84
Lindsaea flabellulata var. *polymorpha* 85
Lindsaea heterophylla 84
Lindsaea lancea auct. 84
Lindsaea lanuginosa 89
Lindsaea lobata 85
Lindsaea lucida 84
Lindsaea lucida subsp. *lucida* 84
Lindsaea macraeana 86
Lindsaea orbiculata 84
Lindsaea orbiculata var. *commixta* 84
Lindsaea orbiculata var. *orbiculata* 84/85
Lindsaea orbiculata var. *polymorpha* 85
Lindsaea ovata 85
Lindsaea parallelogramma 85
Lindsaea parasitica 85
Lindsaea pectinata 86
Lindsaea polymorpha 85
Lindsaea recurvata 83
Lindsaea repens auct. 86
Lindsaea repens var. *pectinata* 86
Lindsaea rigida auct. 83
Lindsaea scandens 85
Lindsaea scandens auct. 84
Lindsaea serpens 85
Lindsaea trapeziformis auct. 84
Lindsaea walkerae 86
Lindsaeaceae 82
Linociera insignis 518
Linociera macrocarpa 518
Linociera pauciflora 519
Linociera pauciflora var. *palembanica* 519
Linociera ramiflora 519
Linostoma pauciflorum 731
Linostoma scandens 731
Liparis barbata 555
Liparis disticha auct. 566
Liparis elegans 555
Liparis ferruginea 556

- Liparis gibbosa* 566
Liparis nervosa auct. 556
Liparis paradoxa auct. 556
Liparis tricallosa 556
Liparis venosa 556
Liparis wrayi 555
Lipocarpha argentea 271
Lipocarpha chinensis 271
Lipocarpha microcephala 274
Lipocarpha squarrosa 275
Lippia nodiflora 736
Lithocarpus bennettii 364
Lithocarpus cantleyanus 364
Lithocarpus conocarpus 364
Lithocarpus cyclophorus 365
Lithocarpus elegans 365
Lithocarpus encleisacarpus 365
Lithocarpus ewyckii 366
Lithocarpus gracilis 366
Lithocarpus hystrix 366
Lithocarpus lucidus 366
Lithocarpus sundaicus 367
Lithocarpus wallichianus 367
Litobrochia incisa 72
Litsea accedens 399
Litsea aff. maingayi 400
Litsea amara 404
Litsea castanea 400
Litsea cordata 400
Litsea costalis 400
Litsea costata 399
Litsea elliptica 401
Litsea erectinervia 401
Litsea ferruginea 401
Litsea firma 404
Litsea furfuracea 405
Litsea gracilipes 401
Litsea grandis 402
Litsea griffithii 401
Litsea lanceolata 402
Litsea lancifolia 402
Litsea lancifolia var. *lancifolia* 402
Litsea longipes auct. 404
Litsea machilifolia 403
Litsea machilifolia var. *angustifolia* 403
Litsea maingayi auct. 400
Litsea megacarpa 400
Litsea myristicifolia 403
Litsea nitida 770
Litsea noronhae 770
Litsea panamanja auct. 403
Litsea penangiana auct. 400
Litsea perakensis 400
Litsea petiolata 401
Litsea polyantha auct. 402
Litsea resinosa 403
Litsea ridleyi 13, 403
Litsea robusta 404
Litsea salicifolia auct. 404
Litsea sarawacensis 402
Litsea sebifera auct. 404
Litsea singaporensis 400
Litsea spathacea 404
Litsea sphaerocarpa 404
Litsea tomentosa 404
Litsea umbellata 404
Litsea zeylanica 405
LIVERWORTS 22, 751
Livistona kingiana 202
Livistona robinsoniana 205
Livistona rotundifolia 205
Livistona saribus 200
Lobbia dependens auct. 206
Lobelia affinis 233
Lobelia alsinoides 763
Lobelia chinensis 233
Lobelia zeylanica 233
Loeseneriella macrantha 238
Loganiaceae 412, 771
Lomaria limonifolia 76
Lomariopsidaceae 86
Lomariopsis cochinchinensis 86
Lomariopsis lineata 86
Lomariopsis sorbifolia auct. 76, 86
Longetia malayana 601
Lophatherum gracile 622
Lophatherum lemannii auct. 622
Lophocoleaceae 31
Lopholejeunea nigricans 28
Lopholejeunea sagrana 28
Lopholejeunea subfuscata 28
Lophopetalum beccarianum 238
Lophopetalum curtisii 238
Lophopetalum fimbriatum 239
Lophopetalum fuscescens 763
Lophopetalum littorale 238
Lophopetalum multinervium 238
Lophopetalum pachyphyllum auct. 239
Lophopetalum pallidum 238
Lophopetalum wightianum 238
Lopidium struthiopteris 753
Loranthaceae 413
Loranthus albidus 415
Loranthus ampullaceus 416
Loranthus coccineus 415
Loranthus crassus 414

- Loranthus duthieanus* 413/414
Loranthus farinosus 414
Loranthus ferrugineus 416
Loranthus lobpii 414
Loranthus longiflorus 414
Loranthus maingayi 415
Loranthus pentandrus 414
Loranthus pentapetalus 415
Loranthus retusus 416
Loranthus scurrula 417
Lucinaea membranacea 686
Lucinaea morindae 686
Lucinaea ridleyi 780
Lucuma maingayi 717
Lucuma malaccensis 717
Ludwigia adscendens 520
Ludwigia erecta auct. 520
Ludwigia hyssopifolia 520
Ludwigia octovalvis 520
Ludwigia octovalvis subsp. *sessiliflora* 520
Ludwigia parviflora auct. 521
Ludwigia peruviana 520
Ludwigia prostrata 521
Ludwigia suffruticosa 775
Luffa aegyptiaca 765
Lumnitzera coccinea 249
Lumnitzera littorea 249
Lumnitzera racemosa 249
Luvunga crassifolia 697
Luvunga eleutherandra auct. 697
Luvunga scandens auct. 697
Lycianthes biflora 721
LYCOPHYTES 58
Lycopodiaceae 58
Lycopodiella cernua 58
Lycopodium acrostachyum 59
Lycopodium carinatum 59
Lycopodium cernuum 58
Lycopodium dalhousieanum 59
Lycopodium elegans 61
Lycopodium filiforme 60
Lycopodium nummulariifolium 59
Lycopodium phlegmaria 59
Lycopodium squarrosum 60
Lycopodium taxifolium auct. 59
Lycopodium urostachyum 59
Lycopodium wallichii 61
Lygodiaceae 87
Lygodium circinnatum 87
Lygodium circinnatum auct. 88
Lygodium dichotomum auct. 88
Lygodium digitatum 88
Lygodium flexuosum 87
Lygodium flexuosum auct. 88
Lygodium japonicum 87
Lygodium longifolium 87
Lygodium microphyllum 88
Lygodium salicifolium 88
Lygodium scandens auct. 88
Lythraceae 417
Maasia glauca 144
Maasia hypoleuca 144
Maasia sumatrana 144
Maba buxifolia 306
Maba maingayi 307
Maba venosa 308
Macaranga bancana 323
Macaranga caladiifolia 767
Macaranga conifera 324
Macaranga gigantea 324
Macaranga griffithiana 324
Macaranga heynei 325
Macaranga hosei 767
Macaranga hullettii 325
Macaranga hypoleuca 325
Macaranga javanica auct. 325
Macaranga lowii 325
Macaranga megalophylla 324
Macaranga motleyana auct. 325
Macaranga motleyana
 subsp. *griffithiana* 325
Macaranga populifolia 324
Macaranga pruinosa 767
Macaranga puncticulata 326
Macaranga recurvata 326
Macaranga rubiginosa 325
Macaranga trichocarpa 326
Macaranga triloba auct. 323
Machaerina rubiginosa 283
Machilus declinata 405
Machilus odoratissima auct. 405
Machilus odoratissima var. B 405
Machilus odoratissima var. *glabrata* 405
Machilus rimosa 405
Machilus rimosa auct. 405
Maclurodendron porteri 697
Macodes petola 556
Macrolenes echinulata 436
Macrolenes echinulata var. *echinulata* 436
Macrolenes muscosa 771
Macrolenes nemorosa 772
Macromitrium fuscescens 50
Macromitrium goniorrhynchum 50
Macromitrium incurvifolium 50
Macromitrium minutum auct. 50
Macromitrium nepalense 50

- Macromitrium semipellucidum*** 50
Macropsyanthus hexander 349
Macroptilium atropurpureum 349
Macroptilium lathyroides 349
Macrosolen cochinchinensis 415
Macrosolen papillosus 416
Macrosolen retusus 416
Macrothelypteris torresiana 757
Madhuca cuneata auct. 715
Madhuca decipiens 710
Madhuca kingiana 711
Madhuca korthalsii auct. 712
Madhuca malaccensis 711
Madhuca motleyana 711
Madhuca sericea 712
Madhuca sericea var. *ridleyi* 712
Madhuca sericea var. *sericea* 712
Madhuca sessilis 712
***Madhuca* sp. 1** 712
Madhuca sp. Q auct. 712
Madhuca tomentosa auct. 712
Maesa indica auct. 646
Maesa lanceolata var. *ramentacea* auct. 646
Maesa leptobotrya 646
Maesa ramentacea auct. 646
Maesa sumatrana 646
Magnolia acuminata var. *acuminata* 771
Magnolia candollei auct. 419
Magnolia candollei var. *singapurensis* 419
Magnolia elegans 418
Magnolia liliifera var. *singapurensis* 419
Magnolia macklottii 418
Magnolia macklottii var. *beccariana* 418
Magnolia maingayi 419
Magnolia singapurensis 419
Magnolia villosa 419
Magnoliaceae 418, 771
Malaxis latifolia 551
Malaxis micrantha 541
Malaxis ophrydis 551
Mallotus albus auct. 327
Mallotus barbatus 326
Mallotus cochinchinensis 327
Mallotus macrostachyus 326
Mallotus paniculatus 327
Mallotus penangensis 322
Mallotus penangensis var. *grandifolia* 322
Mallotus philippensis 767
Mallotus vernicosus 318
Malpighia coccigera 420
Malpighiaceae 419
Malvaceae 420, 771
Mangifera caesia 130
Mangifera foetida 130
Mangifera gracilipes 130
Mangifera griffithii 131
Mangifera indica 131
Mangifera kemanga auct. 130
Mangifera lagenifera 131
Mangifera lagenifera auct. 132
Mangifera laurina 131
Mangifera longipes 131
Mangifera macrocarpa auct. 132
Mangifera magnifica 131
Mangifera × odorata 14, 132
Mangifera paludosa 132
Mangifera paludosa 132
Mangifera parvifolia auct. 132
Mangifera pentandra 132
Mangifera quadrifida 132
Mangifera sclerophylla 131
Mangifera subsessilifolia 132
Manihot carthagenensis 327
Manihot carthagenensis
 subsp. *glaziovii* 327
Manihot esculenta 327
Manihot glaziovii 327
Mapania bancana 283
Mapania cuspidata 284
Mapania cuspidata var. *petiolata* 284
Mapania enodis 284
Mapania humilis 284
Mapania humilis var. *petiolata* 284
Mapania kurzii 284
Mapania longa 284
Mapania longiflora 285
Mapania lorea 285
Mapania multispicata 284
Mapania palustris 285
Mapania palustris var. *palustris* 285
Mapania squamata 285
Mapania valida 284
Mapania wallichii 285
Marantaceae 432, 771
Maranthes corymbosa 242
Marattiaceae 88
Marchantia acaulis 31
Marchantia emarginata 31
Marchantia geminata 751
Marchantiaceae 31, 751
Margaritaria indica 600
Marginaria verrucosa 92
Mariscus albescens 274
Mariscus cyperinus 272
Mariscus dregianus 273
Mariscus microcephalus 272

- Mariscus sieberianus* 272
Mariscus sieberianus
 var. *subcompositus* auct. 275
Marlea ebenacea auct. 265
Marlea griffithii 264
Marlea nobilis 265
Marlea sp. 265
Marsdenia maingayi 165
Marumia echinulata 436
Marumia rhodocarpa 436
Marumia rhodocarpa var. *subglabrata* 436
Marumia zeylanica auct. 436
Marumia zeylanica var. *subglabrata* 436
Maschalocorymbus corymbosus 694
Mastigobryum concavulum 30
Mastigobryum echinatum 30
Mastigobryum fleischeri 30
Mastigobryum gaudichaudii 30
Mastigobryum indicum 30
Mastigobryum modiglianii 30
Mastigobryum wallichianum 30
Mastigolejeunea auriculata auct. 29
Mastigolejeunea humilis auct. 29
Mastigolejeunea indica 29
Mastixia junghuhniana auct. 514
Mastixia maingayi 514
Mastixia maingayi var. *subtomentosa* 514
Mastixia pentandra 514
Mastixia pentandra subsp. *scortechinii* 514
Mastixia rostrata 775
Mastixia scortechinii 514
Mastixia trichotoma 514
Mastixia trichotoma var. *maingayi* 514
Matthaea sancta 461
Maughania strobilifera 346
Mayaca fluviatilis 433
Mayacaceae 433
Maytenus emarginata auct. 237
Mazaceae 433
Mazus pumilus 433
Mazus pumilus var. *pumilus* 433
Mazus rugosus 433
Mecardonia procumbens 607
Mecardonia procumbens
 var. *procumbens* 607
Medinilla crassifolia 436
Medinilla crassinervia auct. 436
Medinilla hasseltii 436
Medinilla macrocarpa 437
Medinilla maingayi 444
Medinilla radicans 436
Medinilla rubicunda 437
Medinillopsis sessiliflora 444
Megathyrsus maximus 633
Megistostigma glabratum 327
Megistostigma malaccense 327
Meibomia heterophylla 346
Meibomia triflora var. *pilosa* 347
Meiogyne monosperma 759
Meiogyne virgata 144
Meiothecium bogoriense f. *tenuissimum* 56
Meiothecium hamatum 754
Meiothecium jagorii 56
Meiothecium jagorii var. *jagorii* 56
Meiothecium jagorii var. *tenue* 754
Meiothecium microcarpum 56
Meiothecium microcarpum
 var. *lineolatum* 56
Meiothecium microcarpum
 var. *microcarpum* 56
Meiothecium microcarpum var. *minus* 56
Melaleuca cajuputi 494
Melanochyla angustifolia 133
Melanochyla auriculata 133
Melanochyla bracteata 133
Melanochyla caesia 133
Melanochyla fulvinervis 758
Melanochyla kunstleri 133
Melanochyla tomentosa 758
Melanorrhoea maingayi 130
Melanorrhoea wallichii 130
Melanthera biflora 217
Melanthesa rhamnooides var. *pubescens* 593
Melastoma crinitum auct. 437
Melastoma decemfidum var. *molle* 437
Melastoma longifolium 437
Melastoma malabathricum 437
Melastoma malabathricum
 var. *adpressum* 437
Melastoma malabathricum
 var. *perakense* 437
Melastoma malabathricum
 var. *polyanthum* 437
Melastoma molle 437
Melastoma oliganthum 437
Melastoma polyanthum 437
Melastoma pulverulentum 444
Melastoma rubicundum 437
Melastoma rubiginosum 435
Melastoma sanguineum 772
Melastoma sanguineum var. *molle* 437
Melastomataceae 433, 771
Melia indica 451
Meliaceae 446, 772
Melicope glabra 698
Melicope hookeri 698

- Melicope lunu-ankenda** 698
Melinis repens 623
Meliosma elliptica 700
Meliosma lanceolata 699
Meliosma lanceolata var. *pubescens* 699
Meliosma nitida 781
Meliosma pinnata 700
Meliosma pinnata subsp. **ridleyi** 700
Meliosma pinnata var. *ridleyi* 700
Meliosma ridleyi 700
Meliosma simplicifolia 700
Meliosma simplicifolia subsp. *fruticosa* 700
Melochia corchorifolia 425
Melochia umbellata 425
Melodinus micranthus 166
Melodinus orientalis 166
Melodorum aberrans 759
Melodorum cylindricum auct. 140
Melodorum elegans 145
Melodorum fulgens 140
Melodorum lanuginosum 140
Melodorum latifolium auct. 141
Melodorum latifolium var. *ovoideum* 141
Melodorum manubriatum 140
Melodorum pisocarpum 145
Melodorum prismaticum 150
Melothria pendula 268
Memecylon acuminatissimum 437
Memecylon acuminatum 437
Memecylon acuminatum
var. *acuminatum* 438
Memecylon amplexicaule 438
Memecylon campanulatum 438
Memecylon campanulatum auct. 440
Memecylon cantleyi 438
Memecylon cinereum 441
Memecylon coeruleum 438
Memecylon corticosum 772
Memecylon dichotomum 772
Memecylon durum 439
Memecylon edule 439
Memecylon edule var. *edule* 439
Memecylon edule var. *ovatum* 441
Memecylon edule var. *scutellatum* 772
Memecylon edule var. *typica* 439
Memecylon excelsum 439
Memecylon floridum 440
Memecylon fruticosum 440
Memecylon garcinioides 440
Memecylon globosum 439
Memecylon grande auct. 441
Memecylon heteroleprium 439
Memecylon intermedium 772
Memecylon laevigatum 441
Memecylon lancifolium 440
Memecylon laxiflorum 442
Memecylon lilacinum 440
Memecylon megacarpum auct. 442
Memecylon microstomum 438
Memecylon minutiflorum 441
Memecylon myrsinoides 441
Memecylon myrsinoides var. *lilacinum* 441
Memecylon oleifolium 441
Memecylon oligoneurum 436
Memecylon ovatum 441
Memecylon paniculatum 442
Memecylon pauciflorum 772
Memecylon pauciflorum auct. 441
Memecylon pseudomegacarpum 442
Memecylon pubescens 442
Memecylon sp. 438, 439, 440
Meniscium cuspidatum auct. 112
Meniscium salicifolium 757
Meniscium triphyllum 111
Menispermaceae 457, 773
Menyanthaceae 460
Meringium acanthoides 81
Meringium denticulatum 81
Meringium holochilum 82
Meringium meyenianum 82
Merope angulata 698
Merremia caespitosa 263
Merremia convolvulacea 263
Merremia gemella 263
Merremia hastata 263
Merremia hederacea 263
Merremia hirta 263
Merremia tridentata 263
Merremia umbellata auct. 257
Merremia vitifolia 257
Mesochlaena polycarpos 113
Mesophlebion chlamydophorum 111
Mesophlebion chlamydophorum auct. 109
Mesophlebion crassifolium auct. 112
Mesophlebion motleyanum 111
Mesosphaerum suaveolens 389
Mesua elegans 232
Mesua ferruginea 233
Mesua singapureana 233
Metalejeunea cucullata 28
Metathelypteris dayi 112
Metroxylon rumphii 200
Metroxylon sagu 200
Metteniusaceae 460, 773
Mezoneuron andamanicum 350
Mezoneuron sumatranum 350

- Mezzettia curtisii* 145
Mezzettia leptopoda 145
Mezzettia parviflora 145
Michelia asiatica 406
Miconia crenata 442
Miconia dependens 443
Micrechites lancifolius 167
Micrechites serpyllifolius 167
Microcarpaea minima 607
Microcarpaea muscosa 607
Micrococca mercurialis 328
Microcos antidesmifolia 425
Microcos antidesmifolia
var. *antidesmifolia* 425
Microcos blattifolia 426
Microcos globulifera 425
Microcos hirsuta 426
Microcos latifolia 426
Microcos paniculata auct. 426
Microcos tomentosa 426
Microdesmis caseariaefolia 574
Microdus brasiliensis 42
Microdus miquelianus 42
Microdus miquelianus var. *longifolius* 42
Microdus miquelianus var. *miquelianus* 42
Microgonium mindorense auct. 80
Microgonium motleyi 81
Microgonium sublimbatum 81
Microlejeunea filicuspis 28
Microlejeunea gracillima 28
Microlejeunea lunulatiloba 28
Microlejeunea punctiformis 28
Microlejeunea ulicina 28
Microlepia speluncae 72
Microlepia speluncae var. *hancei* 72
Microlepia speluncae var. *rhomboides* 73
Microlepia speluncae var. *vilosissima* 72
Micromelum hirsutum 780
Micropera fuscolutea 556
Micropora curtisii 771
Microsaccus ampullaceus 557
Microsaccus brevifolius 557
Microsaccus griffithii 557
Microsaccus javensis 557
Microsaccus sumatratus 557
Microsorum longissimum 94
Microsorum membranifolium 93
Microsorum nigrescens 93
Microsorum punctatum 93
Microsorum rubidum 94
Microsorum scolopendria 94
Microstachys chamaelea 328
Microstegium fasciculatum 778
Microstylis congesta 551
Microstylis micrantha 541
Mikania cordata 214
Mikania micrantha 214
Mikania scandens auct. 214
Miliusa eupoda 145
Miliusa longipes 145
Miliusa roxburghiana 759
Milletia atropurpurea 332
Milletia borneensis 350
Milletia chrysamaryssa 768
Milletia eriantha 361
Milletia maingayi 353
Milletia pinnata 350
Milletia sericea 350
Milletia sericea var. *malaccensis* 350
Milletia sericea var. *typica* 350
Milletia xylocarpa 350
Mimosa bimucronata 350
Mimosa diplosticha 351
Mimosa diplosticha var. *diplosticha* 351
Mimosa invisa auct. 351
Mimosa pigra 351
Mimosa pudica 351
Mimosa sepiaria 350
Mimusops elengi 712
Mimusops hexandra 715
Mischocarpus fuscescens 707
Mischocarpus lessertianus 707
Mischocarpus pentapetalus 707
Mischocarpus sumatratus 707
Mischocarpus sundicus 707
Mitracarpus hirtus 675
Mitrasacme pygmaea 412
Mitrasacme pygmaea var. *pygmaea* 412
Mitrella kentii 145
Mitrophora maingayi 146
Mitrophora teysmannii 146
Mitthyridium cardotii auct. 38
Mitthyridium fasciculatum 38
Mitthyridium fasciculatum
subsp. *cardotii* auct. 38
Mitthyridium fasciculatum
subsp. *fasciculatum* 38
Mitthyridium fasciculatum
var. *fasciculatum* 38
Mitthyridium flavum 38
Mitthyridium jungquilianum 38
Mitthyridium louisiadum 38
Mitthyridium repens 38
Mitthyridium repens var. *minor* 38
Mitthyridium repens var. *repens* 39
Mitthyridium undulatum 39

- Mitthyridium undulatum* auct. 38
Mitthyridium wallisii 752
Mitthyridium wallisii var. *wallisii* 752
Mnesithea glandulosa 623
Mnesithea granularis 623
Mniaceae 49
Mnium succulentum 49
Modecca populifolia auct. 578
Modecca singaporiana 579
Moeroris amara 600
Moeroris debilis 600
Mohamedia borneensis 28
Molineria capitulata 380
Molineria latifolia 381
Molineria latifolia var. *latifolia* 380
Molineria villosa 381
Molluginaceae 460
Mollugo pentaphylla 460
Mollugo stricta 460
Momordica charantia 268
Momordica charantia f. *abbreviata* 268
Momordica cochinchinensis 268
Momordica dioica 765
Monimiaceae 461
Monocarpia maingayi 146
Monocarpia marginalis 146
Monocera ferruginea 309
Monochoria hastata 638
Monochoria hastifolia 639
Monochoria vaginalis 639
Monochoria vaginalis var. *plantaginea* 639
Monogramma dareicarpa 100
Monogramma trichoides 104
Monoon anomalum 146
Monoon borneense 146
Monoon hookerianum 146
Monoon lateriflorum 147
Monoon sclerophyllum 147
Monstera deliciosa 182
Moraceae 461, 773
Morella esculenta 480
Morinda citrifolia 675
Morinda elliptica 675
Morinda persicifolia 780
Morinda persicifolia var. *sublinearis* 780
Morinda polysperma 686
Morinda ridleyi 664
Morinda rigida 664
Morinda sp. 664
Morinda tinctoria auct. 675
Morinda tomentosa auct. 675
Morinda umbellata 665
Morinda umbellata var. *ridleyi* 664
- MOSSES** 33, 751
Mucuna acuminata 351
Mucuna biplicata 351
Mucuna biplicata auct. 351
Mucuna gigantea 351
Mucuna gigantea subsp. *gigantea* 352
Mucuna pruriens 352
Mucuna pruriens var. *pruriens* 352
Mukia maderaspatana 268
Munronia breviflora 455
Muntingia calabura 480
Muntingiaceae 480
Murdannia nudiflora 252
Murdannia vaginata 252
Murraya koenigii 696
Mussaenda glabra 675
Mussaenda glabra var. *puberula* 676
Mussaenda glabra var. *setulosa* 676
Mussaenda maingayi 676
Mussaenda membranacea 684
Mussaenda mutabilis 676
Mussaenda mutabilis var. *hirsuta* 676
Mussaendopsis beccariana 676
Mycarantes obliqua 557
Mycarantes pannea 566
Mycetia malayana 676
Myrialepis paradoxa 200
Myrialepis scortechinii 200
Myrica esculenta 480
Myrica farquhariana 481
Myrica nagi auct. 481
Myricaceae 480
Myriocoleopsis minutissima 28
Myriocoleopsis minutissima
 subsp. *myriocarpa* 28
Myristica bivalvis 484
Myristica brachiata 774
Myristica bracteata 493
Myristica cantleyi 490
Myristica cinnamomea 491
Myristica conferta 487
Myristica crassa 492
Myristica crassifolia 484
Myristica elliptica 492
Myristica elliptica 492
Myristica farquhariana 482
Myristica ferruginea 482
Myristica forbesii 483
Myristica furfuracea 488
Myristica gigantea 774
Myristica glabra auct. 485
Myristica glauca auct. 491
Myristica glaucescens 491

- Myristica griffithii* 482
Myristica hookeriana 489
Myristica iners 492
Myristica intermedia 489
Myristica irya 484
Myristica laurina 490
Myristica longifolia auct. 488
Myristica lowiana 493
Myristica maingayi 493
Myristica majuscula auct. 485
Myristica maxima 493
Myristica murtonii 482
Myristica oblongifolia auct. 490
Myristica obtusifolia 774
Myristica pendulina 774
Myristica polyspherula 485
Myristica rubiginosa 484
Myristica sucosa auct. 486
Myristica superba 486
Myristica wallichii 487
Myristica wrayi 491
Myristicaceae 481, 774
Myrmecodia armata 677
Myrmecodia echinata 677
Myrmecodia tuberosa 676
Myrmecophila crustacea 92
Myrmecophila sinuosa 93
Myrmecopteris sinuosa 93
Myrsine avenis auct. 646
Myrsine capitellata 646
Myrsine pachysandra 780
Myrsine umbellulata 646
Myrtaceae 494, 774
Myuriaceae 49
Myurium pseudorufescens
 subsp. *pseudorufescens* 49
Myurium rufescens auct. 39
Nageia wallichiana 115
Najas graminea auct. 378
Najas graminea var. *angustifolia* 378
Najas indica 378
Najas kingii 378
Najas malesiana 378
Najas minor auct. 378
Nardia ariadne 33
Nasturtium indicum auct. 222
Nauclea officinalis 677
Nauclea purpurascens auct. 677
Nauclea subdita auct. 677
Neckeraceae 49, 753
Neckeropsis andamana 753
Neckeropsis gracilenta 49
Neesia altissima 426
Neesia malayana 426
Neesia synandra 427
Neisosperma oppositifolium 167
Nelsonia canescens 120
Nelumbium speciosum 511
Nelumbo nucifera 511
Nelumbonaceae 511
Nenga pumila 200
Nenga pumila var. *pachystachya* 200
Nenga wendlandiana 200
Nenga wendlandiana var. *malaccensis* 200
Neoachmandra indica 765
Neobalanocarpus heimii 300
Neolamarckia cadamba 677
Neolepidozia mamillosa 30
Neolepidozia wallichiana 31
Neolitsea cassia 405
Neolitsea zeylanica 405
Neonauclea excelsa 677
Neonauclea kranjiensis 13, 677
Neonauclea pallida auct. 677
Neonauclea pallida
 subsp. *malaccensis* auct. 677
Neonauclea peduncularis 677
Neonauclea purpurascens auct. 677
Neonauclea sp. 2 677
NeoscorTechnia kingii 328
NeoscorTechnia philippinensis 328
NeoscorTechnia sumatrensis 328
Neottopteris nidus 63
Neottopteris nidus var. *musifolia* 63
Neottopteris nidus var. *phyllitidis* 64
Nepenthaceae 511, 774
Nepenthes albomarginata 774
Nepenthes albomarginata auct. 512
Nepenthes ampullaria 511
Nepenthes distillatoria auct. 512
Nepenthes gracilis 14, 512
Nepenthes gracilis × *rafflesiana* 14, 513
Nepenthes × *hookeriana* 512
Nepenthes mirabilis 774
Nepenthes phyllamphora 774
Nepenthes phyllamphora auct. 512
Nepenthes rafflesiana 14, 512
Nepenthes reinwardtiana auct. 512
Nepenthes × *trichocarpa* 513
Nephelaphyllum pulchrum 557
Nephelium chryseum auct. 709
Nephelium costatum 707
Nephelium cuspidatum 707
Nephelium cuspidatum
 var. *eriopetalum* 707
Nephelium eriopetalum 707

Nephelium glabrum auct. 708
Nephelium lappaceum 708
Nephelium lappaceum var. *lappaceum* 708
Nephelium laurinum 708
Nephelium maingayi 708
Nephelium mutabile 709
Nephelium ramboutan-ake 708
Nephelium rubescens 708
Nephrodium amboinense auct. 110
Nephrodium aridum 109
Nephrodium cucullatum 113
Nephrodium cucullatum auct. 109
Nephrodium extensum 109
Nephrodium glandulosum auct. 112
Nephrodium haenkeanum auct. 113
Nephrodium heterocarpon 113
Nephrodium javanicum 113
Nephrodium latebrosum auct. 113
Nephrodium molle 110
Nephrodium molle auct. 113
Nephrodium molle var. *amboinense* 110
Nephrodium molle var. *didymosorum* 110
Nephrodium molle var. *major* 110
Nephrodium molle var. *procurrens* 110
Nephrodium moulmeinense auct. 108
Nephrodium multilineatum 757
Nephrodium pennigerum 757
Nephrodium polycarpon 113
Nephrodium propinquum 111
Nephrodium pteroides auct. 109
Nephrodium tectum 110
Nephrodium terminans auct. 109
Nephrodium truncatum auct. 111, 112
Nephrodium unitum auct. 111
Nephrodium urophyllum 108
Nephroia orbiculata 459
Nephrolepidaceae 89, 755
Nephrolepis acuta 89
Nephrolepis acuta var. *subferruginea* 89
Nephrolepis acutifolia 89
Nephrolepis auriculata 89
Nephrolepis biserrata 89
Nephrolepis brownii 90
Nephrolepis duffii 90
Nephrolepis exaltata auct. 89
Nephrolepis exaltata var. *hirsutula* auct. 90
Nephrolepis falcata auct. 755
Nephrolepis falciformis 755
Nephrolepis hirsutula 90
Nephrolepis hirsutula auct. 90
Nephrolepis multiflora 90
Nephrolepis radicans 90
Nephrolepis volubilis 90

Neptunia natans 768
Neptunia oleracea 768
Neptunia plena 352
Nervilia punctata auct. 558
Nervilia singaporensis 13, 558
Neuropeltis cf. *racemosa* 263
Neuropeltis racemosa 263
Neuroplatyeros grandis auct. 95
Neustanthus phaseoloides 352
Neuwiedia curtisiae 559
Neuwiedia griffithii 558
Neuwiedia lindleyi 558
Neuwiedia singapureana 559
Neuwiedia veratrifolia 558
Neuwiedia zollingeri 559
Neuwiedia zollingeri var. *singapureana* 559
Neyraudia arundinacea 623
Neyraudia arundinacea var. *zollingeri* 623
Nicolaia speciosa 746
Niphobolus acrostichoides 96
Niphobolus adnascens 96
Niphobolus hoyaefolium 96
Niphobolus penangianus auct. 96
Norrisia major 412
Norrisia malaccensis auct. 412
Norrisia malaccensis var. *major* 412
Nothaphoebe coriacea 405
Nothaphoebe umbelliflora 405
Nothocissus spicifera 742
Nothocnide mollissima 734
Notothyladaceae 58
Notothylas javanica 58
Nyctaginaceae 513
Nymphaeaceae 513
Nymphoides indica 460
Nypa fruticans 201
Nyssaceae 514, 775
Oberonia anceps 560
Oberonia bertoldi 559
Oberonia biaurita 560
Oberonia ciliolata 559
Oberonia dissitiflora 559
Oberonia equitans 559
Oberonia flabellifera 560
Oberonia lunata 560
Oberonia lunata auct. 559
Oberonia lycopodioides 560
Oberonia miniata 560
Oberonia stenophylla 560
Ochanostachys amentacea 517
Ochlandra ridleyi 629
Ochna angustifolia 515
Ochna kirkii 516

- Ochnaceae** 514
Ochreinauclea maingayi 678
Ochrosia borbonica auct. 167
Ochrosia oppositifolia 1, 167
Ochthocharis bornensis 443
Ochthocharis javanica 443
Ochthocharis paniculata 443
Ocimum americanum 389
Ocimum basilicum 389
Ocimum canum 389
Ocimum sanctum 389
Ocimum tenuiflorum 389
Octoblepharum albidum 39
Oediecladium pseudorufescens 49
Oediecladium rufescens auct. 38
Ohwia caudata 352
Olacaceae 8, 516
Olax imbricata 517
Oldenlandia affinis subsp. *affinis* 665
Oldenlandia auricularia 665
Oldenlandia biflora 665
Oldenlandia brachypoda 666
Oldenlandia corymbosa 666
Oldenlandia corymbosa var. *alsinifolia* 666
Oldenlandia cristata auct. 667
Oldenlandia dichotoma 665
Oldenlandia diffusa 666
Oldenlandia herbacea 666
Oldenlandia heynei auct. 666
Oldenlandia paniculata 666
Oldenlandia pumila 667
Oldenlandia trinervia 667
Oldenlandia verticillata 668
Olea brachiata 519
Olea maritima 520
Oleaceae 518, 775
Onagraceae 520, 775
Oncosperma filamentosum 201
Oncosperma horridum 201
Oncosperma tigillarium 201
Operculina turpethum 263
Ophioglossaceae 90
Ophioglossum nudicaule 90
Ophioglossum pendulum 90
Ophioglossum reticulatum 91
Ophiorrhiza harrisonii var. 678
Ophiorrhiza singapurensis 678
Opiliaceae 521
Oplismenus burmanni 623
Oplismenus compositus 623
Orania macrocladus 202
Orania sylvicola 202
Orchidaceae 522, 775
Ormocarpum cochinchinense 352
Ormocarpum glabrum 352
Ormosia bancana 352
Ormosia macrodisca 353
Ormosia microsperma 353
Ormosia microsperma var. *ridleyi* 353
Ormosia parvifolia 353
Ormosia sumatrana 353
Orobanchaceae 572, 776
Orophea dodecadandra auct. 150
Orophea hastata 147
Orophea sp. 147
Orthodontium infractum auct. 42
Orthosiphon aristatus 389
Orthosiphon stamineus 389
Orthotrichaceae 50
Oryza rufipogon 778
Oryza sativa 623
Osbeckia chinensis 772
Osmelia grandistipulata 702
Osmelia maingayi auct. 702
Osmelia philippina auct. 702
Osterdamia matrella 634
Ostodes macrophylla 329
Ostodes muricata var. minor 767
Ottochloa nodosa 623
Oxalidaceae 572
Oxalis barrelieri 573
Oxalis corniculata 573
Oxalis corymbosa 573
Oxalis debilis 573
Oxalis debilis var. *corymbosa* 573
Oxyanthera decurva 567
Oxyanthera elata 567
Oxyanthera micrantha 567
Oxyceros bispinosus 678
Oxyceros drupaceus 678
Oxyceros fragrantissimus 678
Oxyceros longiflorus 679
Oxyceros penangianus 679
Oxyceros scandens 678
Oxydectes ardisioides 320
Oxymitra affinis auct. 141
Oxymitra biglandulosa 141
Oxymitra borneensis var. *sumatrana* 141
Oxymitra calycina 141
Oxymitra glauca 142
Oxymitra latifolia 142
Oxystophyllum carnosum 560
Oxystophyllum excavatum 561
Oxystophyllum sinuatum 561
Oxystophyllum stuposum 550
Oxytenanthera sinuata 778

Pachycentria constricta 443
Pachycentria glauca auct. 444
Pachycentria glauca subsp. *maingayi* 444
Pachycentria macrorhiza 444
Pachycentria maingayi 444
Pachycentria pulverulenta 444
Pachycentria tuberculata 444
Pachynocarpus ridleyanus 304
Pachynocarpus ridleyanus auct. 304
Pachynocarpus umbonatus auct. 304
Pachynocarpus wallichii 304
Pachyleuria angustata 70
Pachyleuria parvula 71
Pachyleuria pectinata 71
Pachyleuria repens 71
Pachystachys coccinea 120
Padbruggea dasypylla 353
Padbruggea maingayi 353
Paederia foetida 679
Paederia foetida auct. 680
Paederia scandens 680
Paederia tomentosa 680
Paederia verticillata 680
Pajanelia longifolia 218
Pajanelia multijuga 218
Palaquium bancanum 715
Palaquium gutta 713
Palaquium hexandrum 713
Palaquium hispidum 781
Palaquium impressinervium 713
Palaquium microphyllum 713
Palaquium obovatum 714
Palaquium obovatum var. *obovatum* 714
Palaquium obovatum var. *occidentale* 714
Palaquium oxleyanum 714
Palaquium ridleyi 714
Palaquium rostratum 715
Palaquium semaram auct. 714
Palaquium treubii 713
Palaquium xanthochymum 715
Palhinhaea cernua 58
Pallavicinia indica 32
Pallavicinia levieri 32
Pallavicinia lyellii 32
Pallavicinia radiculosa 32
Pallavicinia ridleyi 32
Pallaviciniaceae 32
Panax jackianus 186
Pandaceae 574
Pandanaceae 575, 776
Pandanus affinis 575
Pandanus amaryllifolius 577
Pandanus ambiglaucus 578

Pandanus atrocarpus 575
Pandanus aurantiacus 575
Pandanus boryi 578
Pandanus carnosus 578
Pandanus corneri 578
Pandanus fascicularis 578
Pandanus flagillifer 576
Pandanus houlettei 577
Pandanus inclinatus 578
Pandanus incrassatus 578
Pandanus kamiae 776
Pandanus lais 776
Pandanus militaris 578
Pandanus monotheca 575
Pandanus motleyanus 578
Pandanus nitidus 577
Pandanus obtusus 578
Pandanus odoratissimus 577
Pandanus odorifer 577
Pandanus ornatus 575
Pandanus parvus 575
Pandanus polycephalus 776
Pandanus ridleyi 578
Pandanus rostratus 578
Pandanus scortechinii auct. 578
Pandanus singaporesis 577
Pandanus tetrodon 577
Pandanus tetrodon auct. 575
Pandanus yvanii 578
Panicum auritum 624
Panicum brevifolium 624
Panicum caesium 624
Panicum cambogiense 624
Panicum colonum 615
Panicum concinnum 625
Panicum crus-galli 616
Panicum distachyon auct. 634
Panicum indicum 628
Panicum indicum var. *gracile* 628
Panicum indicum var. *normale* 628
Panicum latifolium auct. 608
Panicum laxum 624
Panicum luzonense 624
Panicum maximum 633
Panicum muticum 633
Panicum myosuroides 628
Panicum nodosum 624
Panicum oryzoides var. A 608
Panicum ovalifolium 624
Panicum paludosum 624
Panicum patens 612
Panicum patens auct. 612
Panicum pilipes 778

- Panicum repens** 625
Panicum sarmentosum 625
Panicum trichocladum 625
Papillidiopsis bruchii 56
Papillidiopsis luxurians 56
Papillidiopsis ramulina 57
Paracelastrus bivalvis 760
Paracroton pendulus 328
Paraderris elliptica 343
Paraderris montana 343
Paragamma longifolia 94
Parameria glandulifera 170
Parameria laevigata 170
Parameria polyneura 171
Paramignya angulata 698
Paramignya grandiflora auct. 699
Paramignya griffithii 699
Paramignya longispina 698
Paramignya ridleyi 699
Paramignya scandens 699
Paramignya scandens var. *ridleyi* 699
Paranephelium macrophyllum 709
Parartocarpus bracteatus 479
Parartocarpus venenosus 479
Parartocarpus venenosus subsp. *forbesii* 479
Paraserianthes falcataria 345
Parastemon spicatus 243
Parastemon urophyllus 243
Parinari asperula 242
Parinari corymbosa 243
Parinari costata 243
Parinari costata subsp. *costata* 243
Parinari elmeri 243
Parinari excelsa 242
Parinari griffithiana 243
Parinari nitida 242
Parinari oblongifolia 243
Parinari rigida 763
Parinari sumatrana 243
Parinari wallichiana 244
Parishia insignis 133
Parishia maingayi 133
Parishia maingayi var. *maingayi* 134
Parishia paucijuga 134
Parishia pubescens 133
Parkia speciosa 353
Paropsia vareciformis 776
Parsonsia alboflavescens 167
Parsonsia curvisepala 168
Parsonsia helicandra 167
Parsonsia pauciflora 167
Parsonsia spiralis 167
Pasania beccariana 769
Pasania bennettii 364
Pasania cantleyana 364
Pasania conoocarpa 365
Pasania cyclophora 365
Pasania encleisacarpa 366
Pasania ewyckii 366
Pasania ewyckii var. *latifolia* 366
Pasania hystrix 366
Pasania lamponga 367
Pasania lamponga var. *ewyckiooides* 366
Pasania lucida 367
Pasania spicata var. *gracipiles* 365
Pasania wallichiana 367
Paspalum cartilagineum 626
Paspalum commersonii 626
Paspalum conjugatum 625
Paspalum dilatatum 778
Paspalum distichum auct. 626
Paspalum longiflorum 613
Paspalum longiflorum auct. 613, 615
Paspalum longifolium 626
Paspalum orbiculare 625
Paspalum platycaulon 609
Paspalum plicatulum 625
Paspalum sanguinale auct. 613
Paspalum sanguinale
var. *commutatum* auct. 613
Paspalum sanguinale
var. *debile* auct. 613, 614
Paspalum sanguinale var. *pruriens* 614
Paspalum scrobiculatum 626
Paspalum scrobiculatum
var. *bispicatum* 626
Paspalum scrobiculatum var. *normale* 626
Paspalum sumatrense 626
Paspalum vaginatum 626
Paspalum virgatum 626
Passiflora foetida 579
Passiflora foetida f. *latifolia* 579
Passiflora foetida var. *ciliata* 776
Passiflora laurifolia 579
Passiflora minima 580
Passiflora quadrangularis 776
Passiflora quadriglandulosa 579
Passiflora singapureana 579
Passiflora singaporiiana 579
Passiflora suberosa 580
Passifloraceae 578, 776
Pavetta indica auct. 680
Pavetta indica var. *canescens* 680
Pavetta tomentosa auct. 680
Pavetta wallichiana 680
Payena costata 716

- Payena dasyphylla* var. *glabrata* 716
Payena grandiflora 711
Payena grandiflora auct. 716
Payena havilandii 716
Payena leerii auct. 716
Payena lucida 715
Payena lucida var. *wightii* 716
Payena maingayi 716
Payena maingayi auct. 711
Payena obscura 716
Payena obscura var. *obscura* 716
Payena ridleyi 712
Payena sessilis 712
Pedaliaceae 580
Pelekium bifarium 58
Pelekium velatum 58
Peliosanthes grandifolia 209
Peliosanthes teta 209
Peliosanthes teta subsp. **humilis** 209
Peliosanthes violacea 209
Peliosanthes viridis 209
Pellacalyx axillaris 652
Pellacalyx saccardianus 652
Pellonia daveauana 735
Pellonia javanica 782
Pellonia repens 735
Peltophorum ferrugineum 354
Peltophorum pterocarpum 354
Pemphis acidula 417
Pennisetum polystachion auct. 610
Pennisetum purpureum 610
Pennisetum setosum 610
Pentace triptera 427
Pentapetes phoenicea 427
Pentaphragma begoniifolium auct. 581
Pentaphragma ellipticum 581
Pentaphragma ellipticum
var. *ellipticum* 581
Pentaphragma horsfieldii auct. 581
Pentaphragma ridleyi 581
Pentaphragma scortechinii auct. 581
Pentaphragma scortechinii
var. *parvifolium* auct. 581
Pentaphragmataceae 581
Pentaphylacaceae 581, 776
Peperomia exigua 601
Peperomia pellucida 601
Peraceae 583
Peripetasma polyanthum 295
Peristrophe acuminata 120
Peristrophe bivalvis 120
Peristrophe hyssopifolia 120
Peristrophe montana auct. 120
Peristrophe roxburghiana 120
Peristrophe tinctoria 120
Peristylus candidus 561
Peristylus lacertifer 561
Peristylus maingayi 561
Peronema canescens 390
Perotis indica 626
Perotis latifolia 626
Persea declinata 405
Persicaria barbata 637
Persicaria barbata var. **gracilis** 638
Persicaria chinensis 638
Persicaria chinensis var. **chinensis** 638
Persicaria dichotoma 638
Persicaria hydropiper 638
Persicaria orientalis 638
Pertusadina eurhyncha 655
Petiveriaceae 583
Petunga conifera 668
Petunga roxburghii 780
Petunga venulosa auct. 668
Petunga venulosa var. (?) 668
Phaeanthus intermedius 147
Phaeanthus lucidus 148
Phaeanthus nutans auct. 148
Phaeanthus ophthalmicus auct. 147
Phaeanthus splendens 148
Phaeoceros laevis 58
Phaeomeria maingayi 746
Phaius tankervilleae 537
Phalaenopsis cornu-cervi 561
Phalaenopsis violacea 775
Phalaenopsis violacea var. *murtoniana* 775
Phanera ferruginea 354
Phanera ferruginea var. **griffithiana** 354
Phanera hullettii 354
Phanera semibifida 355
Phanera semibifida var. **semibifida** 355
Phegopteris subdecurrens 108
Philodendron hederaceum 182
Philonotis hastata 33
Philonotis laii 33
Philonotis mollis 33
Philonotis secunda 33
Philonotis sp. 2 34
Philonotis thwaitesii 34
Philydraceae 583
Philydrum lanuginosum 583
Phlegmariurus carinatus 59
Phlegmariurus dalhousieanus 59
Phlegmariurus nummulariifolius 59
Phlegmariurus phlegmaria 59
Phlegmariurus squarrosus 60

- Phoebe cuneata* 406
Phoebe declinata 405
Phoebe grandis 406
Phoebe kunstleri 406
Phoebe ligustrina 405
Phoebe macrophylla 406
Phoebe opaca 406
Phoebe sumatrana auct. 405
Phoenicanthemum coccineum 415
Pholidocarpus kingianus 202
Photinopteris horsfieldii 92
Photinopteris rigida 92
Photinopteris speciosa 92
Phragmites karka 626
Phragmites vallatorius 626
Phreatia minutiflora 562
Phreatia plantaginifolia 562
Phreatia secunda 562
Phrymaceae 584
Phrynum basiflorum 432
Phrynum griffithii 433
Phrynum hirtum 432
Phrynum parvum 433
Phrynum villosulum 432
Phyla nodiflora 736
Phyllanthaceae 584, 776
Phyllanthus amarus 600
Phyllanthus coriaceus 596
Phyllanthus debilis 600
Phyllanthus emblica 596
Phyllanthus maderaspatensis auct. 600
Phyllanthus niruri auct. 600
Phyllanthus pachyphyllus 596
Phyllanthus pectinatus 596
Phyllanthus reticulatus 600
Phyllanthus urinaria 596
Phymatodes crustacea 92
Phymatodes longissima 94
Phymatodes nigrescens 93
Phymatodes scolopendria 94
Phymatodes sinuosa 93
Phymatosorus longissimus 94
Phymatosorus nigrescens 93
Phymatosorus scolopendria 94
Physalis minima 722
Physalis minima var. *indica* 722
Physostelma wallichii 165
Phytocrene bracteata 381
Phytocrene oblonga 382
Picroidendraceae 601
Pilea microphylla 734
Pilea muscosa 734
Pilea nummulariifolia 734
Piloecium pseudorufescens 49
Pilotrichaceae 50
Pimelandra wallichii 642
Pimelodendron griffithianum 329
Pinalia bractescens 562
Pinalia floribunda 562
Pinalia tenuiflora 562
Pinanga auriculata 202
Pinanga auriculata var. *leucocarpa* 202
Pinanga coronata auct. 203
Pinanga disticha 202
Pinanga limosa 202
Pinanga malaiana 203
Pinanga paradoxa auct. 203
Pinanga pectinata auct. 203
Pinanga polymorpha 762
Pinanga simplicifrons 203
Pinanga singaporensis 203
Pinanga subruminata 203
Pinnatella kuehliana auct. 50
Pinnatella microptera 49
Pinnatella mucronata 50
Piper aduncum 601
Piper baccatum 601
Piper betle 602
Piper caninum 602
Piper caninum var. *angustifolium* 602
Piper caninum var. *lanatum* 603
Piper chaba auct. 605
Piper clypeatum 603, 604
Piper crassipes 602
Piper curtisii 602
Piper flavigarginatum 601
Piper javanicum 603
Piper lanatum 602
Piper macropiper 603
Piper maingayi 603
Piper malaccense 603
Piper manillanum 604
Piper miniatum 603
Piper muricatum 603
Piper neesii 602
Piper obtusissimum 603
Piper pachyphyllum 601
Piper pedicellosum 602
Piper porphyrophyllum 604
Piper protractum 604
Piper ramipilum 604
Piper retrofractum auct. 605
Piper ribesioides 604
Piper ridleyi 604
Piper rostratum 604
Piper sarmentosum 604

Piper schizonephros 605
Piper sumatranum 604
Piper venustum 182
Piperaceae 601
Pipturus argenteus 734
Pipturus mollissimus 734
Piri quota racemosa 580
Pistia stratiotes 182
Pithecellobium affine 336
Pithecellobium angulatum 335
Pithecellobium bubalinum auct. 337
Pithecellobium clypearia 335
Pithecellobium confertum 334
Pithecellobium contortum 335
Pithecellobium dulce 355
Pithecellobium ellipticum 335
Pithecellobium fasciculatum 336
Pithecellobium globosum 336
Pithecellobium jiringa 336
Pithecellobium lobatum 336
Pithecellobium microcarpum 336
Pithecellobium splendens 334
Pittosporaceae 605
Pittosporum ferrugineum auct. 605
Pittosporum ridleyi 605
Pityrogramma calomelanos 101
Plagiochila bantamensis 32
Plagiochila densifolia 32
Plagiochila kurzii 32
Plagiochila lobulata 32
Plagiochila sciophila 32
Plagiochilaceae 32
Plagiommium succulentum 49
Plagiostachys lateralis 748
Plagiostachys mucida 749
Plagiotheciaceae 51, 753
Plagiothecium miquelianum 47
Plagiothecium neckeroideum 753
Planchonella chartacea 716
Planchonella lingensis 717
Planchonella maingayi 717
Planchonella malaccensis 717
Planchonella obovata 717
Planchonia grandis 407
Plantaginaceae 605, 777
Plantago asiatica 607
Plantago major 607
Platea excelsa var. *borneensis* 773
Platea excelsa var. *riedeliana* 773
Platea latifolia 460
Platycerium bifforme 95
Platycerium bifforme var. *erecta* 95
Platycerium coronarium 94

Platycerium grande 756
Platycerium ridleyi 95
Platyclinis longifolia 539
Plectocolea ariadne 33
Plectocomia elongata 204
Plectocomia griffithii 204
Plectocomiopsis annulata 200
Plectocomiopsis cf. corneri 204
Plectocomiopsis geminiflora 204
Plectocomiopsis scortechnii 200
Plectranthus monostachyus 386
Plectranthus scutellarioides 386
Pleocnemia conjugata 75
Pleocnemia gigantea auct. 107
Pleocnemia irregularis 75
Pleocnemia leuzeana auct. 76
Pleocnemia olivacea 76
Pleopeltis angustata 95
Pleopeltis irioides 93
Pleopeltis lomarioides auct. 93
Pleopeltis longifolia 94
Pleopeltis nigrescens 93
Pleopeltis palmata 97
Pleopeltis phymatodes 94
Pleopeltis punctata 93
Pleopeltis sinuosa 93
Pleopeltis stenophylla 97
Pleopeltis viridis 93
Plethiandra sessiliflora 444
Pleurolobus gangeticus 355
Pleuromanes pallidum 82
Plocoglottis foetida 563
Plocoglottis gigantea 562
Plocoglottis javanica 563
Plocoglottis lowii 563
Plocoglottis porphyrophylla 563
Ploiarium alternifolium 220
Ploiarium elegans 220
Pluchea indica 214
Plukenetia corniculata 329
Plumbaginaceae 608
Plumbago zeylanica 608
Pneumatopteris truncata 112
Poaceae 608, 777
Podocarpaceae 115
Podocarpus blumei 115
Podocarpus neglectus auct. 116
Podocarpus nerifolius auct. 116
Podocarpus polystachyus 116
Podocarpus wallichianus 115
Podochilus anceps 524
Podochilus callosus 523
Podochilus cornutus 525

- Podochilus lucidus* 525
Podochilus microphyllus 563
Podochilus sciurooides 563
Podochilus uncatus 525
Podomitrium malaccense 32
Pogonanthera pulverulenta 444
Pogonanthera reflexa 444
Pogonatherum crinitum 627
Pogonatherum paniceum 627
Pogonatum junghuhnianum 753
Pogonatum neesii 754
Pogonia punctata auct. 558
Pogonotrophe ribesioides 475
Pogostemon auricularius 390
Pogostemon heyneanus 770
Poikilospermum cordifolium 734
Poikilospermum microstachys 734
Poikilospermum suaveolens 735
Pollia secundiflora 252
Pollia sorzogonensis 252
Polyalthia angustissima 148
Polyalthia anomala 146
Polyalthia beccarii 148
Polyalthia bullata 759
Polyalthia caulinflora 148
Polyalthia caulinflora var. *beccarii* 148
Polyalthia caulinflora var. *caulinflora* 148
Polyalthia cinnamomea 759
Polyalthia clavigera 146
Polyalthia desmantha 148
Polyalthia glauca 144
Polyalthia hookeriana 147
Polyalthia hypogaea 759
Polyalthia hypoleuca 144
Polyalthia jenkinsii 143
Polyalthia lateriflora 147
Polyalthia macropoda 146
Polyalthia nitida 759
Polyalthia rumphii 143
Polyalthia sclerophylla 147
Polyalthia scortechinii 144
Polyalthia sinclairiana 146
Polyalthia sumatrana 144
Polyalthia teysmannii 148
Polybotrya appendiculata 74
Polygala brachystachya 634
Polygala glaucoidea 634
Polygala paniculata 634
Polygalaceae 634, 779
Polygonaceae 637, 779
Polygonum barbatum 637
Polygonum chinense 638
Polygonum flaccidum 779
Polygonum hydropiper 638
Polygonum orientale 638
Polygonum pedunculare 638
Polygonum pedunculare
var. *pedunculare* 638
Polyosma conocarpa 315
Polyosma fragrans 315
Polyosma integrifolia var. *mutabilis* 315
Polyosma kingiana 316
Polyosma ridleyi 316
Polypodiaceae 91, 755
Polypodium adspersum 756
Polypodium caudigerum 113
Polypodium comosum 69
Polypodium contiguum 94
Polypodium decorum 91
Polypodium horsfieldii 74
Polypodium palmatum 97
Polypodium phymatodes 94
Polypodium polycarpon 93
Polypodium quercifolium 91
Polypodium secundum 111
Polypodium setigerum 756
Polypodium streptophyllum 756
Polypodium verrucosum 92
Polyscias diversifolia auct. 186
Polyspora axillaris 781
Polyspora multinervis 728
Polyspora penangensis 728
Polyspora singaporeana 729
Polystachya concreta 563
Polystachya flavescens 563
Polystachya singapurensis 563
Polytrias amaura 627
Polytrias indica 627
Polytrias praemorsa 627
Polytrichaceae 753
Pomatocalpa diffusum 564
Pomatocalpa latifolium 564
Pometia alnifolia 709
Pometia gracilis 709
Pometia pinnata 709
Pongamia glabra 350
Pongamia pinnata 350
Pongamia pinnata var. *xerocarpa* 350
Pontederiaceae 638
Popowia fusca 149
Popowia pisocarpa 149
Popowia ramosissima 149
Popowia tomentosa 149
Popowia tomentosa var. *tomentosa* 149
Porophyllum ruderale 214
Porterandia anisophylla 680

- Portulaca oleracea** 639
Portulaca pilosa 639
Portulaca pilosa subsp. *pilosa* 639, 640
Portulaca pilosa var. *pilosa* 639
Portulaca pilosa var. *tuberosa* 640
Portulaca quadrifida auct. 639
Portulaceae 639
Posoqueria longiflora 679
Potamogeton distinctus 779
Potamogetonaceae 779
Potentilla indica 653
Pothos bifarius 183
Pothos celatocaulis 183
Pothos curtisii 182
Pothos latifolius 182
Pothos peninsularis 182
Pothos scandens auct. 182
Pothos venustus 182
Pottiaceae 51, 754
Pouteria linggensis 716/717
Pouteria maingayi 717
Pouteria malaccensis 717
Pouteria obovata 718
Pouzolzia indica 735
Pouzolzia indica var. *angustifolia* 735
Pouzolzia indica var. *microphylla* 735
Pouzolzia pentandra auct. 735
Pouzolzia zeylanica 735
Pouzolzia zeylanica var. *angustifolia* 735
Pouzolzia zeylanica var. *zeylanica* 735
Prasoxylon alliaceum 455
Prasoxylon excelsum 455
Pratia begonifolia auct. 233
Praxelis clematidea 215
Premna cordifolia auct. 391
Premna coriacea 770
Premna corymbosa auct. 390
Premna divaricata 390
Premna flavescentia var. *rubens* auct. 391
Premna foetida 390
Premna integrifolia 391
Premna integrifolia var. *angustior* 391
Premna parasitica 391
Premna punctulata 390
Premna ridleyi 391
Premna serratifolia 390
Premna trichostoma 391
Primulaceae 640, 779
Prismatomeris albidiflora auct. 681
Prismatomeris glabra 681
Prismatomeris malayana 681
Prismatomeris malayana auct. 681
Prismatomeris tetrandra 681
Prismatomeris tetrandra auct. 681
Prismatomeris tetrandra
 subsp. *malayana* 681
Procris repens 735
Pronephrium menisciicarpon 112
Pronephrium repandum 108
Pronephrium triphyllum 111
Prosaptia contigua 756
Proteaceae 646
Prunus arborea 653
Prunus arborea var. *arborea* 654
Prunus arborea var. *stipulacea* 654
Prunus grisea 654
Prunus grisea var. *tomentosa* 654
Prunus polystachya 654
Pseudarthria viscosa 355
Pseudelephantopus spicatus 213
Pseuderanthemum kingii 120
Pseudoclausena chrysogyna 455
Pseudocylosorus ciliatus 757
Pseudoeugenia singaporensis 508
Pseudotaxiphyllum pohliaecarpum 51
Psidium cattleyanum 494
Psidium guajava 494
Psilotaceae 97
Psilotum complanatum 97
Psilotum flaccidum 97
Psilotum nudum 98
Psilotum triquetrum 98
Psoralea corylifolia 340
Psychotria angulata 681
Psychotria calocarpa 780
Psychotria cantleyi 684
Psychotria deltata 681
Psychotria griffithii 681
Psychotria helferiana 682
Psychotria helferiana var. *angustifolia* 682
Psychotria helferiana var. *diffusa* 682
Psychotria laxiflora auct. 661, 662
Psychotria maingayi 682
Psychotria malayana 682
Psychotria malayana auct. 683
Psychotria megacoma 683
Psychotria montana var. *tabacifolia* 660
Psychotria morindiflora 683
Psychotria morindiflora 683
Psychotria obovata 684
Psychotria ovoidea 683
Psychotria ovoidea 683
Psychotria pachyphylla 683
Psychotria penangensis 683
Psychotria polycarpa 684
Psychotria ridleyi 684

- Psychotria rostrata* 660
Psychotria sarmentosa auct. 682, 684
Psychotria sarmentosoides 684
Psychotria scortechinii 684
Psychotria singapurensis 658
Psychotria sp. 9 683
Psychotria stipulacea 683
Psychotria tortilis 780
Psydrax approximatus 685
Psydrax dicoccos var. *dicoccos* 780
Psydrax lucidulus 685
Psydrax maingayi auct. 685
Psydrax nitidus auct. 685
Psydrax sp. 1 657, 685
Psydrax sp. 10 685
Psydrax sp. 11 685
Psydrax sumatranus 685
Psydrax undulatifolius 685
Pteleocarpa lamponga 368
Pteleocarpa malaccensis 368
Pteridaceae 98, 756
Pteridium aquilinum auct. 73
Pteridium aquilinum var. *esculentum* auct. 73
Pteridium aquilinum
var. *lanuginosum* auct. 73
Pteridium aquilinum var. *wightianum* 73
Pteridium caudatum auct. 73
Pteridium caudatum subsp. *yarrabense* 73
Pteridium esculentum auct. 73, 102
Pteridium revolutum 73
Pteridium semihastatum 73
Pteris aquilina auct. 73
Pteris aquilina var. *esculenta* auct. 73
Pteris aquilina var. *lanuginosa* auct. 73
Pteris biaurita auct. 102
Pteris ensiformis 101
Pteris longifolia auct. 103
Pteris mertensioides 102
Pteris multifida 102
Pteris quadriaurita 756
Pteris quadriaurita var. *blumeana* 756
Pteris semihastata 73
Pteris semipinnata 102
Pteris tripartita 102
Pteris vittata 102
Pteris wallichiana auct. 102
Pterisanthes cissoides 742
Pterisanthes coriacea 743
Pterisanthes eriopoda 743
Pterisanthes polita 743
Pternandra capitellata 445
Pternandra coerulescens 444
Pternandra coerulescens var. *capitellata* 445
Pternandra coerulescens var. *jackiana* 445
Pternandra coerulescens
var. *paniculata* auct. 446
Pternandra echinata 445
Pternandra echinata var. *bracteata* 445
Pternandra jackiana 445
Pternandra paniculata auct. 446
Pternandra tuberculata 445
Pterocarpus indicus 355
Pteroceras caligare 526
Pteroceras pallidum 526
Pterococcus corniculatus 329
Pterococcus glaberrimus 329
Pterocymbium tubulatum 427
Pterogonidium pulchellum 53
Pterogonium viridiissimum 56
Pterospermum blumeanum auct. 428
Pterospermum diversifolium 427
Pterospermum javanicum auct. 428
Pterospermum lanceifolium 771
Pterospermum sumatranum 428
Pterostigma villosum 777
Ptychoscoleus cristilobus 25
Ptychoscoleus cumingianus 29
Ptychoscoleus fertilis 24
Ptychoscoleus pulopenangensis 29
Ptychoscoleus pycnocladus 25
Ptychoscoleus tumidus 29
Ptychoscoleus wichurae 24
Ptychomniaceae 754
Ptychopyxis bacciformis 329
Ptychopyxis caput-medusae 329
Ptychopyxis costata 329
Ptychopyxis costata var. *oblanceolata* 330
Ptychoraphis singaporenensis 205
Ptychosperma macarthurii 204
Ptychosperma singaporenensis 205
Ptyssiglottis kunthiana 121
Pueraria phaseoloides 352
Pupalia atropurpurea 758
Putranjivaceae 647
Pycnolejeunea bancana 28
Pycnolejeunea contigua 28
Pycnolejeunea malaccensis 25
Pycnolejeunea ventricosa 26
Pycreus nitens 276
Pycreus polystachyos 275
Pycreus polystachyos var. *laxiflorus* 275
Pycreus pumilus 276
Pycreus sanguinolentus 276
Pycreus sanguinolentus
subsp. *cyrtostachys* 276
Pygeum lanceolatum 654

- Pygeum maingayi* auct. 654
Pygeum parviflorum 654
Pygeum persimile 654
Pygeum polystachyum 654
Pylaisiadelphaceae 53, 754
Pyramidanthe prismatica 149
Pyrenaria acuminata 729
Pyrenaria kunstleri 781
Pyrrhobryum latifolium 54
Pyrrhobryum longiflorum 54
Pyrrhobryum spiniforme 54
Pyrrhobryum spiniforme var. *spiniforme* 55
Pyrrosia adnascens 96
Pyrrosia angustata 95
Pyrrosia lanceolata 96
Pyrrosia longifolia 96
Pyrrosia nummulariifolia auct. 97
Pyrrosia penangiana 756
Pyrrosia piloselloides 96
Pyrrosia varia 96
Quamoclit phoenicea 764
Quassia indica 719
Quercus argentata 367
Quercus bennettii 364
Quercus cantleyana 364
Quercus conocarpa 365
Quercus cyclophora 365
Quercus encleisacarpa 366
Quercus ewyckii 366
Quercus hystrix 366
Quercus lamponga 367
Quercus lucida 367
Quercus oidocarpa 769
Quercus spicata var. *gracilipes* 365
Quercus sundaica 367
Quercus wallichiana 367
Quisqualis densiflora 764
Quisqualis indica 249
Radermachera amoena auct. 219
Radermachera gigantea auct. 218/219
Radermachera pinnata 218
Radermachera pinnata subsp. *acuminata* 219
Radermachera quadripinnata 218
Radermachera quadripinnata
subsp. *acuminata* 219
Radermachera quadripinnata
subsp. *lobbii* 219
Radula amoena auct. 32
Radula anceps 32
Radula borneensis auct. 32
Radula javanica 32
Radula reflexa 33
Radulaceae 32
Randia angulosa auct. 679
Randia anisophylla 680
Randia auriculata 656
Randia clarkei 679
Randia cochinchinensis auct. 656
Randia densiflora 656
Randia fasciculata auct. 679
Randia forbesii auct. 656
Randia fragrantissima 678
Randia kunstleri auct. 679
Randia longiflora 679
Randia macrophylla 687
Randia penangiana 679
Randia scandens 679
Randia scortechinii 681
Randia speciosa 662
Rapanea avenis auct. 646
Rapanea porteriana 646
Rapanea umbellulata 646
Raphidophora huegelii 177
Raphistemma pulchellum 760
Reediella humilis 80
Reholttumia truncata 112
Reissantia indica 239
Remirea maritima 275
Renanthera alba 525
Renanthera elongata 564
Renanthera histrionica 564
Renanthera × maingayi 526
Renantherella histrionica 564
Rennellia elliptica 780
Restiaria echinata var. *platyphylla* 422
Rhamnaceae 648
Rhaphidophora burkilianna 182
Rhaphidophora caudata 179
Rhaphidophora gigantea 179
Rhaphidophora gracilipes 761
Rhaphidophora korthalsii 183
Rhaphidophora lobbii 183
Rhaphidophora maingayi 183
Rhaphidophora maingayi auct. 182
Rhaphidophora minor 183
Rhaphidophora montana auct. 182
Rhaphidophora sylvestris 183
Rhaphidophora sylvestris auct. 182
Rhaphidophora sylvestris
var. *montana* auct. 182
Rhaphidostegium caespitosum 57
Rhaphidostegium microcladon 55
Rhaphidostegium saprophylophilum 57
Rhaphidostichum boschii var. *boschii* 57
Rhaphidostichum bruchii 56
Rhaphidostichum luxurians 56

- Rhinacanthus nasutus** 121
Rhizogoniaceae 54, 754
Rhizogonium lamii 754
Rhizogonium latifolium 54
Rhizogonium spiniforme 55
Rhizophora apiculata 653
Rhizophora caryophylloides 650
Rhizophora conjugata auct. 653
Rhizophora mucronata 653
Rhizophora stylosa 653
Rhizophoraceae 650
Rhodamnia cinerea 495
Rhodamnia trinervia auct. 495
Rhodamnia trinervia var. *concolor* 495
Rhodamnia trinervia var. *spectabilis* 495
Rhododendron javanicum auct. 313
Rhododendron javanicum
var. *tubiflorum* 313
Rhododendron lampongum auct. 313
Rhododendron longiflorum 313
Rhodomyrtus tomentosa 495
Rhopaloblaste singaporenensis 204
Rhynchelythrum repens 623
Rhynchospora aurea 286
Rhynchospora brownii 286
Rhynchospora colorata auct. 274
Rhynchospora corymbosa 286
Rhynchospora glauca var. *chinensis* 286
Rhynchospora malasica 286
Rhynchospora rubra 286
Rhynchospora rugosa 286
Rhynchospora rugosa subsp. *brownii* 286
Rhynchospora wallichiana 286
Rhynchosporidium gigantea 564
Ribesiodes garciniifolia 645
Ribesiodes lampani 644
Riccardia crenulata 22
Riccardia decipiens 751
Riccardia elata 22
Riccardia graeffei 22
Riccardia grossitexta 22
Riccardia inconspicua 22
Riccardia latifrondoides 13, 22
Riccardia latifrondoides f. *major* 22
Riccardia pinguis auct. 22
Riccardia ridleyi 22
Riccardia singapurensis 23
Riccardia tenuicostata 22
Riccia treubiana 33
Ricciaceae 33
Richardia scabra 685
Ricinocarpus fallax 316
Ricinus communis 330
Rinorea anguifera 737
Rinorea bengalensis 782
Rinorea javanica 737
Rinorea lanceolata 737
Rivina humilis 583
Robiquetia spathulata 565
Rorippa dubia 222
Rorippa heterophylla 222
Rorippa indica auct. 222
Rosaceae 653
Rothea serrata 391
Rothmannia macrophylla 687
Rottboellia cochinchinensis 627
Rottboellia exaltata 627
Rottboellia glandulosa 623
Rottboellia striata auct. 623
Rottboellia striata var. *glabrior* 623
Rouheria griffithiana 409
Rourea acuminata 256
Rourea acutipetala 255
Rourea acutipetala subsp. *acutipetala* 255
Rourea asplenifolia 255
Rourea concolor 256
Rourea fulgens 255
Rourea humili 256
Rourea mimosoides 256
Rourea minor 256
Rourea parallela 256
Rourea parvifolia 256
Rourea pulchella 256
Rourea rugosa 256
Rourea similis 256
Rubiaceae 655, 780
Rubus angulosus 655
Rubus glomeratus auct. 655
Rubus moluccanus 655
Rubus moluccanus var. *angulosus* 655
Rubus moluccanus var. *glomeratus* auct. 655
Rubus moluccanus var. *moluccanus* 655
Ruellia angustiflora 117
Ruellia blechum 121
Ruellia malacosperma 121
Ruellia prostrata 121
Ruellia repens 121
Ruellia simplex 121
Ruellia tuberosa 121
Rutaceae 696, 780
Ryparosa acuminata auct. 124
Ryparosa fasciculata 123
Ryparosa hullettii 124
Ryparosa scorchedinii 123
Ryparosa wallichii auct. 123
Sabia erratica 700

- Sabiaceae** 699, 781
Saccharum arundinaceum 627
Saccharum officinarum 627
Saccharum spontaneum 628
Sacciolepis angusta 628
Sacciolepis indica 628
Sacciolepis indica var. *indica* 628
Sacciolepis myosuroides 628
Sacciolepis turgida 628
Saccolabium adnatum 556
Saccolabium densiflorum 565
Saccolabium halophilum 538
Saccolabium hortense 564
Saccolabium latifolium 564
Saccolabium perpusillum 565
Saccolabium reflexum 564
Saccolabium secundiflorum 565
Sagenia alata 108
Salacca affinis 205
Salacca conferta 197
Salacca wallichiana 762
Salacia cf. *flavescens* 240
Salacia chinensis 239
Salacia exsculpta 239
Salacia flavescens 240
Salacia grandiflora 239
Salacia impressifolia 763
Salacia korthalsiana 240
Salacia latifolia 239
Salacia lobbii 240
Salacia longifolia 240
Salacia macrophylla 240
Salacia maingayi 240
Salacia miquelianae auct. 240
Salacia prinoides 239
Salacia rubra 239
Salacia viminea 240
Salicaceae 700, 781
Salomonia aphylla auct. 634
Salomonia cantoniensis 634
Salomonia oblongifolia 779
Salvinia adnata auct. 105
Salvinia molesta 105
Salviniaceae 104
Samadera indica 719
Samanea saman 356
Sandoricum beccarianum 456
Sandoricum emarginatum 456
Sandoricum indicum 456
Sandoricum koetjape 456
Sandoricum radiatum 456
Sansevieria trifasciata 209
Santalaceae 703
Santalodes fulgens 256
Santiria apiculata 225
Santiria apiculata var. *apiculata* 225
Santiria conferta 226
Santiria griffithii 226
Santiria laevigata 226
Santiria laxa 224
Santiria multiflora 227
Santiria oblongifolia auct. 226
Santiria rubiginosa 226
Santiria rubiginosa var. *rubiginosa* 227
Santiria rugosa auct. 226
Santiria tomentosa 227
Sapindaceae 704, 781
Sapium baccatum auct. 331
Sapium discolor 330
Sapium indicum 330
Sapotaceae 710, 781
Saprosma glomerulata 685
Saprosma ridleyi 682
Saprosma sp. 686
Sarcanthus castaneus 565
Sarcanthus densiflorus 565
Sarcanthus halophilus 538
Sarcanthus scortechinii 538
Sarcocephalus junghuhnii auct. 677
Sarcocephalus maingayi 678
Sarcocephalus subditus auct. 678
Sarcochilus adnatus 556
Sarcochilus caligaris 526
Sarcochilus lilacinus 568
Sarcochilus notabilis 568
Sarcochilus trichoglottis 569
Sarcobolus globosus 168
Sarcopodium macranthumton 531
Sarcopodium pileatum 533
Sarcosperma paniculatum 718
Sarcostoma javanicum 537
Sarcotheca griffithii 573
Sarcotheca laxa 573
Sarcotheca laxa var. *sericea* 573
Saribus rotundifolius 205
Sauraia pentapetala 124
Sauraia tristyla auct. 124
Sauropus albicans 593
Sauropus androgynus 592
Sauropus bacciformis 600
Scaevola frutescens 373
Scaevola koenigii 373
Scaevola sericea 373
Scaevola taccada 373
Scaphium affine 428
Scaphium linearicarpum 428

- Scapium macropodium*** auct. 428
Scaphochlamys aff. *breviscapa* 749
Scaphochlamys breviscapa 749
Scaphochlamys tenuis 749
Schefflera actinophylla 187
Schefflera cephalotes 187
Schefflera elliptica 187
Schefflera hullettii 187
Schefflera lanceolata 187
Schefflera micrantha 187
Schefflera oxyphylla 188
Schefflera ridleyi 188
Schefflera ridleyi var. *ridleyi* 188
Schefflera subulata 188
Schiffneriolejeunea cumingiana 29
Schiffneriolejeunea pulopenangensis 29
Schiffneriolejeunea tumida 29
Schima wallichii 781
Schisandraceae 718
Schismatoglottis calyprata auct. 184
Schismatoglottis calyprata var. *picta* 184
Schismatoglottis longipes auct. 184
Schismatoglottis lowiae 184
Schismatoglottis pantiensis 184
Schismatoglottis wallichii auct. 184
Schistochila sciurea 33
Schistochilaceae 33
Schizachyrium brevifolium 628
Schizachyrium sanguineum 628
Schizachyrium semiberbe 628
Schizaea dichotoma 105
Schizaea digitata 105
Schizaea wagneri 105
Schizaeaceae 105
Schizoloma davalliodoides auct. 85
Schizoloma divergens 83
Schizoloma ensifolium 84
Schizoloma heterophyllum 84
Schizoloma lobatum auct. 83
Schizoloma medium auct. 85
Schizoloma orbiculatum 85
Schizoloma walkerae 86
Schizostachyum blumei 778
Schizostachyum brachycladum 778
Schizostachyum brachycladum
var. *auriculatum* 778
Schizostachyum chilanthum auct. 629
Schizostachyum gracile 628
Schizostachyum gracile var. *erectum* 629
Schizostachyum jaculans 779
Schizostachyum latifolium 629
Schizostachyum longispiculatum auct. 629
Schizostachyum ridleyi 629
Schizostachyum tenue 629
Schizostachyum zollingeri 629
Schoenoplectiella mucronata 287
Schoenoplectus mucronatus 287
Schoenorchis micrantha 565
Schoenorchis secundiflora 565
Schoenus calostachyus 287
Schradera membranacea 686
Schradera membranacea
subsp. *membranacea* 686
Schradera morinda 686
Schradera polypserma 686
Schumannianthus dichotomus 771
Sciaphila affinis 733
Sciaphila maculata 733
Sciaphila tenella 733
Scindapsus aureus 179
Scindapsus hederaceus 184
Scindapsus lucens 184
Scindapsus pictus 184
Scirpodendron costatum 287
Scirpodendron ghaeri 287
Scirpus grossus 270
Scirpus mucronatus 287
Scirpus squarrosum 275
Scleria bancana 287
Scleria biflora 287
Scleria biflora subsp. *biflora* 287
Scleria caricina 277
Scleria chinensis 287
Scleria ciliaris 287
Scleria corymbosa 288
Scleria hebecarpa 288
Scleria lateriflora 289
Scleria levis 288
Scleria levis auct. 288
Scleria multifoliata 288
Scleria obliqua 288
Scleria oryzoides 288
Scleria poiformis 288
Scleria purpurascens 288
Scleria radula 289
Scleria ridleyi 288
Scleria rugosa 289
Scleria sumatrensis 289
Scleria terrestris 289
Scleria zeylanica auct. 289
Scleropyrum maingayi 704
Scleropyrum pentandrum 703
Scleropyrum ridleyi 703
Scleropyrum wallichianum 703
Scleropyrum wallichianum var. *ridleyi* 703
Scolopia macrophylla 703

- Scolopia rhinanthera* 703
Scoparia dulcis 608
Scorodocarpus borneensis 517
Seratochloa urceolata 629
Scurrula ferruginea 416
Scurrula parasitica 416
Scyphiphora hydrophylacea 686
Sebastiana chamaelea 328
Secamone elliptica 760
Secamone griffithii 168
Secamone maingayi 168
Secamone micrantha 761
Securidaca philippinensis 635
Securinega virosa 596
Selaginella argentea 60
Selaginella ascendens 60
Selaginella atroviridis 60
Selaginella belangeri 60
Selaginella ciliaris 60
Selaginella intermedia 60
Selaginella intermedia var. *intermedia* 60
Selaginella laevigata auct. 62
Selaginella mayeri 61
Selaginella merguina auct. 61
Selaginella plana 61
Selaginella plumea auct. 60
Selaginella pulmosa auct. 61
Selaginella roxburghii 61
Selaginella roxburghii var. *roxburghii* 61
Selaginella sp. 61
Selaginella trichobasis 61
Selaginella wallichii 61
Selaginella wallichii var. *walkeri* 61
Selaginella willdenowii 61
Selaginellaceae 60
Selenodesmium obscurum 78
Selliguea feei auct. 97
Selliguea heterocarpa auct. 97
Selliguea lateritia 97
Selliguea membranacea 756
Selliguea stenophylla 97
Selliguea taeniata 97
Sematophyllaceae 55, 754
Sematophyllum microcladiellum 55
Sematophyllum saproxylonphilum 57
Sematophyllum subpinnatum 57
Sematophyllum tristiculum 57
Semecarpus curtisii 758
Semecarpus heterophyllus 134
Semibarbula orientalis 52
Senegalia kekapur 356
Senegalia pennata 356
Senegalia pennata subsp. *insuavis* 356
Senegalia pseudointsia auct. 356
Senegalia rugata 356
Senna alata 356
Senna hirsuta 357
Senna hirsuta var. *hirsuta* 357
Senna obtusifolia 357
Senna occidentalis 357
Senna spectabilis 357
Senna surattensis 357
Senna tora 357
Serialbizzia splendens 334
Serianthes dilmyi 358
Serianthes grandiflora 358
Seruneum biflorum 217
Sesamum indicum 580
Sesamum orientale 580
Sesamum radiatum 580
Sesbania cannabina 358
Sesbania grandiflora 768
Sesbania javanica 358
Sesbania paludosa 358
Sesbania sericea 768
Sesbania sesban auct. 358
Sesuvium portulacastrum 125
Setaria barbata 630
Setaria glauca auct. 630
Setaria italica 630
Setaria pallidefusca 630
Setaria palmifolia 630
Setaria palmifolia var. *palmifolia* 630
Setaria parviflora 630
Setaria pumila auct. 630
Setaria rubiginosa 630
Shirakiopsis indica 330
Shorea bracteolata 300
Shorea collina 766
Shorea curtisii 300
Shorea curtisii subsp. *curtisii* 300
Shorea gibbosa 300
Shorea gratissima 301
Shorea johorensis 301
Shorea leprosula 301
Shorea macroptera 301
Shorea macroptera subsp. *macroptera* 302
Shorea ochrophloia 302
Shorea ovalis 302
Shorea ovalis subsp. *ovalis* 302
Shorea palustris 303
Shorea parvifolia 302
Shorea parvifolia subsp. *parvifolia* 303
Shorea pauciflora 303
Shorea platycarpa 303
Shorea rigida 302

- Shorea sericea* 302
Shorea sumatrana 303
Sida acuta 428
Sida carpinifolia 429
Sida cordata 429
Sida cordifolia 429
Sida mysorensis auct. 429
Sida rhombifolia 429
Sida rhombifolia subsp. *rhombifolia* 429
Sideroxylon attenuatum 718
Sideroxylon ferrugineum 718
Sideroxylon maingayi 717
Sideroxylon malaccense 717
Sieruela rutidosperma 244
Sigesbeckia orientalis 762
Simaroubaceae 719
Sindora × changiensis 14, 358
Sindora coriacea 358
Sindora echinocalyx 358
Sindora intermedia 359
Sindora velutina 358
Sindora wallichii 358
Singaporandia macrophylla 687
Sloanea javanica 313
Sloetia elongata 480
Sloetia penangiana 480
Sloetia sideroxylon 480
Sloetia sideroxylon var. *penangiana* 480
Sloetia wallichii 480
Smilacaceae 719
Smilax barbata 721
Smilax bracteata var. *barbata* 721
Smilax calophylla 719
Smilax calophylla 720
Smilax corbularia 720
Smilax corbularia var. *woodii* 720
Smilax leucophylla 720
Smilax megacarpa 720
Smilax myosotiflora 720
Smilax setosa 721
Smilax singaporesis 721
Smilax sumatrensis 721
Smilax woodii 720
Smythea lanceata 648
Smythea macrocarpa 648
Smythea oblongifolia 648
Smythea pacifica 648
Smythea reticulata 648
Soejatmia ridleyi 630
Solanaceae 721, 781
Solanum aculeatissimum auct. 722
Solanum americanum 722
Solanum biflorum 721
Solanum capsicoides 722
Solanum coagulans 781
Solanum decendentatum 721
Solanum decemfidum 721
Solanum ferox 722
Solanum lasiocarpum 722
Solanum nigrum auct. 722
Solanum nodiflorum 722
Solanum sarmentosum 722
Solanum torvum 722
Solanum trilobatum 722
Solenostemon scutellarioides 387
Solenostoma ariadne 33
Solenostoma truncatum 33
Solenostomaceae 33
Soloria scandens 337
Sonerila begoniifolia 446
Sonerila heterophylla auct. 446
Sonerila heterostema 446
Sonerila moluccana 446
Sonerila obliqua 446
Sonerila paradoxa 446
Sonneratia acida 418
Sonneratia alba 417
Sonneratia alba auct. 418
Sonneratia caseolaris 418
Sonneratia griffithii auct. 418
Sonneratia ovata 418
Sophora tomentosa 359
Sorghum propinquum 630
Sparganophorus sparganophora 215
Sparganophorus vaillantii 215
Spathodea campanulata 219
Spathodea nilotica 219
Spathoglottis plicata 565
Spathoglottis unguiculata 775
Spatholobus acuminatus 359
Spatholobus dubius 359
Spatholobus ferrugineus 359
Spatholobus ferrugineus
var. *ferrugineus* 359
Spatholobus ferrugineus
var. *sericophyllum* 359
Spatholobus maingayi 360
Spatholobus ridleyi 13, 360
Spermacoce alata auct. 687
Spermacoce articulatis 687
Spermacoce assurgens 688
Spermacoce exilis 687
Spermacoce hispida 687
Spermacoce laevis auct. 688
Spermacoce latifolia 687
Spermacoce longicaulis 687

- Spermacoce ocymifolia** 687
Spermacoce ocyoides 688
Spermacoce parviceps 688
Spermacoce remota 688
Spermacoce scaberrima 668
Spermacoce setidens auct. 687
Spermacoce stricta 688
Spermacoce verticillata 688
Sphaeranthus africanus 215
Sphaerocaryum elegans 631
Sphaerocaryum malaccense 631
Sphaeropteris squamulata 69
Sphaeropteris trichodesma 69
Sphaerostephanos heterocarpus 112
Sphaerostephanos polycarpus 113
Sphaerostephanos unitus 113
Sphaerostephanos unitus var. *unitus* 113
Sphaerostylis malaccensis 328
Sphagneticola trilobata 215
Sphenodesme pentandra 391
Sphenodesme pentandra
 var. *pentandra* 391
Sphenodesme triflora 770
Spigelia anthelmia 412
Spilanthes acmella 210
Spilanthes iabadicensis 210
Spirodela polyrhiza 185
Splachnobryum oorschotii 52
Splachnobryum temasekense 13, 52
Sponia virgata 235
Sporobolus diandrus 631
Sporobolus fertilis 631
Sporobolus indicus 631
Sporobolus indicus var. *flacidus* 631
Sporobolus indicus var. *major* 631
Sporobolus indicus
 var. *pyramidalis* auct. 631
Sporobolus tenuissimus 631
Sporobolus virginicus 632
Spruceanthus planiusculus 29
Stachyphrynium griffithii 432
Stachyphrynium latifolium 432
Stachyphrynium minus auct. 433
Stachyphrynium parvum 433
Stachytarpheta cayennensis 736
Stachytarpheta indica auct. 736
Stachytarpheta jamaicensis 736
Stachytarpheta mutabilis 737
Staphyleaceae 723
Staurogyne griffithiana 121
Staurogyne kingiana 121
Staurogyne kingiana var. *kingiana* 121
Staurogyne racemosa 758
Staurogyne setigera 122
Staurogyne setigera var. *grandis* 122
Staurogyne setigera var. *setigera* 122
Steinchisma laxum 624
Stelechocarpus burahol 759
Stemodia verticillata 608
Stemona curtisii 723
Stemona tuberosa auct. 723
Stemonaceae 723
Stemonuraceae 723
Stemonurus malaccensis 724
Stemonurus scorpioides 724
Stemonurus secundiflorus auct. 724
Stenochlaena cochinchinensis 86
Stenochlaena palustris 68
Stenochlaena palustris auct. 86
Stenochlaena sorbifolia auct. 76, 77, 86
Stenotaphrum dimidiatum auct. 632
Stenotaphrum secundatum 632
Stephania capitata 459
Stephania hernandiifolia auct. 459
Stephanotis maingayi 165
Sterculia bicolor 430
Sterculia coccinea 429
Sterculia coccinea var. *coccinea* 429
Sterculia cordata 430
Sterculia elongata 429
Sterculia gilva 430
Sterculia hamiltonii 429
Sterculia laevis 430
Sterculia laevis var. 430
Sterculia lanceolata var. *coccinea* 429
Sterculia macrophylla 430
Sterculia parviflora 430
Sterculia rubiginosa 431
Sterculia rubiginosa var. *rubiginosa* 431
Sterculia scaphigera 428
Stereosandra javanica 565
Stereospermum cheloneoides auct. 219
Stereospermum colais 219
Stereospermum hypostictum auct. 219
Stereospermum personatum 219
Stereospermum tetragonum 219
Sticherus truncatus 78
Stichorkis gibbosa 566
Stictocardia tiliifolia 764
Streblus asper 773
Streblus elongatus 480
Streptocalon wallichii 761
Striga asiatica 572
Striga hirsuta 572
Striga lutea 572
Strobilanthes brunelloides 122

- Strobilanthes collina** 122
Strobilanthes echinata 122
Strobilanthes maingayi 122
Strobilanthes palawanensis 122
Strobilanthes reptans 122
Strobocalyx arboreus 216
Strombosia ceylanica 517
Strombosia javanica 518
Strombosia maingayi 518
Strombosia rotundifolia 518
Strongyleria pannea 566
Strongyleria pellipes 566
Strophanthus brevicaudatus 169
Strophanthus caudatus 168
Strophanthus dichotomus 169
Strophanthus singaporianus 169
Strophocaulon unitum 113
Struchium sparganophorum 215
Strychnos axillaris auct. 413
Strychnos cf. axillaris 412
Strychnos ignatii 412
Strychnos laurina 413
Strychnos maingayi 413
Strychnos malaccensis 412
Strychnos ovalifolia 412
Strychnos penicillata 771
Strychnos pseudotiate 412
Strychnos pubescens 413
Strychnos ridleyi 13, 413
Strychnos tieute 412
Stylocoryna adpressa var. *papillulosa* 688
Stylocoryna fragrans 689
Stylocoryna mollis 689
Styloglossum pulchrum 537
Stylosanthes guianensis 360
Stylosanthes hamata auct. 360
Stylosanthes humilis 360
Stylosanthes sundaica 360
Styphelia malayana 313
Styracaceae 724
Styrax benzoin 724
Styrax benzoin var. **benzoin** 725
Styrax crotonoides 725
Styrax crotonoides subsp. **crotonoides** 725
Sunaptea dyeri 304
Sundamomum hastilabium 749
Suregada glomerulata 330
Suregada multiflora auct. 330
Susum anthelminthicum auct. 374, 375
Susum malayanum auct. 375
Swietenia macrophylla 456
Swintonia schwenkii 134
Sykesia viminea 662
Symphyodon perrottetii 754
Sympyodontaceae 754
Symplocaceae 725, 781
Symplocos adenophylla 725
Symplocos adenophylla 725
Symplocos adenophylla var. *virgata* 725
Symplocos barringtoniifolia 725
Symplocos celastrifolia 726
Symplocos cochinchinensis 781
Symplocos fasciculata 726
Symplocos henschelii 726
Symplocos henschelii var. **maingayi** 726
Symplocos lucida 726
Symplocos lucida auct. 726
Symplocos odoratissima 726
Symplocos odoratissima
var. **odoratissima** 727
Symplocos pulverulenta 727
Symplocos ridleyi 726
Symplocos rigida 725
Symplocos rubiginosa 727
Symplocos sp. 726
Symplocos spicata 781
Symplocos theifolia auct. 726
Synaphlebiump recurvatum 83
Synedrella nodiflora 215
Syngonium angustatum 185
Syngonium auritum auct. 185
Syngonium podophyllum 185
Syngonium podophyllum
var. *podophyllum* 185
Syngamma alismifolia auct. 103
Syngamma alismifolia var. *wallichii* 103
Syngamma wallichii 103
Synostemon bacciformis 600
Syringodium isoetifolium 270
Syrrhopodon albidus 752
Syrrhopodon albidus subsp. *albidus* auct. 39
Syrrhopodon albovaginatus 39
Syrrhopodon aristifolius 39
Syrrhopodon armatus 39
Syrrhopodon borneensis 40
Syrrhopodon ciliatus 40
Syrrhopodon ciliatus f. *pseudopodianus* 40
Syrrhopodon confertus 752
Syrrhopodon croceus 40
Syrrhopodon fasciculatus 38
Syrrhopodon fimbriatulus 39
Syrrhopodon flavus 38
Syrrhopodon gardneri 752
Syrrhopodon griffithii 41
Syrrhopodon horridulus 41
Syrrhopodon involutus auct. 40, 41

Syrrhopodon larminati 39
Syrrhopodon *loreus* 40
Syrrhopodon manii 39
Syrrhopodon manii f. *minor* 39
Syrrhopodon muelleri 40
Syrrhopodon prolifer var. *albidus* auct. 39
Syrrhopodon prolifer var. *prolifer* 752
Syrrhopodon pseudoinvolutus 40
Syrrhopodon repens 39
Syrrhopodon revolutus 40
Syrrhopodon ridleyi 41
Syrrhopodon rufescens 41
Syrrhopodon spiculosus 41
Syrrhopodon spiculosus var. *griffithii* 41
Syrrhopodon spiculosus var. *spiculosus* 41
Syrrhopodon tjibodensis 752
Syrrhopodon trachyphyllus 41
Syrrhopodon trachyphyllus auct. 41
Syrrhopodon undulatus 39
Syrrhopodon undulatus auct. 39
Syrrhopodon wallisii 752
Syzygiella *subintegerrima* 22
Syzygium *acuminatissimum* 495
Syzygium *attenuatum* 496
Syzygium *attenuatum* var. *attenuatum* 496
Syzygium *avene* 496
Syzygium *borneense* 496
Syzygium campanulatum 503
Syzygium *cerasiforme* 497
Syzygium cerinum 501
Syzygium cerinum var. *cerinum* 501
Syzygium cerinum var. *turbinatum* 501
Syzygium cf. *fastigiatum* 774
Syzygium chloranthum 497
Syzygium cinereum 497
Syzygium claviflorum 497
Syzygium claviflorum var. *claviflorum* 498
Syzygium claviflorum var. *maingayi* 498
Syzygium conglomeratum 498
Syzygium conglomeratum
var. *conglomeratum* 498
Syzygium cumini 498
Syzygium densiflorum auct. 507
Syzygium duthieanum 498
Syzygium filiforme 499
Syzygium filiforme 499
Syzygium filiforme subsp. *filiforme* 499
Syzygium filiforme var. *clavimyrtus* 500
Syzygium filiforme var. *filiforme* 499
Syzygium flosculiferum 499
Syzygium formosum 499
Syzygium foxworthianum 507
Syzygium glabratum 499

Syzygium glaucum 500
Syzygium gracile 499
Syzygium grande 500
Syzygium griffithii 500
Syzygium incarnatum 501
Syzygium inophyllum 501
Syzygium inophyllum var. *bernardii* 501
Syzygium inophyllum var. *inophyllum* 501
Syzygium jambos 501
Syzygium kunstleri 501
Syzygium leptostemon 502
Syzygium leucoxylon 502
Syzygium lineatum 497
Syzygium linocieroideum 502
Syzygium longiflorum 497
Syzygium maingayi 502
Syzygium malaccense 503
Syzygium muelleri 503
Syzygium myrtifolium 503
Syzygium nemestrinum 508
Syzygium ngadimanianum 503
Syzygium nigricans 504
Syzygium oblatum 504
Syzygium oblatum var. *oblatum* 504
Syzygium pachyphyllum 504
Syzygium palembanicum 504
Syzygium papillosum 505
Syzygium pauper 505
Syzygium pendens 505
Syzygium polyanthum 506
Syzygium polyanthum var. *polyanthum* 506
Syzygium prainianum 506
Syzygium pseudocrenulatum 508
Syzygium pseudoformosum 499
Syzygium pustulatum 506
Syzygium pycnanthum 506
Syzygium pyrifolium 507
Syzygium ridleyi 507
Syzygium rigidum 508
Syzygium rugosum 507
Syzygium rugosum var. *rugosum* 508
Syzygium scortechinii 508
Syzygium scortechinii var. *scortechinii* 508
Syzygium singaporense 508
Syzygium skrophilum 774
Syzygium subcrenatum 508
Syzygium subdecussatum 509
Syzygium subdecussatum
var. *subdecussatum* 509
Syzygium syzygioides 509
Syzygium urceolatum
subsp. *palembanicum* 505
Syzygium urophyllum 509

- Syzygium valdevenosum** 509
Syzygium zeylanicum 510
Tabebuia pallida 762
Tabebuia rosea 219
Tabernaemontana africana 169
Tabernaemontana coronaria 761
Tabernaemontana corymbosa 169
Tabernaemontana hirta 169
Tabernaemontana malaccensis 170
Tabernaemontana pauciflora 169
Tabernaemontana peduncularis 761
Tacca cristata 2, 727
Tacca integrifolia auct. 727
Tacca leontopetaloides 728
Tacca pinnatifida 728
Tacca rafflesiana 727
Taccaceae 8, 727
Taeniophyllum filiforme 566
Taeniophyllum obtusum 567
Taeniophyllum pusillum 567
Taeniophyllum serrula 567
Taenitis blechnoides 103
Taenitis blechnoides var. b 104
Taenitis blechnoides var. c 104
Taenitis blechnoides var. *interrupta* 104
Taenitis interrupta 104
Tagetes erecta 215
Talauma elegans 418
Talauma lanigera auct. 419
Talauma singapurensis 419
Talauma villosa 419
Talinaceae 728
Talinum fruticosum 728
Talinum paniculatum 728
Talinum triangulare 728
Talipariti tiliaceum 425
Tamarindus indica 360
Tanghinia manghas 158
Tapeinidium pinnatum 86
Tarenaya aculeata 244
Tarennia adpressa 688
Tarennia costata 689
Tarennia fragrans 689
Tarennia grandifolia 689
Tarennia mollis 689
Tarennia odorata 689
Tarennia papillosa 688
Tarennia ridleyi 690
Tarennia stellulata 690
Tarlmounia elliptica 216
Tarrietia simplicifolia 424
Taxillus chinensis 417
Taxiphyllum taxirameum 46
Taxithelium capillipes 53
Taxithelium gottscheanum 54
Taxithelium instratum 53
Taxithelium isocladum 53
Taxithelium kerianum 53
Taxithelium leptosigmatum 54
Taxithelium nepalense 54
Taxithelium papillatum 55
Taxithelium planum auct. 54
Taxithelium plumularia 45
Taxithelium subtrachaelophyllum 54
Taxithelium vernieri 54
Tectaria angulata 106
Tectaria barberi 106
Tectaria crenata auct. 106
Tectaria grandidentata 106
Tectaria griffithii auct. 75, 107
Tectaria griffithii var. *singaporeana* 107
Tectaria incisa 106
Tectaria maingayi 107
Tectaria multicaudata 106
Tectaria nayarii 107
Tectaria sagenioides 107
Tectaria semipinnata 107
Tectaria singaporiana 108
Tectaria vasta 108
Tectariaceae 106, 756
Teijsmanniodendron coriaceum 391
Teijsmanniodendron holophyllum 770
Teijsmanniodendron pteropodum 392
Telaranea major 31
Telaranea neesii 31
Telmatoblechnum indicum 68
Tephrosia hookeriana auct. 361
Tephrosia noctiflora 360
Tephrosia subamoena 361
Teratophyllum aculeatum 76
Teratophyllum aculeatum
var. *aculeatum* 76
Teratophyllum ludens 76
Teratophyllum rotundifoliatum 77
Terebinthina aromatica
var. *pulcherrima* auct. 607
Terminalia bellirica 250
Terminalia catappa 250
Terminalia citrina 250
Terminalia phellocarpa 250
Terminalia subspathulata 250
Ternatea laurifolia 339
Ternstroemia bancana 583
Ternstroemia coriacea 582
Ternstroemia corneri 582
Ternstroemia palembangensis 582

- Ternstroemia penangiana** 583
Ternstroemia penangiana auct. 582, 583
Ternstroemia wallichiana 583
Tetracera akara 291
Tetracera arborescens 292
Tetracera assa 293
Tetracera assa var. 292
Tetracera euryandra auct. 292
Tetracera fagifolia 292
Tetracera fagifolia var. *borneensis* 292
Tetracera indica 292
Tetracera lucida 292
Tetracera macrocarpa 293
Tetracera macrophylla 293
Tetracera maingayi 293
Tetracera scandens 293
Tetracera sumatrana 292
Tetracera sylvestris 292
Tetractomia roxburghii 699
Tetractomia tetrandra 699
Tetradenia furfuracea 405
Tetramerista glabra auct. 510
Tetramerista glabra var. *sagittata* 510
Tetrandra wallichii 221
Tetranthera furfuracea 405
Tetrastigma coriaceum auct. 744
Tetrastigma curtisii 743
Tetrastigma dichotomum 743
Tetrastigma lanceolarium 744
Tetrastigma latiffii 743
Tetrastigma lawsonii auct. 743
Tetrastigma leucostaphyllum 744
Tetrastigma rafflesiae auct. 744
Thalassia hemprichii 378
Thamnopteris nidus 63
Thamnopteris nidus var. *musifolia* 63
Thaumatococcus daniellii 433
Theaceae 728, 781
Thelasis carinata 567
Thelasis decurva 567
Thelasis elongata 567
Thelasis micrantha 567
Thelasis pygmaea 567
Thelasis triptera 567
Thelypteridaceae 108, 757
Thelypteris chlamydophora 111
Thelypteris motleyana 112
Thelypteris singalanensis auct. 112
Thelypteris torresiana 757
Thelypteris truncata 112
Thelypteris uliginosa 757
Themeda arguens 632
Themeda villosa 632
Thespesia populnea 431
Thismia aseroe 729
Thismia fumida 730
Thismiaceae 729
Thoracostachyum bancanum 284
Thoracostachyum bancanum
var. *longispica* 284
Thottea dependens auct. 206
Thottea grandiflora 205
Thottea praetermissa 206
Thrixspermum acuminatissimum 567
Thrixspermum amplexicaule 568
Thrixspermum arachnites 568
Thrixspermum calceolus 568
Thrixspermum centipeda 568
Thrixspermum clavatum 568
Thrixspermum filiforme 569
Thrixspermum lilacinum 568
Thrixspermum notabile 568
Thrixspermum ridleyanum 568
Thrixspermum scopo 569
Thrixspermum trichoglossis 569
Thuarea involuta 632
Thuarea sarmentosa 632
Thuidiaceae 58
Thuidium bifarium 58
Thunbergia alata 122
Thunbergia dasychlamys 13, 123
Thunbergia fragrans 123
Thunbergia fragrans f. *javanica* 123
Thunbergia grandiflora 123
Thunbergia laurifolia 123
Thymelaeaceae 730, 781
Thyridium cardotii auct. 38
Thyridium fasciculatum 38
Thyridium fasciculatum var. *zollingeri* 38
Thyridium flavum 38
Thyridium manii 39
Thyridium manii var. *minor* 39
Thyridium repens 39
Thyridium undulatum 39
Thyridium undulatum 39
Thyridium undulatum auct. 39
Thyridium wallisii 752
Thrysostachys siamensis 779
Thysananthus ciliaris 29
Thysananthus comosus 29
Thysananthus fruticosus 29
Thysananthus humilis auct. 29
Thysananthus indicus 29
Thysananthus spathulistipus 29
Thysanolaena latifolia 632
Thysanolaena maxima 633

- Tilezia baccata** 215
Tiliacora acuminata 773
Timonius compressicaulis 690
Timonius finlaysonianus 690
Timonius finlaysonianus auct. 690
Timonius flavescentia 690
Timonius jambosella auct. 690
Timonius jambosella var. *finlaysonianus* 690
Timonius peduncularis 690
Timonius rumphii auct. 691
Timonius wallichianus 691
Timonius wrayi 691
Tinomiscium petiolare 459
Tinospora cordifolia auct. 460
Tinospora crispa 459
Tinospora macrocarpa 460
Tinospora uliginosa auct. 460
Tithonia diversifolia 216
Torenia fournieri 412
Torenia mucronulata 410
Torenia polygonoides 410
Toricelliaceae 732
Tournefortia tetrandra 221
Tournefortia wallichii 221
Toxocarpus griffithii 168
Trema amboinense 235
Trema angustifolium 234
Trema cannabina 234
Trema orientale auct. 235
Trema orientale var. *molle* auct. 235
Trema timorense 235
Trema tomentosum 235
Trema virgatum 235
Trevesia burckii 188
Trevesia cheiranthoides 188
Triadica cochinchinensis 330
Trichiogramme alismifolia auct. 103
Trichocolea pluma 33
Trichocoleaceae 33
Trichoglottis rigida 775
Tricholepidozia neesii 31
Trichomanes bimarginatum 80
Trichomanes bipunctatum auct. 79, 80
Trichomanes christii 79
Trichomanes cyprioides auct. 78
Trichomanes digitatum 81
Trichomanes filicula auct. 79, 80
Trichomanes foeniculaceum auct. 78
Trichomanes henzaianum auct. 80
Trichomanes hispidulum 78
Trichomanes humile 79
Trichomanes javanicum 79
Trichomanes javanicum auct. 79
Trichomanes maximum auct. 78
Trichomanes mindorense auct. 80
Trichomanes minutum 80
Trichomanes motleyi 80
Trichomanes muscoides auct. 80
Trichomanes obscurum 78
Trichomanes pallidum 82
Trichomanes parviflorum auct. 78
Trichomanes proliferum 80
Trichomanes pyxidiferum auct. 80
Trichomanes ridleyi 755
Trichomanes rigidum auct. 78
Trichomanes saxifragoides 80
Trichomanes setaceum auct. 78
Trichomanes singaporianum 79
Trichomanes sublimbatum 81
Trichomanes sublimbatum auct. 80
Trichomanes superbum 78
Trichosanthes borneensis 268
Trichosanthes celebica auct. 268
Trichosanthes elmeri 268
Trichosanthes pilosa var. *pilosa* 765
Trichosanthes quinquangulata 269
Trichosanthes scabra 267/268
Trichosanthes tricuspidata 269
Trichosanthes tricuspidata
 subsp. *javanica* 269
Trichosanthes wallichiana auct. 268, 269
Trichosanthes wawrae 269
Trichosanthes wawrae f. *wawrae* 269
Trichosteleum boschii 57
Trichosteleum brachypelma 57
Trichosteleum brachypelma
 var. *brachypelma* 57
Trichosteleum brachypelma
 var. *compactum* 57
Trichosteleum bruchii 56
Trichosteleum fleischeri 57
Trichosteleum leptocarpon auct. 46
Trichosteleum luxurians 56
Trichosteleum mammosum 754
Trichosteleum monostictum
 var. *laevius* auct. 57
Trichosteleum papillatum 55
Trichosteleum saproxylophilum 57
Trichosteleum singapurense 57
Trichosteleum stigmosum 57
Trichostomum orientale 52
Trichotosia gracilis 569
Trichotosia velutina 570
Trichotosia vestita 570
Tridax procumbens 216
Trigonachras acuta 709

- Trigoniaceae** 732
Trigoniastrum hypoleucum 732
Trigonochlamys grandifolia 223
Trigonochlamys griffithii 226
Trigonopleura malayana 767
Trigonostemon capillipes 768
Trigonostemon heteranthus auct. 331
Trigonostemon longifolius 331
Trigonostemon malaccanus 768
Trigonostemon scopulatus 331
Trigonostemon villosus auct. 331
Trimezia martinicensis 382
Triomma malaccensis 227
Trismegistia calderensis
 var. *convoluta* auct. 54
Trismegistia lancifolia 54
Trismegistia lancifolia var. *lancifolia* 54
Trismegistia lancifolia
 var. *pseudoplicata* 54
Trismegistia rigida auct. 54
Tristania merguensis 510
Tristania obovata 511
Tristania sumatrana 511
Tristania whiteana 511
Tristaniopsis merguensis 510
Tristaniopsis merguensis
 subsp. *merguensis* 510
Tristaniopsis obovata 510
Tristaniopsis whiteana 511
Tristellateia australasiae 420
Triumfetta cana 771
Triumfetta pilosa 771
Triumfetta pseudocana 431
Triumfetta rhomboidea 431
Triumfetta tomentosa 431
Triuridaceae 733
Trivalvaria macrophylla 150
Trivalvaria macrophylla
 var. *macrophylla* 150
Tropidia curculigoides 570
Tropidia squamata 570
Tupistra singapureana 559
Turnera subulata 580
Turnera trioniflora 580
Turnera ulmifolia 580
Turnera ulmifolia var. *angustifolia* 580
Turnera ulmifolia var. *elegans* 580
Turpinia latifolia 723
Turpinia laxiflora 723
Turpinia pomifera auct. 723
Turpinia sphaerocarpa 723
Turpinia sphaerocarpa
 var. *sphaerocarpa* 723
Turraea breviflora 455
Tylophora asthmatica auct. 172
Tylophora flexuosa auct. 172
Tylophora indica auct. 172
Tylophora squarrosa 172
Tylophora tenuis 172
Tylophora tenuissima 172
Tylophora wallichii 162
Tylostylis rigida auct. 537
Typha angustifolia 733
Typhaceae 733
Typhonium cuspidatum 185
Typhonium flagelliforme 185
Typhonium roxburghii 185
Typhonium trilobatum 185
Uncaria acida 691
Uncaria acida var. *acida* 691
Uncaria attenuata 691
Uncaria borneensis 692
Uncaria callophylla 692
Uncaria canescens 692
Uncaria cordata 692
Uncaria dasyoneura 692
Uncaria elliptica 692
Uncaria ferrea 780
Uncaria gambir 692
Uncaria glabrata 693
Uncaria jasminiflora 692
Uncaria jasminiflora var. *macrophylla* 692
Uncaria lanosa 693
Uncaria lanosa var. *glabrata* 693
Uncaria lobpii 693
Uncaria longiflora 693
Uncaria longiflora var. *pteropoda* 693
Uncaria ovalifolia 691
Uncaria ovata auct. 693
Uncaria pedicellata 692
Uncaria pteropoda 693
Uncaria roxburghiana 694
Uncaria sclerophylla 692
Uncaria speciosa 692
Unona cauliflora 760
Unona dasymaschala 138
Unona dasymaschala var. *wallichii* 138
Unona desmantha 148
Unona desmos 760
Unona discolor 138
Unona dumosa 139
Unona longiflora auct. 138
Unona stenopetala var. 148
Unona wrayi 148
Uragoga curviflora var. *lanceolata* 657
Uraria crinita 361

- Urbanisol tagetifolius* f. *grandiflorus* 216
Urbanisol tagetifolius var. *flavus* 216
Urceola brachysepala 170
Urceola elastica 170
Urceola laevigata 170
Urceola lucida 171
Urceola maingayi 170
Urceola malaccensis 171
Urceola polyneura 171
Urceola reticulata 171
Urceola torulosa 171
Urena lobata 431
Urnularia flavescens 174
Urnularia rufescens 172
Urochloa glumaris 633
Urochloa maxima 633
Urochloa mutica 633
Urochloa paspaloides 633
Urochloa piligera 633
Urochloa reptans 779
Urochloa subquadripila 633
Urophyllum arboreum 694
Urophyllum arboreum auct. 695
Urophyllum blumeanum 694
Urophyllum corymbosum 694
Urophyllum glabrum 694
Urophyllum glabrum var. *blumeanum* 694
Urophyllum griffithianum 695
Urophyllum griffithianum auct. 695
Urophyllum hirsutum 695
Urophyllum macrophyllum auct. 694
Urophyllum malayense 695
Urophyllum sp. 10 695
Urophyllum sp. 2 694
Urophyllum streptopodium 696
Urophyllum trifurcum auct. 695
Urophyllum villosum 780
Urostigma xylophyllum 479
Urticaceae 733, 782
Utania austromalayensis 370
Utania nervosa 370
Utania racemosa 371
Utania volubilis 371
Utania volubilis var. *volubilis* 371
Utricularia affinis var. *griffithii* 409
Utricularia albina 408
Utricularia aurea 408
Utricularia bifida 408
Utricularia caerulea 408
Utricularia exoleta 408
Utricularia flexuosa 408
Utricularia flexuosa f. *gracilis* 408
Utricularia flexuosa var. *gracilis* 408
Utricularia gibba 408
Utricularia griffithii 409
Utricularia minutissima 408
Utricularia punctata 409
Utricularia racemosa 408
Utricularia uliginosa 409
Uva subrepanda 152
Uvaria blumei 150
Uvaria clementis 150
Uvaria cordata 152
Uvaria cuneifolia 150
Uvaria curtisii 150
Uvaria dulcis auct. 150
Uvaria excelsa 151
Uvaria grandiflora 151
Uvaria grandiflora var. *grandiflora* 151
Uvaria griffithii 151
Uvaria hirsuta 151
Uvaria leptopoda 152
Uvaria littoralis 152
Uvaria lobbiana 152
Uvaria macrophylla 152
Uvaria micrantha 153
Uvaria pauciovulata 153
Uvaria purpurea 151
Uvaria ridleyi auct. 152
Uvaria subrepanda 152
Vaccinium acuminatissimum 314
Vaccinium bancanum auct. 314
Vaccinium bracteatum 314
Vaccinium hasseltii 314
Vaccinium littoreum 314
Vaccinium malaccense 314
Vachellia farnesiana 768
Vaginularia trichoidea 104
Vallaris maingayi 165
Vanda hookeriana 775
Vandellia crustacea 410
Vandellia elata 411
Vandellia hirsuta 411
Vandellia pedunculata 410
Vandellia scabra auct. 411
Vanilla griffithii 570
Vatica maingayi 303
Vatica nitens 766
Vatica odorata 304
Vatica odorata subsp. **odorata** 304
Vatica pauciflora 304
Vatica ridleyana 304
Vatica ridleyana auct. 304
Vatica stapfiana auct. 304
Vatica wallichii 304
Veitchia merrillii 189

- Ventilago ferruginea** 648
Ventilago lanceata 648
Ventilago leiocarpa auct. 649
Ventilago madraspatana auct. 648
Ventilago maingayi 648
Ventilago malaccensis 649
Ventricularia tenuicaulis 775
Verbena brasiliensis 737
Verbenaceae 735
Vernonia arborea 216
Vernonia chinensis 217
Vernonia cinerea 216
Vernonia elaeagnifolia 216
Vernonia elliptica 216
Vernonia javanica 216
Vernonia patula 217
Vernonia scandens auct. 211
Vernonia wallichii 216
Vesicularia dubyana 46
Vesicularia kurzii 47
Vesicularia miquelii 47
Vesicularia montagnei 47
Vesicularia reticulata 47
Vetiveria zizanioides 779
Viburnum sambucinum 124
Viburnum sambucinum var. *sambucinum* 124
Vigna catjang 361
Vigna marina 361
Vigna retusa 361
Vigna unguiculata 361
Vinca rosea 158
Vincetoxicum flexuosum 172
Vincetoxicum flexuosum var. *tenuis* 172
Vincetoxicum globiferum 172
Violaceae 737, 782
Viscum articulatum 704
Viscum flexuosum 704
Viscum orientale auct. 704
Viscum ovalifolium 704
Viscum ramosissimum auct. 704
Vitaceae 737, 782
Vitex coriacea 392
Vitex gamosepala 392
Vitex gamosepala var. 392
Vitex longisepala auct. 393
Vitex negundo 392
Vitex ovata 393
Vitex peralata 392
Vitex pinnata 392
Vitex pteropoda 392
Vitex pubescens 392/393
Vitex pubescens var. *lilacina* 393
Vitex rotundifolia 393
Vitex trifolia 393
Vitex vestita 393
Vitis cerasiformis 740
Vitis cinnamomea 738
Vitis diffusa 741
Vitis elegans 738
Vitis furcata 741
Vitis glaberrima 740
Vitis gracilis 738
Vitis hastata 740
Vitis japonica 739
Vitis lanceolaria 744
Vitis lawsonii auct. 744
Vitis macrostachya 742
Vitis mollissima 739
Vitis novemfolia 740
Vitis pedata 782
Vitis polystachya var. *elegans* 739
Vitis polythyrsa auct. 739
Vitis repens 741
Vitis sagittifolia 740
Vitis trifolia 739
Vittaria elongata 100
Vittaria ensiformis 101
Vittaria lineata auct. 101
Vittaria scolopendrina auct. 101
Volkameria inermis 393
Volkameria orientalis var. *indivisa* 580
Vrydagzynea albida 570
Vrydagzynea lancifolia 571
Vrydagzynea tristriata 571
Walsura chrysogyne 456
Waltheria indica 432
Warburgiella leptocarpos auct. 45
Webera fragrans 689
Webera grandifolia 689
Webera mollis 689
Webera ridleyi 690
Webera sp. 688, 690
Wedelia biflora 217
Wedelia trilobata 215
Weinmannia fraxinea 765
Weissia malayensis 52
Whitfordiodendron erianthum 361
Wiesnerella denudata 751
Wiesnerellaceae 751
Wijkia tanytricha 754
Wikstroemia indica 781
Wikstroemia ridleyi 732
Wikstroemia viridiflora 781
Willughbeia aff. flavescens 173
Willughbeia angustifolia 172
Willughbeia apiculata 172

- Willughbeia coriacea** 173
Willughbeia dulcis 173
Willughbeia edulis 173
Willughbeia firma 173
Willughbeia flavescens 173
Willughbeia flavescens var. *rufescens* 172
Willughbeia grandiflora auct. 173
Willughbeia rufescens 172
Willughbeia tenuiflora 174
Wolfia angusta 186
Wolfia arrhiza auct. 186
Wolfia globosa 186
Wollastonia asperrima 217
Wollastonia biflora 217
Wormia excelsa 290
Wormia oblonga 766
Wormia pulchella 291
Wormia scortechinii 290
Wormia subsessilis 291
Wormia suffruticosa 291
Wormia tomentella 290
Wrightia laevis 174
Wrightia laevis subsp. *laevis* 174
Wrightia religiosa 761
Xanthium inaequilaterum 217
Xanthium strumarium 217
Xanthophyllum affine 636
Xanthophyllum amoenum 637
Xanthophyllum curtisii 637
Xanthophyllum discolor 635
Xanthophyllum discolor subsp. *discolor* 635
Xanthophyllum ellipticum 635
Xanthophyllum eurhynchum 635
Xanthophyllum eurhynchum
 subsp. *maingayi* 636
Xanthophyllum flavescens 636
Xanthophyllum griffithii auct. 636
Xanthophyllum griffithii
 subsp. *erectum* auct. 635
Xanthophyllum griffithii var. *curtisii* 637
Xanthophyllum kingii 635
Xanthophyllum kunstleri 637
Xanthophyllum maingayi 636
Xanthophyllum monticola 779
Xanthophyllum obscurum 636
Xanthophyllum palembanicum auct. 636
Xanthophyllum rufum 779
Xanthophyllum stipitatum 636
Xanthophyllum stipitatum
 var. *amoenum* 637
Xanthophyllum stipitatum
 var. *stipitatum* 637
Xanthophyllum vitellinum 637

Xanthophyllum wrayi 779
Xenostegia tridentata 263
Xenostegia tridentata subsp. *tridentata* 263
Xerospermum intermedium 710
Xerospermum laevigatum 710
Xerospermum laevigatum
 subsp. *laevigatum* 710
Xerospermum muricatum 710
Xerospermum noronhianum 710
Xerospermum wallichii 710
Ximenia americana 518
Xylocarpus granatum 456
Xylocarpus moluccensis 457
Xylocarpus rumphii 457
Xylopia caudata 153
Xylopia caudata var. *caudata* 153
Xylopia dicarpa 153
Xylopia elliptica 760
Xylopia ferruginea 153
Xylopia ferruginea var. *ferruginea* 153
Xylopia ferruginea var. *oxyantha* 154
Xylopia fusca 154
Xylopia fusca var. *fusca* 154
Xylopia magna 154
Xylopia malayana 154
Xylopia malayana auct. 153
Xylopia malayana var. *malayana* 154
Xylopia oxyantha 154
Xylopia ridleyi 139
Xyridaceae 744
Xyris anceps auct. 744
Xyris complanata 744
Xyris pauciflora 744
Xyris schoenoides auct. 744
Youngia japonica 217
Zanthoxylum hirtellum 699
Zanthoxylum myriacanthum 699
Zanthoxylum nitidum 699
Zanthoxylum ovalifolium 781
Zephyranthes rosea 127
Zeuxine clandestina 571
Zeuxine clandestina auct. 571
Zeuxine gracilis auct. 571
Zeuxine parvifolia 571
Zeuxine strateumatica 572
Zingiber aromaticum auct. 750
Zingiber chryseum 750
Zingiber gracile auct. 750
Zingiber griffithii 749
Zingiber ottensii 750
Zingiber puberulum 750
Zingiber puberulum var. *chryseum* 750
Zingiber puberulum var. *ovoideum* auct. 750

Zingiber puberulum var. **puberulum** 750
Zingiber singapurese 13, 750
Zingiber zerumbet auct. 750
Zingiberaceae 744, 782
Ziziphus calophylla 649
Ziziphus elegans 649
Ziziphus horsfieldii 649
Ziziphus oenopolia 649

Zornia cantoniensis 362
Zornia diphylla auct. 361
Zornia gibbosa 361
Zoysia malaccensis 634
Zoysia matrella 634
Zoysia pungens 634
Zoysia tenuifolia 634
Zygia jiringa 336